
8

INDEX TO VOLUMES 1-50

JAN 22 8 27 AH '82

UNIVERSITY OF HAWAII



INDEX TO VOLUMES 1-50

Compiled by

ERNEST ROULEAU

Edited for the New England Botanical Club by

RALPH C. BEAN

STUART K. HARRIS

ALBERT F. HILL

REED C. ROLLINS



35-641

QKI R46 Index v.1-50

To Merritt Lyndon Fernald 1873 — 1950



FOREWORD

The first fifty volumes of Rhodora, published between 1899 and 1948, contain a history and chronicle of field activity and research in taxonomic botany during that period, particularly with reference to the flora of Eastern North America. Up to the present, this vast quantity of botanical material has been relatively inaccessible with only yearly indices available. The present book is a subject, author and title index, covering volumes one through fifty.

A comprehensive index is a tool of research that saves time and error for the user in his quest for the published work of others. What might not be thoroughly appreciated is the time, effort and expense required to produce such an index.

The compilatory work on the present volume was painstakingly done by Dr. Ernest Rouleau, who undertook the rather formidable task with enthusiasm. His original draft was a model of what an index should be and his achievement is hereby gratefully acknowledged. Dr. Rouleau has further aided the project by carefully checking the proofs. Unfortunately, the great cost of producing the index in its original form was prohibitive. Rather extensive changes in the direction of space-saving and the elimination of repetitious entries were required as measures of economy. Some of the ease with which the index might have been used was sacrificed, but the accuracy and completeness of coverage have been preserved. The editors assume full responsibility for the revisions made in Dr. Rouleau's original manuscript. Much of the work of these revisions has fallen to Mr. Ralph C. Bean, who in addition, together with Mrs. Bean, has read the galley proof. Dr. Albert F. Hill contributed much of the editorial work for one section of the book. In dedicating this volume, Dr. Rouleau and the Editors have been mindful of the fact that the late Professor Merritt Lyndon Fernald was on the Editorial Board from the beginning of RHODORA and was Editor-in-Chief from 1929 to 1951. Fernald's botanical work, so largely a feature in the pages of RHODORA. marked an epoch in the study of the flora of North America.

Reed C. Rollins.

Digitized by the Internet Archive in 2023 with funding from Kahle/Austin Foundation

INDEX TO VOLUMES 1-50

_				Part I			
Index	to	Plant	Names		• • • • • • • • • • • • • • • • • • • •	Page	1
					PART II		
Index	to	Autho	ors and	Titles		Page	274



INTRODUCTION

The basis of this cumulative index has been the yearly indices of Rhodora, volumes 1-50. Because of the accuracy of these indices, it was not found necessary or desirable to compile the index from the text. The major contribution of the author has been to bring the various citations into uniformity.

For greater usefulness, the index has been divided into two parts, the first taxonomical and the second bibliographical, using both author and the principal words of the titles.

In the taxonomical portion, orthographical variants have been combined under the correct orthography; when referring to different taxa, they have not been combined. Evident errors (such as the ending flora changed to folia, etc.), either in the text or the indices, have been corrected. As in Rhodora, bold-face indicates a new name or a new status for a name.

The bibliographical portion has been made as complete as possible because the compiler thought it would be useful to the majority of users, whether they consult Rhodora frequently or only casually. Under each author, the articles have been arranged in chronological order. Joint authorship has been clearly indicated under each author in order to prevent unnecessary cross-checking.

The most loyal and conscientious aid of my assistant, Miss Jeanne Viau, in the preparation of the manuscript and in the correction of the proofs is herewith acknowledged. It is my hope that this index will prove a useful tool for taxonomists and bibliographers and that too many errors may not be found.

Ernest Rouleau.

Herbier Marie-Victorin Institut botanique Université de Montréal



PLANT NAMES

Abama montana 33:52 Abdra brachycarpa 36:364 Abele 12:178

Abele 12:178
Abies 6:103; 7:160; 10:63; 11:168; 12:177; 17:166, 167; 29:48; 35:358; 37:267; 40:149-153, 157, 162; 42:522; 45:108; 46:152; 49: 83; 50:36, 37. alba 17:62; 34:189; 42:522 amabilis 45:108; 46:152. americana 17:167; 50:106, 118. balsamea 1:171, 183, 191; 2: 202, 222; 3:169, 189, 232; 4:24, 84, 189; 5:36; 6:103; 9:158, 169; 10:63; 11:201-203; 12:103, 177; 13:138; 17:60, 65, 152; 18:32; 22:133; 24:98, 112; 25:6; 28:43, 45; 29:206; 31:20; 32:60, 113, 199, 204, 205, 207; 33:110; 34:50, 62, 65, 191: 35:122, 322, 358; 36:277; 37:415; 39:231; 40:73, 145, 148, 156, 160, 161, 163, 167, 169-171; 44:110, 412; 48:163; 161, 163, 167, 169-171; 44:110, 412; 48:163; f. hudsonia 34:190; var. phanerolepis 11: **203**; 12:103; 23:188; 28:43-45; 29:130, 146, 206; 33:116; 44:110, 138. canadensis 17:61, 62, 166, 167; 21:41, 108, 109; 34:188, 189. concolor 47:186. Douglasii 47:316. Fraseri 11:203; 17:60, 165: 35:320, 322; (B) nana 34:190; var. Hudsoni 34:191. Hudsoni 34:191. lasiocarpa 37:363; 45:108; 46:152. magnifica 42: 524; var. xanthocarpa 42:524. mariana 34: 188. Menziesii 47:317. Mertensiana 47: 317. nigra 9:173; 34:189. nobilis 42:522, 523; 45:108; 46:152; compacta 42:524; glauca 42:523; prostrata 42:524; glaucifolia 42:523; robusta 42:524; robustifolia 42:524; var. argentea 42:523; var. prostrata 42:524; var. robusta 42:524. pectinata, 17:62; 42:522. Picea, 17:62; 42:522. procera, 42:522; f. glauca 42:523; f. prostrata 42:

Abietineae 11:167, 169-172 Abietinella abietina 30:9

Abromeitiella 44:28

Abutilon 7:159; 22:72. Avicennae 10:153. incanum 50:93. Theophrasti 14:206; 22: 72: 43:341

Acacia 2:154; 21:29; 46:313. amentacea 37: 77. angustissima, var. hirta, 10:33; 11: 49; 36:224, 231. Berlandieri, 37:77. densiflora, 38:406. filicoides, 10:33. filiculoides, 10:33. hirta, 10:33. julibrissin, 49:

Acacia, False 12:181 Acalypha 21:82; 36:373; 42:96; 46:316; 47: 207. brachystachya 29:196. brevipes 29: 204; var. pubescens 29:198; 39:16. caroliniana 29:195, 197; 39:16, 304; 42:461; 47: 217. crenulata 29:195, 198; 39:16. digy-217. crenulata 29:195, 198; 39:16. digyneia 29:194, 196-200, 203; 32:216, 258; 35: 39; 37:432; 39:14-16; 42:96. divaricata 29:204. fruticulosa 29:204. gracilens 6:85; 21:82; 29:193, 194, 197, 200-203; 32:258; 37:87, 193; 42:96; 47: 207; var. Fraseri 29:194, 200-202-204; 47:207; var. monococca 29:194, 203, 204; 36:220; 37:193. monococca 29:203. neomexicana 29:200.

ostryaefolia 29:197, 198, 200; 42: 369, 461; 47:217. rhomboidea 29:195; 39: 15, 16; 47:217. rhomboidea 29:195; 39: 15, 16; 42:96; var. **Deamii** 39:16; 42: 96. urticifolia 29:198; 42:96. virginica 6:85; 17: 226; 21:82; 29:193, 194, 196-198, 200; 30: 236; 32:216, 257; 37:432; 39:14-16; 42:96; 44:164; α. genuina 29:195-197; 39:14, 16; β. intermedia 29:198; 39:14, 16; β. monococca 29:203; γ. gracilens 29:201; γ. gracilescens 29:201; δ. Fraseri 29:202; var. α., 42:96; var. **Deamii** 29:194, **197**, 198; 39: 16; var. gracilens 3:296; var. intermedia 29:193 29:193

Acanthaceae 6:152; 20:68; 41:382; 47:100, 261, 262; 50:225; trib. Ruellieae, 47:262

Acanthophora orientalis 21:206

Acanthospermum 9:26; 26:34. australe 9:26; 26:34; 41:573

Acarospora chlorophana 36:161. furcata 29: 101. Schleicheri 36:140

Acarosporaceae 28:226 46:446, 449; f. floridanum 47:160; var. floridanum 47:160; var. grandidentatum 46: 446; var. Longii 47:160; f. platylobum 47: 160. campestre 44:359. carolinianum 14:81; 15:222; 17:66. circinatum 13:190. coccineum 9:116. dasycarpum 1:40, 213; 2:35; 3:235; 4:130; 47:159. Drummondii 14:81. eriocarpum 9:116; 47:157. floridanum 24:79; 40:380, 440, 441; 43:505, 510, 523, 603; 44:351, 359, 360, 426-428, pls. 725, 727; 45:363, 379, 453; 46:447, 449; 47: 96, 156-160; f. villipes 44:426, 427, pls. 725, 727; 47:160; var. Longii 44: 426-428, pl. 726; 47:96, 160; f. platylohum 44:426, 427, pl. 727; 47:160. glaucum 9:116. grandidentatum 45:273, 274; 46:445-450; 47:156, 157; var. sinuosum 46:449, 450. leucoderme 44:12, 360, 428; 46:449; 47: 157. macrophyllum 9:116, 117. montanum 47:157. Ne-160. campestre 44:359. carolinianum 14: lum 9:116, 117. montanum 47:157. Negundo 1:213; 2:125; 3:235; 4:130; 14:80; 21:127; 24:177; 28:233, 244; 36:374; 41: 515, 519, 548; 44:240; 47:157. nigrum 6: 122; 21:190; 42:292; 47:156–158; f. pube-122; 21:190; 42:292; 41:10-105; 1: passelvanicum 1:213; 2:37; 5:35, 49, 289; 6:122; 12:182; 15:121; 21: 127, 130, 199; 22:134; 24:117; 28:233, 244; 24:117; 28:233, 244; 32:206; 33:234; 39:201, 202, 430, fig. 28 (map); 42:94; 47:157, 217. platanoides 1: 214; 2:168; 12:30, 32; 19:230; 21:127; 26: 226; 29:245; 32:13, 160, 264; 37:87; 47: 158; 50:303. pleiostocenium 32:13. Pseudo-Platanus 1:214; 21:127; 32:160, 264; 37: 87; 41: 519; 50:298; var. purpureum 42:44. rubrum 1:191, 213; 3:174, 188; 5:132, 134;

6:122; 9:116, 117; 11:231; 12:128, 182; 13: 91, 139; 14:19; 15:33; 19:220; 20:115; 21: 119, 127; 22:110, 130, 134; 27:108; 28:71, 233; 29:166, 167, 171; 32:127, 152, 206, 215, 264; 33:112, 122; 35:250; 36:100; 37:352, fig. 1 (map); 39:371, 375; 40: 148, 452; 41: 515, 519; 44: 169, 170, 173, 174, 428; 47: 157-159; subsp. microphyllum 9:116; var. Drummondi 43:603; 47:217; var. tomentosum 9:116; 34:168; var. tridens 9:116, tosum 9:116; 34:108; var. tridens 9:116, 117; 12:110, 140; 17:66; 21:127; 23: 102, 151, 274; 24: 177; 32:212, 264; 47:217; var. trilobum 47:217. Rugelii 40:133. saccharinum 1:213, 214; 2:125; 3:235; 4:130; 5: 132; 6:122; 9:116; 16:13,16; 19:220; 21: 127; 25:212; 28:39, 111, 112, 179, 233, 234; 35:158, 250; 36:374; 47:157-159; 46:83, 445; 36:248; var. foridapum 47:160, saccharo 50:248; var. floridanum 47:160. saccharophorum 46:445, 448, 449; 47:157, 158; var. phordin 46:446, 449, 47:157, 188, var. sinuosum 46:446, 449. saccharum 1:213, 214; 3:234; 6:122; 8:71; 12:128, 182; 13: 141, 148; 16:15; 21:127, 190, 199; 22:137; 26:128; 28:111, 112, 179, 233; 32:99, 206; 35:391; 36:238; 39:231: 40:145, 146, 161, 431, 433; 41:31; 44:360, 427, 428; 45:273; 46:448; 447, 448; 47:156, 150: 50:248; 4 46:445, 447, 448; 47:156-159; 50:248; f. conicum 36:239, fig.; f. Rugelii 40:133; var. barbatum 1:214; 3:234; var. glaucum 36:100; var. grandidentatum 45:274; 46: 446; var. nigrum 1:213, 214; 3:234; 5:236; 44:360, 427; var. Schneckii 47:157; var. sin-44:300, 427; var. Schneckii 47:157; var. sinuosum 46:449. sacchatum 28:234. semi-orbiculatum 9:116, 117. sinuosum 24:79; 46:446, 449. spicatum 1:170, 191, 193, 213; 2:37, 122; 3:174, 188; 5:35; 6:122; 12:37, 182; 15:118, 121; 21:127, 130, 199; 22:130, 134; 28: 216; 29:216; 32:204, 206; 33:122, 227; 34:53; 40:73, 145, 170; 46:303; 47:159. subglaucum sinuosum 46:449. tomen-osum 9:116, 117: 47:157. Trelegescenum tosum 9:116, 117; 47:157. Treleaseanum 35:391

Aceraceae 6:122; 9:50; 12:182; 21:127; 26: 226; 29:216; 31:42; 32:264; 40:174; 49:255;

50:298, 303

Acerates 43:510; 46:488, 489; 48:209. floridana 40:378, 435, 454; 42:476; 46:488. hirtella 46:488. lanuginosa 48:116. longifolia 46:488, 489. monocephala 50:118. viridiflora 4:17; 36:224; 39:444; 45:458; var. lanceolata 19:246; 35:363; 45:458; var. line-

aris 35:289; 48:208, 209

Achillea 6:132; 10:127; 24:35; 26:34, 185, 187, 232; 37:307. berealis 9:164, 191; 29: 132, 191, 221; 34:55; 41:295; 42:341; 45: 316. fusca 41:295. lanulosa 16:192; 19: 252; 26:34; 36:284; 48:116; 50:215; f. rubicunda 45:116. Millefolium 3:189; 6:97, 132; 7:122; 17:36, 154, 219; 18:44; 21:170; 22:136; 23:95; 26:34, 184–186, 228; 29:191, 221; 32:151, 279; 33:126; 34:55; 36:374; 47:91; 50:215, 300; f. rosea 50:300; var. lanulosa 37:71; var. nigrescens 25:11; 28: 60; 41:295. mongolica 31:220. multiflora 31:219, 220; 41:295; 42:341. occidentalis 18:44; 42:341. Ptarmica 2:137; 14: 164; 19:252; 20:107; 26:34. sibirica 31:219, 220;

41:295; 42:341; var. typica 31:220. subalpina 41:295. tomentosa 10:127; 26:34

Achlya 26:218

Achnanthes brevipes 9:136. coarctata 10:180. curvirostrum 9:136. lanceolata 10:181; var. Haynaldii 10:181. longipes 9:136; 26:193, 215. manifera 9:136. subsessilis 9:136

Achnanthidium flexellum 9:131, 136

Achras 49:289-292. bahamensis 48:164; 49: 293. emarginata 49:292. mammosa 49: 291. Zapota 49:289-292. zapotilla β. parvifolia 48:164; 49:292; var. parviflora 48:164; 49:292

Achroanthes monophylla 6:112. unifolia 6: 112; 7:95

Achyranthus 6:51

Acnida 17:178. altissima 43:288; var. proscnida 17:178. altissima 43:288; var. prostrata 43:288; var. subnuda 43:288. cannabina 14:176; 17:178, 209, 215, 221; 32:177, 212; 37:415, 425; 41:540, 560. rhyssocarpa 17:179. subnuda 43:288. tamariscina 17:179; 34:174; 37:191; var. prostrata 10:32; 43:288. tuberculata 13:89; 17:179; 19:129; 43:288; var. prostrata 10:32; 43:288; var. subnuda 36:376; 43:288 colea coralloides 4:207

Acolea coralloides 4:207 Acomastylis depressa 36:11

Aconite 42:310

Aconitum 6:116; 42:356; 43:499, 518; 44:374; 49:97. baccis niveis et rubris 42:263, 265, fig. 1; 46:147. Bakeri 36:309. columbianum 36:309. delphinifolium 41:154, 160, 165, 226; 42:325; 45:310. lutescens 36:309. Napellus 6:116; 20:182, 184; 24:116; 42:43. noveboracense 31: 50, 51; 33:227; var. quasiciliatum 31:49, 51; 33:227. reclinatum 31:51; 42:346. uncinatum 31:50, 51; 42: 356; 43:499, 500; 44:399, pl. 720; var. acutidens 44:398, 399, pl. 720; 49:97. vaccarum 42:346

Acoridium 7:119

Acorus 12:5; 31:9, 12; 40:183; 47:385; 50: 139. Calamus 2:216; 3:129, 190; 5:132; 12:5; 14:26; 16:89; 18:30; 32:216, 242; 37: 367, 369; var. vulgaris 37:367, 369. gramineus 37:367

Acosmus 9:44 Acotyledons 47:384 Acrasiales 50:286

Acroblaste 5:208-210; 10:122, 123, 125. Reinschii 2:43; 5:208, 209; 10:122, 123, 125

Acrochaete 8:124. repens 8:124

Acrochaetium 8:190, 192; 10:133; 13:186. Alariae 8:191, 192; 43:214. Amphiroae 50: 263. **Dasyae** 8:191; 10:134, 135; 13:186. Daviesii 8:191, 192, 194; 10:134; 50:263, 265. **Dictyotae** 8:189–191, 193; 13:186. Dufourii 13:187. flexuosum 8:191, 192; 13: 13: 13:186. 186. Hoytii 10:134; 13:186. minimum 10:133; 13:186. Sagraeanum 7:231; 8: 191, 192, 194. secundatum 8:191, 193, 194. Thuretii 50:263; f. agama 50:263. virgatulum 8:191, 193, 194; 26:214; 50:264; f. Iuxurians 8:194; f. tenuissimum 8:194. Zosterae 50:264 Acrosiphonia 4:112, 115

Acrospermum 23:183, 184

Acrostichum 37:383, 384. alpinum 47:146. areolatum 17:162. crispum 37:245. frondibus pinnatis 37:383. hispidum 48:384. hyperboreum 47:146. lanuginosum 47:122. platyneuron 28:143; 37:382–384. Plumieri 32:225. polypodioides 28:143. Thelypteris 21:174, 178; 31:23, 33. viscosum 32:225

Acrothrix 30:195. novae-angliae 35:149, 150;

43:73; 50:261

Actaea 4:88; 5:79; 6:116; 10:66; 18:165; 42: 260; 46:147. alba 4:75; 5:49, 132; 6:116, 140; 11:94; 18:165; 19:224; 20:182, 185; 21: 200; 34:96; 35:249; 42:260–265, fig. 1, pl. 604; 46:146, 148; f. rubrocarpa 34:96; 42:261, 264. americana 42:261; α. alba 42: 260; B. rubra 42:261. brachypetala a. alba 42:261; β. rubra 42:261; δ. microcarpa 42: 261. brachypoda 42:261. dioica 41:423. 424; 46:283. eburnea 6:140; 10:66; 42:261, 324. longipes 42:261. neglecta 6:140; 10:66; 42:261. pachypoda 42:261, 263, 264, pl. 604; 46:146, 303; f. rubrocarpa 42:264. pentagyna 50:199. racemosa 47:374. rubra 6:116; 10:66; 11:94; 12:128; 13:125, 126; 18: 165, 187; 19:224; 20:182, 185; 21:200; 25:8; 31:84; 32:173, 176, 206; 33:121, 178; 34:96; 35:249; 36:281; 42:261, 262, 324; 46: 34:96; 35:249; 36:281; 42:201, 262, 324; 46: 146, 147, 303; f. neglecta 10:66; 11:94; 18: 165; 19:224; 20:182; 21:116; 24:116; 31: 84; 42:261-264, 324, pl. 604; 43:339; var. neglecta 46:303. spicata 5:79; 30:71; 42: 264, 265; 46:146, 147; β. alba 42:260, 262, 263, 265, figs. 1, 2; γ. rubra 42:261; var. rubra 3:130, 174; 5:77; 6: 140; 42:324 ctidesmium 41:136, globosum 41:136.

Actidesmium 41:136. globosum 41:136.

Hookeri 41:136, 137, figs. 5-7 Actinea 34:6; 47:403. acaulis 47:403; var. glabra 47:403. herbacea 10:68; 47:403. Richardsoni, var. floribunda 38:408. texana 38:408

Actinella acaulis, var. glabra 47:403. odorata 7:80. punctata 9:138. Richardsoni, var. floribunda 38:408. scaposa, var. glabra 10:

68; 47:403. texana 38:408

Actinococcus aggregatus 2:48; 3:133, 134, 137; 5:232. peltaeformis 5:232. subcutaneus 2: 48; 3:134; 5:232; 7:231; 10:115, 116; 26: 214: 50:264

Actinocyclus 29:1. Barkleyi 9:129, 139. crassus 9:139: 26:193, 215. Ehrenbergii 9:139; 26:193, 215. Ralfsii 9:139. subtilis 9:139. tenuissimus 9:139. triradiatus 9:139

Actinomeris 47:401, 402. alternifolia 36:374; 40:472

Actinomonas 50:278

Actinoptychus 9:130. undulatus 9:140; 26: 193, 194, 215. velatus 9:140

Actinospermum 49:192

Adder's Mouth, White 35:242

Adder's-tongue 4:88; 35:352; 46:313-315. — Family 35:352. — Lily 46:314

Adelia 21:190. neo-mexicana 42:77

denarium 11:112. marina 11:113. mariti-mum 11:112, 115. peploides 11:112, 113 Adenarium 11:112. marina 11:113. Adenocaulon 37:210, 212, map 8. adhaeres-

cens 37:210. bicolor 37:200, 205, 207, 210, 212, 216, 218, 333, map 9; 49:207. chilense 37:210. himalaicum 37:210

Adenophora 50:41

Adiantum 6:101; 7:191; 9:27, 82, 174; 13: 134, 141; 30:13; 35:130; 50:117. boreale 7:191. Capillus-veneris 9:39; 35:129; 36: 223, 225; 37:190; 50:117. Curtisii 50:117. 223, 323, 31.190, 30.117. Curtish 30.117. pedatum 1:218; 2:182, 229; 3:185, 236; 4: 247; 6:101, 207; 7:103, 190–192; 9:82; 10: 165; 13:141, 147, 161; 21:200; 22:80, 83, 90, 123; 26:177; 30:13; 33:179; 35:129, 130, 249; 40:382, 385; 44:484; var. aleuticum 7: 102; 0:155, 156; 147; 147; 13:141, 13:145, 13:157 192; 9:155, 158, 167, 174; 13:118, 132, 137, 141; 24:227; 29:162; 35:10, 83, 129; 37: 247, 362; 44:114. peltatum 22:123. vestitum 48:383-386

Adicea 9:54; 38:169. Deamii 38:169, 170. fontana 38:169, 170. Nieuwlandii 38:169.

opaca 38:169, 170. pumila 38:169 Adlumia 18:215; 46:20. cirrhosa 2:122; 46:

20. fungosa 18:215; 21:201; 32:108

Adnaria 9:54; 33:197

Adonis 44:25. annua, var. α. 42:242; var. β. 42:242. autumnalis 18:177 Adopogon 9:55

Adoxa Moschatellina 41:146, 290

Adventina 24:34. ciliata 24:35. parviflora 24:34, 35

Aecidium 9:195. caladii 44:174. leucostictum 2:186. Orobi, var. leucostictum 2:186. Pentstemonis 38:98. Solidaginis 38:98 Aegagropila 4:113, 115; 11:18, 149, 150

Aegagropiles marines 11:149, 150

Aegilops 47:280. aromatica 8:210. cylindrica 42:499. ovata 36:408

Aegira 50:256

Aegopodium 7:160, 189; 24:92. Podagraria 1: 159; 8:72; 19:245; 24:92, 182; 42:45

Aeschynomene 42:394, 400, 402, 512. hispida 41:466, 467, 471, map 1. virginica 39:473; 40:383; 41:466, 471, 475, 532, map 1; 42: 385, 391, 393, 457, 510, 512, 514; 44:357, 417 Aesculaceae 21:190

Aesculus 21:127, 190; 47:97. austrina 14:81. discolor 39:352, 435, 482; 40:374, 441; 45: 383, 453. floridana 46:48. glabra 39:318; f. pallida 39:318; var. leucodermis 36:231; 39:318; var. pallida 39:318; var. Sargentii 39:318. Hippocastanum 1:214; 12:32; 19: 230; 21:127; 32:264; 39:371, 375; 50:112, 119. neglecta 46:47; var. pubescens 45:383, 453. octandra, f. vestita 39:318; f. virginica 39:318; var. vestita 39:318; var. virginica 39:318. pallida 39:318. Pavia 36:47; 39:482; 46:46, 48. sylvatica 46:47

Aethusa 24:92. Cynapium 1:159; 24:92, 179; 29:182, 217

Aetopteron 21:10; 22:180

Afzelia 20:68, 136; 23:3. cassioides 17:134 Afzena 20:08, 136; 23:3. cassioldes 17:134 Agalinis 15:224; 20:69, 70, 73, 133–137, 199, 200, fig. 7; 23:138; 25:62. subg. Euagalinis 20:70, 73. subg. Othophylla 20:70, 73. subg. Panctenis 20:70, 73. acuta 25:62. auriculata 20:71, 73. densiflora 20:71, 73. glauca 20:71, 73. grandiflora 20:70,

73; var. serrata 20:70, 73. heterophylla 20:134; 36:221 laevigata 20:71, 73. linifolia 20:134-136. maritima 24:203; 25:62, 213; 32:210, 274. neoscotica 23:139, 161, 290; 24:203. paupercula 23:139; 25:62, 213; var. borealis 37:366; var. neoscotica 23:139. pedicularia 20:70, 73; var. ambigens 20: 70, 73; var. caesariensis 20:70, 73; var. pectinata 20:70, 73. peduncularis 20:135. purpurea 20:70; 24:88; 25:62; 32:212, 274; 36:221. Skinneriana 50:123. tenuifolia 24: 119; 25:63; var. macrophylla 20:71, 73; 35:360. virginica 20:71, 73. viridis 36: 221

Agalinis, Purple 15:224

Agaloma 34:25; 43:110. purpurea 34:25 Agardhiella 2:131; 7:234; 50:267. tenera 1:

123; 2:48; 7:231; 35:149; 50:264 Agarics 4:6; 13:57; 23:88 Agaricus 47:386. arvensis 1:161-164. campestris 1:161-164, 227; 3:37; 4:77, 79, 199. Christinae 2:128. comtulus 1:161-164. cyaneus 27:154. diminutivus 1:161-163. flavovirens 1:58. illudens 1:43-45. octogesimus nonus 9:51. olearius 1:45. placo-myces 1:161, 163, 164. Rodmani 1:161, 162, 164. sapidus 2:76. silvicola 1:161, 163, 164. sylvaticus 1:161, 163 Agarum 33:129. Turneri 2:45; 10:115, 116;

33:130

Agastache 25:37; 47:176. nepetoides 19:247; 40:382, 455; 47:176. pallida 38:407. scrophulariaefolia 12:192; 24:184; 25:37; var. mollis 19:247; 24:118

Agathis 11:170; 44:34

Agave 44:342; 47:290. americana 44:342.

tigrina 38:405. virginica 36:224, 230; 44: 342; 46:307, 308; var. tigrina 38:405
Ageratum 9:50; 26:34; 35:46. altissimum 40: 293. Houstonianum 26:34. mexicanum 26:

Aggregatae 47:384, 386, pl. 991 Agoseris 26:126, 127; 30:77; 50:34, 35. alpestris 50:34, 35. aurantiaca 50:34, 35; var. aurantiaca 50:33; var. purpurea 50:33. cuspidata 50:33, 34. gaspensis 26:125; 35: 338; 44:124, 125, 146; 50:32. glauca 50:34, 35. gracilens 26:125; 50:31, 32. purpurea

Agrimonia 2:235; 6:120; 13:18; 20:15; 40: 334; 42:153. Brittoniana 1:25, 220; 2:237, 238; 6:120; 12:16; 15:224; 40:333; 48:71. dahurica 2:237. Eupatoria 2:236, 237; 26: 39; hirsuta 2:235–237; β. hirsuta 2:236, 237; 39; hirsuta 2:235-237; β. hirsuta 2:236, 237; γ. mollis 2:238; var. hirsuta 1:26. gryposepala 2:235, 236, 238; 4:91; 12:113, 140; 20:15; 23:146, 272; 26:39; 34:64; 35:202; 40:334; 48:71. hirsuta 1:26, 220; 2: 235-238. microcarpa 2:238; 39:355; 48: 71. mollis 2:238; 8:221; 12:189; 20:15; 28:179, 180; 35:39, 200, 202; 37:381, 427. parviflora 2: 236, 238; 4:85; 15:67; 19:228; 24:116; 36:374; 37:381, 427. pilosa 2:237. platycarpa 2:238; 38:423. pubescens 48:71. pumila 2:236. rostellata 19:228; 35:200; 36:230; 37:427: 39:355: 48:71. striata 2:237. 238: 37:427; 39:355; 48:71. striata 2:237, 238;

4:91; 6:62, 120; 9:95; 15:224; 20:15; 23: 272; 40:333, 334, 357, pl. 500; 43:80; var. campanulata 40:333, 334, 357, pl. 500. viscidula 2:237

Agrimony, Britton's 15:224

Agriotes stabilis 38:91

Agropyron 6:107; 11:38; 12:26, 27, 61; 15: 149; 17:226; 23:102; 26:230; 31:16; 33:60, 110; 35:55, 94, 161-185; 36:417, 419, 421; 48:22; 49:265; 50:90. § Goularda 35:161, 167, 168. § Holopyron 35:167. acadiense 19:15; 23:165, 232. alaskanum 35:169. and dinum 12:75. bifonum 12:65. 74. dinum 12:75. biflorum 12:65, 74; subsp. andinum 12:75. brevifolium 12:66, 74. caninoides 12:70; 35:181. caninum 1:183; 5:36; 6:107, 208; 12:26, 27, 61-64, 68-70; 13:89; 15:149; 16:17; 24:113; 35:161, 162, 164, 3:36, 6:101, 203, 12.20, 21, 01-04, 03-10, 162, 164, 165, 180; 36:418, 419; 49:265; β. pauciflorum 36:419; f. caninoides 6:107; f. glaucum 12:69, 71; 23:232; 24:162; 35:177, 179; f. pubescens 12:76; 35:181; var. andinum 12:69, 75; var. Gmelini 12:66, 69, 75; f. Pringlei 12:69, 76, 206; var. Hornemanni 12:69, 73; 33:117; 35:163, 164, 171, 174; f. pilosifolium 12:69, 75; 35:175, 177; var. latiglume 12:69, 73; 35:169; var. Pringlei 12:76; var. pubescens 12:71; var. Richardsoni 35:181; var. tenerum 12:69, 71; 15:149; 17:147; 23:232; 24: 113; 31:83; 35:170; f. ciliatum 12:69, 72; 15:149; 24:162; 35: 177; f. Fernaldii 12:69, 73; 35:166, 173, 174; 44:139; var. unilaterale 12:67-69, 76; 35:181; f. ciliatum 12:69, 76; 35: 182; dasystachyum 35:167, 168. Gmelini 12:66, 75; var. Pringlei 12:66, 67, 76, 206. junceum × littoreum 35:167. latiglume 35:161, 164, 168, 169, 174; 41: 150, 183; 42:317; 45:308. 168, 169, 174; 41: 150, 183; 42:317; 45:308. littorale 35:167; × repens 35:167. littorlittorale 35:167; × repens 35:167. littoreum 35:167. mutabile 35:169. novaeangliae 3:170; 6:107; 12:63, 71; 35:162-165, 174. occidentale 19:16. pauciflorum 35:169; 36:417-419; 37:372; 47:208; 49:265 pseudorepens 35:162-164, 171, 173, 174, 400, pl. 243. pungens 11:39, 131; 12:26; 13:178; 15:149; 19:17; 23:165, 232; 34:118; 35:167, 168, 400, pl. 245; 48:20; 49:265; var. acadiense 23:232. repens 6:107; 12:27, 62, 63; 14:92, 179; 15:149; 17:146, 147, 213, 226; 14:92, 179; 15:149; 17:146, 147, 213, 226; 18:34; 23:102; 26:185, 222; 29:132, 207; 32:150, 157, 237; 33:60, 117; 34:63; 35:167, 168, 181, 183-185, 400, pl. 245; 39:328, 423; 41:512, 516-519; 48:20, 22; 49:241, 245; 49:265; f. pilosum 35:183, 184; 43:79; 48:20; 49:265; f. pubescens 35:165, 184; f. trichorrhachis 35:183-188; 48:20; 49:241, f. trichorrhachis 35:183-185; 48:20; 49:241, 265; subvar. pubescens 35:184; var. glaucum 35:177; var. maritimum 35:165; var. novae-angliae 35:174; var. pilosum 15:149; 16: 190; 23:232; 29:128; 35:184; var. subula-tum 35:183–185, 400, pl. 245; 48:20, 25; 49: 241, 265; f. heberhachis 35:184, 185; 48: 20; 49: 241, 265; f. setiferum 35:184, 185; 48:20; 49:241, 265; f. Vaillantianum 35: 183, 184, 185, 400, pl. 245; 48:20; 49:241,

265; var. tenerum 12:62, 71; 35:170; var. Vaillantianum 35:184. Richardsoni 12:62. 67, 68, 76; 35:162, 165, 181, 182; 36:420; ciliatum 35:182; var. ciliatum 12:77. Scribneri tum 35:182; var. cinatum 12:77. Scribneri 12:66, 76, 205, 206. Smithii 19:16: 35:167, 168; 39:423; 41:152, 183; 48: 20, 100; var. molle 32:200; 203, map 27. spicatum 35: 168. tenerum 12:26, 61, 63, 66, 68, 71, 205; 13:89; 18:34; 22:92; 23:232; 35:162-165, 170, 171, 174, 177, 399, pl. 243; 36:417, 418; 49:265; subsp. trichocoleum 12:73; var. ciliatum 12:73; var. longifolium 12:68, 205; var. poyae-anglise 35:174; var. pseudorpopas 35: tum 12:73; Var. Iongitolium 12:68, 205; Var. novae-angliae 35:174; var. pseudorepens 35:171. tetrastachys 35:167. trachycaulum 35:162–165, 168, 169, 181, 399, pl. 243; 36:417-420; 37:204, 252, 299; 41:183; var. caerulescens 35:166, 177, 180, 400, pl. 244; var. ciliatum 35:165, 182; var. Fernaldii 35:165, 166, 173, 174; 44:139; var. glaucescens 35:166, 174; var. glaucum 35:164-166, 169, 177-180, 400, map 18, pl. 244:48:20, 23:49:265. 166, 174; var. glaucum 35:164-166, 169, 177-180, 400, map 18, pl. 244; 48:20, 23; 49:265; var. majus 35:169, 171, 172, 174, 181, 400, map 16, pl. 243; 37:73; 48:20, 23; 49:241; var. novae-angliae 35:169, 174, 175, 400, map 17, pl. 243; 48:20, 23; 49:242, 265; var. pilosiglume 35:400, pl. 244; var. Richardsoni 35:181; var. tenerum 35:170; var. trichocoleum 35:165, 177; var. typicum 35: 169, 170, map 15; $50:90; \times Hordeum$ jubatum 50:82, 90; var. unilaterale 35:169, 172, 181, 400, map 19, pl. 244. trichophorum 49:265. unilaterale 12:67, 76; 35:162, 165, 181, 182. violacescens 12:76. violaceum 3: 160, 170; 12:26, 27, 61-66, 68, 74; 35:164; β. virescens 35:171, 174; f. caninoides 12: 68; 35:181; f. violascens 12:68; f. virescens 12:74; subsp. latiglume 12:73; var. andinum 12:61, 62, 75; var. caninoides 12:70; var. genuinum 12: 74; var. latiglume 12:61, 62, 64, 73; 41:183; var. majus 12:74; 35: 166, 171, 174; var. virescens 12:64, 74; 41: 183. violascens 12:76; 35:181. virescens 12:62. vukonis 35:169

Agrostemma 6:115; 18:86. Githago 5:188; 6:78, 115, 146; 18:86; 22:137; 32:251; 41:

Agrostis 4:49; 6:105; 7:160; 11:27; 12:28, 29; 14:180; 15:126; 18:29; 21:28; 29:10, 13, 159; 31:16; 35:81; 38:263, 267; 49:270, alba 4:33; 6:105; 14:180; 15:126; 17:147, 150, 209, 212; 18:33; 19:95, 119; 26:2, 185; 29:207; 31:145; 32:234; 33:108, 110; 34:62; 35:317; 36:277, 415; 39:373, 375; 41:34; 44:70; 49:109, 110, 270; f. aristata 49:112; var. aristata 13:177; 15:126; 16:189; 19:119; 20:97; 24:113; 26:2; var. maritima 11:88, 229, 230; 15;126; 17:209, 212, 221; 18:33; 22:136; 29:63, 91-93, 122, 148, 207; 32: 234; 49:270; var. stolonifera 2:209; var. vulgaris 2:209; 6:105; 14:92; 15:126; 17:153, 209, 212; 22:136; 25:6; 28:74; 32:234; 36:415; 37:82; 49:271; altissima 49:89, 109-113, 271; antecedens 15:126; 35:208, 209, 318, 400, pl. 246; 37:370, 371; 38:271, 47:210; 49:271; arachnoidea 4:143; 44:252, borealis 9:156, 158, 169, 190; 11:88; 29:13;

32:200, 202, map 11; 35:5, 55, 83, 203-206, 211, 318; 38:122, 124, 140, 264, 269; 41:179; 49:112; f, macrantha 38:264; var. americana 35:204, 205, 206; 38:264; var. macrantha 11:88; 35:205; var. paludosa 35: 204, 205, 207; var. typica 35:204, 206; 41: 204, 205, 207; var. typica 35:204, 206; 41: 179; f. macrantha 35:205. brevifolia 4:46, 47; 18:233. canina 13:30, 70; 15:126; 19: 119; 28:50, 56, 81, 85, 161; 29:126; 35:206, 211, 317, 318; 38:264; 47:43; 49:112, 240, 271; var. alpina 35:204, 206; var. tenella 35: 204, 206. capillaris 26:2, 185, 222; 32:234; 50:293. clandestina 47:198. coarctata 4: 26. conginus 25:204. diffuse 9:20.21. disconginus 25:204. 26. concinna 35:204. diffusa 9:20, 21. dis-20. concinna 35:204. diffusa 9:20, 21. dispar 49:109, 110. elata 23:155, 229; 35:211, 318; 38:264, 270, 385; 39:349, 363, 382, 467, 476, map 30; 40:368; 41:503; 49:109, 110, 112. Elliottiana 35:284; 36:219; 41:490, 502; 43:491, 535; 44:252. filiformis 9:19; 45:228, 230, 236; α. 45:230; β. 45:230, foliosa 9:19; 45:223, 229, 230, 235, 238, pl. 740; fambigua 45:230, frondosa 9:19: 45: 749; f. ambigua 45:230. frondosa 9:19; 45: 228-230, 235, 238. geminata 35:211, 318; f. exaristata 35:211, 212; 44:139. gigantea 49:270. glauca 32:47. heterolepis 50:106. humilis 39:150. hyemalis 6:105; 9:88; 15: numilis 39:150. hyemalis 6:105; 9:88; 15: 126; 17:153, 212; 18:33; 22:133, 136; 23: 155; 25:6; 28:82; 32:235; 33:112, 116; 34: 50; 35:12, 207-209, 211, 318, 400, pl. 246; 36:36; 37:370; 38:264, 270, 271; 39:481; 41:179; 44:70; 47:210, 211; 49:109, 271; var. elata 23:229, 230; 35:211; 49:109; 271; var. geminata 23:155, 230; 34:51; 35:211. idahoensis 33:232. intermedia 1:67; 4:39, 90; 6:178. jamaicensis 22:103. juncea 4: 48, 49. lateriflora 9:18; 45:226, 227; var. filiformis 9:19; 45:236. laxiflora 35:209; filiformis 9:19; 45:236. laxiflora 35:209; β. montana 35:209. maritima 43:535. melaleuca 28:63, 109, 161; 35:207. Mertensii 35:204. mexicana 9:18, 19; 16:89; 32:40; 45:223-226, 228, 236, 238, pls. 751, 752. novae-angliae 7:106; 35:205-207. paludosa 28:118, 161; 35:55, 207. palustris 26:139; 43:535; 49:270. perennans 4:90; 14:20; 15:126; 18:94, 95; 19:119; 22:133; 23:155, 230; 32:235; 35:211, 249, 317, 318; 36:415; 38:264, 268, 365; 39:363; 43:79; 47:43; 49:112, 271; f. chaetophora 35:317; 47:43; 49:112; var. aestivalis 35:318; 38:264, 111, 112, 2/1; 1. chaetophora 35:317; 47: 43; 49:112; var. aestivalis 35:318; 38:264, 268; 49:112, 271; f. atherophora 35:317; 47:43; 49:112; var. elata 49:109, 112, 271. Pickeringii 3:169; 35:205, 207; β. rupicola 35:204, 205. polymorpha, var. palustris 49: 270. racemosa 9:22; 45:231, 235, 237, 238, pl. 753; 47:209. Rossae 35:203. rubicunda 4:143. rubra 3:169: 25:206 var. amaricana 4:143. rubra 3:169; 35:206; var. americana 4:143. rubra 3:169; 35:206; var. americana 35:205, 206. rupestris 35:205, 206. scabra 3:18; 6:105; 35:5, 12, 207-209, 211, 317; 36: 36; 37:370, 371; 38:264; 39:481; 41:179; 42:317; 47:210, 211; 49:109, 271; f. Tuckermani 35:207, 209; 38:264; 49:240, 271; var. montana 2:98, 99; 6:105; var. septentrionalis 35:209, 211, 400, pl. 246; f. setigera 25:210, 211, 318. Schweinitzii 19:119: 35: 35:210, 211, 318. Schweinitzii 19:119; 35: 318; 36:415. serotina 29:10. setosa 9:22; 45:237. sobolifera 9:18. Spica-venti 15:

128; 38:264; 49:270; var. palustris 49:270. stolonifera 18:10; 32:222, 234; 35:317; 36: 277, 415; 38:264, 268; 43:534; 49:270; 50: 293; × tenus; 33:116; f. aristigera 35:317; 38:264; 49:270; var. aristata 49: 112; var. compacta 32:213, 234; 33:116; 35:252; 38: 264, 270, 271; 43:535; 44:380; 49:270; 50: 301; var. major 36:415. sylvatica 9:18, 20; 19:119; 32:118. tenuiflora 9:18. tenuis 26: 2; 32:234; 35:317; 38:264, 268; 41:34; 43: 535; 44:247; 49:240, 271; 50:293; f. aristata 26:2; 38:264; 49:271; var. aristata 43:535; var. pumila 49:240; var. sylvatica 49:240. trichopodes 4:143; 44:253. verticillata 35: 317. vulgaris 26:2, 222; 29:207; 32:234
Ahnfeltia 7:231; 10:161; 26:189, 232. plicata 2:48; 3:134; 7:138, 231; 10:116, 160; 13: 187; 26:214; 30:196; 33:130; 50:264; f. furtillata 12:187.

cellata 13:187

Aigeiros candicans 50:236. deltoides 13:12, 199. virginiana 13:12, 198

Aigosplen 34:167

Ailanthus 9:54; 21:81; 31:120; 44:34. glandulosa 1:106; 12:9; 17:217; 21:81; 32:152,

Ainslieaea aptera 48:410. pteropoda 48:410 Aira 8:81, 82, 84, 137, 138; 16:81; 28:143; 30: 243; 32:262; 36:90; 49:268. alpicola 28: 155. altissima 28:153. ambigua 28:154. arctica 4:143; 36:90. aristulata 28:154. bothnica 8:85. brevifolia 4:143, 144; 36: 90. capillaris 43:534. caryophyllea 16:78; 38:266, 267; 43:534; 49:268. cespitosa 8: 85; 28:153, 154; 34:239; b. altissima 28:153; β. glauca 28:154; β. virescens 28:153; ε. firmula 28:153; var. \(\beta \). littoralis 28:155; var. arctica 36:90; var. brevifolia 36:90; var. genuina 28:153; var. minor 28:154. indica 8:82; 31:194, 255; 32:261, 262. littoralis 28:155. media 4:144. melicoides 8:84-86. mollis 8:139, 140, 144; 36:36. nitida 8:139, 140, 144; 47:198. obtusata 8:137-140, 142, 144. pallens 8:139, 140, 145; 36:36; 47:198; mutica 8:139; 36:36; var. aristata 8:145. pallescens 8:145. parviflora 28:153. pennsylvanica 8:139, 140, 144; var. major 8:140. praecox 43:488, 534; 44:379. spicata 8:82; 18:196; 30:238; 31:194, 195, 255; 32:261, 262. subspicata 8:82; 30:238; 31:194. triflora 44:253. truncata 8:139, 144

Airelle 1:168

Airopsis 8:137, 139. obtusa 8:138. obtusata 8:144

Aitonia erythrosperma 16:62

Aizoaceae 5:188; 17:203; 26:224; 31:42; 32: 250; 42:98; 50:296

Ajuga 5:154; 25:37; 44:334. Chamaepitys 24:151. genevensis 5:154; 22:193; 44:334. reptans 4:14; 5:154; 6:144; 7:99; 25:37; 44: 334

Akebia quinata 31:107 Alacospermum 9:54

Alaria 16:4; 33:129. esculenta 1:69, 70, 124; 2:45; 7:242; 8:192; 33:130. Pylaii 2:45 Alaska Cedar 49:228

Albizzia 11:49; 41:552. Julibrissin 37:427; 41:478

Albugo 5:107. bliti 39:369. candida 50:286 Alcea 49:152. floridana 49:152

Alchemilla 9:92; 13:117, 124; 14:229–232; 20: 15; 43:489; 49:205. § Aphanes 40:435. alpestris 14:234. alpina 14:229, 230; 29:121, 127, 129, 133, 179, 215; 49:249; subsp. eualpina 9:47. arvensis 40:435. filicaulis 14: 232; f. vestita 14:233. foliis lobatis etc., 49: 205. alementary 14:233. 232; f. vestita 14:233. foliis lobatis etc., 49: 205. glomerulans 14:233. microcarpa 40: 435, 436, 445; 43:489, 571. minor 14:233; 35:274; * filicaulis 14:233. obtusa, var. comosa 14:233. officinalis, 13:110; 14:231. pratensis 9:92; 14:232, 233; 20:15; 45:27. vulgaris 14:230-232; 23:94, 272; 26:222; 35: 274; * alpestris 14:234; * filicaulis 14:233; * glomerulans 14:233; * vestita 14:233; \$ alpestris 14:234; A minor 14:233; subset sylpators 14:234; A minor 14:234; A minor 14:234; A minor 14:234; A minor 14:235; A minor 14:235 alpestris 14:234; 0. minor 14:233; subsp. sylvestris 3. glomerulans 14:233; var. comosa 14: 233; var. filicaulis 14:232; 28:121; 35: 58, 274; 49:249; var. grandis 14:234; var. vestita 14:233; 20:15; 28:54, 124, 214; 35: 58, 274

Alder(s) 4:74, 168; 5:44, 153; 6:126; 11:176; 16:56; 22:132; 41:146, 159, 160, 164, 167, 217, 218, 478; 42:311, 339; 43:94; 46:313; 47:103; 48:205. American 47:338. Black 12:181; 23:109; 25:148; 43:94;46:313; 47:337. Common 47:341; Northern 45:30. Downy Green 12:178. European White 47:335. Glaucous 47:350. Gray 47:337; Hoary 12:178; Sea-side 47:341; Silver-leaved 47:340; Speckled 12:178; 47:349, 350; Swamp 47:103, 333, 334, 337; White 18:39; 47:337, 349

Alder Tree, Notch'd-leaved 47:342

Aldrovanda 5:267

Alectoria bicolor 28:231. chalybeiformis 28: 231; 29:103, 105. divergens 28:231. jubata 36:143, 154; var. implexa 28:231. nigricans 28:231; 36:143, 153, 160. nitidula 36:143. ochroleuca 28:231; 36:143, 153. sarmentosa 28:231

Alectoroctonum dilatatum 43:180

Alectorolophus minor, var. fallax 12:143; var. vittulatus 12:143

Alethris 47:282

Aletris 10:131; 40:61. aurea 17:64; 39:326, 328, 347, 353, 381, 399, 467, 480; 41:472, 538; 42:445; 44:241; 45:114; 49:93, 99; × farinosa 39:399. farinosa 1:179, 184; 10:131, 143; 13:179; 14:28; 32:212; 33:39; 36:42; 38:378; 39:328; 42:88, 92; 45:114; 47:374. lutea 45:114

Alexanders 28:63 Alexandrina 12:23 Alexitoxicon 9:49 Alfalfa 11:28; 14:194 Alfileria 39:233, 235

Alga(e) 3:242, 255, 260, 282, 285; 4:111, 118, 124; 5:79, 107, 120, 135, 220, 252; 6:181, 182, 229, 230, 234; 7:26, 46, 77, 97, 98, 136, 168, 170, 171, 223, 225, 235; 8:77, 190, 193–195; 9:36, 77, 78; 10:124, 126; 11:61–63, 128, 132, 150, 151, 196; 15:88; 16:1, 3; 23:70; 40:324; 41:134–136; 44:175, 176, 180, 184; 47:386; 50:69, 135. Blue-green 44:183; 50:255, 269, 270. Brown 8:124; 50:263. Green 5:2; 8: 124; 9:196; 50:257, 271. Marine 5:135; 8: 124; 43:72; 47:64. Red 5:1; 8:232; 9:90; 11:17; 50:263

Alicularia 9:58. Geoscyphus 9:57. minor 9:

57. Roteana 9:58. scalaris 14:12; β. minor 9:57, 58 Alisma 2:154; 5:86–88; 12:3; 29:249; 30:55; 188ma 2:134; 5:80-38; 12:3; 29:249; 30:55; 44:219; 45:53. brevipes 44:219; 48:86, 87. cordifolia 49:107, 108. Geyeri 25:206, 33: 165. gramineum 50:179; subsp. Wahlenbergii 50:179; var. Wahlenbergii 50:179. parviflorum 48:87, 88. Plantago 1:105; 3: 206; 5:86, 89, 132, pl. 45; 47:343; 48:87; β. graminifolium 50:179; β. parviflorum 48:87; var. americanum 48:87; var. americanum 1:105: 47:343; var. graminifolium 3:206: 1:105; 47:343; var. graminifolium 3:206; var. lanceolatum 3:206; var. triviale 48: 87. Plantago-aquatica 12:3; 13:141; 17:211; 27:112; 29:248, 252, 253; 31: 118; 37:190; 38:271; 44:219; 48:86, 87, 330; subsp. brevipes 35: 251; 37:190; 48:86, 87; var. brevipes 48:87; var. parviflorum 24:160; 29:248, 250; 32:104, 105; 44:219; 48:88; var. triviale 48:87. rostrata 49:108. subcordatum 37:190; 44:219; 48:87, 88. subulatum 5:85; 42:408; 47:343. superbum 48:87. tenellum 5:86-89, pl. 45; 15:223. triviale

Alismaceae 5:86, 87; 6:104; 12:3; 25:221; 29: 248; 31:42; 32:11, 231; 36:277; 44:355 Alismataceae 6:24;43:79

Alkali Grass 49:264 Allenrolfea 43:228

Alliaria 7:25; 46:315; 50:178. officinalis 13: 89: 46:315: 50:176, 177

Allionia Bushii 10: 31. linearis 10:31; 37:191.

nyctaginea 36:407

Alligator Pear 46:313 Allium 6:110; 10:128; 24:19; 25:155; 36:373; 37:386; 42:151; 46:59, 315. Ampeloprasum 43:504; var. atroviolaceum 43:504, 548; var. paterfamilias 43:505. Bolanderi 32:22, 23. Brandegei 32:22. canadense 5:132; 10:129; 32:178; 43:549; 48:115; 49:24; 50:178. carinatum 46:59, 60. cernuum 46:80. collinum 41:505. fibrillum 41:505. fistulosum 1:221. Geyeri 25:102; var. **graniferum** 32: 22. **mirabile** 32:22; 35:362. mutabile 36: 224. oleraceum 46:59, 60; subvar. virens 46:60. oxyphilum 46:80. parvum 32:22. punctum 32:23. Robinsonii 32:22. Schoenoprasum 6:110, 139; 8:65; 10:129; 19: 127; 41:213; var. laurentianum 28:167; 41:214; var. laurentianum 28:167; 44:140; var. sibiricum 6:110; 12:112; 28:62, 63, 167; 29:89; 36:279; 37:204; 42:319; 43:155. sibiricum 19:97; 28:167; 42:319. stellatum 34:174; 36:224; 46:80. tricoccum 1:222; 2:124; 6:110, 208, 235; 9:12; 10:128, 165; 43:230; 48:61, 62, triforum 48:69 165; 43:339; 48:61, 62. triflorum 48:62. vineale 9:12; 10:129; 29:245; 35:362; 40: 443; 43:504, 548; 49:132; f. capsuliferum 49:132; f. compactum 49:132

Allocarya californica 3:215

Allosorus 37:241, 242; 43:11. acutifolius 43:16. aquilinus 43:16. arachnoideus 43:58. Brunonianus 37:241, 246. capensis 43:17. caudatus 43:54. coriifolius 43:17. crispus 37:238, 241–243, 245; var. acrostichoides 37: 242, 246; var. Brunonianus 37:242, 246. esculentus 43:61. foveolatus 37:241, 243, 246. hottentottus 43:16. lanuginosus 43: 16. lorigerus 43:63. psittacinus 43:58. recurvatus 43:22. sitchensis 37:241, 246. tauricus 43:16. villosus 43:16

llnus 1:168; 6:113; 9:18; 12:178; 15:103; 16: 110; 21:190; 33:60, 110; 34:246; 40:149, 153, 162, 167, 169, 170; 42:243; 45:109; 46: 313; 49:229. acuminata 47:339. alnobetula 6:113, 162; 9:153; 13:216. americana 47:350. autumnalis 47:346. crispa 6:162, 163; 9:153, 156, 160, 190; 15:44; 25:8; 32: 61, 205; 35:122; 36:280; 37:10, 206; 38:148; 40:145; 41:145, 149, 151, 163, 217, 218, 288; 42:321; 45:310; 47:350, 357; f. stragula 47: 144; var. mollis 15:44; 29:157, 211; 33: 120; 34:52; 35:122; 37:85. fruticosa 38: 135; 41:217, 218; 42:321. glutinosa 2:157; 29:157; 47:214, 336; δ. serrulata 47:355; lusus a. genuina 47:355; lusus b. obtusifolia 47:355; lusus c. rugosa 47:346; lusus rugosa Alnus 1:168; 6:113; 9:18; 12:178; 15:103; 16: 47:355; lusus c. rugosa 47:346; lusus rugosa 47:340; var. autumnalis 47:346. hybrida 47:340, 346. incana 5:132; 6:113, 126, 232; 9:48; 10:165; 12:128, 178; 15:121; 16:13, 56, 88, 110; 17:150, 152, 153; 18:36; 19:220; 21:190; 22:132, 134, 135; 28:39; 29:132, 157, 211; 32:62; 33:60; 35:251; 36:280; 40:145, 148, 156, 159–161, 163; 43:80; 44:233; 45: 30; 47:333–337, 340, 344, 346, 347, 349–351, 360, pl. 976; α. vulgaris 47:350; β. americana 47:350, 352, 354; β. glauca 47:352; f. tomophylla 29:50; var. americana 47:347; var. glauca 16:56; 47:347, 350, 352; f. tomophylla 16:56; 47:353; var. hypochlora 23: 257; 24:173; 47:339, 340, 346, 348, 358; var. pinnatifida 16:56; var. tomophylla 29:50; 47:353. lanuginosa 9:48. latifolia 47:346. macrophylla 47:346. maritima 6:176; 13: 220; 47:337, 341. mollis 6:162; 7:110; 9: 160; 12:103, 175, 178; 13:216; 14:75; 15: 44, 98; 17:148, 152; 22:134. noveboracensis 32:176; 47:344, 348, 358, 361, pl. 985; rubra 43:94; 47:341, 355. rugosa 12:128; 13:91; 14:21; 16:110; 19:220; 21:119; 23:87; 31: 84; 36:43, 100, 200; 40:252; 47:333, 337, 339, 340, 342–345, 347, 349, 350, 355, 358, 360; var. **americana** 47:345, **350**, 353, 354, 361, pls. 980, 981; f. hypomalaca 47: 345, 353, 361, pl. 982; f. tomophylla 47:345, 353, 361, pl. 982; var. obtusifolia 47:355; var. serrulata 47:355; var. typica 47:345, 354, 360, 361, pls. 977–979; f. Emersoniana 47:345, 347, 349, 350, 361, pl. 979. serrulata 5:132; 6:232; 41:478; 44:233; 47:333, 336, 337, 340–346, 349, 350, 354, 355, 360; α. genuina 47:355; β. macrophylla 47:346; β. rugosa 47:346, 348; δ. obtusifolia 47:355; f. noveboracensis 49:138; var. genuina 47: 357-359; var. obtusifolia 47:357, 361, pl.

984; var. subelliptica 47:355, 358-361, pl. 986; 49:138; f. emarginata 47:355, 359, 361, pl. 987; f. mollescens 47:355, 359, 361, pl. 988; 49:138; f. nanella 47:355, 360, 361, pl. 989; 49:138; var. vulgaris 47:354, 355, 358, 360, 361, pls. 983, 984; f. noveboracensis 47:354, 358, 361, pl. 985. sinuata 42:321. undulata 47:350. viridis Sinutata 47.331. vindutata 47.335. vindutata 47.

Aloe 47:290; 49:205 Aloe 47:290; 49:205
Alopecurus 14:178; 15:125; 17:97; 18:197; 19:
166; 44:28; 49:271. aequalis 28:127, 162;
28:196–199; 32:221, 222; 38:264, 267, 268;
42:244; 49:272; var. natans 27:198, 199;
28:107, 162; 31:189; 35:120, 125; 38:140;
41:153, 177. agrestis 15:125; 38:266; 49:
271. alpinus 36:166; 39:127; 41:177, 178;
f. Stejnegeri 41:177, 178; var. Stejnegeri
41:177. aristulatus 19:165, 166; 23:229; 24:
113:27:196-197:32:221-222; var. Merriami 113; 27:196, 197; 32:221, 222; var. Merriami 27:198; var. natans 27:198. beringianus 41:177. carolinianus 19:166; 40:372, 387; 41:490; 43:491; 44:70. fulvus 19:165; 27: 197; 32:221, 222. geniculatus 11:88; 12:104, 135; 15:125; 16:89; 19:165, 166; 23:95, 229; 27:196, 197; 29:148, 207; 32:222; 35:361; 38:264; 42:244; 49:272; β. natans 27:198; var. 3. 42:244; var. aristulatus 15:126; 16: 89; 19:97; 22:138; 23:229; 24:113; 27:196; 38:298; 49:272; var. microstachyus 23:229; var. natans 28:197, 198; var. ramosus 19:167; 35:361; 38:266. glaucus 41:178. glomeratus 45:237. Howellii, var. Merriami 27:198, 199. myosuroides 38:264, 266; 49: 271. occidentalis 41:178. pratensis 15:126; 29:207; 38:264; 46:25, 26, 386, 387; 49:271. ramosus 19:166, 167; 35:361. Stejnegeri 41: 177. ventriosus 29:88; 46:387

Alpine Adiantum 7:190. Azalea 42:335.

Bearberry 28:98

Alsinanthe 21:11, 12. biflora 21:13

Alsine 12:160; 21:1-4, 7-12; 26:171; 34:247; 40:213; 42:57. subgen. Eualsine 21:11. aizoides 21:6. alpina 42:135. anatolica 21: 6. atheniensis 42:111. attica 21:6. austriaca 21:11. Baldwinii 41:489, 540. biflora 21:11-13, 15. Bocconi 42:110. borealis 1: 185; 6:115; 16:150; 28:245. brachypetala 16:151. bracteata 42:83. canadensis 42: 112. caucasica 21:5. Clevelandi 42:175. crassifolia 42:322. cymifera 21:5. decipiens 21:6. diandra 42:82. dianthifolia 21: 6. Douglasii 21:12. Funkii 21:5. glabra 21:20; 50:119. graminea 6:115. Greenei 42:71. groenlandica 21:20. heterosperma 42:125. hirta 21:21; α. foliosa 21:22. intermedia 21:6. laricifolia 21:16. leucantha 42:76. leucocephala 21:6. libanotica 21:6. longifolia 42:323. longipes 42:323. luteola 42:111. macrotheca 42:71. marginata 12:161; 42:119. marina 12:160, 161; 42:124, 204; α. minor 42:125; var. β. 42:119.

maritima 42:127. media 6:115; 12:160, 162, 21:7-9; 28:70; 42:119, 120. mexicana 42: 80. Michauxii 50:119. minor 21:7. molluginea 42:179, 210. octandra 21:11. parnassica 21:6. patula 43:328. peploides 11: 113; subsp. oblongifolia 11:114. platensis 42:182. propinqua 8:32; 21:22; var. tennesseensis 26:170. pulvinaris 21:6. rimarum 21:6. Rossii 8:33. rubella 8:33; 21:12, 22; var. hirta 8:32; 21:22. rubra 42: 106; β. 42:106. rupestris 21:11; 42:207. Schimperii 21:6. segetalis 21:7–9. Simcoei 16:145, 150; 42:255, 259. sparsiflora 42:127. spergulae facie etc., 42:134. striata 21:16. stricta 8:33; 21:12; 50:119. tennesseensis 26:170, 171. tenuis 42:138. Thevenaei 21: 50. valida 42:71. verna 8:32, 33; 21:12; β. rubella 21:22; δ. propinqua 21:22; δ. glacialis 21:22; η. hirta 21:21; var. hirta 8: 32; var. propinqua 8:32; var. Thevenaei 21: 6. Villarsii 21:11. Walteri 50:197

Alsinella 21:12. biffora 21:13. media 42:125. rubella 21:22

Alsinopsis 21:9, 11, 12; 22:180. arctica 21:10. caroliniana 21:9. Douglasii 21:12. glabra 21:9, 20. groenlandica 21:9, 20. hirta 21: 22. laricifolia 21:11, 16. obtusiloba 21:14, 15; 35:11. patula 43:328. propinqua 21:9, 22. quadrivalvis 21:22. sajanensis 21:9, 11, 13. stricta 21:9. tenella 21:12. verna 21:9, 11

Alstroemeria 47:385

Alsyke 28:71

Alternaria Brassicae 41:512. Solani 41:512. Sonchi 44:168

Alternate-leaved Dogwood 12:182

Althaea 22: 73. officinalis 22:73; 32:264; 41: 468, 549. rosea 34:64; 41:518, 519; 44:270,

Altingia 32:95; 33:91 Altingiaceae 21:190 Alum-roots 42:152

Alyssum 18:215. alyssoides 18:215; 19:225; 31:84; 35:248. americanum 41:239. bidentatum 36:364. calycinum 1:47; 2:122. dentatum 36:360. incanum 1:47

Amanita 1:225; 3:142; 4:5, 6, 78; 13:57, 60, 62. caesarea 3:39; 4:5; 11:124. cariosa 13: 60, 61, 66. cothurnata 3:40. crenulata 3: 40. floccocephala 3:38, 40. muscaria 3:37; 4:78; 8:232; 11:129. phalloides 1:45; 3:37, 38, 40; 44:168. rubescens 2:193; 41:512. spissa 13:61. strobiliformis 2:33. velatipes 3:40

Amanitopsis 3:142; 4:5, 6. strangulata 13: 61; 44:168. vaginata 4:78; 44:168; var. fulva 44:168

Amaranth 29:224; 42:369. Bloody 17:179 Amarantha Pigweed 28:73

Amaranthaceae 6:115; 17:178; 26:224; 28:73; 31:42; 32:250; 50: 302

Amaranthus 6:115; 11:44; 17:179; 41:82; 44: 33. albus 3:18; 6:82; 47:139, 140; var. pubescens 47:140. altissimus 43:288. blitoides 1:47; 2:205; 10:154; 11:179; 13:89; 17:179; 35:362; 47:139, 140, pl. 887.

Blitum 47:139. caudatus 16:179. chlorostachys 10:112. crispus 8:226. cruentus 16: 179. gracilis 17:179. graecizans 6:82; 11: 130; 17:179; 35:362; 46:83, 84; 47:139, 140, pl. 887; var. pubescens 47:140. graecus 47:140. hybridus 6:82; 17:179; 31:243; f. hypochondriacus 10:66; 17:179; var. hypochondriacus 10:32, 66. hypochondriacus 1:224; 10:32, 66. miamiensis 43: 288. Palmeri 17:179; 31:243. paniculatus 17:179. Powellii 17:179; 20:203. pubescens 47:140. pumilus 32:213. retroflexus 1:47: 5:135; 6:82, 115; 11:130; 17:179, 226; 22: 137; 26:186, 224; 28:73; 32:250; 39:369, 375; 50:302. spinosus 8:226; 17:180; 19: 129; 31:243; 46:83; 50:123. Torreyi 42: 369, 450. viridis 17:180

Amarella acuta 19:150. Amarella 19:150. plebeia 19:150. propingua 34:245

Amaryllidaceae 9:50; 11:75; 23:162; 25:156-158, 160; 31:42, 91, 94; 32:245; 33:33, 35; 37:386; 44:342. subfam. Hypoxidoideae 25:158. trib. Hypoxideae 25:158. subord. Hypoxideae 25:157, 158, 160. divis. Hypoxidiformes 25:157. trib. Agaveae 25:158. trib. Alstroemierieae 25:158. trib. Amarylleae 25:158. trib. Conostylideae 33:33, 35, map 11; 35:106. trib. Hypoxideae 25:158. trib. Vellosieae 25:158

Amaryllideae 25:156–158. trib. Agaveae 25: 157, 158. trib. Conostyleae 25:157. trib. Euamaryllideae 25: 157. trib. Haemodo-reae 25:157. trib, Hypoxideae 25:157

Amaryllis 47:385 Amberboi 30:59

Amblyodon dealbatus 30:8 Amblystegiaceae 30:9: 39:44

Amblystegiella 35:146. confervoides 15:13.

Sprucei 30:10

Amblystegium 4:238, 239, adnatum 4:238. chrysophyllum 4:238. compactum 4:239. hispidulum 4:239. irriguum 4:182, 239. Juratzkanum 48:2. Lescurii 4:182. noterophilum 19:69. riparium 11:230; 13:44. serpens 4:239; 30:10; 50:292. subtile 4:181. vacillans 13:44; 14:52; 15:13. varium 3: 180, 181; 6:72; var. orthocladon 6:72; var. ovatum 48:2

Ambrosia 7:160; 26: 35, 187; 41:81; 42:501; 47:403; 48:73, 74. aptera 26:35; 42:500. artemisiifolia 3:189; 17:36, 219, 225, 226; 18:44; 22:137; 26:35, 184, 185, 228; 28:72; 32:279: 36:374; 37:184, 185; 50:300; var. elatior 37:185; 43:82; f. villosa 37:185; var. jamaicensis 37:185; var. paniculata 37:185. bidentata 36:221, 408. diversifolia 37:185. elatior 37:185. glandulosa 37:185. integrifolia 40:348. media 37:185. monophylla 37:185. paniculata 37:185. psilostachya 11:30; 13:33; 19:251; 33:166; 35:361; 37: 195. striata 42:501. trifida 2:204; 17:225; 23:298; 24:205; 26:35; 36:374; 41:81–83; 42:500; 47:396; β. integrifolia 40:348; f. integrifolia 40:347; var. aptera 42:501; var. integrifolia 6:144; 12:111; 16:40; 17: 30; 26:35; var. texana 42:501; var. trifida 47:396. variabilis 42:501

Ambrosiaceae 6:61

Ambrosaceae 6:61
Ambulia rigida, var. microphylla 37:442
Amelanchier 3:221; 6:120; 7:109; 9:179; 11:
27, 131; 12:180; 14:117-121, 123, 125, 129, 132-136, 239, 241; 15:3; 16:198; 18:49; 20: 16; 22:110, 146; 23:302; 25:171; 26:178; 31:222; 33:62, 110; 38:48; 42:153, 379; 43: 486, 505, 559, 560, 562, 566; 46:157; 47:144; 48:125, 128-131, 133; 49:22, 232; 50:51. alabamensis 14:132, 240; 38:48. alnifolia 14:125, 143; 41: 245; 50:49. amabilis 23: 48, 72: 48:132. arborae 43:563, 564, 566 48, 72; 48:132. arborea 43:563, 564, 566, pl. 672, arguta 14:129, 158, austromontana 43:486, 564, 566; 48:126, 127, 131, 132. Bartramiana 14:129, 132, 135–138, 145, 148, 158, 200, pl. 96; 22:149; 23:136; 25:9; 26: 178, 179; 27:212; 28:232; 29:177, 179, 180, 214, 231; 31:84; 32:61, 206; 33:121; 34:53; 36:281; 42:44; 43:565; 48:130, 132. Botryapium 14:127, 147, 150, 154; 43:561. canadensis 3:188; 7:125; 11:94; 12:109, 128, 180; 14:122–124, 130–132, 135, 137, 139, 142, 150, 152–156, 240, pl. 96; 15:165; 19:226; 21:199; 22:147, 148; 23:136, 170, 198, 267, 300, pl. 130 (map 8); 37:193, 426; 38:48; 39: 370, 371, 375; 41:512, 519; 42:44; 43:561–566, pl. 672; 46:446; 48:126, 128–130; α. Botryapium 14:150; β. oblongifolia 14:128, 147; 43:566; γ. rotundifolia 14:138; ζ. oligotana 43:486, 564, 566; 48:126, 127, 131, 132. 43:566; γ. rotundifolia 14:138; ζ. oligo-carpa 14:158; var. Botryapium 11:47; 14: 123, 154; 37:193; var. oblongifolia 5:132; 14:150; 43:560; var. obovalis 14:150; 22: 148; 43:565; var. oligocarpa 22:147; 29: 179, 214; var. rotundifolia 14:138; var. spi-cata 14:138; var. tomentula 11:47; 12:108, 139; 14:122, 150; 19:226. Cusickii 14:127. erecta 14:125, 126. Fernaldii 22:149; 33: 110, 121; 35:56, 272; 36:332; 40:274; 44: 142; 50:49. florida 14:126, 127, 137, 140, 143, 145, pl. 95; 22:151; 29:231; 33:235, 236, 41:245; 46:254 143, 143, pl. 93, 22.191, 29.251; 35.253, 250, 250, 41:245; 46:254. gaspensis 33:234, 235–237, 240; 44:142; 50:49. grandiflora 22:149, 151; 23:48, 71, 72. × grandiflora 23:48; 48: 130. humilis 14:126, 128; 131, 132, 135, 137, 139-141-142, 144, 145, 161, 239, pl. **95**; 15: 165, 222; 22:151; 33:235-237; 37:74; 41:33; 48:162, 127, 131–133; 50:49. huronensis 22: 150, 151; 37:262; 46:254; 48:132. intermedia 14:124, 127, 147, 150; 22:147, 148; media 14:124, 127, 147, 150; 22:147, 148; 23:103, 267; 28:232; 37:262; 50:214. laevis 14:122–124, 126, 131, 132, 135, 137–139, 145, 148, 149, 151, 153, 154, 156, 241, pl. 96; 5:165; 16:15; 17:152, 153; 20:16; 22:134, 148, 149, 151; 23:198; 26:178, 179; 28: 232; 29:178–180, 214; 35:272; 39:370, 371, 375; 42:43; 46:254; 48:130; × oblongifolia 20:16; f. nitida 14:155, 158; 23:267; var. nitida 23:267; 24:175. lucida 50:49–51. mucronata 50:49. nantucketensis 14: 134; 18:48, 49; 50:50, 51. neglecta 48:130, 132, 133. oblongifolia 12:128; 14:122, 124, 127, 128, 130, 133–135, 137, 139, 144, 145, 147, 149, 151–153, 240, 241, pl. 96; 18:38, 48; 19: 226; 20:16; 21:119; 22:147, 148; 23:103,

198; 26:225; 32:151, 161, 216, 254; 33:195; 37:424, 426; 43:560-563, 565, 566; 48:126, 128; 50:302; × stolonifera 20:16; var. micropetala 10:33; 11:131; 12:128; 14: 132-134; 18:48; 20:16. obovalis 14:127, 130, 147, 148; 22:148; 43:566, pl. 672; 50: 50, 51. oligocarpa 1:184, 191; 2:98; 3:174; 50, 51. 61g0carpa 1.164, 191, 2.30, 51.17, 51.50, 51.17, 51.50, 51.17, 51.50, 131, 132, pl. 1028; g. subcordata 14:131, 150. pallida 48:132. rotundifolia 1:48; 9:223; 14:138; 19:226; 48:128, 131. sanguinea 14: 125, 126, 131, 135, 137, 138, 140, 142, 144, 145, 161, 235, 240, pl. 95; 19:226; 20:16; 22: 150, 151; 23:72; 26:179; 33:236; 36:281; 48: 132; f. grandiflora 14:139, 141; 22:149, 150; var. gaspensis 14:139-141; 22:149; 31:55: 33:235; 237: 44:142; var. grandiflora 31:55; 33:235, 237; 44:142; var. grandiflora 22:149. saxatilis 14:132. sera 33:195. spi-144, 148, pl. 95; 18:48; 19:226; 20:16, 105; 22:149; 23:130, 135, 138, 266; 24:116, 174; 28:84; 37:86; 43:505, 560, 564, 565; 48:126–129, 131–133, pls. 1029, 1030; 50:49, 50; var. **lucida** 23:267; 24:175; 50:49; var. micropetala 20:16. vulgaris 48:128, 131

×Amelasorbus 49:232

Amelia 29:1

Amentaceae 47:384, 386

Amentiferae 16:201

Amentiferae 16:201
American Alder 47:338. Ammophila 22:70.
Aspen 12:178; 28:73. Black Raspberry 7:
144. Cowslip 39:319. Cranberry 12:183;
39:368. Elm 8:135; 12:179; 21:42; 23:91;
28:73; 41:193. Fly Honeysuckle 12:184.
Larch 12:177; 35:358; 50:118. Mountain
Ash 12:179. Ostrich Fern 17:161. Sugar
Maple 28:233, 234. White Cap 7:144.
White Weed 12:15. Wild Rice 12:25. Yew 12:176; 35:357; 46:313 Amesia 27:105; 33:140. discolor 27:105.

latifolia 33:140. Mairei 27: 105. monti-cola 27:105. Royleana 27:106. schensi-ana 27:106. setschuanica 27:106. squamellosa 27:106. tangutica 27:106. Tenii 27:106. Wilsoni 27:106. xanthophaea

27:106. yunnanensis 27:106

Amianthium 39:485; 41:470; 50:193. angustifolium 42:254. Muscaetoxicum 50:184; 33: 39; 36:42; 39:364, 399, 472, 474, 481; 41: 490, 536; 42:362, 381; 43:502, 548; 45:369,

374, 393

Ammannia 20:65; 33:44; 42:507. auriculata 37:169; 46:50. coccinea 43:555; 46:50. 37:169; 46:50. coccinea 43:555; 46:50. diffusa 46:50. humilis 37:169. Koehnei 38: 437, 451, pl. 449; 39:477; 42:367, 370, 467, 507, 508, map 4; 43:617; 46:49, 50; var. exauriculata 38:437, 451, pl. 449; 39:475; 42:510, 514; 43:522, 617; 44:352, 430; 46:50. linearifolia 46:50. longifolia 46:50. multicaulis 46:50. occidentalis var. pygmaea 37:169. ramosa 37:169; 46:50. ramosior 37:169. teres 46:49, 50; var. exauriculata 46:50

Ammi capillaceum 48:162. costatum 44:253 Ammodenia 21:1-5. major 11:114. peploides 11:109, 113; 21:4; 26:184, 224; var. major

Ammophila 4:33; 11:131; 15:127, 219; 18: 29, 93, 94; 20:105; 26:185; 30:202; 33:110; 29, 93, 94; 20:105; 26:185; 30:202; 33:110; 36:421; 38:267; 40:110; 49:270. arenaria 11:88, 127; 12:26, 28, 30; 13:128, 135, 140; 14:20, 178, 183, pl. 97; 15:127; 16:39, 189; 18:33, 95; 22:70, 71; 24:86; 29:60, 64, 148, 207; 30:204; 32:11, 235; 49:270; X Calamagrostis epigeios 9:42; var. arundinacea 22: 70. arundinacea 5:131; 9:218; 17:146; X baltica 9:42. breviligulata 22:71; 23:230; 24:86: 26:184, 292: 28:80, 169: 20:44, 00 24:86; 26:184, 222; 28:80, 162; 29:44, 90, 111, 122, 148, 185, 207; 30:202–205; 31:82; 32:11, 147, 157, 169, 210, 235; 33:116; 34:63; 38:264, 270; 40:279; 41:513, 519; 44:169, 171, 174, 342; 47:354; 49:270; 50:293

Ammopursus 48:375. Ohlingerae 48:374 Ammoselinum Popei 34:6

Ammyrsine 29:226 Amoeba 24:51

Amoebas 7:45

Amorpha 7:28; 20:165. canescens 36:223; 38:191; f. glabrata 38:191; var. glabrata 38:191. croceolanata 47:215. fruticosa 1: 164; 2:91; 10:151; 20:165; 27:214; 36:46; 38:190, 191; 47:99, 101, 156; var. angustifolia 38:190, 191; f. latior 38:190, 191; var. croceolanata 47:215; var. emarginata 47:215; var. tennesseensis 47:215; var. vulgaris 38:190, 191. nitens 47:215 Ampelamus albidus 40:282; 41:471, 475, 557,

map 10

Ampelopsis 6:122; 10:24, 25; 41:36. arborea 36:47; 37:432; 38:377; 39:481; 42:363, 370, 462; 43:513, 514, 604. brevipedunculata 41: 139; var. Maximowiczii 41:35. cordata 10: 25. Graebneri 10:26. hederacea, var. dumetorum 10:27; var. murorum 10:27. heptaphylla 10:28. hirsuta 10:26; 41:429, 430. latifolia 10:27. quinquefolia 3:239; 5:132; 6:122; 10:24, 25; β. hirsuta 41:429; var. latification 10:27. folia 10:28; var. murorum 6:141. Saint-Paulii 10:27. tricuspidata 10:29. Veitchii 10:29

Amphicarpa 9:54; 11:50; 20:165; 35:276; 38: 95; 41:463; 42:213-215. bracteata 35:276: 38:95, 96; 41:463; 44:234; var. comosa 39: 318; var. Pitcheri 38:95, 96; 39:318. comosa 39:318. monoica 1:27, 28; 2:89; 16: 15; 19:164; 20:165; 21:200; 23:273; 32:257; 33:88; 35:276; 37:166; var. comosa 39:318. Pitcheri 1:27, 28; 2:91; 4:91; 8:221; 9:12; 12:192; 19:229; 20:165; 32:177; 35:276; 38: 95; 39:318

Amphicarpum 11:37. Purshii 41:111 Amphidinium operculatum 50:276

Amphiprora 9:130. alata 9:135. conspicua 9: 135. lepidoptera 9:135; var. pusilla 9:135. maxima 9:135. ornata 9:135. pulchra 9: 128, 135. vitrea 9:135

Amphitetras 9:130. antediluvianus 9:139

Amphiroa 3:91

Amphisphaeria aquatica 50:287

Amphistelma scoparium 50:130

Amphithrix 10:162; 26:161, 162. janthina 2: 41; 7:237; 26:162; 50:67; var. torulosa 2:41. violacea 2:41; 7:223; 10:162 Amphora 9:128, 130. cingulata 9:135. Clevei 9:135. cymbifera 9:135. erebi 9:135. Eulensteinii 9:135. Grevilleana 26:193, 216. intersecta 9:135. levis 9:135. lybica 10: 180, 183. obtusa 9:136; 26:193, 216. ovalis 9:136; 10:180. pediculus 10:180, 183. proteus 9:135

Amsinckia 9:55; 18:27; 21:38, 39, 148; 25:28; 34:189, 190. arenaria 21:39, 40. barbata 18:27; 21:38, 40; 25:28. Douglasiana 18:28; 21:148; 22:111; 25:28. intactilis 21:39, 40. intermedia 3:214; 18:27, 28; 21:39, 40; 25:28. lycopsoides 1:104; 3:214; 18:27; 21: 38, 39. Menziesii 21:39, 40; 25:28; 41:282; 42:337. spectabilis 18:27; 21:40. tessellata 18:28

Amsonia 17:130; 24:235; 42:475; 45:328. ciliata 36:54; var. filifolia 45:328, 329. Hubrichtii 45:328, 329. illustris 36:232; 45: 329. Tabernaemontana 10:151; 24:235; 42: 359, 475, 498; 43:489; 45:329, 380, 457; var. salicifolia 42:475; 43:490

Amygdalaceae 21:190

Amygdalus 45:451. nana 25:70 Anabaena 1:100; 5:80; 23:252; 24:104; 28:3. affinis holsatica 26:162. californica, f. subconstrict 50:275, 279, pl. 1118. catenula 1:10, 11; 14:114; 15:89; var. americana 6: 10. circinalis 15:89. flos-aquae 14:236; 24: 104; 26:162; var. gracilis 50:275. inaequalis 24:104; 26:162; 50:67, 275, 279. macrospora, var. distorta 28:2. oscillarioides 7: 236; 26:162; var. stenospora 26:211. sphaerica 15:90. spiroides 23:253; var. crassa 23: 252, 253, fig. 1. torulosa 2:41; 7:223; 10: 162; 26:190, 191, 212; 50:256; var. cylindracea 50:275. variabilis 2:41; 7:172, 223 Anacampseros triphylla 11:46

Anacamptodon 5:201. splachnoides 4:239;

5:201; 6:72; 13:45, 46; 14:52

Anacardiaceae 1:213; 6:121; 12:181; 18:39, 98; 21:125; 26:226; 28:71; 31:42; 32:95, 263; 43:81; 50:297 Anacharis 22:19; 34:114-116; 42:150, 524, 525;

44:219. Alsinastrum 22:18-20, 27. canadensis 22:25, 29; 34:152; 44:9, 219; var. Planchonii 44:220. densa 34:151; 40:368, 385; 42:409, 524; 44:220. Nuttallii 22:22, 29. occidentalis 36:405; 42:370; 44:220; 48:330

Anacolia aristifolia 38:240 Anacystis rupestris 50:67

Anadema 4:115

Anagallis 11:127; 24:232. arvensis 3:189; 4: 16, 185, 186; 6:142; 10:145; 17:35; 24:232; 26:185, 186, 227; 29:218; 32:271; 50:298; var. caerulea 6:142. caerulea 4:185, 186. flava 40:290. lutea 39:439. tenella 29:125,

Anantherix connivens 50:101, 119

Anaphalis 6:132; 7:156; 26:35; 37:306. margaritacea 1:192; 5:50; 6:132; 7:156; 9:122; 13:25, 26; 17:36, 154, 219; 18:44; 22:134; 24:205; 26:35; 29:190, 221; 32:151, 214, 279; 33:126, 179; 40:218, 219; 41:390, 391; f. anochlora 24:205; 33:111, 126; 34:55; 40:218; 41:390, 391; f. latifolia 41:391; subsp. angustior 41:391; subsp. japonica 41: 391; subsp. yedoensis 41:391; var. angustior 41:390, 391; var. intercedens 41:390, 391; 41:390, 391; var. intercedens 41:390, 391; var. intermedia 41:390; var. kamtschatica 41:390; var. occidentalis 7:156; 11:99; 13: 25-27; 24:181, 205; 25:11; 29:233; 34:55; 40:218, 219; 41:390, 391; var. revoluta 41: 390, 391; var. subalpina 28:239; 29:129, 190, 391; var. subalpina 28:239; 29:129, 41:390, 391; 41:390 221; 33:221; 40:218; 41:391; var. typica 41: 391

Anaptychia speciosa 29:104 Anarrhinum § Anarrhinum 9:47

Anchusa 18:50; 25:28. angustifolia 18:51. arvalis 6:91; 8:72; 18:51. azurea 25:28. hirta 37:330. italica 25:28. officinalis 3: 214; 10:154; 18:50, 51; 25:29; var. angustifolia 18:51

Ancistrocactus Scheeri 35:225; 37:78 Andrachne phyllanthoides 36:224, 231

Andreaea 29:238. alpestris 30:2. crassinervia 24:122. petrophila 2:62; 3:180; 11:117; 24: 122; 39:13, 39

Andreaeaceae 30:2; 39:39 Andreaeales 11:16; 39:100

Andrena 41:186. claytoniae 36:28. cressonii 37:159. hippotes 38:91. lata 42:354. vicina 36:26, 28; 37:159; 38:91; 39:62; 42: 354. weedi 37:159

Andrenid Bees 42:353 Andrenidae 41:186 Andrewsia 34:167

Androcoma 49:50 Androgynia Huntii 10:57

Andromeda 6:125, 149; 7:157; 10:53; 13:114; 18:100; 24:152; 29: 183; 33:99; 35:112; 42: 351; 44:28, 29; 47:170, 290. acuminata 17: 132. americana 5:71. axillaris 47:169-171. pl. 900; 50:218; 3. 47:169, 171; var. longifolia 47:170. baccata 10:84. calyculata β. latifolia 47:390, 391; nana 47:391. canadensis 5:71. canescens 18:100, 101. cassinefolia 42:471; var. nuda 42:471; var. pulverulenta 42:473. Catesbaei 47:170, 171; 50:218. floribunda 42:350. formosissima 50:218. floribunda 42:350. formosissima 46:50. frondosa 43:628, 629. glaucophylla 5:70, 71, fig. 1; 6:125, 149; 7:110; 9:163, 169, 189; 11:97, 159; 12:119, 129, 156; 13:54, 217, 220; 17:148; 18:100–102; 22:38, 41, 44, 46; 23:98; 24:152; 29:162, 183, 218, 222; 32:261; 33:51, 92, 99, 112, 123; 34:54; 36:283; 37:206; 39:471; 40:145; 44:115; var. iodandra 18:102; 22:46. hypnoides 31:138: 44:29, lanceolata 50:218, lignstring 138; 44:29. lanceolata 50:218. ligustrina 1:93; 3:235; 4:131; 8:99; 43:625; var. pubescens 43:628, 629. lucida 17:132. mariana 1:93; 16:158. montana 42:350. nitida 10:53; 17:132. paniculata 43:624, 625; var. 1. nudiflora 43:624; var. 2. foliosi-

flora 43:624: var. foliosiflora 10:53: 43:625-627; var. foliosiflora A. 43:624, 628; var. foliosiflora B. 43:625, 628; var. nudiflora 43: 625. polifolia 1:93, 181, 183; 2:38, 125; 3: 164, 176; 5:67–71, 133, fig. 2; 6:125, 149; 11:159; 13:217, 220; 18:100; 29:183, 218; 41:151, 275; 42:311, 335; 44:28; 50:119; var. angustifolia 5:68, 69, 71; 18:102; var. glau-cophylla 5:71; var. latifolia 5:68, 69, 70, 71; 18:100, 101; var. media 5:68, 69, 70; 18:100; var. minima 5:71; var. oleifolia 5: 71; var. revoluta 5:71; var. rosmarinifolia 5:71; var. subulata 5:71. populifolia 17: 132. pulverulenta 42:472; var. nuda 42: 471. racemosa 41:553. reticulata 17:132. rosmarinifolia 5:69, 71; 18:102. speciosa 42:473; var. α. nitida 42:471-473; var. β. pulverulenta 42:472, 473. spinulosa 47:170, 171; 50:218. tetragona 9:182. tomentosa 43:628, 629. Walteri 50:218

Andromeda, Common Marsh 18:100. Marsh

Andropogon 15:54; 39:203, 363; 42:357; 43: 90; 45:389; 47:108, 213. § Schizachyrium 42:413. alopecuroides 14:166; 45:250-252, 255, pl. 761. argenteus 37:139. Cabanisii 37:138. capillipes 37:140, 142; 42:384, 403, 415; 43:519. chrysocomus 37:146, 147. ciliatus 44:253. clandestinus 50:119. corymbosus 37:142. divaricatus 45:252–255, pl. 761. divergens 37:144; 42:241, 415, pl. 626. dulce 31:159. Elliottii 36:219; 37:138; 38: 380, 395; 39:363, 481; 43:219; 50:119; var. gracilior 37:138; 39:363, 388, 476; 49:124; var. projectus 37:139. flexilis 19:103; 37: 144. furcatus 7:106; 14: 182, 184, pl. 99; 15:54; 16:16; 19:164; 31:110, 114; 32:216, 232; 37:146; 38:269; 39:195; 40:156; 45: 255, 256, 258; 47:213. Gerardi 45:256, 258; 47:213; 50:92, 154, 155; var. chrysocomus 45:258; var. paucipilus 45: 258. glaucopsis 37:140, 142. glomeratus 14:20; 15:54; 31:110, 117, 198; 32:147, 232; 37:139-141, 143; 39:196; var. corymbosus 37:141, 142. gracilior 39:363. halepense 14:180; 18:231. Hallii 50:64. hirtus 29:115. Ischaemum 50:154. littoralis 8:205; 19:100, 103, 105; 32:231; 37:143, 146. longiberbis 37:142. macrothrix 9:40. macrourus 15:54; 37: 140, 142; γ. hirsutior 37:142; 42:416; ε. corymbosus 37:142; var. abbreviatus 37: 141, 143; var. glaucopsis 37:140-142. mari-141, 145; var. glaucopsis 37:140–142. maritimus 42:241, 415, pl. 626. Mohrii 39:364, 381, 388, 467, 477. neomexicanus 37:145. nutans 45:252–255. paucipilus 37:146, 147. perangustus 37:142. praematurus 42:413–415, pl. 626; 44:383; f. hirtivaginatus 44: 383. provincialis 37:146, 147; 45:255–258; 50:154; subvar. furcatus 45:257; subvar. genuinus 45:257; var. chrysocomus 37:147; 45:258 45:258; var. **paucipilus** 37:147; 45:258. purpurascens 19:103; 37:144. saccharoides 36:219. scoparius 5:128; 14:19; 15:54; 18: 68; 19:100, 101, 164; 24:85; 31:110, 117, 222; 37:143, 144; 39:195; 41:517, 519; 42: 240, 357, 413, 414; 44:70, 168, 169, 174, 237;

45:377, 390; 50:64, 92, 93, 293; subsp. a. genuinus 42:240; subsp. genuinus, f. or subvar. flexilis 37:144; f. or subvar. typica 37: 144; subsp. b. maritimus 42:240, 241; subsp. 144; subsp. b. maritimus 42:240, 241; subsp. maritimus, α. genuinus 42:241, 415; β. divergens 37:144; 42:241, 415; var. divergens 37:143, 144, 146, 187, pl. 340; 42:413, 415; var. ducis 37:144, 145, 146, 187, pl. 340; var. frequens 19:102, 103, 105; 28:38; 31: 82, 110, 114; 32:150, 231; 37:143–146, 186, pl. 339; 43:79; var. genuinus 37:143, 144, 186, pl. 339; f. calvescens 45:390; var. licendis 8:205; 10:102; 24:86, 22:231; 37: toralis 8:205; 19:103; 24:86; 32:231; 37: toralis 8:205; 19:105; 24:86; 32:231; 37:144-146, 187, pl. 340; 49:123; var. neomexicanus 37:143, 145, 146, 187, pl. 339; var. polycladus 19:103, 105; 24:86; 31:110, 117; 32:178, 210, 231; 37:143-145, 187, pl. 340; 42:415; var. septentrionalis 37:143, 145, 146, 187, pl. 339; 43:79; var. villosissimus 19:101, 102, 105; 24:86; 45:390. Scribnerionals 37:146, tennis anus 37:137. tennesseensis 37:146. tenuispatheus 37:142; 42:416. ternarius 36:219; 37:137-139; 39:481; 42:278; var. Cabanisii 37:138; var. glaucescens 37:137, 138; 39: 37:138; var. glaucescens 37:137, 138; 39: 476. ternatus, subsp. macrothrix 9:40. tetrastachyus 37:140, 142; 42:384; 44:253, 342. vaginatus 44:253. virginicus 15:54; 31:110, 115, 117; 32:176, 210, 232; 35:361; 37:139-142; 44:172, 174, 253; 45:252; var. abbreviatus 37:142, 186, pl. 338; 39:475; var. corymbosus 37:142, 186, pl. 338; var. genuinus 37:141, 142, 186, pl. 337; var. glaucopsis 37:141, 142, 186, pl. 337; 39:476; 45:461; var. glaucus 37:141, 142, 186, pl. 337; var. glaucus 37:141, 142, 186, pl. 337; 42:384, 403, 415; 43:519, 536; var. hirsutior 42:416; f. tenuispatheus 42:416; var. sutior 42:416; f. tenuispatheus 42:416; var. stenophyllus 37:141, 142; var. tenuispatheus 37:142, 186, pl. 338; 38:381, 395; 39:477; 42:416; f. hirsutior 37:142; 38:395; 39:388; 42:416; var. tetrastachyus 37:140–142, 186, pl. 337; 39:481; 42:384, 416; 44: 253, 342; var. viridis, subvar. ditior 37:140. 142; subvar. stenophyllus 37:142; var. a. viridis, subvar. genuinus 37:139, 142

Androsace 35:96. arctica 41:277. Chamaejasme 41:147, 151, 163, 164; 42:336; var. arctica 41:277. Gormanii 29:35; 42:336. Lehmanniana 42:336. occidentalis 36:364; 44:75. septentrionalis 31:55; 33:233; 35: 81, 82, 96, 280, 298, map 5; 38:134, 41:148,

277; 42:336; var. robusta 44:144

Androstephium coeruleum 34:5, 9; f. leucan-

thum 34:10. violaceum 34:9 Aneilema 42:392, 394, 400, 512. Keisak 42: 391–394, 399, 400, 441, 504, 510–513, map 20; 43:488; 44:372, 390. nudiflorum 42:21, 512, 513

Aneimia flexuosa 32:74

Aneine 1:168 Anellaria 3:40

Anelsonia eurycarpa 43:369

Anemonanthea 30:186. quinquefolia 30:186 Anemone 4:88; 5:154; 6:116; 11:130; 13:18; 18:165; 29:53; 30:180; 34:239; 42:325; 43:220; 44:25, 102; 46:347. § Anemonanthea 29:54; 30:180-182. subgen. Euanemone 5:

155. angulosa 29:53. baldensis 41:227. Cairnesiana 41:227, 228. canadensis 1:48, 50; 6:192; 12:112; 13:141; 18:165; 20:182, 194; 21:56, 59; 22:92; 31:141; 35:251; 36: 281; 46:250; 48:116. carolina 46:306. caroliniana 34:6; 46:306. cuneifolia 30:183. cyanea 30:186. cylindrica 1:49-52, 80, 221, pl. 3; 6:97; 10:146; 14:241; 15:67; 18:165; 20:182, 193; 36:224; 37:260; var. alba 1:49, 51. deltoidea 30:182, 188. dichotoma 31: 141; 33:178; 46:250. Drummondii 41:161, 163, 227, 228. Falconeri 29:53. globosa 41: 227; 42:325. Grayi 30:180, 182, 186. groen-227; 42:325. Grayı 30:180, 182, 186. groenlandica 31:139, 141, 142. Henryi 29:53. Hepatica, var. transylvanica 29:53. hudsoniana 19:141; β. sanguinea 19:141. Iancifolia 30:181-185; 33:32; 39:200. Lyallii 30:182, 187. minima 30:181, 182, 185. multiceps 41:227. multifida 5:154, 155; 6:193; 7:5; 9:161, 166; 12:114; 13:148; 19:140; 23:23:24. 25:47, 266: 36:281; f. polygopala 33:234; 35:47, 266; 36:281; f. polysepala 44:102, 141; var. hudsoniana 19:141; 20: 182, 194; 28:125, 201; 35:266; 37:66; 41: 227; 42:325; f. polysepala 19:141; f. sanguinea 19:141; var. Richardsiana 19:141; 44:102, 141; f. leucantha 19:141; 44:141. narcissiflora 13:222, 223; 21:53; 41:148, 160, 227; 42:312, 325; var. uniflora 42:325. nemorosa 5:130; 18:165; 20:77, 184; 24:186; 30:180, 182, 183, 186, 188; 31:10; \(\beta\). quinquefolia 30:186; f. quinquefolia 30:186; subsp. americana 30:186; var. γ. quinquefolia 30: 186; var. Lyallii 30:187; var. oregana 30: 186; var. Lyallii 30:187; var. oregana 30: 186, 187; var. quinquefolia 30:180, 182. oregana 30:182, 186-188. parviflora 7:5; 9: 161, 166, 183, 190; 11:93; 13:117, 129, 223; 17:159; 18:101; 20:182, 194, 195; 28:60, 75; 35:47; 36:280; 38:150; 41:227; 42:325; 44: 107; var. grandiflora 42:325. patens, var. Wolfgangiana 42:325. pedata 30:186. pensylvanica 1:48, 223; 42:94; 46:250. Piperi 30:180, 182, 187, 188. quinquefolia 4:88; 5: 155; 12:128; 18:165; 19:220; 20:182, 185; 24:186; 30:180, 182, 185, 186, 188; 32:252; 36:281; 37:260, 350, 354, 355; 39:374, 375; 41:517, 519; var. bifolia 37:260; var. Grayi 30:187; var. interior 37:260; 47:214; var. Lyallii 30:187; var. oregana 30:186. Richardsonii 41:146, 151, 161, 227; 42:325. riparia 1:51, 52, pl. 3; 2:171; 5:154, 155; 6: aria 1:51, 52, pl. 3; 2:171; 5:154, 155; 6: 116, 193; 9:161; 13:141, 148, 161; 15:222; 18:165; 19:139, 140; 20:182, 194; 21:56; 22: 49; 32:4; f. inconspicua 19:140; 44:142; f. rhodantha 19:139; 44:102, 142. sanguinea 19:141. transylvanica 29:53. trifolia 30:181, 183-185; 33:32. virginiana 1: 48–50, 52, pl. 3; 4:74; 5:130; 6:97; 13:218; 18:165; 19:139, 140; 20:182, 193; 32:4, 107, 216, 252; 34:62; 36:218, 274; 37:426; f. leucosepala 19:140; var. alba 1:49, 51. zephyra 41:227; 42:325

Anemone(s) 42:310. Wood 5:155

Anemonella 9:151; 18:165; 24:185; 37:349; 40:375:46:347:50:199. thalictroides 2:157, 171; 3:205, 206; 4:63,76; 9:151; 12:128; 18:

165; 19:220; 20:182, 193; 37:415; 40:420; 41:544; 50:199; f. chlorantha 39:461 Anethum Foeniculum 50:119

Aneura latifrons 4:242. palmata 26:7 Angelica 21:145; 24:92; 28:117; 33:74; 41: 269; 45:299. ampla 28:117, 222. Archangelica 21:146. atropurpurea 1:159; 3:165; 6:192; 11:96; 13:123; 16:13; 19:33; 21:65, 145; 24:92; 25:10; 28:222, 223; 29:183; 33: 74; 36:282; 37:319; 45:298, 299; 46:27; var. occidentalis 33:74. Curtisii 42:346; 45: 298, 300, pl. 769. hirsuta 1:159: 6:205: 45: 298, 300, 301. **laurentiana** 28:**222**; 35:58, 60, 279; 44:143. lobata 50:217. lucida 21: 144–146. officinalis 41:267. pastinaca 18: 203. triquinata 45:298–301, pls. 768, 769. venenosa 45:301. villosa 35:288; 37:381,

433; 45:298, 300, 301 Angiosperm(s) 47:207; 50:36 Angiospermae 9:36; 42:317 Angorchis falcata 27:107 Angraecopsis falcata 27:107 Angraecum 2:31. falcatum 27:107

Angstroemia 40:359 Anidrum 9:54

Anis 1:168. des Vosges 1:168 Anisanthera 41:320. hastata 41:325. versicolor 41:325

Anisonema 50:277. ovale 50:277

Anisophyllum 43:98, 110, 168, 171. albomarginatum 43:202. Chamaesyce 43:265. dentatum 43:272. Fendleri 43:224. Geyeri 43: 131. humistratum 43:261. hyssopifolium 43:141. maculatum 43:143. melanadenium 43:187. novomexicanum 43:229. Peplis 43:110, 272. polygonifolium 43:117. prostratum 43:266. senile 43:263. serpens 43: 199. thymifolium 43:252

Anisostachya decipiens 39:240 Anisothecium rubrum 30:3

Anithista 5:249

Ankistrodesmus Chodati 50:273. convolutus, var. minutus 50:273. falcatus 23:66; 24: 107; 26:164, 211; 29:164; 50:273

Ankleberries 9:5

Anoda 22:73; 44:361. cristata 44:361, 429. triangularis 18:143; 19:230; 22:73

Anoectangium 41:112. arizonicum 41:112. kaleakalea, var. laxum 36:132. lapponicum 14:48. Mougeotii 14:48

Anogra 15:223. coronopifolia 15:223 Anomobryum concinnatum 30:6

Anomodon apiculatus 2:62; 4:30. attenuatus 2:62; 4:30. rostratus 4:239. tristis 1:54

Anonaceae 11:44; 45:443 Anona pygmaea 46:50

Anonis phaseoloides scandens 44:425

Anonymos 17:130; 34:206; 41:537. aquatica 10:55; 17:130; 34:206; 40:339, 340; 42:398. caroliniensis 17:130, 131, 134; 34:206; 37: 329, 330; 47:31, 71, 77, 85. cassioides 17: 134. graminifolia 37:183; 48:222, 247, 248, 255. Lupino affinis 50:202. pinnatus 17: 131. pudica 41:536, 537. quaternata 36:

345. quinata 36:345. repens 17:130; 34:

206. rotundifolia 41:341; 50:202, 203, pl.

14 Rhodora

1107. sagittalis 41:336. umbrosus 17:131. uniflorus 17:481

Anosporum cubense, var. gracile 46:146 Anotites 40:212-214. debilis 40:213. Dorrii 40:213. latifolia 40:213, 214. Menziesii 40: 213. picta 40:214. tenerrima 40:213. tereticaulis 40:213

Anserina 11:48. argentea 11:48. concolor 11: 48. grandis 11:48. litoralis 11:48. pacifica

11:48 11:48
Antennaria 1:71, 107, 155, 204; 2:88; 6:132; 7:105, 110; 11:130; 13:23, 129; 15:117-119; 16:129, 134, 196; 17:126; 20:107; 22:111, 138, 141; 23:98; 26:35; 28:96, 103, 106, 118; 30:77, 137; 31:16; 33:213, 216, 220, 221; 35: 51-55, 83, 89, 327-346, 373; 36:101, 103, 107, 108, 114, 117, 422; 37:211, 229, 230, 233, 237, 306; 38:109, 126, 160, 367; 41:154, 156, 506; 42:156, 340; 44:129, 464, 467; 47:182; 48: 116-118, 121: 49:254: 50:131, affinis, 33: 116-118, 121; 49:254; 50:131. affinis 33: 215, 222, 223. alaskana 36:104, 107, 108; 41:148, 163, 292; 42:312, 313, 340. albicans 16:**197**; 26:97, 100–102, pl. 142; 28:50, 97, 105, 213, 238; 33:215, 216; 35:329, 331, 340; 105, 213, 238; 33:215, 216; 35:329, 331, 340; 47:228, 232, 244, pl. 918. alpina 13:24, 25, 127; 16:131; 18:237, 238; 22:138-142; 26: 95-99, 102, pl. 142; 28:62, 106, 239; 29:56; 23:213, 215, 216, 222, 224; 35:334; 36:102, 112, 148, pl. 281; 38:122; 41:294, 295; 48: 119, 121; β. canescens 22:141; 36:109; var. cana 13:24, 25, 127, 129, 137; 16:129, 131, 196; 18:236, 237; 26:98, 99; 35:337, 338; var. canescens 18:237; 22:140; 25:114; 26: 98; 48:119; var. corymbosa 22:140; var. Friesiana 22:140; 33:223, 224; 36:107, 112, 113; var. glabrata 22:140; var. monocephala 16:130: 36:107; var. typica 26:98; var. 16:130; 36:107; var. typica 26:98; var. ungavensis 18:238; 22:140; 26:98; 28:239; 36:110, 114. alsinoides 22:142. ambigens 1:150-154, 160; 47:239. ampla 40:471. anaphaloides 41:149, 292. angustata 26:98; 35:332; 36:102, 103, 105, 107, 110, 115; 38: 115, 116, 120, 125, 159. angustifolia 33:216, 223, 224; 36:112-114. appendiculata 23: **295**; 26:97; 33:214; 36:284; 44:102, 146; 47:224, 229, 232, 245, pl. 921. aprica 41: 506; 47:230, 234, 246, pls. 938, 939; 48:120. arenicola 36:104, 110, 111. arida 41:293. arnoglossa 3:11; 15:119; 22:142; 33:214; 47:183, 240; var. ambigens 1:150; 47:183, 239. **Bayardi** 35:328, **333**, 334, 402, pl. **265**; 47:227, 232. borealis 35:336. **Brainerdii** 1:153, 154, 160; 15:98, 201; 26:97; 38:369; 47:231, 240, 247, pls. 952, 953; 48:118. **brevistyla** 33:216, **223. brunnescens** 35:328, **336**, 402, pl. **266**; 47:227, 232. **burwellensis** 36:103, 104, 110, **111**; 38:126. calophylla 38:230; 47:240. campestris 1:72, 73, 47:229, 233, 245, pl. 928. **cana** 18:**236**, 237; 26:96, 98, 99, 102, pl. 142; 28:62, 96, 103, 105, 237; 33:215, 216; 35:88, 329, 333, 337–339, 400, pl. 267; 47:227, 232. canadensis 1:72, 154, 160, 204; 2:69; 4:85, 92; 6: 133; 7:105; 10:146; 12:129; 13:23, 25; 15: 66, 118, 119, 121; 16:132, 196, 197; 17:125–128, 154; 20:107; 22:136; 23:296–298; 26: 47:183, 240; var. ambigens 1:150; 47:183,

35. 97: 31:85: 33:214-216, fig. 1; 37:231, 237; 47:184, 229, 232, 233, 244, 245. pls. 922, 923; var. Randii 1:72, 154, 160; 3:186; 31: 85; 33:214; 47: 184, 232; var. spathulata 16:132, 196; 35:340; 47:232. candida 36: 16:132, 196; 35:340; 47:232. candida 36: 111. canescens 36:103, 104, 107, 109; 38: 125, 159. carpathica 13:24; 16:130; 22:138; 139, 141, 142; 26:100; 33:213; 36:105; 47: 231; γ. pulcherrima 47:231; γar. humilis 13: 24; γar. lanata 22:142; 36:105; γar. pulcherrima 22:142; 36:105. chilensis 35:335. cinnamomea β. angustior, 41:391. columnaris 35:328, 331, 332, 402, pl. 263; 47:227, 231, 243. compacta 36:105, 111; 41:295. confusa 35:329, 332, 338–340, 402, pl. 268; 47:228, 232. congesta 36:105, 110, 114; 38: 126. decipiens 1:153; 3:11, 13; 47:240. dioica 33:213, 222: 36:148. 376: 48:119. dioica 33:213, 222; 36:148, 376; 48:119. **eucosma** 13:**23**, 24, 129, 130, 138; 16:129, 133, 196; 17:159; 26:96, 110; 27:90; 28:98, 100, 105, 213, 237; 32:13; 35:275, 328, 330, 331; 47:226, 231, 244, pl. 912. exilis 41:294. fallax 1:74, 151, 153, 154, 160; 3:186; 6:132; 7:105; 15:117-119, 222; 17:127; 22:142; 26: 35, 97; 31:86; 32:178; 36:221; 37:233, 381, 449; 38:229-231, 367, 369; 47:183, 231, 233, 239, 244, 246, pls. 945, 946; 48:118; var. calophylla 38:230; 40:471; 47:240, 246, pls. calophylla 38:230; 40:471; 47:240, 246, pls. 947, 948. Farwellii 1:151, 152, 154, 160; 6: 232; 37:65, 72; 38:230, 238, pl. 433; 47:230, 239. Foggii 35:328, 332, 333, 336, 402, pl. 264; 47:227, 232, 243. Friesiana 33:223; 36:112. fusca 35:336; 41:506. gaspensis 35:329, 341, 342, 402, pl. 268; 37:237; 38:368; 44:110, 146; 47:224, 226, 229, 233. glabrata 16:130; 22:140; 33:216; 36:117; f. tomentosa 36:116, 117. glabrifolia 26:97; 44:146. grandis 35:345; 47:234. groenlandica 33:216. Howellii 33:214. hudsonica 36:103, 105, 110, 115. 116; 38:115, 120, 159. 36:103, 105, 110, 115, 116; 38:115, 120, 159. 30:103, 103, 110, 113, 116; 38:113, 120, 199: intermedia 33:216, 223; 35:334. isolepis 26: 97, 102, pl. 142; 29:56; 32:62; 33:214; 35: 334; 36:103, 104, 108; 38:160; 41:146, 149, 156, 292. labradorica 18:238; 22:140; 33: 223, 224; 36:105, 112–114; 38:120, 159. Laingii 41:293, pl. 554; 42:340. lanata 13: 24; 22:141, 142; 26:100; 36:105, 106. Longii 28:237, 238; 35:337-339, 402, pl. 267. magellanica 35:334, 335, margaritacea 6:97, mesochora 33:214. microphylla 16:132; 34: 238; 48:119, 120. monocephala 22:140; 36: 104, 106-108; 41:163, 164, 292, 294; 42:340; 47:241; × philonipha 41:294, 295. mucronata 22:141. munda 38:229, 230, 238, pl. 433; 40:383, 471; 41:477; 47:231, 233, 239, 244. neglecta 1:71–73, 107, 154, 160, 204; 2:69; 6:132; 12:129; 15:117; 16:133, 134; 17:127; 19:220; 23:296; 26:35, 97; 31:86; 32:151, 279; 33:214; 37:230, 233; 38:230; 47:183, 184, 222, 224–226, 229, 233, 241, 243, 245, pls. 924–926; 48: 118, 119, 121; f. simplex 38:230; 47:233, 241, 245, pl. 927; var. argillicola 47:184, 234; var. attenuata 47: 184, 234; var. gaspensis 47:184, 233; var. neglecta 47:183, 233; var. Randii 47:184, 232; var. simplex 22:111; 38:230; var. sub-

corymbosa 1:73; 16:133, 134; 35:346; 47:235. neodioica 1:72-74, 107, 153, 154, 160, 204; 2:69; 3:189; 4:92; 6:132; 7:105; 12:129; 13:23, 25, 139; 15:117; 16:132, 133; 17:127; 21:200; 22:142; 23:98, 296, 297; 26:35, 97; 31:86; 33:214, 215, 217, fig. 2; 35:330, 341-343, 345; 36:114; 37:229-234, 236, 237; 38:230, 367-369; 47:184, 230, 233, 234; 48:118; var. aprilliable, 38:230, 47:234. 48:118; var. argillicola 38:230; 47:234; var. attenuata 1:154, 160; 3:186; 31:86; 35: var. attenuata 1:154, 160; 3:186; 31:86; 35: 89, 342, 345; 37:234-236, fig. 4; 38:231, 368; 369; 47:184, 234, 245, pl. 933; 49:252; var. chlorophylla 23:296, 297; 31:86; 35:345, 346; 37:237; 47:234, 245, pl. 935; var. gaspensis 9:164; 13:71; 16:132; 33:214, 218, 219, fig. 3; 35:341, 342, 346; 44:146; 47: 184, 233; var. grandis 1:73, 154, 160; 6: 132; 21:200; 23:98, 105, 296; 26:35; 31: 86; 35:330, 345; 37:72, 236; 47:234, 246, pl. 936; var. interjecta 35:345; 37:237; 44: 146: 47:234, 245, pl. 934; var. preplaides 1: 936; var. interjecta 35:345; 37:237; 44: 146; 47:234, 245, pl. 934; var. petaloidea 1: 72, 73; 47:234; var. rupicola 16:131, 132, 133; 33:214; 35:342; 47:233; var. typica 35:345, 346; 37:234, 235, fig. 3; 38:369; 47: 234, 245, pls. 931, 932. nitens 36:104, 106; 41:292, 295. nitida 26:96, 97, 101, 102, pl. 142. occidentalis 6:232; 10:146; 15:98, 118, 119, 121, 167; 17:127, 128; 19:250; 26:35, 97; 31:86; 37:72, 74, 233; 38:229, 230; 47: 239. Parlinii 1:71, 74, 150, 151, 153, 156, 160, 204; 2:69; 3:189; 4:152; 7:105; 10: 146; 12:108, 129; 13:25; 15:117, 119-121, 167; 17:127, 128; 23:98; 24:205; 26:35, 97; 31:85; 33:214, 216, fig. 1; 37:381, 449; 38: 231, 367, 369; 46:141; 47:183, 231, 233, 240, 244, 246, pls. 949, 950; 48:118; 50:131; var. ambigens 1:71, 107, 150; 47:239; var. arnoambigens 1:71, 107, 150; 47:239; var. arnoamoigens 1:71, 107, 150; 47:239; var. amo-glossa 1:51, 153, 156, 160; 40:471; 47:183, 240, 247, pl. 951. parvifolia 48:119–121. Peasei 26:97, 101, 102, pl. 142; 33:215; 44: 129, 145; 47:224, 228, 232, 244, pl. 915. petaloidea 1:73, 154, 160; 2:171; 3:186; 6: 132, 206; 13:23; 15:98, 118, 121, 122; 16:133, 132, 206; 13:23; 15:98, 118, 121, 122; 16:133, 134; 17:127; 23:295, 296; 24:120; 26:35, 97; 31:86; 32:177; 33: 214, 216, 217, 219, figs. 1, 2, 4; 35:346; 37:72, 74, 233; 38:369; 47: 230, 233–235, 244, 246, pls. 940, 941; 48:118; var. modesta 47:235; var. noveboracensis 23:296; var. scariosa 1:73, 154, 160; 16: 133, 134; 33:215; 47:235, 246, pl. 942; var. subcorymbosa 16:133; 23:103, 295, 296; 31:86; 33:214; 35:330, 344, 346, map 27; 47:235, 246, pls. 943, 944. philonipha 41: 163 294, 295 pl 554; 42:340. plantaginea 163, **294**, 295, pl. **554**; 42:340. plantaginea 1:74, 151, 153, 154, 156, 160, 204; 3:11, 13; 47:240; var. petiolata 1:107, 154, 156, 160, 204; 4:92; 47:240. plantaginifolia 3:11; 11: 204, 4.82, 47.240. plantagini ona 3.11; 11: 130; 12:129; 13:24, 25; 15:117, 120; 17:36, 37; 19:220; 26:35, 97; 31:86; 32:279; 33: 214, 215; 36:221, 376; 37:230–233, 236; 47: 182, 183, 224, 231, 233, 240, 241, 243, 247, pls. 954, 955; 48:119, 121; β. monocephala (7.24), 247. 47:241, 247; var. ambigens 47:183, 239; var. arnoglossa 47:183, 240; var. petiolata 26:35; 47:240, 247, pl. 956; var. plantaginifolia 47:183. Porsildii 33:216. pulcher-

rima 13:24; 22:142; 26:96, 100; 35:331; 36: 104-106, 108, 284; 42:314, 340; 47:226, 231. 104-106, 108, 284; 42:314, 340; 47:226, 231. pulvinata 26:102. pygmaea 16:129, 130; 26:96, 99, 100, 102, pl. 142; 29:56; 35:333; 36:103, 104, 109, 110; 38:126, 159. rosea 16:132; 48:120. rupicola 1:74, 154, 160; 16:132, 133; 35:330, 342, 343, 345, map 26; 37:237, 332; 38:368; 47:230, 233, 245, pls. 929, 930. simplex 47:233. solitaria 3:12; 26:97; 37:381, 449; 40:371, 375, 471; 42:363; 46:141; 47:183, 224, 231, 241, 243, 247, pls. 957, 958; 48:121. Sornborgeri 18:237; 26:96, 8, 102, pl. 142: 29:56, 33:215: 36:104, 110 98, 102, pl. 142; 29:56; 33:215; 36:104, 110, 111; 38:126. spathulata 16:196, 197; 17: 159; 26:97; 28:105, 239; 33:215, 216, fig. 1; 35:54, 329, 340, 346; 47:228, 232, 244, pl. 920; 49:252; var. continentis 28:105, 213, 920; 49:252; var. continentis 28:105, 213, 239; 33:215; 44:145; 47:232. straminea 16: 130, 131; 26:96, 100, 102, pl. 142; 28:79, 97, 105, 238; 33:215; 35:329, 335, 340; 47:228, 232, 244, pl. 914. subcanescens 36:105, 112; 41:148, 151, 295. subviscosa 16:131, 132, 196, 197; 26:97, 101, 102, pl. 142; 33: 214, 215, 222, 223, 233; 35:334; 44:104, 145; 47:224-226, 228, 232, 243, 244, pls. 916, 917; 48:119. umbrinella 22:141; 26:102; 33:223; 35:334; 48:119, 121. ungavensis 36:104, 111. vexillifera 26:96, 99, 102. pl. 48:118; var. argillicola 37:232-236, fig. 2; 38:230, 231, 368; 47:184, 234, 246, pl. 937; 48:118; var. typica 37:234. viscidula 26: 101. **Wiegandii** 28:**238**, 239; 35:54, 329, 340; 47:228, 232, 244, pl. 919 Antennarias 42:340; 47:183, 184

Anthaenantia rufa 44:253. villosa 44:253

Anthaenantia rufa 44:253. villosa 44:253
Anthelia 14:223. julacea 4:213. Juratzkana 4:212, 213; 5:171; 15:23; 25:196
Anthemis 26:36; 37:307; 43:515. arvensis 6: 142; 26:36; var. agrestis 13:18; 26:36; 40: 477. Cotula 1:25; 3:189; 11:130; 17:36; 18:44; 22:137; 26:36, 228; 32:157, 279; 50: 303. secundiramea 43:516, 657. tinctoria 6:78, 144; 10:145; 17:30; 26:36; 41:79
Anthereum 25:155
Anthereum 25:155

Anthoreros 9:219; 14:223. carolinianus 14: 223, 224; 15:26, 27; 25:197. crispulus 14:1, 16, 17; 15:26, 27; 17:120; 19:272; 23:284; 25:197. laevis 5:173; 6:74; 7:58; 14:224; 15:26; 25:197; 26:13. Macounii 10:191; 12:204; 15:26, 27; 19:272; 25:197. multifidus 14:17. punctatus 5:173; 7:58; 10:191, 192; 11:195; 14:1, 16, 17; 15:26; 19:272; 23:284; 25:197; α. crispulus 14:16; β. multifidus 14:16

Anthocerotaceae 5:173; 15:26; 25:197; 26:13

Anthocerotales 11:16; 25:192

Anthochloa 21:216

Anthoxanthum 6:104; 14:178; 15:123; 31:100; 33:108; 45:250; 49:276. aristatum 38:264, 266, 267; 49:276. giganteum 14:166; 45: 249–251. odoratum 2:215; 6:104; 15:123;

17:221: 18:33: 22:136: 26:185, 222: 29:207; 32:150, 234; 33:116; 38:264; 49:94, 276; 50: 293; f. giganteum 49:94, 121; var. villosum 37:82. Puelii 15:123; 38:266; 49:276
Anthriscus 24:92. \$ Eu-Anthriscus 9:47.

Cerefolium 16:96; 19:245. scandicina 43: 493. sylvestris 24:92. vulgaris 43:493, 618 Anthyllis 13:240. Vulneraria 13:240; 19:229 Anticlea chlorantha 37:256; 46:78, 79. elegans

Antigramma pinnatifida 50:117. rhizophylla 50:117

Antirrhinum 25:63; 41:382. majus 7:35; 19:

248; 25:63; 39:373, 375

Antithamnion 7:169. americanum 2:48, 131; 7:234; 26:191; 35:148; 50:264. boreale 2: 48; 4:177; 10:116; 43:214. cruciatum 2: 48; 7:234; 21:203, 204, 206; 26:214; 35:148; 43:214; 50:264; var. radicans 1:125: 2:48. floccosum 2:48; 16:4. Plumula 2:48; 50: 264, 265. Pylaisaei 2:48; 4:177

Antoiria vulgaris 18:82

Ants 42:194–196; 43:206, 207; 44:13–15, 165. Black 42:194, 195. Harvester 42:195

Anulocaulis 47:329. gypsogenus 47:330, 331. leiosolenus 47:330, 331; var. lasianthus 47:

330; var. typicus 47:330

Anychia 6:50; 17:202; 38:416, 417. argyrocoma 8:102. canadensis 6:50-53; 17:202; 25:184; 35:39; 36:58; 38:417, 421; 49:201; 3. pumila 38:421. capillacea 5:190, 203; 6: 50, 52; 18:88. capillaris 6:52. conferta 6: 51, 53; 38:419-421, dichotoma 5:190, 203; 6:50-53; 7:48; 49:201; var. capillacea 6:50, 52. divaricata 6:51, 53; 38:417, 420, 421. fastigiata 6:51, 53; 38:419-421. filiformis 6:52. lateralis 6:51, 53; 38:419, 420. nudiflora 6:51. Nuttalli 38:417, 419. polygonoides 6:51-53; 17:202; 19:129; 36:220; 38: 417-421; var. a 38:418-421; var. b 38:418, 420; var. c 38:418; var. d 38:418-420

Anychiastrum 38:416, 417. montanum 38: 417-421

Apalanthe 34:116

Apargia 27:48. autumnalis 4:39; 21:211. pratensis 3:293

Apera 15:128. Spica-venti 6:84; 15:128; 19: 119; 35:261; 49:270

Aphanes australis 40:436, 445

Aphanocapsa 29:39. delicatissima 29:40. Grevillei 26:162. **Lewisii** 29:41. pulchra 30:195

Aphanochaete vermiculoides 7:240

Aphanorrhegma 12:151. serratum 12:151; 15:

Aphanothece Castagnei 50:275. clathrata 29: 163. microscopica 6:230; 14:114, 236. microspora 24:104. pallida 26:162. saxicola 14:114; 15:89; 24:105; 26:162

Aphragmus Eschscholtzianus 41:163, 232 Aphyllon fasciculatum 19:65. minutum 28: 236. Sedi 28:236. uniflorum 3:295; 4:76; 5:136; 6:129; var. occidentale 28:236

Apiastrum 40:180. patens 10:35

Apidae 41:185

Apinus flexilis 34:246

Apiocystis Brauniana 50:67

Apios 20:165; 36:88, 89; 42:214. americana 36:88, 89; 41:475, 547, pl. 575; 42:213, 214; f. cleistogama 36:195; f. pilosa 40:179; 41:547; var. turrigera 41:546, 547, pl. 575; 47:216. Apios 36:89; 41:547. Priceana 45: 278. tuberosa 1:96; 2:89; 9:13; 10:145, 166; 11:129, 230; 16:13, 15; 20:165; 23:147, 273; 24:176; 31:84; 32:257; 35:251; 36:88, 89, 374; 41:475, 547

Apiosporina Collinsii 41:512

Apis mellifera 39:62; 41:185; 42:354. mellifica 34:214; 37:159

Apium angustifolium 50:111, 119. graveolens

19:245; 39:369, 375 Aplarina 43:111. microphylla 43:272, 273.

prostrata 43:111, 272, 273
Aplectrum 31:15; 41:489; 43:486. hyemale 1:199; 3:203; 4:18, 20, 22; 17:136; 35:360, 362; 40:375, 408; 41:486, 539
Aplostemon 23:24; 31:227. atropurpureum

31:227. bracteatum 23:24

Aplozia cordifolia 6:170. hyalina 21:150. obovata 21:162

Apocynaceae 4:17; 6:127; 24:235; 31:42; 32:

Apocynum 4:20; 6:127; 24:235; 42:155; 44: 331; 47:369. androsaemifolium 3:176; 4: 17, 81; 5:129; 13:18, 139; 16:15; 22:136; 24:235; 32:216, 271; 34:30; 36:220; 38:193; var. glabrum 34:31; var. incanum 34:31; 38:193. cannabinum 4:17, 81; 6:127; 10: 55, 145; 13:148; 16:12; 23:288; 24:180, 235; 32:18; 35:251; 44:235; 0. album 42:267; var. glaberrimum 6:127; var. hypericifolium 1: 203; 44:331; var. nemorale 10:55; var. pubescens 12:217. cordigerum 37:327. Farwellii 37:327. hypericifolium 1:203; 2:69; 6:97; 37:327, 328; 42:475; f. arenarium 37:328; var. cordigerum 37:327, 328; var. Farwellii 37:327; var. salignum 37:328. medium 4:137; 6:127, 142; 11:83; 15:167; 23:27, 288; 24:235; 32:177. nemorale 10:55. salignum 37:328. sibiricum 37:327, 328; 42: 397, 475; 43:635; f. arenarium 37:328; 44: 235; var. cordigerum 37:327; 44:331; var. salignum 37:328. Syriaci 47:369

Apodanthes 2:1

Apoglossum Montagneanum 5:206, 207

Apogon humilis 44:253

Apoidea 36:28; 37:159, 161; 38:91, 93; 39:62; 41:185; 42:354; 44:189

Apolozia 11:16

Apple(s) 11:32; 12:179; 28:71; 45:450, 451; 46:313; 49:229; 50:38. Baked 12:109; 13: 123. Indian 46:317

Apterocaryon 15:168; 29:50. Michauxii 47: 326

Aquifoliaceae 6:121; 12:181; 18:39; 21:125;

29:216; 31:42; 32:263; 43:81; 49:255 Aquilegia 6:116; 8:10; 11:130; 13:18; 18:165; 36:9, 309, 310; 37:307, 349; 46:303, 347. brevistyla 41:226; 45:310. canadensis 2: 188; 5:128; 12:128; 18:165; 20:182, 193; 32:176; 36:224, 225; 37:381, 426; 42:279; 45:277; 46:303; f. Phippenii 31:36; 37:86; var. flaviflora 4:169; 20:182; 21:116; var. Phippenii 4:169; 18:166; 20:182; 31:249. columbiana 29:35. formosa, subsp. caelifax 40:136; var. caelifax 40:136. phoenicantha 38:75, 76. saximontana 22:195. vulgaris 3:187; 6:116; 18:166; 20:182, 184; 36:9, 310; × olympica 36:9

Aquilina 43:12. Gardneri 43:58. vulgaris 43:

Arabidopsis 20:201, 202. novae-angliae 20: 201-203; 39:276. Thaliana 20:202, 203; 36: 44; 45:268

Arabis 5:225, 226, 228; 7:31; 9:40; 13:37; 18: 215; 20:202; 37:418; 39:63-70, 72, 74, 84; 40:373, 422, 430-432; 42:49, 152, 45:114. § Cardaminopsis 43:292. § Euarabis 39:71. S Cardaminopsis 30, 232. S Education 39:70, 71. S Turritis 5:226; 39:71. aculeolata 43:308, 350, 352, 353, 361, 479, fig. 1. acutina 43: 378. albertina 39:140; 43:366, 370, 371. albida 13:123. alpina 9:161, 190, 191; 13: 119, 123; 25:113; 28:60, 104, 116, 146; 35: 60, 121, 270; 38:125, 153; 39:64, 66, 67, 69, 74, 84–86, 178, map 3; 43:292, 303, 306; 44: 113, 116, 120; f. phyllopetala 35:270; 39: 69, 86, 88, map 4; var. β. minor 39:85, 87; var. γ. ruderalis 39:85, 87; var. glabrata 22: 140; 39:86, 87, map 4; var. typica 39:85, ambigua 39:95, 97; 43:362; var. glabra 39: 93, 95, 97; 43:362; var. intermedia 39:92, 96, 97; 43:362; var. scabra 39:96, 97. angulata 43:395, 397, 398. angustifolia 39:137; 43: 370. aprica 43:387. arbuscula 43:426. arcoidea 43:401. arcuata 43:402; var. longipes 43:399; var. perennans 43:395; var. secunda 43:441; var. rubicundula 43:402, 406; var. subvillosa 43:403. arenicola 34:245; 38:119, 125, 153; 39:66, 74, 76–79, map 1; var. pubescens 39:77, 80, map 2. arenosa 43:292, 362. arida 43:451. armerifolia 43:366, 367. atriflora 43:405. atrorubens 43:404, 406. Austinae 43:409. Beckwithii 43:451-453, 457. blepharophylla 43:290, 308, 321, 348, 349, 352, 479, fig. 1, map 2; var. Macdonaldiana 43:352. Bolanderi 43:479. Bourgovii 43:479, 480. brachycarpa 5:226, 228–231; 6: 140; 13:148; 37:66, 74; 39:66, 67, 71, 108, 114, 118, 130, 134, 135, 137, 146, 162; 43:375. bracteolata 43:382, 383. Brebneriana 43: 479. brevisiliqua 43:375, 377. Breweri 43: 311, 407–410, 426, fig. 1; var. Austinae 43: 396, 408, 409, map 15; var. figularis 43:408, 409: var. pecuniaria 43:396, 408, 409, 410, map 15; var. typica 43:396, 408, 409, map 15. Bridgeri 43:356, 357. Brucae 43:364. Burkii 39:163, 166. caduca 43:441, 443. campylopoda 43:403, 404. canadensis 5: 203, 236; 15:165; 18:215; 39:64, 65, 67, 68, 70, 71, 75, 119, 120, 124, 165, 175, 178-180; 40:423; 42:361, 452; 43:298, 521, 553; 44: 240; 45:114, 115. canescens 39:181; 43:385, 446, 451, 453, 455, 456; var. latifolia 43:382, 383, 385; var. stylosa 43:431. chionophila 43:473, 474. cobrensis 43:290, 303, 315, 396, 453, 455-457, fig. 1, map 17. cognata 43: 364. Collinsii 7:32; 9:161; 20:96; 39:66, 15. Bridgeri 43:356, 357. Brucae 43:364.

68, 71, 171, 183, 184; 43:445; 44:142. columbiana 39:132, 133, 140; 43:405. conferta 43:473, 474. confinis 4:85; 5:226-231; 6:140; 39:108, 130-134, 137, 140, 157; 43: 370, 375; var. brachycarpa 5:227, 231; 39: 130; 43:375. connexa 5:230, 231; 39:139, 144, 145; 43:370, 371, 373. consanguinea 43: 441, 443. cornuta 43:315. Covillei 43:474. Crandallii 43:290, 303, 310, 396, 431-433, 435, fig. 1, map 17. crucisetosa 43:290, 307, 309, 358-360, 390, 479, figs. 1, 4, map 6. crypta 43:455, 456. Cusickii 39:133; 43:290, 312, 358, 410, 411, fig. 1, map 8. dacotica 43:375, 376. Davidsonii 43:308, 358, 364, 365, fig. 1, map 8. demissa 43:313, 386–388, 390, 436, fig. 1; var. languida 43:358, 386–388, map 8; var. russeola 43:387, 388; var. typica 43:358, 387, 388, map 8. densa 43:366, 367. densicaulis 43:403, 428–430. dentata 39:69, 75, 123, 167, 169, map 27; 40:43; 42:48; 43: 303; 48:208; 50:17; var. phalacrocarpa 39: 75, 169, 170, map 28; 48:208; var. typica 39:75. depauperata 43:384. dianthifolia 43:470, 471. Diehlii 43:389, 391. dispar 43: 290, 307, 309, 396, 458, 466–469, fig. 1, map 17. divaricarpa 5:231; 39:66, 67, 71, 75, 129, 130, 133, 134, 136, 146; 42:328; 43:299, 302, 303, 312, 358, 374, 375, 378–381, 440, 480, fig. 1, map 7; var. interposita 43:374, 375, 378, 379; var. stenocarpa 39:130, 133, 136, map 17; 44:142; var. typica 39:130, 131, map 16; 43:375. drepanoloba 43:384. Drummondi 5:226-231; 6:40; 9:161; 10:146; 11: 14; 12:168; 13:37; 15:139, 140; 18:215; 28: 124, 202; 31:84; 35:89, 270; 37:86; 38:64, 454; 39:66, 68, 75, 108, 109, 124, 130-134, 136, 137, 143, 146-148, 158, 161, 162; 40:423; 43:299, 303, 311, 321, 368, 369, 373, 374, 378, 276 379, 409, fig. 1, map 4; var. alpina 39:137, 140, 141, 144, 147, 148, map 19; 43:366–368; var. brachycarpa 5:227, 231; 39:130, 134; 43:375; var. connexa 5:231; 15:140; 28: 123, 302; 39:137, 144, 145, 148, map 23; 43: 370; var. interposita 43:378; var. Lyallii 43: 366; var. oreophila 39:137, 141, 142, 148, map 20; 43:366, 368; var. oxyphylla 39:71, 137, 143, 146, 147, map 22; 43:370; var. pratincola 39:137, 140, 142, 146, 148, map 21; 43:375, 379; var. typica 39:137, 138, 142–144, 146, map 18; 43:370. duriuscula 43:470, 471. Egglestonii 43:382, 383. elata 43:479. elegans 39:181; 43:403, 429. Endlichii 43:479. epilobioides 43:408. eremophila 43:395, 397. Eschscholtziana 39:121: 43:320. exilis 39:180; 43:441, 443. falcata 39:65, 176, 178. Fendleri 39:134; 43:302, 313, 389, 392–395, 397–400, fig. 1; var. spatifolia 43:303, 388, 393, 394–396, map 12; var. typica 43:303, 393, 394, 396, map 12. Fernaldiana 43:311, 361, 430, 432, 433, figs. 1, 3; var. stylosa 43:310, 431, 432; var. typica 43:431, 432. filifolia 43:479. formosa 43:460–462. fruticosa 43:311, 312, 379, 380, fig. 1. furcata 39:117; 43:290, 308, 350, 353-355, 358, 479, fig. 1, map 6; var. olympica 43:354, 355; var. purpurascens 43:350, 351, 18 Rhodora

353; var. typica 43:354. georgiana 39:74, 122, 123, map 13; 40:422. glabra 15:66; 18:216; 38:64; 39:67-69, 71, 74, 75, 106, 110, 111, 116, 120, 139, 146; 40:430; 43:293, 294, 299–301, 307, 315, 316, 323, fig. 1; var. furcatipilis 39:74, 75, 106, 109, map 8; 43: 307, 315–317; var. typica 39:74, 106; 43: 315, 316. glaucovalvula 43:290, 307, 396, 465, 466, fig. 1, map 18. gracilenta 43:395, 398. gracilipes 43:310, 358, 399, 400, fig. 1, map 9. Gunnisoniana 43:303, 314, 390, 434, 436, fig. 1, 3. hastata 39:161. hasta-434, 430, fig. 1, 3. flastata 39:161. flastatula 43:480. heterophylla 39:157, 159–161; 41:80. hirsuta 1:222; 9:161; 12:114; 15: 140; 19:225; 24:116; 34:231; 35:363; 36: 224, 335; 37:422; 39:68, 69, 107–109, 118–121, 123, 139, 157, 158, 160, 179, 186, pls. 457, 458; 41:238; 43:291, 293, 301, 302, 307, 308, 316, 317, 319, 320, 322–324, 355, 359, fig. 1; 8. glabrata 39:116; 43:319; γ. ovata 43:318; f. americana 43:319; f. banffica 43:318; f. constrictoides 43:318; f. cordata 43:318; f. crepidifolia 43:318; f. Eschscholtziana 43: 322; f. gracilis 43:318; f. grandiflora 43:322; f. integra 43:319, 320; f. iowensis 43:318; f. Krausei 43:322; f. laevis 43:318; f. lilacina 43:322; f. novomexicana 43:318; f. sagittata 43:318; f. subsetosa 43:322; var. adpressipilis 43:317-319; var. Eschscholtziana 43: 318, 320, 321, 323, 324, map 1; var. glaberrima 22:140; var. glabrata 39:121, 122; 43: 318, 319, 321, 323–325, map 1; var. pycnocarpa 43:303, 304, 318, 323-325; 44:142; 45:311. Hoffmannii 43:302, 310, 407, fig. 1. map 22; 44:104, 142, pl. 696; var. Fendleri 7:32; 43:391, 393; var. patula 43:480; var. pendulocarpa 43:440, 442, 446, 449, map 22; var. pinetorum 43:304, 440, 442, 447, 449, 450, map 20; var. retrofracta 39:180; 43:304, 313, 439-442, 447, 449, 450, 452, 453, 480, map 21; var. secunda 43:441; var **typica** 43:440, 442, 448–450, map 20. Hookeri 39:66, 67, 74, 126, 128, 129, map 15; 43:294, 480; β. breviramosa 39:127,129; var. multicaulis 39:127, 128. horizontalis 43:471. Howellii 43:473. humifusa 36:281; 39:76, 78; var. pubescens 39:77, 79. inamoena 39: 66; 43:464, 465, 472, 473, 475, 476; var. acutata 43:474-476. incana 39:85. integrifolia 47:203. interposita 43:378. inyoensis 43:309, 311, 314, 457-459, fig. 1. Johnstonii 43:301, 309, 467–469, fig. 1. juniperina 43: 466, 467; kamchatica 39:92; 43:362; var. glabra 43:362; var. intermedia 43:362. Rennedyi 43:382, 383. Kochii 39:180; 43:404. Koehleri 43:290, 297, 310, 311, 390, 425, 426, figs. 1, 2; var. stipitata 43:425, 426; var. typica 43:425, 426. laevigata 5: 226, 227, 230; 6:208; 7:13; 13:37, 38; 19: 225; 21:201; 36:224; 39:67, 68, 75, 130, 132,

137-139, 158-161, 164-168, 179; 40;382, 422, 423; 42:49; 43:303, 304, 463, 505, 553; 44: 400; 45:358; var. β. laciniata 39:156; var. Burkii 39:163, 166, 167, map 26; var. heterophylla 39:157, 160, 161; 41:80; var. laciniata 39:158, 159. latifolia 43:382. Leibergii 43: 39:158, 159. latifolia 43:382. Leibergii 43: 474. Lemmoni 39:185; 43:313, 381, 382, 385, 410, 432, fig. 1; var. depauperata 43: 310, 382, 384, 385, 396, map 11; var. drepanoloba 43:380, 382, 384, 385, 396, map 11; var. paddoensis 43:382, 384, 386, 396, map 11; var. typica 43:358, 382, 384, 385, map 9. lignifera 39:180; 43:304, 314, 315, 321, 398, 435, 437, 439, 450, 458, figs. 1, 2, map 2. lignipes 39:183, 185; 43:441, 443; var. impar 43:451. longirostris 43:480 var. impar 43:451. longirostris 43:480. ludoviciana 29:192; 39:81. Lyallii 39:133, 140, 141, 147, 148; 43:311, 312, 321, 365, 368, 369, 374, 409, 429, fig. 1, map 3; var. David-509, 514, 409, 429, 118, 1, map 3; var. Davidsonii 43:364; var. **nubigena** 43:365, 367, 369; var. **typica** 43:365. lyraefolia 39:161. lyrata 1:130, 222; 6:97, 117; 21:59, 201; 34: 231; 35:286; 39:64-68, 72, 74, 88, 89, 94-96, 124; 40:423; 43:292, 304, 364, fig. 1; 50:120. subsp. kamtschatica 43:362; var. glabra 39: 89, 93, 95-97, map 7; 41:238; 42:328; 43: 362, 363; var. kamchatica 37:418; 39:80,88, 92, 93, 96, 97, map 6; 41:238; 42:328; 43: 309, 324, 358, 360, 363, 364, map 5; var. occidentalis 37:418; 39:93, 96, 97; 43:362; var. typica 39:88, 89, 90, map 5; 43:363, 364; f. parvisiliqua 39:88, 91. MacDougalii 43: 441, 443. macella 43:356, 357. Macounii 43:428. macrocarpa 39:107; 43:316. maxi-ma 43:402; var. Hoffmannii 43:407. Mc-Donaldiana 43:308, 321, 352, fig. 1, map 2. media, var. glabra 43:362; var. intermedia 43:362. Menziesii 43:480; var. lata 43:480. mexicana 43:480. microphylla 43:311, 312, 314, 369, 426, 427, 429-432, fig. 1; var. Macounii 43:396, 427, 428, 430, map 16; var. nubigena 43:367; var. saximontana 43: 304, 396, 427, 429, 430, map 16; var. Thompsonii 43:427, 429, 430; var. typica 43:304, 366, 427, 429, 430; var. typica 43:304, 427, 429, 429, 429, 429, 429, 42 396, 427, 430, map 16. missouriensis 45: 269, 273; var. Deamii 45:269. modesta 43:307, 308, **350**, 351, fig. **1.** mollis **39**:128, 176, 178. multiceps 43:366, 367. nardina 43:466, 467. nemophila 43:375, 377. nevadensis 43:389. nubigena 43:367, 369, 429. Nuttallii 43:309, 355-360, fig. 1, map 6. oblanceolata 43:375, 376. occidentalis 43: 362. oligantha 43:472, 473, 475. olympica 43:355. oregana 43:308, 321, 349-351, 353, fig. 1, map 2. oreocallis 43:382, 384. oreophila 39:141; 43:366, 369. ovata 39:109, 115–117, 119, 120; 43:318. oxylobula 43: 313, 386, fig. 1. oxyphylla 5:229, 230; 39: 139, 142, 143, 146; 43:370, 371, 373. Parishii 43:290, 301, 309, 468, 469, fig. 1. patens 39: 66, 74, 75, 120, 123–125, 168, map 14. patula 39:134, 180, 181; 43:479, 480; var. \(\beta\). 39:174, 175. paupercula 43:367-369. pectinata 43: 480. pedicellata 43:481. pendula 39:161; var. β. 39:161. pendulina 43:313, 388, 389, 391, 392, 394, 396, fig. 1, map 11. pendulo-

carpa 39:66, 68, 71, 76, 183-186, map 31; 43:445, 446, 448, 449. peramoena 43:401. perelegans 43:403. perennans 43:290, 297, 304, 314, 321, 393-395, 398-400, fig. 1, map 3; var. longipes 43:395, 399. perfoliata 4: 93; 6:84; 39:107, 108, 139; 43:316. perstel-lata 42:47, 49; 48:208; × laevigata 42: 49; var. phalacrocarpa 48:208; var. Shortii 48:208; 50:17. petiolaris 43:290, 306, 478, 479, fig. 1. petraea 7:67; 39:77, 89, 94, 95; 8. kamtchatica 39:92; var. ambigua 39:92, 93; var. glabra 22:140. philonipha 39:140, 143; 43:370, 371. pinetorum 43:447. platyloba 43:473–475. platysperma 43:290, 296, 307, 357, 381, 465, 466, 472–476, 478, fig. 1; var. Howellii 43:442, 472, 473, 475, 476, map 24; var. imparata 43:474, 475; var. typica 43:442, 472, 475, map 25. polyantha 43: 441, 445. polyclada 43:382, 383. polytricha 43:403, 404. porphyrea 43:393. pratincola 39:142, 146; 43:375, 376, 379. puberula 43:296, 309, 396, 450, 452–456, 465, fig. 1, map 18. pulchra 32:26; 43:297, 309, 458, 459, 461, 462, 465, 466, fig. 1; var. glabrescens 43:461; var. gracilis 43:315, 396, 459, 461, map 19; var. munciensis 43:442, 459, 460, map 23; var. pallens 43:442, 459, 460, 462, map 23; var. typica 43:442, 459, 461, map 23; zo; var. typica 43:442, 459, 461, map 23; var. viridis 43:461. purpurascens 43:350, 353. pycnocarpa 39:68, 69, 74, 109, 112, 118-121, 123, 125, 160, 178, 186, pl. 458; 41: 238; 43:318, 323; 44:142; var. adpressipilis 39:113, 117, 121, map 12; 40:430; 43:319; var. glabrata 39:113, 116, 122, map 10; 43: 319; var. reducta 39:113, 117, 121, map 11; 43:318, 325: 44:142: var. typica 30:113, 114 43:318, 325; 44:142; var. typica 39:113, 114, 120-122, map 9; 40:430; 41:238; 43:319, 324. **pygmacea** 43:307, 476-478, fig. 1. recondita 43:395, 397. rectissima 43:290, 312, 313, 391, 392, 396, fig. 1, map 12. repanda 43:304, 307, 463-465, 479, fig. 1; var. Greenei 43:358, 464, 465, map 10; var. typica 43:358, 464, 465, map 10. reptans 36:368, 369. retrofracta 5:228; 39:66, 76, 172, 173, 179-183, 185, map 30; 41:238; 43:403, 440, 441, 447, 448. rhodantha 43:441, 443. rigidissima 43:312, 361, 380, 381, figs. 1, 2. rostellata 43:408, 409. rotundifolia 36:368. rugocarpa 43:387. runcinata 43:481. rugocarpa 43:481. rugocarpa 43:481. rugocarpa 43:481. pestris 39:121; 43:319, 320, 322. sabulosa 43:451; var. colorata 43:451, 452; var. frigida 43:451, 452. sagittata 39:179; γ. ovata 43:318. salubris 43:466, 467. secunda 43:441, 445. Selbyi 43:311, 396, 433, 436, 437, 439, fig. 1, map 15. semisepulta 43:382, 384. 409, map 13; var. atrorubens 43:396, 400, 401, 404, map 13; var. californica 43:314, 396, 401, 402, 406, map 14; var. columbiana 43:400, 405, 406; var. peramoena 43:401, 405; var. subvillosa 43:396, 401, 403, 406, 411, map 14; var. typica 43:396, 400, 401,

462, map 13. spathulata 9:40; 43:356. spatifolia 43:394. Stelleri, var. Eschscholtziana 43:322. stenoloba 43:433. Stokesiae 43:375, 377. stricta 5:230; 39:86, 87, 137; 43:370. subpinnatifida 43:309, 452-455, fig. 1; var. Beckwithii 43:451; var. impar 43: 451, 453, 454. subserrata 43:403, 404. suffrutescens 43:290, 296, 307, 381, 466, 469, 471, fig. 1; var. horizontalis 43:307, 469-471; var. perstylosa 43:396, 469, 471, 472, 471; var. perstylosa 43:396, 469, 471, 472, map 19; var. typica 43:396, 469, 471, 472, map 19. Suksdorfii 43:354, 355. tenuicula 43:427, 428. tenuis 43:441, 445. Thaliana 20:202. trichopoda 43:461. tricornuta 43: 298, 462, 463, 479, fig. 1. Turritis 39:107. "Turritis ovata" 43:318. Viereckii 43:481. virginica 13:91; 29:192; 36:230; 38:192; 39:67, 70, 74, 80, 82–84, 124, 472, 474; 40: 290, 364, 372, 373, 422; 43:297, 481; 44:75. viridis 13:38; 15:67; 17:65; 18:216; 19: 225; 25:184; 39:67, 70, 75, 155, 156, 158–160, 165; 40:431, 432; 45:269; var. Deamii 39: 165; 40:431, 432; 45:269; var. Deamii 39: 75, 156, 157–160, map 25; 41:80; 45:269; var. heterophylla 41:80; var. typica 39: 156, 157, map 24. Whitedii 43:294, 481. Wyndii 32:25; 43:391, 392

Araceae 6:109; 12:5, 47; 18:34; 22:89; 31:42; 32:242; 34:119; 37:369; 40:183; 42:248; 43: 70: 44:16: 48:267

79; 44:16; 48:267. trib. Areae subtr. Asarinae 42:248. trib. Peltandrae 12:47

Arachis hypogaea 19:229; 20:165 Aragallus arcticus 30:144. Belli 30:150, 151. deflexus 30:140; 38:299. foliolosus 30:140. hudsonicus 30:142. inflatus 30:154. johannensis 30:146. podocarpus 30:154

Aralia 3:217; 6:124; 13:18; 18:153; 22:129; 23:117; 46:250. Balfouriana 18:153. filicifolia 18:153. Guilfoylei 18:153. hispida 3: 188; 5:128; 6:124; 9:122; 11:96; 13:139, 146, 149; 17:152, 154; 18:40; 21:201; 22:134, 152, 153; 23:117; 25:45; 34:54. monstrosa 18:153. nudicaulis 1:168; 3:132, 188; 5:49, 18:153. nudicaulis 1:168; 3:132, 188; 5:49, 132; 6:124; 11:96; 17:152; 21:199; 22:129, 130, 134; 23:117; 29:217; 32:206; 33:109, 122, 178; 34:54; 36:282; 40:163; 42:101, 102; var. elongata 12:39; 23:117. quinquefolia 1:169, 171; 2:122; 6:124; 10:146; 46: 250. racemosa 4:75; 6:124; 23:117, 170, 277; 40:382, 447; 43:520. spinosa 14:81; 24:118; 28:244; 38:377; 39:194; 44:1; 46: 137. trifolia 9:13. Victoriae 18:153

Araliaceae 6:124; 10:24; 18;40; 23:117; 29: 217; 31:42; 36:282; 49:255 Araucaria 11:170

Araucarineae 11:166, 168-171 Araucariopitys 11:169, 170

Araucarioxylon 11:168, 170

Arbor Vitae 9:163; 10:201; 12:117, 177; 13: 115, 142; 21:56, 58-60; 22:40, 130; 23:247; 35:359; 47:219; 49:143

Arbutus 4:127, 128; 16:25-27; 28:51; 33:197; 40.68. alpina 16:21, 25, 27; 28:51, 52; 31: 138. Unedo 28:51, 53, 55, 84; 29:127. Uvaursi 9:182; 16:27, 28

Arbutus, Trailing 4:140; 50:251

Arceuthobium 2:2, 3, 5, 8-11, pls. 12, 13; 4:

249; 5:49; 7:160; 9:28, 54, 75, 76, 208; 12: 14; 17:171; 33:100. abigenium 50:120. americanum 33:100. minutum 2:2. oxycedri var. abigenium 50:120. pusillum 1: 184; 2:1-3, 6, 8, 9, 221, pls. 12-14; 4:28, 35, 249; 5:49, 202; 6:85, 86, 150, 204; 7:108; 8: 79, 168; 9:28, 75, 76, 124, 208; 10:36; 17: 171; 23:97, 257; 25:99; 27:54; 33:92-95, 97, 98, 100, 101, 191, maps 1, 2; 35:90, 265; 37: 268, 413: 50:120

Archangelica Gmelini 21:145, 146; 26:188; 29: 183, 217; 32:159. hirsuta 45:301. officinalis

41:267. peregrina 21:145, 146

Archemora 50:126. ambigua 10:35. rigida var. ambigua 10:35

Archichlamydeae 41:142; 45:277; 46:209

Archidiaceae 39:100

Archidium floridanum 39:100

Archilejeunea 10:191. clypeata 5:171; 10: 190; 15:27. Sellowiana 5:171; 10:190, 191; 15:27. unciloba 10:190

Arconogonum phytolaccaefolium 41:219 Arctagrostis arundinacea 41:159, 167, 178, 233; 42:317; 45:308. latifolia 25:112; 41:146, 158, 179; 42:317. macrophylla 41:178

Arctic Cress 28:91

Arctium 6:133; 11:130; 12:46; 13:18; 26:36; 37:306. Bardana 12:45. intermedium 12: 45, 46. Lappa 3:132; 5:135; 6:133; 12:43-45; 14:164; 26:5, 36; 28:72; var. majus 1: 82; 6:133; 10:153; 12:44; var. minus 12:47; var. purpurascens 12:45; var. tomentosum 6:209; 12:45. majus 12:44; × minus 12: 46. subsp. nemorosum 12:45. minus 3: 189; 6:133; 11:60; 12:43, 44, 46, 47; 14:164, 206; 17:36; 18:44; 26:5, 36; 28:40; 32:280; 34:63; 39:373, 375; f. laciniatum 12:43; f. leucocephalum 42:47; var. corymbosum 26: 5; var. paniculatum 26:5; var. purpurascens 12:46. nemorosum 12:44-46; 14:164; 19: 252; 23:299; 26:5, 36. pubens 12:45, 46. tomentosum 12:43-45; 19:252; 26:36 Arctoa 40:359

Arctomia delicatula 36:142, 153

Arctophila 18:2; 28:150. fulva 41:157, 166,

Arctostaphylos 4:34; 16:22, 23, 25-32; 17:233; 24:152; 26:231; 29:50; 33:197; 35:348–350; 38:200; 39:462; 44:168, 230; 47:177. alpina 1:93; 3:156, 165, 176; 9:163, 166; 11:97; 13: 117, 123, 136; 16:21-23, 25, 27-30, 32; 22:37, 44, 46; 25:10; 28:52, 56, 59, 99; 29:132, 218; 31:138; 32:60; 35:5, 121; 36:136, 183; 41: 147, 158, 164, 166, 275; 42:335. coloradensis 39:462, 463, 464. glauca 16:29, 30. Manzanita 16:31. nevadensis 39:464. patula 39:463. pinetorum 39:462-464. Pringlei 16:31. pungens 16:31. rubra 16: **32**; 22:46; 28:99, 213, 223; 35:275; 36:183, 283, 329; 41;275; 42:311, 335; 45:314. to-mentosa 16:31. Uva-ursi 1:93, 104; 2:124; 5:128; 8:223; 9:163, 181, 182; 11:97, 128; 12:129; 16:25-29, 31, 211; 17:233; 18:71; 19:220, 246; 29:218; 31:256; 34:7, 66; 37: 206; 39:372, 375; 40:145; 41:275; 42:311, 335; 44:115; 46:314; 47:177; var. adenotricha 16:213; var. coactilis 16:212; 23: 278; 24:118, 152; 32:173, 179; 33:227; 35: 348, 350; 36:283; 37:66; 44:144; 46:493; f. heterochroma 35:350

Arctous 16:22, 23, 28–32. alpina 16:30, 32; var. rubra 16:22, 30, 32, 33; 29:50. rubra

Arcyphyllum 44:423, 424. difforme 44:423. erectum 44:423. simplicifolium 44:423

Arcyria albida 1:128. cinerea 29:171; 44:168. denudata 2:79, 81, pl. 16; 29:171, 173; 44: 168. ferruginea 1:128. flava 1:128. globosa 29:171. incarnata 1:128; 29:171. nutans 29:171; 44:168; 50:286. occidentalis 29:171, 172. Oerstedtii 29:172. pomiformis 29:171, 172. punicea 1:128. stipata 29:171,

Ardissonia superba 9:137

Arenaria 9:63; 11:109, 112, 113, 184; 12:158; 13:180; 15:209, 210; 16:147, 180; 18:86; 19: 260; 21:1-3, 5, 12, 18, 19; 34:246; 37:225; 40:180, 182; 42:57, 58, 109, 121, 134, 244; 44: 114; 45:268; 46:306; 50:119, 195. \$ Lepigonum 42:58. § Minuartia 41:39. aizoides 21:6. alpina 21:13, 15. anatolica 21:6. arctica 9:155, 161, 167, 174, 186; 13:118, 134, 136; 21:10, 14, 16; 35:10; 41:151, 160, 163, 164, 222; 42:312, 323, 324. arenarioides 21:5. attica 21:6. austriaca 21:11. Berteroana 42:173, 176. biflora 21:13, 15; var. obtusa 21:14. Bocconi 42:110. bonariensis 42:186, 192, 193. brevifolia 50:196, pl. 1103. bryophylla 21:5. calycantha 16:146, 147, 150; 42:255, 256. campestris 21:6; 42:106, 136. canadensis 12:161; 42:112, 124, 125. capillaris 41:223. caroliniana 15:115; 17: 66; 36:53; 39:349, 356, 406, 466, 467, map 29; 44:241. caucasica 21:5. cephaloidea 36:409. cerastioides 21:5. Cerviana 42: 169. Cherleria 37:225. ciliata 13:118; 16: 44;35:11; var. humifusa 9:161, 167; 13:118, 134; 16:43, 44; 35:11; var. norvegica 16:44; 35:11; 41:222. Cossoniana 21:7. crilloniana 37:225. cylindrocarpa 16:43; 28:79, 199, 213; 35:10, 11, 83, 120, 265, 401, pl. 256; 38:123, 150; 41:222; 44:114, 141; 49:299. cymifera 21:5. dasyphylla 21:6; var. sedoides 21:6. dawsonensis 28:62, 199: 35: 48; 41:222; 42:323; 44:141. decipiens 21: 6. denticulata 42:168. depauperata 42:161, 162. diandra 42:80, 82, 111, 126, 140. dianthifolia 21:6. dichotoma 21:5. diffusa 11:114; 44:253. diversifolia 21:6. elegans 8:33. floribunda 42:170. Funkii 21:5. Gieseckii 21:21. glabra 21:17-20; 50:119, 197. glandulosa 42:173. **glaucovirens** 21: 7. grandis 42:174, 184, 185, 203. **Grise** bachii 21:6. groenlandica 1:90, 184, 192; 2:97, 98; 3:173; 5:36, 188; 8:102, 114; 9: 156, 161, 166, 177, 179–181; 11:184; 13:180; 15:139; 17:233; 21:16–20; 22:38, 48; 25:85 38:150; 44:123; var. glabra 21:20; 23:172. hirta 8:31, 32; 9:154; 21:21; a. glabrata 21: 21, 22; β. pubescens 21:21. Hookeri 21:4. humifusa 38:123, 126, 131, 150; 41:150, 222; 44:114, 141; 46:61. iberica 21:5. imbri-

cata 37:225. intermedia 21:6. Jankae 21: 6. juniperina 8:34; 13:117. lanceolata 21: lanuginosa 21:3; 37:381, 426; 38:377; 39:478, 480, map 48; 44:253; 50:194. larici-39:478, 480, map 48; 44:253; 50:194. laricifolia 21:3, 11, 13, 15, 16; 35:10. lateriflora 3:188; 5:131, 188; 11:93; 15:209; 16:55, 179, 180; 17:148, 151; 18:86; 19:32; 22:93; 25: 8: 29:212; 32:173, 214, 251; 33:109, 120; 36: 280; 37:206; 40:253; 41:222; 42:323; var. angustifolia 19:260, 262; var. Taylorae 19:260, 262; var. tenuicaulis 19:262; var. typica 19:260-262. leptoclados 5:188, 235. leptophylla 42:210. leucocephala 21:6. libanophylla 42:216. lignosa 42:42, 143. litopsiis 11. tica 21:6. lignosa 42:142, 143. litoralis 11: 113; 42:119, 120. litorea 8:33; 13:117; 28: 199; 44:141. macradenia 21:4; 46:282; subvar. Ferrisiae 46:282; var. Parishiorum 46:282. macrocarpa 41:147, 151, 160, 163, 164, 223; 42:312, 323; 45:310. macrophylla 2:195, 199, 200; 5:188; 7:20, 156; 9:63; 16:55; 24:184; 33:226; 37:216; 38:274; 44:129. macrotheca 42:70. makmelensis 21:6. marcescens 21:13, **15**; 31:47; 35:10, 11, 83, 265, 401, pl. 255; 44:114, 141; 47:320. marginata 12:160, 161; 42:118-120. marina 12: 158, 161, 162; 42:112, 118, 119, 124, 127, 136; β. 42:111; var. β. 42:119. maritima 12:113; 42:119, 127, 136. media 12:159–161; 42:111, 113, 118-122, 124-126, 158, 173-177; var. β. 42:118. Michauxii 1:39. miclonensis 42: 126. montana 21:6. musciformis 21:5. nardifolia 41:223. norvegica 13:118; 16:44; 35:11, 265, 401, pl. 256. Nuttallii 40:182. obtusa 21:7, 14, 15. obtusiloba 21:13, 14-16; 35:11; 41:163, 223; 42:311, 323; f. rosea 41:223. occulta 21:13. octandra 21:11. paludicola 21:3. **papulosa** 21:7. paradoxa 42:210. patula 36:224; 42:6; 43:325–328, 331, 333; 46:306; f. media 43:328, 330, 331; f. Pitcheri 43:327, 329, 333; f. robusta 43: 327, **330.** peploides 4:189; 5:131, 188; 11: 109–114; 20:104; 25:8, 99; 26:224; 28:63; 29:123, 212; 34:70; 36:280; 41:166; 50:289; 29:123, 212; 34:70; 36:280; 41:166; 50:289; var. diffusa 11:110, 112, 114; 28:54, 100; var. major 11:111, 112, 114; 41:161, 223; var. maxima 11:113; 35:11; var. robusta 11:114; 13:135, 140; 15:139, 143; 16:190; 17:146; 18:29, 37, 86, 97; 20:104; 23:264; 28:100; 29:122, 174, 212; 32:147, 251; 33: 111; 40:462; 42:279; 43:80; 50:302. physodes 41:166, 223; 42:311, 323. Pissisi 42:163. Pitcheri 43:326, 327, 329, 330. platy-power 21:7 polyantha 42:169. polyantha sperma 21:7. polyantha 42:169. polygonoides β. occulta 21:13; var. obtusa 21:7. portulacea 11:113. propinqua 8:32; 21:9, 21. **pulvinaris** 21:6. quadrivalvis 21:22. recurva 50:196; β. 50:196. **rimarum** 21:6. Rossii 8:33; 41:224; 42:323. rubella 21:22; 42:110, 118-120, 123-125, 134-136, 211, 212, pls. 591, 592; var. campestris 42:174, 175;

var. marina 42:112, 125, 174, 185; var. polyphylla 42:172. sajanensis 9:161, 167, 186; 21:3, 10-13, 15; 37:225; 38:113, 118, 124, 150; 44:114. salina 42:124. salsuginea 42: 82. scandinavica 21:13. Schimperi 21:6. serpyllifolia 1:43; 5:188, 235; 6:84; 18:86; 32:251; 35:248, 390; 40:443; var. tenuior 5: 235. sitchensis 11:114. spathulata 21:5. sphagnoides 21:6, 13. squarrosa 15:115. stellarioides 21:7. stellata 21:6. steno-carpa 42:166. stenopetala 21:13. striata 21:16. stricta 5:188; 8:33, 34; 11:184; 12: 168; 17:232, 233; 21:59; 25:184; 37:70, 204, 299, 422; 43:326; 50:119; var. texana 36: 231; 37:191; 43:326. tenella 21:12; 43:326. tenuifolia 21:10, 11; 22:180. teretifolia 42: 142, 143. Thevenaei 21:6. Tommasinii 21:7. uniflora 50:195, 196. verna 8:31, 32; 9:154; 21:9, 11, 16, 21; 41:39, 155; var. equicaulis 8:32; 21:22; var. hirta 5:189; 6: 94; 8:31, 32; 21:13, 21, 22; var. propinqua 8:32; 9:154. 161, 174; 13:117; 21:21, 22; f. epilis 8:32; 21:21, 22; 41:39; 44:141; var. pubescens 21:21; 35:120; 38:119, 124, 149; 41:147, 224; f. epilis 21:22; 38:149; 44:141; var. rubella 8:33; 21:21, 22. Vilstellarioides 21:7. stellata 21:6. steno-44:141; var. rubella 8:33; 21:21, 22. Villarsii 21:11

Arethusa 3:86; 7:49; 11:30, 76; 13:113, 114; 17:150; 23:79, 159; 31:8, 10, 15; 49:134. bulbosa 1:104; 2:114, 124, 219; 3:198; 4:18, 50110583 1:104; 2:114, 124, 219; 3:198; 4:18, 76; 5:82, 133; 11:30, 76, 92; 12:118, 119; 13:139; 15:74; 17:65, 149; 19:31, 50, 57, 131, 236; 21:118; 22:43, 47, 137; 23:103, 126, 132, 149; 25:99; 26:176; 29:110, 129, 211; 32:124, 216, 246; 35:5, 241; 42:87, 90. divaricata 39:326; 48:186; 50:191. medeoloides 49:134-136. parviflora 42:56. raceloides 49:134-136. mosa 17:136; 50:191. spicata 17:136. trianthophora 42:56. verticillata 49:134, 135 Argemone 18:214. intermedia 47:214. mexicana 18:214

Argentina 11:1, 2. Anserina 11:3-5, 8; 35:11. argentea 11:3-5, 8; 35:273. Babcockiana 11:3, 6. Egedii 11:3, 6, 9. litoralis 11:3, 6, 9. occidentalis 11:3, 6. pacifica 11:3, 6, 7, 9; 41:40. rubra 16:10. subarctica 11:3, 8, 9. vulgaris 11:8

Argynnis aphrodite 36:28; 41:186

Argynnis aphrodite 36:28; 41:186
Arisaema 6:109; 12:5; 13:18; 15:20; 31:11; 37:369; 38:378; 42:150, 248, 430. acuminatum 36:41; 42:253; 43:547. atrorubens 42: 251-253, 430, pl. 599; β. viride 42:252; f. viride 42:252, 253, 430, pl. 599; f. zebrinum 42:248. Dracontium 2:126; 8:79; 12:169; 13:78; 40:377, 402, 431; 41:35; 43:547; 44: 19, 25; 45:274. hastatum 42:252. nepenthoides 37:315. pusillum 23:136; 42:249-259; f. nallidum 23:168, 42:252, 430, mi 252; f. pallidum 33:168; 42:252, 430. quinatum 23:136; 39:194; 42:253. Stewardsonii 6:139; 19:126; 32:177, 212; 34:119; 42:150, 251, 253, pl. 600. triphyllum 3:129, 189; 5:132; 6:109, 163, fig.; 9:121; 12:5, 128; 13:78, 141; 18:223, fig 1; 19:125; 23: 136, 238; 28:34; 32:124, 153, 215, 216, 242; 33:178, 226; 34:65, 119; 36:41; 41:193; 42:

247, 250-253, 430, pl. 598; 43:547; 44:174; 45:277; 47:363; f. pusillum 42:252, 253, 430, pl. 598; f. viride 42:252; var. acuminatum 42:253, pl. 598; 43:547; var. montanum 42:253, pl. 600; var. pusillum 19:125; 23: 136; 24:114; 42:249, 252; var. Stewardsonii 23:136, 238; 24:114; var. viride 42:252; var. zebrinum 42:248

Aristida 15:124; 36:406; 37:372; 39:203; 49: 274. adscensionis 35:284. affinis 39:196. basiramea 31:78; 36:219, 405, 415; 38:264, 270, 363. Curtissii 36:230. dichotoma 1: 201; 2:202; 5:128; 15:124; 31:146; 32:211; 35:284; 36:219; 38:264, 270, 363; 49:274; 35:284; 36:219; 38:264, 270, 363; 49:274; var. Curtissii 39:382; 40:387. fasciculata 36:284. geniculata 35:318, 319; 44:252. gracilis 1:201; 2:69, 202; 15:124; 32:211; 35:318, 319, 386; 36:415; 44:253; 49:275; var. depauperata 35:319. intermedia 35: 200; 36:219. lanosa 36:219; 37:136; 39:481; 41:111, 503; 42:369; 43:535; 44:343; var. macera 37:135, 136, 186, pl. 335; 39:475. longespica 35:318, 319, 386; 36:219, 415; 37: 389; 38:267; var. geniculata 35:318, 386 389; 38:267; var. **geniculata** 35:3**18**, 386; 38:264, 270; 40:250; 49:275. oligantha 36: 219, 237; 37:389; 38:264; 39:474; 49:275. palustris 39:196. purpurascens 14:20; 15: 124; 32:150, 210, 234; 35:200, 284; 36:219; 37:136; 38:264, 270; 49:275; var. minor 37: 136; 38:385. ramosissima 36:219, 230; 39: 424. spiciformis 44:253. stricta 35:319. tuberculosa 15:124; 24:86; 38:264, 270; 39: 477; 48:37; 49:274. virgata 39:349, 354,

382, 480, map 26; 40:387, 448 Aristolochia 7:160; 38:235; 44:24. Clematitis 37:307. hastata 43:550. Serpentaria 15: 67; 33:88; 37:381, 425; 43:550; 47:374; var. hastata 43:550. Sipho 5:38, 39, fig.; 8:223 Aristolochiaceae 6:114; 17:171; 31:42; 37:306;

43:92

Armeria 13:216; 18:55, 56; 19:1, 2; 36:184. subsect. Holotrichae 36:184. alpina, var. alba 18:157. andina 19:5; \(\beta \). californica 19: 2, 9. arctica 19:2, 9; Cephalotes 18:157; var. alba 18:158; var. grandiflora 18:158; var. rubra 18:158; var. splendens 18:158. juncea 18:157. labradorica 19:2, 4, 6, 7; 36:184, 185; var. genuina 36:185, 186; var. submutica 36:185, 186; f. glabriscapa 36:185; f. pubiscapa 36:185. leucocephala 18:157. majellensis 18:157. maritima, f. Laucheana 18:157; var. variegata 18:157. mauritanica 18:157. plantaginea, var. alba 18:157; var. gigantea 18:157; var. grandi-flora 18:157; var. leucantha 18:157; var. rosea 18:158; var. rubra 18:158; var. splendens 18:158. sanguinolenta 19:2, 9. sibirica 36:184, 185. vulgaris 19:2, 6; f. arctica 19:2, 9; subsp. arctica 41:278; var. alba 18: 157; var. grandiflora 18:157; var. Laucheana 18:157; var. purpurea 18:157; var. rubra 18: 157; var. splendens 18:157. Welwitschii 18:

Armillaria 4:77. aurantia 3:38. mellea 2:32; 3:38, 144; 4:77; 39:369; 41:515. ponderosa 16:47

Armoracia 26:230: 27:186. aquatica 27:186.

lapathifolia 50:296

Arnica 7:146, 159; 8:30; 18:44; 26:103; 28: 96, 213; 30:137; 35:53, 55, 373; 37:205, 214, 217, 307; 38:109, 126; 41:144, 298, 507; 42: 342; 46:314. § Alpinae 35:368; 36:308. § Arnoglossae 35:368. § Cordifoliae 37:205, 214, 334, 336. § Diversifoliae 36:308. § Foliosae 36:308. § Obtusifoliae 35:368. group Diversifolia 41:507. group Foliosae 41:508. acaulis 36:52; 38:378; 39:476; 41: 489. alpina 7:146–148; 17:19; 26:103–107, pl. 143; 27:90, 91; 34:245; 35:365; 36:96, 97, 193, 308, figs. 1, 2; 41:165, 298, 507; var. angustifolia 36:96, fig. 3; var. Lessingii 7: 147, 148; 26:105. amplexicaulis 41:507. amplexifolia 41:507; var. trina 41:507. angustifolia 7:147, 148; 26:104, 105; 35:366; 36:96, 97. arnoglossa 7:148; 26:106, 107; 35:367. attenuata 27:90, 91; 29:35; 35:365, 366; 41:297; 42:311, 324, 341; 45:316. brevifolia 41:298. Chamissonis 2:98; 3:164, 165, 177; 5:46; 7:146, 149, 150; 9:154; 37:335; 41: 508; subsp. foliosa 41:508; var. Maguirei 508; var. longinodosa 7:149. chionopappa 7:148; 9:164; 13:148; 17:159; 26: 104–107, pl. 143; 27:90; 28:96, 103, 118, 240; 31:55; 33:233; 35:57, 81, 365–367, 402, map 29, pl. 269; 36:329; 44:102, 146. cordifolia 7:150; 37:214, 335, 336, 341, pl. 379. diversing 2008. folia 36:308; 41:507. Fernaldii 35:51, 53, 367. foliosa 41:508. fulgens 48:101, 103. gaspensis 7:148; 9:164; 13:219; 26:104-107, pl. 143; 33:232; 44:117, 146. **Griscomi** 26: 104, **105**–107, pl. **143**; 28:118, 240; 32:13; 35:53, 368; 44:146. lanceolata 7:149, 150; 37:335. Lessingii 41:160, 163, 298; 42:312, 341. lonchophylla 45:316. louiseana 35: 365, 368, 369, 402, map 30, pl. 270; 36:327; 41:149, 160, 163, 298; 42:341, 342; 44:128, 146. Maguirei 41:508. mollis 7:149, 150, 249; 9:154, 164, 191; 13:148; 26:103, 104; 27:52; 37:335; 44:115, 120; var. petiolaris 7:150; 12:114, 145. montana, 3. alpina 26: 104; var. alpina 7:147. nudicaulis 7: 26: 104; var. alpina 7:147. nudicaulis 7: 146. obtusifolia 41:298. plantaginea 7:147; 26:103, 104, 106, 107, pl. 143; 35:275, 365; 38:160. pulchella 17:18, 19; 26:103, 104, 107, pl. 143; 27:90, 91; 28:50, 96, 106, 120, 240; 35:364, 365; 41:298. Rydbergii 36: 308; 41:507. Sornborgeri 7:147; 26:104, 105, 107, pl. 143; 27:90, 91; 38:126. terraenovae 27:90, 91; 28:96, 103, 105, 240; 35: 53, 275, 331, 365, 366, 402, map 28, pl. 270; 38:125, 160. tomentosa 17:19; 35:53, 364, 365, 402, pl. 269; 41:298. trina 41:507. unalaschcensis 11:141. Whitneyi 37:334-336. alaschcensis 11:141. Whitneyi 37:334-336, 341, pl. 379.

Arnicas 41:297 Arnicastrum 44:280

Arnoseris minima 11:61; 23:299. pusilla 23: 142, 299

Aromochelys 9:199, 234, odorata 9:199 Aronia 11:47; 22:48; 23:266; 44:35; 45:451; 49:229-232. alnifolia 14:126, 127, 143. arborea 14:150. arbutifolia 7:74; 8:27; 49: 231. atropurpurea 10:33; 18:154; 21:119. Botryapium 14:150. latifolia 14:131. melanocarpa 18:67, 68. nigra 6:120. ovalis 14:127, 147. praecox 14:129. prunifolia 49: 231. sanguinea 14:138. subcordata 14:131, 150

Arrhenatherum 14:182; 15:129; 38:267; 49; 269. avenaceum var. nodosum, 18:234. bulbosum 13:208; 18:234. elatius 13:208; 14:177, 179, 183, pl. 97; 15:129; 17:146; 29: 207; 31:82; 38:266; 44:335; 49:269; β. bulbosum 18:235; β. tuberosum 18:235; var. bulbosum 49:269; f. striatum 49:269; var. nodosum 18:234; 38:266; f. striatum 18: 235; 38:266; 49:269; var. tuberosum 13: 207. nodosum 18:235. precatorium 18:234 Arrow Arum 21:192. Grass 5:174; 44:218. Family 44:218

Arrow-head(s) 21:191; 44:218

Arrowroot 43:3

Arsenococcus frondosus 43:629. ligustrinus 43:625

Arsmart 46:315

Artemisia 2:39; 6:133; 26:36; 31:55; 36:373; 37:306; 38:64; 46:462; 50:98. Abrotanum 2:39; 6:133. Absinthium 2:39; 12:191; 13: 90; 26:36; 29:221; 38:66. alaskana 42:314, 341. albula 47:255, 256. androsacea 41:296. annua 2:39; 6:82; 8:226; 13:70, 90; 26:36; 41:574; 50:98. arctica 41:148, 163, 296; 42: 341; 45:316. atomifera 47:254. biennis 10: 153; 13:90; 26:36. borealis 9:155, 164, 167, 174, 186; 28:118, 239; 29:93, 95, 129, 131, 161, 221; 31:54; 35:7, 121, 145, 346; 36:284; 36:284; 36:48; 37:207; 38:160; 41:296; 42:341; 44:114; α. Purshii 29:94, 95; β. Besseri 29:95; δ. spithamaea 29:95; var. latisecta 29:93; 35:7, 346; 38:160; var. Purshii 29:93, 94; 35:346; var. Wormskioldii 9:164, 167, 174. Brittonii 47:248. campestris 29:95; subsp. caudata 40:134; subsp. spithamaea 29:95; var. caudata 40:134; var. pubescens 13:90. canadensis 2:135; 6:97, 133, 192; 9:154, 164, 167; 25:11; 29:94; 32:18; 33:50; 36:284. candicans 36:284. capillifolia 50:227. Carruthii 47:255. caudata 5:131; 10:153; 11:130; 14:20, 79; 15:154; 16:39; 17:38; 18:94, 99; 26:36; 29:60; 31:167; 33:226; 36:221; 40:134. cuneata 47:248. discolor 47:256; var. glandulifera 32:27. Douglasiana 47:250, 251. dracunculina 47:247. dracunculoides 47:247, 248; var. dracunculina 47:247; var. amaea 29:95; var. latisecta 29:93; 35:7, 47:247, 248; var. dracunculina 47:247; var. glauca 47:248. Dracunculus 13:90; subsp. dracunculina 47:247. filifolia 50:64. frigida 12:111, 144; 13:90; 33:226, 232; 35:255; 38: 66; 42:341; 50:107. glauca 47:247, 248; var. dracunculina 47:247. globularia 41:163, 296. gnaphalodes 6:144; 19:252; 36:373; 38:65; 47:251, 253. Herriottii 47:250–252. hyperborea 41:146, 296, 297. indica, var. mexicana 47:248. kansana 1:46; 47:255. longifolia 47:251-253; 48: pl. 1026. ludoviciana 1:47; 6:82, 84; 11:30; 12:111, 144; 26:36; 37:195; 38:65; 47:251, 252, 256; var. americana 47:248, 252, 254; var. Brittonii 47:248, 252, 254; var. cuneata 47:248;

var. gnaphalodes 39:459; 47:252, 253, 256; var. latifolia 47:253; var. mexicana 47:248, 252, 254, 255; var. pabularis 47:248, 252–254. mexicana 36:232; 38:65; 47:248. Michauxiana 39:495; 47:256. norvegica 41: 296. pabularis 47:248. Pattersoni 37:226; var. glabrior 37:226. pontica 6:133; 12: 144; 13:71; 24:208; 26:36; 33:167; 50:107. procera 11:60. Purshiana var. latifolia 47: 253. rhizomata var. pabularis 47:248. scopulorum 37:226; var. aggregata 37:226. senjavinensis 41:163, 164, 296. serrata 47: 250-252. spithamaea 29:94, 95; 41:297. Stelleriana 1:107; 2:38, 40, 238; 5:131; 11: 130; 14:20; 18:99; 19:252; 23:298; 26:36; 32:11, 280; 40:279. Tilesii 41:165, 166, 233, 297; 42:341; 47:254; var. elatior 41:297; 42: 341; var. unalaschcensis 42:341. tridentata 38:66, 67. tripartita, var. **Hawkinsii** 39: **151.** Tyrrellii 41:297. vulgaris 2:135, 205; 6:133; 17:219; 26:36; 29:94; 40:443; 47: 248-251; subsp. gnaphalodes 47:251, 253, 255; subsp. heterophylla 47:250; subsp. ludoviciana 47:251, 252; subsp. mexicana 47: 248; subsp. Tilesii 47:254; subsp. Wrightii 40:134; 47:255; var. americana 47:248, 254, 255; var. glabra 47:250; var. latiloba 47: 250; var. **Wrightii** 40:**134.** Wrightii 40:

Artemisia, Silver-king 47:255

Artemisias 38:64

Arthonia lecideella 29:98. punctiformis 28: 159. radiata 29:98

Arthoniaceae 28:159

Arthraxon hispidus, var. cryptantherus 36: 313; 38:380, 395; 39:100; 41:529; 42:198, 199; 43:518, 536

Arthrocladia villosa 1:125; 2:45

Arthrodeadia vinosa 1:125; 2:45
Arthrodesmus 7:260; 24:224; 26:204, 208; 37:
115. convergens 7:260; 24:224; 26:208.
impar 37:115, 120, pl. 329. Incus 5:223, 254;
26:209; var. longispinus 7:260; var. Ralfsii
7:261; 24:224; var. validus 7:260. octocornis 5:81; 7:261; 24:224; 26:209; f. minor
7:261. quadridens 7:260. triangularis 24:
224; var. inflatus 7:261

Arthrospira 40:271. Gomontiana 7:235; 26:

215; 40:271. subsalsa 40:272

Arum 4:168; 31:7, 9; 42:244, 247; 50:59. atrorubens 42:251-253. maculatum 12:48, 49. quinatum 23:136. sagittaefolium 50:59. sagittifolium 50:57-59. triphyllum 42:247-253, fig. 1, pl. 598; α. zebrina 42:252; β. 42: 248, 249; β. atropurpureum 42:252; β. viride 42:252; γ. 42:248, 251; var. β. virens 42:252. virginicum 12:48, 49; 14:103; 42:432; 50: 57, 58. Walteri 50:57

Arum, Arrow 21:192

Aruncus 38:180, 181, 236, pl. 416; 41:423, 424; 46:283. acuminatus 38:181, 237, pl. 416. allegheniensis 38:180–182, 236, pl. 416; 41:423; var. pubescens 38:179–181, 237, pl. 416; 41:423. americanus 38:181, 182; 46: 283. Aruncus 38:180, 181. dioicus 41:423, 424; 46:283; var. pubescens 41:423. pubescens 38:179, 180; 41:423. sylvester

33:32; 36:230; 38:180-182, 237, pl. 416; 41: 423, 424. vulgaris 38:181, 182; 46:283; var.

americanus 38:182

Arundinaria 31:146: 36:34: 43:511. gigantea 39:481; 45:461. macrosperma 36:38. tecta 14:81; 31:146; 38:376; 39:477; 42:278; 44: 70

Arundinella 9:50

Arundo 24:55, 56; 30:202, 245; 43:287. agrostoides 24:143; 32:40. arenaria 12:28-30, 36; 22:71. brevipilis 41:502. canadensis 16:89; 24:143; 32:40, 47. cinnoides 32:47. co-arctata 32:47. confinis 46:287. Donax 31: 96; 40:386; 42:402, 410; 43:287. fissa 32: 40. glauca 32:47. groenlandica 32:55. indica 42:263. Langsdorfi 24:143; 32:43. lapponica 32:56. maxima 43:286, 287. neglecta 32:53. phragmites 24:56. stricta

32:47, 53. vulgaris 24:56 Asarum 6:114; 17:171; 31:12; 45:374, 381–383, 399. § Heterotropa 45:374, 399, 400. arifolium 36:43; 38:415; 39:477; 42:372; 45:398, 399; 50:194. canadense 1:171; 6: 114; 10:32; 14:75; 17:171; 21:200; 33:226; 34:231; 35:249; 40:333; 45:398, 399; 47:378; 50:194; f. Phelpsiae 40:333, 357, pl. 499; var. reflexum 10:32. carolinianum 50:194. europaeum 47:378. Lewisii 45:398-400, pls. 774, 775; 47:93, 102, 133. Memmingeri 39:429. reflexum 10:32. Ruthii 39:429; 45:398, 399. Shuttleworthii 45:400. virginicum 38:378; 39:476; 45:399, 400; 50:194

Asbestos-bush 47:263 Aschysma 41:112

Asclepiadaceae 4:17; 6:127; 9:52; 24:236; 26: 227; 31:42, 95; 32:271; 36:236; 40:283; 49: 288: 50:303. subfam. Asclepiadeae 9:37.

subtrib. Metastelmatinae 9:37

Asclepias 6:127; 9:37; 13:19; 24:236; 34:65, 66; 38:235; 46:488; 48:209. amplexicaulis 11:129; 13:19; 14:21, 79; 15:153; 24:236. angustifolia 44:253. connivens 50:119. cordata 50:219. Cornuti 3:131; 4:17; 6:83, 97, 127; 20:206, 207. exaltata 32:271; 50: 219, 220. floridana 46:488, 489. grandiflora 20:206. humistrata 36:32, 50. incarnata 23:135, 160, 288; 35:251; 47:369; f. albiflora 41:446; var. neoscotica 23:288; var. pulchra 4:17; 5:131; 11:129; 14:26; 17:217; 23:135, 288; 24:180, 236; 32:150, 158, 271; 50:303; f. candida 41:446. kansana 40: 133. lanceolata 37:438, 439; 38:378; 39: 469, 476; 42:387, 476; 46:489; var. paupercula 37:438, 439; 38:394; 39:476; 42:476; 45:368, 458, 461; f. flaviflora 45:458. 26:176; 32:271; 50:219. polystachia 50:218, 219. pulchra 9:122; 23:135. f. albiflora 41: 446. purpurascens 2:157; 4:17; 5:204; 24: 236; 40:454; 42:476; 43:499, 504, 635; 49: 202. quadrifolia 4:17, 19, 74; 5:204; 6:97; 12:168; 24:185, 236; 26:176; 34:231. rubra

39:326, 444, 466, 482; 50:219. syriaca 4:17; 56:127; 11:130; 13:18, 148; 15:167; 16:14; 20:206; 24:236; 26:227; 32:18, 161, 271; 35:252; 36:24; 39:369, 375; 41:580; 44:31; 46:387; 47:369; 50:203; \$\(\), exaltata 50:220; 133. tuberosa 1:221; 2:217; 4:17, 19; 5:204; 11:129; 14:91; 16:185; 24:236; 26:175; 32:271; 37:438; 43:498; 46:488, 489; 76. bicolor 32:33; f. flavescens 37:438; f. lutea 32:33. variegata 38:377; 39:482. Vaseyi 50:118. verticillata 2:157; 4:17, 19; 5:204; 16:185; 24:236; 26:175, 176; 32:124, 210, 271; 37:439; 44:12. viridiflora 48:209; var. lanceolata 48:209; var. linearis 48:208 Asclepiodora viridis 36:224

Ascochyta graminicola 41:512; 44:168. Lo-

phanthi, var. lycopina 41:512

Ascocyclus distromaticus 50:261. orbicularis 2:45: 7:227

Ascomycetes 3:207; 5:97; 50:287

Ascophyllum 2:207; 7:232; 16:3, 4; 19:83, 84; 26:189, 190; 33:129; 35:293; 40:228; 50: 260, 263, 266. Mackaii 2:45; 7:229, 230; 43:215. nodosum 2:45; 3:133; 5:212; 7: 230, 232; 10:161; 16:3, 4; 19:83, 84; 26: 213; 33:130; 40:228; 43:216; 50:260–262; f. scorpioides 3:291, 292; 43:214–216, fig. 1

scorpioldes 3:291, 292; 43:214–216, fig. 1
Ascyrum 11:52; 39:203. Crux-Andreae 38: 430–433; β. 38:433; β. angustifolium 38:432. helianthemifolium 38:433. Hypericoides 1: 212; 13:151; 32:213; 36:220; 38:430–432; 39:480; var. multicaule 38:433; 39:482; 46:137; var. oblongifolium 38:433; 39:481; var. typicum 38:432; 46:137. linifolium 38:432. multicaule 38:432, 433. oblongifolium 38:432, 433. longifolium 38:432, 433. spathulatum 38:433. stans 37:432; 38:377, 432; 39:198, 473, 480

Ash 6:20; 13:57; 39:43; 44:413; 46:154; 50: 186. American Mountain 12:179. Black 12:184; 22:131, 132. Carolina 50:186. English 25:174. Green 15:15. Mountain 13: 238; 22:131; 28:72. Prickly 4:130; 25:175. Pumpkin 39:331. Red 15:15; 25:176; 48: 61. Water 39:330, 331; 50:168. White 12: 184; 23:91; 45:274; 49:172; 50:168, 169

Ash-leaved Maple 25:176

Asimina parviflora 37:426; 39:333, 364, 409, 467, 477; 40:366, 448; 42:362, 377; 43:492, 519, 552; 44:240; 45:370, 412. pygmaea 46: 50. triloba 37:354, 381, 426, 437; 40:375

Asparagopsis 30:198. hamifera 30:197, pl.

176; 35:149, 150; 43:73; 50:264
Asparagus 10:130; 28:73; 43:3; 47:207; 49: 205. officinalis 10:130; 11:131; 17:214; 22: 136; 26:186, 223; 28:73; 32:159, 244; 34:62; 50:294

Aspen 12:32; 22:131; 41:216; 42:320; 44:410. American 12:178; 28:73. Large-toothed

12:178; 28:73
Asperella 6:107; 14:187; 15:151. Hystrix 4: 89; 6:107, 208; 14:187, 188; 15:151; 24:229, 231; 23:136, 170, 232; var. Bigeloviana 24: 230, 231; 48:22; 49:267

Aspergillus 50:287. candidus 50:287. cucurbitaceus 5:98, 102

Asperifoliae 47:386, pl. 991

Asperococcus 35:257. echinatus 2:45; 7:228; 8:108; 26:213; 50:261; var. vermicularis 8: 125

Asperugo 25:29. procumbens 3:214; 25:29 Asperula 26:13. galioides 5:174; 11:57. glauca 11:57. odorata 26:13

Asperulae 47:385, pl. 991 Asphodel 18:71. Bog 28:75 Asphodelus 7:16; 9:37

Aspicarpa 9:44

Aspidium 4:7-9, 51-53, 160, 164, 166; 6:100; 218; 30:30; var. scopulinum 26:89, 90. alpestre 19:203; 30:48; 31:166. americanum 17:48. angustum 19:186–188, 190, 197; 21: 178. asplenioides 19:185-188. Boottii 1: 218; 3:42; 6:101; 9:83; 15:154; 21:177; 22: 42, 48; 30:17. Braunii 4:10. campylopterum 17:48. cristatum 1:218; 2:183; 6: 101; 9:83; 17:150; 18:31; 21:177; 22:133; 30:17: 35:59; var. Clintonianum 1:218; 3: 42; 6:101, 176; 9:83, 124; 15:154; 21:177; 30:17; × marginale 9:84. dilatatum 17:47. dumetorum 17:47. Filix-femina 19:185-187, 199; var. aspidioides 19:199. Filix-mas 8: 23; 11:86; 12:207; 13:111; 16:78; 21:177; × marginale 12:207. fragrans 3:236; 9:154, x marginale 12:20. Tragrais 3:250; 9:154; 158; 11:13, 14; 12:114; 21:177, 192; 25:3; 31:247. Goldianum 1:171, 219, 222; 2:229; 3:236; 4:247; 6:101, 207; 7:100; 13:238; 15:154; 19:106; 20:119; 21:177; 30:17; var. celsum 10:30. intermedium 17:47. lanosum 48:385, 386. Lonchitis 4:8. marginale 1:218; 2:183, 229; 6:101; 9:83; 13:111; 21: 178, 200; 23:186; 29:244; 30:17; f. Daven-portii 6:212; 11:36; 30:17; var. elegans 9: 83; 30:17. mohrioides 26:50, 89, 90, 92. molle 1:218. noveboracense 1:218; 2:183; 3:42; 5:131; 6:101; 9:83; 17:152; 21:178, 200; 22:133; 30:16; 32:228; 37:350, 354. palustre 31:33. pittsfordense 6:212. Plumieri 4:160. Schweinitzii 11:36. simulatum 1:183; 2:155; 6:138, 203; 8:219; 9:74, 83; 10:140; 11:36; 13:78, 177; 14:19; 21: 178; 23:104, 186; 24:111; 26:49; 30:16; 31: 27; 32:228; 35:200; 41:111. spinulosum 1: 192, 218; 3:42, 190; 6:101; 9:84, 208; 17:47, 153; 18:31; 21:178; 22:38, 42, 48, 133; 29: 205; 30:17; 32:228; × marginale 6:138; f. dilatatum 1:218; f. intermedium 1:218; var. americanum 17:47, 48; 18:31; 21:174, 178; var. concordianum 6:212; 9:84; 21:178; 30: 17; var. dilatatum 3:168; 4:247; 5:38; 6: 101, 207; 9:84; 11:36; 17:44, 47, 152, 153; 21:174; f. anadenium 9:84, 218; 17:45, 48; 21:174, 178; 30:17; 47:260; var. intermedium 2:183, 229; 3:42; 4:247; 6:101; 9:84; 17:

152; 21:178, 200; 22:48, 133; 30:17. squamulosum 31:34. tenue 37:374, 377. Thelypteris 1:218; 2:183; 3:42, 190; 5:131; 6:101; 9:83; 11:226, 230–232; 17:150; 18:94, 95; 19:164; 21:178; 22:135; 23:164; 26:187, 219; 30:16; 31:27, 28, 33; 32:228; 35:200; 50: 293; β . squamigerum 31:34; β . squamuligerum 31:34; f. Pufferae 9:83; 30:16. trifoliatum 4:8, 160

Asplenium 1:219; 3:192, 266, 267, 269; 4:165; Spiellum 1:219; 3:192, 200, 207, 209; 4:105; 6:101; 8:12; 9:82; 17:64; 19:171–175, 181, 187, fig. 2; 21:174, 175; 22:38, 90; 28:101; 30:15; 31:25; 35:351; 37:383, 384; 40:382; 43:11; 50:117. acrostichoides 4:39; 6:101; 9:12, 83; 14:240; 15:154; 19:178; 21:175, 178; 23:185. Adiantum-nigrum 3:1; 9:175; 25:47; above constitution 175. 35:47; subsp. serpentini 9:175. adulterinum 35.47, subsp. serpendin 9:175. adulterinum 9:175. angustifolium 1:9, 171; 2:182, 183, 229, 230; 3:41; 7:100; 13:238; 19:106, 178; 21:175, 178; 35:360. angustum 21:175. aquilinum 43:16. asplenioides 21:175. Athyrium 19:185, 188, 189. auritum 19:174. bipartitum 19:174, 178. Bradleyi 36:219, 287, 280. ballitum 19:174. 227, 230. bulbiferum 19:173, fig.2. cryptolepis 30:41-43; 32:76; 34:231; 36:223; 37:65, 66, 71, 74, 199, 205, 209, 213, 217, map 5; 41:29, 138; var. ohionis 30:43. cyclo**sorum** 9:**155**, 158; 21:175. ebeneum 2: 182, 211; 3:1, 2, 41, 65, 225, 236, 248, 249, pl. 22; 4:54; 5:257, 272, 273; 7:103; 8:13, 68, 113; 9:82; 37:383; f. Hortonae 30:14; var. Bacculum rubrum 38:304; var. Hortonae 3:1, 2, 224, 225, pl. 22; 4:54; 5:257; 6:138; 10:30; 30:14; var. incisum 10:29, 30; 30:14; var. serratum 3:2, pl. 22. ebenoides 3:248, 249; 4:54; 5:272; 6:32; 8:68, 113, 114, 230; 19:106; 22:80, 85, 87, 88; 30:14; 7:311; 50:118. elatius 19:188, 190, 191. Filix-femina 1:192, 218; 2:182; 3:41, 190, 266, 268; 4:7; 5:47, 132; 6:101; 9:27, 83; 11:86; 17:150, 152; 19:186, 187; 21:175, 178; 22:38, 136; 23:185; 30:15; 32:228; 35:361; 37:190; var. angustum 9:83; 19:187; var. commune 19:187; var. cyclosorum 19:187; var. exile 3:41; 19:187; var. laciniatum 3: 41; var. latifolium 19:187; var. Michauxii 3:41; 19:190; var. rigidum 3:41. fontanum 48:383. fragrans 19:173, 174, fig. 2. lunulatum 3:2. mexicanum 19:174. Michauxii 19:188, 190. montanum 4:54, 157; 22:80, 84, 85; 35:351; 37:205, 208, 213, 217, map 84, 85; 35:351; 37:205, 208, 213, 217, map 4; 50:20. murorum 35:47. nigrum 35:47. pinnatifidum 3:192; 5:272; 8:230; 22:80, 84, 85; 36:100, 219, 230; 46:73; 50:117, 118. platyneuron 8:230; 9:82; 10:30; 19:175, fig. 3; 22:80, 84; 30:14; 32:215, 228; 35:249; 37:382, 451, pl. 384; f. Hortonae 30:14; serratum 30:14; var. bacculum-rubrum 38:304; 41:494; 44:162; var. euroaustrinum 37:382, 451, pl. 384; 38:304; var. incisum 10:29; 30:14; var. serratum 9:82; Pringlei 26:50. pvenograpon 21:178. resi-Pringlei 26:50. pycnocarpon 21:178. resiliens 36:223. Ruta-muraria 1:39, 222; 3: 42; 4:55; 6:94, 101; 8:13, 14; 16:198; 22: 39, 49, 80, 87, 88; 28:131; 30:14, 37–42; 32: 76; 35:47; subsp. cryptolepis 41:29, 31;

26 Rhodora

var. lanceolatum 30:43. Scolopendrium 21: 177, 179. septentrionale 37:244. thelypteroides 2:182, 229; 3:236; 6:101; 9:83; 13: 111; 19:178. Trichomanes 2:166, 182, 211; 3:1, 41, 236; 4:54; 5:128, 257; 6:101, 207; 7:13, 103, 110; 8:13, 14; 9:82; 10:20, 165; 16:198; 19:173, fig. 2; 21:201; 22:80, 84, 85; 25:184; 30:14; 31:82; 35:47; 36:219; 43: 338; 46:204; × Ruta-muraria 8:12. Trichomanes-ramosum 35:47, 235. virginianum 37:383. viride 4:54; 6:101; 8:14; 9:154, 158, 166, 172, 175; 19:173, fig. 2; 21:192; 22:80, 86, 87; 28:99, 117, 148; 35:47, 120, 235, 390; 37:66, 73, 244; 46:303

Aspleniums 5:257

Asta 44:28

Astasia Klebsii 50:277

Aster 3:221, 241; 4:89, 186; 6:131; 9:151, 157; ster 3:221, 241; 4:89, 186; 6:131; 9:151, 157; 10:194, 207; 11:31, 131; 12:14; 13:123, 142; 16:57, 60; 17:14, 17; 19:88; 21:75; 23:172; 26:55; 29:75, 190; 30:77; 31:145; 33:6, 140, 159; 34:4; 35:323, 359; 36:373; 37:307; 38: 192, 193, 380, 452, 453, pl. 452; 39:373, 375; 40:148, 156, 158, 161, 163; 41:190-192; 42: 157, 197; 44:28, 108, 154, 363, 369, 370, 464, 470; 45:344, 350, 361, 485; 46:313; 47: 291; 49:142; 50:43. \$ Conyzopsis 16:59, 60. \$ Multiflori-commutati 35:323. acadiensis § Multiflori-commutati 35:323. acadiensis 46:31. acuminatus 1:184; 3:164, 177; 5: 36; 6:132; 13:141, 148; 17:152; 18:44; 21: 200; 22:134; 26:55; 32:176; 33:109, 126, 160, 162; 34:61-63; 35:4, 311; 45:345, 350; × nemoralis 45:350. adscendens 35:37. adsurgens 35:324-326. agrostifolius 35:38. alpinus 29:190; 45:316. ambiguus 35:35. amethystinus 15:57; 19:250; 24:120; 26:55; 32:1–3, 185, pl. 192; 33:63; 41:190–192; f. leucerythros 32:3; 33:63; 37:88; f. leucos 33:63; 37:88. amygdalinus 42:494. an-33:63; 37:88. amygdalinus 42:494. angustus ig:138. angustus 12:227; 16:57, 58, 60; 18:244; 29:92, 106; 50:120, 178. anomalus 36:221, 232; 38:193; 50:107. anticostensis 17:16, 17; 48:271. azureus 36: 224. bakerensis 37:421. bellidiflorus 35:23, 28, 29, 33. bifrons 30:178, 179. \times Blakei 45:345, 350. carmesinus 19:250. carneus 35:21, 22; β . subasper 35:24; γ . ambiguus 35:35, 36. chelonicus 35:38. ciliatus 1:187, ciliolatus 45:344, 346. clivorum 35:38. coerulescens 35:20, 26-28, 37; 44:339; var. Wootonii 35:20, 28. Collinsii 28:210. columbianus 30:227: 32:137, 139. commutalumbianus 30:227; 32:137, 139. commutatus 26:55; 35:323–326. concinnus 2:166, 167. concolor 27:203; 32:144, 213; 35:144; 38:381, 448, 449; 39:363, 480; f. lasiocaulis 38:448; var. devestitus 32:145. cordifolius 3:189, 190; 4:88; 6:131; 13:148; 16: 15; 17:36; 19:88-90, 155; 21:170; 26:55; 29:31; 30:175; 33:161; 34:61, 62; 35:17, 38; 38:193; 39:456; 42:104; 44:237; 45:344, 346; var. Furbishiae 1:187; 6:132; 19:89; var. polycephalus 26:55; 38:193; var. racemiflorus 19:155. Cordineri 35:326, 327. coridifolius 30:165, 169. cornifolius 42:494. corymbosus 6:131; 29:31. crassulus 35:325, 326. Curtisii 38:448, 452, pl. 452. Cusickii

45:348. cyaneus α. glaucus 30:228; depauperatus 10:94; 11:57, 59, 240; var. parviceps 10:94; 11:58, 59; 38:194. diffusus 6: 131; 30:172, 176, 178; 35:24; var. bifrons 10:94; 30:175, 178; var. hirsuticaulis 6:131; 30:172, 176; var. horizontalis 30:175; var. thyrsoideus 30:175, 177, 178; var. variifolius 30:176. divaricatus 6:131; 17:36; 19:250; 21:200; 26:55; 29:31; 32:216, 278; 33:88; 34:33, 34; var. **tenebrosus** 34:33. divergens 30:173. Douglasii 17:17. Drummondii 31:147, 150; 38:193; 42:104; × cordifolius 42:104; var. rhodactis 31:151. dumosus 1: 188; 11:31; 19:250; 24:120; 26:55; 30:162, 163, 165–167, 169, 171, 175, 176; 32:211, 278; 35:17, 37; 41:572; × vimineus 30:172; 32: 278; var. coridifolius 26:55; 30:163, 165, 169, 32:278; 39:474, 476; 41:572; var. **Dodgei** 11:31, 58, 60; 30:164, 167; var. gracilentus 30:166, 169; var. gracilipes 30:163, 166; var. pergracilis 30:163, 166, 169; var. strictior 11:31; 26:55; 30:164, 165, 167, 169; var. subulaefolius 30:164, 167–169; 41:572; var. subracemosus 30:172. durus 35:26. Elliottii 44:370, 476; 45:461; 49:90. eminens 35:23. Engelmannii 30:228; var. glaucescens 30:228. ericoides 10:94; 11:59; 17:36, 37; 21: 170: 26:56: 28:65: 30:78, 171, 172, 175: 31. 170; 26:56; 28:65; 30:78, 171, 172, 175; 31: 42; 32:1, 136–140, 278; 34:8, 11; 35:17, 27, 31, 37, 323–325; 38:194; 41:190, 514, 519; 50:303; × vimineus var. subdumosus, 30: 172; β . villosus 32:139; γ . platyphyllus 32:139; f. caeruleus 32:139; 34:8; var. depauperatus 10:94; 11:59; var. parviceps 10: 94; 11:59; var. platyphyllus 30:106; var. Pringlei 1:220; 32:140; var. prostratus 32: 138, 139; 38:193; var. pusillus 10:94; 11: 59; var. Reevesii 32:140; var. villosus 26: 56; 30:79; 32:2, 139. exiguus 30:227; 32: 138; 35:325. exilis 34:9; 37:184. falcatus 35:325-327, Faxoni 6:131. fluvialis 35:26. fluviatilis 35:26. foliaceus 9:164, 191; 17: 13, 14, 16, 17; 19:88; 23:294; 25:11; 34:13–15, 34, 55; 45:344, 345, 347–349; var. arcuans 17:14, 15; 34:13, 15; 44:145; var. crenifolius 17:15; 34:13; 44:108, 145; var. frondra 17:14, 15; 34:13; 44:108; 34:13; 44:108; 34:13; 44:108; 34:13; 44:108; 34:13; 44:108; 34:13; 34:13; 44:108; 34:13; 34:13; 44:108; 34:13 folius 17:15; 34:13; 44:108, 145; var. frondeus 17:14, 15; 32:62; 34:13; 38:126; var. Parryi 17:14, 16; var. subgeminatus 17: 16; 33:207; 34:13; var. sublinearis 34:14, 15, 38; var. subpetiolatus 17:15, 16: 34: 13; 44:108, 145. foliolosus 30:168, 172. fragilis 30:165; 35:37. Fremonti 17:13. frondosus 6:82; 12:227; 16:57, 58, 60; 29: 107; 35:182. furcatus 30:77. glabellus 32: 139. glaucescens 30:228. glaucophyllus 30:228. glaucescens 30:228. glaucophyllus 30:228. gracilis 18:68; 38:377, 448; 39:467, 475; 49:94. grandiflorus 29:31; 30:236; 38: 448; 39:361, 473, 476; 41:572; 42:492; 44: 476. graveolens 41:190. Greenei 35:37. gymnocephalus 45:351. hebecladus 32:139; gymnocephalus 45:351. hebecladus 32:139; 35:325. Herveyi 1:69; 18:183, 184; 19:250; 26:56; 28:244. hesperius 35:21, 22, 26, 27; var. Wootonii 35:28. hirsuticaulis 11:61; 30:172, 176; 35:24. horizontalis 30:173, 175. humilis 42:493, 494. hyssopifolius 32:138.

ianthinus 4:203; 11:61. incanopilosus 35: 326. infirmus 1:42, 82; 8:222; 19:250; 26: 56; 39:188; 41:572; 42:494; 43:520, 654. interior 35:21, 31, 33, 35; 38:193. Jacksonii 38:229. Jacobaeus 35:32. johannensis 17: 13. junceus 12:112; 13:221: 17:13: 19:32: 23:294; 33:161; 35:23; 41:291; 42:339; 45:348, 349. junciformis 44:338, 339; 45:348. kentuckiensis 32:140; 50:28. Kumleini 38: kentuckiensis 32:140; 50:28. Kumleini 38: 194; 42:197, 198. laetevirens 35:21, 28, 36, 38; 44:339. laevis 2:167; 14:21; 26:56; 30:228; 35:17, 203; 36:224; 41:560, 572; f. amplifolius 43:654; var. amplifolius 19: 250; 26:56; 40:254; var. latifolius 43:654. lateriflorus 6:131; 17:36, 218; 18:44; 26:56; 30:161, 162, 164, 171, 172, 175–179; 31:147; 32:278; 33:126, 161; 35:16–19, 30–32, 36, 37; 312; 38:194; 45:345, 346; var. angustifolius 30:164, 174–176; 33:161; var. bifrons 10: 94; 30:178; var. glomerellus 30:172, 175, 177; var. grandis 10:94; 30:178; var. hirsuticaulis 16:15; 17:152, 154; 26:56; 30:172, 176; var. pendulus 30:164, 172, 173, 175, 176; 35:26, 37, 38; 38:194; var. tenuipes 30:164, 35:26, 37, 38; 38:194; var. tenuipes 30:164, 174, 175; 45:346; 46:31; var. thyrsoideus 30:177, 178. latifolius 43:654. laurentianus 16:59-61, pl. 109; 29:106; 44:145; 50:212; var. contiguus 16:60, 61, pl. 109; 20:102, 107; var. magdalenensis 16:59, 61, pl. 109; 44:145. lautus 35:26; var. prinoides 35:26. ledophyllus 30:228. Leucelene 34:6. linariifolius 1:104; 5:128; 15:153; 16:192-194; 17:36; 26:56; 32:151, 278; 34:12; 36:221; 38:378; f. leucactis 34:12; 37:88; var. Victorinii 16:194. Lindleyanus 3:284; 12: Victorinii 16:194. Lindleyanus 3:284; 12: 103; 13:183; 24:205; 33:161; var. ciliolatus 45:346; var. comatus 6:142. linearis 38: 407. longifolius 2:167; 6:132, 143; 13:33; 17:13, 17; 19:250; 23:294, 295; 26:56; 33:161; 34:14; 35:23, 24; 36:284; 44:339; 45: 348, 349; var. villicaulis 1:187; 6:132, 143; 27:56. longulus 44:338, 339. Lowrieanus 13:32; 19:250; var. lanceolatus 13:32. lucidulus 26:4; 31:147, 151; 47:46; f. albiflorus 31:151. lucidus 26:5. macrophyllus 3: 131; 5:36; 6:131; 13:141, 142, 148, 161, pl. 90 (map 11); 18:183; 19:88; 22:134; 26: 56; 33:161; 34:8, 61, 62; 37:336; 45:344, 345; var. ianthinus 4:203; 16:13, 15; 26:56; 33:161; var. sejunctus 12:112; var. velutinus 22:134; 23:294; 33:161; 45:345. major 45: 350. meritus 37:421. miser 30:172; 35:24; var. diffusus 30:172; var. glomerellus 30: 172, 175, 177; var. hirsuticaulis 30:172, 176. 172, 175, 177; var. hirsuticaulis 30:172, 176. missouriensis 30:165, 171, 175, 177–179; 35: 17; 38:194; × vimineus var. subdumosus 30:172; var. thyrsoideus 30:165, 175, 177, 178; 35:31, 32, 34. montanus 45:263; multiflorus 1:187; 11:61; 17:36; 26:56; 28:40, 65; 29:95; 30:78, 79, 175, 227, 228; 32:1–3, 136–139, 160, 185, 278, pl. 192; 35:323, 325, 326; 41:190–192, 514, 520; 50:303; α. norselia 20:130; 100: malis 32:139; β. prostratus 32:138, 139; β. stricticaulis 32:138; var. caeruleus 30:78; 32:137, 139; var. columbianus 30:227; 32: 139; var. commutatus 35:326; var. exiguus

1:187, 188: 26:56: 30:227: 32:138: 35:325: 38:193; var. pansus 30:227; 32:138; var. stricticaulis 35:325. multiformis 11:61. mutabilis 50:107. nemoralis 2:123, 208; 11: 58, 61, 86, 99; 13:135, 139; 14:24; 17:67–69; 21:75, 143; 22:94, 95, figs. 1–3 (maps); 23: 90, 295; 24:120; 26:57; 29:221; 30:136; 32: 104, 173, 176; 33:113, 126, 162; 34:55; 35: 5; 36:24; 37:332; 44:244; 45:345, 350; var. Blakei 17:149; 23:156, 295; 26:57; 33:162; 35:144, 312; 45:350; var. major 23:156, 295; 33:113, 126, 162; 35:144, 312; 45:350. no-33:113, 126, 162; 35:144, 312; 45:350. nobilis 11:61. novae-angliae 1:82, 102; 4:89; 10:153; 19:164; 26:57; 28:40; 29:31; 30:235, 236; 31:85; 32:1-3, 185, pl. 192; 38:194; 41:190-192; 45:345, 349; f. geneseensis 34:8; 42:47; f. roseus 24:185; 26:57; 44:334; var. roseus 28:40; 30:78; 38:65. novibelgii 2:208; 4:92, 186; 9:39; 15:168; 17:13, 36, 217, 218, 221; 18:44, 94, 99; 19:88; 23:295; 26:57; 28:112; 29:31, 124; 30:171; 32:278; 33:110, 126, 161; 34:61; 35:17; 41:478, 514, 520; 45:347, 348; 49:252; f. albiflorus 33:161; f. roseus 26:57; var. atlanticus 26:57; var. Brittonii 26:57; var. laevigatus 18:44; 26:57; var. litoreus 17:147; 26:57; 33:162. obliquus 35:21. oblongifolius 29:203; 32:2, 3; 36:224; 41:138; 42:197; var. 33:162. obliquus 35:21. oblongifolius 29: 203; 32:2, 3; 36:224; 41:138; 42:197; varigidulus 38:194; 42:197. **ontarionis** 30: 165, 175, **179**; 35:16, 38. Osterhoutii 35:36. paniculatus 1:188; 2:167; 5:131; 6:131, 132; 16:13; 17:17, 154; 26:57; 29:31; 30:161, 162, 171, 172, 175, 177–179; 33:161, 207; 34:61; 35:16–20, 28, 30–35, 312, 314; 44:339; 45: 345, 347, 349; var. acutidens 6:143; 26:57; 35:33; var. bellidiflorus 6:142; 33:161; 35: 345, 347, 349; var. acutidens 6:143; 26:57; 35:33; var. bellidiflorus 6:132; 33:161; 35: 28, 29, 33; 38:194; var. cinerascens 1:188; 6:143; 11:31; 35:33; var. lanatus 6:131, 143; 35:33; var. polychrous 35:26; var. simplex 6:143; 26:58; 35:20, 23, 30, 32, 33, 38; 38:193, 194; 43:82. pantotrichus 38:194. parviceps 11:57-59, 240; 38:194; var. pusillus 11:59. patens 17:36; 21:202; 26:58; 32:151, 278; 35:202; 36:221; 37:189, 195, 263; 38:194, 378, 449; f. roseus 37:263. paucicapitatus 30:228. pendulus 30:173, 176; 35:24. persaliens 19:250. philadelphicus 35:37. pilosus 32:138-140; 34:11; 78; 38:194; 43:82; 50:28; f. pulchellus 34:11; var. demotus 32:139, 140: 34:11; 34:11; var. demotus 32:139, 140; 34:11; 36:221; 38:194; 44:363, 476; var. platyphyllus 32:139; 38:194; var. Priceae 50:28; var. Pringlei 32:140; var. Reevesii 32:140. polycephalus 35:325. polyphyllus 6:94, 131; 26:58; 31:42. praealtus 35:16-18, 21, 23, 25-27, 29, 30, 32; 38:194; var. angustior 35:19, 24, 37; var. imbricatior 35:20, 26; var. 19, 24, 37; var. imbricatior 35:20, 26; var. nebraskensis 35:20, 25, 26; var. subasper 35:20, 24, 25; var. texicola 35:20, 25, 27, prenanthoides 22:202; 36:374. Priceae 32:140; 50:28. Pringlei 32:140. ptarmicoides 1:221; 16:20; 19:250; 35:291; 36:224; var. lutescens 19:64; 37:200. puniceus 1:187, 189, 190; 5:44, 50; 6:132; 16:13; 17:36, 152; 19:88-90; 21:170; 26:4, 58; 28:40, 124; 29:31, 124; 30:175; 31:151; 33:162; 34:15, 61-

63; 35:17, 18, 23, 32, 33, 37, 38; 38:366; 41: 517, 520; 44:338, 339; 45:344, 345, 348, 349; × paniculatus 35:32; × tardiflorus, var. lancifolius 1:189; var. compactus 1:189, 1.189; var. demissus 1:190; 26:58; var. firmus 26:58; 31:151; 42:47; 49:252; f. rufescens 27:187; 44:145; var. laevicaulis 1:190; var. lucidulus 1:190; 26:4; 40:252. 254; 42:200; f. albiflorus 31:151; var. lucidus 14:55; 26:4; var. oligocephalus 1:190; 9: 164; 11:99; 28:124; 32:261; var. **perlongus** 17:17; 32:261; 44:145. racemosus 30:172; 44:369, 476. Radula 1:184; 3:164, 177; 5: 46; 8:146; 11:99; 13:135; 17:151, 152; 19: 88, 250; 22:137; 23:172, 294; 26:58; 28:82; 33:126, 161; 35:311; 45:345, 346; 49:252; var. strictus 11:99; 12:106, 107, 144; 13:96; 29:130, 221; 33:126, 161; 45:346; 49:252. ramulosus 35:326; β. 35:326. recurvatus 30: 172. Reevesii 32:140. Richardsonii 45: 263, 264; var. meritus 45:263, 264. rigidulus 35:21. **Rolandii** 45:344, 345, **347**, 348; 50: 211. rubiginosus 45:351. sagittifolius 24: 100; 38:194. salicifolius 4:89, 94; 12:192; 26:58; 30:78; 35:21–23, 27, 31, 33; 38:194; var. caerulescens 35:26, 27; var. stenophyllus 35:24; var. subasper 35:24, 291. salignus us 55:24; var. subasper 35:24, 291. salignus 35:23, 32, 33. salsuginosus 45:262–264. saxatilis 30:172, 175, 179; 35:16, 20, 30, 34, 312–314, 402, pl. 262; 45:347. scabrosus 28: 210. Schreberi 3:65; 6:143; 34:34; 37:323. scoparius 32:139; 35:325. secundiflorus 30: 169. sericeus 31:53; 36:224; f. albiligulatus 31:53. Shortii 30:78; 31:150; 49:199; Gracemanni 31:150. sibiricus 41:155 f. Gronemanni 31:150. sibiricus 41:155, 166, 291; 42:312, 339; 45:264, 316. simplex 35:31-33. sparsiflorus 30:166, 169. spathulatus 17:17. spectabilis 2:215; 11:57-59; 13:8; 14:21; 17:65; 18:68, 183; 19:250; 26: 58; 30:226; 32:212; 38:447, 452, pl. 452; β. 38:447, 448; var. cinerascens 30:226; 38:447, 448; var. suffultus 38:447, 448, 451, pls. 451, 452; 39:475; 41:487, 572; 49:189. spinosus 40:434. stenophyllus 35:24. stricticaulis 30:227; 32:138; 35:325. subasper 35:24, 25; 50:107. subulatus 5:133, 204; 7: 35:24, 25; 50:107. subulatus 5:133, 204; 7: 140; 9:151; 10:153; 13:150; 16:57-61; 17: 218, 221; 18:243, 244; 19:258; 26:58; 29:92. 108, 111; 32:212; 37:184, 189, pl. 251; 38: 453; 40:112, 113; 41:560; var. euroauster 37:183, 184, 189, pl. 251; 39:476; 40:112; var. obtusifolius 16:61, pl. 109; 19:258; 20:102, 107; 29:90; 40:112. surculosus 11: 58, 59, 131; 38:448. tardiflorus 1:103, 187, 220; 4:100; 6:132; 13:183; 17:16; 19:88-90; 26:58; 35:17, 38; 37:323; var. lancifolius 1:189; var. vestitus 1:188; 6:132, 143: 19:89. tataricus 30:79: 42:492. tene-143; 19:89. tataricus 30:79; 42:492. tenebrosus 34:33. tenuifolius 5:133, 204; 26:58, 176; 32:212; 35:28, 31, 37; 43:654; β. ramosissimus 35:28; γ. bellidiflorus 35:28. tenuipes 45:345, 346; 46:31. thyrsoideus 30:175, 177, 178. tortifolius 28:210. Tradescanti 19:250; 26:58; 28:72; 29:31; 30:170, 172, 178, 179; 35:29–31, 35, 36, 312–314, 402, pls. 261, 262; 43:36; 45:345-347; var. fragilis

30:170; var. saxatilis 35:34. Tripolium 29: 190. 221. turbinellus 38:194. umbellatus 3:164, 177; 6:132; 11:99; 13:139; 16:13; 22: 134; 26:58; 29:190, 221; 32:278; 33:126, 161, 162; 34:61; 37:350, 356; 42:493, 494, pl. 647; 45:345, 350; f. flexicaulis 42:493; var. brevisquamus 42:492, pl. 647; var. latifolius 29:190, 221; 42:493-495, pl. 648; var. pubens 42:493, pl. 647. undulatus 1:188; 4:186; 5:130; 17:36; 21:170; 24:205; 26: 58, 186, 228; 30:171, 175; 32:160, 278; 35: 17, 33; 37:449; 44:234, 236, 343; 45:344-346; 50:303; × novi-belgii 4:186, 187; 26:59. vialis 30:**228.** villosus 32:137-139. vimineus 1:187; 17:36, 218; 22:134; 23:294; 26:58, 185, 228; 30:162, 164, 169, 171, 172, 175, 176, 179; 32:160, 211, 278; 35:16, 17, 30, 31, 34, 37, 38, 312; 44:237, 369; 50:303; var. dubius 30:164, 170, 171; 33:161; var. foliolosus 1:188; 2:201; 26:58; 30:171, 172; 42: 47; var. saxatilis 1:188; 23:294; 26:58; 30: 172; 35:34; 43:36; var. subdumosus 30:164, 171, 172, 178. violaris 11:61. Wootonii 35:28

Aster(s) 5:260; 46:313; 50:289. China 46: 313. White 28:72

Asteraceae 24:34; 30:226 Asterella 16:63. Ludwigii 39:5, 11, fig. 2 (map). saccata 39:6, 11, 12, fig. 6 (map). tenella 5:170; 7:58; 15:22; 25:193; 26:7 Asterionella 1:100. formosa 9:137. Ralfsii 9:

Asterococcus 23:256, pl. 133. limneticus 23: 252; 26:211. superbus 23:252, 256, pl. 133; 26:164

Asterostemma 9:52

Astilbe 41:423. biternata 23:71; 38:182; 39: 198, 200, fig. 22 (map). decandra 38:182. japonica 1:47; 18:246; 44:37

Astomum 41:112. Muhlenbergianum 48:3, 4

Astraeus hygrometricus 41:515

Astragalus 3:221; 6:121; 9:154; 12:14; 20: 165; 30:137; 37:307; 40:180; 42:332; 44: 437; 46:282. § Cycloglottis 9:38. subgen. Homalobus 28:106, 214. aboriginum 30: 122; 33:232, 234, 239, 240; 41:251; 44:112. alpinus 1:103; 2:89, 91, 134; 6:192; 9:162; 10:51; 13:218; 25:9, 113; 28:104, 121, 213, 215; 35:121; 36:164, 171, 179, pl. 284; 38: 155; 39:316, 317; 41:147, 250; 42:332; f. arcticus 39:317; var. **Brunetianus** 10:**51**; 12:112; 39:315–317; var. giganteus 10:**51**; var. **labradoricus** 39:**315**, 316. americanus 39:313–315, pl. 472. argillophilus 32:5, 6. biflorus 30:154, 155. bisulcatus 48:99. Blakei 2:89, 91; 6:121; 9:154, 155, 162, 167; 22:49; 28:117, 216; 32:18. Brunetianus 39: 316. canadensis 2:89, 91; 19:229; 36:407; 38:94, 95; 39:365; 40:383, 436; var. carojainianus 38:04. linianus 38:94, 95; var. longilobus 38:94, 95. cariensis 9:50. caryocarpus 46:306; 48:111. contortuplicatus 9:38; 14:56; 20; 165. crassicarpus 34:5. cyaneus 40:180. deflexus 30:140; 46:283. distortus 31:256; 36:223, 224. Drummondii 48:100. elegans 7:5; 9:162, 167, 172; 10:33. Emoryanus

38:406; 39:420. Engelmanni 40:180. eucosmus 10:33; 12:113, 114; 28:104, 213, 215; 35:50, 274; 38:155; 39:317; f. albinus 28:215; var. facinorum 28:215; 39:317, fallinus deliferus 42:310, 332. Fernaldi 44:143. frigidus 39:313-315, pl. 472; 45:313; var. americanus 7:5, 249; 9:162; 13:148; 39: 313-315, pl. 472; var. dawsonensis 45:313; var. gaspensis 39:313-315, pl. 472; 44: 106, 143; var. littoralis 39:314; 41:146, 250; 42:332; 45:313. gaspensis 39:313, 315, pl. 472; 44:143. giganteus 10:51. glaber 44: 259. glycyphyllos 10:151, 218: 20:165. Gormani 29:36. gracilis 38:405. Jesupi 9: 154. labradoricus 39:315, 316. leptocarpoides 38:406. leucanthus 30:142. linearis 41:160, **250**, 251. longifolius 42:267. lotiflorus 34:5; 36:224. macilentus 38:406. lotiflorus 34:5; 36:224. macilentus 38:406. mancus 40:136. mexicanus 34:5; 36:223, 224; 39:317, 318; var. trichocalyx 39:317, 318. Microphacos 38:405. mollissimus 32:5, 6; 34:6. neglectus 37:70, 203; f. limonius 39:318. nigrescens 30:153. Nuttallianus 34:6; 39:420; var. leptocarpoides 38:406. occidentalis 2:91. oroboides 10:51, 218; var. americanus 10:33. parviflorus 10:33; 38:405. pectinatus 48:99, 100. plattensis 46:306. polaris 41:251. puniceus 40:181. pvgmacus 30:153. retroflexus 30: 181. pygmaeus 30:153. retroflexus 30: 140. rhizanthus 9:50. Robbinsii 2:89, 91; 6:121; var. Jesupi 2:91; 5:191; var. occidentalis 2:91. scrupulicola 33:238-240, fig. 1; 44:112, 143. secundus 39:315. stragulus 28:214, 215; 35:275; 44:437, succulentus, var. Paysoni 39:151. sulphurescens, var. pinicola 39:150. tenellus 48:102. tennesseensis 11:61; 47:216. terlinguensis 39: 419. Tracyi 38:406. trichocalyx 39:317. yukonis 28:106, 215; 42:314, 332

Astrantia major 42:45 Astrophytum 35:225. asterias 34:227, 228, pl.

223; 35:224, 225 Astrostemma 9:52 Asymmetria 40:27 Asyneuma 50:47 Atamasco 31:94 Atamosco 31:91, 94

Atelophragma 33:240; 39:316. elegans 39: 317. Fernaldi 44:143. lineare 41:250

Athyrium 3:266, 267, 270; 4:8, 160; 19:171–178, 181, 188, 206, fig. 1; 21:174, 175; 30:15; 31:25, 93; 38:164; 42:149; 50:138. acrostichoides 19:178, 206; 21:178; 22:80, 83; 23: 136, 165, 185; 24:159; 30:15. alpestre 19: 177, 179, 181, 184, 188, 202, 203, 206; 30:44, 47-49, pls. 161, 162, 165, 166; 31:165, 166; 35:58, 129; 37:244; var. americanum 19: 204; 28:117, 148; 30:44-49, pls. 163, 164, 167; 35:129; var. gaspense 30:48, 49, pl. 168; 44:125, 138; var. typicum 30:48. americanum 30:44-47, 49. angustifolium 19:178, 206; 21:178; 22:80, 87, 88; 30:15. angustum 19:172, 178, 181-184, 188, 190, 191, 195, 196, 201, 205, 216, figs. 1, 5, pl. 123; 21: 178; 22:30, 80, 89; 23:185; 25:6; 30:15; 32: 135, 161, 215, 228; 34:50; 35:360, 361; 37:

203; 42:149; 48:389, 390; f. confertum 19: 195; 30:15; 44:138; 48:389; f. elegans 19: 196; 30:15; f. laciniatum 19:195; 30:15; 48:389; f. typicum 19:191, 193, 196, 216; 48:389; 1. typicum 19:191, 193, 196, 216; var. confertum 48:389; var. elatius 19: 191–193, 197, 216, pl. 123; 22:80, 84, 85; 23:185; 24:159; 30:15; 32:228; var. laurentianum 19:194, 205; 22:80, 83, 84, 110; 31: 82; 35:250; 44:138; 48:389, 390; var. rubellum 19: 192, 193, 195, 197, 216, pl. 123; 22:80, 82, 110; 23:185; 29:145, 205; 30:15; 22:100, 115; 24:50; 35:120; var. tripinna-33:109, 115; 34:50; 35:129; var. tripinnatum 19:197. asplenioides 19:175, 178, 181-184, 187-189, 202, 205, 207, 216, figs. 4, 5, pl. 123; 21:178; 22:80, 84, 85; 30:15; 37:190, 385; 42:149; 48:389; f. subtripinnatum 19: 189, **190,** 216, pl. **123**; 30:15; 48:389; f. typicum 19:189; var. angustum 19:190. cyclosorum 3:268, 269; 9:158; 19:178, 197-199; f. Hillii 19:199. Dombei 19:206. Filix-femina 3:268, 269, 270; 4:160; 7:103; 19: 170, 171, 173, 175, 178, 179, 181–184, 187, 188, 197–203, 205, 206, 215, 216, figs. 3, 5, pl. 123; 24:135; 26:219; 30:45, 48; 37:244; 42:245; 48:389, 390; f. rubellum 42:245; var. asplenioides f. subtripinnatum 48:389; var. californicum 19:201, 202; var. convexum 19:198, 200; var. fissidens 19:216, pl. 123; var. latifolium 19:195; var. Michauxii 19:190; 50:301; f. confertum 48:389; f. laciniatum 48:389; f. laurentianum 48: 389; var. multidentatum 19:198, 199, 216, pl. 123; var. rhaeticum 19:198, 205; var. rubellum 42:246; var. sitchense 19:198-200, 205, 206; 35:128, 129, map 13; 42: 316; 48:389; f. Hillii 19:199, 200; f. strictum 19:200; 42:316. fontanum 3:267; 19:171. Martensi 19:206. Michauxii 19: 19:171. Martensi 19:206. Michauxi 19: 188. mongolicum 19:177. peetinatum 19: 207; 36:373. pyenocarpon 21:178; 43:520, 528; 44:240. Schimperi 19:207. sitchense 19:198, 199. tenue 37:377. Thelypteris 31: 33. thelypteroides 3:270; 7:103; 32:135; 38:269; 40:382, 385; 43:337, 520; 44:240, 363; 46:303; f. acrostichoides 43:337

Atolaria 41:320

Atragene americana 6:116; 49:220. columbiana, f. albescens 35:347; 38:300. pseudoalpina 35:347

Atrichum 40:359. angustatum 4:30. crispum 2:96. leiophyllum 3:181. undulatum 2:96;

4:30

Atriplex 17:83, 85, 176; 18:29; 26:187; 43:228. arenaria 5:131; 14:19; 17:84, 85, 176; 18: 96; 26:176; 32:158, 250; 50:302. Babingtonii 23:262. bracteosa 17:176. dioica 17: 84. glabriuscula 23:262-264; 28:63; 29:122, 174, 212. Gmelini 41:161, 220. halimoides 17:84. halimus 17:84. hastata 1:106; 17:84; 23:262, 263; 26:188, 224; 29:43, 44, 174, 212; 50:295. laciniata 17:84, 85. latifolia 29:174, 212. maritima 9:144; 17:84, 85; 20:104; 50:212. mucronata 17:84. patula 40:00.14300.15100.1732. 4:92; 14:20; 16:199; 17:83, 176; 19:129; 23: 262, 263; 26:188; 29:64, 92, 93, 174, 212; 36: 280; var. bracteata 23:262, 264; var. hastata

1:106; 2:208; 5:133; 6:82; 11:121, 230; 12: 109: 13:89, 125, 180: 16:39; 17:146, 147, 176, 208, 215, 221; 18:36, 96; 28:37; 29:64, 89, 91, 106, 174, 212; 32:147, 250; 33:111, 120; 37: 191; 50:295; var. littoralis 6:81, 82; 13:180; 16:39: 17:176; 19:129; 29:60, 91. rosea 17: 85, 176. sabulosa 17:84, 85; 50:212

Atropa physalodes 11:56

Atropis 18:1, 2; 28:150, 151; 40:393. airoides 18:16. Borreri 18:10. distans 18:12; β. tenuis 18:13. Foucaudi 18:8. maritima 18: 7. procumbens 18:11. vilfoidea 18:9

Augochlora confusa 36:28; 37:161; 38:93 Aulacodiscus Argus 26:193, 195, 216 Aulacomniaceae 30:8; 38:240

Aulacomnium androgynum 12:151, 152; 23:68; 24:123. heterostichum 4:30, 169. palustre 1:34; 3:180; 6:43; 12:152; 26:219; 30:8;

var. imbricatum 48:1 Aulaxanthus ciliatus 44:253. rufus 44:253 Auliscus caelatus 9:139; 26:194, 216; var. strigillata 26:193, 216. Macraënus 9:139. pruinosus 9:139. sculptus 9:139

Aulosira 44:184 Aune 1:168

Aureolaria 20:69, 70, 134-137, 199, fig. 6; 25: 63. subgen. Panctenis 20:70. calycosa 36: 221, 232. divaricata 20:136. filicaulis 20: 136. flava 25:63; 37:350; 50:122; var. macrantha 35:289; 36:221. **grandiflora** 20: 135; 50:122; subsp. cinerea 38:407; var. pulchra 49:202; var. serrata 36:220. Greggii 20:135. laevigata 50:122. pectinata 20:136; 50:122; var. ozarkensis 36:221, 232. pedicularia 20:136; 25:63; 32:178; 50:122; var. austro-montana 46:140; var. caesariensis 32:177, 212; var. typica 46:140. reticulata 38:407. tenuifolia 20:136. virginica 20:67; 25:63; 50:122

Auriscalpium vulgare 44:168

Austrian Pine 7:124-126

'ava'a 50:282 'ava'ava 50:282

Avena 6:106; 8:81-83; 86; 14:183, pl. 97; 15: 129; 21:76; 30:241; 43:220; 49:269. airoides 30:238. barbata 49:269. bulbosa 13:208; 18:234. elatior 18:234; b. nodosa 18:235; d. tuberosa 18:235; var. tuberosa 13:208. fatua 16:183; 19:119; 22:110; 23:230; 35: 203; 38:266; 49:269. glumosa 45:242. hirsuta 15:129; 38:266, 267; 49:269. Hookeri 38:298. hybrida 15:129; 38:266, 267; 49: 269. mollis 18:197. orientalis 38:266, 267; 49:269. palustris 8:139, 145; 18:234. pensylvanica 18:234; 42:94. precatoria 18:234, pubescens 15:68; 19:119; 38:266, 267. sapubescens 15:08; 19:119; 38:266, 267. sativa 1:107, 183; 6:106; 14:179; 15:129; 17:212; 26:222; 28:74; 29:149, 207; 32:160, 235; 33:117; 37:82; 39:374, 375; 41:152; 44:70, 172, 174; 49:269; 50:293. Smithii 21:76, 77. spicata 45:242. striata 3:160, 170; 4:99; 5:33, 34, 197; 6:106; 7:244; 8:211; 15:144; 21:76, 77; f. albicans 7:244; 10:47; 44:139. subspicata 30:238. Torreyi 21:76, 77; tuberose 13:207:18:234 77. tuberosa 13:207; 18:234

Avenaceae 8:86

Avens 42:153; 46:315

Avocado 46:313

Avrainvillea longicaulis 3:90

Awlwort 6:228

Axonopus furcatus 8:205; 37:380, 390; 38: 381, 386, 394; 39:358, 477; 40:369; 41:503;

44:241. paniceus 22:103

Axyris 29:224. amarantoides 29:223; 35:262 Azalea 4:141; 14:101; 20:54; 25:116; 43:31, 32, 35; 45:451. atlantica 23:179; 43:620– 622; var. luteo-alba 43:622. Bakeri 43:33. calendulacea 20:53. canescens 1:182; 7:109. lutea 20:53, 54. neglecta 23:179; 43:621. nudiflora 1:182; 20:53, 54. periclymenoides 20:53, 54. prinophylla 26:4. procumbens 50:216. rosea 26:4. viscosa 4:106; 7:75; 8:27; 21:119; s. glauca 43:623; var. glauca 3:198

Azalea(s) 46:157. Alpine 42:335

Azolla 35:354, caroliniana 23:210, 212; 35: 354

Baccharis 26:59; 40:322; 45:116. foetida 41: 459; 44:228. foliis ovato-lanceolatis, etc. 41:460, 461. glomeruliflora 49:86, 189, 190. halimifolia 8:223; 10:154; 13:243; 17:218, 221; 26:59; 32:178, 212; 39:474, 480; 49: 190. sarothroides, var. pluricephala 40:321. sessiliflora 49:189. tekana 45:116. Wrightii 34:6

Bachbunge 4:191

Bacidia atrogrisea 29:99. incompta 28:160. leucampyx 28:160. luteola 28:160. rubella 28:160. umbrina 29:99

Bacillaria paradoxa 9:131, 136

Bacopa 10:66; 43:526; 44:355, 356, 358, 368, 378, 436, 437. § Bramia 37:441. acuminata 10:66; 35:289; 37:442; 38:377; 39:474, 480; var. macrophylla 37:442; var. microphylla 37:442; var. peninsularis 37:442. caroliniana 10:66. cyclophylla 41:446, 447; 42:401, 402, 479, 511, map 22; 44:435. egensis 50:124. Monnieria 37:440, 441, 454, pl. 401; 42:370, 508; var. cuneifolia 37:440, 441, 454, pl. 401; 38:378; 39:480. obovata 39:475: 42:401, 511, 514, map 24; 44:355, 438, 439. procumbens, var. peduncularis 37:442; var. tenuis 37:442. rotundifolia 37:441; 39:432; 41:447; 42:22, 402; 44:435, 439. simulans 44:438-440, pl. 729. stragula 44:434–438, pl. 728

Bacteria 16:79; 39:280 Bacterium apii 39:369

Badhamia 2:78. affinis 29:166. hyalina 1: 129. lilacina 29:166. macrocarpa 1:128. magna 1:128, 129; 29:166. panicea 1:129. rubiginosa 29:166. utricularis 1:128

Baeomyces aeruginosus 11:217; 28:229. soides 11:215; 28:161. cenoteus 34:154. ericetorum 11:215, 217. placophyllus 11: 215; 28:161. roseus 2:67; 11:215; 28:205; 29:99. rufus 28:161

Baeothryon 9:51; 31:171, 173; 49:51. fistulosum 31:153. flavescens 41:47. Halleri 31: 172. nanum 31:169. pauciflorum 31:172.

pusillum 31:169. retroflexum 39:236. variegatum 31:156 Baeria 26:59. gracilis var. tenerrima, 26:59.

uliginosa 26:59

Bakeapple 23:99, 148, 169; 46:314

Baked-Apple 9:150; 12:109; 13:123; 46:314. Berry 42:330; 46:314

Balardia 42:183. platensis 42:181, 182

Bald Cypress 39:330, 470

Balduina 49:86, 88. uniflora 49:86, 192

Baldwinia 11:60

Ballota 25:37. nigra 16:86; 25:37

Balls, Burr 7:43

Balm-of-Gilead 7:123; 11:127; 12:178; 13: 237; 50:233–235. Fir 35:358
Balsam Fir 5:52; 9:76; 11:201; 12:177; 17: 165–168; 20:186; 21:109; 35:358; 44:110.

Poplar 12:178; 48:103–109 Balsamiflua ilicifolia 47:362

Balsamifluae 32:95

Balsaminaceae 6:122; 18:39; 21:128; 29:216; 31:42; 32:264; 49:255

Balsamita Balsamita 25:15

Bambusina Brebissonii 5:80, 254; 7:266

Baneberries 11:27

Baneberry, Red 5:77; 18:185. White 46:148 Bangia 5:1; 7:230; 50:263. atropurpurea 29: 38. ciliaris 2:48; 7:230; 20:144; 50:264. fuscopurpurea 2:48; 5:18; 7:230; 50:264

Banisteria 30:54

202

Banksian Pine 21:44-49, 52, 65 Baptisia 20:165; 46:29; 47:94; 50:200, 201. alba 36:53; 38:381; 39:476; 41:366. arachnifera 46:29, figs. 1-5. australis 2:172; 36:224, 227, 230; 39:312; 46:306; β. 39:312; var. **minor** 39:**312,** 313. bracteata 23:255; 32:108, 109; 36:54. cinerea 50:201, pl. 1106. Gibbesii 38:424; 39:414, 476; 47:94. leucantha 37:350, 356-358, fig. 4 (map); 39: 430. minor 39:312, 313. perfoliata 41:366; 46:29. simplicifolia 46:29. × stricta 50: 202. tinctoria 2:89, 168; 3:34; 5:129, 130; 9:121; 14:22; 17:35; 20:165; 25:211; 32: 108; 34:175; 38:424; 39:371, 375, 414, 415; 46:321; 47:94, 156, 215; var. crebra 39:414, 415; 46:281; 47:94, 215; var. Gibbesii 38:424; 39:414; var. projecta 39: 415; 46:281. vespertina 39:312. villosa 39:467, 480; 40:468; 42:362; 43:506; 50:201,

Barbarea 6:118; 11:134, 138; 18:216; 34:243. americana 11:134-137, 140. arcuata 11:134, 135, 138. Barbarea 11:139; var. stricta 11: bracteosa 11:138. gracilis 11:136, 137, 140. hirsuta 11:139; 45:304. lyrata 11:138, 139. orthoceras 11:137, 138, 140, 141; 13: 123; 28:121, 201; 34:53; 41:232; 44:128; var. dolichocarpa 11:140. parviflora 11: 135. planisiliqua 11:138, 141; 42:327. plantaginea 11:139. praecox 3:65, 145; 11: 134–136, 140. stricta 5:204; 6:84, 118; 11: 134–137, 139, 140; 45:304. taurica 11:138. verna 11:134–136, 139, 179; 18:216; 29:214. vulgaris 4:92; 6:83, 118; 11:134–141; 12: 128; 15:165; 16:14; 18:216; 29:214; 37:422; 45:304; 50:296; β. bracteata, subvar. hirsuta

45:304; subsp. euvulgaris, subforma hirsuta 45:304; subsp. euvulgaris, subforma hirsuta 45:304; subsp. rivularis, var. longisiliquosa 11:139; subsp. vulgaris, var. longisiliquosa 11:136, 240; var. arcuata 11:138, 141; 45: 304; f. hirsuta 45:304; f. plena 45:304; var. brachycarpa 11:136, 139; 45:304; var. bracteata, subvar. hirsuta 11:139; var. gracilis 11:137, 140; var. hirsuta 11:139; 45: 304; var. longisiliquosa 11:136, 137, 139; 17:216; 18:216; var. stricta 11:139, 140; var. sulvestris 45:304 var. sylvestris 45:304

Barberry 14:207; 15:226. Japanese 25:176.

Thunberg's 15:225

Barbilophozia 14:211, 212. attenuata 10:187. Hatcheri 10:188; 14:210. quinquedentata

Barbula 3:179; 14:47; 41:112. convoluta 15: 11; var. commutata 15:11. fallax 13:46; 24:123. gracilis 11:117. michiganensis 41: 112. montana 39:4. rigidula 11:117. un-guiculata 4:30; 15:11. vinealis 30:5

Barleria 47:386

Barley 49:267. Wall 19:121

Barnyard Grass 17:225; 47:212 Bartonia 11:74; 23:99, 103, 153, 168; 24:234; 25:148; 33:39; 34:164-167; 35:6, 13, 85; 39: 203. iodandra 2:55-57, pl. 15; 11:87, 97; 13:116, 159; 23:149, 153, 154, 286, 288; 25: 148; var. sabulonensis 23:288. lanceolata 10:35; 34:165; 37:320; 39:197. Moseri 2: 55-57, pl. 15. paniculata 10:35; 23:153, 154, 156, 286–288; 24:118, 180, 234; 32:210, 271; 34:165, 166; 35:5, 280, 281, map 24; 37:320; 39:197, fig. 12 (map), 198, 444, 480; 287, 288; 24:180; 25:148; var. intermedia 23: 287, 288; 24:180; 25:148; var. iodandra 23:287, 288; 28:84; 29:185; 35:6, 280; 49: 251; var. sabulonensis 23:287, 288; 24:180; 29:185; 49:251. pubescens 34:166. tenella 1:43; 2:55–57, pl. 15; 5:130; 34:164, 165; 48:328. verna 23:153; 29:185, 218; 34:165, 166; 37:379; 48:327, 328; 49:85, 176. virginica 9:122; 13:182; 14:79; 19:31; 23:138, 148, 149, 153, 157, 159, 286; 24:180, 234; 25: 147; 29:127, 184, 218; 32:150, 210, 271; 34: 165; 37:438; 38:365, 453; 48:328

Bartramia 9:37. ithyphylla 30:9. Oederi 6: 145; 8:168. pomiformis 1:34; 4:30; 30:9;

41:42

Bartramiaceae 30:8: 38:240: 39:42

Bartramidula carolinae 38:240 Bartsia 28:106; 41:382. acuminata 36:186. alpina 28:105, 234; 35:121, 125, 275; 38:158, 412. coccinea 41:382. Odontites 7:33

Basidiomycetes 1:59; 3:207; 5:97; 26:195; 50:

287

Basilima 9:54

Basket Willow 49:43

Bassia 17:176. hirsuta 11:120, 121, 239; 17: 176; 26:176; 49:164; 50:295. hyssopifolia

39:209; 42:43 Basswood 11:28; 25:204; 44:351, 410, 413; 46:154

Bastard Spruce 21:46. Sun-flower 45:486 Batidaea 21:89, 90. amplissima 21:89. heterodoxa 21:89. itascica 21:91. peramoena 21:

91. strigosa 21:89, 92, 96; subsp. B. acalyphacea 21:98; subsp. B. arizonica 21:98; subsp. B. cataphratica 21:96; subsp. B. elegantula 21:96; subsp. B. heterodoxa 21:96; subsp. B. itascica 21:91, 96; subsp. B. peramoena 21:91, 98; subsp. B. subarctica 21:97

Batodendron 29:49

Batrachium 38:1, 3, 4, 8, 11, 17, 28, 30, 32, 44, 45, 47. admixtum 38:33, 38. aquatile 38:29. Bakeri 38:18, 28. circinatum 38:42. 38:28. Bakeri 35:18, 25. Chemidum 38:24. confervoides 38:33, 35, 36, 38. divaricatum 38:24, 42, 45. Drouetii 37:363. eradicatum 38:33. hederaceum 38:13. Lobbii 38:16. longirostre 38:42. omiophyllus 38:13. dunculare 38:18, 28. trichophyllum 6:117; 38:18. tripartitum 38:35. usneoides 38:

Batrachospermum 7:168; 8:110, 190; 24:103; 33:130; 50:70. anatinum 7:241. australe 8:110. Boryanum 7:241. Corbula 7:241. ectocarpum 7:241. macrosporum 8:110. moniliforme 24:103, 110; 26:162; 33:130; 50:67; var. chlorosum 7:241; var. typicum 7:241. pyramidale 7:241. vagum 7:237, 241; 33:130; keratophytum 26:162; var. flagelliforme, f. tenuissimum 8:110. virgatum 7:241

Batschia caroliniensis 37:330. decumbens 46: 497. Gmelini 37:330. longiflora 46:497 Baumea crassa 25:54. Deplanchei 25:53. fal-

cata 25:53. mariscoides 25:53

Bay 41:478; 46:313; 49:153. Loblolly 49:151, 152. Red 47:149; 49:152, 153. Tan 49:151

Bayberry 12:178; 18:29, 94 Bazzania 25:91. deflexa 6:74; 10:190; 25:76, 90, 91. denudata 25:75, 89, 91-95, 196, 198; 26:10. triangularis 5:171; 6:74; 10:190; 15: 27; 25:76, 78-82, 90; f. densior 25:80-82; f. laxa 25:80, 81; var. flaccida 25:79; var. intercedens 25:80. tricrenata 10:190; 14:17; 15:23, 27; 25:75-83, 89-94, 196; var. cavernarum 25:81; var. pratensis 25:81; var. subintegristipula 25:81. trilobata 3:181; 4:30; 5:51, 171; 15:23; 16:68; 25:196; 26:10

Beach Grass 22:70; 49:270. Pea 29:58; 42: 157. Plum 11:127, 132; 18:94; 25:69; 29:

Beachflag Iris 49:213 Beadlea Storeri 23:84 Beaked Hazel 4:132; 38:76

Bean(s) 42:381; 45:169. Bog 28:62. Kidney 45:169, 170. Wild 45:170

Bear, Oak 36:239, 240

Bearberry 11:128; 13:123; 16:26; 18:71; 32: 60; 42:335; 46:314. Alpine 28:98 Beauty-berry 46:314

Bear's Grape 16:26

Beaver Tree 18:206, 207

Beccabunga 4:191

Beckmannia 11:38; 30:24-26. baikalensis 30: 25-27. erucaeformis 30:24-27, 51; var. baikalensis 30:25-27; var. uniflora 30:26, 27. syzigachne 30:27; 41:180; 42:317

Bedstraw 6:22; 13:237. Heath 28:83. Sweetscented 18:185

Beech(es) 4:93, 169; 5:45; 7:122, 123, 126;

12:178; 13:86; 21:51; 23:91, 195; 28:34; 32:151; 43:67, 94; 44:230; 45:377; 48:61. Blue 4:132; 37:424. Drops 33:139. Fern 30:16; 43:219

Bees 42:196. Andrenid 42:353. Bumble 44: 3. Honey 42:353

Beets 41:157

Beggar-ticks 17:225: 28:72

Beggiatoa alba marina 26:215. mirabilis 26:

Begonia 7:27; 44:163; 50:153

Behen 9:55

Belamcanda 9:53; 47:207. chinensis 37:309,

Bell-heather 10:173-175, 177; 15:189

Belle Isle Cress 11:140

Bellflower 21:107

Bellincinia 11:16. platyphylla 18:83

Bellis 26:59. perennis 26:59; 29:221; 35:15, 311; 37:88

Bellwort 39:319

Belonium eustegiaeforme 44:168

Bembecidae 41:186

Bembex spinolae 41:186 Benjamin Bush 8:196

Bent Grass 12:28, 29; 49:270
Benthamia 9:55; 34:29. fragifera 34:29
Benzoin 8:197, 198; 15:18; 18:213; 47:140.
aestivale 8:198; 12:128; 16:91; 18:213; 19: 220; 32:253; 36:24, 31; 37:192, 354, 416; 40:462; 41:560; 42:87; f. **xanthocarpum** 16:**91**; var. pubescens 38:422. Benzoin 8: 196, 198. odoriferum 8:198

Berberidaceae 6:117; 18:213; 31:42; 32:252;

45:443

Berberis 5:271; 7:158; 11:130; 13:18; 18:213; 41:433. agapatensis 2:152, 153. amplectens 39:376. canadensis 36:24, 227, 230; 41:433; 44:31. pinnata 39:376. pumila 39:376. repens 2:152, 153, 155, pl. 19. Thunbergii 2:151-153, 155, pl. 19; 15:225; 24:116; 25:176; 32:252; 41:545; 46:85. vulgaris 2: 151-153, 155, pl. 19; 12:128; 14:207; 18:213, 240; 34:63; 41:517, 520; var. asperma 14: 207; 18:213

Berchemia 43:524. scandens 14:81; 37:318;

38:377; 39:481

Berchtoldia oplismenoides 23:62

Bergenia Schmidtii 18:160

Bergia texana 47:217

Berkheya membranifolia 18:159. Radula 18:**159**

Berlandiera lyrata 34:6. pumila 36:54. texana 35:291; 36:224, 232

Bermuda grass 41:482; 46:336; 49:275

Bermudiana graminea, flore, etc. 48:153-158, 215, pl. 1042. Grass-leaved 48:154

Berneuxia 45:333-335. thibetica 45:333, 335. 336. yunnanensis 45:333, 336

Berry, Partridge 13:216. Snow 18:185

Berteroa 7:159; 18:216. incana 1:104, 202; 2:205; 6:83, 146; 9:227; 13:89; 14:20; 18: 216; 31:84; 32:253. mutabilis 12:189; 18:

Berula 50:119. angustifolia 1:159; 3:209; 44:

189, 190. erecta 44:189, 190, figs. 1–5; 50: 119. **pusilla** 44:**189**, 190, figs. **6–9**Beta 17:64. vulgaris 39:369, 375; β. rubra

43:159 Betula 1:167; 6:113; 12:31, 178; 13:113, 114; 15:103, 168; 16:111; 21:190; 29:48; 30:125; 33:60, 110; 34:246; 40:149–153, 157, 162, 166, 167, 169, 170; 41:144; 42:152; 44:412, fig. 1; 45:108; 47:338, 386. § Apterocaryon 15: 168; 29:50; 47:327. ser. Albae 47:303, 325. ser. Costatae 47:326. ser. Humiles 47:325, 326. alaskana 29:35; 32:198; 47:321, 322, 328, 329, pl. 972. alba 11:13; 12:37, 38; 15: 169, 201; 21:190; 28:73; 33:60; 38:148; 47: 304, 305, 307–309, 311, 324; α. vulgaris 47: 308; β. dalecarlica 47:305; β. pendula 47: 305, 309; δ. papyrifera 47:311; f. occidentalis 305, 309; δ. papyrifera 47:311; f. occidentalis 47:312; subsp. occidentalis, β. commutata 47:312, 313, 316; subsp. papyrifera, β. cordifolia 47:320; β. humilis 47:306; var. humilis 47:322, 323, 328, pl. 971; var. γ. humilis 47:321; subsp. pubescens 47:309; subsp. verrucosa 47:322; δ. resinifera 47:322; var. resinifera 47:322; var. α. typica 47:316; var. carpatica 47:323, 324; var. cordifolia 5:37; 6:113; 11:231; 13:238; 15:201; 17:148, 152; 24:52: 47:320: var. elobata 15:169; 44: 34:52; 47:320; var. elobata 15:169; 44: 141; 47:319; var. glutinosa 47:318; var. minor 9:156, 160; 16:39; 47:306, 324; var. papyrifera 6:113; 12:178; 16:111; 17:152; papyrifera 6:113; 12:178; 16:111; 17:152; 18:35; 20:101; 22:134; 26:195; var. populifolia 47:304; var. pubescens 32:247; var. tortuosa 47:307, 328, pl. 963; var. urticifolia 9:111; var. vulgaris 47:309. alleghaniensis 15:222; 19:128; 24:167–170. Alnus incana 47:338; (rugosa) 47:338, 339, 345. borealis 47:304, 308, 323–325, 328, 329, pl. 973. caerulea 24:172, 173; 47:305; var. Blanchardi 24:171, 172: 47:305; var. grandis 24:171, 172: 171, 172; 47:305; var. grandis 24:171, 172; 47:305. caerulea-grandis 24:171-173; 47: 304, 305. carpatica 47:323. cordifolia 47: 320, 321. crispa 6:162; 47:343. dahurica, β. americana 47:306; var. americana 47:306, 307. Ermani 47:321; × glandulosa 42:321. excelsa 24:170; 47:324; 50:120, 229, 230. excelsior 50:120. exilis 41:218. fontinalis 47:313-317, 321, 325; var. Piperi 47:317. glandulosa 3:173; 9:160, 169, 174, 190; 13: 123, 136, 219; 17:87; 25:8; 32:196; 33:22; 36:280; 38:148; 41:146-148, 166, 218; 42: 314, 321; 47:224, 306-308, 324, 328; 48:183; var. rotundifolia 3:173; 17:87; 44:115; var. sibirica 17:87; 41:157, 158, 160, 218; 42: 321. incana 9:48. laciniata 47:305. lenta 4:83; 6:113; 13:111, 206, 207; 14:80; 16: 111; 19:128; 21:199; 23:257; 24:133; 34: 95, 96; 47:326, 329, pl. 974; α. genuina 24: 170; β. lutea 24:170; f. laciniata 9:111; var. uber 20:64; 47:325, 326. lutea 1:191; 6:113; 13:46, 206, 207; 16:111, 190; 18:35; 19:30, 128; 21:42, 190, 199; 22:110, 134; 23: 257; 24:167–170; 29:211, 245; 30:125, 129; 31:80, 97; 32:176, 205, 247; 34:95; 36:374 37:307; 39:195, 231; 40:145, 161; 46:82; 50:120; × pumila 30:125; × pumila, var. glandulifera 30:125; alleghaniensis 24:170;

f. fallax 34:95: var. alleghaniensis 23:257: 24:168; var. macrolepis 24:170; var. typica 30:129. Lyalliana 47:312. Michauxii 27:2; 28:121; 29:50, 130, 157, 211; 35:12, 123; 47: 326, 327; 49:246. microphylla 11:93; 25:8; 28:79; 36:280; 44:115; 47:306–308, 317, 323, 325, 328, pl. 963. minor 47:304, 306–308, 321, 325, 328, pl. 963. nana 15:168; 17:87; 29:50, 157, 211; 35:12; 36:136; 47:326–329. 378, pl. 975; β. sibirica 17:87; ε. Michauxii 47:326; var. Michauxii 11:93; 13:113, 116; 15:168, 169; 29:50; 47:326; var. sibirica 17: 87; 41:218. neoalaskana 47:321. nigra 5: 204; 10:43; 13:151, 155; 14:73, 235; 16:111, 204; 19:128; 24:83, 99, 132; 28:244; 36:374; 37:414, 425; 38:376; 39:331, 353, 473; 47: 314, 319. occidentalis 47:312–317, 321, 322, 325; var. feeunda 47:317, 328, pl. 966. odorata 3:173; var. tortuosa 3:173; 47:306, 307. papyracea 3:173; 47:311, 313, 316, 322; a. cordifolia 47:320; var. minor 3:173; 47: 306, 321; var. occidentalis 47:312. papyri-306, 321; var. occidentalis 47:312. papyrifera 1:183, 191; 2:35, 126, 202; 3:173, 189; 4:90; 6:113; 7:110; 10:166; 12:37, 38; 20:64; 21:43, 190; 24:171; 25:210; 29:156, 157, 211; 30:125, 126, 128; 31:97; 32:176, 247; 33:120; 35:122; 36:280; 37:64; 40:145, 146, 148, 156, 159-161, 163; 41:151, 218; 42:314, 321, 502; 47:304, 308, 311-314, 316, 319-321. 328, pl. 964; 50:229, 230; f. coriacea 25:209; 47:311, 312; var. communis, f. cordifolia 47: 320; var. commutata 47:311, 312, 313, 315-317, 328, 405, pl. 965; var. cordifolia 3:173; 20:63; 23:257; 29:56, 156, 157, 211; 34:52; 36:280; 42:502; 47:306, 308, 312, 319, 320, 328, pl. 970; var. elobata 44:141; 47:312, 319, 320, 328, pl. 969; var. humilis 47:321, 322, 328, pls. 971, 972; var. Lyalliana 47: 312, 317; var. macrostachya 47:308, 311, 318–320, 382, pl. 968; f. longipes 47:311, 319, 328, pl. 968; var. minor 36:280; 42: 502; 47:306, 324; var. neo-alaskana 41:145; 47:321; var. occidentalis 47:312; var. pensilis 47:311, 318, 328, pl. 967; var. subcordata 47:320. pendula 12:31; 24:171, 173; 32:152, 247; 47:304, 305, 309, 321; f. dalecarlica 9:111; 42:502; 47:305; var. dalecarlica 4:83; var. japonica 24:171. Piperi 47: 317. populifolia 1:183; 3:130, 233; 4:132; 5:129, 134; 12:128, 178; 14:19, 235; 15:153; 16:38, 111; 17:153, 154, 214; 20:101, 103; 20:63; 23:257; 29:56, 156, 157, 211; 34:52; 16:38, 111; 17:153, 154, 214; 20:101, 103; 24:172, 173; 25:172; 32:151, 213; 34:62; 40: 242; 43:80; 44:236, 237; 47:165, 303-305; 50:301; f. incisifolia 47:304; var. laciniata 44:236, 237, pl. 708; 47:304, 305. pubescens 44:236, 237, pl. 708; 47:304, 305. pubescens 15:169; 29:157, 211; 32:152, 247; 47:305, 308-311; 50:230. pumila 1:229; 5:33; 6:3, 8; 9:189; 12:117; 13:138, 217; 20:101; 21:65, 88; 28:191; 29:157, 162, 211; 30:125, 128; 33:112, 120; 40:160; 47:307, 324, 325, 327, 343; 50:230; y. borealis 47:323; var. gland-ulifera 30:125, 127, 128; 40:145; var. renifolia 28:190, 191; 44:141; 47:327. Purpusii 30:125, 126, 129; var. luteoides 30:129. rotundifolia 17:87. rugosa 47:339, 340, 342, 345. Sandhergi 30:125-129, fig. 1, pl. 170 345. Sandbergi 30:125-129, fig. 1, pl. 170.

serrulata 47:341, 342, 355. terrae-novae 47: 326, 327, 329, pl. 975; 49:246. tomentosa 47:308-311. tortuosa 47:307, pl. 963. uber 47:325,326, 329, pl. 974. verrucosa 12:31; 47:305

Betula-Alnus glauca 47:340, 343. maritima

47:341. rubra 47:341, 355

Betulaceae 12:178; 16:110, 199, 201; 18:35; 25:8; 28:73; 29:211; 31:42; 32:247; 36:280; 40:174; 43:80; 45:310; 49:255; 50:301

Biatora Berengeriana 28:159. globifera 11: 100. granulosa 28:159. hypnophila 28:160. leucampyx 28:160. ochrophaea 28:229.

peliaspis 28:159. vernalis 28:159 Biatorella coracina 36:162. privigna 28:226.

simplex 29:101

Biatorina grossa 28:160, premnea 28:160 Bicoeca 50:278. lacustris 50:278

Bicornes 47:385

Bicuculla 9:54; 44:22, 34. canadensis 6:117. Cucullaria 6:117

Bicucullaria 44:33

Biddulphia aurita 9:138. Baileyi 9:138. Favus 26:193, 194, 216. levis 9:130, 139. pulchella 9:138. rhombus 9:138. Tuomeyi

9:138

9:138
Bidens 5:90, 91; 7:160; 8:99; 10:197, 201, 202; 12:120; 15:76, 77; 17:20, 63; 19:257; 20: 146; 23:129, 167; 25:43; 26:59, 82; 27:35; 30:31; 31:87, 88; 34:29; 37:306; 39:365; 40:280, 348, 351; 41:479; 42:157, 394, 397; 44:366, 371; 45:53; 47:290; 48:83. § Platy-carpaea 15:77. aristosa 6:49, 82; 15:76–78; 19:251, 252; 26:59; 27:185; 32:59; var. Fritcheyi 15:78; 26:59; var. mutica 15:78; 19:251; 26:59. Beckii 2:70; 8:99; 9:63; 17:63; 24:120, 181, 207; 25:107; 26:59, 131; 40:464. bidentoides 5:90–92. pl. 45: 15:75. 40:464. bidentoides 5:90-92, pl. 45; 15:75, 78; 17:21; 26:221; 27:35, 142, 184; 30:31; 31:87, 88; 42:514. bipinnata 2:204; 26:59; 36:374. cernua 2:69; 5:90, 131; 6:132; 10: 202; 13:141; 17:21, 25, 219; 20:146, 147; 23:298; 24:206, 207; 26:60; 27:145, 167, 171, 185; 30:31; 32:179; × hyperborea var. colpophila 27:171; var. elliptica 17:25; 24:207; 26:60; var. integra 17:25; 24:207; var. minima 17:25; 24:207; 35:262; var. oligodonta 17:25; 24:207; 26:60; 44:146. chrysanthemoides 5:132, 204. colpophila 17: 21; 19:92; 20:146-149. comosa 5:90-92, pl. 45; 8:222; 9:14; 10:199, 201, 202; 17:23, 24; 26:60; 27:145, 185; 30:31; 40:247; 41:478, 20:00; 27:143, 185; 30:31; 40:247; 41:478, 574; 46:141. connata 5:90–92, 131, pl. 45; 10:197–201; 14:26; 15:74, 76; 17:23, 24, 219; 19:251, 257, 258; 21:103; 24:207; 26:60, 187, 228; 27:35, 142, 145, 185; 30:31, 32, 34; 32: 149, 279; 50:291, 300; × Eatoni 27:145; var. ambiversa 30:31, 33, 35, pl. 160; 35: 391; var. anomala 15:76; 27:35; 29:233; 30: 31, 34; var. fallax 30:31, 32; 39:459; var. tallax 17:24, 26:60; 30:32; var. graniling fultior 17:24; 26:60; 30:32; var. gracilipes 21:103, 104; 23:167, 298; var. inundata 23:298; var. petiolata 10:200; 11:60; 17: 221, 234; 19:257, 258; 21:103, 104; 23:298; 24:207; 26:60; 30:31–33, 35, pl. 160; 32:279; 35:391; 43:82; var. pinnata 30:31, 34, 35, pl.

160; var. submutica 35:391; var. typica 30:31-33, 35, pl. 160. coronata 26:60; 27: 185; 30:34; 32:59, 179, 212; 40:348-350; 42: 393, 402; var. brachyodonta 40:349, 350, 393, 402; var. brachyodonta 40:349, 350, 358, pl. 506; 44:371, 477; var. tenuloba 39: 475; 40:348–351, pl. 506; var. trichosperma 40:349, 350, 351, 358, pl. 506; 41:573; 42: 402; var. typica 40:349, 350, 358, pl. 506; 42:498. discoidea 5:91; 8:220; 15:76; 16: 40; 17:219; 23:92; 24:88; 25:214; 26:82; 27:185; 29:233; 32:58; 35:291; 38:449; 44: 343. Eaton 5:92, pl. 45; 15:76; 17:20, 21: 10:76: 20:08: 24:120: 26:82: 27:142 143 19:76; 20:98; 24:120; 26:82; 27:142, 143, 145, 166, 185; 30:31; 31:87, 88, 100; 40:352; 42:514; var. fallax 5:92, pl. 45; 15:76; 26:82; 27:143; 31:100; 34:117; var. illicita 31:100; var. interstes 27:143, 144; var. kennebecensis 19:76, 92; 23:42; 26:177. 178; 27:143-145; var. major 27:143, 144; var. mutabilis 27:143, 144; 31:100; var. simulans 27:143, 144; var. typica 27:143. similans 27:143, 144; var. typica 27:143, elliptica 24:207. frondosa 5:90, 91, 130; 6: 132, 143; 8:222; 10:200, 201; 15:74–78; 17: 22, 219, 225; 18:44; 25:214; 26:82; 27:185; 28:72; 29:124; 34:117; 40:352; 48:330; f. anomala 40:352; var. anomala 5:91, 92; 15:75; 24:207; 27:34, 35, 56; 29:253; 34: 117; 35:389; 40:352; var. pallida 26:5; var. pulerula 40:352; var. stenodonta 17:22. 117; 35:389; 40:352; var. pallida 26:5; var. puberula 40:352; var. stenodonta 17:22; 44:146. heterodoxa 17:23; 19:257, 258; 26:177, 178; 27:142, 143, 185; 30:31; 34:116; 40:352, 358, pl. 507; 50:212; var. agnostica 19:259; 24:120; 34:116; 40:352, 358, pl. 507; var. atheistica 34: 116; 40:352; 44:146; var. interstes 26:178; 27:143; var. annuardaefolis 19:259; 24:120; 26:178; 27:44; monardaefolia 19:259; 24:120; 26:178; 34: 116; var. orthodoxa 17:24; 19:257; 26:178; 34:116; 40:352, 358, pl. 507; 44:146. hyperborea 10:201, 202; 12:120, 144; 13:183; 17: 20, 21; 20:146-150; 24:206; 27:166, 167, 171, 185; 30:31; 31:87; 32:13; 34:70, 74, 77, 78, 117, map 11; 37:416; 41:377; 48:82, 83; var. arcuans 25:44; 27:167, 170, 171; var. cathancensis 20:149; 25:43; 26:177; 27: 167, 169; var. colpophila 20:149; 26:82, 177; 27:167, 168; var. gaspensis 20:149, 150; 25:43; 27:167, 170; 44:106, 146; var. laurentiana 27:167, 169-171; 44:146; 48: 83; var. Svensoni 27:167, 170; 44:146; var. typica 27:167; 48:82, 83. infirma 40:351, 358, pl. **507**; 42:514; 44:146. involucrata 27:185; 35:360. laevis 9:120; 15:95; 19: 251; 24:206; 26:82; 27:145, 167, 185; 30: 31; 39:482; 40:348; 42:393; 46:141. leucantha 27:185. mariana 31:88, 89, fig. 1; 42:514. minima 24:207. mitis 39:477 348, 351, 358, pl. 506; 42:511. × multiceps 27:145, 185; 30:31. petiolata 10:198-200; 30:33. polylepis 42:498. puberula 40:352. tenuisecta 27:185. trichosperma 19:251; 26: 60; 27:185; 30:34; 32:59; 38:366; 40:348—350; var. tenuiloba 26:60; 40:350. tripartita 10:199–201; 15:74–76; 17:22, 23; 27:185; 30:31; var. fallax 10:200; var. heterodoxa 15:76; 17:23. vulgata 4:100; 6:143; 8:222; 10:145, 154, 200, 201; 15:98, 168; 26:82; 27;

185; 37:451; 40:352; 47:396; f. puberula 40:352; var. puberula 19:251; 26:82; 40: 352; var. vulgata 47:396

Bifora 9:54. radians 1:159; 3:209

Bigelovia uniligulata 49:296 Bignonia 30:58. bracteata 46:389. capreolata 30:58; 36:34, 51; 38:377, 445; 39:194, 482; 46:307. radicans 30:58

Bignoniaceae 25:186; 31:42; 32:275; 49:58 Bigtooth Maple 46:445, 448

Bilimbia sabuletorum 28:160. sphaeroides 28:

Billion-dollar Grass 46:314

Biophytes 5:127, 135, 136
Birch(es) 4:74, 141; 5:44, 45; 7:124; 12:30–32; 13:57, 113; 15:33; 21:51; 22:130; 41: 154; 42:152, 502; 44:230, 413; 47:314, 405.
Black 13:206, 207; 21:51; 49:172. Canoe 12:37; 15:168; 23:91. Cherry 4:83; 10:165; 13:206. Dwarf 47:303. Gray 4:132; 12: 178; 13:207; 25:172. Paper 12:178; 13: 207; 21:50; 22:131. Red 37:414. Silver 13: 207. Swamp 48:61. Sweet 13:206. White 4:83; 12:37, 178; 15:29, 33, 34; 21:199; 22: 129, 132; 26:195; 28:73; 42:321; 44:410; 47:303, 405. Yellow 13:206, 207; 18:31; 21: 42; 22:131; 24:169, 170; 31:80; 44:410, 413 Bird Cherry 12:181; 25:169, 172–176 Bird's Eye Maple 15:34. Primrose 21:148.

Knotgrass 4:65 Birthworts 44:24

Bistorta 12:15; 43:612. ophioglossa 29:35.

vivipara 34:244 Bitter Boletus 4:187. Dock 28:73. Pecan 39:

Bitternut Hickory 50:61 Bittersweet 25:204; 28:72. Climbing 32:108 Black Alder 12:181; 23:109; 25:148; 47:337. American Raspberry 7:143. Ash 12:184; 22:131, 132. Birch 13:206, 207; 21:51; 49: 172. Blueberry, Low 12:183. Brant 41:258. Caps 7:145. Cherry 18:140; 25:170, 172, 173, 176; Wild 12:180. Chokeberry 4:55, 56; 12:179; 18:67. Cohosh 23:202. Crowberry 12:181. Currant 12:21, 22, 25, 32, 34, 179. Grass 7:46; 17:214, 218, 219. Gum 41:193. Henbane 18:144. Huckleberry 4: 14: 12:183; 18:67; 23:135. Larch 35:358. Locust 25:173. Oak(s) 4:132; 9:61; 38:58, 59; 39:364; 41:193; 43:67, 70; 46:44; 49: 172. Oat Grass 49:274. Oblong-fruited Walnut 50:147. Poplar 13:195; 16:206; 48: 106; Virginian 13:198. Raspberry 6:224; 8:146, 147; 9:4; American 7:144. Scrub 4: 133. Spruce 4:35; 6:42, 149; 9:28, 208; 11:175, 201; 12:177; 13:114; 18:188; 21:50, 51; 35:358; 41:152, 175; 49:83. Walnut 24:185; 39:333. Willow 12:177

Blackberries 8:146, 212, 217; 12:119; 22:185, 186, 188, 189; 43:512; 50:73
Blackberry 4:40; 6:196, 223, 225; 10:118, 152; 8:18, 95, 97, 150; 11:128, 130, 132; 28:71, 76, 80, 83; 33:102; 42:286; 44:345, 348; 47: 95, 98; 49:92. English 28:80, 84. Hog 9: 5. Long 10:121. Millspaugh's 15:224. Mountain 12:180. Running Swamp 12:180.

Sheep-teat 10:121. Sow-teat 10:121. Square 10:121. White 1:205

Black-eyed Susan 18:212 Black-jack Oak 21:49 Bladder-Campion 43:505 Bladder-fern 8:113; 30:18 Bladder-nut 4:130

Bladderwort 14:204: 23:100

Bláhveite 12:27 Blairia 30:54

Blasia pusilla 4:30; 5:170; 6:74; 15:22; 23: 67; 25:193; 26:7

Blaspheme-vine 49:90

Blechnum crispum 37:245. magellanicum 26:

92. Spicant 24:134, 135 Blechum 47:11. Tweedyi 47:11 Bleeding-heart 44:22, 23; 45:442

Blepharia 21:185

Blepharidophyllum 38:77

Blephariglottis Canbyi 14:96. conspicua 10: 70. grandiflora 9:154. psychodes 50:125 Blepharolepis 49:50

Blepharostoma setaceum 6:185. setiforme 3: 181. trichophyllum 1:34; 3:181; 4:30; 5: 51, 171; 15:23; 25:196; 26:11; 39:36

Blepharozia pulcherrima 8:42

Blephilia 50:53-55. becki 50:54. brevifolia 50:54. brevipes 50:54. ciliata 1:221; 2: 126; 25:37; 50:53, 54. heterophylla 50:54. hirsuta 24:119; 50:55; var. glabrata 1:221. lanceolata 50:54. nepetoides 50:54. pratensis 50:54 Blessed Thistle 9:28; 46:158

Bletia 27:194. aphylla 39:470. purpurea 23:

Blindia 3:179. acuta 39:13, 39

Blidingia 50:257. minima 50:257, 259, 264 Blitum capitatum 6:114; 42:322

Bloodroot 4:128; 42:196, 279; 44:14, 15; 45: 438, 439

Bloody Amaranth 17:179

Blue Beech 4:132; 37:424. Flag 46:315. Fringed Gentian 9:28. Iris 18:42. Joint Grass 29:40. Lucy 18:42. Spruce 18:32. Wheat 12:27

Bluebell(s) 5:259; 42:339

Blueberries 12:109; 13:86; 39:60

Blueberries 12:109; 13:86; 39:60 Blueberry 4:14; 10:147; 14:135; 18:29; 22: 132; 25:204; 36:233; 42:155, 335. Early Sweet 12:183. Half-high 4:131. High 12: 183. Highbush 23:97, 98, 109; 32:152; 39: 60. Low 18:67; 23:135; Black 12:183. Lowbush 39:60, 61. Low Sweet 12:183. Sour-top 12:183. Swamp 12:183. Velvetleaf 12:183

Blue-black Huckleberry 4:14 Blue-bonnet 41:563 Bluebottle(s) 21:106; 41:490 Blue-eyed grass 40:462; 48:153

Bluegrass 18:144

Blue-green algae 50:255, 269, 270 Bluet(s) 1:168; 5:119; 9:210; 46:306. Moun-

tain 50:179 Blumenbachia insignis 8:226

Blysmus 31:124. rufus 45:287 Blyttia Lyellii var. Flotowiana 6:165

Bocconia cordata 10:153

Bodo 50:278. angustus 50:278. caudatus 50: 278. lens 50:278. minimus 50:278. reniformis 50:278

Boebera papposa 6:144

Boehmeria 12:10; 17:169; 33:53; 36:373; 47: 100. cylindrica 5:132; 10:121; 12:10, 11; 16:13; 17:169; 32:216, 248; 34:247; 36:374; var. Drummondiana 12:10, 11; 32:210, 248; 40:253; var. scabra 12:10, 11; 32:248; 40:253. Drummondiana 12:10, 11; 34:247. scabra 12:10, 11

Boerhaavia 29:234. erecta 31:146. leiosolena

47:329, 330

Bog Asphodel 28:75. Bean 28:62. Cranberry 12:35; 18:41. Huckleberry 23:99. Rosemary 5:67. Rush 28:74. Spruce 35:258

Bogs, Cedar 11:223. Chamaecyparis 11:222, 223, 225, 226, 228

Bois d'Argent 33:234

Bolandra 36:267. californica 36:267. imna-haensis 36:266, 267. oregana 36:267

Bolbitius variicolor 3:40 Bolbocoleon 8:124. piliferum 2:43; 8:124

Bolelia elegans 50:124

Boleti 4:172; 44:173. Pruinose and subto-

mentose 2:176. Viscid 2:175
Boletinus cavipes 2:174; 13:57. decipiens 2:
194. paluster 2:174; 13:57. pictus 2:174,
175; 3:144; 41:512. porosus 2:174
Boletus 4:78; 11:129; 13:57; 16:86. \$ Calopodes 2:176. \$ Carois 2:178. \$ Edules 2:
177; \$ Hymeddi 2:178. \$ Lacais 2:178. 177. § Hyporhodii 2:178. § Laceripedes 1: 16. § Luridi 2:177. § Versipelles 2:178. § Viscipelles 2:175. affinis 2:177, 178; 3: 227; var. maculosus 3:227. albus 2:175; 3: 226. alveolatus 1:16; 2:177, 192; 11:123. americanus 2:195. badius 2:178. bicolor 2:176, 194; 3:226. castaneus 2:178; 41:512. chromapes 2:178, 192. chrysenteron 2:176; 3:226. clintonianus 13:57. cyanescens 2: 178. edulis 11:123; 41:512; var. clavipes 11:123. erythropus 2:178. eximius 2:177; 13:57. felleus 2:178; 3:226, 227; 4:187, 188; 41:512; var. obesus 4:187. Frostii 2:177; 11:123. gracilis 2:178; 3:227. granulatus 2:175; 3:226; 39:369. griseus 2:178; 3:227. hemichrysus 2:193. luridus 1:16; 2:177-179; 3:39, 227. miniato-olivaceus, var. sensi-179; 3.35,227. Inhato-backs, 178. 183. Silis 1:23; 2:176, 194. obsonium 3:38. ornatipes 2:176, 193; 3:227. pachypus 2:177; 3:227. Peckii 2:194. piperatus 2:175; 3:226. punctipes 13:57. Ravenelii 2:193; 3:227. rubinellus 2:175. Russellii 1:16. 3:227. rubinerius 2:175. Russeim 1:16. Satanas 2:177. scaber 2:175, 178; 3:227. separans 2:177. spectabilis 13:57. subglabripes 2:176; 3:226; var. corrugis 2:176. subtomentosus 1:23; 2:175. varipes 3:227. vermiculosus 2:178. versicolor 3:227. ver-

Boltonia 26:82; 39:358, 456; 42:396, 482; 50: 227. asteroides 1:171; 19:250; 26:82; 28: 40; 31:147; 38:366; 42:396, 482-486, 491, 492, pl. 640; 47:389; f. rosea 34:9; var. decurrens 42:492; 50:120; var. glastifolia

sipellis 2:178; 44:168. vicesimus sextus 9:

42:486, 511, pl. 641; 44:357, 476. caroliniana 42:484, 487, pl. 642; 45:379, 478; 47:97, 196; 50:227. decurrens 42:492; 50: 107, 120. diffusa 42:484, 489–491; 44:253; var. interior 42:490, pl. 644. glastifolia 42:482, 485, 486; β. ? decurrens 42:492; 50: 120. latisquama 26:82; 36:232; 37:190, 195; 120:1403-449, 400, 400, algorithms 42:481, 489, 480, 480, algorithms 42:481, 480, 480, algorithms 43:481, algorithms 38:193; 42:484, 490–492, pl. 645; var. decurrens 42:492; 50:120; var. microcephala 42:484, 492, pl. 646; var. occidentalis 42: 491; var. recognita 42:491, pl. 646. occidentalis 42:491. Ravenelii 42:484, 488, 489, pl. 643; 44:374, 375

Bombacaceae 49:58

Bombidae 41:185

Bombus bimaculatus 34:214. fervidus 34:214. ternarius 34:214; 36:26-28; 37:159, 161; 38: 91, 93; 39:62; 41:185; 44:189. terricola 34: 214; 36:28; 37:161; 38:91; 39:62; 41:185; 44:189. vagans 34:214; 36:28; 37:159, 161; 39:62; 41:185; 44:189

Bombyliidae 39:62 Bombylius 37:159; 39:62 Bonnemaisoniaceae 30:197

Borage 44:366

Boraginaceae 6:127; 7:249; 18:42; 21:170; 25:11, 28; 29:219; 31:42; 35:66; 36:283; 38:373; 40:313, 343; 42:33, 155, 156; 45: 315; 49:255

Borago 25:29. officinalis 3:215; 25:29; 29:

Borbonia fructu oblongo etc. 47:150

Borrichia frutescens 37:451

Boschniakia glabra 32:200, 202, map 16. rossica 41:150, 159, 288; 42:314, 338

Bossekia 37:59. parviflora 37:277; 42:275 Boston Ivy 10:29

Bostrychia 7:233. rivularis 2:48; 3:135; 7: 232, 233 Botrychia 7:96

Botrychium 2:185; 3:220; 4:159; 6:100; 7: 97; 9:85; 13:14, 15; 19:31, 207, 216; 26:230; 35:353; 44:192; 49:254; 50:138. angustisegmentum 17:87, 88, 143; 19:31, 33; 20:19; 23:209, 217; 25:45; 31:82; 35:95, 130, 353. anthemoides 17:234. brachystachys 19:214. chamaeconium 19:216. cicutarium 19: 214-216. dichronum 19:214. dissectum 6: 214-216. dichronum 19:214. dissectum 6: 235; 23:151, 187, 209, 217; 34:244; 35:353; 37:164, 385; 44:192; 49:200; f. elongatum 23:209; 35:353; 36:34; f. obliquum 23: 151, 187, 210, 217; 35:353; 37:385; f. oneidense 23:210; 35:353; 36:34; var. obliquum 23:141, 151; 36:34; 44:192. gracile 19:208. lanceolatum 1:183, 218; 2:185; 3:43, 253; 4: 26: 5:202, 236, 274, 7:103: 8:220: 17:87, 88 lanceolatum 1:183, 218; 2:185; 3:45, 256, 4:36; 5:203, 236, 274; 7:103; 8:229; 17:87, 88, 143; 18:26; 20:19, 20; 28:122, 148; 32:134, 136; 34:244; 35:95; 39:149; 44:192; 49:238; var. angustisegmentum 8:229; 9:85; 17:87: 20:19: 32:134; 35:353; 44:191, 192. 87; 20:19; 32:134; 35:353; 44:191, 192. lanuginosum 19:216. Lunaria 5:275; 6:235, 236; 13:119, 147; 19:209; 20:20; 23:210, 218; 28:59, 119, 148; 34:244; 35:47, 94, 95; 36: 276; 37:206, 244; 39:149; 41:150, 155, 163, 164, 172; 42:315; 49:238; var. minganense 41:172; var. onondagense 28:119, 148. ma-

tricariae 1:183, 230; 7:96. matricariaefolium 1:218; 2:119, 185, 202; 3:36, 43, 144, 253; 4:36; 5:203, 236, 274-276, pl. 48; 6:80, 100, 212; 9:85; 26:50; 28:122, 148; 32:134, 136; 35:89, 95, 130, 353; 46:303, 304; 49:238; 50: 117. minganense 32:13; 41:172; 48:271; 49: 238. multifidum 35:95; 38:164; subsp. silaifolium 44:162; subsp. typicum 44:162; var. intermedium 35:353. neglectum 34:244; 50:117. obliquum 6:235; 9:86; 13:14, 103; 18:26; 23:151, 209; 34:244; 35:353, 361; 37: 18:26; 23:151, 209; 34:244; 35:353, 361; 37: 164; 38:164, 41:494; var. dissectum 9:86; 13:15; 19:31; 35:353; var. elongatum 9:86; 35:353; var. oneidense 7:105; 12:80; 13:102; 35:353; var. tenuifolium 38:164. ramosum 9:85; 18:26; 19:31, 34; 23:187, 210, 213, 214; 25:45; 30:198; 32:136; 35:353; 50:118. Schaffner; var. pusillum 44:162; var. typicum 44:162; sibifolium 34:444; 41:505 cum 44:162. silaifolium 34:244; 41:505. simplex 1:183; 3:42, 252; 5:275; 6:96, 100, 212; 9:85; 19:31, 33; 23:102, 187, 210, 215, 216; 30:198; 34:244; 35:4, 95, 130, 353; var. compositum 23:210; var. subcompositum 5: 276. strictum 19:208, 215. tenebrosum 5: 203, 274-276, pl. 48; 6:312; 35:353. ternatum 1:105, 218; 2:185; 3:42, 220; 4:55; 5: 274; 18:26; 40:151; var. australe 3:42; var. dissectum 3:42; 6:100; var. intermedium 2: 185; 3:42; 6:100; 9:86; 13:103; 15:156; 22: 133; 23:210, 215; 24:111; 35:353; var. obliquum 3:42; 6:100; var. oneidense 35:353; var. rutaefolium 1:105; 11:13; 23:187, 210, Var. rutaerolium 1:105; 11:13; 23:187, 210, 216; 32:134, 136; 35:95. virginianum 1:180, 219; 2:185, 229; 3:42; 6:100; 8:48; 9:86; 13:15, 125; 17:233, 234; 19:31, 207–216, fig. 6; 21:200; 23:210; 31:82; 32:14, 136, 176; 34:244; 35:353, 360; 37:385; 40:290; 44:192; var. europaeum 17:234; 19:207, 211–213, 215, 216; 23:210, 216; 35:95, 277; var. gracile 1: 219; var. intermedium 19:210, 211, 215; 23:210, 220; 25:252; 44:162; var. paragraphy. 23:210, 220; 35:353; 44:162; var. laurentianum 19:**208**, 210, 211, 215, fig. **6**; 23:210, 216; 28:78; 44:138; var. meridionale 19: 213, 215; var. occidentale 19:213, 215, 216. virginicum, β. mexicanum 19:214 Botrychiums 7:170

Botrydiopsis arhiza 50:274 Botrydium granulatum 23:67; 26:211; 50:67 Botryococcus Braunii 23:66; 26:211; 50:274 Botryopleuron 23:4 Botrypus 4:159 Botrytis 39:369. Paeoniae 39:369 Bottle-brush Grass 49:267

Boucet jaune 1:167

Bouchea 9:38 Bouleau 1:167 Boulon 1:167

Bouteloua 15:130; 35:182; 48:27; 49:276. breviseta 47:331. curtipendula 33:226; 36: 222; 46:75, 307; 47:208; 48:17; 50:92, 95. eriopoda 38:239. gracilis 15:130; 36:223; 48:17, 100; 49:276. hirsuta 33:226; 36:223; 50:92, 95; var. pectinata 38:405. Humboldtiana 6:82. oligostachya 6:82; 15:130; 49:276. pectinata 38:405. prostrata 6:82. radicosa 15:131; 48:17; 49:276. rigidiseta

48:17; 49:276; 50:92, 93. simplex 48:17. texana 15:131; 49:276. uniflora 6:82

Bouton d'or 1:167

Box Elder 4:130. Huckleberry 22:167, 168 Boxberry 18:41

Boykinia aconitifolia 39:200. humilis 37:169. Richardsonii 41:148, 151, 163, 164, 240; 42:

Brachiaria 47:108. digitarioides 14:168

Brachilobus hispidus 42:26

Brachionus 24:51

Brachyactis 16:60. hybrida 16:60

Brachychaeta sphacelata 41:138

Brachyelytrum 6:105; 7:158; 15:125; 29:158-160, 246; 49:254, 274. aristatum 6:105; var. Engelmanni 45:260, 261. aristosum, var. Figure 45:260–262. erectum 5:48; 6: 105; 15:125; 21:200; 29:158, 159, 246; 38: 264, 268; 39:423; 40:382, 387; 44:70; 45: 260, 261; 49:239, 274; var. septentrionale 45:260, 261; 49:274

Brachylobus hispidus 10:32; 30:132, 133

Brachyoxylon 11:169-171 Brachyphyllum 11:169-171

Brachystemum linifolium 50:221-223. virginicum 50:223

Brachytheciaceae 30:10; 31:38

Brachythecium 31:39. acuminatum 1:55; 14: 52. acutum 26:219; 48:2. Bestii 48:2. campestre 2:62; 48:2. flexicaule 1:55; 48:2. glaciale 1:55; 4:182. laetum 6:72. novaeangliae 2:62. oxycladon 2:62. plumosum 6:73; 39:13. populeum 2:62; 15:13; 48:2. reflexum 4:30, 182; 30:11. rivulare 6:73; 48:2. rutabulum 11:117. salebrosum 2:62; 4:30; 30:11. Starkei 4:30. velutinum 15: 13; 48:2

Brachytrichia Quoyii 1:126; 2:41; 35:150; 43:

Bracken 30:13; 43:1-4, 6, 7, 12, 19, 27, 28, 44 Braconnotia elymoides 12:70

Bradburya 7:28. virginiana 43:588

Bradlea 36:89

Bradleya macrostachys 14:81

Brake 11:128; 30:13; 46:315. Cliff 30:14. Rock 30:14

Brambles 47:91

Bramia 37:441, 442 Brasenia 8:28; 10:166; 18:89; 21:75; 23:169; 44:175. peltata 2:215; 4:76; 5:134; 19:63. purpurea 7:110. Schreberi 14:31; 18:89; 23:264; 24:174; 29:244; 32:12; 38:10, 340; 40:251, 368, 415; 42:52, 87, 90; 43:508

Brassavola 2:31

Wrayae 2:64 Brassia 2:31.

Brassica 6:78, 117; 11:44; 18:216; 27:186; 28: 88; 40:306, 307, 309; 42:243; 45:277. adpressa 7:101; 40:306, 309. alba 12:104, 139, 14:164; 18:216; 40:306. arvensis 6:117; 11:130; 12:16; 17:30, 35; 18:216; 21:170; 24:36; 29:176, 213; 33:121; 34:52; 40:306-308; var. Schkuhriana 24:36; 40:308. campestris 1:47; 4:92; 6:117; 18:37, 216; 21:170; 22:137; 42:326. Erucastrum var. ochroleuca 13:11. geniculata 40:308, 309. hirta 40: 306. incana 40:309. japonica 1:81; 18:216.

38 Rhodora

juncea 1:47, 220; 4:92; 6:84, 117; 10:152; 11:130; 13:10, 89; 18:216; 22:137; 26:225; 32:253; 33:121; 50:296. Kaber 40:306, 308; 43:80; var. pinnatifida 40:308; 50:296; var. Schkuhriana 40:308. Napus 9: 17:35. nigra 3:16, 17; 15:165; 18:37, 216; 29:176, 214; 32:253; 40:306; 45:277; 50:302. obtusangula, var. Pollichii 13:11. ochroleuca 13:11. oleracea 1:81; 18:216; 43:160. orientalis 40:307. pe-tsui 49:80. polymorpha 40:307. Rapa 18:216; 41:512, 520. Sinapistrum 4:92; 6:117; 10:125; 40:308. villosa 40:308

Brathys denticulata 50:208. linoides 50:208 Brauneria 26:82; 38:197. atrorubens 38:197, 198. laevigata 46:71, 141; 47:397. pallida 2:85-87; 26:82; 36:222, 225. paradoxa 36: 225, 232; 38:197-199; 47:398. tennesseensis

2:85-87

Braunia 36:60 Braxilia 34:26. media 34:26. parvifolia 34:

Braya 6:117; 20:202, 203; 28:77, 106, 107; 40: 296. alpina 20:202, 203; 28:96; 36:338; 50: 1, 6, 7; β. americana 28:96, 203, 204; 50:13. americana 28:203, 213; 50:13, 14. Fernaldii 50:2, 12, 14, pl. 1090. glabella 50: 1, 6–9, pl. 1089. glabella-humilis 50:7. hirta 36:338. humilis 6:94, 117; 9:161; 20:201-203; 22:49; 36:281; 37:207; 39:95; 41:239; 50:2-4, 6, 7, pls. 1088, 1089; var. leiocarpa 39:276; 50:5; var. novae-angliae 20:201; 32:18; 39:276. linearis 50:2, 6, 7, 9. Longii 28:202, 203; 50:2, 12–14. pectinata 40:304. purpurascens 20:202; 28:94, 202, 203; 41: 239; 50:2, 6, 7, 9, pls. 1089, 1090; f. leiocarpa 50:12; f. longisiliquosa 50:12; var. dubia 50:9, 12; var. longisiliquosa 50:12. Richardsonii 20:203; 28:107, 204. rosea 28:203. siliquosa 28:96, 204. Thorid-Wulffii 50:9, 11

Brazoria scutellarioides 45:275 Bread moulds 5:97 Brebissonia Boeckii 9:135 Brefeldia maxima 1:128 Breidleria arcuata 30:11; 39:45

Brenthis myrina 42:354 Breutelia jamaicensis 36:56

Breweria 33:76. aquatica 42:299. humistrata 39:333, 339, 444, 466, 480; 42:476. minima 33:76, 77. patens 42:298, 299, pl. 624. trichosanthes 42:298, pl. 624

Brickellia 18:225, 228–230. albicaulis 12:15. cordifolia 44:253. grandiflora 35:290. humilis 12:15. scaber 12:15. umbellatus 12:15

Brier(s) 44:351. Cat 23:109. Green 23:109

Britton's Agrimony 15:224

Briza 15:144; 49:262. canadensis 39:154. Eragrostis 18:235. maxima 15:144; 49:262. media 15:144; 19:119; 48:18; 49:262. minor 48:18; 49:262. oblonga 18:235. spicata 27: 68

Brizopyrum americanum 27:68. spicatum 27:68; var. strictum 46:203

Broad-leaved Epipactis 50:236

Brodiaea 42:92; 46:314

Broklempe 4:191 Broklympe 4:191

Brome-Grass 49:257; 50:177. Hungarian 43: 76. Smooth 43:76

Bromeliaceae 9:37; 42:159; 49:288. subfam.

Bromeliinae 9:37

Bromelica 21:77, 215, 216. aristata 21:77. Geyeri 21:78; var. Howellii 21:78. Harfordii 21:78; var. minor 21:78. Smithii 21:77; 37:67, 70, 205. striata 21:77. sub-

ulata 21:78 Bromus 6:106; 7:160; 13:88; 15:147; 21:76, 77, 215, 216; 22:181; 24:19, 89; 34:246; 35: 181; 43:509; 44:344; 46:400; 48:21; 49:257. § Zerna 43:530. altissimus 12:111, 135, 185; 14:55; 15:147; 16:13; 24:91; 32:66; 35:316; 43:530; 49:258; f. incanus 24:91; 35:316. arcticus 41:182. arvensis 15:147; 19:120; 35:361; 40:275; 44:344, 379; 48:18. asper 32:70, 71, pl. 196. barbatoides 30:243; var. sulcatus 30:243. brachyphyllus 4:146. breviaristatus 6:83. brizaeformis 1:98; 15: 147; 38:298; 48:18; 49:258. canadensis 24: 91; 29:149, 207; 32:67, 68, 70. carinatus 6: 83. catharticus 43:492, 493, 529; 49:257. ciliatus 5:48; 6:106; 12:185; 15:144, 147; 17:150; 22:136; 24:90, 91; 28:20; 32:63-70; 34:51; 35:316; 36:307; 37:371; 41:182; 48: 18, 23, 25; 49:258; f. denudatus 24:90, 91; 28:20; 32:64, 66, 68-70; f. laeviglumis 24: 90, 91; var. denudatus 28:20; 29:131, 149, 207; 32:66, 68-70; 49:258; var. genuinus 32:70, 71, pl. 196; var. incanus 35:316; var. 32:70, 71, pl. 196; var. incanus 35:316; var. intonsus 32:70, 71, pl. 196; 34:32; 37:83; 47:42; 48:18, 23; 49:258; var. latiglumis 8: 211; var. Porteri 24:91; var. purgans 24:92. commutatus 15:147; 19:120; 23:232; 24:89, 90; 31:83; 35:200, 317; 37:83; 44:70; 48: 18; 49:258; 50:293. Dudleyi 32:63-68, 71, pl. 196; 34:32; 44:138; 48:18, 25; 49:258. erectus 36:347; 48:8. hordeaceus 1:68; 3: 88; 15:147; 17:30, 38; 19:120; 24:89, 90; 29:207; 31:83; 32:160, 237; 35:200, 317; 37: 83: 49:258: 50:301: × secalinus 24:90: 8. 83; 49:258; 50:301; × secalinus 24:90; β. leptostachys 24:90; f. leptostachys 24:89, 90; 35:316; var. leptostachys 15:147; 19: 120; 35:316, 317; 49:258. incanus 8:212; 14:55; 19:121; 24:91; 35:316; 37:371. inermis 11:83, 121; 13:88; 15:147; 19:121; 23: 232; 37:83; 43:76; 46:490; 48:18; 49:257; f. aristatus 35:316; 48:18; 49:257; f. bulbiferus 43:76; f. villosus 35:316; var. aristatus 19:121; 35:316. japonicus 15:148; 19:121; 35:361; 43:529; 44:70; 48:18; 49: 258; var. porrectus 43:529, 530; 47:42; 49: 258; var. typicus 43:529. Kalmii 12:185; 15:148; 17:71; 32:67, 71, pl. 196; 37:299; 40: 462; 48:18, 24; 49:258. laevipes 4:147. latiglumis 8:211; 24:91; 35:316; 37:371; 43:510, 530-532, pl. 670; 48:18, 25, 26; 49: 258; f. incanus 35:316; 48:18. Macounii 36:347. madritensis 16:166. marginatus 6: 83, 84; 19:121; 35:182; 48:18; var. seminudus 48:18. maximus 16:166. mollis 6:83; 24:90; 35:316, 317; 48:18; 49:258; b. lio-

stachys 24:90; \(\beta\). leiostachys 35:316; \(\beta\). leptostachys 24:90; 35:317; f. leiostachys 35:316; 48:18; 49:258; f. leptostachys 35:316; var. glabrescens 24:90. mollis-lejostachys 24:90. mutabilis, 8. hirtus 24:89. nottowayanus 43:530, 531, pl. 670. Orcuttianus 37:372. pacificus 41:182. Porteri 32:67, 71, pl. 196. pratensis 35:317; 49: 258. Pumpellianus 32:200, 202, map 19; 37:372; 41:150, 152, 182; 42:317; var. arcti-91, **92**; 40:250; 48:18; 49:258; racemosus 6: 31, 25, 40.206, 30.16, 40.206, 31.83; 35.317, 361; 41.183; 44.344, 379; 48.18; 49.258; var. commutatus 6:83. ramosus 32:67, 71, pl. 196. Richardsoni 32:66, 67; 41:182. rigidus commutatus 6:83. ramosus 32:67, 71, pl. 196. Richardsoni 32:66, 67; 41:182. rigidus 49:258; var. Gussonei 48:18; 49:259. rubens 15:148; 16:166; 48:18; 49:259. secalinus 4:90; 6:78, 83, 106; 15:148; 23:232; 24:89, 90; 26:222; 31:83; 32:160, 237; 35:361; 38:298; 48:18; 49:258; 50:301; I. vulgaris a. typicus, 2. hirtus, 24:89; f. hirtus 24:89; var. velutinus 24:89; var. velutinus 24:89. squarrosus 13:88; 48: 18. sterilis 15:148; 43:493, 532; 48:18; 49: 259. subulatus 21:78. Suksdorfii 37:372 tectorum 3:88; 6:83; 10:153; 11:130; 13: 88; 15:148; 16:166; 17:38; 28:38; 31:83; 40:275; 48:18; 49:259; 50:176, 177. Trinii 30:243; var. α . pallidiflora 30:243; var. β . micranthera 30:243; var. γ . manicata 30: 243; var. S. effusa 30:243; var. stricta 30:243. unioloides 15:148; 34:6; 49:257. villosus 15:148: 16:166; 49:258; var. Gussonei 15: 148; 16:166

Brooklime 4:81, 191, 192 Broom Crowberry 12:181. Scotch 32:129, 155;

47:335

Brooms, Witches' 9:75 Brothera 40:359

Brotherella 35:146. delicatula 30:11

Broussonetia 31:91, 94. papyrifera 19:128; 31:92; 46:82. tinctoria 9:91

Browallia 31:95

Brown Algae 8:124; 50:263

Bruchia Drummondii 3:216

Brunella, (see: Prunella)

Brunnichia cirrhosa 14:81; 17:130

Bryaceae 30:6; 38:240; 39:41; 43:95

Bryales 11:16

Bryanthus 2:189; 3:156; 36:421. taxifolius 1: 93; 3:164, 165, 175

Bryhnia graminicolor 4:183. Hultenii 48:2 Bryoniae similis floridana 47:301

Bryophyta 41:142

Bryophytes 4:29; 5:120; 23:69, 70; 44:129;

48:1; 50:288, 290-292

Bryopsis 8:125. arbuscula 21:207. hypnoides 8:124; 23:253, 254, fig. 2. pennata 21:203, 205. plumosa 1:70; 2:43; 7:226; 8:124, 125; 21:207; 50:258

Bryothamnion Seaforthii 6:182

Bryoxiphium norvegicum 39:9

Bryum 6:72; 43:95. affine 4:181; 30:7. argenteum 4:30; 26:219; 30:8; 50:292. bimum 4:30; 30:8. caespiticium 1:34; 2:62; 4:30; 30:8. calophyllum 30:6. capillare 1: 54; 6:73; 15:13; 30:7; var. obconicum 30:8. compactum 3:183. globosum 30:7. inclinatum 30:6. intermedium 6:73. Knowltoni 30:6. Longii 30:1, 2, 6, pl. 158. pallens 30:7. pallescens 3:180. pendulum 30:6. pseudotriquetrum 3:180; 4:181; 6: 73. roseum 4:30; 19:68. ventricosum 30: 8. vino-viride 36:132

Buchloë dactyloides 50:94

Buchnera 41:469. americana 39:329, 447, 473. 484, 488; 41:469, 569

Buckeye 39:352; 45:383

Buckhorn 18:31

Bucklandia propulnea 33:81

Buckleya 33:29, 30, map 4; 41:480. distichophylla 33:30, map 4; 37:309, 315; 46:83 Buckthorn 20:205; 28:71. Carolina 38:440;

46:307

Buckwheat 11:28: 48:97

Buda 9:54; 21:8; 42:57, 58. borealis 2:208; 103 9:04; 21:8, 42:07, 38. Orieans 2:207, 12:161; 42:113. campestris 42:107, 175, 176, 184. diandra 42:83. grandis 42:185, 187, 189, 192, 193, 204, 206. macrotheca 42:71. marina 5:131, 133; 29:106; 42:120, 125, 185, 189; var. leiosperma 42:126; var. minor 5: 236; 12:163; 42:126. media 42:119, 125, 189. platensis 42:181. rubra 42:106, 176. rupestris 42:208

Buddleia 21:5; 48:175. Davidii 44:431

Buellia colludens 29:104. coniops 36:140. conspirans 29:104. disciformis, var. saxicola 29:104. geographica 28:161. myriocarpa 28:161; 29:104. parasema 28:160

Buffalo Bur 4:151 Buffaloes 43:484 Bugbane 23:202

Bugula odorata lusitanica 42:263

Buis 31:20

Bulbochaete 18:92; 24:103; 26:211; 29:163; 38:68; 50:69. Brebissonii 20:143; 38:68, 70. elatior 20:143; 38:71. **Furberae** 20:142, 143, 145, pl. 124; 38:68, 71. gigantea 38:71. intermedia 7:240; 38:71; var. depressa 38:71; var. supramediana 20:143. mirabilis 38: Nordstedtii 38:70-72. praereticulata 38:71, 73, pl. 407. pygmaea 38:72; var. erecta 38:72, 73, pl. 407. repanda 38:72. varians 24:108

Bulbostylis 39:212; 40:391–395; 49:124. antillanus 40:392. barbata 40:394. capillaris 40:394, 395, 482, pl. 510; 47:116; 50:129; var. crebra 40:395, 482, pl. 510; var. isopoda 40:395, 482, pl. 510. ciliatifolius 40:391; 42:362, 379, 420; 43:506, 514, 538; 44:260; 45:369, 390. coarctatus 40:392; 43:518, 538; 44:260. floridanus 40:392. nesioticus 40:392. nesiotis 40:392. ovata 31:212. portoricensis 40:392. stenophyllus 40:391; 44:260. striatella 39:212

Bulgaria polymorpha 44:171

Bulrush(es) 6:231; 23:134. Giant 4:102. Great 6:65 Bumblebees 44:189

Bumelia 7:160; 38:379; 42:552, 554. angustifolia 37:77. lanuginosa 36:224; 37:189, 194; 42:500. lycioides 38:439, 440; var. virginiana 38:439, 440; 39:475; 41:478, 554; 43: 523, 629; 44:346, 431

Bunchberry 18:29; 22:40, 130

Bunias edentula 24:23 Bunium falcaria 25:12

Bupleurum 24:92. americanum 41:160, 163, 265; 42:334. angulosum 47:378. Odontites 1:159. ranunculoides 41:265. rotundifolium 1:159; 24:92; 46:138. triradiatum 41:265 Bur, Buffalo 4:151

Burdock(s) 12:43; 28:72 Bureaua 9:38

Burgrass 45:387

Burlingtonia 2:31. decora 2:63

Burmannia 41:472, 481, 485, 539. biflora 39: 473, 480; 40:383; 41:471, 472, 488, 491, 502, 538, 552, map 7; 42:384, 446; 44:241, 341, 349

Burmanniaceae 25:158; 33:36, 42, 45, 53, 58,

map 18; 35:106 Burr Balls 7:43

Bur-reed(s) 7:60; 44:214. Family 44:214 Bursa 9:54; 26:230. Bursa-pastoris 28:70

Bursa-pastoris 26:230, 231; 28:70

Bursera Simaruba 48:105 Burshia humilis 10:52

Bush Honeysuckle 12:184
Bushy Goldenrod 28:72
Butomaceae 6:24; 25:221; 32:19
Butomus 25:221; 32:15; 47:385. umbellatus 25:220; 32:18-20; 34:39; 50:179

Butter-and-eggs 23:131 Buttercup(s) 4:32; 5:260; 6:192; 7:107; 34: 238; 42:326. Water 26:187 Butter Dock 23:107

Butterflies 41:186 Butterfly-weed 43:498

Butternut 25:204; 44:409-411, 413; 46:149,

Butterwort 28:75

Button-bush 4:131, 243, 244; 10:203 Buttonwood 4:132

Buxaceae 36:237

Buxbaumia 5:258; 22:181; 41:112. aphylla 4: 239; 5:258; 8:131; 40:372; 42:277. indusiata 4:239; 5:258; 8:131; 10:71. subcylindrica 41:112

Buxbaumiaceae 8:131; 11:16; 41:112

Buxella 36:237

Buxus sempervirens 41:516, 520

C

Cabbage 41:157. Savoy 44:160. Skunk 11: 63, 64; 18:30

Cabomba 7:158. caroliniana 39:187, 481; 45: 368, 400

Cacalia 26:83; 40:356. atriplicifolia 26:83; 37:451; 39:474; 40:357; var. angulata 44: 254. Muhlenbergii 40:356. reniformis 40: 356, 357. rotundifolia 40:356, 357. suaveolens 19:252; 26:83. tuberosa 36:225; 37:

Cactaceae 42:159

Cacti 45:26

Cactus Opuntia 16:101

Caenotus canadensis 15:208. pusillus 15:208 Caeomurus pluriannulatus 10:13

Caesalpiniaceae 21:190

Cail renard 1: 167

Cail renard 1: 167
Cakile 18:217; 26:187. americana 2:208; 5:
131; 24:21, 23; 26:225; 29:44, 64. californica 24:22, 23. edentula 17:35, 146; 18:37,
97, 217; 24:21-23, 87; 26:184, 225; 38:63;
29:62, 89, 111, 122, 123, 131, 176, 213; 30:
204; 32:147, 253; 33:111, 121; 50:296; var.
californica 24:23; var. lacustris 24:23,
87; 25:210; var. typica 24:23. lanceolata,
subsp. edentula 24:23. maritima 24:22, 23;
29:42, 176, 213; 30:204; var. americana 24:
23: 29:176 23: 29:176

Calamagrostis 6:105; 7:160; 9:157; 14:175; 15:127; 16:89; 22:132; 24:142; 30:202, 203; 32:35; 33:22, 60, fig. 1; 35:125; 36:421; 38: 267; 39:32; 46:285, 287, 289, 292–296, 299, 300; 49:270. § Epigeios 30:202; subgen. Eucalamagrostis 32:36. divis. Quinquenerviae 32:36; § Calamagris 32:36-38, 56: 8 Deyeuxia 32:36-38. sub-\$ Ancylatherae 32:36, 39, 56; 46:285, 296, 297, 304, 305; sub-\$ Orthoatherae 32:36-38, 56; 46:285, 293, 296, 298. acuminata 2:99. agrostoides 32: 40. alaskana 32:43. aleutica 41:179. americana 32:50. anomala 32:46. arenaria 26: 222; 29:44; 32:157. **arenicola** 30:**203**-205; 222; 29:44; 32:157. arenicola 30:203–205; 35:64; 49:270. blanda 24:143; 32:46. borealis 32:55. breviseta 46:294, 297, 299; var. lacustris 46:287, 297, 298. californica 32:53. canadensis 2:99, 209; 3:169; 5:46; 6:97, 105; 11:88; 14:182; 15:127; 17:150; 18:33; 22:135; 24:142, 143; 29:40; 32:37–44, 46, 48, 57; 235, 260, pl. 195; 33:60, 112, 116; 34:63; 35:213, 251; 36:406; 37:203; 38:264. 268; 41:146; 46:285; 49:270; var. acuminata 11:88; 24:143; 32:42, 260; 34:51; var. arcta 32:40, 45, 56, 57, pl. 195; var. Langsdorfi 24:143; 25:6:32:40. 43–45, 55. 57, pl. 195; 35:120:36: 25:6; 32:40, 43-45, 55, 57, pl. 195; 35:120; 36: 406; 41:179; 42:317; var. Macouniana 32: 39, 41; 38:264; 42:307; 49:270; var. pallida 32:40, 45; var. robusta 24:143; 29:129, 148, 207; 32:39, 42-44, 47, 57, 61, pl. 195; 36:277, 406; 38:140, 264, 268; var. scabra 38:264, 267, 269; var. typica 32:39, 40. cinnoides 9:121; 14:20; 15:127; 30:203; 32:38, 47, 235; 37:389; 38:265, 270; 39:476; 42:88, 91; 46: 296; 49:270. coarctata 32:47, 53. columbiensis 24:143; 32:43. confinis 1:165; 32: 48; 46:287, 298. crassiglumis 32:38, 52. Cumingii 30:212. Cusickii 46:300. deschampsioides 41:179. dubia 24:144; 32:46. elongata 32:50. epigejos 30:202, 203; 35: 65; 39:31; var. georgica 35:64, 65; 38:265, 267; 39:31; 49:270. fasciculata 46:300. Fernaldii 46:290, 304, 305. georgica 35:65. glauca 32:47. groenlandica 32:55. Halleriana 32:46. hirtigluma 24:143; 32:43, 55. hyperborea 6:105; 9:158; 11:88; 13:136;

32:18, 39, 48, 49, 52, 56, 57, pl. 195; 35:213. 214; 46:297; var. americana 6:105; var. elongata 6:105, 138. inexpansa 6:105; 14: 175; 32:38, 45, 48, 49, 52, 54, pl. 195; 35: 55, 214; 41:152, 153; 46:287, 297; var. americana 36:277; var. barbulata 32:48, 49; var. brevior 32:48-50, 51, 57, pl. 195; 35:214: 38:265, 269; var. novae-angliae 32:48, 51, pl. 195; 38:265, 268; var. robusta 32:48, 49, 52; 35:213, 214; 49:240; var. typica 32: 48. insperata 46:289, 304. labradorica 13: 119; 32:39, 53, 57, pl. 195. lactea 32:45. lacustris 42:307; 46:293, 294, 298, 299, 302, 304, 305. Langsdorfi 1:192; 3:169; 5:38, 46; 6:105; 9:158, 166; 24:143; 32:37, 43-45; 33: 60; 41:159, 167; 42:317; var. lactea 32:45; var. Scribneri 24:144; 32:46. lapponica 13: 123; 32:39, 45, 53, 56; 46:298; var. brevipilis 32:56, 57, pl. 195; 46:139; var. groenlandica 32:45, 56. laxiflora 32:45. Lechleri 30:212. Lepageana 46:285, 290, 293–295, 299–303–305, pl. 837. lucida 32:38, 47. Macouniana 24:143; 32:37, 41, 42; 49:270. mexicana 32:40. Michauxii 32:40. micrantha 32:37, 55; var. sierrae 32:55. montanensis 32:49, 56; 46:305. neglecta 5: 248; 6:193; 12:110, 112; 13:123; 18:142; 23:131, 230; 25:6; 32:37, 39, 45, 48, 51–53, 55–57, pl. 195; 35:120, 214; 36:277; 38:140, 265, 268, 269; 41:179; 46:295, 297, 298, 302; var. borealis 32:51, 55; 35:214; 38:140; var. candidula 32:56; var. confinis 46:287; var. crassiglumis 32:52; var. hyperborea 32:52; var. inexpansa 32:48; var. micrantha 32:53, **55;** var. Wrightii 32:53. nemoralis 24:144; 46:290, 291. **nubila** 46:292–294, **296**, 297, 46:290, 291. **nubila** 46:292–294, **296**, 297, 302, 304, 305, pl. **836**. nutkaensis 32:45, 52; 41:179. Nuttalliana 10:165; 32:47. oregonensis 24:143; 32:43. pallida 24:143; 32:45, 46. perplexa 24:143; 35:212, 213; 38: 265, 270; 46:286–294, 297, 298, 300–302, 304, 305. Pickeringii 9:156, 158; 11:88; 13:116, 131, 247; 15:127, 135, 136; 23:161, 230; 24:161; 28:162; 33:116; 35:212, map 20; 38: 265, 270, 271; 46:286, 287, 290–298, 300–302, 304, 305; 49:270; f. **vivipara** 46:**296**; var. **debilis** 15:**135**, 136; 23:99, 148, 230; 24:161; 28:162; 29:128, 148, 207; 35:212; 38: 265; 46:286, 291, 293–295, 297, 305; 49:270; var. **lacustris** 8:**210**; 38:265; 46:291, 292, 294, 298. Porteri 24:143, 144; 35:212; 46: 294, 298. Porteri 24:143, 144; 35:212; 46: 286–291, 293, 294, 297, 298, 300, 301, 304, 305; 47:42. Pseudophragmites 30:202; var. pallida 24:143. purpurascens 9:158; 13:219; 30:219; 35:213; 41:179; 44:104; 46:286, 293-295, 300-305; 47:225; var. macrantha 35: 213; var. parvigluma 35:213. purpurea 32: 44, 45. robusta 32:50. rubescens 46:295, 299-301, 304, 305. scabra 24:143; 32:43. scopulorum 32:38, 47; var. Bakeri 32:47; var. lucidula 32:47. Scribneri 7:249; 24: 143, 144; 32:36, 38, 46, 57, pl. 195; var. imberbis 32:46. stricta 6:105; 32:50, 53; 46: 295, 297, 298; var. borealis 32:55; var. brevior 32:50; var. robusta 32:48. subflexuosa 46:300. Suksdorfi 32:49; 46:300, 301,

305. sylvatica 46:294, 295, 300; var. breviseta 46:294. Trinii 32:43. urelytra, a. macrantha 35:213; \(\beta \). parvigluma 35:213. varia 46:300. villosa 32:44. wyomingensis 32:50

Calamaria 47:385

Calamariae 47:385, pl. 991

Calamintha 6:128; 10:85. Acinos 1:24; 4: 246; 6:142. Clinopodium 1:171, 221; 4: 246; 6:128, 209. glabella, var. Nuttallii 10: 85; 42:8. Nuttallii 10:85; 42:7

Calamovilfa 50:64. brevipilis 41:471, 472, 502, map 9, pl. 573; var. calvipes 41:501, 502, pl. 573; 44:349; var. heterolepis 41:502, pl. 573; var. typica 41:502. gigantea 50:

Calamus 37:368

Calandrinia 41:67. polyandra 41:67

Calceolus parviflorus 48:4

Calcitrapa 30:59 Calcitrapoides 30:59

California Heronbill 39:235. Poppy 18:214 Calistachya 23:6. alba 23:6. virginica 23:7 Calla 6:109; 12:5; 19:30; 31:9; 44:27. palustris 1:183; 4:74, 106; 5:133; 6:109; 12:5; 13:78, 220; 23:145, 238; 34:51; 41:156, 209. sagittifolia 50:58, 59. virginica 12:49 Caladium bicolor 50:59. glaucum 50:59, 125,

126. sagittaefolium 12:48; 50:59. sagitti-folium 50:59. virginicum 12:48, 49; 50:59 Callicarpa 11:55; 46:46, 307, 314. americana

38:377; 39:235°

Calliopsis andreniformis 41:186

Calliergon cordifolium 15:12. giganteum 30: 10. sarmentosum 30:10. stramineum 15: 12; 24:123; 30:10. trifarium 13:44, 45; 40:

156, 167. turgescens 30:10

Callionia canadensis 33:186. pumila 33:186 Callirhoe 40:460. alcaeoides 40:461; 47:217. Bushii 11:51; 36:231; 40:460. digitata 36: 231; 40:461. involucrata 40:460, 461; f. incisa 45:271; var. Bushii 40:460, 461. leiocarpa 40:461. Papaver 11:51; 35:287; 40: 461. pedata 40:461. scabriuscula 40:461. triangulata 40:461

Callistachys 23:6

Callistephus 46:313. chinensis 19:250; 39: 369, 375; 46:313. hortensis 34:61

Callithamnion 2:131; 5:15; 9:91; 26:191. americanum 50:264. Baileyi 2:48; 3:135; 7:233; 8:112; 26:191; 35:149; 43:214; 50: 264; var. boreale 2:48; 3:135; var. laxum 2: 284; var. boreale 2:48; 3:155; var. laxum 2:48; var. Rochei 2:48. Borreri 50:264. byssoideum 2:49; 7:233; 50:264; var. unilaterale 2:49. corymbosum 2:49, 131; 7:233; 8:112; 26:214; 35:148; 50:265; var. secundatum 2:49. Daviesii 8:194; 50:265; var. secundatum 8:194. Halliae 8:111. Lenormandi 13:186, 187. luxurians 8:194; 50:265. plumula 50:265. roseum 2:49; 7:244:25:148; 50:265. seirosparmum 50:265 234; 35:148; 50:265. seirospermum 50:265. tetragonum 2:49; 3:134, 135; 7:234; 43: 214. Turneri 50:265. variabile 3:292. virgatulum 8:191-193

Callitrichaceae 6:121; 21:125; 25:9; 26:226; 29:216; 31:42; 32:258; 49:255; 50:297

Callitriche 6:121; 21:125; 23:273; 32:15; 35:

124. 185: 41:376; 43:209. anceps 10:51; 13:133; 29:164; 35:185; 44:123, 143. Austini 3:89; 4:99; 35:200; 39:481. autumnalis 25:211; 28:216; 36:307; 41:167, 254. deflexa 43:589; var. Austini 32:15; 35:200; 41: 490, 548; 43:491, 589. hermaphroditica 25: 211; 28:127, 216; 36:93; 41:254, 506. heterophylla 1:164; 5:134; 7:107; 10:52; 16:89; 21:125; 23:273; 26:226; 28:39, 120, 216; 32: 148, 160, 216, 258; 34:38; 35:185, 200; 37: 193, 350; 43:589; 48:114; 49:250; 50:297. palustris 6:121; 21:125; 22:138; 23:273; 25: 9; 29:132, 216; 32:148, 177, 258; 34:53; 36: 47, 307; 41:254, 506. stagnalis 34:37-39; 36:181. terrestris 43:589. verna 6:121; 7: 107; 41:148, 159, 254; 43:589; f. caespitosa 41:254

Calluna 9:47; 10:173, 175-179; 15:189, 191, 192; 16:158; 24:152; 28:51-53, 87; 33:162, 163; 36:27; 49:254. atlantica 15:191; 28: 52, 55. ciliaris 15:191. vulgaris 1:93, 107; 2:53, 160; 4:200; 10:173, 176; 15:189, 190; 19:245; 24:152; 27:214; 28:51, 52, 55, 82, 83; 29:127; 30:204, 205; 33:162; 35:294; 38: 15; 49:250; b. pubescens 15:191; var. pube-

scens 15:190

Callymenia reniformis 2:49 Calobryaceae 19:268; 25:194 Calobryum 19:268

Calocarpum Sapota 49:291

Calochortus albus 9:51; 41:312. Greenei 33: 204; var. calvus 33:204. Nuttallii 9:51; 25:101

Calocylindrus 5:292. connatus 5:255; 7:254. curtus 9:232. DeBaryi 7:258. diplospora 7: 113. minutus 7:114; 9:233. pseudoconnatus 7:254. Thwaitesii 7:255

Calodon alboniger 44:168, velutinum 44:

Caloglossa Leprieurii 2:49; 7:232 Calogyne 50:124

Caloneis Wardii 9:131, 134

Calophanes humistrata 47:82 Caloplaca aurantiaca 29:104; var. erythrella 29:104. cerina, var. siderites 29:104. pyracea 29:104

Caloplacae 36:166

Calopogon 3:86, 87; 5:259; 7:49, 158; 9:53; 11:76; 19:32; 23:79; 27:195, 196; 31:10, 15; 33:39: 39:485: 43:502, 504, barbatus 36: 42; 44:245; 48:11; var. multiflorus 48:11. graminifolius 36:42. multiflorus 48:11. pallidus 42:378, 380, 446, map 13; 43:502, 508, 549; 44:241, 350; 45:369, 398; 48:11. parviflorus 48:11. pulchellus 2:114, 172; 3: parvinorus 48:11. putchelius 2:114, 172; 3:
86; 4:18; 5:82, 133; 11:76, 92; 13:128, 139,
220, pl. 89 (map 7); 15:163; 17:149; 19:32;
22:137; 23:132; 26:177; 27:193, 195, 196;
29:129, 211; 32:150, 210, 246; 33:119; 35:
5, 85, 241; 36:420; 40:180; 42:87, 88, 90, 92;
43:502; 46:494; 48:189; f. albiflorus 23:
245:452; 540; f. letifolius 48:189; yespending 23:184; 189; 36:484; 48:189; f. albiflorus 23: 245; 43:502, 549; f. latifolius 48:188; var. graminifolius 44:254; var. latifolius 48:188, 189. tuberosus 27:196; f. albiflorus 23:245

Calorhabdos 23:4 Calosmon 8:197, 198 Calostoma 1:230: 3:144: 11:197. cinnabarinum 1:30, 31, 33; 3:40, 144. lutescens 1: 31-33. Ravenelii 1:31, 33; 11:197, 198

Calothrix 5:208, 209; 10:126, 127, 162; 13:185; 26:189; 28:3; 40:229; 50:263. adscendens 15:90. aeruginea 2:41; 7:223; 10:160. Braunii 7:237; 13:185. confervicola 2:41; 7:223; 10:160; 26:190, 212; 50:256. Contarenii 2:13. crustacea 2:41; 7:223; 8:105; 13:185; 26:212; 40:75; 50:256; f. prolifera 8:105. epiphytica 26:211. fasciculata 2: 41; f. incrustans 2:13, 41. fusca 6:230; 7: 237, 239. fuscoviolacea 2:41; 26:190, 212; 50:256. juliana 50:67. Kawraiskyi 13:185. linearis 28:3. parasitica 2:41; 7:223; 26: 212; 50:256. parietina 7:237; 15:90; 24: 105; 26:162; 28:3; 29:161, 162; 50:68. prolifera 8:105. pulvinata 2:41; 4:178; 5:208; 7:223. scopulorum 2:41; 3:289; 7:223, 243; 10:160, 162; 26:212; 50:256. stagnalis 8: 123; 14:114. vivipara 2:41; 50:256

Calotropis procera 47:369

Caltha 6:116; 18:166; 42:324. arctica 41:226. biflora 34:239. leptosepala 41:225. Macounii 41:225. natans 41:159, 226; 42:313, 324; 45:53, 54, 214. palustris 3:130; 5:132; 524, 45.35, 54, 214. pattastrs 5.130, 5.132, 6.116; 11:94; 12:128; 13:123; 18:166; 19: 220; 20:183, 196; 21:65, 170; 22:42, 49; 28: 53, 63; 33:60; 34:52; 35:277; 36:281; 37: 316, 426; 40:382, 421; 43:486, 492, 552; 46: 84; f. radicans 41:226; var. asarifolia 41: 226; 42:324

Calvatia gigantea 39:369 Calycanthaceae 47:385, pl. 991

Calycanthemae 47:385

Calycanthus 37:358; 44:34. fertilis 46:85. inodorus 44:254. nanus 44:254 Calymperaceae 40:359, 360

Calymperes 40:359. Donnellii 36:55. hawaiiense 36:132. lonchophyllum 36:55.

nicaraguense 36:55

Calypogeia 9:56; 11:16; 26:232. arguta 9:67, 69. bifurca 9:67. fissa 9:70; 11:194; 19: 264, 271, 272; 23:384; 25:196, 198; 26:6, 10. Francisci 19:272. integristipula 11:194. Neesiana 11:193, 194; 14:17, 18; 15:23, 26; 25:196; 26:10. paludosa 17:107, 119, 120; 25:196, 199; f. subaquatica 17:120. sphagni-25:196, 199; 1. Subaquatica 17:120. Spinagrii-cola 9:65, 66, 70, 71; 14:224; 15:23, 27; 17:119; 18:119; 21:169; 25:196; 26:6, 10. suecica 9:66, 70, 71; 10:192; 15:23, 27; 16: 76; 25:196; 26:10. Sullivantii 9:67–69, 73, pl. 73; 15:23, 27; 16:75; 23:284; 25:196; 26:6, 10. tenuis 9:69–71, 73, pl. 73; 10: 192: 11:195; 14:18, 294: 15:23, 27: 17:119. 192; 11:195; 14:18, 224; 15:23, 27; 17:119; 25:199. Trichomanis 9:65–67, 69–71; 11: 194; 15:23, 27; 17:119, 120; 19:271; 25:196; 26:10; var. Neesiana 11:193; var. tenuis 9: 69; 17:119

Calypso 6:112; 7:157; 13:221; 31:15, 91, 94; 35:61. borealis 4:18, 22; 6:112; 13:221; 16:198; 18:71; 32:205. bulbosa 6:112; 13: 115, 161, 221; 21:65; 22:42, 47; 24:187; 28: 125, 177; 31:91; 35:60; 36:279; 41:215; 42:

Calyptospora columnaris 34:61

Calystegia 9:46, 55; 41:416. americana 41: 420. Catesbeiana 37:439; 41:417. inflata 41:420. Maximillianea 41:419. riparia 41: 420. sagittata 41:420. sepium 10:55; 26: 227; 41:419; var. pubescens 10:55; 41:421; var. repens 41:421. spithamaea 41:416. tomentosa 41:417. villosa 41:421

Camarosporium metableticum 41:512

Camassia 37:349. esculenta 10:31. hyacinthina 40:131. quamash 10:31. scilloides 38:405; f. Petersenii 40:178

Camelina 6:78; 18:217; 42:274; 45:277. barbareaefolia 41:232; 42:270, 274. microcarpa 6:23, 83, 84; 11:22; 12:169; 13:89; 17:30; 18:217; 19:225; 23:265; 31:84; 46:85; 48:99. sativa 2:122; 6:78; 16:191; 18:217; 31:84. sylvestris 1:106

Camellia sinensis 47:143

Campanaceae 47:384, 385, pl. 991

Campanopsis 9:48

Campanula 6:130, 146; 9:157; 21:107; 26:18; 28:145; 29:189; 36:189; 42:156; 44:362; 47: 392; 48:209, 212; 50:39-46. § Campanopsis 9:48. americana 41:193, 466, 475, 570; 43:503, 520, 652, map 7; 44:240, 362, 458; 50:44; f. tubuliflora 44:458. amplexicaulis 7:48. aparinoides 4:15; 6:142; 9:122; 12: 192; 25:213, 214; 26:18; 43:507, 652. divaricata 39:198, 200, fig. 15 (map). dubia 29:189. exigua 41:311. fastigiata 50:40. Giesekiana 29:189; 36:189. glomerata 4:15, 20; 26:18; 42:525; 46:28. intercedens 36: 190. lactescens 47:384. lasiocarpa 41:148, 163, 290; 42:339. patula 6:146. perfoliata 163, 290; 42:339. patula 6:146. perfoliata 7:48. persicifolia 26:18. pusilla 29:189, 220. rapunculoides 4:17; 6:130; 10:153; 17:36; 26:18; 47:404; var. ucranica 47:404. rotundifolia 3:177; 4:15; 5:289; 6:97, 130, 192; 17:148; 19:63; 21:201; 22:49; 23:131; 26:18; 28:60; 29:189, 190, 220; 32:18; 33:125; 34:55; 35:56; 36:188-190, 224, 227, 284; 38:120, 159; 40:251; 41:290; var. alaskana 13:127; 33:111, 125; 35:57, 310; var. arctica 4:19; 36:189; var. intercedens f. cleistocodona 47:391. Trachelium 26:18. uliginosa 6:142; 10:172; 12:192; 15:167; 29:249; 25:213, 214: 26:18; 35:252; 43:634. uniflora 213, 214; 26:18; 35:252; 43:634. uniflora 9:163; 14:88; 19:142; 25:114; 36:327; 38: 158; 41:165, 290; 42:312, 339; 44:124

Campanulaceae 4:15; 6:130; 26:18; 29:220; 31:42; 32:276; 36:237, 284; 38:243; 43:92; 49:255; 50:39-42, 44, 49, 300. subfam. Cyphioideae 50:48. subfam. Lobelioideae 38:243, 244; 50:42, 48

Campanulastrum 44:362, 458

Campe Barbarea 11:139, 140. stricta 11:139 Camponotus 45:440. herculeanus pennsylvanicus 43:207; 45:445

Campsis radicans 39:482

Camptosorus 1:169; 3:42, 192, 248; 4:63; 5: 272; 8:13; 9:83, 187; 19:171; 22:87, 88; 30:15, 42. ebenoides 50:118. pinnatifidus 50:118. rhizophyllus 1:171, 181; 2:14; 3: 222, 223, 4:55, 223, 4:55, 223, 4:51, 214, 223, 223, 233, 4:55, 223, 4:55, 236, 248; 4:55, 63; 8:68, 113, 114, 230; 9:83, 187; 15:225; 22:80, 87; 30:14, 15; 34:

172, 173; 35:249; 36:223, 225; 50:117; f. auriculatus 30:15

Camptothecium 6:43. nitens 6:43; 10:38; 13: 46; 15:12; var. falcifolium 15:12 Campulosus 9:53

Campylaephora hypneoides 21:203, 206 Campylium 50:52. chrysophyllum 24:123; 50:52. Halleri 50:52. hispidulum 50:52; var. Sommerfeltii 50:52. polygamum 50:52. radicale 50:52. stellatum 24:123; 30: 10: 50:52

Campylocentrum 7:119

Campylocera 50:47, 48. leptocarpa 50:47 Campylodiscus hibernicus 9:137. echineis 9: 128, 137. Thuretii 26:193, 216

Campylophyllum Halleri 30:10

Campylopus 40:359 Campylostelium 36:60

Campynema 25:156, 158. linearis 25:156 Canada Blue Grass 49:262. Thistle 11:130 Canadian Goldenrod 23:151. Waterleaf 7:99,

Canary Grass 49:276. Reed 49:277 Candelariella crenulata 36:140. vitellina 28: 231; 29:103, 105; var. aurella 28:231 Candle Berry 37:423

Cane 42:278. à sucre 24:55, 56

Cana angustifolia 47:293. flaccida 39:402; 42: 446. glauca 47:293. indica 47:293; 49:134 Cannabis 17:169; 44:27. sativa 17:169; 26:

Cannoides 38:441

Canoe Birch 12:37; 15:168; 21:48; 23:91 Cantharellus 3:142. aurantiacus 2:193; 44: 169. cibarius 3:38; 44:169. cinnabarinus 44:169. dichotomus 13:63. minor 2:194 Capellia 9:47

Capillaire 12:183; 35:129

Capitatae 47:386

Capitularia decorticata 34:158

Capnoides 9:54. flavulum 48:326. Halei 48:

Capnorchis 9:54

Capparidaceae 18:248; 19:217; 31:42; 49:288 Capparis 47:385. lasiantha 9:45

Capraria 23:1. gratioloides 10:67 Caprifoliaceae 6:54, 129; 7:27, 28; 12:184; 18: 43; 25:11; 26:15, 228; 29:220; 31:42; 32: 276; 36:284; 49:255; 50:300

Caprifolium proliferum 12:166, 167. Sullivantii 12:167

Capriola 9:53. Dactylon 30:51 Capsella 2:84; 6:118; 7:16; 9:54; 18:217; 26: apsena 2:84; 6:118; 7:16; 9:54; 18:217; 26: 230; 36:364; 44:346. Bursa-pastoris 3:187; 5:135; 6:118; 12:128; 13:91; 17:35, 216; 18:37, 217; 19:220; 21:170; 22:137; 25:9; 26:186, 225; 29:213; 32:253; 33:121; 34:52; 36:281; 39:84; 41:235; 42:327; 50:17, 302; var. bifida 38:423. elliptica 13:137. gracilis 44:346, 400. rubella 41:545; 50:17

Capsicum 3:282 Capsosiphon aureolus 5:30 Carara 31:92

Caraway 11:178 Carbenia 9:55

Cardamine 3:185: 6:118: 7:159: 9:47: 17:156. 233; 18:217; 35:16, 125; 39:84; 40:373; 42: 357; 43:220, 291, 292, 294. arenicola 29: 192; 39:81. bellidifolia 1:186; 3:160, 174, 185; 36:148: 37:419; 38:112-114, 116, 119, 122, 125, 152; 41:234; 42:312, 327; var. beringensis 41:234; 42:327; var. laxa 9:161; 38: 152. Blaisdellii 41:163, 164, 234, 235. bracteata 20:198, 199. bulbosa 18:217: 36: 31, 44, 226; 37:350; 40:422; 41:489; 45:359. Clematitis 23:71. cordifolia 36:411, 412. digitata, f. oxyphylla 41:234. Douglassii 31: 14, 17, pl. 177; 36:411, 412; 41:489, 545; 45: 360. flexuosa 19:91; 35:16, 267, 277. fontinalis 22:13, 14. glacialis 9:48; var. subcarnosa 9:48. grandiflora 22:14. hirsuta 19: 91; 24:99; 40:372; \(\delta\). virginica 29:192; subsp. oligosperma 17:157; var. subcarnosa 9:148; var. sylvatica 1:81; 4:92; 29:192; var. virginica 39:89. hyperborea 41:234. laciniata, var. integra 10:84. Longii 19:91, 92; 42: 401, 514, map 25; 44:346, 347, 356, 400. lucens 20:198, 199. ludoviciana 39:81. Lyallii 36:411. neglecta 29:35. oligosperma 17:156, 157; 20:197, 198; var. bracteata 17: 157; 20:198; var. lucens 17:157; 20:198; var. unijuga 17:158; 20:198, 199. paludosa 22:13, 14. palustris 22:13, 14. parviflora 1:81, 104; 2:208; 5:128; 6:84; 17:233; 18:217; 19:91; 23:71; 25:45; 29:191, 192; 37:192; 38:454; 42:41; subsp. virginica 29: 192; var. arenicola 29:192; 32:178; 37:192, 261; 39:82, 83. **Pattersoni** 32:**25.** pensyl-261; 39:82, 83. Pattersoni 32:25. pensylvanica 4:92; 5:131, 132; 6:118; 18:37, 217; 19:91; 21:201; 23:172; 24:99; 29:131, 176, 214; 35:16, 267; 36:44; 37:59; 38:192; 41: 234; 42:94; var. Brittoniana 39:475; 41: 545. polemonioides 22:14. pratensis 1:233; 18:217; 22:12–14; 24:116; 40:275; 41:234; 42:327; 49:248; f. plena 22:13, 14; var. angustifolia 22:13, 14; 28:91, 201; 35:120; 41: 234; 42:327; var. dentata 22:13, 14; var. fodinarum pendula 22:14; var. fossicola 22: 13, 14; var. oblongifolia 22:14; var. palustris 22:12–14; 35:15, 267. propinqua 9:48. pulcherrima 48:12. purpurea 41:146, 147, 163, 234; 42:312, 327; 45:311. rotundifolia 36:230. spathulata 50:120. sylvatica 29: 192. uintahensis 36:410, 411, pl. 322. umbellata 41:235. unijuga 17:156, 158; 20: 198. virginiana 40:290. virginica 29:192; 39:81–83; 43:481 39:81-83; 43:481

Cardaminopsis 43:292. kamtschatica 43:362 Cardaria 42: 303, 304, 306. Draba 42:304; var. repens 42:304, 305; f. macrocarpa 42: 305. fenestrata 42:306. macrocarpa 42: 306. pubescens 42:305; var. elongata 42:306

Cardinal-flower 41:482 Cardinalis Rivini 38:276 Cardiolepis 42:303

Cardiospermum 21:127; 47:217. Halicacabum 1:214; 21:127; 47:209, 217

Carduus 9:48, 55; 10:94; 13:238; 47:290; 50: 228. § Alfredia 9:48. acanthoides 12:217; 19:252: 23:140: 47:46. arvensis 6:133. carolinianus 50:228, 229, pl. 1115. crispus 28:47. discolor 4:203. flaccidus 50:229, pl. 1115. Helleri 38:408. Hillii 10:95; 19:63, 67. lanceolatus 6:133. leiocephalus 13:240. muticus 6:133; var. subpinnatifidus 10:95; 45:353. nutans 1:47; 19:252; 29:191, 221; 44:248. pinetorum 45:353; 50:228. plattensis 13:240. revolutus 45:509. spinosissimus 13:239; 50:228, pl. 1115. undulatus, var. megacephalus 10:94. virginianus 50: 228. vittatus 45:353

Carelia 9:50, 55

Carelia 9:50, 55
Carex 2:216; 3:69, 208, 220, 221, 241, 244, 283; 4:167; 5:248, 249, 251; 6:108; 7:5, 107, 141; 8:73, 114, 165; 9:40, 120; 10:207, 208; 11: 131; 12:115, 124-126; 13:130, 233, 247, 248; 14:21, 29, 76, 107; 17:204; 18:34; 19:59, 62, 98; 22:181; 23:138, 172; 24:189; 26:144; 28:61, 102, 108; 29:9, 29, 118, 123, 153; 30: 199; 31:12, 13, 16, 125; 32:199, 258; 33:60, fig. 1; 34:21, 246; 35:55, 84, 139, 235; 36:34, 235; 38:109; 39:491; 40:77, 154, 155, 158, 249, 325-327, 330; 41:157, 158, 170, 203, 208, 288, 289, 492; 42:150, 357; 43:220, 334, 413, 415, 486, 487, 489, 501, 510, 525; 44:20, 87, 281, 282, 287, 320; 45:241; 47:96, 206, 209, 260, 385; 48:70, 82, 145, 146; 49:82, 91; 50: 103, 126. § Acutae, sub-§ Vulgares 41:207. § Atratae 35:220; 39:492, 494; 44:300. \$ Atratae 35:220; 39:492, 494; 44:300. \$ Cryptocarpae 44:293, 294. \$ Divisae 43: 413, 415. § Extensae 44:318. § Firmiculmes 41:31. § Frigidae 17:158. § Indoculmes 41:31. § Frigidae 17:158. § Indo-carex 36:39; 43:542. § Laxiflorae 44:311– 313, 315. § Montanae 33:233. § Oligo-carpae 3:171. § Ovales 3:43; 36:246; 40: 327, 328; 43:494; 44:71. § Physocarpae sub-§ Vesicariae 3:43, 56; 41:209. § Pseu-docypereae 3:56. § Rigidae 3:43. § Vesi-cariae 43:418, 419; 44:281. § Vignea 31:12. cariae 43:418, 419; 44:281. § Vignea 31:12. grex Dactylostachyae 31:13. grex Lejoch-laenae 31:13. abdita 40:399; 44:289, 290, 321, pl. 710. abscondita 36:40; 37:406; 38:376; 39:429, 473; 44:348, 387, 388; var. glauca 37:406; 44:386; var. rostellata 44:386, 387. × absconditiformis 44:387. **386**, 387. \times **absconditiformis** 44:3**87**. acuta 44:300–302; α . 44:301; α . nigra 44:300, 301; β . 44:301; β . ruffa 44:300, 301. acutiformis 4:218; 12:188; 13:233. adusta 4:218; 15:98; 17:153, 154; 24:97, 99, 163. acnea 4:218, 227; 6:138, 203; 12:103, 186; 13:178; 23:132, 142, 236; 24:97; 34:51; 37:203; 44:437; 47:44. acstivalis 4:218, 227; 6:138; 7:100; 12:187; 13:30, 233; 24:144. aggregata 44:284. alata 4:218; 8:29; 13:233; 22:15; 32:177, 210, 211, 240; 39:476; 40:251, 330; 43:334. alba 30:29; var. setirera 7:142. albicans 4:218, 223, 224:6:108. fera 7:142. albicans 4:218, 223, 224; 6:108; 7:109; 24:99; 35:249; 40:330, 331. albolutescens 1:184, 202; 4:218, 227; 8:29; 12: 108; 13:233; 14:29; 19:123; 26:223; 32:150, 240; 40:327, 330; 50:294; var. cumulata 13: 233; 24:185; 33:132, 138, 150, 235; \times scoparia 23:235. albo-nigra 21:84; 39:494; 41: 207. albursina 24:190, 192, 193; 35:249; 40: 80, 81. allegheniensis 44:308-310; 45:167. alopecoidea 4:218; 6:194; 19:123; 24:184. alpina 4:228; 9:159; 28:165; 35:120, 220–223, 398, 400, map 21, pl. 248; 38:144; 41: 204, 205; 44:129, 304; f. inferalpina 35:223, 398; var. inferalpina 35:222, 223, 398, map 21, pl. 248; 41:204, 205; var. Stevenii 35: 222, 223, 398, map 21, pl. 248; 44:303; var. typica 35:222, map 21. alta 24:87. altography (1.08) argulia (1.08) argu caulis 6:108. ambusta 43:419, 420. amphibola 36:40; 39:481; 41:492, 534; 43:486, 487, 545, 546, pl. 671; 44:311–315; var. globosa 44:311; var. rigida 44:311, 314, 315; var. turgida 44:311–315. ampullacea 3:43, 45, 51; 44:325, 327-329; 48:146; α. altissima 44: 330; var. maxima 44:330; var. robusta 44: 330; var. utriculata 3:51; 44:330. anceps 16:213; 24:99, 163, 190-194, 198-201; 44: 16:213; 24:199, 165, 190-199, 190-201; 41, 316-318; var. angustifolia 24:195; var. patulifolia 24:198; var. striatula 24:194, androgyna 37:253. angarae 35:223, 398; 41: 146, 155, 203, 205; 42:318; 44:106, 303; var. Stevenii 41:204; 44:303. anguillata 32: 258; 36:91, 92; 44:298, 299. angustior 35: 219; 36:278; 37:84; 41:30; 49:243; var. gracilenta 41:30. annectens 23:173; 24:73, 74, 87; 32:177, 212; 37:84; var. xanthocarpa 24:74. anthericoides 32:9-11. aperta 4: pl. 712; var. cuspidata 12:136; var. elatior 4:218; 44:295, 298; var. stans 41:207; 44: 295, 298, 299; 50:121; var. substricta 44: 295-298. arapahoensis 21:83. arcta 3: 151: 4:218: 10:146; 12:136; 22:132, 135; 29:150; 32:201, 203, map 34. arctata 1:183; 2:121, 170, 171; 3:170; 4:218; 6:108; 11:91; 13:233; 23:238; 32:164-166; 33:118; 34:63; 37:203; 44:232; 49:244; × castanea 4:218; × flexilis 32:164; × formosa 32:164; var. Faxoni 3:170; 4:218. arenaria 36:412; 38: 381, 399, 444; 42:520. argyrantha 40:327, 381, 399, 444; 42:520. argyrantha 40:327, 328; 47:44; 50:120. artitecta, var. subtilirostris 40:79. Asa-Grayi 28:244. assiniboinensis 45:167. atherodes 50:120. athrostachya 38:299. atlantica 4:229; 8:29; 13: 135; 23:96, 99, 104, 138, 236; 24:184; 36: 38; 49:243. atrata 28:165; 39:491, 495; var. ovata 3:160, 170; 4:218; 9:159, 190. atratiformis 28:75, 104, 165; × Halleri 28:121, 164. atrofusca 41:151, 203, 206; f. flavescens 26:01. atrosquama 41:146, 207, 42:318 36:91. atrosquama 41:146, 207; 42:318. aurea 3:190; 4:168, 218; 6:108; 11:90; 12: 115; 13:233; 20:101; 22:92; 23:133, 165, 170, 199, 237; 28:5; 36:278; 37:253, 255, 339, pl. 360; 41:149, 202; 46:26; var. androgyna 37: 253, 254. austrina 36:231. Backii 4:218; 9:159, 208; 44:104. Baileyi 3:56; 6:108; 7: 109. Banksii, f. ochrostachya 36:91. Barrattii 23:175; 39:349, 353, 394, 467, 475, map 25; 40:381, 401, 402; 41:476; 49:93. **Bayardi** 44:71, 348; 45:367, 393. Bebbii 4:218, 228; 6:109, 203; 7:109; 10:172; 19:123; 23: 165, 236; 24:163; 33:63; 38:366; 49:243.

Bellardi 43:418. Bella-villa 23:87. Beyrichiana 3:55. Bicknellii 4:219, 228; 13: 233; 14:55; 19:97, 123. bicolor 9:159; 13: 127; 28:7, 76, 91, 105, 118, 164; 35:57, 120, 125; 37:253, 255; 43:418; 44:304. Bigelowii 44:115, 298, 299; 50:120; f. anguillata 44:298. bina 44:300. binervis 13:243, 244. bipartita 28:121, 124, 163; 29:55; 35:120; 38:124, 144; 43:418; 44:115; var. amphigena 44:139. blanda 24:190-192, 194, 195, 197, 198, 201; 40:80; 44:312, 317. Bolanderi 15:92, 93. brevior 37:84. bromoides 4:219; 6:109; 13:233; 21:200; 26:38; 40:326, 386, 399; 41:533. brunnea 13:233. brunnescens 3:172; 4:219; 5:37; 6:109; 9:63, 156, 159, 169; 11:90; 13:233; 17:152; 19:123; 21:192; 22:133; 25:7; 28:163; 32:61; 33:51; 35:59; 36:278, 410; 37:206; richiana 3:55. Bicknellii 4:219, 228; 13: 32:61; 33:51; 35:59; 36:278, 410; 37:206; 39:492; 41:201; 42:42, 318; 45:167; 49:243; 39:492; 41:201; 42:42, 318; 45:167; 49:243; var. gracilior 21:201; var. sphaerostachya 28:163; 29:150, 208; 32:153, 240; 33:118; 34:51; 36:278; 49:243. bulbosa 24:192. bulbostylis 44:311. bullata 1:202; 2:69, 170; 3:46, 47, 51, 52, 198; 4:219; 8:28, 202; 13:234; 32:178; 39:334, 381, 395, 476; 40:381, 401, 402; × utriculata 1:202; 3:52; 8:202; var. Greenei 8:202; 13:234; 14:21; 19:125; 23:97, 99, 104, 150, 238; 24:164; 32:212; × lupulina 13:234; × vesicaria 13:234; × vesicaria var. monile, 13:234; var. Olnevi 3:52: 4:219: 8:202. Bushii 19:124: Olneyi 3:52; 4:219; 8:202. Bushii 19:124; 40:460. Buxbaumii 29:132, 151, 209; 33: 118; 35:84, 220; 40:381, 401; 41:476; 43: 492; 45:278; f. dilutior 35:84, 220. Candriani 28:165. canescens 2:209; 3:172; 4: 219, 228; 6:138; 9:159, 169; 12:136; 16:190; 22:135; 25:7; 28:38; 29:150, 208; 34:51; 35:59; 36:278; 37:206; 38:144; 41:201; × norvegica 12:136; var. alpicola 1:192; 3: 172; 6:109; var. disjuncta 4:219; 6:138; 7: 172; 6:109; var. disjuncta 4:219; 6:138; 7: 109; 12:136; 13:234; 17:148; 29:125, 150, 208; 32:150, 153, 172, 213, 240; 34:51; 43; 497, 543; var. sphaerostachya 28:163; var. subloliacea 4:219; 6:109, 138; 7:109; 8:168; 9:159; 13:234; 34:51; 36:278; 37:84; var. vulgaris 3:190; 13:234; 28:164. capillaris 3: 165; 4:219; 9:159; 35:120, 277; 37:64, 73. 206, 259, 299; 38:118, 144; 41:202, 203; 42: 318; 44:115, 125; 49:244; var. elongata 4: 219, 228; 9:159, 190; 13:125; 15:133; var. nana 41:155, 202. capitata 3:165; 4:150, 219, 228; 9:155, 159; 27:97; 28:98, 99, 163; 35:120, 275, 336; 36:278; 38:143; 41:200; 42:318. Careyana 4:227. caroliniana 36: 42:318. Careyana 4:227. caroliniana 36: 39; 40:377, 401; 41:534. caryophyllea 13: 234; 37:84; 44:286, 287. castanea 4:219, 228; 6:108, 192; 11:90; 13:115, 138; 17:65, 66, 68; 21:87; 32:165, 166; 34:231; 42:143; 44:254. cephalantha 32:150, 240; 35:219. cephaloidea 4:219; 10:146, 218; 13:69, 234; 15:98; 16:13; 49:199, 200; 50:120. cephalophora 4:219; 5:249; 13:234; 32:152, 216, 241. Chapmanii 24:200. cherokeensis 37: 314. chordorrhiza 1:183; 4:219, 228; 7:110; 12:108, 117; 21:65; 36:278; 41:167, 200, 209; 44:108; 49:244; var. sphagnophila 28:108,

163. circinata 36:10. **clivicola** 33:**233**, 234, 240; 44:139. Collinsii 1:184; 21:118; 36:41; 39:327, 336, 394, 476, map 12; 40: 380, 401; 41:473; 44:353, 389; 45:366, 367, 393; 49:89. communis 1:42; 3:164, 172; 6: 108; 12:128; 13:234; 15:98; 17:152; 21:200; 26:2; 32:216, 241; 40:252; var. Wheeleri 3: 172. comosa 13:234; 24:99; 32:242; 36:41; 40:251: 44:321: 45:278. compacta 3:43, 45, 40:251; 44:321; 40:278. compacta 5:45, 40; 48; 25:112; 43:419. complanata 40:401. concinna 4:228; 9:159; 16:132; 27:90; 38: 101, 102, 164, 213; 31:54; 33:233; 35:220; 36:278; 37:203, 256, 259, 299; 41:149, 202; 42:318; 44:102; 46:303, 304; 47:225. concolor 35:59, 120, 125; 36:91, 92; 38:118, 122, 144; 41:207; 44:298, 299; 50:120, 121. conjugate 42:402, 405, 542:40:179. conpidea 3: juncta 43:492, 495, 542; 49:179. conoidea 3: 171, 177, 190, pl. 32; 4:219; 13:234; 17:150; 23:237; 29:152, 209; 46:25, 27. consimilis 41:208. conspecta 44:88. contigua 32:160, 241. Cooleyi 26:2. copulata 44:348. 241. Cooleyi 26:2. copulata 44:348. xcopulata 44:388. corrugata 44:76. costellata 8:182, 183. Crawei 4:219, 227, 228; 12:112; 13:30; 14:72; 21:87; 24:97, 99; 36: 224; 37:204, 299; 46:26; 50:215. Crawfordii 4:219; 6:109, 138; 7:109; 8:168; 13:234; 15: 98; 17:150; 22:136; 23:235; 24:99; 28:127; 36:278; 37:203, 215; 49:243; var. vigens 4: 219; 6:138; 11:14; 17:150; 42:42; 49:243. crebriflora 24:190, 193, 197; 39:332, 394, 480: 43:544 cripita 2:170: 3:190: 4:219: 480; 43:544. crinita 2:170; 3:190; 4:219; 5:36, 131, 249; 13:234; 17:152, 227; 22:135; 23:236; 25:18, 19, 115; 29:151, 208; 30:199; 32:216, 241; 34:63; 35:230; 40:170; 44:294; 88:55; × torta 4:219; β. paleacea 44:294; var. **brevicrinis** 48:54–56; 49:127; var. gynandra 4:219; 11:179; 13:235; 17:150, 152; 23:236; 25:17–20, 115; 27:108; 33:118; 37:84; 48:55, 56; var. minor 2:170; 4:219; 11:179; 13:235; 44:232; var. Porteri 17:227; 25:19; var. simulans 2:170; 4:219; 12:187; 33:110, 118. cristata 4:219; 6:109; 13:235; 19:122; 23:235. cristatella 6:109; 47:38; f. catelliformis 44:284; var. catelliformis 44:284. crus-corvi 39:327, 331, 393, 482, 488, 489, pl. 476; 42:35; 43:542; 49:201; var. virginiana 39:327, 393, 394, 475, 482, 489, map 9, pl. 476; 40:376, 377; 42:359, 429; 43:542; 44:71. cryptolepis 23:237; 24:163; 35:231; 46:26. cumulata 40:79; 44: 285; f. soluta 44:285. cylindrica 3:52. Davisii 4:219; 24:184. × Deamii 40:81. debilis 24:99; 33:118; 34:63; 36:39, 40; 39: 481; 44:308–310, 348, pl. 713; × virescens 4:219; var. intercursa 44:307, 308, 310, 311, 348, 386, pl. 713; var. interjecta 19:125; 348, 386, pl. **713**; var. interjecta 19:125; 44:310, 311, pl. 713; var. prolixa 44:310; var. pubera 42:88, 93; 44:307-311, pl. 713; 45:167; var. Rudgei 3:171, 190; 4:219; 6: 108; 12:125; 13:69, 117, 248; 17:150; 22: 133; 24:99; 29:152, 209; 32:216, 241; 33: 118; 36:40; 37:84; 43:546; 44:310, 311, pl. 713; 45:167; 49:127; × virescens 13:69, 248; 19:125; var. strictior 4:219; 7:109; 44:310, 311, pl. 713; var. **typica** 44:307, **310**, 311, pl. **713**. decomposita 39:482; 40:251; 43:

525, 526, 542, 543, 658; 44:344; 45:373, 393; 49:127. deflexa 1:183; 3:171; 4:219; 6:108; 49:127. dellexa 1:135, 5:117, 4:215, 6:145, 9:159, 190; 10:146; 11:90; 12:126; 13:117, 248; 29:151, 209; 35:219; 37:206; 43:155; var. Deanei 4:219; 6:148; 13:248. Deweyana 35:218. Despreauxii 3:48. Deweyana 1:183; 2:127; 4:219; 6:109; 13:125, 126, 248; 15:92, 93; 18:187; 19:123; 23:136, 236; 24:114; 28:100, 163; 32:14, 204, 205; 34:66; 35:219, 249; var. collectanea 15:93; 44:139. diandra 10:48; 12:118; 13:248; 17:65; 19: 123; 23:131, 236; 33:19, 22, fig. 1; 41:34; 123; 23:131, 230; 33:19, 22, ng. 1; 41:34; 49:243; var. ramosa 10:48; 13:248; 19: 123; 21:202. digitalis 4:219; 8:183, 184; 12:188; 13:249; 21:23, 24, 200; 32:216, 241; 37:314, 406; 38:378; 40:374, 375, 400, 401, 482, pl. 511; 41:31; 43:489, 544; 44:314, 348, 388, 389; f. podostachys 40:400; var. asymmetrica 43:544; var. copulata 8:183; 21:23; 44:388; var. glauca 37:406; var. macropoda 40:400, 401, 482, pl. 511; 43: 544. dioica 35:218. disperma 36:278; 41: 149, 200; 42:318; 49:243. disticha 40:326; 44:282, 283, pl. 710; var. Sartwellii 44:282. divisa 8:201; 36:412. divulsa 4:225. Drumondiana 39:492; 43:417, 418. dubitata 50:120. durifolia 9:208. duriuscula 35:217-219. Dutillyi 43:413, 415, 416, pl. 669. eburnea 1:221; 4:219, 228; 5:33; 6: 97, 108; 9:63, 159, 166, 172, 187; 12:114; 13: 117, 138, 249; 23:136, 164, 170, 237; 24:184; 117, 138, 249; 23:136, 164, 170, 237; 24:184; 28:164; 30:29; 32:18; 34:66; 35:249; 36:224, 225, 278; 37:204, 299, 314; 46:303, 304 echinata 4:222, 225; 19:154; 44:385; var. angustata 6:109; 25:7; var. cephalantha 4:222; var. ormantha 4:222. elachycarpa 4:227; 5:248-251; 44:103. Eleocharis 43:415; 48:115. Elliottii 44:254. elynoides 21:84; 36:410. Emmonsii 2:84; 4:223; 40:79; var. elliptica 4:223, 224; 24:99. Emoryi 43:546. Engelmanni 34:245. exilis 3:34; 4:219, 229; 5:289; 8:168; 11:90; 12:118, 119; 13:249; 23:96, 161, 236; 24:82, 87; 25:99; 29:123, 150. 208. 222: 32:62. 172: 33:118; 35:5. 85: 150, 208, 222; 32:62, 172; 33:118; 35:5, 85; 36:278; 37:253; 44:244; var. squamosa 13: 249. extensa 23:238. festiva 15:187. fest-ucacea 4:219; 13:249; 19:123; 32:240; 37: 84; 40:326, 327; 44:385; 47:43; var. brevior 4:219; 13:249; 37:84. filifolia 38:123, 126, 131; 49:299. filiformis 1:98; 3:198; 4:219, 224; 6:108; 13:250; 17:150; 19:32, 98, 163; 44:305, pl. 712; var. latifolia 4:219. flacca 11:40. flaccosperma 38:378, 399; 39:481; 40:380, 401, 440; 41:492; 47:162; 50:121. flava 3:164, 171, 190; 4:219, 224; 5:249; 6: 108; 8:200; 12:126; 13:130, 250; 16:89; 19: 125; 22:135; 23:237, 238; 35:90, 91, 231, 251; 37:203; 46:26; 49:82, 244; \times Hostiana 35: 230; × Hostiana, var. laurentiana 35:230; × lepidocarpa 35:231; × Oederi, f. subviridula 35:231; × Oederi, var. pumila 35: 231; subsp. Oederi, γ. cyperoides 8:201; var. elatior 8:201; 13:250; var. gaspensis 8: 200; 12:115, 116, 136; 13:132, 138; 21:40; 44:107, 139; var. graminis 8:201; var. lepidocarpa 8:201; var. Oederi 4:219, 224; 8:

201; var. pumila 3:171, 190; 8:201; 35:231; var. rectirostra 8:201; 13:250; 15:160; 19: 125; var. viridula 2:209; 6:108; 8:201; 35; 231. flexilis 32:164-166. flexuosa 29:152; 43:546; 44:310; 45:167. floridana 13:246; 36:39; 44:385, 386. foenea 1:202; 3:190; 4:219; 6:138; 13:250; 15:98; 24:97; 40:325-328; 47:44; 50:120; var. perplexa 4:219; 7: 109; 10:146; 13:250; 23:138, 236; 24:97; 37:84; 40:328. folliculata 1:106; 2:124; 3: 190; 4:219; 13:148, 250; 23:238; 29:125, 152, 209; 36:41; 37:314; var. australis 36:41; 38:378, 399; 39:480. formosa 4:220; 5:34; 24:184; 32:165, 166. Frankii 39:330, 395, 470, 482; 40:382, 402; 41:33; 42:371, 429; 44:88; 49:180. Franklinii 44:112. Fraseri 39:200. Friesii 3:54. frigida, f. flavescens 36:91. fuliginosa, f. ochrostachys 36:91. fulva 4:227; 13:130, 131, 243-246; 26:122; 35:230; 44:318. fulvescens 13:245; 26:122; 29:222; 44:318, 319. fusca 2:121; 4:220. fusiformis 24:200. Garberi 37:204, 253-255, 339, map 13, pl. 360; 41:155, 202; var. bifaria 37:255, 259, map 13, pl. 360; 44: 106, 139, geophila 44:88. Geveri 41:31; 47:44. gigantea 3:55; 23:86, 87; 36:41; 39: 47:44. gigantea 3:55; 23:86, 87; 36:41; 39: 330, 481; f. minor 23:87; var. grandis 23: 87; var. lupulina 23:87; f. Bella-villa 23: 87; f. pedunculata 23:87. glacialis 27:90; 28:62, 79, 103, 121, 164, 213; 32:200, 202, map 12; 35:55, 120; 41:148, 202; 44:290–293, pl. 711. glareosa 8:45-47; 10:95; 28: 121, 163; 29:55; 35:120, 125; 38:134, 144; 41:41, 166, 201; var. amphigang 8:47; 25: 121, 163; 29:59; 35:120, 125; 35:154, 144; 41:41, 166, 201; var. amphigena 8:47; 25: 7; 34:51, 70, 74, 76, map 9; 36:278; 41:201; 44:139. glauca 11:40; 24:163. glaucescens 36:40; 39:480; 41:111; 44:254. glaucodea 4:60, 220; 13:250; 19:125; 21:116. Gmelini 41:161, 166, 207. Goodenowii 1:183; 4:220, 224, 225; 13:250; 23:157, 169, 237; 29:208; 33:118; 36:91; 44:300, 302; var. strictiformis 23:157, 237; 29:151, 208; 44:299. gracilescens 24:195: 40:252: 44:315, 318. gracilis 44:301. gracillima 4:220; 6:108; 11:90; 12: 126, 187; 13:250; 15:133; 21:200; 23:237; 29:151, 209; 32:164; 37:203; 41:534; 43: 546; 45:167; × castanea 6:139; var. humilis 11:90; 13:250; 15:133; 35:220; var. macerrima 15:133. Grahami 3:44-46, 49, 54, 165, rima 15:133. Granami 5:44-40, 48, 54, 105, 170; 4:220; 9:155, 160. grandis 23:86, 87. granularis 2:127; 4:220; 5:33; 19:125; 35: 251; var. Haleana 1:102; 4:220; 8:166; 23: 199. gravida 44:284, 342; var. Lunelliana 40:78. Grayana 28:5-8. Grayii 4:220, 229; 8:79; 13:250; 19:30, 36; 39:342, 343, 395, 470, 482, map 19; 40:382, 402; 44:240, 322-324, and 19:40:40:40:40:40:44:322-324 324, map; var. hispidula 40:402; 44:322-324, map. Greeniana 13:130, 243–245. Greenii 3:52; 8:202. grisea 4:220; 6:194; 13:250; 43:486, 487, 545, pl. 671; 44:311–315; var. angustifolia 4:220; 44:311, 313; var. globosa 44:311; var. rigida 44:311, 313. gynandra 6:108; 25:115, 116; 29:151, 208; 30:199; 48: 330; var. caroliniana 25:19. gynocrates 4: 220, 227, 229; 12:118; 13:115; 19:110; 21: 65; 32:61; 33:112, 118; 35:218; 37:64, 73;

41:201; 49:243. Halleri 28:121, 123, 165; 29:55: 35:220, 221; 41:204; 44:304. Halleriana 9:39. Harperi 8:181, 182. Hartii 3: 55; var. Bradleyi 3:55; 23:87. Hassei 37: 253, 255, 339, pl. 360; 41:202. Haydeni 4: 226; 29:151, 208; 36:278. heliophila 38:299. Helleri 39:494. helodes 13:243-246, 250. helvola 12:136. Hepburnii 41:200. heterohelvola 12:136. Hepburnii 41:200. heterosperma 24:192; 44:316. Hindsii 41:207. hirsutella 36:219; 47:96, 117, 127. hirta 4:220; 12:188; 13:250; 14:111; 24:163. hirtifolia 37:128; 44:336; × pallescens 37:128. Hitchcockiana 4:220; 19:124; 35:285; 46:78. holostoma 41:204, 205. Hookerana 37:253. hormathodes 8:165, 166; 13:135, 140, 250; 14:29; 17:150, 214, 221; 23:235; 29:128; 32:148, 158, 161, 169, 213, 240; 33:110, 118:35:13.90, 219:40:329:44:285, 344:385. 118; 35:13, 90, 219; 40:329; 44:285, 344, 385; 49:95, 127, 243; 50:301; f. invisa 44:**285**, 286; var. invisa 3:**166**; 11:90; 13:128, 250; 17:214, 221; 44:285; var. Richii 8:166; 11:83; 13:251; 40:329. Hornschuchiana 13:130, 131, 243–245; 26:122; 44:318; var. laurentiana 13:130, 138, 245–247, 251; 26:122; 29:222; 44:318. Hostiana 26:122; 35:231; 44:318, 319; 49:244; × lepidocarpa 35:231; var. laurentiana 26:122; 28:79, 166; 29: 152, 209, 222; 32:13; 34:118; 35:91, 230, 231; 132, 209, 222, 32.15, 34.116, 35.91, 230, 231; 44:318, 319; 49:244; × lepidocarpa 35:231. Houghtonii 4:220; 6:194; 12:103; 25:99; 36:278. Howei 23:96, 97, 104, 236, 300; pl. 130 (map 1); 32:150, 153, 210, 240; 33:112, 118; 38:399. hyalinolepis 38:400; 41:467, 555; 43:658, 659; 44:344. hystricina 4:220; 41:467, 23:26.108. 12:251.28.28.47. 6:108; 13:251; 26:2, 3; 35:251; 38:366; 47: 44; f. **Dudleyi** 26:2; var. Cooleyi 13:251; 26:2; var. Dudleyi 4:220; 6:108, 138; 26:2. ignota 24:190, 191, 193, 198. illota 39:491, 492. impressa × lanuginosa 21:84. incom-492. impressa × lanuginosa 21:84. incomperta 19:97; 32:240; 36:38; 44:437. incurva 27:97; 38:61, 108, 163; 30:77; 34:245; 35:60, 120, 216-218, 336, 395, 396; 38:134, 143; 41:41, 166, 200; var. inflata 35:396; var. melanocystis 35:397; var. misera 35:397; var. setina 35:55, 56, 216, 218, 395-397, 400, var. https://doi.org/10.1016/j.jpresta.44:281, 325, 329, pp. 147. inflata 44:281, inflata 44:281, inflata 44:281, inflata 44:281, infl map 4, pl. 247. inflata 44:281, 325-329, pl. 715; 48:145, 146; var. ambigens 44:328, 330, pl. 715; 48:146; var. anticostensis 44:328, 329; pl. 715; 48:146; var. utriculata 44:328, 329, pl. 716; 48:146. interior 4:220; 5:33, 248; 6:109; 8:114, 115; 10:48; 23:25, 96; 28:244; 33:118; 36:38; 41:30; 42:42; 49:243; f. keweenawensis 44:284; var. capillacea 4:220; 7:109; 10:47; var. Josselynii 8:115, 166; 10:48; var. keweenawensis 44:284. intermedia 40:78, 326; 44: 282, 283. intumescens 1:192; 3:190; 4:37, 220: 5:48; 6:108; 12:126; 13:117, 149, 251; 29:128, 209; 32:212, 260; 33:118; 34:63; 36: 41; 42:429; 44:321, 322, 437, pl. 713; × louisianica 42:429; var. Fernaldii 4:220; 6:138, 203; 7:109; 10:145; 12:188; 13:251; 22:133; 23:238; 32:260; 44:322, 437, pl. 713; f. ventriosa 44:321, 322, pl. 713. irrigua 8:73–76. Jamesii 41:534; 43:334, 488, 520, 543; 50:121. Jonesii 39:495; 44:437. Joorii 39:

48 Rhodora

348, 353, 394, 481. Josselynii 44:103. 111cunda 35:396. katahdinensis 3:165, 171, 177, pl. 32; 4:128, 220; 9:155; 44:102. Kelloggii 36:307. Knieskernii 32:162-165. Kobomugi 44:342. kokrinensis 41:206, pl. 551. Lachenalii 28:121, 163; 38:144; 41: 155, 200. lacustris 5:249; 38:399, 400; 44: 319-321. laevigata 4:227; 13:243-245, 250; 48:145, 146. laevivaginata 17:231, 232; 19: 97, 123; 31:83; 32:177, 241; 36:38; 38:399; 49:201. lagopina 9:159, 167; 13:219; 41: 200. lagopodioides 40:326. Langeana 35: 200. lagopodioldes 40:326. Langeana 35: 217–219, 400, pl. 247; 43:416. lanuginosa 12:126; 14:76; 15:160; 32:172, 213, 242; 41: 31, 32; 43:491, 492, 546, 658, 659; 49:244. lasiocarpa 32:178; 35:230; 41:32, 33; 44: 305, pl. 712; subsp. lanuginosa 41:31, 32; subsp. typica 41:32, 33; var. americana 44: 304, 305, pl. 712; 49:244; var. lanuginosa 41:31; var. accultans 44: 305, pl. 712; var. americana 44: 305, pl. 712; var. americana 44: 305, pl. 712; var. accultans 44: 305, pl. 712; var. accultan 41:31; var. occultans 44:305, pl. 712; var. typica 44:304. laxa 8:75. laxiculmis 1:42, 204; 4:220; 8:183, 184; 14:76; 21:23, 24; 24:185; 26:177; 37:314; 41:31; 44:348, 387 389; 50:121; var. copulata 8:183, 184; 14: 76; 21:23; 41:31; 44:388. laxiflora 1:192; 4:220; 6:108; 8:184; 14:76; 16:214; 24:190-192, 195–197, 199, 201; 28:244; 40:80; 44: 312, 315–318, pl. 714; β. styloflexa 24:200; γ. plantaginea 24:198; δ. intermedia 24:191, 195, 196, 198, 200; ε. blanda, a. major 24: 194; b. minor 24:194; c. gracillima 24:195; ζ. latifolia 24:194; var. angustifolia 24:195; var. blanda 14:76; 21:200; 24:194, 195; var. divaricata 24:191, 199; var. gracillima 14: divaricata 24:191, 199; var. gracillima 14: 77; 19:124; 24:195; var. intermedia 24:191, 195, 196, 199, 201; 44:316, 317, pl. 714; var. latifolia 4:220; 14:77; 24:194; var. leptonervia 8:184; 12:188; 13:125; 14:77; 16: 213, 214; 19:124; 24:200; 44:139; var. Michauxii 24:191, 199; 44:317; var. patulifolia 1:203; 4:220; 6:108; 14:77, 107; 16: 214; 23:237; 24:99, 163, 191, 194, 198, 199; var. plantaginea 24:99, 199; var. serrulata 40:80; var. striatula 4:220; 24:194; 44:317; var. var. and 3:171: 4:220; 6:108: 14:77: 24: var. varians 3:171; 4:220; 6:108; 14:77; 24: 194, 195, 200, 201. Leavenworthii 21:85; 39: 429; 43:488, 493, 541. Leersii 19:154. lenticularis 3:170; 4:220; 6:108; 7:110; 8:76, 168; 9:158; 11:90; 14:77; 15:134, 204; 16: 12; 22:135; 23:102. 237; 25:7; 27:212; 35: 59; 49:244; var. albi-montana 28:124, 165; 44:123; var. Blakei 24:163; 44:232; var. eucycla 15:134; var. paullifructus 15:134. lepidocarpa 8:201; 28:118, 166; 29:152, 209; 35:277; 44:319; 49:244. leporina 4:220, 229; 35:277; 44:319; 49:244. leporina 4:220, 229; 7:96; 10:146; 11:90; 14:77; 23:95, 236; 28: 85; 29:126; 37:84. leptalea 3:164, 172, 190; 4:220; 6:109; 8:181, 182; 11:90; 14:77; 17: 148; 29:128, 151, 209; 32:61; 36:278; 41: 149, 201, 478; var. Harperi 36:39; 39:476. leptonervia 16:213, 214; 19:124; 21:200; 23:237; 24:163, 190, 191, 193, 196, 198, 200, 201; 28:121; 32:260; 37:203; 44:139; 49: 244. leucoglochin 50:121. XLeutzii 35: 231. limosa 1:183; 2:70; 4:220, 224; 8:75; 9:159, 189; 10:141; 11:90; 13:116, 247, 251;

14:77: 15:204: 17:148-150: 19:33, 124: 21: 202; 23:131; 24:114; 29:152, 209, 222; 31:83; 32:150, 172, 178, 213, 241; 33:113, 118; 36:278; 41:203; 44:123, 244; \times rariflora 35:220; β . irrigua 8:73, 76; γ . irrigata 8:76; δ . C. livida 28:6, 8. littoralis 4:99, 220. livida 4:220; 7:141, 142, 154; 12:116, 117, 187; 14:77; 28:5-8, 102, 108, 164; 32:172; 39:467; 49:82; var. Grayana 28:8; 29:151, 152, 209; 32:62; 34:237; 35:5, 85; 36:278; 37:73; 44:108; var. radicalis 28:7, 8; var. rufinaeformis 28:8, 108, 164; var. typica 28:8. loliacea 30:29; 41:200. lonchocarpa 38:399. Longii 26:223; 32:158, 210, 240; 39:481; 40:330; 42:88, 93; 50:294. longii-rostris 1:183; 4:220; 7:142; 10:146; 16:13; 25:208. louisianica 39:330, 395, 470, 481; 42:359, 430. lucorum 50:121. lugens 41: 36:278; 41:203; 44:123, 244; × rariflora 35: 42:359, 430. lucorum 50:121. lugens 41: 158, 208. Lunelliana 40:79. lupuliformis 14:77; × retrorsa 3:55; var. gigantoides 3:55; 23:87; var. pedunculata 1:106; 4:220; 14:77; 23:87; 37:84; var. polystachya 4:220; 23:87. lurida 3:47, 48, 55, 56, 190; 4:220; 6:108; 13:141, 148; 14:29, 78; 18:34; 32:149, 242; 34:64; 43:501, 547; × lupulina 3:56; 4:221; × retrorsa 3:55; × squarrosa 43:547; var. exudans 3:55; 4:220; var. flaccida 3:56: 4:220; var. gracilis 2:56: 4:220; var. gracilis 2:56: 4:220; var. gracilis 2:56: 4:220; var. flaccida 3:56: 4:220; var. gracilis 2:56: 4:220; var. gracilis 43:547; var. exudans 3:55; 4:220; var. flaccida 3:56; 4:220; var. gracilis 3:56; 4:220; 229; 6:108; 10:172; 36:374; var. parvula 3:56; 4:220. Lyngbyei 32:62; 41:157, 208; 43:335; 44:294. Mackenziei 41:41; 44:304. macloviana 15:187; 25:7; 27:97; 30:77; 35: 335; 41:154, 155, 201; 44:71, 72, 125; var. pachystachya 41:201. Macounii 3:55. macrocephala 32:9-11. magellanica 1:183; 2: 209; 4:150, 221, 229; 5:37; 8:73-76; 41:203. magnifolia 37:406; 44:386. ×mainensis 44: 229, 4.180, 221, 229, 5.57, 8:73-76, 41:203. magnifolia 37:406; 44:386. ×mainensis 44: 388. marcida 37:252. maritima 2:209; 3: 190; 4:221; 5:133; 14:78; 16:213; 17:147; 25:7, 18; 29:63, 123, 150, 208; 33:110, 118; 34:70, 73, 74, map 5; 35:167, 396, 397; 36: 278; 38:143; 41:41; 43:415; 44:293, 294; 49:244; var. brunnescens 35:398; var. erectiuscula 2:170; 4:221; 12:136; 35:398; 44: 293; var. melanocystis 35:397; var. misera 35:397; var. setina 35:397, 400, pl. 247. Meadii 40:80; 47:205. media 44:106, 304; var. Stevenii 44:303. melanocephala 44: 300. melanocystis 35:397: var. misera 35: 397. melozitnensis 41:209, pl. 551. membranacea 3:48; 32:200, 202, map 9; 41:208; 42:318; 43:419. membranopacta 3:48; 38: 145; 41:208; 42:318. Merritt-Fernaldii 37: 84. mesochorea 36:230; 40:78; 49:126. Michauxiana 4:221; 7:110; 9:156, 160; 11: 91, 179; 13:138; 15:204; 24:164; 27:212; 28:232; 29:129, 152, 209; 37:455; 49:82. michigansis 50:121. microdonta 43:658. microglochin 27:97; 28:53, 61, 79, 108, 118, 166; 35:57, 120, 125, 139, 232, 336; 36:278; 38:145; 41:39, 208. miliaris 3:43-45, 49, 50; 25:7: 43:418, 419, 422; var. aurea 3:44, 49. 25:7; 43:418, 419, 422; var. aurea 3:44, 49;

var. major 3:50; var. obtusa 3:50. mirabilis 4:37, 221; 6:109; 14:78; 15:186, 187; 21: 201; 28:74; 40:330; var. perlonga 4:90, 221; 6:138; 7:107; 14:78; 15:187; 44:285; var. tineta 4:221; 6:109, 138; 8:168; 15:186, 187. mirata 50:121. misandra 17:159; 36:91, 409; 38:113, 118, 144; 39:492; 41:203; f. 409; 38:113, 118, 144; 39:492; 41:203; f. flavida 36:91. misandroides 17:153, 159; 27:90; 28:50; 33:232; 44:112. misera 35: 397. Mitchelliana 25:17-20, 115; 30:198, 199; 32:177, 210, 211, 241; 39:476; 42:88, 91; 43:546; 44:344; 48:55, 56; 49:95, 127. molesta 40:252; 44:437. monile 3:33, 43, 46, 47, 49, 51-54; 8:202; var. minor 3:53, 43, 48, 47, 49, 51-54; 8:202; var. minor 3:54. 46, 47, 49, 51-04; 8:202; var. minor 5:55, var. Raeana 3:54. montanensis 41:205. Muhlenbergii 4:221; 14:78; 15:153; 32:150, 241; 37:405; 44:343; 50:294; var. enervis 4: 37, 39, 221; 14:78; 32:179. muricata 2:69; 4:221; 11:179; 14:78; 19:123; 24:163; 26: 223; 28:74, 85; 32:241; 49:243; 50:294; var. cephalantha 29:150, 208. muskingumensis 21:85. nana 41:202. nardina 36:188; 44: 129: 47:224. nebraskensis 43:335. Nelsonii 39:492, 494. nematostachya 24:192. nervosa 44:437. nesophila 41:163, 207. neurophora 93:495. nigra 43:418; 44:300-302; var. strictiformis 44:299, 302. nigritella 44:302, 303. nigromarginata 4:27, 221; 36:33, 39; 40:331; var. floridana 36:39, 422; 44:385, 386. nivalis, f. cinnamomea 36:91. normalis 40:330; 43:495, 543; 44: 36:91. normalis 40:330; 43:495, 543; 44:285, 385; 49:179; f. perlonga 44:285; var.perlonga 44:285. norvegica 4:221; 10:95, 144; 11:164; 12:107, 136; 23:26, 103, 236; 34:70, 71, 74, map 1; 36:278; 41:41, 201; 44:129, 304. nova 38:299; 39:494. novae-angliae 2:83, 84; 3:171; 4:221, 229; 7:107; 10:146; 13:30; 14:78; 17:65, 152; 19:96-110, 124; 22:93; 24:99; 28:85, 164; 29:151, 209; 33:118, 233, 234; 35:219. pubicola 36:411 oblita 37:406: 41:534 nubicola 36:411. oblita 37:406; 41:534. obtusata 9:159; 32:200, 202, map 21; 36:409; 39:492; 41:151, 201. Oederi 4:224; 5:249; 8:200, 201; 14:107; 22:135; 23:198, 237; 28:85; 29:132, 152, 209; 35:231, 232; f. elatior 23:237; var. pumila 8:201; 14: 107; 17:150, 151; 18:34; 23:238; 33:112, 118; 35:91, 231; 36:307; var. subglobosa 28: 118, 119, 166; var. viridula 35:231. Okesi-118, 119, 166; var. viridula 35:231. Okesiana 3:48. oligocarpa 3:171, 177, pl. 32; 4: 221; 5:34, 249; 41:31; 43:545; 44:313. oligosperma 1:183; 3:43, 48; 4:221, 229; 7:110; 8:80, 168; 9:160; 13:217, 218; 14:107; 15: 160; 17:148; 19:98; 23:99, 148, 167, 169, 238; 24:163; 29:152, 209; 32:178; 37:455; 44: 123. Olneyi 2:216; 3:33, 46, 47, 52; 8:202. ormostachya 24:189-191, 193, 196, 201; 44: 120, 217, ormostachya 4:221: 15:187. ortho-139, 317. oronensis 4:221; 15:187. ortho-caula 35:396. ovalis 40:328. oxylepis 24: 149; 36:40; 39:394, 481; 41:492, 534; 43:499; 47:97, 162. paleacea 35:397, 398; 44:293, 294; f. erectiuscula 44:293, 294; 49: 244; var. brunnescens 35:398; var. transatlantica 35:397; 36:278; 44:293. pallescens 1:183; 3:190; 4:221; 6:108; 14:107; 17:150, 153; 29:132, 152, 209; 37:128; 44:

306, 307, pl. 712; var. neogaea 44:306, 307, 306, 307, pl. 712; var. neogaea 44:306, 307, pl. 712; var. undulata 44:307. panicea 4: 221; 13:243; 14:107; 23:95, 155, 237; 24: 114; 29:152, 209; 42:42; 49:244; var. microcarpa 24:163. Parryana 38:299. parviflora 44:300. pauciflora 1:183; 4:221; 5:48; 6: 204; 7:110; 8:168; 9:160, 189, 207; 10:141; 11:90; 12:106; 13:95; 17:148, 149; 23:96, 98, 99, 237; 29:208; 33:118; 36:278; 42:155; 50:121. paupercula 8:73, 76; 9:159; 11:90; 20:152; 23:96, 98, 109; 29:152, 209; 33:109; 112, 118; 34:51; 36:278; 38:144; 41:167, 203; 44:114; var. brevisquama 20:152; var. irrigua 8:76; 9:159, 189; 10:146; 11:90; 17:148; 18:34; 19:31; 23:96; 32:260; 37:84; var. pallens 8:77; 21:192; 23:96. Peckii 7:109; 40:331; 43:155. pedata 13: 129, 137; 17:159; 41:202; 44:291, 292. pedicellata 6:108. pedunculata 1:43; 3:171; 4:84, 221, 229; 6:108; 14:107; 21:200; 28:164; 29:152, 209; 34:232; 35:249. pelocarpa 39: 492-494. pensylvanica 4:221; 5:130; 12: 128; 14:107; 15:190; 19:219; 21:107; 32: 241; 37:68; 40:374, 399; 42:94; 45:167; 46: pl. 712; var. undulata 44:307. panicea 4: 241; 37:68; 40:374, 399; 42:94; 45:167; 46: 78; var. distans 37:84; var. lucorum 4:221; 6:138; 12:108, 136; 14:107; 21:200; 23:130, 237; 32:241; 37:85; var. separans 32:216, 241. physocarpa 39:491, 495; 41:153, 208; 42:318; 43:418-424. physorhyncha 44:385. × Pieperiana 35:231. pilulifera 4:221; var. longibracteata 4:221. plantaginea 4:221; 6: 108; 10:146; 12:188; 14:75; 17:204; 24:99; 198; 39:429, 431. platyphylla 1:203; 4:221; 6:108; 14:107; 34:231; 35:249; 37:314; 38: 454. podocarpa 39:492; 41:154, 163, 205, 206; 42:318. podostachys 40:401. polygama 11:90; 13:116; 14:108; 19:124; 23: 101, 135, 237. polymorpha 4:221, 229; 6: 194; 24:114; 31:192. polytrichoides 1:202; 3:172, 190; 6:109. Porteri 4:221. praecox 4:221. praegracilis 36:412; 37:252; 39:150. prairea 10:48; 41:30; 47:44; 50:121. prasina 4:221; 10:146; 13:178; 14:108; 24:182; 43:488. 521, 546. pratensis 4:221, 224; 23: 236; 41:201. praticola 4:224; 39:492, 495; 42:318; 43:418-424. physorhyncha 44:385 236; 41:201. praticola 4:224; 39:492, 495; 41:201; 44:105. projecta 15:187; 19:97; 23: 235; 28:127; 37:84, 315; 44:321; 47:40; var. reducta 25:7. Pseudo-Cyperus 4:221; 10: reducta 25:7. Pseudo-Cyperus 4:221; 10: 146; 12:188; 14:108; 15:160; 23:238; 24:99; 32:178; 38:366; 48:55; × hystricina 26:2. var. americana 4:221. ×pseudo-fulva 35: 231. pseudo-scirpoidea 36:307. psychroluta 35:397. ptychocarpa 3:64; 4:221; 13: 151; 14:108; 19:124; 37:406; 39:429; var. macrophylla 37:406. pubescens 4:221; 5: 249; 12:126; 32:164. pulla 3:43, 44, 49, 170; 43:419, 420; var. miliaris 3:50. Purshii 3: 45: vanirponensis 28:164. 165. Raeana 55. ×quirponensis 28:164, 165. Raeana 3:47, 49, 54. rariflora 3:148, 170; 4:221; 5: 46; 8:75; 9:159, 166, 180, 181; 10:141; 11: 90; 13:122, 136; 18:185; 25:7; 28:56; 29: 132, 152, 209; 34:51; 35:5, 120, 125; 36:278; 38:144; 41:146, 157, 166, 203; 44:123; 47: 224. Redowskyana 19:110. remota 28:51, 87; 29:125, 208. reniformis 43:494, 503, 543, map 2; 49:127. retrocurva 8:183; 21:24;

50 Rhodora

44:388; 50:121; var. copulata 8:183; 44:388. 44:388; 30:121; var. copulata 8:163; 44:388; 166. retroflexa 8:166; 14:108; var. texensis 8: 166. retrorsa 1:183; 2:127, 170; 3:47, 48, 51, 52, 54, 55; 4:221; 6:108; 8:201; 13:141, 148, 161; 14:78; 16:14; 23:136, 164, 238, 302; 40:81; × rostrata 4:221; × utriculata 2:170; 3:55; 4:221; var. Bradleyi 23:87; var. gigantoides 23:87; var. Hartii 3:55; 4:221; 8:201; 16:14:23:87; var. Macconsii 4:221; 8:201; 16:14; 23:87; var. Macounii 3:52, **55**; 8:201; 23:87; var. Robinsonii 8: 201; 11:13. reversa 3:55. Richardsonii 32: 201, 203, map 29; 34:229-232; 35:253; 37: 201, 203, map 29, 34:223-222, 30:233, 36:4, 67, 68, 70, 256, 422; 44:290; 45:508; f. exserta 44:290. Richii 40:329; 44:244; 47: 43. rigida 4:224, 225; 9:159; 11:90; 25:7; 28:56, 165; 35:59; 36:91; 38:122, 144; 44: 115, 298, 299; f. anguillata 36:91; var. Bigelovii 1:192; 3:170; 4:221, 225; 5:37, 45; 9: 156, 159, 169; 11:90; var. concolor, f. anguillata 44:298; var. Goodenovii 1:183; 2:209; 4:224; var. strictiformis 44:299. riparia 1: 98; 4:221; 14:108; 26:177; 38:400; 44:319, 320; var. impressa 36:41; 38:400; 41:535; var. lacustris 23:137, 238; 38:399; 44:320. rosea 1:192; 4:221; 8:166; 14:108; 23:136, 170, 236; 24:163; 35:249; var. minor 4:222; 11:108; 1 6:109; 8:166; 14:108; 24:184; var. radiata 1:106; 4:222, 227; 6:109; 8:166; 14:108; 15:160; 22:133; 23:236; 32:216, 240; var. retroflexa 4:222; var. texensis 8:166. Rossii 32:200, 202, map 20; 33:233; 37:213, 217, 218. rostrata 3:45-47, 51, 55, 56, 190; 4: 222; 5:33; 6:108; 7:69, 110; 14:108, 112; 22:135; 25:7; 29:152, 209; 33:22, 101, 118; 34:51; 36:278; 37:85, 314; 41:149, 153, 157, 159, 209; 42:318; 44:281, 325–328; 48:145, 146; × saxatilis, var. miliaris 10:48; 44:140; var. ambigens 3:51; 4:222; 37:85; 44:327, 330; 48:146; var. anticostensis 48:146; var. 330; 48:146; var. anticostensis 48:146; var. borealis 44:327; var. Cliftoni 44:330; var. attifolia 44:330; var. utriculata 3:46, 51, 53, 55; 4:222; 14:108; 17:150; 22:135; 29:153, 209; 32:172; 33:112, 113, 118; 34:51; 44:326, 330; 48:146; f. minor 44:330. rotundata 3:43, 45, 49; 4:222; 41:208, 209; 42:318. rufina 28:7, 108. rugata 43:545, 546, pl. 671; 44:76. rugosperma 44:289, 290, pl. 710. rupestris 13:129; 14:88; 19:142; 28:62, 164; 35:51, 89, 120; 36:148, 409; 38:275; 41:202: 43:417, 418: 44:111. Rellardi 43: 41:202; 43:417, 418; 44:111; Bellardi 43: 417, 418. Ruthii 37:314; 44:385. salina 12: 107, 136; 28:165; 43:419; 44:294, 295; 49: 244; var. ambusta 43:419; var. cuspidata 4: 222; 11:90, 179; 12:107; 14:108; var. fuliginea 12:107; var. kattegatensis 14:108; 16: 190; 25:7; 29:123, 151, 208; 31:83; 32:13; 35:398; 36:278; 44:294; 49:244; \times stricta 14:108; var. pseudofilipendula 28:166; 35: 230. saltuensis 6:108; 41:202. Sartwellii 32:201, 203, map 32; 40:78; 44:282-284, pl. 710; 50:121; var. stenorrhyncha 40:78; 44:283, 284, pl. 710. saxatilis 3:43-45, 48-50, 155, 165, 170; 4:222; 9:155, 160; 41: 146; 43:418-424; var. compacta 3:48; var. Grahami 3:49; var. major 43:424, 425; var. miliaris 3:50, 54; 4:222; 9:160, 166; 10:48;

11:91: 36:278: 43:424. 425: 44:123: 49:244: var. rhomalea 3:50; 4:222; 11:91; 36:278; 38:145; 49:245. saximontana 37:417. sca-58.147, 49.245. Saximontal 57.14. Saximontal 57. Saximontal 57.14. Saximontal 57. 183, 221; 3:56; 4:222, 225; 5:33; 6:3, 8; 41:33; 47:44. scirpiformis 43:416, 417. scirpoidea 1:222; 3:171; 4:222, 229, 250; 6: 97, 108; 9:159, 169; 10:48; 11:90; 12:112; 13:117, 238; 29:132, 151, 209; 32:18; 34:231, 232; 35:5, 81, 91, 120, 388; 37:64, 73, 206; 38:116, 124, 144; 41:155, 201; 42:318; 43:416; 49:246; var. convoluta 37:255, 259, 299; 42:318; var. scirpiformis 43:417. scirpoides 10:47; 14:109; 23:96; var. capillacea 10:47; 14:109; 23:96, 236; 32:240; var. **Josselynii** 10:48. scoparia 4:222; 6: 109; 12:126, 135; 14:109, 115; 17:151, 213; 19:122; 23:107, 138, 235; 32:240; 33:109, 118; 34:63; 35:219; 40:327; 45:167; 49:243; 50:301; f. condensa 49:243; f. moniliformis 49:243; f. peracuta 23:234; f. subturbinata 44:284; var. condensa 4:222; 6:109, 139; 7:107; 10:172; 14:109; 17:151; 37:84; var. minor 6:138; 24:99; var. moniliformis 4: 222; 6:139; 14:109, 116; 17:151; 37:84; var. subturbinata 14:116; 19:122; 23:235; 32:240; 44:284; var. tessellata 12:135; 23: 235. Scouleri 43:334, 335. semicrinita 36: 39. seorsa 4:222; 11:83; 14:109; 24:185; 32:240; 36:8, 38; 37:84; 38:399. setacea 4: 222; 6:139; 8:167, 181; 38:364; var. ambigua 8:167, 181; 14:109; 23:173; 24:74; 37:84; 42:42. setifolia 6:108. setina 35: 396. Shortiana 4:227; 40:81; × typhina 40:81. siccata 4:222; 6:42; 14:109; 37:84; 40:325–328. silicea 4:33, 222; 13:128, 135, 140; 14:109; 23:141, 150, 158, 236; 29:128; 32:150, 158, 161, 169, 172, 213, 240; 33:110, 117, 118; 44:285; 50:294. Smalliana 36:41, 52; 38:378, 399. sparganioides 2:127; 4:222; 12:170; 14:109; 35:249. sphaerostachya 28: 12.170, 14.103, 33.245. Springerostatily 2.25.
163. spicata 50:294. Sprengelii 47:44, 272.
squarrosa 4:222, 225; 11:40; 14:109; 19:
125; 23:173; 39:330, 342, 395, 470, 482; 40:
402; 43:501, 547. stans 44:295. stellulata
4:222, 225; 9:159, 190; 11:200; 14:110; 17: 150; 19:154; 22:133; 27:212; 28:85; 35:90; var. angustata 4:222; 6:109; 7:109; 8:166; 14:110; 16:190; 17:150; 37:84; var. cephalantha 4:222; 7:109; 14:110; 17:150; 32: 240; 33:109, 118; var. excelsior 4:222; 7: 109; 14:110; 18:34; var. ormantha 4:222. stenophylla 35:217; 43:415. sterilis 2:209; 4:222, 229; 6:109; 7:142; 8:29; 13:135, 140; 14:110; 17:148, 150; 23:96, 236; 28:79, 163, 244; 37:299; 42:88, 91; 50:212; var. excelsior 3:190; 4:222. Steudelii 50:121. Stevenii 41:204. stipata 3:190; 4:222; 6: 109; 11:200; 14:110; 17:214, 231, 232; 19: 124; 25:7; 29:128, 150, 208; 33:118; 34:51; 35:277; 36:39; 38:399; 40:79; 41:34; var. laevivaginata 17:231; var. maxima 39:481; 40:79; var. uberior 17:232; 36:38; 38:399;

43:542. straminea 4:222; 8:165, 166; 14: 110; 15:187; 19:97; 23:235; 24:163; 26:2; 32:158, 177, 210, 211, 240; 34:63; 40:326, 327, 329, 330; 44:385; 47:43; var. aperta 2: 209; 3:190; 8:165, 166; 40:329; var. echinodes 6:139; 19:123; 26:2; var. festucacea 23:235; var. foenea 40:330; var. invisa 8: 166; 13:250; 44:285; var. mirabilis, f. perlonga 44:285; var. tenera 8:165; f. invisa 44:285. striata 4:227; var. brevis 4:222, 230; 25:48. striatula 24:190–194, 198, 199; 36:40; 39:342, 394; 41:534; 42:363; 44:317, 36:40; 39:342, 394; 41:534; 42:363; 44:317, 318, pl. 714. stricta 1:203; 3:198; 4:222, 225; 226; 5:132; 6:108; 10:166; 12:127, 132; 13:141; 14:109, 110; 22:132, 135; 26: 177; 34:6; 35:59; 36:39; 38:399; 40:401; 44:71; × salina 4:222; × torta 4:222; var. angustata 1:203; 4:222, 226; 14:110; var. curtissima 4:222, 226; 14:110; 19:124; 24: 114; var. decora 4:222, 226; 14:110; 19:124; 37:84; var. strictior 1:203; 2:69. strictior 42:91; 50:121. stypia 34:237. styloflexa 1:68: 4:292: 24:100, 193; 108-200; 36:40:38: 68; 4:222; 24:190, 193, 198-200; 36:40; 38: 376; 39:480; 40:80; var. fusiformis 24:193, 200; var. remotiflora 24:191, 193, 200, 242. stylosa 13:122; 28:56, 110, 116, 121, 165; 35: 58, 59, 230; 41:160, 205; 42:318; 44:302, 303; var. nigritella 44:302, 303. suberecta 40: 252, 254. × subimpressa 21:84; 43:658. subspathacea 38:145. substricta 40:252; 44: 295-298, pl. 712. subulata 1:184; 4:223, 230; 13:78, 79, 151; 19:125; 23:172. ×subviridula 35:231. Sullivantii 32:163, 164. supina 32:200, 202, map 13; 34:244; 41:201; 42:318. Swanii 24:163; 32:151, 241; 39:429; 43:659. sychnocephala 37:417. sylvatica 32:164. tenella 1:183, 202; 4:223; 6:109; 14:110; 19:123; 23:236; 41:200; 42:318. tenera 4:223; 8:165, 166; 23:235; 26:2; 40: 329; 43:495, 543; 49:179; var. echinodes 26:2; var. invisa 4:223; 8:166; 44:285; var. Richii 4:223; 8:166. tentaculata 3:55, 56; var. altior 3:56; var. gracilis 3:56; var. parvula 3:56; var. rostrata 3:55, 56. tenuiflora 4:223, 226, 230; 28:121, 122, 245; 32:201, 203, map 35; 41:167, 200; × trisperma 35: 219. tenuis 6:108; 44:310; var. erectior 44: 310; var. interjecta 44:310. teretiuscula 3: 34; 4:223, 230; 6:109; 7:142; 10:48; var. prairea 10:48; var. ramosa 4:167, 223; 5: prairea 10:48; var. famosa 4:107, 225; 5:33; 6:3, 8; 10:48. **terrae-novae** 44:290, 292, 293, pl. 711. tetanica 3:64; 4:168, 223; 6:3, 8; 24:185; 40:80; 43:501, 503, 543, map 4; var. Meadii 4:223, 227; var. Woodii 4:167, 223; 5:33; 14:110. texensis 8:166; 50:17. **tineta** 15:186, 187; 44:320. Tolesconding 100:144 miei 41:205; 42:318. tonsa 40:374, 399; 44: 289, 290; 46:78. torta 1:202; 2:127; 3:151, 170, 186; 4:223; 12:187; 16:12; 21:201; 22: 135; 44:437. transmarina 35:396. tribuloides 1:203; 3:151; 4:223; 14:110, 115, 116; 17:214; 21:85; 32:105, 106, 176; 36:38; 40: 326; 47:39, 40; var. Bebbii 1:221; var. cristata 6:109; var. moniliformis 6:109; var. reducta 3:151; 4:223; 6:109; 7:109; 8:79; 14:110; 15:68, 187; 21:85; 22:136; 23:235;

37:84; var. sangamonensis 21:84, 85; var. turbata 3:151; 4:223; 14:110, 115; 21:85. triceps 12:126; 36:39; var. hirsuta 4:223; 41:35; var. Smithii 36:39. **xtrichina** 35: **219.** trichocarpa 4:223, 227, 230; 7:100; 14:110, 111; 15:66; 19:125; 23:172; 24:114; 32:172; var. aristata 23:199; 32:201, 203, map 30; 33:19. trigona 43:418. trisperma 2:209; 3:172, 190; 4:223, 226; 6:109; 8:185; 11:90; 13:54; 14:111; 15:92; 17:148, 152; 19:31; 21:201; 23:109, 236; 29:55, 150, 208; 30:29; 33:110, 118; 36:278; × tenuiflora 4: 223, 226; var. Billingsii 8:185; 11:83; 12: 186; 13:116, 135; 14:21, 111; 17:148, 149; 19:123; 23:99, 236; 25:208; 28:84, 163; 35: 5; 37:84. truncata 24:192. tuberosa 31: 159. Tuckermani 3:47, 52; 4:223; 6:108; 10:207, 208; 14:111, 112; 16:14; 17:57, 58, fig.; 24:184; 35:251; niagarensis 17:57–59, figs. turgescens 43:334. typhina 11:40; 19: 125; 23:173; 39:330, 342, 395, 470, 482; 40: 81; 44:20. typhinoides 4:223, 225; 11:40. uberior 38:399; 39:481; 40:79; 43:542. umbellata 4:223; 12:128; 13:69; 14:112; 15: 95; 19:124, 219; 26:2; 27:54; 28:84, 85, 164; 40:374, 399; 44:288–290, 321, pl. 710; f. vicina 26:2; var. brevirostris 4:223; 6:139; 13:68, 69; 14:112; 15:94, 95; 19:124; 24: 114; 44:288, 289, pl. 710; var. tonsa 4:223; 12:108; 14:112; 19:124; 23:130, 237; 44: 288, 289; var. vicina 26:2; 44:290. undulata 44:307, pl. 712. ursina 35:55; 36:139. ustulata 41:203. utriculata 1:202; 2:170; 3:33, 43, 45-47, 51, 52, 55; 8:202; 12:126, 127; 19: 98; 44:325, 327, 328, 330; 48:146; var. minor 98; 44:325, 327, 328, 330; 48:146; var. minor 3:46, 47, 51; 6:108; 44:325, 327, 330; 48: 146. vaginata 4:223; 6:108, 148; 7:154; 9: 159, 189; 11:90; 12:107, 116-118, 136; 13: 115, 125; 21:65; 32:61; 36:278; 37:299; 41: 167, 202; 50:212. Vahlii 35:222, 398, 400, pl. 248; 37:206; 38:144, 275; 41:203-205; 44:304; 49:82; β. inferalpina 41:204; var. inferalpina 35:398, 400, pl. 248; 41:203–205; 42:318; var. Stevenii 35:398, 400, pl. **248**; 41:204; 44:303. vallicola 39:492. varia 2:84; 4:223, 224, 227; 6:139; 12:128; 14:112; 19:258; 23:237; 24:99; 32:151, 241; 36:219; 40:331; var. colorata 4:223; 14:112 variabilis 44:297; var. altior 44:295, 298; var. elatior 44:295, 297, 298, pl. 712. Vaseyi 3:47, 52, 53. venusta 41:491, 534; 44:308; 45:367, 393; var. β. 44:308; var. minor 37: 379, 406; 39:480; 41:491, 534. verna 44: 286, 287. verrucosa 36:40, 41; 38:376; 41: 535. vesicaria 3:43, 47, 51-54; 4:223; 14: 111, 112; 22:132, 135; 25:7; 33:60; 35:59, 232, 251; 37:85; 43:418, 419, 658, 659; 44: 281, 327; 48:145; subsp. saxatilis, var. physo-400, pl. **248**; 44:140; 49:245; var. monile 3:53, **54**; 4:223; 10:172; 14:112; 35:232;

var. Raeana 3:51, 54; 6:193; 8:166; 28:122, 166. vestita 2:170; 3:198; 4:223, 227; 6: 194; 13:179; 14:112; 24:185; 37:415; 39: 328, 394, 475; var. Kennedyi 2:170; 4:223; 14:112; 21:35. virescens 2:171; 4:223; 8: 182, 183; 13:69; 14:112; 32:150, 216, 241; 37:437; 39:429; 43:659; × arctata 2:170; 4:223; var. costata 4:223; 8:182, 183; var. Swanii 8:183; 10:146; 12:187; 14:112; 23: 173, 237; 24:163; 32:241; 41:35; 43:659. virginiana 43:542; 44:71; 45:393. viridula 3:171; 5:249; 6:108; 7:110; 8:201; 35:231, 232. vitilis 28:163; b. sylvatica 28:164. vulgaris 4:224; 14:109; 14:300; var. hyperborea 1:192; var. strictiformis 44:299. vulpinoidea 4:223; 6:109; 13:139, 146; 14:112; 16:16; 17:214; 23:173, 236; 24:73; 29:128, 208; 31:83; 32:241; 35:251; 38:363; 40:376, 399; 44:232; var. ambigua 8:167, 181; 23: 173, 176; 24:74; var. glomerata 23:173, 176; var. pycnocephala 38:363; var. setacea 38: 364; var. xanthocarpa 24:74. Walteriana 32:213; 36:40; var. brevis 37:406; 39:475; 41:490, 534; 44:343. Wiegandii 35:84, 219. Willdenowii 2:127; 4:223; 12:187; 14:112. Williamsii 41:156, 160, 163, 167, 202, 203. Woodii 40:80; 41:31; 42:98. ×xanthina 35:230, 231. xanthocarpa 4:223; 8:167, 181; 23:173; 24:74; var. annectans 4:223, xxanthocarpa 35:230. yukonensis 41:208. zanthosperma 50:121

Carica 9:40. Papaya 32:99

Carices 3:69, 206, 282, 283, 286; 4:227; 6:94; 7:141; 12:132; 35:54, 55, 59; 36:139, 188; 39:326, 331; 40:277, 328, 376; 42:311; 43:413, 487, 493; 44:241, 348; 47:38, 39; 48:145; 49:254

Carnation 7:25

Carolina Ash 50:186. Buckthorn 38:440. Canary Grass 41:82. Laurel 17:50. Poplar 16:207, 209

Carpet weed 17:226 Carphalea 9:43

Carphephorus 41:488; 46:148. bellidifolius 39:354, 355, 357, 454, 466, 476; 40:366, 448, 458; 41:571; 42:362, 365, 399, 481; 43:492; 44:464; 46:148; 48:410. corymbosus 48:410. junceus 40:321. Pseudo-Liatris 48:411. tomentosus 39:355, 361, 454, 466, 476; 40:367, 370, 458; 41:472, 502; 42:362, 384, 481; 46: 148; 48:411; var. Walteri 42:481; 43:519; 44:256; 48:411; 49:98, 187

Carpinus 1:45; 16:111; 21:190; 31:88. Betulus virginiana 37:424, 425. caroliniana 4: 132; 5:134; 12:128; 16:111; 37:424, 453, pl. 394; 38:376; 39:473, 481; 40:146; var. virginiana 37:425, 453, pl. 395. virginiana

38:414

Carrion-flower 46:158

Carrot(s) 41:157. Wild 11:128; 18:95 Carteria 23:252. subcordiformis 23:249-251

Carteria 25.252. subcordiforms 25:249-251 Carum 6:124; 24:92; 49:250. bulbocastanum 49:250. Carvi 1:47, 159, 164, 168; 2:70; 3: 17, 131, 188; 6:124; 10:13; 11:178; 12:104; 22:136; 24:92; 33:122; 36:282; 49:250; f. rhodochranthum 11:178; 44:337; var. atrorubens 11:178

Carval 4:81 Carvell 4:81 Carvi 1:168

Carya 2:241; 9:53; 13:91, 217; 16:109; 21: 189; 32:152, 215, 247; 34:243, 246; 42:152, 292, 512; 44:34, 409, 411, fig. 1; 45:107, 108; 46:149-155. subgen. Apocarya 34:246. subgen. Eucarya 34:246. alba 3:233; 4: 132; 5:129; 6:194; 7:140; 15:163; 16:109, 110; 29:245; 36:220; 38:376; 39:471; 44: 240; 47:47. amara 3:233; 4:132. aquatica 39:331, 481; 44:240. arkansana 47:214. Buckleyi var. arkansana 36:220; 47:214. cordiformis 16:109; 35:249; 36:43; 44:409, 410, 412; 45:107; 48:206; 49:195; 50:60-62. ×Demareei 50:60, 61. glabra 16:109; 32:99; 38:376; 43:80; 47:46; var. megacarpa 47: 214; var. villosa 10:32. illinoensis 49:194, 195. laciniosa 24:99. ×Laneyi 50:62; var. chateaugayensis 50:60, 62. megacarpa 47: 214. microcarpa 16:109, 110; 29:245; 42: 43. ovalis 42:43; 48:206; 50:60-62; var. hirsuta 47:46; 49:138; var. mollis 25:180; var. obcordata 16:110; var. obovalis 36:220; var. odorata 29:245. ovata 16:110; 35:249; 37:352, fig. 1 (map); 44:410; 47:47; 48:206; 49:195; 50:60-62; var. ellipsoidalis 49:195; var. Nuttallii 16:110; var. pubescens 42: 361, 446. pallida 42:361; 47:47. Pecan 47: 209; 49:194, 195. porcina 5:129. sulcata 24:99. tomentosa 47:47

Caryophyll 41:489

Caryophyllaceae 5:188, 235; 6:115; 9:37; 10: 206; 17:37; 18:36, 86, 97, 240; 21:170; 25:8; 26:224; 28:70; 29:212; 31:42 32:250; 35:261; 36:58, 280; 37:306; 40:212, 213; 42: 152, 170, 255, 417; 43:80; 45:310; 49:255; 50:296, 302. tribe Alsineae 16:145

Caryophyllales 38:416 Caryophylleae 47:385, pl. 991 Cascadia 36:267. Nuttallii 36:267

Cassandra 7:157; 11:174; 44:29. calyculata 1:93, 183; 2:38; 3:176; 5:45, 133; 6:125

Cassia 20:165; 37:439; 41:462, 463; 42:394, 400, 512; 44:405, 532; 49:288. acuminata 39:413. bicapsularis 47:300. Candolleana 47:300. Chamaecrista 2:89, 218; 4:37; 10: 154; 13:8; 14:91; 20:165; 32:212; 42:393, 456; 45:302. fasciculata 41:462; 42:393, 456, pl. 635; 44:404, 405; f. Jenseni 42:455; f. mutata 44:405, pl. 724; f. transmutata 44:404, pl. 724; var. macrosperma 42: 455, 510, 514, pl. 635; var. robusta 42:456, pl. 635; 47:142. Fisheri 38:404. hebecarpa 39:413, 414, 490, pl. 481; var. longipila 42:49. littoralis 38:406. marilandica 2:89, 218; 5:203; 13:34; 20:166; 29:232; 39:410-414, 490, pl. 480; 41:462, 463. Medsgeri 39:411, 412, 414. nictitans 2:89, 168, 218; 5:203; 10:143; 14:28; 20:166; 38:381, 423, 451, pl. 448; 44:343; var. hebecarpa 38:423, 441, pl. 448; 39:475; 49:101, 149; var. leiocarpa 38:423, 451, pl. 448;

var. Mohrii 38:423. reflexa 39:413. rostrata 38:404. Tora 44:360, 404

Cassine 50:169, 170. capensis 50:170. caroliniana 41:425, 426. Peragua 50:169-171

Cassiope 2:189, 190; 3:156; 18:101; 31:138; 44:29. hypnoides 1:93; 2:200; 3:165, 176; 9:163, 166; 11:97; 22:37, 44; 27:52; 28:124, 223; 38:115, 116, 120-122, 157; 44:29, 115. tetragona 9:182; 13:223; 21:53; 25:114; 34: 245; 36:136; 38:116, 157; 41:147, 241, 275; 42:312, 335

Castagnea virescens 2:45; 7:228; 8:108; 26: 213; 50:261. Zosterae 2:45; 26:213; 50:261 Castalia 10:49; 14:31; 15:20; 18:90, 161, 164; 21:184; 29:237; 39:407; 44:175; 45: 443. lekophylla 38:406. magnifica 18:120. odorata 6:116; 11:129; 13:149, 191; 14:26; 18:37, 90; 22:136; 32:252; 39:369, 375; f. rosea 23:162; 24:99; var. gigantea 10:49.

tuberosa 15:164

Castanea 7:160; 13:90, 217; 16:111; 29:166. dentata 13:219, 220; 16:111; 21:44, 199; 31: 222; 41:540; 42:292; 47:97, 131. Margaretta, var. arcuata 42:447. neglecta 41:539, 540; 47:97, 131. ozarkensis 36:231. pumila 13:90; 16:112; 36:43; 39:482; 41:540; 42: 398; 47:97, 131; var. Ashei 42:398, 447; var. Margaretta 42:398, 446. sativa, var. americana 3:233; 4:133; 5:130; 8:65

Castilla 49:58

Castille 49:38
Castille 11:56; 25:63; 41:66, 285, 382; 42:
338. acuminata 9:154; 36:186. brachyantha var. subinflata 37:227. coccinea 1:
179; 2:218; 5:204; 7:33, 35; 25:63; 33:179;
34:240; 37:189, 204; 42:46; f. lutescens 33:
169. elegans 36:186, 187; 41:285. flavoviridis 38:300. hyperborea 41:284; 42:338. occidentalis 39:495; 41:285. pallida 36:186, 187; 41:285, 286; subsp. caudata 41:285; 42:338; subsp. elegans 41:285, 286; subsp. typica 41:285, 286; var. occidentalis 41:285; var. septentrionalis 3:160, 176; 6:94. 192; 7:33, 35; 9:24, 154, 163, 169, 190; 11:98; 12:112; 22:39; 25:11; 36:186, 187, 283; 38:157; var. unalaschkensis 36:187; 41:285. pulchella 37:227; var. acutina 37:227. rhexifolia 39: 495. septentrionalis 41:285. sessiliflora 34: 6. unalaschkensis 36:186. 187. viscida 39:495

Castor Bean 45:439, 440

Casuarina 47:386

Cat Brier(s) 23:109; 39:357. Spruce 9:76;

12:177; 18:32; 35:358

Catabrosa 8:138; 18:2; 21:216; 28:150; 35: 139; 49:254. aquatica 10:95, 201; 13:122; 27:97; 28:152; 35:138-140, 399, pl. 242; var. laurentiana 35:137, 139, 140, 399, pl. 242; 44:139; 49:240; var. subtilis 35:140; var. uniflora 35:139, 140, 399, pl. 242. vilfoidea 18:8

Catalpa 7:125; 25:186; 44:32, 414, 416; 50: 287. bignonioides 25:186; 32:152, 275; 39: 372, 375; 42:46. Catalpa 21:189. speciosa

14:81; 39:347, 449; 44:415

Catch-fly Grass 39:348

Catchfly, Sleepy 12:129; 18:144

Catharinaea 9:99; 23:70; 39:42. angustata 3: 180, 181; 8:131; 9:64, 99; 26:219. crispa 8: 131; 9:74; 10:71. Maemillani 9:98, 99, pl. 74; 10:71. undulata 2:62; 8:131

Cathartolinum medium 37:428

Cathea 9:53. pulchella, f. latifolia 48:188

Catmint 46:315 Catnip 11:127; 37:422

Catoscopium 5:200. nigritum 5:200; 30:8

Cat's-ear 46:206

Cat-tail(s) 18:94; 23:199; 40:183; 43:85, 90, 91; 44:32, 33; 46:315; 49:202. Common 44: 213. Family 44:213. Flag 4:93

Cattleya 2:31

Caucalis 7:159. Anthriscus 40:291. japonicus 40:291

Caulanthus simulans 43:398

Caulerpa 3:91. clavifera 3:91. ericifolia 3:91. falcifolia 14:59. Pickeringii 14:59. plumaris 3:91. prolifera 6:182

Cauliflower 44:160

Caulinia guadalupensis 49:235

Caulophyllum 6:117, 236; 7:158; 17:204, 224; 18:213. thalictroides 1:170; 6:95, 117; 10: 146; 12:187; 14:75; 18:213; 21:200; 34:231; 35:285; 43:340; 50:136

Cavanilla florida 41:198

Cavendishia platyphylla 18:83. Porella 18:79

Cayaponia grandiflora 35:289

Ceanothus 21:128; 32:161. americanus 2:216; 3:235; 4:76, 130; 5:129. 203; 8:99; 17:229; 21:128, 199; 26:197; 32:162; 37:432; 42:292; 46:22, 23; 47:217; var. intermedius 32: 162, 177, 212; 42:462; var. Pitcheri 47:217. Greggi, var. orbicularis 39:151. intermedius 32:162; 42:462. ovalis 43:82; β. ? 43:83; var. pubescens 43:82, 83. ovatus 12:187; 21:128; 36:24; 37:70, 301; 43:82, 83; f. pubescens 43:83; var. pubescens 21: 128; 29:232; 37:70, 301; 43:82, 83. pubescens 43:83. sanguineus 17:229, 230; 34: 244; 37:205, 209, 210, 213, 214, 217, 218, 301, map 6; 46:254; 49:207

Cecropia peltata 32:99

Cedar(s) 6:93; 7:122; 13:57; 21:60; 23:101, 102; 40:426, 429; 44:351; 46:306, 307; 49: 153. Alaska 49:228. Bogs 11:223. Ground 18:32. Incense 49:228. of Lebanon 21:29. Port Orford 49:228. Red 4:133; 31:193; 35:359; 49:172-174. Running 18:32. Southern White 42:279. Western Red 49: 228. White 11:175; 21:44, 58; 23:100; 31: 150; 35:358, 359

Cedronella pallida 38:407

Cedroxylon 11:168, 169, 171. transiens 11:169

Cedrus 11:168; 21:67

Celandine 18:39; 25:172; 45:441, 442 Celastraceae 6:121; 11:50; 21:126; 31:42; 45:

444

Celastrus 6:121; 16:16; 21:126; 44:28. orbiculatus 40:365, 440; 43:603. scandens 6: 121, 208; 16:13; 21:126; 32:18, 108, 176; 35:249; 43:520, 603; 44:426

Celosia cristata 19:129

Celtis 17:169; 31:88; 34:6; 41:478, 552; 42: 152; 44:27; 50:158, 162. crassifolia 50:158, pl. 1097. georgiana 50:160. ilicifolia 47: 362. integrifolia 50:161, 162. laevigata 36: 43; 38:192, 415; 34:481; 50:156, 157, 159, 161, 162; var. Smallii 38:415; 50:156–158, 161, 162; var. texana 36:231; 38:192. longifolia 50:162. mississippiensis 38:415; 50: 161. occidentalis 4:132; 5:204; 9:12; 17: 169; 26:128; 37:425; 49:24; 50:155–161, pl. 1097; β . 50:161; β . integrifolia 50:162; β . pumila 50:160; β . ? tenuifolia 50:161; var. canina 37:425; 50:156. var. crassifolia 26: canina 37:425; 50:156. var. crassifolia 26: 128; 46:82; 50:156. var. integrifolia 50:161; var. pumila 34:6; 50:158, 160. var. submembranacea 37:425; 38:415. pumila 19: 68; 21:190; 46:82; 50:158-160, pl. 1098; var. georgiana 36:230; 50:160. tenuifolia 50:160; var. georgiana 50:160

Cenchrus 15:123, 223; 39:358, 474; 45:388; 47:353. carolinianus 15:123, 159; 24:58; 27:201; 32:234; 45:387. echinatus 31:111, 113; 45:387, 388; f. longispinus 45:388. inceptus 40:300: 45:387, 388

certus 40:390; 45:387, 388. longispinus 45: 388. myosuroides 44:257. pauciflorus 31: 111, 113, 115, 116; 32:177, 210, 211, 234; 45: 387, 388; 50:16. tribuloides 2:205; 6:82;

32:234; 41:529; 45:387

Cenomyce callosa 37:46. caroliniana 34:134. cornuto-radiata 40:21. fimbriata, β. conista 32:92; β. C. conista 33:138; γ. C. carneopallida 33:157. gonorega, f. lepidota 31:101. lacunosa, γ. cribrosa 34:142. novangliae 28: 206. rangiferina, var. tenuior 34:122. silvatica, var. condensata 33:153. squamosa 40:14; uncialis, η. turgescens 34:133

Centaurea 26:83; 30:59; 37:306. subdiv. Calcitrapae 30:59. subdiv. Crocodiloidea 30:59. subdiv. Cyani 30:59. subdiv. Jacea 30:59. subdiv. Rhapontica 30:59. subdiv. Stoebae 30:59. adulterina 26:83. amara 19:253. americana 24:97, 98, 100; 36:232. 19:293. aliericana 24:37, 58, 160, 50:203. arenaria 32:280. calcitrapa 49:84. Cyanus 1:75, 168; 3:89; 24:209; 26:83; 27:214; 28: 242; 34:63; 49:84. diffusa 4:249; 13:100; 26:83. Jacea 1:24, 75, 104; 9:46; 19:252; 26:83; 45:331; 49:84; var. lacera 19:252; 26:83; var. nigra 45:332. maculosa 15:172; 26:23 19:253; 26:83; 29:233; 31:86; 37:195, 323; 38:66; 46:142; 48:98, 391; 49:84. melitensis 26:83; 31:243. montana 50:176, 179. nervosa 45:331, 332. nigra 1:24, 75, 203; 4:189; 6:235; 11:99; 19:252; 23:299; 24:97, 100; 26:83; 29:191, 221; 31:86; 33:109, 126; 45: 331; 49:84; var. radiata 11:99; 19:252; 26: 83; 31:86. nigrescens 23:299; 45:331. Scabiosa 1:75. solstitialis 5:256; 26:83; 49: 84. vochinensis 6:23; 19:253; 24:120; 26: 83; 37:195; 46:142; 49:84. vulgaris 9:46 Centaureas 49:84

Centaurella 34:165-167. autumnalis 48:328. Moseri 2:55, 56; 10:35. paniculata 10:35; 34:164, 165; 48:328. verna 34:164; 48:327, 328. vernalis 48:327, 328; β. uniflora 48:

Centaurium 10:54; 34:165-167. Beyrichii, f.

albiflorum 50:98. calycosum 10:54; 36: 232. spicatum 10:54; 42:21. texense 10: 54; 36:224, 232. umbellatum 23:286; 24: 234; 29:128; var. ellipticum 29:128

Centella 42:296, 298. asiatica 42:295, 296; var. floridana 42:296, 297. erecta 42:295, 297. floridana 42:295, 297. repanda 38:

377; 39:467, 480; 42:295, 297

Centipeda minima 40:219, 220. orbicularis 40:220

Centritractus belenophorus 44:66 Centrogenium setaceum 23:84

Centropogon 50:48

Centrosema virginianum 38:377; 39:473, 480; 43:519, 587, 588; 44:343; var. angustifolium 43:588; var. ellipticum 43:587; 45:278

Centrospermae 9:37

Centunculus alpinus 22:171. minimus 29:128 Century-plant 44:342

Cephalanthera grandiflora 24:45. Royleana

27:100
Cephalanthus 4:182; 24:204; 26:13; 29:243; 36:373; 40:76, 252, 389, 414, 447; 41:500; 45:371, 380; 47:364; 49:86. angustifolius 49:182. occidentalis 2:214; 4:131, 243; 5: 132; 9:122; 12:108; 14:21; 24:204; 26:13; 28:39; 32:133, 150, 216, 276; 35:251; 36:374; 37:351; 38:98; 44:235; 47:191; 48:58; 49: 102, 181, 182; f. lanceolatus 49:181, 182; var. angustifolius 49:182; var. pubescens 38: 444; 39:482; 40:458; 47:191; var. salicifolius 49:181. salicifolius 49:181

Cephaloschoenus 46:91

Cephalosporium 50:287 Cephalozia 6:173; 7:55; 10:189; 11:16; 14: 223; 29:162. subgen. Cephaloziella 10:189. subgen. Eucephalozia 10:189. subgen. Prionolobus 14:223. asperifolia 14:222, 223. asprella 14:222. bicuspidata 5:51, 171; 11: 117; 15:23; 25:196; 26:10. bifida 14:220. byssacea 14:221. catenulata 5:171; 6:173, 174; 15:27; 17:107, 112–116; 25:196, 199; 26:11; var. pallida 16:70. connivens 5:171; 20:11; var. painda 10:70. confilvens 5:171; 7:58; 8:44; 12:204; 14:17; 15:23; 16:70; 21:168; 25:196; 26:11. curvifolia 4:242; 5:171; 15:23; 19:263; 25:196, 198; 26:11. divaricata 4:242; 5:171; 6:173; 7:55; 11:193; 14:221; 15:27; 17:118; β. Starkii 14:221; var. scabra 14:222. elachista 11:191. erosa 11:192. fluitans 5:171; 7:58; 12:204; 14: 224; 15:23; 17:120; 25:196; 26:11. Francisci 5:171; 15:23; 16:75; 25:196. Helleri 6:172. Jackii 5:171; 6:173; 7:55; 15:27. Loitlesbergeri 21:149, 168; 25:196, 198. lunulaefolia 5:51, 171; 9:66; 14:18; 15:27; 16:70, 71. Macounii 5:171; 15:23; 25:196. macrostachya 17:107, 113-117; 18:119; 19: 263, 272; 25:196, 198; 26:11; var. propagulifera 17:117. media 15:23, 27; 16:62, 70, 71; 17:114-116; 25:196; 26:11. multiflora 4:242; 16:70, 71; 26:11; var. elata 17:114. myriantha 7:55. pallida 16:70, 71. pleniceps 5:171; 10:192; 11:195; 12:204; 15:23; 25:196. reclusa 6:173, 174; 17:112. serri-flora 6:173, 174; 10:192; 14:18; 15:23, 27; 16:71; 17:112, 113; 25:199. Starkii 14:221. striatula 12:203. Sullivantii 7:52, 55: 10: 189. symbolica 16:70, 71; var. pallida 16: 70. virginiana 6:173, 174; 17:112, 113; 26:

Cephaloziaceae 25:196: 26:10

Cephaloziella 6:173; 10:189; 11:185, 192; 14: 220, 221; 17:117. bifida 11:192; 14:220–222; 15:23, 27; 19:263; 23:284; 25:195; 26: 10. byssacea 11:192; 14:221, 222; 15:23, 27; 16:76; 19:263; 25:195; 26:10; var. asperifolia 14:222. divaricata 10:190; 11: 192, 193; 14:221, 222; 26:10. Douinii 14: 222. elachista 11:191, 193; 12:203, 204; 14: 18, 224; 15:23, 27; 25:195; 26:10. erosa 11: 192. Hampeana 11:192, 193; 14:17, 18, 221, 222; 15:23, 27; 17:117; 25:98, 195; 26:10; f. typica 17:117; var. spinicaulis 17:117. Jackii 6:173. myriantha 10:190, 192; 11: 220, 221; 17:117. bifida 11:192; 14:220-Jackii 6:173. myriantha 10:190, 192; 11: 195; 14:18; 15:23, 27; 25:195. papillosa 14: 222, 223; 15:23, 27; 17:118; 25:195; var. scabra 14:223. spinicaulis 17:107, 117, 118; 25:195, 198. Starkii 14:221; 19:263. Sullivantii 10:189; 14:224; 15:23, 27; 16:75; 25:195. trivialis 11:192, 193

Cephaloziellaceae 25:195; 26:10

Cerambycidae 36:28

Ceramium 50:263. arachnoideum 35:148; 50: 265. arborescens 2:49. botryocarpum 7: 234. Boydenii 21:203, 206. Capri-Cornu 1: 126; 2:49; 7:234. circinatum 2:49; 7:234. clavulatum 17:96. diaphanum 8:112; 35: 148; 43:214; 50:265. fastigiatum 2:49; 7: 234; 26:214; 35:148; 50:265. Hooperi 2: 49. japonicum 21:203, 206. miniatum 17: 49. japonicum 21:203, 206. miniatum 17: 96. pedicellatum 1:126; 2:49. roseolum 8: 195. rubriforme 43:214. rubrum 2:49; 4: 177; 7:234; 8:125, 196; 16:4; 17:94, 95; 26: 214; 33:130; 35:148; 50:263, 265; var. corymbosum 2:49; var. decurrens 2:49; var. proliferum 2:49; 7:234; var. secundatum 2: 49; 7:234. squarrosum 2:49. strictum 1: 70; 2:49; 7:234; 26:214; 50:265, 266; 7: 234: 50:265; var. arachnoideum 2:49; 7: 234: 50:265; var. arachnoideum 2:49: 7: 234; 50:265; var. arachnoideum 2:49; 7: 235; var. patentissimum 2:49 Ceramiums 26:189

Cerania vermicularis 28:231

Cerastium 6:62, 115; 13:216; 18:86; 22:169; 28:106; 40:213, 373; 41:222, 490; 45:358. § Orthodon 22:169. alpinum 13:124; 14: 87; 22:169–171; 25:112; 28:106. 200; 35: 120; 36:148, 280; 38:117, 121, 134, 149; 41: 221, 222; d. C. villosum 22:172; α. Beeringianum 22:173; B. Fischerianum lusus C. macrocarpum 22:177; y. Fischerianum 22: 174; S. atratum 22:172; var. beeringianum 7:31; var. glanduliferum 22:172; 28:200; 38:114, 119, 149; var. glutinoso-lanatum 22: 172; var. hirsutum 22:171; var. lanatum 22: 172; 25:8; 28:54, 98, 104, 200; 38:119, 149; var. legitimum 22:171, 172; f. pulvinatum 22:171. arcticum 22:171, 172; d. 21:55, 20:100 oides 21:5. arvense 2:124, 208; 3:188, 190; 5:189; 9:161, 174, 175; 10:113; 15:139; 18: 86; 22:169, 171, 178, 179; 25:8; 33:60, 111, 120; 35:83; 36:280; 38:149; 49:247; var.

fuegianum 4:150; var. oblongifolium 10: 175; 22:179; 36:220; var. viscidulum 50: 214. atratum 22:172. beeringianum 9:161; 22:170, 172, 174, 175; 28:60; 38:123, 124, 126, 131, 149, 274; 41:146, 221; 42:323; 44: 72, 104; 45:310; 47:225; var. capillare 22: 173; var. grandiflorum 42:323; 44:108. biflorum 21:13. brachypetalum 41:490, 541; 43:551; 45:358, 359, 400. brachypodum 41: 489, 541; 47:214. Buffumae 22:173. cae-spitosum 22:178; β. glandulosum 22:178; var. hirsutum 22:178. cerastioides 9:155. 161; 28:124, 200; 36:422; 38:124, 149; 44: 124. Earlei 22:170, 175; 35:11; 41:155, 221. Edmondstonii 22:174. eriophorum 22:172. Fischerianum 22:170, 174; 27:206; 35:265; 38:274; 41:222. glandulosum 22:178. lanatum 22:172. lanuginosum 22:172. latifolium 22:176; 35:11; 3. Edmondstonii 22: 174. maximum 41:222. mutabile 22:171, 172. nigrescens 22:174, 175. nutans 5:189; 172. nigrescens 22:174, 175. nutans 5:185; 21:201; 24:184; 37:259. oblongifolium 22:175. 179. pilosum 22:173. Regelii 22:175; 28: 106, 109, 200; 35:275; 36:164. semidecandrum 3:65; 5:189; 12:217; 19:220. squalidum 22:172. terrae-novae 22:170, 176; 35: 10, 11, 83, 265, 401, pl. 257; f. Waghornei 22: 177. tetrandrum 40:373, 415; 45:359. tomentosum 37:86. trigynum 36:148. triviale 22:178; α. hirsutum 22:178; γ. glandulosum 22:178; var. genuina 22:178; var. viscosum 22:178. unalaschkense 22:170, 171, 177. variabile 22:173. velutinum 22:179. villosum 22:172, 178; β. glandulosum 22:178. viscosum 5:189, 235; 26:188; 28:70, 200; 29:213; 32:157; 35:266; 36:220; 40:372, 373; 41:489; 32:157; 35:266; 36:220; 40:372, 373; 41:489; 42:323. vulgare, subsp. triviale, f. glandulosum 22:178. vulgatum 3:188; 5:135, 189, 235; 6:115; 12:128; 17:35, 209, 216; 18:37, 86; 19:220; 21:170; 22:137, 169–171, 177, 178; 26:188, 224; 29:213; 32:151, 157, 251, 260; 33:120; 35:266; 36:280; 41:79; 50:291, 296; α. typicum 22:178; δ. Beeringianum 22:173; δ. grandiflorum 22:174; ε. glandulosum 22:178; var. hirsutum 22:178; f. glandulosum 22:178; var. holosteoides 41:490, 541: sum 22:178; var. holosteoides 41:490, 541; var. macrocarpum 22:177

Cerasus 45:451. canadensis 25:72. caroliniana 47:301. glauca 25:72. pumila 25:69, 71-73. sylvestris 18:141

Cerataulus levis 9:139. polymorphus 9:139 Ceratiola 23:92, 167, 168; 32:170; 36:32. ericoides 23:92; 36:46

Ceratiomyxa 29:166. fruticulosa 29:166, 172; 44:169; var. porioides 29:166

Ceratites capitata 40:1

Ceratium 29:163. hirundella 44:68. porioides 29:166

Cerothamnus inodorus 46:390

Ceratodon purpureus 3:180; 4:30; 17:210; 26: 219; 30:3; 50:290, 292

Ceratophyllaceae 18:89; 31:42

Ceratophyllum 7:45; 13:79; 16:158; 18:89; 38:334; 43:508. demersum 7:45, 99; 15: 164; 16:159; 18:89; 21:121, 122; 29:245; 32:

107: 37:357: 38:421: 43:551, 552; 48:330. echinatum 43:508, 551, 552

Ceratoschoenus 43:333, 334; 46: 91. longirostris 43:334. macrostachys 43:334; ß. inundatus 8:165; 20:138, 149; var. patulus 8:

undatus 8:165; 20:138, 149; var. patulus 8: 165; 20:139, 140
Cercis 28:35; 33:31, map 7; 40:372; 44:27. arizonica 44:197, 199, 209. californica 44: 196. canadensis 25:203; 31:256; 33:32, map 7; 34:175; 38:234; 39:473; 41:580; 44:193–195, 198, 200, 202, 205–207, 210, 211; β. pubescens 38:235; 44:201; f. glabrifolia 38: 234; 44:193, 195, 203; var. mexicana 44: 195, 197, 208, 209, 211, maps III, IV; var. texensis 44:193, 195, 197, 198, 203, 205, 208–211, maps II, IV; var. typica 44:195, 197, 200, 211, map IV. dilatata 44:201. ellipsoidea 44:201, 202. georgiana 44:203. latissima 44:196, 200. mexicana 44:208. nephrophylla 44:196. nitida 44:204. occinephrophylla 44:196. nitida 44:204. occidentalis 44:194, 195, 197-200, 202, 204, 205, 207, 208, 210, 211, maps I, IV; var. orbiculata 44:196; var. texensis 44:204. orbi-culata 44:196, 197, 199, 200. reniformis 44: 193, 198, 202, 204, 205, 207, 208. siliquas-trum 33:32, map 7. texensis 44:193, 204, 206, 207

Cercocarpus 43:225

Cercospora beticola 39:369. clavata 39:369. Lathyri 41:513. nymphaeacea 39:369. rhoina 41:513

Ceresia fluitans 39:382, 383, 385

Cereus 36:69 Ceriferae 16:201

Cerise de sable 25:69

Cerisier à grappe 1:168

Ceropteris triangularis 22:116. viscosa 22:117

Cerothamnus pumilus 40:409

Cesia coralloides 4:207

Cespedezia 36:131, 390, 392; (see also: Lespedeza)

Cestichis 7:119

Cetraria 23:184. ciliaris 28:230. crispa 36: 143, 153. cucullata 28:230; 36:143, 153. Delisei 36:143, 153. Fahlunensis 28:230. fastigiata 28:229. glauca 28:230. hepatizon 36:143, 153. hiascens 28:230. islandica 2: 155; 28:229; 36:143, 153; var. crispa 28:229; var. tenuifolia 28:229. juniperina, var. pinastri 28:230; var. terrestris 28:230. nivalis 11:100; 28:230; 36:143, 153; 41:267. Oakesiana 29:103. pinastri 28:230. saepincola 28:230. tenuifolia 20:40

Chaenactis 26:83. Douglasii, var. alpina 39: 495. glabriuscula 26:83. scaposa 12:16

Chaenolobus 17:135. undulatus 17:135, 137 Chaenorrhinum minus 23:132; 38:453; 41:

473, 558

Chaerophyllum Anthriscus 40:291. procumbens 11:52, 53; 34:8; 40:448. Tainturieri 11:52, 53; 34:8; 36:220; 40:448; 41:552; 43:488, 618; var. floridanum 43:493, 618. texanum 11:52, 53; 36:232

Chaetoceros coarctatum 26:193, 216. decipiens 26:193, 216. didymum 26:193, 216

Chaetochloa 13:174-176; 26:222; 27:29. glauca 18:232. lutescens 18:232; 31:109. occidentalis 13:175. versicolor 8:210; 13: 175. viridis, var. minor 43:633; var. Weinmanni 43:633

Chaetococcus varians, f. furcata 26:193, 216 Chaetococcus varians, 1. Iureata 26:195, 216
Chaetocyperus 31:124. acicularis 31:184. albibracteatus 31:178, 179. Baldwinii 39: 240, 241. bonariensis 39:239; 41:16. costulatus 31:205; 41:15. (Elaeocharis) membranaceus 36:387, 388. emarginatus 39:268; 41:77. Jamesoni 39:215. Limnocharis 39: 26:327. 389. 251. membranaceus 36:387, 388. niveus 39:236, 238; 41:109. obtusatus 39:238; 41: 16. polymorphus 31:206; 39:215, 217, 218; 41:109; α. depauperatus 39:236; β. capillaceus 36:388; 39:238; γ. natans 39:218. punctatus 39:220, 221. pygmaea 31:169. radicans 41:17. rugulosus 39:236; 41:109. setaceus 39:251, stoloniferus 41:68, subarticulatus 41:105. tenuiculus 39:268. urceolatus 39:220. viviparus 39:217, 236,

Chaetomorpha 8:106, 193; 9:199, 200; 10:164; 11:196, 197; 41:19, 20, 22, 24. aerea 2:43; 7:225; 9:199; 10:163; 41:20; 43:213; 50: 258. californica 8:106. Callithrix 41:23. capillaris 41:23, 24. Chelonum 9:198; 11: 196. Henningsii 9:199. Herbipolensis 9: 199; 11:196. Linum 1:70; 2:43; 7:225; 10: 163; 17:91; 26:191, 213; 41:20, 21; 50:258. mediterranea 41:23. melagonium 1:70; 2: 43; 10:163; 11:25; 26:213; 33:129; 50:258; f. rupincola 2:43; 33:130; f. typica 2:43. Olneyi 50:258. Picquotiana 10:163. tortuosa 41:20-26

Chaetonema irregulare 24:51 Chaetopappa asteroides 36:232

Chaetophora 10:122, 127. Cornu Damae, β. draparnaldioides 7:240. elegans 15:91; 24: 108; 26:164; 50:68. incrassata 7:240; 15: 91; f. draparnaldioides 7:240. maritima 5:210; 10:126. pellicula 5:210. pisiformis 7:240

Chaetophoraceae 5:210. subfam. Chaeto-

phoreae 5:210

Chaetopteris 7:97. plumosa 10:116; 35:151, 152

Chaetosphaeridium globosum 14:115; 15:91; 26:164. Pringsheimii 23:67

Chaetospora capillacea 25:52. capillaris 25:52 Chain Fern(s) 11:28; 23:109, 145, 147; 30:14;

Chamaecistus 9:54. procumbens 50:126 Chamaecrista littoralis 38:406. rostrata 38:

404

Chamaecyparis 7:126; 8:28; 9:74; 10:63; 11: 18 Anaecy parts 7:126; 8:28; 9:74; 10:03; 11: 222, 223, 225, 228, 234, 235; 14:21, 22; 21: 68; 23:96, 101, 102, 115; 26:180; 29:169; 31: 97, 98; 35:358; 41:488; 42:279, 343, 385, 471, 472; 44:351; 49:153. Lawsoniana 49: 228. nootkatensis 49:228. sphaeroides 1: 104; 4:106; 5:134, 204; 50:248. thyoides 7: 71; 9:74; 10:63; 11:225, 231; 14:19; 15:6; 16:205; 23:92; 24:112; 28:43, 46, 245; 31: 96–98; 32:152, 210, 229; 35:358; 38:98, 452, 453; 39:476; 41:123, 469, 500, 560; 42:343, 344, 380; 49:83; 50:248

Chamaecyparis Bogs 11:222, 223, 225, 226, 228,

Chamaedaphne 6:125; 12:183; 13:215; 16: 163; 24:152; 37:157; 40:149-151, 414; 41: 127, 153; 44:29. calyculata 6:125; 9:163, 189; 11:97; 12:129, 183; 17:148; 22:40, 43, 44; 24:152; 25:10; 29:218, 222; 32:150, 214, 269; 33:123; 34:54, 63; 36:283; 37:157, 158, fig. 1; 39:471; 40:145, 148, 154–156, 158, 160, 163, 169, 170; 41:149, 275, 288; 42:279, 335; 44:169, 174; 47:390; var. angustifolia 47: 390, 391; var. latifolia 47:390, 391; var. nana 47:391

Chamaedrys canadensis 35:394

Chamaelirion 7:160; 31:12; 42:254. caro-

Chamaennon 7.100, 31.12, 42.234. carolinianum 6:204. luteum 41:485, 536; 42: 363; 43:489; 47:213
Chamaenerion 20:1. angustifolium 6:123; 9: 121; 20:4; 42:334; β. intermedium 20:3, 5; var. spectabile 20:4. latifolium 34:244; 42: 334; var. albiflorum 41:264; 46:252

Chamaepericlymenum 34:29, 30; 44:20. canadense 22:48; f. purpurascens 44:20, 144

Chamaeraphis 13:174

Chamaerhodos erecta 3. Nuttallii 37:284. Nuttallii 37:205, 213, 214, 217, 284, 285, 340, map 10, pl. 366; var. keweenawensis 37: 214, 284, 340, map 10, pl. 366

Chamaerops humilis 21:29

Chamaesiphon 18:92; 28:1. fuscum 26:162.

incrustans 18:92. polonicus 50:68 Chamaesyce 43:97-99, 110, 111, 168, 171. acuta 43:176. aequata 43:230; var. claudicans 43:230; var. erecta 43:231. albicaulis 43:230. albomarginata 43:202. ammanioides 43:128. angusta 43:178. arenicola 43:126. arizonica 43:243. astyla 43:227. aureola 43:188. brasiliensis 43:141. capitellata 43:174. chaetocalyx 43:225. cinerascens 43:185. conjuncta 43:183. consanguinea 43:230. cordifolia 43:196. erecta 43:231. exstipulata 43:272. Fendleri 43:224. flagelliformis 43:127. florida 43:138. gemella 43:172. Geyeri 43:131. glomerifera 43:168. glyptosperma 43:235; var. integrata 43:235. Gooddingii 43:224. gracillima 43:136. Greenei 43:224, 235. Hartwegiana 43:199. hirta 43:170, 171. hirtula 43:234. humistrata 28:245; 43:261. hyssopifolia 43:141. indivisa 43:251. Ingallsii 38:406; 41:548; 43:128. involuta 43:183. Jonesii 43:141. Lansingii 43:144. laredana 43:271. lata 43:180. longeramosa 43:127. maculata 43:144. malaca 43:266, 268, 269. maritima 43:110. Mathewsii 43:255. melanadenia 43:187. micromera 43:194. neomexicana 43:230. nutans 43:144. Nuttallii 43:133. occidentalis 43:230. ocellata 43: 124. oregonensis 43:272. Parishii 43:192. Parryi 43:127. pediculifera 43:183. Peplis 43:272. petaloidea 43:134. pilulifera var. procumbens 43:172. polycarpa 43:191; var. hirtella 43:191. polyclada 43:131. polygonifolia 43:117, 123. portulana 43:243.

Preslii 43:144. prostrata 43:266, 268, 269. pseudoserpyllifolia 43:194. purisimana 43:243. pycnanthema 43:174. radicans 43: 199. Rafinesquii 43:150. Rattanii 43:126. revoluta 43:137. Rosei 43:171. Rothrockii 43:150. rugulosa 43:230. Rusbyi 43:174. saltonensis 43:240. serpens 43:199. serpyllifolia 39:150; 43:229. serrula 43:248. setiloba 43:245. Stanfieldii 38:406; 43:247. strictospora 43:263; var. texensis 43:266. sulfurea 43:124. supina 43:254. thymifolia 43:252. tonsita 43:191. trachysperma 43: 140. Tracyi 43:254. vallis-mortae 43:186. vermiculata 43:150. versicolor 43:243. villifera 43:247. zygophylloides 43:133

Chamberlainia 31:39 Chamitea 48:42; 49:38

Chamomilla 36:193. Hookeri 36:192, 193 Champia 50:263. Kotschyana 21:207. par-

Chantpia 50:265. Kotschyana 21:207. parvula 2:49; 7:232; 21:206; 26:214; 50:265. Chantransia 8:110, 190, 195; 13:186; 16:4. Aliariae 8:192. barbadensis 8:195. corymbifera 8:189, 195, 196. Dasyae 13:186. Daviesii 2:49; 8:194. Dictyotae 13:186. Dufourii 13:187. efflorescens 8:195; var. Thuretii 8:196. flexuosa 13:186. Hoytii 13:186. macrospora 8:110, 195. minima 13:186. roseola 8:195. secundata 2:49; 8:192, 194. Thuretii 2:49. virgatula 2:49; 7:172, 231; 8:192, 194; f. tenuissima 8:194 Chaptalia 20:151. semifloscularis 17:136, 137:

36:51. tomentosa 17:135-137

Chara 16:158; 24:214; 30:195; 42:95; 44:8; 48:330; 50:67, 70, 270. Braunii 48:329; 50: 273. fragilis 5:134; 48:330

Characeae 38:334 Characiaceae 41:136

Naegelii 14:114

Characiopsis crassiapex 30:194. pileata 30: 194; figs. 1, 2

Characium 11:65. ambiguum 26:111. cylindricum 11:66, 69, 70, 72–74, pl. 79. ensiforme 11:66, 67. falcatum 29:164. gracilipes 11:65–67, 69, 70, 73, 74, pl. 79.

Charas 7:45

Chasea 13:173-175. prolifera 13:175. pubescens 13:175. violacea 13:175

Checkerberry 12:183; 23:98; 24:153

Cheeses 28:71

Cheilanthes 3:220: 23:69: 40:182: 41:138: 48: 383, 386, 388. alabamensis 36:227, 230; 41: 137, 138. californica 35:261. Cooperae 35: 261. Covillei 26:53. Eatonii 50:93. Feei 36:223; 48:386, 387. Fendleri 26:53. fibrillosa 26:49, 50. gracilis 48:386. intertexta 26:54. lanosa 22:81, 84, 86; 26:52; 36:219; 42:383, 404; 46:55; 48:387, 388. lanuginosa 35:261; 48:386-388. myriophylla 26:54. Parishii 26:49, 50. Pringlei 26:49. siliquosa 48:272. tomentosa 40:249; 46:73; 48:383, 384, 388. vestita 35:261; 48:384–388. villosa 26:49, 53. viscida 26:49. Wootoni 36:

Cheiranthus Allionii 37:86. Pallasii 27:171. pygmaeus 27:171. tristis 9:45

Cheironia chloroides 18:148

Chelidonium 18:214; 44:25; 47:385. majus 10:145; 12:104; 17:35; 18:214; 23:264; 45: majus 441, 444

441, 444
Chelone 6:128; 14:225; 25:63; 41:469. Cuthbertii 25:22; 39:327, 328, 446, 475, 486, 487, map 3; 41:469, 473, 478; 42:384, 479; 44: 434. glabra 6:128; 7:33; 11:98; 13:146; 14:225, 226; 17:151; 18:43, 72; 22:137; 23: 157; 25:22, 63; 29:129, 219; 36:220, 374; 37:354; 38:98; 50:169; f. rosea 18:72; f. tomentosa 42:103; var. dilatata 14:226; var. elatior 42:479; var. elongata 37:322; var. lancoolet 14:226. Cimrai: 25:21, 22: var. lanceolata 14:226. Grimesii 25:21, 22; 41:469. Lyoni 18:72; 25:22; 42:46; 44:334.

41:409. Lyoni 18:72; 25:22; 42:46; 44:334. montana, var. elatior 37:322. obliqua 14: 226; 18:72; 25:21, 22; 37:322; 42:363, 399, 479; 49:96, 180. purpurea 25:21 Chenopodiaceae 6:114; 9:143; 11:120; 16: 198; 17:176; 18:36, 95, 96; 25:8; 26:224; 28:73; 29:212, 224; 31:42; 32:250; 36:280; 39:209; 43:80; 45:310; 49:255; 50:295, 302 Chenopodina linearis 9:146. maritima 9:148

Chenopodina linearis 9:146. maritima 9:145, 146; var. vulgaris 9:142, 145. Moquini 12: 16

Chenopodium 6:83, 114; 7:160; 13:22; 14: 206; 17:176, 233; 27:54; 41:82; 48:100. album 3:130, 189; 5:135; 6:114; 11:121; 12: 109; 17:176, 215, 216; 18:36, 95, 96; 22:137; 25:8; 26:184, 186, 224; 27:54; 28:73; 29: 173, 211; 32:250; 33:120; 36:280, 318, 374; 39:372, 375; 42:322; 48:100; 50:296; var. viride 6:82, 140; 17:176; 22:137; 44:393. ambrosioides 1:47; 2:205; 17:176; 44:362, 394; subsp. chilense, var. eu-chilense, fan. 394; subsp. chilense, var. eu-chilense, f. angustatum 44:394; var. anthelminticum 2: 205; 10:154; 17:176; var. chilense 44:362, 394. anthelminticum 3:88. Berlandieri 44: 393; 48:100. Bonus-Henricus 1:47; 17:176; 24:174. Boscianum 10:154; 17:176; 19:129; 24:184; 40:275; 43:519, 551. Botrys 10: 154; 13:22; 15:220; 17:177; 30:158; 36:376; 44:393. capitatum 1:221; 6:114; 17:177; 41:220; 42:322; 44:104; 45:310. carinatum 13:22; 15:220; 17:34; 30:158. chilense 44: 394; β. angustifolium 44:394. foetidum 6: 83. glaucum 10:150; 11:30; 13:31; 15:164; 83. glaucum 10:150; 11:30; 13:31; 15:164; 17:177; 19:129; 29:139. graveolens 17:177, humile 13:180. hybridum 17:177; 28:73; 31:84. leptophyllum 6:82; 11:179; 17:177; 19:129; 24:62; 29:64; 32:177; 37:86, 425; 43:551; var. oblongifolium 17:233. maritimum 9:142-146. multifidum 17:177. murale 17:177; 34:174; 35:362. olidum 6:82. opulifolium 29:173, 212. paganum 4:203. polyspermum 8:209:175; 177. rubrum 29:175. 393. polyspermum 8:99; 17:177. rubrum 5:131; 17:177; 20:104; 22:15; 25:107; 29: 92, 106, 112, 123, 173, 212; 32:173. urbicum 2:126; 13:89; 17:177; 34:174. vagans 44: 394. virgatum 17:177

Cherleria dicranoides 41:163, 164, 224. octan-

dra 21:11. stellata 21:6

Cherokee Gentian 41:487; 42:375. Plum 17:

Cherries, Sand 25:69

Cherry 4:81; 12:32; 22:130; 41:514; 45:325. 326, 451. Birch 10:165; 13:206. Bird 4: 83; 12:181; 25:169, 172–176. Black 18:140; 25:170, 172, 173, 176. Choke 12:181; 18: 140, 141; 25:170; 31:99. Cut-leaved 4:83. Fire 28:82. Red 22:131. Sand 4:130; 18: 70; 25:70. Sour 25:175. Sweet 12:181; 25: 174; 41:515. Wild 15:32; Black 12:180; Red 12:181

Chervil 4:81

Chestnut(s) 4:133; 10:165; 13:57; 23:195; 32: 145, 146; 43:67, 71; 47:287. Horse 12:32. Oak 16:142; 47:365. Spanish 17:49. Water 49:171

Chickasaw Plum 14:198 Chicken-toes 12:132

Chickweed 28:70; 46:313. Mouse-ear 28:70

Chicory 32:14 Chili Nettle 8:226

Chilian Empetrum 4:147 Chiloscyphus 12:201; 14:209, 214, 217; 19:270. ascendens 5:171; 7:54; 14:209, 210, 212–216, 220; 15:27. fragilis 14:209, 217–220; 15:23, 27; 23:67; 25:194; 26:8; var. calcareus 14: 218; var. subterrestris 14:218. labiatus 7: 54. lophocoleoides 7:54; 14:213, 216. Nordstedtii 14:209. pallescens 7:53, 54; 8: 44; 11:195; 12:201; 14:209, 210, 213–218, 220; 15:23, 27; 17:120; 25:194, 198; 26:8. polyanthus 2:62; 4:30; 5:171; 7:54, 58; 12: 201; 14:209, 213, 214, 216–220; 15:23; 25: 194; 26:8; β. pallescens 7:54; β. rivularis 14:219; β. viticulosus 7:54; var. erectus 14: 217; var. fragilis 14:217; var. grandicalyx 14:214; var. rivularis 14:217; 26:8; var. submersus 14:218; var. Sullivantii 14:217, 218. rivularis 14:209, 219, 220; 15:23, 27; 16:75; 25:194; 26:8; f. subterrestris 14:219, 220; var. subteres 14:220. viticulosus 7:54, 55

Chilosia leucoparea 38:91 Chimaphila 7:125; 19:238, 244; 24:153; 29:1-5, 48. acuta 29:238, 239, 241, 244. corymbosa 29:237-241. domingensis 19:237-239. maculata 1:93; 4:75; 5:204; 9:122; 13:21; 24:153; 29:1, 3-5, pl. 156; 32:269; 37:350, 354, 358, fig. 4 (map). mexicana 19:238, 239, 241, 242. occidentalis 19:238, 239, 241, 243; 37:324. umbellata 1:93; 3:132, 175; 6:125; 9:122; 10:20; 13:21, 147; 18:41; 19: 237-241, 244; 20:106; 22:39, 43, 44, 123, 134; 29:1-5, pl. 156; 46:158; var. acuta 19:241, 243; var. cisatlantica 19:240, 241; 20:106; 23:278; 24:153; var. genuina 19:240, 241; var. mexicana 19:240, 242; var. occidentalis 19:240, 242; 37:205, 324, 325. uniflora 29:1 China Berry 38:426. Radix 46:32 Chinese Pear 49:231. Sumac 50:37

Chinquapin 42:398

Chiococca alba 16:118; 17:51

Chiogenes 3:198; 6:126; 12:183; 13:141; 18: 30; 24:153. hispidula 1:97, 183; 2:38; 6: 126; 11:97; 12:183; 13:125; 18:41; 19:31, 246; 22:37, 40, 41, 43, 44; 24:153; 25:10; 27:108; 29:218; 32:206; 33:109, 123; 34: 54; 35:130; 36:283; 39:231; 40:145, serpyllifolia 1:93, 183, 192; 3:176; 5:36, 45, 50, 133; 6:126; 9:14; 17:152

Chionanthus 6:89; 44:373. chinensis 6:20.

retusa 6:19, 20, 89. virginica 6:18, 20, 89, figs.; 21:119; 28:244; 36:50; 39:481

Chionaster nivalis 24:104, 108, 110

Chironia 17:129. amoena 34:26-28; 43:629. campanulata 17:52; 34:27; 39:443. dode-candra 18:147. gracilis 17:52; 34:27; 39:444. lanceolata 17:50, 51. linoides 43:629 Chives 19:127

Chlamydobotrys gracilis 44:66

Chlamydomonas 24:51: 26:211: 50:272, 276. communis 14:114. nivalis 24:104. 108: 26:

Chlora 17:55; 18:147. dodecandra 17:55; 18: 148. serotina 7:99

Chlorella vulgaris 26:211, 215

Chloris 15:130; 35:182; 45:257; 49:276. cu-cullata 6:82; 40:430; 48:17, 27. curtipendula 47:208. elegans 6:82; 15:130; 48:27; 49:276. floridana 50:121, 122. glauca 50: 121, 122. verticillata 35:361. virgata 48: 17; 49:276

Chlorocharis capitata 31:225; 41:51. geniculata 39:260. tuberculosa 39:248. vivipara

39:242

Chlorochytrium 7:97, 98. Cohnii 7:97. der-matocolax 7:97. inclusum 7:97. Knya-num 7:99. Lemnae 7:97, 98. Schmitzii 2: 11, 43; 7:97

Chlorococcales 41:136; 44:67

Chlorococcum 24:51. humicola 23:66; 50:68,

Chlorocyperus Franchetii 42:197. inflexus 44: 56

Chlorocystis Cohnii 2:104; 7:97

Chlorodesmis 14:58-60, comosa 14:59

Chlorogonium euchlorum 50:277

Chlorophyceae 4:178; 8:106; 9:78; 10:116; 14:114, 236; 15:91; 24:51, 107; 26:164, 190, 211, 213; 40:323; 41:136; 44:66; 50:271-273, 275, 276

Chlorophyta 50:257

Chlorotylium cataractarum 50:68

Choanephora 5:97-99, 102. americana 5:97, 101, 102. cucurbitarum 5:99, 101, 102, 108, pl. 46. infundibulifera 5:97, 100. Simsonii

5:97, 100, 101, 292 Choke Cherry 12:181; 18:140, 141; 25:170; 31:99; 47:301

Chokeberries 4:55

Chokeberries 4:55
Chokeberry 23:156. Black 4:55, 56; 12:179; 18:67. Red 4:55, 131; 12:179
Chondria 26:189. Baileyana 7:232; 10:43; 26:191; 35:148; 50:265. dasyphylla 2:49; f. floridana 8:111. sedifolia 2:49; 50:265. tenuissima 2:49; 7:232; 24:2; 50:265; f. californica 8:111; var. Baileyana 2:49; 26:214. 50:265 26:214; 50:265

Chondrilla juncea 38:367; 41:474, 574; 42:

369. nudicaulis 50:176

Chondrioderma globosum 1:128. spumarioides 1:128

Chondriopsis tenuissima 35:148; 50:265

Chondrocarpus erectus 42:295. repandus 42: 295

Chondrosea 46:61

Chondrus 1:124; 7:137, 229, 233; 10:11, 164;

26:189; 30:198; 41:527; 50:264. canaliculatus 17:92. crispus 2:49; 3:133; 7:231; 10:160; 26:214; 30:196; 33:130; 50:263, 265. Torreyi 7:137. uncialis 14:59

Chorda 2:112; 3:218; 11:151; 16:105; 26:189, 190; 50:261. Filum 2:45: 4:175; 7:229; 8: 124; 10:116; 26:191, 213; 33:130; 50:261. tomentosa 2:45; 4:175; 7:242
Chordaria 11:151; 26:189; 33:129. attenuata

50:262. Cladosiphon 21:203, 205. divaricata 50:261, 263. firma 21:205. flagelliformis 2:45, 164; 7:229, 242, 243; 10:116; 21:203, 205; 26:213; 33:130; 50:261; var. densa 2:45; 43:214

Choreocolax Polysiphoniae 2:49: 6:182; 26:

214: 50:265

Chorispora tenella 17:32 Chorizanthe pungens 17:175

Christmas Fern 4:10, 53; 8:13; 23:71; 30:16; 31:249; 40:247

Christophorina americana 42:265, fig. 2 Chromastrum virgatulum 50:264–266

Chromulina ovalis 50:276 Chroococcales 39:280

Chrococcus 10:162; 24:103. cohaerens 7: 235; 24:105. limneticus 20:141. macrococcus 24:105, 242; 26:162. membraninus 50:68. minutus 24:105; 26:162; 29:163, 164; 30:195; 50:275. rufescens 50:68, 69. turgidus 2:41; 15:89; 24:103, 105; 26:162; 29: 163; 50:275

Chroolepideae 5:208, 210

Chroomonas baltica 50:272, 276. setoniensis 50:276

Chrysa borealis 31:141

Chrysanthemum 6:133; 25:15, 16; 26:84; 36: 373; 37:307; 45:485; 47:389. arcticum 36: 284; 41:161, 166, 296. atratum 25:16. Balsamita 3:65; var. tanacetoides 6:133; 26: 84; 43:663. carinatum 26:84. carolinianum 42:482, 483, 487, 488; 50:227. coronarium 25:15. grandiflorum 36:192, 193; 41:296. indicum 25:16. integrifolium 25:114; 41: 296. Leucanthemum 1:57; 3:189; 5:135; 177–181. fig.; 7:102; 12:15; 24:207; 25:16; 26:84, 186, 228; 28:72; 29:221; 33:109; 38: 193; var. pinnatifidum 17:36, 225; 18:44; 22:137; 24:208; 25:11; 26:84; 32:151, 280; 33:126; 34:55; 38:193; 47:389; 50:300; var. subpinnatifidum 5:181, fig.; 6:133; 7:102, 122. Parthenium 25:15; 26:84. segetum 1:57; 19:252; 25:15; 31:86. sinense 50:104. uliginosum 47:389

Chrysemys 9:199. marginata 9:199 Chrysobalanus pallidus 48:136

Chrysocalyx 41:320. Schimperi 41:351

Chrysococcus 50:272

Chrysocoma acaulis 17:135. affinis 48:255. graminifolia 46:330. uniligulata 49:296 Chrysogonum 47:364. virginianum 36:51; 40:

375, 472; 49:180

Chrysohypnum polygamum 15:13. protensum 13:45

Chrysomyxa 10:13. albida 10:13. cassandrae 44:169

Chrysophyceae 41:134; 44:66; 50:272, 276

Chrysopogon 47:108. Elliottii 45:255 Chrysopsis 9:55; 39:366; 40:379, 380, 468; 44: 371, 464. adenolepis 44:467, 468, 471, 472, 475, map 4, pl. 742. argentea 44:465, 467, 471, pls. 743, 744. aspera 24:152; 44:465, 469. Berlandieri 35:290. camporum 36:221. Correllii 44:467, 468, 470-472, 475, map 3, pl. 741. falcata 2:125; 5:128; 9: 122; 11:128; 14:28; 17:36; 18:70; 19:249; 27:57, 63; 32:151, 177, 277. flexuosa 44:464, 467. 467. floridana 39:455. gossypina 39:325; 40:366, 379, 467-469, 484, pl. 531. graminifolia 38:377; 39:454, 480; 44:464, 465, 467, 468, 470-472, 475, map 1, pl. 742; var. aspera 39:455, 480; 44:465, 469. latifolia 44:464, 467. Longii 40:467, 468, 475, 484, pl. 531; 42:397. maxima 20:485, 475, 484, pl. 531; 42:397. mariana 39:455, 474, 482, 491, pl. 486; f. efulgens 48:60; 49:187; var. floridana 39:455; var. macradenia 39:455, 475, 491, pl. 486. microcephala 44:464, 467, 468, 470, 472, 475, map 2, pl. 741. **nervosa** 44: 465, 467–469, 471, 472, 475, map 5, pls. 743, 744; 46:325; var. stenolepis 44:468, 472, 474, 475, map 6, pl. 743; 49:187; var. virgata 44:468, 474, 475, pl. 744. Nuttallii 13:239; 40:468. oligantha 44:464, 467. pilosa 13:239; 39:325; 40:467–469. Ruthii 44: 464, 467. Tracyi 44:464, 467, 475 Chrysosphaerella longispina 44:66

Chrysosplenium 4:250; 6:119; 18:250; 19:91; 23:70; 50:199, 200. alternifolium 49:25, 27, 28, 31–34; var. tetrandrum 25:113. americanum 4:76; 6:119; 12:128; 13:141; 18:245, 250; 21:201; 23:71; 31:80; 32:176; 44:116; 50:199. beringianum 41:164, 243; 45:311. iowense 49:25–31, 33–36, pls. 1053, 1054. oppositifolium 50:199, 200. tetrandrum 41: 147, 243; 49:25-34, 36, pls. 1053, 1054

Chrysothamnus 12:16; 48: pl. 1026. Bloomeri,

var. pubescens 32:27

Chrysymenia Orcadensis 3:135. rosea 3:135; var. Orcadensis 3:135

Chryza borealis 31:141

Chytridiaceae 10:12; 24:111

Cicer 20:166. arietinum 6:144; 20:166

Cichoriaceae 6:61; 33:92

Cichorium 5:135; 17:227; 26:84. Intybus 17: 38, 220; 26:84; 29:191, 221; 32:280

Cicuta 6:124; 24:93. bulbifera 1:159; 5:132; 6:124; 9:122; 13:128, 139, 149; 16:15, 40; 17:217; 19:65; 24:93; 28:221; 32:177; 35: 251; 43:81. Curtissii 37:433; 41:439-441. Douglasii 41:266. mackenzieana 41:159, 167, 265, 266. maculata 1:159; 3:188; 5: 132; 9:122; 16:16; 17:221; 18:40; 24:93; 32:216, 268; 35:251; 36:282, 374; 41:439-441, pl. 561; var. angustifolia 41:440; var. Curtissii 41:439. occidentalis 41:440. purpurea 41:266. venenata 45:300. venenosa 45:300-302. Victorinii 41:441, pl. 561; 42:514; 48:272. virosa 41:266

Cilissa americana 36:28

Cimicifuga americana 23:71; 50:199. mosa 2:157; 18:166; 20:183, 196; 23:201, 202, pl. 132; 28:17; 36:6, 374; 37:416; 40: 375, 383, 421; 41:193, 194; 44:346; f. dissecta 42:266; var. dissecta 21:104; 42:266

Cinchona 39:270; 43:3; 49:208

Cincinalis 43:11. aquilina 43:16. arachnoidea 43:58. caudata 43:54. lanuginosa 43:17. latiuscula 43:43. villosa 43:22

Cincinnulus suecicus 9:66. Trichomanis, var. Neesiana 11:193; var. sphagnicola 9:65; var.

suecicus 9:66

Cinclidium 43:95. stygium 30:8

Cineraria atropurpurea 41:298; 42:342. congesta 47:257. frigida 42:342; f. tomentosa 41:299; 42:342. lyrata 26:113, 115. palustris 47:256

Cinna 6:105; 15:128; 45:227, 234; 49:271. arundinacea 13:9, 207, 208, pl. 85; 15:128; 32:176; 37:135, 186, pl. 334; 38:265, 269; 44:70; 49:271; var. inexpansa 37:135, 186, pl. 334; var. pendula 15:128. filiformis 45: 236. glomerata 37:142; 45:237. lateriflora 45:226, 227. latifolia 1:183; 6:105; 13:125; 15:128; 19:119; 21:130; 22:138; 25:6; 29: 148, 207; 32:205; 33:60, 116; 34:63; 35:288; 37:135, 186, pl. 334; 38:265, 268; 49:271. pendula 1:183; 3:169; 5:36; 6:105. Purshii 32:40. racemose 45:237 32:40. racemosa 45:237

Cinnamon Fern(s) 6:227; 15:154; 35:352; 42: 278; 46:158. Rose 12:180. Vine 18:43 Cinquefoil 13:238; 44:333; 46:315. Three-toothed 12:180. White 28:82

Circaea 6:123; 17:223; 19:85–87; 23:115; 47: 97, 101. alpina 1:221; 2:125, 201, 215; 5: 132; 6:97, 123; 10:165; 13:138; 17:152, 223; 19:85–88; 21:200; 22:137; 23:115; 24:118; 29:217; 31:140; 32:179, 206, 261; 33:122; 34:54, 63; 35:250; 36:282; 37:206; 39:188, 201: 41:263: 42:333. canadensis 19:85-87: 23:137, 170, 216; 24:118; 39:188; 47:97, 98, 162, 163, pl. 896; var. virginiana 47:161-163, pl. 896. intermedia 1:102, 221; 4:137; 16:13; 17:204; 19:85–87; 23:276; 24:118; 47:97. latifolia 17:223; 19:85–87; 23:115, 137, 170, 276; 24:118; 32:176; 35:250; 39: 188; 41:387; 43:81. lutetiana 1:102, 221; 4:89; 5:132; 6:123; 9:39; 16:15, 17; 17:222, 223; 19:85-87; 23:276; 41:386, 387; 42:244; B. canadensis 17:223; 19:87; 41:387; 42:244; 43:160; f. quadrisulcata 41:386; subsp. quadrisulcata 41:386; var. canadensis 19:87; var. quadrisulcata 17:224; 19:87; 41:386. maritima 17:223. Maximowiczii 41:387. mollis, var. Maximowiczii 41:386. quadrisulcata 17:224; 19:87; 41:386; var. canadensis 41: 387; 42:244

Cirsium 6:133; 9:55; 10:94; 13:238, 239; 26: 84, 218; 37:307; 45:353, 354; 50:229. altissimum 26:84; 41:585; 45:356; f. Moorei 41:585; var. discolor 4:203. americanum 13:239; 38:299. arvense 6:133; 11:130; 17:36, 220; 18:44; 22:137; 26:84, 186, 228; 29:221; 31:10; 32:280; 33:109, 126; 34:64; 36:284; 44:172, 174; 50:300; var. integrifolium 19:252; var. vestitum 33:167. 26:84. carolinianum 50:229, pl. 1115. discolor 11:130; 17:36, 37; 26:84; 32:216, 280; 34:19; f. albiflorum 34:19. Drum-

mondii 13:240. Eatoni 13:240. eriocephamondu 13:240. Eatoni 13:240. eriocepnalum var. leiocephalum 13:240. flaccidum 45: 509, 510; 50:229, pl. 1115. Flodmani 45: 356; 46:87, 88. foliosum 13:240. Helleri 38:408. Hillii 10:95; 12:211-213; 24:88, 184. Hookerianum 38:299. horridulum 4: 93; 13:239; 26:84; 32:280; 39:480; 45:353; 50:228; f. Elliottii 36: 50:228; f. Elliottii 45:353; var. Elliottii 36: 50:228; f. Elliottii 46:353; javanea 10:94 52, 231; 45:353. **iowense** 10:**94.** lanceo-latum 6:97, 133; 11:130; 17:220; 18:44; 26: 84, 186, 228; 32:280; 40:443; 49:253; 50; 300. minganense 29:141; 48:271. muticum 6:133; 11:99; 12:111; 13:111; 23:157; 25: 11; 26:84; 29:129, 221; 31:86; 33:126; 35: 15; 40:252; 42:200; f. lactiflorum 35:369; f. subpinnatifidum 45:353; var. monticola 9:28, 164, 167, 191; 13:111; 44:114, 146; var. subpinnatifidum 10:95; 11:99; 26:84; 45:354. Nuttallii 39:344, 459, 477; 41:574. odoratum 45:354. palustre 4:217; 13:116; 26:84; 35:15, 277, 369; 37:337; 49:253. pinetorum 45:353; 50:228. Pitcheri 12:212; 37:72. plattense 13:240. pumilum 11: 130; 12:211-213; 13:111, 183; 24:88, 181, 184; 26:84; 32:280; 45:354; f. candidum 45:354; f. fultius 45:354. repandum 40: 380, 477. revolutum 45:509. Smallii 45: 353; 50:228, pl. 1115. spinosissimum 13: 238, 239; 32:280; 50:228, pl. 1115. supercanum × rivulare 9:42. undulatum 45:356; 46:87; var. megacephalum 10:94. virginianum 36:231; 39:352, 482; 44:373, 478; 45:365, 509, 510; 47:103, 197; 50:229; f. revolutum 45:509; 47:103, 197. vittatum 45:353. vulgare 50:300

Cissampelos 47:301. Pareira 47:301

Cissus 10:25; 22:72. Ampelopsis 22:72. hederacea 10:25; β. hirsuta 10:26; 41:429. incisa 36:224, 231. indica 11:51. quinquefolia 10:27

Cistaceae 1:212; 2:22; 4:28; 11:131, 132; 22: 123; 29:216; 31:42; 32:265; 40:40, 41, 47;

49:255

Cisticapnos 9:54

Cistus 23:92; 40:38. canadensis 20:49, 50; 21:36. globulariaefolius 43:611

Citharexylum 44:31 Citronnier 50:18

Citrullus 26:17. vulgaris 26:17

Citrus 50:103

Cladium 2:123; 6:108; 7:160; 13:105; 19:38; 25:49, 50; 33:44, 145, 148; 39:232; 44:44; 46:90; 47:206. aromaticum 25:51. boninsimae 25:51. borneense 25:52. californicum 44:89. capillaceum 25:52. chinense 25:52. colpodes 25:53. complanatum 25:53. cyperoides 25:53. Deplanchei 25:53. distichum 25:53. Drummondii 25:54. ef-fusum 25:51, 52; 44:44. ensigerum 25:53. falcatum 25:53. ficticium 25:53. filiforme 25:53. Gaudichaudii 25:53. germanicum 25:50, 51. giganteum 25:54. globiceps 25: 53. hirtum 25:53. Huttoni 25:53. jamaicense 25:50, 51; 37:405, 437; 38:377, 396; 39:480; 42:510, 513; 44:241, 370; 45:461; 49:90. japonicum 25:52. latifolium 25:54.

leptostachyum 25:50. Maingayi 25:53. mariscoides 1:43, 98, 204; 2:123, 202; 5:133; 6:108; 7:72; 10:149; 13:105; 14:31; 17:151 19:32; 23:101; 25:53; 32:239; 39:232; 44: 369, 385; 49:100, 126; f. congestum 23: 234; 24:163; 25:53. Mariscus 25:50-52; var. californicum 25:52; 44:89. Martii 25: 54. Melleri 25:54. micranthes 25:54. Milnei 25:54. Muelleri 25:54. occidentale 25:50, 51. palustre 25:51. pantopodum 25: 54. philippinense 25:53. pulchrum 25:54. restioides var. effusum 25:54. riparium, var. crassum 25:54. samoense 25:54. Vauth-

iera 25:54

Cladonia 2:155; 10:9; 11:128, 212, 217; 21:19, 119; 23:148, 170, 183, 186; 25:46; 33:145; 35:141-143, 237; 37:305; 39:152; 40:5, 6, 25:45:417, 418. § Clausae 29:138. subgen. Cenomyce 33:149; 34:123; 37:38; 40:9; 45: Cenomyce 33:149; 34:123; 37:38; 40:9; 45:
426. § Cocciferae 40:9, 10. sub-§ Stramineo-flavidae 34:127; 37:40; 40:11. sub-§
Subglaucescentes 34:124; 37:38; 40:9.
§ Ochrophaeae 31:102; 40:12. sub-§ Chasmariae 40:12. group Megaphylla 34:153; 37:48; 40:15. group Microphylla 34:156; 37:43; 40:12. sub-§ Clausae 40:15. group Podostelides 40:15. subgroup Helopodium Podostelides 40:15. subgroup Helopodium 34:156; 37:48. subgroup Macropus 34:156; 37:48. group Foliosae 34:162; 37:56; 40: 24. group Ochroleucae 34:163; 37:57; 40: 25. group Thallostelides 34:159; 37:49; 40: 11, 16. sub-§ Unciales 34:130; 37:42; 40: 12. ser. Cocciferae 33:149, pl. 210. a. Subglaucescentes 33:149. b. Stramineo-flavidae 33:150. ser. Ochrophaeae 33:150. a. Unciales 33:150, pl. 211. b. Chasmariae 33: 150, pl. 211. c. Clausae 33:151, pls. 211, 212. subgen. Cladina 33:148; 34:122; 37:35; 40: 6, 7; 45:417-420, 426, 437. subgen. Pycnothelia 33:149, pl. 210; 34:123; 37:37; 40:9. acuminata 32:92-94, pl. 199; 36:142, 154. alcicornis 11:217; 26:148. alpestris 11:213, 215, 217, 231; 28:205; 32:60; 36:154; 37:34; 40:26; 45:418-421, 427-431, 433, 434, 437, figs. 1, 2, 6; f. aberrans 45:419, 429-432; 6. oxycera 32:92. apodocarpa 27:210, 211; 28:225; 33:150, 156, 159, pl. 211; 34:156, 162; 37:48; 40:15. bacillaris 11:212, 215, 217; 32:91, 92; 33:150, 156, 159; 34:124, 126, 127; 37:38, 39; 40:9, 25; f. abbreviata 34: 124, 125; 37:40; 40:10; f. clavata 29:99; 33: 154, 159, pl. 210; 34:124; 37:38; 40:9; f. monstrosa 37:38; f. peritheta 34:124; 37: 38; 40:9; f. pityropoda 37:38, 39; 40:10; f. reagens 24:124; 40:9; f. sorediata 34:125; 37:40; f. styracella 37:40; f. subscyphifera 33:136; f. subtomentosula 37:38; 40:9; f. tenuistipitata 37:39, 40; 40:10; m. abbreviata 34:124; var. abbreviata 34:124; var. elegantior 28:205. bacilliformis 28:225.

62

Balfourii 33:136, 138; f. subradiata 33:138. Beaumontii 25:46; 27:49; 29:133–137; 31: 56; 33:155; f. elegans 27:51; 29:137; f. pallida 27:51; 29:137. bellidiflora 11:213, 218, 219. Blakei 33:138, 139, pl. 209. borbonica 32:93, 94; f. cylindrica 34:161; 37:56; 40:24; f. squamulosa 34:161; 37:56; 40:24. Borvi 10:9; 11:218; 33:148, 150, 155; 34:130, 131, 138, 140; f. cribrosa 34:142; f. lacunosa 34:138, 141; 37:43; 40:12; f. prolifera 33:155; 34:138, 140, 141; 37:43; prolifera 33:155; 34:138, 140, 141; 37:43; f. reticulata 18:94; 29:99; 34:141; 37:43; d. reticulata 18:94; 29:99; 34:141; 37:43. botrytes 28:225. brevis 34:156-158; 37:48, 49. caespiticia 11:213, 215; 29:99; 32:93; 33:150, 156, 159, pl. 211; 34:156; 37:47; 40:14. callosa 37:46. carassensis 26:146; 37:47; 40:26; f. digressa 26:146; f. irregularis 26:146; f. subregularis 26:146; f. regularis 26:146; m. regularis 26:146; m. spectabilis 26:147. cariosa 11:213, 215; 26:148; 28:206; 32:93; 33:137, 147; 34:158; 36:142, 153; 37:35; f. corticata 32:92; f. cribrosa 32:92; f. squamulosa 37:49: var. corticata 32:92; f. squamulosa 37:49; var. corticata 11:213, 215, 217, 218; 26:145, 146. carneola 11:215; 33:138, 139; f. prolifera 33:138; f. simplex 33:138. caroliniana 34:130, 131, 133-138, 140, 141; 40:12; f. dilatata 34:137, 138-140; 37:42; f. dimorphoclada 34:137, 138; f. fibrillosa 34:137, 139; 37:43; 40:12; f. prolifera 34:137, 139, 141; 37:43; 40:12; f. tenuiramea 34:137, 139; 37:43; 40:12. cenotea 41:214, 215; 34:154–156; 36:142, 154; 40:26; f. crossota 33:137; f. exaltata 34:155; 37:47; var. crossota 28:206; 32:92; 34:155; var. furcellata 11:218. cerasophora 34:155; var. furcellata 11:218. cerasophora 28:207. cerina 34:127. cervicornis 36:142, 154; var. verticillata, f. aggregata 37:50. chlorophaea 27:210; 32:92; 33:147, 151, 152, 157, 159, pl. 212; 34:159, 160; 37:51-53; 40:6, 16-20, 23, 25; f. carneopallida 33:157; f. carpophora 33:157; 37:53; 40:17, 20; f. centralis 33:147, 157; f. conistea 40:18; f. costata 33:137, 157; 37:51, 52; 40:17; f. homodactyla 33:157; 40:17; f. intermedia 37:52; 40:17; f. lepidophora 33:157; 34:160; 37:52; 40:17, 20; f. pachyphyllina 37:52; 40:17; f. peritheta 40:17; f. prolifera 32: 40:17; f. peritheta 40:17; f. prolifera 33:138, 157; 40:17, 19; f. pseudotrachyna 37:51, 52; 40:20; f. pterygota 33:157; 37:52; 40:17, 20; f. simplex 33:157; 37:51–53; 40:16, 19; 50:291; f. sorediosa 33:138; var. pachyphyllina 34:159; 37:52; f. costata 34: 159. clavulifera 26:145, 146; 31:103; 33: 152, 157, 159, pl. 212; 34:157; 37:49, 57; 40: 5, 15; f. epiphylla 34:156; f. nudicaulis 34: 156; 37:48; 40:15; f. pleurocarpa 34:156; f. subfastigiata 34:156; f. subvestita 33:157, 159, pl. 212; 34:156; 37:48; 40:15; m. subvestita 26:146. coccifera 11:212, 215, 217; 28:205; 32:92; 33:148, 150, 154; 36:142, 153, 155; s. cerina 34:128; f. stemmatina 32:92; var. coronata 28:205; var. ochrocarpia 11: 215; var. phyllocoma 33:154; var. pleurota 11:215; 28:205; 29:99; var. stemmatina 28: 205; 33:154, 159, pl. 210. coniocraea 32:93;

33:138, 151, 157; 35:150; 37:55, 56; 40:23, 25; f. ceratodes 32:93; 33:138, 157, 159, pl. 212; 34:160, 161; 37:55; f. expansa 34:160, 161; 37:55; 40:23; f. phyllostrata 33:138, 157; 40:23; f. pycnotheliza 32:93; 34:161; 37:55; 40:23; f. robustior 34:161; 37:55; f. stenoscypha 40:24; f. truncata 32:93; 33:138, 157, 159, pl. 212; 34:160; 37:55; 40: 23. **conista** 32:**92**, 94; 33:138; 37:53; 40: 18, 21; f. simplex 34:160; 37:53. corallifera 18, 21; f. simplex 34:160; 37:53. corallifera var. transcendens 28:205. cornucopioides 11:217; 28:205. cornuta 11:213, 215; 32: 92; 36:142, 154; β. Rei 40:22; f. phyllotoca 28:207. cornutoradiata 32:93; 40:21, 22, 26; f. radiata 40:21, 22; f. subulata 32:93; 40:21. crispata 11:214, 215, 217; 26:147; 29:135; 32:92; 37:47; f. dilacerata 32:92; f. elegans 34:154; f. Kairamoi 32:92; f. virgata 32:92; var. schistopoda 28:206; var. subcrispata 28:206; var. virgata 28:206. cristatella 2:67; 11:212, 215, 219; 15:93; 27:51; 28:206; 29:98, 99, 105; 31:101, 102; 32: 93; 33:145, 150; 34:126, 128; 35:141, 143; 37:40, 41; 40:25; 50:292; f. abbreviata 29: 100: 50:292; f. aurantiaca 37:41; 40:12; 100; 50:292; f. aurantiaca 37:41; 40:12; f. Beauvoisii 32:91; 33:154, 159, pl. 210; 34:128; 37:40; 40:11; f. lepidifera 31:101 103; f. ochrocarpa 32:91; 33:154; 37:41, 42; 40:12; f. pleurocarpa 34:129; 37:41; 40:11; f. scyphulifera 37:41; 40:11; f. squamos-1. seyphumera 37:41; 40:11; 1. squamosissima 34:129; 37:41, 42; 40:11; 50:292; f. squamulosa 33:154; 34:129; f. vestita 32: 91; 33:147, 154, 155, 159, pl. 210; 34:129; 37: 41; 40:11; var. Beauvoisii 28:206; var. ochrocarpia 11:215, 219; 31:102-105; var. ochrocarpia 11:215, 219; 31:102–105; var. paludicola 11:212, 215; 34:129; var. ramosa 11:212, 215; 28:206; var. vestita 11:212, 215; 28:206; 29:100. cyanipes 36:142, 154; var. Despreauxii 28:225. Daytoniana 29: 136, 137. decorticata 11:213, 215; 33:147; 34:158, 159; 40:26. deformis 11:100, 213, 215; 28:205; 32:91; f. crenulata 32:91; 33: 136; f. cytopre 22:211; f. crenulata 32:91; 33: 136; f. cytopre 22:211; f. crenulata 32:91; 33: 136; f. cytopre 22:211; f. crenulata 32:212; 33: 136; f. cytopre 22:211; f. cytopre 22:212; f. cytopre 22:212 136; f. extensa 32:91; f. gonechus 28:206; 136; f. extensa 32:91; f. gonechus 28:206; m. extensa 33:136; var. elephantiasica 28:206. degenerans 11:214, 215; 27:50; 28:207; 32:92; 33:147; f. eladomorpha 33:137; f. euphorea 33:137; f. phyllophora 32:92; 33:137. delicata 11:213, 215; 28:206; 29:100, 136; 33:151, 155, 158; 40:6; f. quercina 33:155, 159, pl. 211; 34:156; 37:47:40:14. destricts 34:136; 137: f. scyphology 13:150; 13:150 47; 40:14. destricta 34:136, 137; f. scyphosula 34:137. didyma 11:212, 219; 33:154; 34:125–127; f. squamulosa 34:127; f. subulata 34:127; 40:11; var. muscigena 29:100; 34:127; var. vulcanica 34:127. digitata 11: 212, 215; 28:205; 32:92; 33:138; 40:6, 10, 11, 26; var. glabrata 32:92-94, pl. 199. dimorphoclada 34:137, 138. elongata 36:142, 153; f. ecmocyna 33:137; f. intermedia 33: 137, 139, pl. 209; f. laontera 33:137. Evansi 45:418–420, 427, 437. fallax 40:437. fibula 40:22. fimbriata 11:214, 215, 217; 29:100; 33:136, 138; 34:160; 36:142, 154; 37:53–56; 40:5, 21; α . simplex α . major 37:54; δ . ochrochlora 37:55; ϵ . pycnotheliza 34:161; ζ . chondroidea 33:138; ζ^2 . subradiata 33:138;

ζ³. Balfourii 33:138; f. conista 32:92; 37:53; f. cornuto-radiata 40:21; f. exilis 37:54; f. fibula 29:100; f. simplex 14:89; 32:93; f. stenoscypha 37:53; 40:24; var. adspersa 11: 218; var. apolepta f. stenoscypha 37:54; 40: 218; var. apolepta f. stenoscypha 37:54; 40: 24; var. coniocraea 11:213, 215, 217; 28: 207; var. nemoxyne 11:215; var. ochrochlora 37:55; f. robustior 34:161; var. radiata 11:214, 215, 217; 28:207; var. simplex 11: 217; f. exilis 37:54; f. major 37:54; m. major 28:207; m. minor 28:207; var. subulata 11:213, 215; var. tubaeformis 11:217. flabelliformis 11:219. Floerkeana 33:147–149, 154; 34:126, 127; 37:39; var. carcata 34:124; 37:38, 39; 40:9; f. squamosissima 34:124: 40:9: var. intermedia 33:154, 159. 34:124; 40:9; var. intermedia 33:154, 159, pl. 210; 34:124; 37:38, 39; 40:9. floridana 29:136, 137, pl. 157; 31:56; 33:148, 151, 155, 159, pl. 211; f. brachiata 29:137, 138, pl. 157; 33:155; f. elegans 29:137, 138, pl. 157; 33:155, 159, pl. 211; f. esquamosa 29: 137, 138, pl. 157; 31:56; 33:155; f. pallida 29:137; f. typica 29:137, 138, pl. 157; 33:155, 159, pl. 211. foliacea 27:210; 33:148, 155, 159, pl. 211. foliacea 27:210; 33:148, 153; 34:122:162; var. alcicornis 11:214, 216, 217; 27:211; 28:225; 29:100; 33:158, 159, pl. 212; 34:156, 162, 163; f. squamulosa 34: 163. furcata 2:67; 11:213, 216–218; 25:47; 29:100, 105; 32:92; 33:148, 151; 35:150; 37:43; 40:12, 25; 45:428; 50:292; C. recurva 37:44; ζ. fissa 34:153; *ζ. fissa subvar. racemosella 40:13; f. conspersa 33:137; m. subulata 26:147; var. crispata 11:217; var. palamaea 11:213, 216, 218; 34:154; 37:44; 40:13; f. implexa 37:44; f. rigidula 37:44; f. subulata 37:44; f. subulata 37:44; f. 50:292; var. pinnata 11: 13; 1. Impiexa 37:44; 1. Ingidula 37:44; subulata 37:44; 50:292; var. pinnata 11: 213, 216, 218; 34:154; 37:44; 40:13; f. foliolosa 33:155, 159, pl. 211; 34:154; 40:13; f. recurva 37:44, 45; 40:13; f. truncata 33: 136, 137; f. turgida 37:45; var. pungens 11:218; var. racemosa 11:218; 14:89; 26: 147; 32:92; 33:155, 159, pl. 211; 34:153, 154; 37:43; 40:12; f. arbuscula 37:43, 44; f. corymbosa 33:155; 34:153; 37:43, 44; 40: 13; f. fissa 34:153; 37:43; 40:13; f. furcato-subulata 33:155; 34:153; 37:43; 40:13; f. racemosella 40:13; f. squamulifera 34:153, 154; 37:44; 40:13; f. subclausa 33:155; 37: 44; f. surrecta 33:137; m. pinnata 29:100; m. subclausa 26:147; var. scabriuscula 11: 213, 216, 218; 28:206; var. subulata 11:218. glauca 11:213, 216, 218; 29:100; 34:155, gnatea 11:215, 216, 218; 29:100; 34:155, 156; 40:26; f. capreolata 34:156. Gorgonina 27:50. gracilis 11:214, 216-218; 33:147; f. anthocephala 32:92; f. dilacerata 27:50; 33: 137; f. mesotheta 32:92; var. chordalis 11: 100. 213, 216, 218; 28:207; 32:92; m. aspera 28:207; m. leucochlora 28:207; var. chordalis apprar 29:02; var. dilacerate 11:016 dalis-aspera 32:92; var. dilacerata 11:216. 218; 28:207; 37:49; var. dilatata 11:214, 218; 28:206; 32:92; 40:16; f. squamulosa 40:16: m. anthocephala 28:206; var. elongata 11:213, 216, 218; 28:206, 207; f. chordalis 11:218; f. macroceras 11:218; var. hybrida 11:218; var. verticillata 11:218; f. symphycarpia 11:218; Grayi 34:159, 160; 37:52;

40:6, 18, 20, 23, 25; f. carpophora 40:20; f. cyathiformis 37:53; 40:19; f. prolifera 40:19; f. simplex 40:19, 20; f. squamulosa 34:160; 40:19, 20. impexa 33:149, 153, 159, pl. 210; 37:34; 40:6, 8, 9; 45:417–420, 427, 432, 437; f. condensata 33:153; f. exalbescens 45:418; f. laxiuscula 33:153, 159, pl. 210; 34:123; 40:7, 9; var. laxiuscula 28: 205; 32:91. impexa-spumosa 45:432. incrassata 34:126, 129; 40:12; f. squamulosa Grassata 34:126, 129; 40:12; 1. squamulosa 34:129; 37:42; m. phyllocephala 34:129 invisa 32:92, 93; 44:138. Krempelhuberi 33:137. lepidifera 31:105. lepidota 11:219; 31:101–103, 105; 36:142, 153, 154. leporina 33:147. leptophylla 11:219. leucophaea 45:437. macilenta 11:212, 216, 217, 219; 29:100; 33:147, 149, 154; 34:126, 127; 37: 40:40:6, 11:2, squamigara 24:125: f. corti 40; 40:6, 11; β. squamigera 34:125; f. corticata 33:136; f. granulosa 34:125; 37:40; 40:10; f. squamigera 34:125; f. styracella 33:136, 154, 159, pl. 210; 34:125; 40:10; var. styracella 28:205: 29:100. macrophylliza 29:135. macrophyllodes 33:137. magyarica. var. pocilliformis 37:51. major 33:138; 37: 53-55. mateocyatha 27:49, 50; 33:151, 159, 53-55. **mateocyatha** 27:49, **50**; 33:151, 159, pl. 212; 34:157; 37:50; f. leioscypha 34:159; 37:50; 40:16; f. **squamulata** 27:**50**; 33:158, 159, pl. 212; 34:159; 37:50; 40:16 mitis 33:147-149, 153, 159, pl. 210; 34:123; 36: 142, 153, 155; 37:34, 36, 37; 40:5, 7, 8; 45: 420, 426, 427, 431, 432, 434-437, fig. 5; f. divaricata 37:36; 45:432, 436; f. laevigata 45:434; f. prolifera 34:123; 37:36; 40:8; 45:437; f. prostrata 32:91; 45:432; f. sora-lifera 37:37:45:437; f. tenuis 45:434; f. lifera 37:37; 45:437; f. tenuis 45:434; f. vesciculosa 45:432; m. divaricata 45:436; m. prolifera 45:436; m. prostrata 45:435. mitis-divarieata 45:436. mitrula 11:213, 216, 219; 26:145; 29:100; 31:103; 33:152, 156, 157; 40:15; f. epiphylloma 40:15; f. imbricatula 33:156, 159, pl. 211; 34:156; 37: 48; 40:15; f. microcarpa 40:15; f. pallida 34:156; 40:15. multiformis 11:219; 32:92; f. Finkii 33:137; 34:154; 37:45; 40:13; f. simulata 37:45; 40:13; f. subascypha 33: 137; 37:45; 40:13; f. subtestacea 37:45. 137, 37.43, 40.13, 1. subtestace 37.43, 1. nemoxyna 32:93; 33:138; 34:158, 160; 37: 55; 40:22, 23; 50:292; f. fibula 34:160; 37: 55; 40:22, 23; f. Rei 40:22, 23. Norrlini 34:159; 40:26. novae-angliae 28:206. Oakesii 31:105. ochrochlora 37:55, 56; 40: 24, 26; f. ceratodes subf. robustior 34:161; m. ceratodes 29:100; m. truncata 29:101. paludicola 33:150, 155, 159, pl. 210; 34:129; f. squamulosa 34:129. papillaria 11:212, 216; 33:149, 153; f. epistelis 34:123; 40:9; f. molariformis 33:153, 159, pl. 210; 34:123; 37:37; 40:9; f. papillosa 33:153, 159, pl. 210; 34:123; 37:37; 40:9; f. prolifera 34:124; 37:38; f. stipata 33:153; 34:123; 37: 37. persquamulosa 29:136. piedmontensis 31:103, 105, 106, pl. 187; 33:153, 158, pl. 212; 50:292; f. epiphylla 31:104; 37:57; 40:25; f. intermedia 31:104-106, pl. 187; 40:25; f. lepidifera 31:104-106, pl. 187; 33:158, 159, pl. 212; 34:164; 37:57; 40:25; f. ob-

conica 31:104-106, pl. 187; 33:158, 159, pl. 212; 34:163; 37:57; 40:25; f. phyllocoma 31:104-106, pl. 187; 33:158; 40:25; f. squamosissima 31:104-106, pl. 187; 34: 164; 37:57; f. squamulosa 31:104-106, pl. 187; 33:158; 34:163; 37:57. pityrea 11: 213, 214, 216, 218; 31:105; 33:148, 151, 152, 157, 159, pl. 212; f. scyphifera 29:101; var. Zwackhii, f. epiphylla 34:161; f. hololepis 33:158; f. squamulifera 34:162; 37:56; 40: 24; f. subacuta 26:148; 33:138, 158; 34:162; 37:56: 40:15, 24: m. cladomorpha 28:207: m. hololepis 26:148. pleurota 32:92, 94, pl. 199; 33:150, 154; 34:127; 37:40; 40:11, 25; f. albida 34:128; 37:40; f. cerina 34:127, 128; 37:40; f. decorata 33:154, 159, pl. 210; 34:127; 37:40; 40:11; f. frondescens 37:40; f. pallescens 34:128; m. decorata 32:92; var. cerina 33:154; var. decorata 33:154, Var. cerina 33:154; Var. decorata 33:154, 159; var. frondescens 34:128. polycarpia 11: 219; 33:148, 152, 156, 159, pl. 211. pseudoevansi 45:418, 419, 427, 437. pulchella 11: 219; 33:147; 34:125. pycnoclada 37:34. pycnotheliza 34:161. pyxidata 2:67; 11: 214, 216; 27:51, 210; 29:101; 33:148, 151, 157; 36:142, 153, 154; 37:46, 51; 2) callosa 27:46; **Clayiii 27:54; Saynons 24:160; 37:46; *C. exilis 37:54; & expansa 34:160; var. chlorophaea 11:216; 28:207; 29:101; 37:52; f. carneopallida 33:157; f. conistea 37:53; f. prolifera 28:207; f. pseudotrachyna 37:51, 52; m. costata 28:207; var. neglecta 28:207; 29:101; 33:157; 34:159; 37:50, 52; 40:16; f. lophyra 33:157; 37:50; f. macrophylla 28:207; f. prolifera 28:207; f. simplex 33:157, 159, pl. 212; 34:159; 37:50; 40: 16; var. pocillum 11:219; 34:159; 37:50, 51; f. caesio-cinerea 37:50. radiata 40:22. rangiferina 2:67; 5:45; 7:122; 11:213, 216, 231; 14:89; 23:148; 28:205; 29:101, 105; 32:91; 33:148, 153; 34:122, 123; 36:155; 37: 34, 35; 40:7; 45:417, 437; c. alpestris 45: 430; f. crispata 33:153, 159, pl. 210; 34:122; 37:35; f. humilis 37:35; f. incrassata 40:7; f. leucitica 40:7; f. patula 37:36; f. prolifera 34:122; 40:7; f. setigera 37:36; f. tenuior 34:122; 37:35; 40:7; f. umbellata 37:35; 40:7; var. alpestris 5:45; 11:217; 45:430; var. sylvatica 11:218. rangiformis 11:213, 216, 218; 45:426; var. pungens 28:206. 40:22, 23. reticulata 11:214, 216, 218; 13: 91; 14:89; 33:155; f. cribrosa 34:142. Sandstedei 45:437. Santensis 29:133-137; 33: 139, 147; b. Beaumontii 25:46; 27:50; f. Beaumontii 29:133-135, 137; 31:56. scabriuscula, f. conspersa 33:137; f. farinacea 34:154; 37:45; 40:13; f. subnuda 33:137, 34:194; 37:49; 40:13; 1. subnuda 33:137, 139, pl. 209; f. surrecta 32:92; 33:137, simulata 31:105. squamosa 11:214, 216, 218; 15:93; 26:147, 148; 29:134–137; 31: 105; 32:92; 33:148, 150, 156; 34:154; 36: 142, 154; 37:45–47; 40:13; 8. muricella 40: 14; f. botryoides 26:148; f. callosa 37:45. 46; 40:14; f. carneopallida 40:14; f. clavariella 37:46; 40:14; f. denticollis 32:92; 33: 156; 34:154; 37:45; 40:6, 13; f. frondosa 40:14; f. levicorticata 33:156; 34:154; 40:

6: m. pseudo-crispata 34:154; 40:14; m. rigida 34:154; 37:47; 40:14; f. mucronata 34:154; f. multibracteata 29:134; f. muricella 40:14; f. murina 37:45; 40:14; f. phyllocoma 33:156; 37:46; 40:14; f. phyllopoda 37:46; 40:14; f. sessilis 33:156; f. squamosissima 29:101; 33:156, 159, pl. 211; 37: 45; 40:14; f. turfacea 33:156; m. phyllocoma 29:101; m. pseudocrispata 33:156; m. rigida 33:156, 159, pl. 211; var. denticollis f. callosa 37:46; var. multibrachiata 11:216, 218; var. muricella 11:214, 216, 218; 28: 206; 40:14; f. phyllopoda 37:46; var. phyl-206; 40:14; f. phyllopoda 37:46; var. phyllocoma 11:216, 218; var. polycraea 34:133. stenophyllia 29:138. stenophyllia 29:138 strepsilis 26:148; 27:210; 33:148, 152, 158; 34:157, 162; 37:56; 40:24; f. compacta 34:163; 40:24; f. coralloidea 33:158, 159, pl. 212; 34:163; 37:56; 40:24; f. glabrata 26:148; 29:135; 33:158; 34:163; 37:49, 56; 40:24; f. megaphyllina 34:163; 37:57; f. subalcicornis 34:163; f. subsessilis 33:147, 158; 37:56; 40:24; var. coralloidea 26:148; var. 37:56; 40:24; var. coralloidea 26:148; var. glabrata 34:157. subcariosa 11:213, 216, 218; 26:145, 147; 27:210; 29:101; 31:103; 33:148, 152, 156, 157; 37:48, 57; 40:5, 15, 25; f. epiphylla 33:156; 50:292; f. evoluta 33: 156, 159, pl. 211; 34:156; 37:48; 40:15; 50: 292; f. pallida 33:156; f. pleurocarpa 37: 48; 40:16; f. squamulosa 33:156; 34:156; 37:48; 40:16; m. squamulosa 26:147. subimpexa 45:418. submitis 45:424, 435-437, fig. 3; f. divaricata 45:436; f. prolifera 45:424, 436, fig. 4; f. soralifera 45:437. subsquamosa 26:147; 29:136; 33:137; 37: 47; f. denudata 33:137; f. pulverulenta 33: 47; f. denudata 33:137; f. pulverulenta 33: 137; var. luxurians 28:206; var. pulverulenta 28:206. substraminea 31:101, 103. sulphurina 28:206. sylvatica 11:213, 216, 218; 14: 89; 25:47; 26:148; 29:105; 33:136, 149, 153; 34:123; 36:155; 37:34, 36; 40:5-8; 41:161; 45:417, 420, 432, 437; f. laxiuscula 18:94; 29:101; f. morbida 45:433; f. prolifera 34: 123; 40:8; f. pygmaea 33:153; 34:123; 37: 36; 40:7; f. scabrosa 37:36; f. setigera 40:7, 8: f. sphagnoides 33:153. 159, pl. 210: 37: 8; f. sphagnoides 33:153, 159, pl. 210; 37: 36; 40:7; m. sorediata 26:148; var. eusylvatica 37:34; var. impexa 37:34; var. laxiuscula 33:153; var. mitis 37:34; var. sylvestris 28:205; var. tenuis 37:34. sylvatica-subspumosa 45:432. symphycarpa 11:217-219; 26:146; 28:206; 33:147; 34:158; 35:150. tenuis 33:136, 149, 153, 159, pl. 210; 34:123; 37:34, 37; 40:6, 8, 25; 45:420, 432, 437; f. flavicans 40:8; f. prolifera 34:123; 37:37; f. setigera 34:123; 37:36, 37; 40:8; subsp. subtenuis 45:437. turgida 11:100, 214, 216; 25:47; 27:211; 28:206; 37:48; 40:15; f. corniculata 37:48; f. scyphifera 37:48; var. scyphifera 28:206; var. stricta 28:206. uncialis 11:213, 216; 15:94; 25:47; 26:147; 29: 105; 32:92; 33:150, 155; 34:130-136, 138-140; 36:142, 153; 37:42; 40:12; f. biuncialis 34:133; f. caroliniana 34:134; f. dicraea 29: 101; 33:155, 159, pl. 211; 34:133, 139, 140; 37:42; f. integerrima 34:132-134; f. obtu-

sata 33:155, 159, pl. 211; 34:138; 37:42; 40: 12; f. polycraea 34:133; f. setigera 34:133, 134, 139; 37:42; 40:12; f. soraligera 37:42; 40:12; f. spinosa 34:133, 140; 37:42; 40:12; f. subobtusata 33:155; 34:133, 138, 139; f. turgescens 34:133; m. dicraea 28:206; m. integerrima 28:206; m. soraligera 26:147; var. reticulata 34:141; var. turgescens 34: 130, 133. verticillata 11:214, 216, 218; 14: 89; 32:92; 33:147, 151, 158; 37:49; f. aggregata 37:50; f. apotieta 28:207; 33:137, 158; 34:159; 37:50; 40:16; f. cervicornis 33:137; f. evoluta 33:137, 158, 159, pl. 212; 34:159; 37:50; 40:16; f. phyllocephala 33:137, 158; 37:50; f. phyllophora 32:92; var. cervicornis 15:94; 33:158; var. evoluta 32:92; f. aggregata 37:50. verticillata-cervicomis f. brevis 34:157. vulcanica 33:148-150; 34:127; f. minor 33:147, 154, 159, pl. 210 Cladoniaceae 14:89; 15:93; 23:183; 28:158,

Cladoniae 32:91; 34:121, 153; 36:152, 154, 155;

37:33; 40:4, 5, 25; 41:160 Cladophora 1:99; 2:210; 3:290, 291; 4:111– 113, 115, 124, 125; 5:234; 7:46, 226, 238, 243; 10:162; 11:18, 19; 18:92; 21:203; 26:161, 189, 190; 29:38; 40:235; 50:257. § Aegagropila 9:200. group Acrosiphonia 2:210. subgen. Aegagropila 4:113. subgen. Euclasubgen. Aegagrophia 4:113. subgen. Eucladophora 4:113–115, 119. subgen. Spongomorpha 4:113–115. albida 2:43; 4:114, 119–121, 125, 127, pl. 36; 7:225; 26:213; 50:258; var. refracta 2:43; 4:119; 7:225; 26:213; 50:258. amphibia 9:200. arcta 2:43; 4:114–118, 127, pl. 36; 5:18; 7:226; 50:258; var. centralis 2:43; 4:117. Bertolonii, var. hamosa 8:106. callicoma 7:240. cartilaginos 11:19. constricts 11:19, 20 pl. 78. ginea 11:19. constricta 11:19, 20, pl. 78. crispata 50:68; f. subsimplex 8:107. diffusa 4:126. expansa 2:43; 4:114, 122-124, 127, 128, pl. 36; 5:27; 7:226; 9:197; 10:160, 162; 12:9; 26:213; 50:258; f. glomerata 7: 226; var. glomerata 4:123. fascicularis 17: 91. flavescens 4:124; 27:112; 50:258. flexuosa 2:43; 4:114, 119, 121, 122, 125, 127, pl. 36; 33:130; 50:258; f. densa 4:121; f. floridana 8:106. fracta 2:43; 4:114, 124, 127, pl. 36; 14:115, 237; 15:92; 50:258; f. flavescens 4:124; f. marina 4:124; f. reflexa 8: 107. glaucescens 2:43; 4:114, 120, 121, 127, pl, 36; 5:28; 50:258. glomerata 7:240; 50: 68. gracilis 2:43; 4:114, 120–123, 126, 127, pl. 36; 7:226; 11:20; 26:191; 35:149; 50: 258; f. elongata 4:122; var. expansa 2:43; 258; f. elongata 4:122; var. expansa 2:43; 4:122; var. tenuis 2:43; 4:122, 123; var. vadorum 4:122. graminea 11:19, 20, pl. 78. hamosa, var. refracta 4:125. Hariotiana 17:91. hirta 2:43; 4:114, 121-123, 126, 127, pl. 36. Howei 11:18, 20, pl. 78. Hutchinsiae 2:43; 4:114, 126, 127, pl. 36; var. diffusa 2:43; var. distans 4:126. Hystrix 4:114, 116, 117, 127, pl. 36; 7:242. laetevirens 2:43; 4:114, 121, 122, 125, 127, pl. 36; var. glomerata 4:126. lanosa 2:43; 4:114, 118, 119; 7:226; 50:258; var. uncialis 2:43; 4:118; 7:226, 243. Magdalenae 2:43; 4:114, 124; 7:226. microcladioides 11:17, 20, pl. **78.** pellucida 11:19. polyacantha 8:106. refracta 2:43; 3:290; 4:114, 119, 120, 124, 125, 127, pl. 36; 50:258, 260. Rudolphiana 2:44; 4:114, 120, 127, pl. 36; 7: 168, 226. rupestris 2:44; 4:114, 125, 127, pl. 36; 11:20; 33:130. Sagraeana 8:192. Sonderi 4:116, 117. spinescens 4:114, 116-119, 127, pl. 36. uncialis 4:118. utriculosa, var. laetevirens 4:126

Cladophoras 5:2

Cladorhiza 11:103. maculata 11:103

Cladosiphon balticus 8:157. Zosterae 50:261 Cladosporium 41:512. Lysimachiae 41:513 Cladostephus spongiosus 2:45. verticillatus 2:

Cladothrix lanuginosa var. carnosa 38:405 Cladrastis 20:166; 46:20; 50:122. lutea 20: 166; 33:30; 36:224, 230; 39:195, fig. 4 (map); 42:44; f. tomentosa 40:487. platycarpa 33:30

Clairvillea 21:185; 48:208. lutea 21:186

Clammy Locust 12:181

Clarkia 23:115, pulchella 3:92; 19:231; 23; 115. rhomboidea 23:115

Clathrocystis aeruginosa 23:252

Clathrus 4:134. cancellatus 4:135. columnatus 4:134, 135

Clava leptostyla 2:207

Clavaria 1:59; 16:50. amethystina 41:513. cristata 44:169. flava 3:141. formosa 3: 144. fusiformis 41:513. inaequalis 41:513. Kromholzii 16:50. ligula 13:64. muscoides 13:60. obtusissima 16:50. pallescens 13: 64, 65; 16:50. pulchra 39:369. similis 16: 50

Claviceps purpurea 41:513; 44:173

Clavula acicularis 31:184; \(\beta\). longicaulis 31: 187. Baeothryon 31:172. comosa 31:184, 187. ovata 31:212. uniglumis 31:71

Clavulium 41:320

Claytonia 1:169; 6:115; 15:20; 31:9, 10; 41: 221; 42:313, 322; 45:310; 47:364. acutifolia 41:220. arctica 31:141. caroliniana 1: 39; 5:188, 213; 6:115; 12:128; 13:111; 37: 192, 307; 39:200, 202, fig. 26 (map); 44:72; 47:214. Chamissonis, var. tenerrima 12:138. chrysantha 29:36. Eschscholtzii 41:151, 220. Hallii 12:138. missouriensis 40:132. multicaulis var. robusta 40:132. robusta 35: 362; 37:192; 40:132. sarmentosa 41:147, 220; 42:312, 322; 45:310. Scammaniana 42: 322. tuberosa 41:221; 42:312, 322. virginica 1:170; 5:188; 9:75; 15:66; 18:89; 21: 202; 31:141; 37:59, 166, 192; 39:52; 40:415, 483, pl. 516; 42:279; f. micropetala 40:415, 483, pl. 516; f. robusta 40:132

Claytonias 42:322 Cleavers 46:315

Cleistes 33:39; 39:198, 203, 485, 486; 46:81; 50:191. divaricata 33:40; 39:326, 327, 379, 402, 467, 471, 472, 477, 485-487, map 2; 40: 367, 407; 42:380, 384, 446; 43:519, 549; 46: 81; 48:186–188, 215, map 1, pl. 1047; var. bifaria 48:186–188, 215, map 2, pl. 1048; var. typica 48:187

Clematis 6:116: 7:160, 161, 190; 9:151; 18: 166: 45:410; 46:23, 84. § Viorna 45:405; sub-§ Integrifoliae 45:366, 401, 410. Addisonii 46:72, 84, 85. albicoma 45:402-409. pl. 779; var. **coactilis** 45:406, 407, 409, 410, 412, pl. 780; 46:71, 83, 85, 142. canadensis 36:24, 231; 45:410–412, pls. 781, 782; var. Riehlii 45:411, 412, pl. 782. glaucophylla 45:277. holosericea 41:537; 50:192. integrifolia 45:410, 412, pl. 778. missouriensis 39: 309, 310. occidentalis, var. albiflora 35:347. ochroleuca 39:342, 409, 471, 474: 40:374, 421, 441; 43:489; 45:366, 401-410, 412, pls. 776, 777; 49:180; var. ovata 45:408; var. sericea 45:406-409. ovata 25:168; 45:408, 409, 412, pl. 776. paniculata 15:226; 41:545; var. dioscoreaefolia 41:545. Pitcheri 19:66. sericea 45:406, 409, 410, 412, pl. 777. versicolor 35:285; 36:231; 40:71; f. pubescens 40:71. verticillaris 1:222; 5:192; 6:116, 192, 208; 9:63; 10:166; 12:169; 13:31, 148; 14:75; 18:166; 19:224; 20:183, 194; 21:201; 25:184; 28:68; 32:18; 34:66, 231; 42:41; 44:105; 46:22, 23; 49:220; var. cacuminis 49:219. Viorna 20:194; 43:492; 45:405. virginiana 6:97, 116; 9:151; 13:141, 148; 16: 13; 18:166; 19:66; 20:183, 185; 34:63; 36: 374; 39:310; 50:186; f. missouriensis 39: 309; var. missouriensis 39:309, 410; 40:

132. viticaulis 45:402–409, 412, pl. 778 Cleome 11:45; 18:248; 43:92. serrulata 6: 79; 18:248; 19:217. spinosa 1:81; 18:248;

19:217

Clerodendron 34:167

Clethra 4:108; 9:196; 11:53; 24:153, 154; 31: 18; 47:177, 364. acuminata 39:198, 200, fig. 17 (map). alnifolia 1:93; 2:70; 7:75; 8: 28; 9:122, 196; 11:231; 14:21; 16:90; 20: 115; 24:153, 185; 32:150, 151, 210, 269; 47: 177: 49:22

Clevea 16:63, 64, hvalina 16:62-64: 25:193, 198: var. californica 16:63. Rousseliana 16:

Cliff-Brake 30:14. Oregon 48:272. Purple 4: 54

Climaciaceae 30:9; 31:38

Climacium americanum 4:239; 14:51, 52; var. Kindbergii 4:239. dendroides 14:51, 52; 24:123; 30:9

Climbing Fern 4:51, 83; 35:352

Clinopodium 49:251. Acinos 1:24. glabrum 10:85; 42:8. vulgare 6:128; var. diminutum 25:213

Clinton Fern 6:177

Clintonia 6:110; 10:130; 13:220; 18:185; 22: 130; 33:109; 36:236; 46:20; 50:107. borealis 1:184; 3:198; 4:74, 76, 106; 5:36, 133; 6:97, 110; 10:130; 11:91; 13:78, 125, 220; 16:89; 21:199; 22:38, 42, 48, 133; 25:7; 29; 210; 32:205; 33:119; 34:51, 64; 35:322; 36: 279; 39:231; 40:145, 163; 46:20. elegans 50:107, 124, uniflora 37:362

Clitocybe 3:142; 4:7. amara 16:49. cyathiformis 3:38. gigantea 41:513. illudens 1: 45, 186. parasitica 16:79. subnigricans 16:

Clitopilus leptonia 16:58. subvilis 16:48.

vilis 16:48

Clitoria 33:53; 46:390. mariana 36:220; 37: 427; 38:377; 39:479, 482, map 55; 46:135. virginiana 43:587; α. angustifolia 43:588; β. elliptica 43:519, 587; γ. ovata 43:587; var. elliptica 43:587

Closterioides spinosus 44:180

Closterioides spinosus 41:105 Closterium 7:114; 24:214, 216, 241; 26:204, 205, 211; 44:180; 50:271. abruptum 24:216; 26:205. acerosum 5:80, 222; 7:115; 24:216. acuminatum 5:80, 254; 7:115; 24:216. acutum 24:216. angustatum 7:114; var. clavatum 7:114; 24:216. Archerianum 26: 205. areolatum 7:116; 24:217. attenuatum 7:116. Braunii 7:116; 24:217. Brebissonii 5:80; 24:217. calosporum 7:115. Ceratium 24:217. cornu 24:217. costatum 7:114; 24: 217; 26:205; f. 7:114; var. Westii 7:114. cucumis 5:222; 24:217. curtum 9:232. Cynthia 7:114; 24:217; 26:205. decorum 7:116; 24:217. Delpontii 24:217. Dianae 5:80; 7:115; 24:217; 26:205. didymotocum 7:114, 116; 24:217; 26:205. dilatatum 24: 217. Ehrenbergii 7:115; 24:217; 26:205, 211; var. immane 24:217. Ensis 5:255. gracile, var. elongatum 26:205. incurvum 7:115; 24:217; 26:205. intermedium 24: 217; 26:205. intervalicola 7:115, 119, pl. 61. Jenneri 5:252; 24:217; 26:205; var. robustum 24:217. Johnsonii 7:116; 24:217. juneidum 5:255; 7:115; 24:217; 50:273; var. brevior 50:273. Kuetzingii 7:116; 24:218; 26:205. lanceolatum 24:218. Leibleinii 24: 218; 26:205; var. curtum 24:218. Libellula 9:228; 24:218; 26:205. lineatum 5:222, 252; 24:218; 26:205; var. costatum 7:116; 24:218. littorale 24:218. Lunula 5:252; 7:116; 24: 218; 26:205; f. minor 7:116; var. coloratum 24:218; 50:273. macilentum 5:80; 7:114; 24:218; var. intermedium 7:114. maculatum 7:116; 24:217. margaritaceum 9:229. moniliferum 24:218: 26:205, moniliforme 7:115. obtusum 7:114. ovale 5:80. parvulum 7:115; 24:218; 26:206; 50:273; var. angustatum 26:206. polymorphum 9:231. praelongum 24:218. Pritchardianum 24:218. pronum 7:116; 24:218; 26:206. pseudodianae 24:218; 26:205. Ralfsii, var. hybridum 7:116; 24:218; 26:206; 50:273. regulare 7:115; 24:218. robustum 5:80; 7: 115. rostratum 5:80; 11:67; 24:218; 26: 206; var. brevirostratum 24:218. setaceum 5:80; 7:116; 24:219; 26:206. strigosum 24: 219; 50:273. striolatum 5:80; 7:115; 24: 219; 50:273; var. elongatum 7:115; var. erectum 7:115; var. intermedium 5:255; 7: 115. subcostatum 24:219. subtile 5:252. toxon 24:219; 26:206. Trabecula 9:103. truncatum 9:103. tumidum 7:116; 24:219. turgidum 7:116; 24:219; f. intermedium 7: 116. ulna 24:219; 26:206. Venus 5:255; 7:115; 24:219; 26:206; var. incurvum 50: 273. verrucosum 9:105

Clotbur 46:315

Cloudberry 23:169: 42:330: 45:314

Clover 5:260; 7:110; 18:144; 25:168; 43:501. Buffalo 43:501. Hop 11:199. Japanese 50: 22, 24. Red 5:290; 28:71; 45:331. White 28:71

Club, Golden 16:18, 19 Club-Moss(es) 4:55; 7:96; 8:135; 35:355; 41: 505; 42:278; 48:267. Family 35:355

Clusia 49:58

Cnicus 6:133; 9:28, 55; 10:94; 13:238; 26:84; 47:320. americanus 13:239. arvensis 3:132, 189. benedictus 9:28, 55; 10:94; 19:253; 26: 84; 40:477; 46:158. carlinoides, var. americanus 13:239. Hillii 10:95; 19:67. horridulus 1:223; 4:93; 5:204; 45:353. iowensis 10:94. lanceolatus 3:189; 4:92. muticus 5: 36; var. monticola 9:28; 44:146. odoratus 45:354. pumilus 45:354. spinosissimus 13: 239; 50:228. undulatus, var. megacephalus 10:94

Cnidoscolus stimulosus 36:32, 47; 37:431; 39: 333, 467, 480; 45:270, 271. texanus 45:270,

Coadunatae 47:386, pl. 991 Coccomyxa dispar 39:366

Cocconeis dirupta 9:136. placentula 10:183; var. lineata 10:183. scutellum 9:136; 26: 193, 216

Coccophacidium cembrae 41:513. Pini 41:513

Cocculus carolinus 39:473, 481

Cochlearia 25:9; 28:98, 100, 118, 145; 29:176; 36:166; 42:303. anglica 13:119, 137, 223; 16:135; 29:176, 213. aquatica 10:32; 27: 186; 40:132. Armoracia 10:32. cyclocarpa 16:**135**, 136; 29:122, 130, 175, 213; 35:9, 267. danica 29:176, 213; 49:248. fenestrata 36:286. groenlandica 35:120, 267; 38:151; var. oblongifolia 29:56. officinalis 11:94; 13:124, 216; 29:176, 213; 41:166, 232; var. maritima 29:176. tridactylites 13:223; 28: 53, 63; 29:176; 35:267

Cocklebur 41:482

Cockspur Grass 49:200 Codiolum 5:233; 50:263. gregarium 2:12, 44; 50:258. longipes 2:44; 3:290; 7:242, 243. petrocelidis 2:12, 44; 23:66. pusillum 5: 232; f. americanum 3:290, 292; 5:232

Codium fragile 21:203, 205. tomentosum 6: 182

Coelanthus 25:156, 157

Coelastrum cambricum 50:273. microporum 14:115, 237; 15:91; 24:51; 29:164. proboscideum 24:51; 26:165

Coelebogyne ilicifolia 3:61

Coeloglossum bracteatum 6:111; 28:169, 172, 174. viride 28:170; var. bracteatum 28:170, 172

Coelopleurum 3:209; 18:29; 21:146; 24:93. actaeifolium 3:188, 209; 12:105; 17:146; 18: 41; 21:145, 146; 24:93; 28:222; 32:109, 268; 43:77, 81. Gmelini 1:159; 3:188, 209; 21: 145, 146; 41:159, 160, 267, 270. lucidum 21:146, 147; 23:99, 278; 24:93; 25:10; 29: 123, 129, 182, 217; 32:109, 159, 214, 268; 42:

116; 43:81; 50:303; f. frondosum 21:147; 24:93; 27:55

Coelosphaerium 1:100. Kuetzingianum 7:235; 14:236; 15:89; 26:163. Naegelianum 26: 163: 30:195

Cogswellia utriculata, var. papillata 33:204 Cohosh, Black 23:202

Coilonema 2:162. Chordaria 8:125

Coix 29:115

Colacium calvum 50:277

Colchicum 31:11: 47:385. autumnale 12:188 Coldenia hispidissima 47:331. Nuttallii 40: 487

Coleanthus 18:2; 28:150. subtilis 26:159 Coleochaete 5:107; 18:92. irregularis 15:92. orbicularis 14:237; 15:92; 26:165. scutata 18:92. soluta 14:237

Coleochila Taylori 14:224 Coleoptera 36:28; 38:91

Coleosporium delicatulum 34:61. Solidaginis 34:61; 39:370; 40:514. Vernoniae 38:98 Coleus 26:133–135, pl. 145. Blumei 26:133 Colias philodice 36:28; 41:186

Colinil 9:54 Collaea 9:38

Collea calcarata 23:84

Collema arcticum 36:142, 154. flaccidum 28: 226. nigrescens 28:226. plicatile 11:101, 102; 28:226. polycarpum 36:142, 154. pulposum 11:102; 28:226; 36:142, 154. rupestre 28:226; 36:142

Collemaceae 28:226 Colletes mesocomus 36:28

Collinsia parviflora 37:205, 213, 214, 216, 331,

422; 40:45; 45:508. violacea 36:232 Collinsonia 10:165; 25:37; 31:16. canadensis 4:89; 5:204, 236; 10:165; 12:192; 21:200; 25:37; 40:382, 456; var. punctata 50:223. punctata 50:223. serotina 50:223. verticillata 44:254; var. purpurascens 44:254 Collomia linearis 23:288; 44:105; 48:99

Collybia 16:47, 48. dryophila 44:169. lacerata 44:169. radicata 2:127. strictipes 13: 60, 65. subdecumbens 16:48. truncata 16: 48. velutipes 37:224

Colobanthus 8:138, 142

Cololejeunea Biddlecomiae 5:171; 7:58; 11: 195; 14:224; 15:23; 25:197

Colpodium 8:85. fulvum 41:181. junceum 4:48. Wrightii 41:181

Colpomenia sinuosa 21:203-205

Colpophyllus 42:34

Coltsfoot, Sweet 4:128 Columbine 7:27; 12:168; 42:279 Columnea, § Pterygoloma 39:276. **Hunne**wellii 39:275, 276, fig. jamaicensis 39:276 Columniferae 47:384, 386, pl. 991

Colutea 20:166. arborescens 1:89; 10:167; 19: 229: 20:166

Comandra 7:47, 48; 17:171; 30:21, 22; 33:31, 32, map 8; 34:6; 44:102. californica 30:21. elegans 30:21; 33:31, 32, map 8. livida 1: 192; 3:159, 164, 165, 173; 4:18, 98; 5:37; 9:154, 156, 160, 189, 190, 219; 11:93, 164; 12:106, 107, 137; 13:95; 14:72; 17:149; 25: 8: 30:21-24; 34:52; 36:280; 41:218; 42:321.

pallida 7:47, 48; 30:21. **Richardsiana** 7: 48; 15:222; 28:79, 91, 199; 30:21; 35:55; 37:191, 204; 44:102, 141. umbellata 4:18; 7:47-49; 12:128; 15:163; 17:171; 19:64; 30:21; 32:177, 212; 33:31, map 8; 37:191; 42:88, 92

Comarum 16:5. angustifolium 16:6, 7, 10, 11, pl. 106; var. parvifolium 16:6, 7, 10. digitatum 16:6, 10. palustre 16:6, 7, 10; 34:239; 42:331; β. villosum 16:6, 8, 11. tomento-

sum 16:6, 9, 11

Comatricha 2:79. caespitosa 2:80, 81, pl. 16. elegans 29:169, 172. irregularis 29:169. nigra 29:169. typhoides 1:128; 29:169

Combretaceae 27:107; 40:35

Commelina, 12:7; 21:50; 42:150, 386, 388, 435; 44:30; 47:117. angustifolia 42:435, 436, 438, 439, 441, pl. 630. communis 3:64; 10:164; 12:7; 37:407. crispa 40:131; 42:403, 435–437, 440, pl. 629; 47:213. diffusa 42:388, 391, 434; 45:377, 393; 47:213. erecta 42: 435–438, 441, pl. 629; var. angustifolia 42: 435–439, 441, pl. 630; 47:213; f. albina 43: 435–439, 441, pl. 630; 441, pl 439; f. crispa 42:440, pl. 629; var. crispa 40:131; 42:435-437, 440; var. Deamiana 42:438, 440, pl. 631; 47:213; var. hamipila 42:438, 440, pl. 629; var. typica 42:438; f. intercursa 42:439, 441, pl. 629. hamipila 42:438, 440. hirtella 37:407; 39:481; 47:117; 48:330. longicaulis 42:434. Nashii 42:435, 437, 439; 47:213. nudiflora 42:434; 47:213. saxicola 42:435. Swingleana 42: 435, 437, 439. virginica 1:47; 2:200; 21:49; 38:376; 39:481; 42:436; 47:117, 213; B. angustifolia 42:439

Commelinaceae 12:7; 25:157; 31:42; 39:18;

42:150, 386

Common Alder 47:341. Dandelion 5:32. Elder 12:184. Horsetail 35:354. Juniper 35:359. Lespedeza 50:24, 25, 27. Lilac 12: 184. Locust 12:181. Marsh Andromeda 18: 100. Polypody 24:132. Spruce 18:32. Syringa 17:121

Compass Plant 19:67

Compositae 3:69, 244, 283, 285; 4:33; 5:178; 6:61, 62, 130; 7:89; 9:26, 37; 10:193, 195; 13:93; 15:19, 206; 16:63; 17:1, 37, 222; 18: 44, 95, 99, 225, 229; 20:151; 21:170; 22:9, 140; 23:174; 24:44; 25:11, 16; 26:34, 55, 82, 107, 130, 149, 166, 228; 27:56, 57; 28:72; 29: 124, 220; 31:42; 32:276; 33:92, 218, 219; 34:12; 36:172, 284; 37:61; 38:244, 379; 39: 18, 281; 40:149–153, 162, 167, 169–171, 173, 293, 356; 41:141, 147; 42:156, 345, 417; 43: 82, 92, 558; 44:28, 166, 252, 340; 45:27, 308, 316; 46:324; 47:101, 182, 222, 384-386; 48: 170; 49:69, 90, 142, 254, 255, 288; 50:35, 300, 303. ser. Labiataeflorae 20:151; 33:92. ser. Liguliflorae 20:151. trib. Cichorieae 6:62; 50:28. ser. Tubuliflorae 20:151; 33:92. trib. Anthemidae 20:151; 37:306, 307. trib. Astereae 27:57; 37:307; 46:324; 50:28. trib. Cynareae 5:256; 37:306, 307. trib. Elephantopeae 50:280. trib. Eupatorieae 6:62; 27:57; 37:307; 50:28. trib. Helenieae 11:57; 37:307; 47:396. trib. Heliantheae

37:306, 307; 47:396. subtrib. Ambrosiinae 47:403; 48:73. subtrib. Madiinae 9:37. trib. Helianthoideae 3:60. trib. Inuleae 37: 306, 307; 48:116. trib. Mutisieae 20:151. trib. Senecioneae 35:369; 37:306, 307; 48: 116. trib. Vernonieae 12:171; 27:57

Composite(s) 39:52; 40:146; 41:491; 42:156, 279; 44:124; 45:351; 49:299

Compressicarpidium 46:360

Compsopogon 18:92. coeruleus 18:92

Comptonia 9:194, 195; 40:379, 380, 410 asplenifolia 16:89; 40:379. Ceterach 40: 412. peregrina 9:194; 40:412, 482, pl. 514; var. asplenifolia 40:410, 412, 482, pl. 514; 43:80; var. tomentosa 40:412

Conami brasiliensis 36:268 Conchidium Knightii 46:303 Conchocelis rosea 8:159

Concord Nephrodium, Purdie's 6:33

Condalia obovata 37:77

Conferva 1:99; 4:112; 5:72, 73. albida 4:119. arcta 4:116. bombycina 7:239; f. minor 7: 239. capillaris 41:21. cartilaginea 11:19. Daviesii 8:194. diffusa 4:126. distans 4: 126. expansa 4:123. flexuosa 4:121. foeniculacea 2:162, 165. glaucescens 4:120. gracilis 4:121. Hutchinsiae 4:126. implexa 41: 20-26. laetevirens 4:126. lanosa 4:118. refracta 4:119, 120, 125. Rudolphiana 4: 120. rupestris 4:125. tortuosa 41:19-24. uncialis 4:118. vadorum 4:122

Coniferae 3:242; 5:246; 9:36; 15:101; 47:384,

Conifers 11:170; 49:228, 229 Conioselinum 5:292; 17:151; 23:302; 24:93; 41:268, 269; 44:31. **Benthami** 28:**221**; 41: 268. canadense 1:26, 159, 180; 5:33, 35; 6: 208. chinense 11:96; 13:125; 16:12, 13; 17: 208. chinense 11:90; 13:125; 10:12; 15; 17:151; 23:159, 278; 24:93, 118; 28:221; 29:217; 32:206; 33:123; 34:54; 36:24; 37:156; 44:31. cnidiifolium 41:267, 268; 42:334. Dawsoni 41:267; 42:334. Fischeri 41:267-269. Gmelini 9:224; 28:117, 221; 41:268, 269. pumilum 28:221; 35:10, 83, 279

Coniothyrium concentricum 39:370. Fuckellii

39:370

Coniphora olivascens 50:287

Conium 24:93. maculatum 1:159, 221; 3:209; 23:277; 24:93; 28:72; 36:312

Conjugales 24:102 Conjugata 44:34

Conocarpus 38:440 Conocephalum 16:63. conicum 4:30; 5:170;

15:22; 25:193; 26:7

Conopholis 4:169; 25:186. americana 1:165; 3:295; 4:75, 76, 169; 5:136; 6:152; 24:203; 25:185, 186; 26:128; 36:50; 40:382, 456, 464; 43:488

Conophora 40:356

Conostomum boreale 3:180, 181

Conostylis americana 45:415, 512; 50:125

Conrad's Crowberry 12:181

Conradina 37:310. canescens 26:81. montana 37:321; 39:196. verticillata 37:309, 321; 39:

Conringia 11:45; 18:217; 48:99. orientalis 17:

30; 18:217; 19:225; 23:265; 31:84; 35:361.

perfoliata 2:205; 8:66 Contortae 9:37; 47:384, 385 Convallaria 10:130; 28:21, 57; 31:9; 40:405; 49:137. bifolia 16:89, 210. bracteata 35: 404. globosa 46:13, 14. Keiskei 30:184. majalis 1:171; 6:139; 10:130; 23:95, 242; 30:183, 184; 37:85; 39:347; 42:43; 46:12-14. majuscula 30:184; 39:347; 46:13, 14, 80. montana 46:13, 14. multiflora y. bracteata 35:404; y. ramosa 35:404, 405. parviflora 46:13, 14. Polygonatum 31:7. pseudomajalis 46:13, 14. pubescens 16:89. racemosa 16:89; 40:405-407, 482, pl. 512. umbellulata 16:89

bellulata 16:89

Convolvulaceae 6:127; 18:42, 98; 25:26; 26: 227; 29:219; 31:42; 32:272; 42:155; 43:81; 49:58, 255; 50:298, 303

Convolvulus 6:127; 9:37, 46, 47; 20:65; 25: 26; 26:187; 33:76; 41:416; 42:155; 43:495; 47:332, 384. americanus 41:420. arvensis 8:72; 13:89; 15:167; 17:226; 25:26; 26:227; 29:245; 32:160, 272; 34:6; 44:172, 174; 50: 303. camporum 41:416, 417. Catesbei 41: 417. Catesbei anus 41:420. inflatus 41:420. inflatus 41:420. inflatus 41:221: 41:422. inflatus 41:420. japonicus 1:221; 19:246. lactescens 41:421. minimus 33:76. 19:240. lactescens 41:421. minimus 35:76. Nashii 41:421. panduratus 20:65. patens 42:298, pl. 624. pentapetaloides 33:76, 77. Purshianus 41:417, 418. repens 10:55; 41: 421. sepium 1:222; 2:216; 3:189; 6:127; 13:149; 16:13; 17:151; 18:95, 98; 25:26; 26:186; 32:272; 36:374; 41:415, 417-419, 422, pl. 558; 47:332; 50:298; var. americanus 29:185, 219; 37:439; 41:419-423, pl. 558; 43: 636; 50:299; var. Catesbeianus 37:439; 41: 417, 421; var. communis 41:419, 421, 423, pl. 558; 50:298; var. fraterniflorus 41:419, 422, 423, pl. 558; 43:495, 636; var. incarnatus 41:420; var. **pubescens** 10:**55**; 17:146, 148; 18:42; 24:88; 25:26; 26:227; 29:122, 127, 185, 219, 233; 32:147, 272; 33:124; 37: 439; 41:420–422; 50:299; var. repens 10:55; 41:419, 421–423, 475, pl. 558; f. Nashii 41: 419, 421, pl. 558; var. rosea 41:420, 421. simulans 33:76. soldanella 49:80. speciosus 17:131. spithamaeus 8:222; 9:124; 15: 67; 19:246; 20:98; 24:118; 37:74; 41:415-418, 422, pl. 557; var. Catesbeianus 41:416, 417, 418, 422, pl. 557; var. stans 41:416. stans 37:74; 41:416-418. sylvaticus 41:420. trichosanthes 42:298, 299, pl. 624. Wallichianus 47:332

Conyza 16:60; 28:209. asteroides 28:209. bifoliata 28:209, 210. canadensis 46:324. linifolia 28:209. marilandica 41:461; 44:

228. tortuosa 28:209

Convzella canadensis 15:208

Conyzopsis 16:60 Copaifera 33:92

Coprinus 3:144; 37:224. atramentarius 4:199. comatus 1:227; 3:37; 4:199. fimetarius 1: 84. micaceus 37:223; 39:370

Copromonas subtilis 50:278

Coptis 6:116; 18:166; 31:137, 141; 33:109; 46: 347. groenlandica 31:142; 32:61, 124, 206, 216, 252; 33:57, 121; 36:281; 37:206, 307; 41:39; 44:408. trifolia 3:130, 173, 187; 6: 116; 9:121; 11:94; 12:128; 17:152; 18:37, 166; 19:224; 20:183, 185; 22:38, 48, 134; 25: 8; 27:108; 29:213; 31:136-142; 32:252; 34: 52; 39:231; 40:145, 290

Coral-root(s) 28:92; 32:62; 33:133; 48:193; 49:201

49:201

Coral-tree 47:381

Corallina 2:210; 26:189; 50:262-264. gracilis 8:112; f. densa 8:112. officinalis 2:49; 3: 134; 7:235, 243; 21:204, 206; 26:214; 33: 130; 50:263, 266; var. profunda 2:49; var.

spathulaeformis 2:49

Corallorhiza 5:291; 6:112; 7:120; 11:76, 103, 104, 106; 15:20; 19:57; 24:146; 28:125; 31: 8, 9, 11, 15; 36:421; 42:147, 151; 48:193, 194, Corallorhiza 11:106; subsp. coloradensis 33:133, 135; 48:194, 196. ericetorum 28: 93, 176; 48:196. Halleri 28:92. innata 1: 199; 2:121, 126, 180; 4:18, 74; 5:82, 291, 292; 6:112; 11:106; 24:145; 28:93; 48:193, 195; var. ericetorum 28:93; var. virescens 33:135; 48:196. Macraei 39:434. maculata 35:135, 46:196. Macraer 35:434. Inactract 36:137, 46:196. 11:76, 102–106; 13:105, 238; 19:31, 57; 21: 202; 22:40, 47; 23:140; 24:145–147; 25:31, 45; 27:11–13; 29:156, 211; 31:53; 33:168; 43:154, 155; 44:233; 48:197; f. flavida 36: 59; var. flavida 24:147; 25:31; 27:12, 13; 43:154; var. **fusca** 24:147; 25:32; 37:11–14; var. intermedia 25:32; 27:11–14; var. punicea 24:147; 25:31; 27:12, 13; 48:197. punicea 24:147; 25:31; 27:12, 13; 48:197. montana 48:12. multiflora 1:199; 2:180; 3:34, 203, 205, pl. 33; 4:18, 75; 5:82, 291; 6:112; 10:165; 11:102-106; 24:145, 146; var. flavida 7:95; 8:168; 24:145, 147. occidentalis 28:93. odontorhiza 2:124, 219; 3:34; 4:18; 5:204, 291; 11:76, 104; 12:132; 25:45; 31:15; 35:39; 42:279; 48:12, 197; 49:201; β. verna 48:196; f. flavida 33:168. striata 4:22; 11:104; 13:115; 32:205; 37:64, 68, 70, 205, 218; 44:111; 48:197; f. fulva 48:197. trifida 11:77, 104, 106; 13:78; 19:57; 21:202; 22:40, 43, 47; 24:115; 78; 19:57; 21:202; 22:40, 43, 47; 24:115; 26:176; 28:92, 93, 176; 29:132, 156, 211; 30: 198; 31:15; 32:62, 205; 33:51, 133-135; 37: 206; 38:146; 41:149, 150, 156, 215; 48:193-196; var. verna 48:196; var. virescens 48: 196. vancouveriana 33:135. verna 48:194-Wisteriana 11:102-106; 35:362; 41: 489, 539; 47:209. wyomingensis 33:133-135; 38:299

Cordaea Flotowiana 6:165

Cordgrass 49:275

Cordia macrophylla 49:152 Cordula 23:75; 27:105. **Esquirolei** 27:**105.** insignis, var. Sanderae 23:75. Parishii 27:

105. purpurata 27:105 Cordyceps militaris 44:169

Corema 12:181; 13:181; 14:95; 23:137, 138, 142, 302; 28:87; 44:230. alba 30:204. Conradii 5:128; 11:128; 12:181; 13:135, 140, 149, 161, 181, pl. 90 (map 10); 14:94; 15:142; 16:191; 18:39; 21:68; 23:92, 137, 148, 150, 273; 30:204; 32:169, 170, 173, 179, 212; 35: 348; 37:10; 43:431

Coreopsis 5:91; 6:82; 15:77, 78; 26:85; 40: 370, 379, 383; 41:491; 42:375, 497; 44:368, 371: 47:396. § Eucoreopsis 40:475. angustifolia 47:396. aristosa 2:34; 15:77; var. mutica 15:78. auriculata 39:194, 431; 40: 374, 382, 441, 476, 477, 485, pl. 535; 43:489. bidentoides 5:91; 15:75, 78; × Bidens frondosa 15:78. callosa 40:473; 42:497. cardaminefolia 1:47. corninsularis 40:476. coronata 40:349. crassifolia 39:431. debilis 40:476. delphinifolia 39:477. discoidea 15: 76; 23:92. falcata 40:474, 484, pl. 534; 47: 396. gladiata 39:360, 363, 459, 467, 477; 40: 370, 473, 474, 484, pl. 534; 47:396; var. gladiata 47:396, 397; var. linifolia 47:396, 397. grandiflora 19:251; 36:231; 40:383, 475, 476, 485, pl. 535. heterogyna 40:475, 476, 484, pl. 535. heterolepis 40:476. intermedia 40:476. involucrata 2:34. lanceolata 3:89; 19:251; 26:85, 228; 32:159, 279; 36:54; 37: 66, 71, 204, 333; 39:431; 40:383, 476, 485, pl. 535; 47:397; 50:300; var. lanceolata 47: **397**; var. villosa 37:71, 333; 40:475. linifolia 40:473, 474; 42:496, 497, pl. 649; 44: 477; 47:396. longifolia 40:474, 484, pl. 534; 47:396. major 47:397; var. major 47:397; var. Oemleri 10:68; 44:254; var. stellata 10:68. mitis 40:351. Oemleri 10:68; 44:254. oniscicarpa 40:472-474, 484, pls. **533**, **534**; 41:491; 42:399, 496, 497, 44:368, 477; 47:396; 49:99; var. simulans 44:476, 477; 47:396. palmata 33: 226. pubescens 36:221, 231; 40:475, 476; var. robusta 18:239; 19:251. rosea 2:215; 3:33; 5:130; 10:43, 143; 11:129; 13:8, 152; 14:29; 18:70; 21:171; 23:160, 298; 24:205; 26:85; 32:149, 211, 279; 41:111; f. leucantha 21:171. senifolia, var. stellata 10:68. stellata 10:68. tinctoria 26:85; f. atropurpurea 44:477; var. atropurpurea 44:477. trichosperma 1:171; 2:34; 4:76; 5:204; 40:350, 351; var. tenuiloba 40:350, 358, pl. 506. tripteris 19:164; 26:85; 32:32, 34; 37:356; 41:475, 573; var. **Deamii** 32:33, 34; 37:195; var. **intercedens** 32:34. verticillata 39: 347, 476

Coriander 6:23

Coriandrum 24:93. sativum 3:209; 6:23; 24:93

Corinth Tree 12:23

Corion 42:58. atheniense 42:111. marinum 42:126; var. leiosperma 42:126. medium 42: 119. rubrum 42:107. rupestre 42:207 Coriophyllum 40:27

Coriophyllus 40:27

Corispermum hyssopifolium 34:174; 36:375, 376; 40:220. nitidum 34:174

Corn 6:83; 12:28; 42:381. Indian 12:17, 25, 26, 37, 38; 28:74. Pipes 42:339

Cornaceae 6:54, 124; 11:130, 132; 12:182; 18: 41; 21:170; 24:95; 25:10; 29:217; 31:42; 32: 269; 33:92; 36:283; 49:255

Cornel, Dwarf 18:185; 34:29. Silky 25:204; 33:70, 72

Cornella 34:29, 30

Cornicularia aculeata 36:143, 153. divergens 36:143. racemosa 36:143, 154

Cornucopiae altissima 49:109-111, 113. malis 35:12, 207-209; 37:371; 49:113. perennans 49:109, 110, 113

Cornus 4:89; 6:124; 7:157; 12:14, 121, 122, 182; 24:95; 33:68; 34:29, 30; 36:270, 272; 38:99, 100; 40:146, 273; 42:155; 44:20, 27; 47:144. Benthamidia 34:30. subgen. Cynoxylon 34:29, 30. subgen. Eukrania 34:29, 30. sub-Kraniopsis 34:29. subgen. Mesomera 34:29. × acadiensis 43:411. alba 34:29; 36:270, 271; 38:99. alternifolia 1: 191; 6:54, 124; 12:182; 13:149; 21:189, 190; 22:93; 23:278; 24:95; 29:183, 217; 34:29; 35: 251; 43:411; × stolonifera 43:411. Amomum 6:54-56; 9:122; 12:108, 122; 16:13; 23: 164, 278; 24:95; 29:243, 244; 33:68-71; 35: 251; 36:269-272, 274; 37:222; 38:51; 43:411; 44:237, 248; var. **Schuetzeana** 36:2**74**; 37: 223; 38:51. arborea 36:269, 273. Arnoldiana 6:56; 12:122. asperifolia 38:99, 100; var. Drummondii 38:99. Baileyi 19:65; 25: 212; 37:222, 365. caerulea 33:72; 36:271, 274. canadensis 1:192, 193; 2:37, 189; 3:159, 175, 188, 198; 4:74, 75; 5:132; 6:54, 124; 9: 63; 11:175, 176; 13:107, 108, 138; 17:146, 152, 154; 18:41; 21:170; 22:38–40, 42, 43, 48, 134; 23:109; 24:95; 25:10; 27:202; 29:1, 182, 217; 31:243; 32:61, 179, 206; 33:51, 109, 123, 178; 34:30, 54; 36:283, 308; 37:206, 307; 40: 148, 163; 41:149, 151, 270; 42:334; 44:20; 47: 46; 48:163; 50:304; × suecica 41:270; 42: 334; f. florulenta 50:306; f. infraverticillata 50:305; f. medeoloides 50:305; f. purpuras**cens** 44:**20**, 144; f. ramosa, 50:304, 306; f. **rosea** 43:156; 44:20, 144; var. intermedia 13: 107; 16:192; 29:183; 33:123; 40:273, 274; 41: 270; 42:334. candidissima 6:62; 12:122; 33: 59, 71, 72; 36:270, 272, 273; 37:194, 223; 38: 51, 100. circinata 2:201; 4:131; 6:54, 124; 12:122; 13:146; 16:90; 21:201; 23:278; 24:95; 35:250. comosa 34:29. cyananthes 34:30. cyanocarpa 33:70, 72; 36:271, 274; var. albescens 33:70, 72; 36:274; 37:223. dichotoma 34:29. Drummondii 38:99, 100. excelsa 38:99. fastigiata 33:72. florida 2: 157, 171; 6:54; 12:129; 14:83; 21:190, 199; 24:05. 21:256, 23:1256, 23:157. 24:95; 31:256; 32:125, 152, 215, 269; 33:71; 34:29, 30; 36:49; 37:223, 422; 40:372, 463; 41:560; 44:170, 174; 46:22; f. rubra 40:133; var. rubra 40:133. foemina 33:69, 71, 72; 35:288; 36:269, 270, 273; 37:223; 47:101, 168. fragifera 34:29. herbacea 39:462. lanuginosa 33:70, 72. mas 47:141. mas-cula 34:29. Nuttallii 50:141. obliqua 12: lahuginosa 55:70, 72. mas 77:17. mas cula 34:29. Nuttallii 50:141. obliqua 12: 122; 24:95; 33:72; 36:272; 37:222, 223, 320. paniculata 4:89, 131; 6:54, 56; 12:122; 24:95; 33:71, 72; 34:29; 35:363; 36:272, 273; 37:194; 38:100; 49:23; × Purpusi 6:54, 56. polygama 33:72. Purpusi 6:54, 55; 12:122; 24:95; 33:72; 36:272, 274; 37:223; 38:51. racemosa 12:122; 33:72; 35:363; 36:272, 273; 37:100, 104, 350; 38:99, 100; 46:138; 49:23. 37:190, 194, 350; 38:99, 100; 46:138; 49:23, 24. rubiginosa 33:72; 36:271, 272, 274. rugosa 12:122, 123; 21:130; 23:278; 24:95; 33: 234; 46:303; 49:216; × stolonifera 12:122; f. eucycla 49:216. sanguinea 34:29; 36:271.

sericea 5:131; 6:55; 33:68-70, 72; 36:271. 272, 274; 38:51; γ. Schuetzeana 36:272, 274; 37:223. × Slavinii 12:122. stolonifera 3:175; 6:54, 56, 124; 11:96; 12:121-123; 13:216; 16:13; 19:245; 22:132, 134, 135; 23:278; 24:95, 179; 25:10, 213; 26:139, 144; 28:244; 29:183, 217; 33:68-70, 72; 34:54; 35:251; 36:270-272, 283; 37:222, 365; 40:161; 41:151; 43:411; var. Baileyi 37:365; 41:270; 42:334. stricta 33:71, 72; 35:288; 36:272-274; 37:223, 434; 38:100, 377; 39:474, 482: 47:101, 168. suecica 13:107, 108; 25: 272, 274; 38:51; γ. Schuetzeana 36:272, 274; 37:223. × Slavinii 12:122. stolonifera 482; 47:101, 168. suecica 13:107, 108; 25: 10; 29:132, 217; 33:111, 123; 34:29; 35:9; 39: 462; 40:276; 41:270, 271; 44:104; 50:305. unalaschkensis 41:270; 42:334

Coronariae 47:385, pl. 991 Coronilla 20:166. scorpioides 20:166. varia 1:75, 106, 164; 2:89; 6:235; 10:151; 16:185; 20:166; 23:199; 32:256; 33:163, 164; 34:175;

Coronopus 18:217; 31:92, 94; 49:254. didymus 11:83, 179; 18:217; 19:225; 23:140, 265; 36:44; 49:248. Ruellii 31:92

Corrigiola littoralis 5:190

Corsinia 17:109

Corticium 10:10, 12. anceps 43:2. confluens 50:287. reticulatum 10:10, 11. tremellinum 10:10-12; var. reticulatum 10:10-12

Corticularia 39:51

Cortinarius 3:141. alboviolaceus 3:141; 27: 154. collinitus 2:32. cyanites 27:153–155, pls. 151, 152. duracinus 16:49. pholideus 16:49. torvus 44:169. violaceus 11:124 Cortusa americana 43:479

Corycarpus arundinaceus 34:204, 205

Corvdales 47:385

Corydalis 9:54; 18:215; 31:14. aurea 21:87; 44:104; var. australis 48:207; var. occidentalis 34:5. crystallina 36:231. flavula 28:68; 43:486, 488, 552; 45:358, 383, 412; 48:326, 327; 49:179. glauca 5:128; 7:108. Halei 48:207. micrantha 36:44; 48:207; var. diffusa 48:207; var. pachysiliquosa 48: 207. pauciflora 41:232; 42:326. sempervirens 13:56; 17:35, 154; 18:215; 22:16; 24: 116, 174; 28:68; 30:36; 34:52; 38:454; 39: 199, 201, fig. 25 (map); 41:149, 232; 42:326; 48:327

Corylaceae 47:333

Corylus 1:167; 6:113; 16:111; 31:222; 43:69; 44:33; 45:29; 47:339. americana 2:189; 4: 132; 5:130; 9:124; 11:107; 12:128; 16:111; 19:220; 29:157; 34:96, 240; 40:145; 41:515, 520; 43:68, 509; β. missouriensis 34:96; f. missouriensis 34:96; var. missouriensis 43: 509, 550. Avellana 45:29. cornuta 32: 247; 35:90, 265; 38:76; 40:145; f. inermis 38:76. rostrata 3:173; 4:132; 5:130; 6:113; 7:125; 11:107; 12:128; 13:149; 15:118; 16: 13, 111; 19:220; 21:199; 29:211; 32:247; 35: 90; 38:76; 45:29–31

Corymbium 47:288

Corynephorus 41:314; 49:269. canescens 16: 81; 38:266, 267; 41:314; 49:269

Coryphantha Runyonii 35:224; 37:78; 38:407 Coscinodiscus 9:130. apiculatus 9:139. as-

teromphalus 9:139. concinnus 9:139. centricus 9:139; 26:193, 195, 216. gigas 9: 139. marginatus 9:139. nitidus 9:139. nodulifer 26:195, 216. oculus-iridis 9:139; var. Morsiana 26:193, 216. radiatus 9:139; 26:195, 216. subtilis 9:139. symbolophorus 9:139

Cosmarium 6:234; 7:254; 24:221; 26:204, 207, 211; 44:178; 50:271. amoenum 5:223; 24: 221; var. tumidum 5:81; 7:257. Baileyi 7: 255. bioculatum 24:221. biretum 24:221. Blyttii 7:258. Boeckii 5:253; 7:256; 24:221. Botrytis 5:80, 253; 24:221; 26:207. Brebissonii 26:207. Broomei 5:222, 255; 24: 221; 26:207. caelatum 5:223; 24:221; var. abnormale 7:258, 266, pl. 64. capense 5: 255; 7:256. circulare 24:221. elaviferum 7:255, 266, pl. 64. connatum 7:254. conspersum 24:221. contractum 7:255; 24: 221; 26:207; var. papillatum 44:178, 186, fig. 3. Corbula 24:221. cosmetum 7:256. tum 24:221. cruciferum 9:232. Cucumis 7:258; 24:222; 26:207. Cucurbita 24:222. curtum 9:232. cyclicum 7:257; 26:207. dentatum 7:256; 24:222; 26:207. denticulatum 44:67. depressum 24:222; var. achondrum 26: 207. dispersum 7:258. elegantissimum 7:258. Eloiseanum 7:258; 44: 178; var. depressum 7:258; 26:208. exiguum, f. major 7:255; var. subrectangulum 24:222. Favum 7:256. galeritum 24:222; 26:207. globosum, var. subarctoum 7:255. granatum 24:222; 26:207; f. minor 50:273. grandiforme, var. americanum 7:257, 266, pl. 64. Hammeri 24:222; 26:208. homalodermum 7:257. impressulum 7:258; 50: 273; f. 50:273, 278, pl. 1118; f. minor 50:278; f. suborthogona 50:278. intermedium 5: 253; 7:256; 24:222. isthmochondrum 7:257. laeve 24:222; var. septentrionale 5:223, 253, 255. latifrons 24:222. latum 7:257. margaritatum 7:256; 26:208; 44:178. margaritiferum 5:80. Meneghinii 24:222; 26: 208. modestum 24:222. moniliforme 5:80; 24:222; 26:208; f. elongata 7:255; var. panduriformis 24:222. Naegelianum 24: 222. nitidulum 5:255; 7:255. obliquum, var. trigonum 7:255, 256, pl. 64. obsoletum 26:208. octhodes 5:223; 7:257; 24: 222. orbiculatum 24:222. ornatum 5:81; 7:257; 24:222; 26:208; var. minor 5:253. orthostichum 24:222. ovale 7:258; 24:222; 26:208; 44:178. pachydermum 24:222; f. minor 7:256. perforatum 7:256; 24:222. phaseolus, var. elevatum 7:257. polygonum 50:273, 279, pl. 1118. polymorphum 7:256. Portianum 5:255; 24:222; 26:208. protractum 5:253; 24:222. pseudobroomei 5:223; 24:222; 26:208. pseudoconnatum 7:254; 24:222; 26:208. pseudonitidulum var. validum, 26:208. pseudoorbiculare 7:256. pseudopectinoides 7:258. pseudopyramidatum 7:255; 24:223; 26:208. punctulatum 5:253; 24:223; 26:208; var. subpunctulatum 50:273. pygmaeum 24:223; 26:208; var. Schliephackeanum 7:257; 24:223. pyramidatum 5:

80, 223; 7:255; 24:223; 26:208. quadratum, f. Willei 24:223. quadrum 24:223; 26:208; f. 7:257; f. Johnsoni 7:257. Quasillus 5: 253. quinarium 7:256; 44:178. Raciborskii 7:256. rectangulare 7:257. Regnesii 7:255; 26:208. reniforme 5:80; 24:223; 50:273; var. compressum 7:257. repandum, f. minor 24:223. Scenedesmus 5:222. Schliephackeanum 5:81; 7:257. Sinostegos 24:223; var. obtusius 7:257. speciosum 5:222; 24:223. sphalerostichum 24:223. subdepressum 5:223. subdeucumis 24:223. subdepressum 5:21; 7:257; 24:223. subdepressum 5:81; 7:257; 24:223. subdepressum 5:81; 7:256; 24:223. subdentulum 5:80; f. bidentulum 7:256. tetraophthalmum 5:223; trilobulatum 24:223. triplicatum 7:256; 24:223. trinobulatum 24:223. triplicatum 7:256; 24:223. truncatum 10:102. tumidum 6:80, 223; 24:223; 26:208. Turpinii 24:223; 26:208; var. podolicum 50:274. undulatum 24:223; 26:208; var. crenulatum 5:221; var. minutum 24:223; var. Wollei 24:223. viride 7:255; 24:224

Cosmocladium 24:240. saxonicum 24:240; 44:

-67

Cosmos 18:149; 21:171; 36:85. bipinnatus 26: 85; 44:478. parviflorus 6:82. sulphureus 43:657

Costmary 25:15

Cotinus americana 36:224, 230

Cotton-grass 7:81; 13:113, 123; 23:131; 28:61, 62, 82, 98

Cottonwood(s) 16:206; 44:351

Cotula 26:85. australis 6:82. coronopifolia 4:32, 33; 26:85

Cough Grass 17:226: 40:265

Couch Grass 17:226; 49:265

Coûdre 45:29 Coudrier 1:167 Couldre 45:29, 31

Coulterina 41:397, 398. didymocarpa 41:406. Geyeri 41:401. Newberryi 41: 403. ore-

gana 41:400 Couma 49:58

Courts 1:167

Covillea 12:14; 31:93

Cowberry 4:232; 12: 23, 25

Cow-lilies 21:183, 184

Cow-lily 4:93; 10:49; 18:161, 163, 164; 39:333. Parsnip 28:84

Cowslip 28:63. English 22:143

Crab-apples 18:153; 44:221, 224; 45:360

Crab Grass 17:225

Cracca 9:54; 42:456. hispidula 42:457. leucosericea 38:406. texana 38:406

Crackebesien 12:23 Crack Willow 25:174

Cranberries 42:379

Cranberry 11:129; 12:35; 13:217; 44:370, 371; 46:249, 250. American 12:183. Bog 12:35; 18:41. High 4:131. Highland 18:41. Hog 18:41. Large 4:234; 12:183. Marsh 18:41. Mountain 4:231, 232; 11:177; 12:23, 25, 34, 35, 37, 183; 13:136; 42:311. Rock 4:

231; 12:23, 25, 34, 35, 183. Small 4:235; 12: 183. Woods 18:41

Cranefly Orchid 39:470 Cranichis multiflora 39:356

Crantzia 26:93; 42:506. attenuata 26:94; 39: 408. lineata 1:159; 2:168, 217; 3:210; 26: 93, 94

Crapaud vert 16:104 Crassina 28:40–42

Crassulaceae 6:118; 18:249; 19:217, 218; 25:9; 29:35, 214; 31:42; 45:311; 49:255

Crataegi 36:237

Crataegus 1:168; 3:221; 4:64; 5:52, 114; 6: 120, 214; 7:139, 219; 8:10; 10:73-75, 77, 83, 84, 195; 11:130, 181; 12:94, 103, 110, 114, 180; 13:18; 14:81, 83, 86, 163; 15:224; 16:50; 17: 153, 154; 19:62, 63, 227; 20:16; 21:189, 190; 23:158, 180; 32:12, 14, 254; 33:62, 140; 34: 62; 35:49, 359; 36:422; 37:72, 307; 39:18, 331, 360, 361, 410; 40:372; 41:55, 312; 42: 153; 47:209; 48:95, 129; 49:144. § Anomalae 3:29; 7:209. § Coccineae 3:26, 79; 5:159; 7:182, 209, 213; 10:75. § Crus-galli 3:19, 71; 5:52. § Dilatatae 3:26, 76. § Flabellatae 3:22, 75; 5:114; 7:208. § Intricatae 3: 28; 5:62; 7:219. § Lobulatae 5:110; 11:183. § Molles 3:20, 73; 5:108; 7:206; 11:183. § Pruinosae 3:26; 5:54; 7:193. § Prunctatae 3:20, 72; 7:192. § Rotundifoliae 10:75. 195; 11:130, 181; 12:94, 103, 110, 114, 180; 3:20, 72; 7:192. § Rotundifoliae 10:75. § Tenuifoliae 3:23, 71, 76; 5:137; 7:199. § Tomentosae 3:26, 77; 5:182; 7:162, 182, 209. aboriginum 5:163. acutiloba 3:23, 76; 5:117, 139, 141, 144; 7:184; 10:80. aestivalis 47:151. alnorum 5:153; 20:16. amoena 14:130, 150; 43:562. ampla 7:208. angulata 40:133. anomala 3:74, 75; 5:110; 6:140. apiifolia 10:79; 39:331. apposita 10: 79; 20:16; var. Bissellii 10:76. aquilonaris 5:185. arborea 40:132. arborescens 11: 181. Arnoldiana 20:16. ascendens 5:141; 6:140. asperifolia 3:31; 4:166, 167; 6: 140; 7:209; 10:82. attrorubens 40:133. attenuata 10: 75, 76. baccata 7:176. Barrettiana 40:132. Baxteri 7:219. beata, var. compta 10:81. Beckwithae 10:81. bellica 40:132. bellula 7:195, 196. berberifolia, var. Engelmanni, 10:76. Bissellii 5:65; 10:76. Blanchardi 7:218; 10:79. blandita 5:147, 148. brachypoda 40:133. bracteata 40:133. Brainerdi 3:27, 28; 6:140; 7:209, 210; 31:84; var. asperifolia 10: 82; var. Egglestoni 10:82; 19:227; 20:16; var. scabrida 10:82. bristolensis 7:175. Brunetiana 5:164; 10: 79. Calpodendron 21: 90; var. hispidula 40:133; var. obesa 40: 90; var. hispidula 40:133; var. obesa 40: 133. canadensis 3:73. Canbyi 10: 83: champlainensis 3:20, 74; 6:140. Chapmani, var. Plukenetii 10:83. chrysocarpa 10:79. coccinea 3:27, 28, 79; 5:159, 168; 6:140; 7:214; 10:76-79; 11:182, 183; 12:93; 13:36; 20:16; 21:190; var. oligandra 21:190; var. rotundifolia 3:26, 27, 79; 11:183; var. viridis 10:78. coccinioides 36:231; var. dilatata 10:81. cognata 5:58. collina, var. Lettermani 10:76; var. secta 40:132; var. sordida 10:76: 40:132; var. succineta var. sordida 10:76; 40:132; var. succincta

40:132. coloradensis 10:82. colorado 10:82. columbiana var. Brunetiana, 10:79; 12:139; 31:84; var. Piperi, 10:79. compta 10:81. conjuncta 5:57; 7:184; 10:81. contigua 6:115; 6:140. cordata 10:82; 11:183. crudelis 5:143. Crus-galli, 3:19, 71; 5:53; 10:76, 83; 11:181, 182; 20:16; 37: 427; 39:371, 375; × macracantha 10:76; f. truncata 40: 132; var. Barrettiana 40:132; var. bellica 40:132; var. exigua 10:75; var. leptophylla 40:132; var. macra 40:132; var. pachy-phylla 40:132; var. prunifolia 10:75, 76. culta 7:199. cuneiformis 21:190. cyclo-phylla 7:210. Damei 7:200. deltoides 19:227; 21:190. delucida 5:139; 6:140. demissa 5:139; 6:140; 10:80. densiflora 3:75. dilatata 3:26, 76; 6:140. disjuncta var. magnifolia, 40:133. dissimilis 5: 149. dissona 5:60; 6:140; 10:81. Dodgei 7:213. Douglassii 37:205, 272; 46:254. dumetosa 40:133. dumicola 5:183. Edsoni 7:205, 206. Egglestoni 3:30; 6:140; 7:209, 211; 10:82. Ellwangeriana 10:82. Emersoniana 7:181. Engelmanni 10:76. es-Emersoniana 7:181. Engelmanni 10:76. esculenta 10:82. exclusa 5:108, 109; 6:141; 10:82. exigua 5:52; 10:75. Faxoni 5:161; 7:214; 10:79. ferentaria 7:184. Fernaldi 5:166, 167. fertilis 5:182; 7:176. festiva 5:54. flabellata 3:75; 5:114, 116; 6:120, 141; 7:184. flava 47:151, 152. florea 5:145. fluviatilis 5:117. foetida 7:219; 19:226. Forbesae 5:151; 7:206. fretalis 5:112. fucosa 5:137; 7:184. fulgens 7:182. fus-ca 7:193. Gattingeri 21:190. genialis 5: 148; 6:141. glandulosa 3:27; 10:78; 47:152. glaucophylla 5:140; 6:141. Gravesii 5:159; 6:141; 7:213. Grayana 10:80. Handyae 7: 6:141; 7:213. Grayana 10:80. Handyae 7: 177. Hargeri 5:66. Helenae 7:162, 184. Hillii 19:63. hispidula 40: 133. Holmesiana 3:22,23,76; 5:112; 6:141; 7:209; 19:227. Ideae 7:211. incisa 7:196; 19: 227. insolens 7:217; 10:79. integriloba 3:78. intricata 3:28, 29; 6:141; 7:184; 10:78; 20:16. irrasa 5:116; var. Blanchardi 10:79. Jackii 5:162. Jesupi 5:61, 191; 6:141; 19: 227. Jonesae, 12:139; 16:191; 23:159, 267. Keepii 5:165. lanceolata 40:132. lanuginosa 36:231. latisepala 10:81. laurentiana 3:77: 35:49, 272. lauta, 7:206. leiotiana 3:77; 35:49, 272. lauta, 7:206. leiophylla var. maineana, 10:81. leming-tonensis 7:216. leptophylla 40:132. Let-termani, 10:76. leucophleos 10:83. levis 7:198. littoralis 5:59. lobulata 3:22; 4: 167; 5:110, 111; 6:141; 10:82. lucorum, var. insolens 10:79. lutensis 40:133. Mackenzii var. bracteata 40:133. macra 40: 132. macracantha 3:26, 78; 6:208; 12:180; 15:165; 20:17; 31:84; var. neofluvialis 10: 83; 19:227; var. occidentalis 10:82; var. rhombifolia 10:82; var. succulenta 10:82; 21:190. macrosperma 10:82; 19:226; 20:16; 22:137; var. acutiloba 10:80; 20:16; var. demissa 10:80; var. matura 10:80; 19:227; var. pastorum 10:80; 19:227; 20:16; var. pentandra 10:80; var. viridimontana 19: 227. magnifolia 40:133. maineana 10:81.

Margaretta 10:83. Marshallii 10:79; 14: 81; 39: 331, 481; 42:498. matura 3:24; 5: 144, 145; 6:141; 7:205; 10:80. media 5:150; 6:120, 141. membranacea 5:186; 6:141. modesta 3:28; 5:62; 6:141; 10:78; 11:183. mollis 3:20, 22, 73; 21:67; f. dumetosa 40: 133; var. sera 10:82. monogyna 11:47; 20:17, 105; 23:95. monstrata 5:146. Napaea 7: 203; 19:227. neo-fluvialis 10:83; 21:190. obesa 40:133. occidentalis 10:82. ovata 40: 132. Oxyacantha 5:167; 11:47; 20:17; 39:371, 375. pachyphylla 40:132. **Paddockeae** 7:202. paradoxa 40:132. parvifolia 10:78. pastorum 3:24, 76; 5:147, 148; 10:80. pausiaca 21:190. Peckietta 7:174. Peckii 5: 63; 7:219. pedicellata 10:77; 21:190; var. Ellwangeriana 10:82. pellucidula 7:179. Pennypackeri 10:83. pentandra 3:25; 6: 141; 10:80. Pequotorum 5:55. persimilis 10:76. pertomentosa 40:133. Phaeno-purum 10:75; 29: 20:17; 20:222, 421 pyrum 10:77, 82; 20:17; 39:333, 481. philadelphica 10:81. pilosa 5:56. Piperi 10:79, pisifera 7:163. polita 5:111; 6:141; 10:77; 19:227; var. Tatnalliana 10:82; 19:227. Porteri 10:81. praecoqua 5:167; 6:141. praecox 3:27, 79; 5:167, 168. praemora 10: 78. praetermissa 7:213, 214. Pringlei 7:213, 214. Fringlet 3:21; 4:167; 5:108–110; 6:141; 19:227; var. exclusa 10:82; var. lobulata 10:82. propria 7:214. pruinosa 3:26; 5:54; 20:17; 32: 254; f. angulata 40:133; f. dissona 10:81; 20:17; var. brachypoda 40:133; var. conjuncta 10:81; 20:17; var. incisa 19:227; var. lationale 10:21; var. philabir. latisepala 10:81; var. philadelphica 10:81; var. Porteri 10:81. prunifolia 10:76. punctata 3:20, 72; 15:165; 35:249; var. aurea 6:141. pyracanthoides, var. arborea 40:132. pyrifolia 29:177. quinebaugensis 7:194. racemosa 14:130, 150; 42:562; 48:127, 128. Randiana 5:142. regalis, 48:121, 128. Kandiana 5:142. regalis, var. paradoxa 40:132. rhombifolia 5: 183; 7:174; 10:82. roanensis 19:226. Robbinsiana 7:197. Robesoniana 5:110. Robinsoni 5:184. rotundifolia 11:183; 20: 17, 105; 24:50; 31:84; 32:177; 48:128, 131; var. Bicknellii 10:79; var. chrysocarpa 10: 79; var. Faxoni 10:78, 79; 19:226; 20:17; var. nubera 11:183. rugosa 21:190. scan var. pubera 11:183. rugosa 21:190. scabrida 3:29, 76; 4:166; 5:114; 6:141; 7:209; 10:82. Searsi 7:183. secta 40:132. Seelyana 7:209. sera 10:82. serena 7:201. silvicola, var. Beckwithae, 10:81. Smithil 10:79. sorbifolia 49:232. sordida 10:76; 40:132. spatiosa 7:180, 182. spicata 14: 123; 48:125-129, 131, 132, pl. 1027. Stonei 5:62. stratfordensis 7:178. submollis 3: 74; 6:141; 20:17. suborbiculata 3:72. succincta 40:132. succulenta 3:26, 78; 5: 183; 6:141; 20:17; var. pertomentosa 40: 133. Tatnalliana 10:82. tenella 5:137. Thayeri 5:113; 7:184. tomentosa 3:21, 79; 10:78, 79, 83; 11:182; var. Smithii 10:79. truncata 40:132. umbratilis 7:192. uniflora 10: 78. viridimontana 7:204, 205: 19:227. viridis 10:83; 11:181; 12:93, 94; 14; 81-86; var. atrorubens 40:133; var. lance-

olata 40:132; var. lutensis 40:133; var. ovata 40:132. Websteri 7:215. Youngii 37:426; 38:377

Craterellus Cantharellus 2:194. cornucopioides 41:514

Craterium leucocephalum 29: 167, 173. min-

utum 2:81, pl. 16; 29:168 Cratoneurum filicinum 30:9. glaucum, var. falcatum 30:9

Crawley Root 12:132

Creeping Eragrostis 21:191. Snowberry 12: 183. Wintergreen 12:183

Crepis 4:249; 6:78, 146; 21:209–211, 214; 26:85; 27:48; 38:367; 48:117; 49:297, 298. acuminata 48:117. barbigera 22:192. biennis 21:209–214; 22:191–193; 32:4. capillaris 17:30; 21:209, 210, 212; 22:191, 192; 26:85; 37:323; 46:142. elegans 41:148, 301; 42: 311, 343. foetida 26:85. monticola 22:192. nana 26:199, 200; 28:103, 104, 213, 241; 35: 121, 275; 38:120, 126, 161; 41:155, 301; 42: 311, 343; 45:316; 49:299. nicaeensis 21:212, 213; 22:192; β. integrifolia 21:212. occidentalis 22:192. pulchra 21:209. rigida 4: 250. setosa 6:144; 22:192. taraxacifolia 4:250. tectorum 19:253; 21:209, 210, 214; 26:85. virens 4:197; 6:78, 146; 21:209, 213; var. agrestis 6:144; 8:73; var. runcinata 6: 144. vulgaris 26:85

Cress, Arctic 28:91. Belle Isle 11:140. Early winter 11:140. Garden 4:32. Hoary 42: 302. Water 4:81; 27:186. Yellow 27:186

Cribraria 2:81. aurantiaca 2:81, pl. 16. macrocarpa 1:128. microcarpa 29:169. piri-formis 29:169. rufa 29:169. tenella 29:169; var. concinna 29:169. violacea 29:169, 172. vulgaris 29:170

Crinodendron 14:185

Cristatella 11:45, 46. Jamesii 11:46

Critamus agrestis 25:12

Crithmum umbelliferum 25:12

Crithopyrum trachycaulum 35:170

Crocanthemum 19:58-60; 43:609-614, pl. 689. brasiliense 43:615, pl. 690. canadense 43: 615, pl. 690. capitatum 43: pl. 690. carolinianum 19:58, 59; 43: pl. 689. dumosum 19:58, 60. glomeratum 43:615, pl. 690. majus 19:59; 43:612. propinquum 43:615, pl. 690. rosmarinifolium 43:615, pl. 690. scoparium 43:615, pl. 690

Crocodilium 30:59 Crocodiloidea 30:59

Crocus 25:155; 21:11; 47:385. Wild 42:325

Crocynia lanuginosa 29:98

Cronartium 9:194. Comptoniae 9:194; 34: 61. Querci 9:194. ribicola 34:61

Croomia pauciflora 44:12 Cross-leaved Heath 15:189

Crotalaria 14:30, 32; 20:166; 40:361, 362; 41: 317-320, 366; 44:360; 46:493, 494; 49:99.
§ Eucrotalaria 41:318, 322, 348, 349; sub-§ Oliganthae 41:318, 349.
§ Farctae 41:356.
§ Simplicifoliae 41:318, 320, 324. subgen. Iocaulon 41:320, 330. acapulcensis 41:364.

acuminata 41:325. affinis 41:350. alatipes 41:326. alba 41:366. altissima 41:366. ana-

gyroides 41:319, 324, 365; var. pauciflora 41:364. angulata 40:436; 41:318, 322, 341, 343, 344, 347; 44:417; 50:202. angulosa 41:325. anisophylla 41:348. asarifolia 41: 341. benghalensis 41:329. Berteriana 41: 318, 320, 324. bialata 41:366. bracteata 41:329. brasila 41:362. Brownei 41:355. 1:325. dishia 41:319, 321, 332. caerulea 41:325. cajanifolia 41:362. Carmioli 41: 362, 363. chiapensis 41:358, 360. cubensis 41:350. cuneifolia 40:363; 41:326, 344. dichotoma 41:358. diffusa 41:350. Dombeyana 41:365. elliptica 41:358, 360; var. multiflora 41:360. eriocarpa 41:319, 322, 353–355, 364; var. gloriosa 41:353, 354; var. typica 41:353. eriocaula 41:351. Espadilla 41:332. fenestrata 41:329. filifolia 41: 319, 323, 361, 362. flexuosa 41:325, 366. fruticosa 41:340. fulva 41:324. Galeotti 41: 358, 360. genistella 41:330. gloriosa 41: 354. gracilenta 41:361. Grahami 41:358. grandis 41:324. guatemalensis 41:362, 363. hastata 41:325. havanensis 41:366. Heldiana 41:366. hirta 41:350. Hookeri 41: 355. Hookeriana 41:341, 344. Hostmanni 41:327. incana 41:318, 322, 350, 352, 353, 355. war a 41:365. year a 41:365. year a 41:365. Hookeriana 41:341, 344. Hostmanni 41:347. incana 41:318, 322, 350, 352, 353, 355. 355; var. β. 41:365; var. **nicaraguensis** 41: 322, 353. juncea 41:318, 321, 329, 330. laburnifolia 41:366. laevigata 41:344; 49: 149. latifolia 41:349. leptoclona 41:341. leptophylla 41:364. Leschenaultii 41:326, 327. Linaria 41:347; 50:203. linearis 41:344. litoralis 41:358. longipes 41:344. longirostrata 41:319, 323, 357. lotifolia 41: 318, 322, 349, 350, 362; var. Eggersii 41:350. lunulata 41:336. lupulina 41:358. macrophylla 40:363; 41:326. maritima 41:318, 322, 345, 346; 50:202, 203, pl. 1107; var. Linaria 41:347, 348; 50:203; var. typica 41: 348. maypurensis 41:319, 324, 364. mollicula 41:319, 322, 352, 354, 355; var. Schaffneri 41:354, 355; var. typica 41: 355. montana 41:351. monticola 41:354. 355. montana 41:351. monticola 41:354. mucronata 41:318, 323, 355-357. nana 41:318, 320, 324. nitens 41:319, 321, 329. nitidula 41:329. ovalis 41:341; 44:417; 50:202. parviflora 41:336. pendula 41: 358, 366. perfoliata 41:366. pilosa 41: 318, 321, 330, 331, 334, 336, 366; var. robusta 41:331; var. Skutchii 41:331; var. typica 41:331. pisiformis 41:355. platy carpa 41:336. Poeppigii 41:362. Pobliana 41:334. polyphylla 41:346. porpolyphylla 41:346. Pohliana 41:334. polyphylla 41:346. por-Pohliana 41:334. polyphyna 41:340. porrecta 41:329. Pringlei 41:340. procumbens 41:341, 344. pterocaula 41:330, 366. puberula 41:358. pubescens 41:350. pumila 41:318, 323, 341, 358; var. obcordata 41:361. Purdiana 41:318, 322, 349, 350. purpurascens 41:350. Purshii 39:415, 466, 480; 40:378, 436; 41:318, 322, 339, 344, 347; 49:149, 193, pl. 1075; var. bracteolifera 49: 149, 193, pl. 1075; var. polyphylla, 41:346; var. typica 41:346. quercetorum 41:346. quinquefolia 41:318, 322, 348. radiata 41: 351. retusa 40:361, 362; 41:318, 321,

327-329. retusifolia 41:327. Retzii 40:363; 41:326. rotundifolia 34:206; 36:45; 39:351, 354, 415, 466, 471, 480; 40:436; 41:341, 343; 44:417; 50:202, 203, pl. 1107; var. brachytricha 41:346; var. Linaria 50:203. sagittalis 1:179; 2:89; 5:129; 10:43, 143; 13:8; 14:29; 20:166; 32:212; 37:193; 38:424; 39:415; 41: 318, 321, 332, 334, 335, 345, 346, 366; 44:416, 417; 46:493; var. α . linearis 44:417; var. β . 41:335, 344; var. β . oblonga, 44:417; var. γ . ovalis 41:335, 341; 44:417; var. Blumeri-7. ovalis 41:336, 339; var. Espadilla 41:332; var. fruticosa 41:336, 340, 341; var. linearis 44: 417; var. oblonga 44:360, 416, 417; var. ovalis 44:417; var. typica 41:336, 339, 341. Sagittatas 41:336. Saltiana 41:356, 357. scariosa 41:340. Schiedeana 41:329. Schimptid 41:351. eri 41:351. sericea 40:362, 363; 41:326, 327. setifera 41:350, 352, 353. spectabilis 40:361–363, 372, 436, pl. 508; 41:318, 320, 326–328; 44:417; 49:149. stipularia 41:318, 319, 321, 332, 366; var. grandifolia 41:333, 334; var. oblongata 41:334; var. sericea 41: 334; var. serpyllifolia 41:333; var. typica 41: 333, 334. stipulata 41:365. striata 41: 355–357. tenuifolia 41:330. tenuissima 41: 361, 362. tepicana 41:358. tetragona 41: 318, 321, 330. tetragonoloba 41:330. tinctoria 41:355. topicauca 41:358. triantha 41:358. Tuerckheimii 41:318, 321, 334, 344; var. macrantha 41:321, 335; var. typica 41:335. undulata 41:366. Urbaniana 41:322, 348. usaramoensis 41: 318, 323, 357. verrucosa 41:318, 320, 325; var. acuminata 41:326; var. obtusa 41: 325, 326. viminalis 41:353, 354. viminea 41: 329. vitellina 41:319, 323, 362, 364, 366; var. Orcuttiana 41:362, 364; var. Schippii 41:362, 364; var. typica 41:362. Zuccariniana 41:355, 357

Croton 7:160: 21:82. alabamensis 44:12. capitatus 6:86; 21:82; 36:224; 47:209. Engelmanni 35:287; 36:375. glandulosus 23:221, 223; var. septentrionalis 23:221; 37: 431; 46:136. monanthogynos 39:195; 43:

514, 588. texensis 6:86; 21:82; 47:216 Crotonopsis 7:158. elliptica 36:220, 223; 39: 481; 41:474, 547. linearis 10:36

Crowberries 15:31 Crowberry 4:34, 147; 9:149, 177; 15:211; 23: 98, 169; 32:60; 42:333. Black 12:181. Broom 12:181. Conrad's 12:181

Crowfoot 11:130. Water 21:191 Water 12:108. White

Crucibulum vulgare 41:514

Crucifer(s) 9:40; 23:132; 39:208; 42:201, 302;

Crucifera 43:292. nemorosa 36:366

Crucifera 43:292. nemorosa 36:366

Cruciferae 6:9, 117; 9:37; 10:207; 13:89; 17:37; 18:37, 97, 215; 21:170; 25:9; 26:225, 230; 27: 31, 186; 28:70; 29:213; 31:42, 92; 32:253; 36: 248, 281, 364; 39:18, 63, 67, 68, 71; 40: 294; 41:392–394, 397; 42:315; 43:80, 92, 289, 291, 292, 298–300, 398; 44:28; 45:311; 49: 255, 288; 50:296, 302

Crucigenia rectangularis 14:115

Cruoria pellita 2:11 Crustacea 41:135, 148 Cryphaeaceae 37:228

Cryphiacanthus acaulis 47:10,11. angustifolius 47:8–12. barbadensis 47:24, 27. Tweedianus 47:9, 10

Crypta 43:210. minima 19:10, 11, 13; 43: ŽÎ0: 44: 252

Cryptantha 25:29. crassisepala 34:6. intermedia 25:29. Thompsonii 36:12

Cryptogams 45:515, 516 Cryptoglaena americana 2:41

Cryptogramma 11:35; 30:14; 36:421; 37:238, ryptogramma 11:35; 30:14; 36:421; 37:238, 239, 241, 242. acrostichoides 37:238-244, 246, 338, pl. 356; 39:495; f. foveolata 37:246. Brunoniana 37:238-243, 246, 338, pl. 357. crispa 37:238-242, 244-246, map 12; β. C. Brunoniana 37:242, 246; γ. C. acrostichoides 37:242, 246; f. americana 37:241, 246; f. europaea 37:240; f. indica 37:241, 246; subsp. C. acrostichoides 37:246; subsp. C. acrostichoides 37:246; subsp. C. subsp. C. acrostichoides 37:246; subsp. C. Brunoniana 37:246; var. acrostichoides 37: 243, 244, 246, 356, pl. 356; var. Brunoniana 245, 244, 246, 338, pl. 357; var. typica 37:244, 245. densa 9:158, 167; 34:246; 37:67, 70. Stelleri 9:154, 158, 166, 172, 173; 10:35; 11: 64; 13:137; 14:75; 15:98; 16:198; 17:65; 22: 39, 49, 81, 86, 87; 28:117, 125, 148; 30:14; 32:18; 34:66; 35:47; 37:66, 222; 49:53; 50: 212

Cryptomonas 50:272. erosa 44:68; 50:272, 276. ovata 44:68

Cryptophyceae 44:65, 68; 50:272, 276

Cryptoporus volvatus 44:169

Cryptotaenia 4:88; 9:54; 24:93. canadensis 1:159; 5:203, 204; 24:93; 27:202; 36:374;

40:382, 448 Ctenium 9:53. americanum 8:210. aromaticum 8:210; 39:327, 335, 379, 381, 382, 467, 477, map 11; 40:367, 387; 41:472, 502, 503; 44:241; 49:99, 121

Cubelium concolor 32:140; f. subglabrum 32:

Cuckoo Flower 22:11

Cucubalus polypetalus 50:197, 198, pl. 1105 Cucullaria 44:33

Cucumber 43:92. Bur 32:110 Cucumis 26:18; 50:200. Anguria 26:18. Melo 26:18; 36:373, 374. sativus 26:18; 36:373, 374; 39:370, 375

Cucurbita 26:18. maxima 26:18, 228; 32: 276; 36:373, 374; 50:303. Pepo 3:131; 26: 18; 36:373, 374; 41:82

Cucurbitaceae 6:130; 26:17, 228; 31:43; 32: 276; 47:386; 49:58; 50:179, 303

Cucurbitae 3:282

Cudonia circinans 1:64

Cunila glabella 42:6, 7. mariana 47:374. origanoides 36:220, 231; 37:189, 194; 42: 363, 478; 43:521, 638

Cunninghamella africana 5:98. echinulata 5:98

Cuphea 4:247; 9:63; 23:114; 36:255. ignea 45: 26. petiolata 15:67; 44:362, 430. platy-centra 45:26. procumbens 4:248; 23:114. viscosissima 2:125; 4:106; 9:63

Cupressineae 11:168 Cupressinoxylon 11:168, 169

Cupressoxylon 11:168

Cupressus 21:67; 47:386. sabinoides 43:346, 347. thyoides 6:97; 23:92

Cupuliferae 6:113 Cur Wheat 12:27

Curculigo 25:156-161, 163. aquas-anensis 25: 163. gracilis 25:163. orchioides 25:156, 157, 161. recurvata 25:163. scorzoneraefolia 25:132, 159, 160, figs. 14, 15

folia 25:132, 159, 160, figs. 14, 15 Curlew-berry 9:149, 177; 13:123 Curly Grass 23:91; 24:159. Family 35:352 Currant(s) 12:20-22, 25, 32, 35-37; 15:29, 30; 42:153; 49:219. Black 12:21, 22, 25, 32, 34, 179. European Black 49:219. Red 9:1; 12:21, 22, 25, 32, 33; 25:176. Skunk 12:33, 179; 13:138; 18:37. Wild

Cuscuta 5:291; 9:50; 11:54; 21:29; 25:26; 36: 372, 373; 42:155; 45:368, 416. arvensis 2: 126; 10:43; 13:8, 151; 15:67; 24:185; 25:26. Cephalanthi 24:202; 25:26; 36:372. chloro-Cephalanthi 24:202; 25:26; 36:372. chlorocarpa 36:372. compacta 8:80; 9:11; 10:43; 11:83; 13:8; 19:247; 20:115; 24:154; 25:26; 32:177, 212; 45:416. Coryli 21: 202; 36:372; 37:439; 44:431, 432. cuspidata 40:276. Epilinum 25:26. Epithymum 1:221; 5:291; 6:78, 146. glomerata 37:194. Gronovii 4:92; 5:136; 15:66; 16:15; 17:151, 217; 24:201, 202; 25:26; 32:272; 33:80; 35: 251; 36:372-374; 44:235; \(\alpha\). vulgivaga 24: 201; var. latiflora 24:202; var. vulgivaga 24: 202. incurva 36:372. indecora 44:431. lepidachne 50:106. obtusiflora 15:66; 19: Lepidachne 50:106. obtusiflora 15:66; 19: 247; 35: 363. paradoxa 37:194. pentagona 25:26; 32:177; 43:81. polygonorum 33:80; 35:363; 36:372; 37:439; 44:432; 50:290, 299. reflexa 36:373. Saururi 24:202; 36:372. tenuiflora 36:372. trifolia 5:291; 25:26. umbrosa 36:372. vulgivaga 24:201

Cusickia 25:104 Custard Apple 43:92 Cutgrass, Rice 49:277

Cuthbertia graminea 36:42, 53; 40:181, 366 Cyamus 36:24. flavicomus 36:23. luteus 36: 23; 46:156. pentapetalus 36:23

Cyanococcus 45:451

Cyanophyceae 1:70, 99, 100; 4:178; 7:236; 8: 106; 14:114, 236; 15:89; 24:51

Cyanotris scillioides 38:405

Cyanus 30:59 Cyatheaceae 21:175

Cyathomonas truncata 50:276

Cyathus 2:99. Lesueurii 2:99-101, pl. 17; f. major 2:100, pl. 17; f. minor 2:100, pl. 17; stercoreus 2:100, 101, pl. 17. striatus 2: 101. vernicosus 2:99, 101, pl. 17

Cvcadaceae 33:49

Cycas 38:440; 47:386

Cyclachaena pedicellata 38:407

Cyclamen 31:14; 39:319. orientale 42:263 Cycloloma 3:18; 17:64. atriplicifolium 35: 254; 36:375, 376. platyphyllum 3:18

Cyclomyces Greenii 2:194

Cyclonexis 41:133, 135. annularis 41:134, 137, figs. 1-4

Cyclopogon 23:73, 83. cranichoides 23:84 Cyclotella antiqua 9:125, 140. comta 26:194, 216. Kuetzingiana 9:140. striata 9:140 Cydonia japonica 19:226; 37:86. oblonga 39:

370, 371, 375

Cylindrocapsa geminella 14:115

Cylindrocystis 7:113; 24:216; 26:204. americanus 7:113; var. minor 7:113. Brebissonii 7:113; 24:216; var. minor 7:113. crassa 7:

113; 26:204. diplospora 7:113

Cylindrospermum 28:3. catenatum 1:9, 11. licheniforme 50:68. majus 7:236; 24:103, 105; 26:211; 50:68. minutissimum 3:289. minutum 15:90. muscicola 15:90; 50:68. stagnale 3:289, 292

Cylindrothecium cladorhizans 4:240. seduct-

rix 4:240

Cymatopleura elliptica 9:137. hibernica 9: 137. marina 9:137. solea 9:137

Cymbalaria muralis 42:479

Cymbella 9:131. affinis 9:135. americana 9:135. amphicephala 10:180. cistula var. maculata 9:135. cuspidata 9:135; 10:183. cymbiformis var. parva 9:135. Ehrenbergii 9:135; 10:180; var. minor 10:183. gastroides 9:135; 10:180, 181, 183. heteropleura 9: 135; 10:183. naviculaeformis 10:180. producta 10:183

Cymbidium 2:31; 11:103; 27:195. corallorhizon 11:103. odontorhizon 11:103; 48:12.

pulchellum 27:195 Cymbopogon 47:108

Cymophyllus Fraseri 39:200

Cymopolia 3:91

Cymopterus montanus 34:6

Cynanchum 24:236; 50:128. carolinense 40: 285. nigrum 13:70, 91; 24:236; 32:28. nivale 9:43; 39:309. obliquum 40:287. scoparium 50:130. suberosum 40:284. Vincetoxicum 29:88

Cynarocephale 48:411

Cynoctonum Mitreola 23:40; 39:339, 345, 346, 362, 442, 473, 480; 44:257, 366, 431. sessilifolium 45:374-376, 457; 47:95, 127

Cynodon 9:53; 15:130; 29:115; 31:16; 49:275. Daetylon 15:130; 24:242; 29:115, 207; 36: 376, 415; 44:70; 46: 336; 48:17; 49:275

Cynodontium polycarpum 30:3. strumiferum 3:180, 182

Cynoglossopsis 44:28 Cynoglossum 7:249; 25:29. amabile 35:66. boreale 7:250; 12:113; 19:247; 24:118; 25: 29; 40:274; 44:144. microglochin 25:29. officinale 3:214; 7:249; 13:89; 19:247; 25:29; 35:248. virginicum 1:186; 3:214; 6:193; 7: 249, 250; 19:247

Cynosciadium pinnatum 36:220, 232

Cynosurus 15:144; 35:137; 47:385; 48:26; 49: 264. cristatus 11:89; 15:144; 16:87; 19:119; 29:207; 35:137; 44:336; 48:18; 49:264; 50: 176, 177

Cynoxylon 21:190; 34:29, 30. florida 33:71 Cynthia 15:67; 26:126, 127. falcata 37:337, 338. virginica 21:213; 37:337, 338. viridis 37:338

Cyperaceae 2:115; 3:69, 70, 219, 241, 250, 283; 4:82, 225; 6:71, 107; 7:81; 8:126, 186; 10:135;

Cyperella campestris, var. multiflora 15:42 Cyperus 3:283; 5:192; 11:29, 131; 13:22, 27; 14: 22; 20:189, 190; 25: 50; 31:124, 125; 37:153, 154; 41:131; 42:505; 44:44-46, 49, 51, 82, 85, 87, 384; 45:451; 47:111–113; 50:16. § Amabiles 44:49, 51. § Aristati 44:47, 49. § Compressi 44:49, 51. § Laxiglumi 44:47. subgen. Eucyperus 44:44-51. subgen. Juncellus 44:44, 46. subgen. Kyllinga 44:44. subgen. Mariscus 44:43, 47, 49, 50. subgen. Pycreus 44:44, 46, 83. subgen. Torulinum 44:44. acicularis 31:184. acuminatus 40: 28; 46:77; 48:330. alternifolius 50:155. 28; 46:77; 48:330. alternitolius 50:100. amentaceus 20:25. amuricus 37:148, 392; 42:196, 197; var. japonicus 37:148; 42:197; var. subirioides 42:197. argentinus 44:86. aristatus 1:102; 2:61; 5:130; 10:135; 11:39, 220; 12:39; 13:27, 53; 34:33; 44:47-52, 54-56; f. alpinus 44:53, 54; f. inflexus 44:56; var. Boeckeleri 44:55, 56; var. inflexus 44:52, 55. 56; f. falciculosus 44:56; var. Runyoni 44: **56**; var. versicolor 44:53. asper 44:46. Baldwinii 37:153; 44:63. bipartitus 44:85. Blodgettii 44:46, 77, 79. brevifolius 42:395, 396, 419, 505, 510-512, map 21. Brownei 44:56. brunneus 44:50. Bushii 37: 153, 154, 187, pl. 343; 44:57. caespitosus 44:85; 47:113. capitatus 15:200. cephalanthus 44: 46. Cleaveri 44:85. compressus 37:391; 44:49, 51. cuspidatus 44:49. cylindricus 10:139; 37:152, 187, pl. 342; 44:78, 79, 256. cylindrostachys 37:152. **Deamii** 44:46, 81. Deeringianus 37:152; 44:77–79. densicaespitosus 39:359, 389; 44:343; 45:377; 46:77, \$\text{Spinosus}\$ 3.35, \$3.39, \$4.345, \$4.377, \$4.77, \$1.36; \$47.113. densus \$4.83. dentatus \$5: 130; \$8:126, 127; \$10:135; \$13:28, \$53; \$14:31; \$16: 39; \$20:190, 191, pl. \$125; \$21:73; \$23:142, \$232; \$24:162; \$25:185; \$26:37; \$32:149, \$237; \$35:68; \$36:194; \$44:342; \times \text{Rhynchospora capitellata}\$ 20:190; f. ctenostachys 44:151; ctenostachys 8:126; 10:135, 139; 13:28; 44: 151. depauperatus 39:218, 236. diandrus 10:135, 139, 140; 13:28; 14: 28; 15:160; 16: 39; 23: 175; 32:216, 237; 41:423; 44:85, 87, 342; f. elongatus 41:423; var. capitatus 44: 86; var. castaneus 44:86; var. elongatus 41: 423. difformis 37:391. dipsaciformis 8: 127; 37:313; 39:339, 481; 44:46. distans 44: 88. distinctus 41:131, 132, fig. dulcis 31: 159. echinatus 37:153; 39:389; 44:63; var. multiflorus 44:63. elongatus 47:113. Engelmanni 10:135, 139; 13:28; 33:132; 38:

381, 395, 400, 444; 39:482. Eragrostis 41: 381, 393, 400, 444; 39;482. Eragrostis 41: 132, 133, fig. erythrorhizos 10:135, 139; 13: 28; 28:67; 32:124, 210, 238; 37:83, 150; 42: 369; 44:49, 51, 82; var. pumilus 10:138. esculentus 10:135; 11:121; 13:28, 218; 41: 517, 520; 44:50, 151, 254, 342; 48:330; f. angustispicatus 44:151; f. macrostachyus 44:151; var. angustispicatus 44:151; var. Hermanii 44:151; var. leptostachys 10:135; 44:151; var. macrostachyus 44:151. falciculosus 44:55, 56. Fendlerianus 44:46, 61, 62; var. debilis 44:62; var. leucolepis 44:61; var. major 44:61, 62. ferax 10:135, 138; 13:28; 17:213; 29:65, 68; 32:105, 147, 210, 238; 37: 148-150; 44:81; 47:113. ferruginescens 37: 150. festivus 35:260. filicinus 19:153; 32: 237; 38:454; 41:531; 42:84; 44:84, 85; f. splendens 41:531; 44:84; var. microdontus 19:153; 32:178, 210; 41:530. filiculmis 5: 128, 129; 8:128, 129; 10:135, 138; 11:83; 13: 28; 31:15; 32:238; 37:153, 154, 187, pl. 343; 41:531; 43:537; 44:46, 50, 57, 58, 254; 47: 198; var. macilentus 8:128; 10:135, 138; 13:28; 15: 161; 32:150, 238; 36:219; 37:153, 187, pl. 343; 43:79; 50:294; var. oblitus 37: losus 44:55, 56. Fendlerianus 44:46, 61, 62; 187, pl. 343; 43:79; 50:294; var. **oblitus** 37: 153, 154, 187, pl. 343; 39:354, 388, 476; 40: 366; 41:531; 43:537. flavescens 5:130; 10: 139; 24:98; 35:285; 41:529, 530, pl. 574; var. castaneus, subvar. capitatus 44:86; var. piceus 41:529, 530, pl. 574; var. poceeformis 41:529, 530, pl. 574; var. poaeformis 41:529, 530, pl. 574. flavus 44:45, 46, 50, 58, 59. fugax 41:530; 42:85; 44:87. fuligineus 44:46. fuscus 10:135; 13:28. Gatesii 41:530. giganteus 44:87. globulosus 37:153, 154; 39: 362, 389; 40:391; 42:419; 44:46, 60, 62, 63; var. pseudofiliculmis 44: 63. granito-philus 44:47-50. Grayii 3:296; 5:128; 10: philus 44:47-50. Grayii 3:296; 5:128; 10: 135; 13:22, 27; 14:22; 15:100; 27:202; 32:211; 37:154; 39:475; 43:537; 44:46, 342. Halei 37:392; 39:482. hamulosus 44:48-50. Hansenii 37:151, 187, pl. 341; 44:79. Haspan 37:380, 392; 38:377; 42:420, 511; var. americanus 39:477; 42:376, 386, 419, 420, 441, 505, 506, 508, 509, 511, map 9. helvus 44:83. Hermannii 44:151. holosericeus 41:530. Houghtonii 5:191, 192; 10:136; 14:40; 15: 153, 160; 31:191; 36:406; 37:153, 154; 41:30; 42:42: 44:46. 58: var. uberior 44:58. 133, 160; 31:191; 36:406; 37:193, 154; 41:30; 42:42; 44:46, 58; var. uberior 44:58. hystricinus 8:127, 128; 39:339, 477; 44:46; 47: 111, 113, pl. 878. inaequalis 35:260. inconspicuus 41:530. inflexus 1:201; 36:219; 44: 47, 48, 51, 52, 54–56. inundatus 37:147. Iria 37:147, 148, 392; 38:395; 42:196, 197; 44: 50; β. microiria 42:197; var. 42:197; var. var. intricumis 27:148:42:197; var. microiria 37: acutiglumis 37:148; 42:197; var. microiria 37: 147; 42:197; var. paniciformis 37:147; var. Santonici 37:147, 148; 38:395. japonicus 42:197. lagunetto 44:86. lancastriensis 37: 392; 38:376; 44:46. lanceolatus 44:83; var. compositus 44:83. lentiginosus 44:46, 81, 88. Liebmanni 41:530. ligularis 44: 46. Louisianae 44:84. manimae 44:46. mariscoides 44:254. Martindalei 44:46. megapotamicus 44:87. × mesochorus 44:57, 58. Michauxianus 37:148-151; β. ? elongatus 37: 150. microdontus 3:36; 19: 153; 41:530,

531; 42:84; β. texensis 41:530, 531. microiria 37:147; 42:196, 197. multiflorus 44: 81. Mutisii 44:46. Nashii 37:152, 187, pl. 139; 13:29; 36:230; 38:376; 43:538; 44:46; 48: 330; var. robustus 44:62; var. sphaericus 43: 537, 538; 44:383; 46:77. oxylepis 40:358; 41:131; 44:88. panamensis 37:154. paniciformis 37:147. paniculatus 39:481. Parishii 44:46. parviflorus 8:126. parvulus 31:169. parvus 37:154. pauciflorus 31:172. phymatodes 31:14. piceus 41:529, 530. pilosus 40:74; 44:87. planifolius 44:46, 50. Plankii 44:62, 63. Plukenetii 47:110-113, pl. 877. poaeformis 41:529, 530. Pollardi 44:46, 77, 78. polystachyos 41:531; 42:84, 85; 44:46, 78. polystachyos 41:531; 42:84, 85; 44:46, 83; 47:113; β. leptostachyus 41:530, 531; var. filicinus 42:84; var. leptostachyus 3:36; 42: 84, 85; 44:84; f. fugax 42:84; f. splendens 42: 85; var. texensis 41:530, 531; 42:84, 85; 44: 83-85, 87; var. typicus 44:84. Pringlei 44: 46. prolixus 44:88. pseudovegetus 38: 376; 41:131-133, fig.; 44:50; 46:77; 47:110, 113, 213, pl. 876. pubescens 47:112. pumilus 37:154; 47:113. Purshii 44:56. pygmaeus 44:56. refractus 36:230: 43:536: 44:46: 46: 44:56. refractus 36:230; 43:536; 44:46; 46: 77. regiomontanus 44:46. repens 44:254. retroflexus 44:60. retrofractus 8:127, 128; 36:219; 37:392; 39:198, 203; 44:46; 47:111-113, pl. 878. retrorsus 37:152; 43:538; 44: 46, 62, 63, 78; var. Curtisii 44:78; var. cylindricus 37:152, 187, pl. 342; 43:538; 44: 256; var. **Deeringianus** 37:152, 187, 379, pl. 342; 39:477; var. multiflorens 44:78, 79; var. **Nashii** 37:152, 187, pl. 342; 39:339, 388, var. Nashii 37:152, 187, pl. 342; 39:339, 388, 476; 42:369; var. robustus 44:62; var. typicus 37:152, 153, 187, pl. 342. retroversus 37:152. rigidulus 47:113. rivularis 10:136, 139; 13:29; 32:216, 237; 34:39; 37:83, 366, 391; 42:394; 44:83, 85–87; f. elongatus 44:85; f. elutus 42:394, 419; 49:124; subsp. lagunetto, f. subacaulis 44:86; subvar. Mohrii 44:85; var. acutata 44:85; var. depauperata 44:85; var. elutus 42:419; 44:85; var. lagunetto 44:86. elutus 42:419; 44:85; var. lagunetto 44:86, 87. robustus 47:110, 113, pl. 876. rotundus 10:139; 44:49. Rusbyi 44:62. sabulosus 37:391; 38:380, 395; 39:477. Santonici 37: 147. Schweinitzii 5:192; 37:153, 154; 44: 46, 57, 58. serotinus 44:87. setaceus 39:251. setifolius 7:142. setigerus 44:60. speciosus 10:138, 153; 37:148-150; var. parvus 37:150; var. squarrosus 37:150. spectabilis 44:46. sphaerolepis 44:62. stenolepis 37:151, 187, pl. 341; 44:79, 81. strigosus 5:131; 10:136; 13:29; 16:16; 17:225; 32:147; 35:251; 37: 149-151, 153, 187, pl. 341; 44:46, 50, 59, 79, 80; 48:330; × esculentus 44:83; × rotundus 44:83; f. capitatus 15:200; 16:39; 44:80; f. compositus 44:80; f. robustior 44:80; var. capitatus 10:136; 13:29; 15:200; 37:83, 150;

var. compositus 10:136, 139; 13:29; 15:161; 16:39; 32:238; 37:83, 150; 44:81; var. elongatus 37:150; 44:80; var. gracilis 44:81; var. multiflorus 44:81; var. robustior 10:136; 13: 29; 32:238; 37:151; 41:531; 44:80; var. stenolepis 37:151; 44:59. subambiguus 44: 58; var. pallidicolor 44:58. subuniflorus 37: 154; 44:59, 60. Swartzii 44:88. tenuifolius 47:113. tenuis 44:85. tetragonus 44:46, 254. texensis 41:530. Textori 42:197. thyrsiflorus 44:46. Torreyanus 44:85. Torreyi 37:152; 44:256. tristachyus 44:87. uncinatus 44:56. uniflorus 34:151, 187, pl. 341; 44:46, 59, 60; var. floribundus 44:60; var. pseudothyrsiflorus 44:60; var. pumilus 37:154; 44:59. vegetus 41:131, 133. versicolor 44:55. virens 41:131; 47:109, 110, 112, 113, 213, pl. 876. × Weatherbianus 20:190, 191, pl. 125; 45:451. Winkleri 44:78, 79. Wolfii 50:111. Wrightii 44:46

Cyphella villosa 44:169

Cyphorima 46:496, 497. decumbens 46:497. latifolia 46:496, 497. longiflora 46:497. lutea 46:496, 497

Cypress 23:96, 101; 31:20; 35:358. Spurge 12: 58; 38:161–163

Cypripedium 2:31; 3:68, 203; 4:22, 95, 97; 6: 111; 7:160; 11:77; 16:158; 19:56; 22:32; 23: 75; 34:97, 239. acaule 1:200; 2:115, 171, 180, 214, 219; 3:85, 86, 130; 4:18, 106; 5:83, 129; 6:111; 9:121; 11:77, 92; 13:97, 139; 15: 73, 190; 17:152; 19:31, 56, 57; 21:202; 22:42, 73, 190; 17:152; 19:31, 56, 57; 21:202; 22:42, 47, 121, 137; 25:44; 29:155, 210; 32:204, 205; 34:7; 35:88, 237, 263, 264, fig. 1; 38:303; 49: 246, 254; 50:231; f. albiflorum 37:85; 38:303, 101, 240, 242, 243, figs. 2-4. arietinum 1: 172; 4:18, 20, 62; 6:111; 8:65; 11:7; 22:42, 47; 24:187; 31:223; 37:259. bulbosum, varparviflorum 48:4. Calceolus 28:95, 96, 169; 30:47; 50:231; β . 48:4. var. parviflorum 48:4. var. pubescens 47:97, 131; 48:4. candidum 19:164; 34:97-100, 239-243, fig. 5; 44:73: × parviflorum 34:97, 100, 101; × 44:73; × parviflorum 34:97, 100, 101; × parviflorum, var. pubescens 34:242. × Favillianum 34:242, 243. flavescens B. C. parviflorum 48:4. guttatum 32:200, 202, map 14; 41:214; 42:319. hirsutum 6:111; 10.172; 11:77; 12:116, 117; 13:114, 115, 132; 18:71; 19:31; 21:65; 22:40, 42, 43, 47; 27: 107; 29:155, 210; 49:253; var. parviflorum 107; 29:159, 210; 49:259, var. parvinorum. 48:4. Hookerae 9:39. luteum, var. parvinorum 48:4. parviflorum 1:26, 147, 172; 2: 171; 3:85, 86; 4:18, 21; 6:111; 8:93, 94; 9: 160; 10:146; 11:77; 12:117, 118; 15:67; 19:56, 131; 21:65; 22:42; 28:95, 96, 168, 169; 30:47; 31:83; 32:205; 33:179, 207; 34:97-101, 239-243, fig. 1; 35:360; 36:9, 279; 48:4; 49:246; 243, fg. 1; 35:360; 36:9, 279; 48:4; 49:246; var. planipetalum 28:168, 169; 30:47; 33: 207; 35:57, 237, 401, pl. 250; var. pubescens 8:93; 11:77; 18:71; 21:202; 22:43, 47; 28: 168, 169; 31:83; 34:239-243. passerinum 29: 141; 41:214; 42:314, 319; 45:308; var. minganense 32:13. planipetalum 35:237. pubescens 1:26, 147, 170, 200; 2:114, 171; 3:85, 86; 4:18, 96; 5:83; 6:111; 8:93, 94; 10:145; 25:45. reginae 6:111; 27:107; 32:205; 34: 239; 35:8, map 2; 50:191, 231; f. albolabium 50:230; f. album 50:230. spectabile 1:26, 172; 2:114, 171; 3:86; 4:18, 94–97; 6:8, 111; 9:124; 10:146; 15:73; 19:63; 29:155; 49:246, 253; 50:231; α. incarnatum 50:230; β. album 50:230

Cypripedium(s) 8:93. Yellow 31:55

Cypris 6:234 Cyprus 17:50

Cyrilla 44:374, 426. parviflora 46:47. polystachya 46:47. racemiflora 39:359, 360, 435, 480; 42:379; 44:240, 374; 46:46, 47, pl. 813; var. subglobosa 46:46, 47, pl. 813; 47:

Cyrtanthera carnea 50:122. magnifica 50:122

Cyrtolobum 41:320 Cyrtopodium 7:120

Cyrtorhyncha 39:51, 52. neglecta 39:51

Cystoclonium 26:189. armatum 21:206. purascens 2:49; 8:125, 196; 26:214; 50:266; f. stellatum 8:111; var. cirrhosum 2:49; 26: 214; 50:266; var. stellatum 26:214; 50:266. purpureum 50:266; var. cirrhosum 50:266 Cystophyllum fusiforme 21:206. Swartzii 21:

Cystophyllum rusiforme 21:206. Swartzii 21: 206. Thunbergii 21:206 Cystopteris 1:219; 6:100; 9:84; 19:172, 176; 30: 18; 31:25, 91, 93, 94; 42:149; 50:118. bulbifera 1:48, 171, 221; 2:127; 3:42; 4:247; 5:273; 6:100, 207; 9:124; 12:170; 13:124, 132; 21: 198; 22:49, 81, 87; 23:136, 164, 170, 186, 300, pl. 130 (map 6); 28:127, 130, 146; 30:18; 31:93; 32:136; 35:249, 277; 36:223, 225; 37: 376, 429: 41:34; 42:51. Fility-freedilis 28:130; 376, 422; 41:34; 42:51. Filix-fragilis 28:130; var. tenuis 37:377. fragilis 2:184, 229; 3:41, 236; 4:150, 247; 6:100; 9:84, 158; 10:20; 11: 86; 17:78; 22:81–83; 23:165, 215; 25:112; 28: 129-131; 30:18; 31:91; 32:136; 33:51, 75; 37: 206, 244, 374-376, 378, pl. 383; 38:124, 139; 39:495; 41:148, 151, 155, 159, 171; 42:315; 44:192; 48:390; f. angustata 37:376; f. dentata 37:376; f. magnasora 37:378; f. simulans 37:376, 378, pl. 383; var. canarisimulans 37:376, 378, pl. 383; var. canariensis 28:130; var. genuina 44:192; var. laciniata 26:49; var. laurentiana 28:129, 130; 37:375, 377; 44:104, 138; var. Mackayii 23: 186; 24:159; 37:374–378, pl. 383; var. protrusa 37:373–378, pl. 383; 49:199; var. sempervirens 28:130; var. tenuis 37:377. languida 19:202. montana 9:158, 170; 13: 124, 219; 28:75, 146; 37:362; 41:150, 155, 163, 164, 171; 44:102. tenuis 37:374, 377 vatorus candidus 26:218 Cystopus candidus 26:218

Cystoseira 19:84. crinita 19:84. Myrica 19:

Cytherea 31:91, 94 Cytire 17:50

Cytisus 9:51; 20:166; 32:179. biflorus 9:51. Fontanesii 9:51. scoparius 2:89; 3:88; 20: 166; 24:176; 32:129, 155, 256; 37:416; 39: 372, 375; 44:173, 174

Cytospora 44:94. ambiens 41:514

D

Daboecia 21:31 Dacryomyces aurantius 41:514 Dactilon 9:53

Daetylina 36:160, 167, 170, 171. arctica 39: 152. madreporiformis 36:167. 169, 171, map 3; 39:152. ramulosa 36:135, 143, 146,

167, 168, 171, map 2

Dactylis 6:106; 15:144; 18:179; 29:115; 30:50, actylis 6:106; 15:144; 18:179; 29:115; 30:30, 51; 48:21; 49:264. cynosuroides 18:179, 180; 35:258; 49:113. glomerata 4:90; 6: 106; 14:92, 180; 15:144; 26:185, 186, 222; 29:207; 32:160, 236; 34:65; 35:137; 39:154; 40:74; 44:70; 48:18; 49:264; 50:293; var. ciliata 35:137; 40:386; 48:18; 49:264; var. detonsa 35:137; 48:18; 49:108, 264; var. multiflora 49:108; var. vivipara 48:18. maritima 18:178-180. patens 49:114. stricta 18:179, 180

Dactylicapnos 9:54

Dactylococcus DeBaryanus 11:72, 73. Hookeri 11:72

Dactyloctenium 15:131; 49:275. aegyptium 15:131; 48:17; 49:275

Dactylogramma 45:234. cinnoides 45:232, 234, 239, pl. 757; 48:64

Daedalea 3:39. confragosa 41:514. quercina 26:218. unicolor 44:169

Dahlia 18:149; 33:88. coccinea 3:89
Daisies 5:260; 6:192
Daisy 25:16; 32:14; 47:389. Fleabane 38:72.
Ox-eye 5:177; 17:225; 47:389. White 5:177

Dalbergia 33:32

Dalea 31:92, 93, 95, 96; 41:463; 49:163, 164. alopecuroides 20:171; 31:92; 49:164. frutescens 38:239, 240. laxa 38:406. leporina 49:164. longipila 38:406. mollis, var. longipila 38:406; var. neomexicana 38:406. neomexicana 38:406. oreophila 49:164. parviflora 38:405

Dalibarda 6:119, 227; 20:17; 23:109. fragarioides 37:285. repens 1:171, 184; 2:122; 6:119, 227; 7:110; 8:80; 13:141, 161, 229; 17:152; 20:17; 22:43; 32:173; 35:74; 47:45

Daltonia pseudostenophylla 36:132

Damasonium 30:55. californicum 32:21: var. Biddlei 32:21

Dandelion(s) 4:155; 27:47-49; 28:60, 72; 32: 14; 46:314. Common 5:32. Fall 4:39; 6: 23; 46:314. Red-seeded 5:32

Danthonia 6:106; 8:81-83; 13:134; 15:130; 23: 95, 231; 28:81; 30:245; 45:239, 254; 48:212; 49:269; 50:46. Alleni 45:240-242, 244, 245; 49:269. compressa 6:106; 7:109; 15:130, 159; 16:16; 23:230, 231; 24:98; 38:266, 269; 45:239-242, 245, 376, 385; 49:269, 270. Faxoni 45:241, 244, 245. glumosa 45:242. intermedia 9:28, 159, 167, 190; 13:118, 137; 32:61; 35:10, 83; 38:126; 44:114; 45:240. pinetorum 45:243. sericea 24:98; 32: 235; 36:32, 37, 52; 38:266, 376; 39:477; 45:240, 245; 46:75. spicata 2:209; 3:164, 170; 5: 129; 6:97, 106; 11:89; 14:92, 182, 184, pl. 99; 15:130; 17:153; 18: 34; 22:136; 26:185, 186, 222; 28:82; 29:149, 207; 32:161, 235; 33:112, 117; 36:219; 37:66; 38:266, 268; 44:70; 45: 239-243; 46:75; 49:269; 50:293; var. compressa 45:245; var. longipila 38:266, 267, 271; 45:240, 242, 244, 385; 49:269; var. pinetorum 49:269; 50:46. Alleni 45:240-242, 244, 245; 45:240, 242, 244, 385; 49:269; var. pinetorum

45:240, 242, 243; var. typica 45:242; var. villosa 45:240, 243. thermalis 45:243

Daphne 23:113; 44:29. Mezereum 2:142; 6: 86; 15:203; 16:96; 19:231; 23:113; 24:177; 25:45: 49:80

Daphnia 6:234: 24:51

Daphnidostaphylis Fendleriana 16:211

Darbya 30:22

Darlington Oak 48:144; 49:102

Darluca filum 41:514 Darwinia exaltata 38:406

Dasiola 47:106. Elliotea 47:106, 107 Dasya 1:125; 2:131; 7:169; 8:192; 9:91; 50:263. elegans 2:49; 7:137, 233; 8:192; 9:90; 24: 2; 26:191; 50:266. pedicellata 21:204, 206; 50:266. plumosa 14:58

Dasveypha Ellisiana 41:514

Dasystephana 15:224. cherokeensis 41:486, 487. Grayi 37:326. parvifolia 49:176. tenuifolia 41:557; 42:198

Dasystephana, Elliott's, 15:224

Dasystoma 20:68-70; 50:122. bignoniiflora 38:407. Drummondi, var. serrata 10:35; 20:

71. flava 20:66; 50:122. grandiflora 50: 122. integrifolia 50:122. laevigata 35:202. macrophylla 50:92. pectinata 11:56; 50: 122. pedicularia 50:122. pubescens 50: quercifolia 50:122; var. ? β. integrifolia 50:122. serrata 10:35

Date-palm 29:51, 52 Datisca hirta 9:15

Datura 1:223; 8:99; 10:153; 25:60; 42:156; 46: 317, 318, 320, 321; 47:384, 385, inermis 25: 60; 40:184. Metel 1:47; 25:60; 36:375; 46: 318, 322; var. quinquecuspida 46:320. meteloides 25:60; 46:318–321, 323, pl. 838. Stramonium 3:131; 8:99; 10:153; 25:60; 26: 184, 227; 32:273; 40:184; 43:81; 47:119; 50: 299; var. β. chalybea 40:184; var. β. Tatula 40:184; var. inermis 40:184; var. tatuloides 40:184. Tatula 1:222; 10:153; 17:30; 25: 60; 32:273; 40:184. Wrightii 46:318, 321-**32**3

Datura, Sacred 46:317

Daubentonia Drummondii 38:406. longifolia 38:406

Daucus 24:93. Carota 1:159; 3:131; 11:128; 12:104; 17:35; 18:41, 98; 21:70, 71, 147; 24: 93; 26:186, 227; 32:151, 160, 269; 36:374; 50:298; f. roseus 11:178; 42:45. pusillus 11:53; 36:220

Day Flower 21:49. Lily 25:175

Deanea 35:79

Death-Camass 44:110

Decamerium 33:197. brachycerum 33:197. hirtellum 33:198; f. minimum 33:198; var. griseum 33:198. nanum 33:198. tomentosum 33:198. ursinum 33:198

Decodon 10:166; 23:114; 25:26; 45:380. verticillatus 2:123; 5:132; 7:74; 11:230, 231; 12:156; 14:26; 23:114; 32:149, 153, 210, 230, 266; 46:137; var. laevigatus 16: 192; 19:154, 155; 23:114, 150, 276; 24:177; 46:137; 47:272; var. pubescens 19:154

Decumaria 43:524; 44:351. barbara 24:150;

37:426; 38:377; 39:480

Deerberry 12:168

Delesseria 5:204, 206; 8:111. alata 2:50; 4: 176; 5:204, 207; 8:111; β. angustifolia 5:207; var. denticulata 5:205, 206. angustissima 2:50; 5:207. Baerii, e. spinulosa 5:207. Beeringiana, var. spinulosa 5:205. denticulata 5:205–207; f. rostrata 10:116; var. angustifolia 5:207. Holmiana 5:207. Hypoglossum 17:94. Leprieurii 7:233. Montagneana 5:206, 207. Montagnei 5:204. 204, 206, 207; α. typica 5:207; β. angustifolia 5:207; f. rostrata 10:116; var. angustifolia 5:206. quercifolia, var. linearis 8:111. revoluta 5:206. sinuosa 2:50; 10:116; 26: 214; 50:266. spinulosa 5:205, 207

Delostylis cernuum 36:127

Delphinium 18:166, 175; 28:70; 36:309, 310; 37:349; 41:193, 194, 196, 197; 42:310. Ajacis 1:47; 6:144; 18:166, 169–176; 20:183; 27:139–142; 37:192; f. alba 27:142. albescens 39:21. azureum 39:20; var. Nortoni**anum** 39:20; 40:132. Barbeyi 36:310. Blaisdellii 41:226. Brownii 41:226; 42:325. carolinianum 17:130; 39:20, 21, 430; var. **crispum** 39:20, **21**; var. **Nortonianum** 39: **20**. Consolida 17:35, 38; 18:169–172, 174– 177; 20:184; 27:139, 140. divaricatum 18: grandiflorum 27:141; var. album Hanseni 44:156; var. arcuatum 42:43. 44:156; var. kernense 44:156. 41:163, 226; 42:325. Middendorffii 41: 226. Newtonianum 41:194-196, map, pls. 548, 549. Nortonianum 36:224, 231; 39: 20; 40:132. Parryi 41:312. patens, subsp. montanum 44:156. Penardi 39:21. scopulorum 41:163; var. glaucum 41:226; 42:325; 45:310. Treleasei 36:224, 231. tricorne 31:256; 41:194, 195. vimineum 39:20, 22. virescens 39:20-22, 430; 48:115; var. Penardi 39:20, 21. viridescens 37:419 Dendrium 29:225-227

Dendrobium 2:31, 64, 65; 7:120. nobile 2: 63, 64

Dendroidaceae 11:16 Dendrophylax 7:120

Dennstaedtia 1:219; 21:175; 30:18. punctilobula 2:246; 21:178; 22:81-83; 26:186, 219; 30:18; 32:150, 157, 228; 36:100, 219, 221, 227; 40:383, 385; 41:34, 494; 50:292; var. cristata 2:220

Dens-Leonis 27:48, 59; 35:382. vulgaris 35: 382

Denslovia 34:246

Denslovia 34:240

Dentaria 5:169; 6:118; 9:47; 10:207; 13:229; 18:217; 42:152; 43:294. anomala 5:217. bulbifera 31:10. diphylla 2:122; 5:168, 169, 213-217; 6:118; 10:164; 14:75; 16:15; 17: 204; 18:215, 217; 21:200; 23:137, 140, 170, 265; 31:12-14; 35:249; 37:307. grandiflora 48:12. heterophylla 5:169, 215, 218. incical statements of the statement of the stateme sa 5:216. laciniata 5:168, 169, 215, 217, 218; 14:75; 31:14, 17, pl. 178; 36:218; 37: 59, 165, 166; 38:378, 423; 39:399; 40:375, 421, 422; 42:279; 43:486; 50:104; var. coalescens 40:421, 422, 483, pl. 520; var. integra 10:84; var. latifolia 40:253. macrocarpa 48:12; var. pulcherrima 48:12. maxima 5:168, 169, 214–217; 15:98; 18:218; 19:225. tenella, var. pulcherrima 48:12. uniflora 36:11

Denticella mobiliensis 9:138. rhombus 9:138

Dentidia nankinensis 25:40

Derbesia 14:59. vaucheriaeformis 1:126; 2:44 Deringa 9:54

Dermatocarpaceae 28:159

Dermatocarpon aquaticum 29:98, 105. cine-reum 36:142, 153. daedaleum 36:142, 154. hepaticum 29:98; 36:142, 153. miniatum 36:142, 154; var. complicatum 28:159; 29: 98. sphaerosporum 36:142, 145, 154

Dermatophyton 11:196. radians 11:196

Dermestes 40:1

Dermini 16:50

Dermocarpa 3:137; 13:185. prasina 2:41; 6:182. Vickersiae 13:184. violacea 2:41

6:182. Vickersiae 13:184. violacea 2:41
Deschampsia 8:81, 83; 15:129; 28:63, 143, 144; 36:90; 38:267; 45:414; 49:268. alpicola 28:155. alpina 29:55; 36:148; 38:140; 41: 38. arctica 4:143, 144; 36:90. atropurpurea 3:170; 9:24, 156, 158, 166, 190; 28:116, 181; 35:203; 38:141, 266, 269; 47:224. beringensis 41:38. brachyphylla 4:143, 144. brevifolia 4:143, 144; 36:90. cespitosa 3: 169; 4:144; 7:106; 8:86; 13:131; 15:129, 203; 16:16; 22:92; 23:110; 28:51, 152, 153; 29:127, 207; 41:38, 152, 153, 179; 42:317; 43: 633; 49:268; var. alpina 4:144; 9:158, 167, 633; 49:268; var. alpina 4:144; 9:158, 167, 191; 28:155; var. arctica 4:144; var. brevifolia 4:144; var. genuina 29:229; 28:153; var. glauca 28:153-155; 29:229; 36:277; 38: var. glauca 28:153–155; 29:229; 36:277; 38: 266, 268; 43:634; 49:268; var. littoralis 28: 153, 155; 36:277; 41:38; var. maritima 36: 347; var. parviflora 28:153; 37:82; 38: 266; 49:268; var. setifolia 4:144. congestiformis 45:414. curtifolia 4:143, 144. elongata 6:82; 38:266, 267; 45:414; 49:268. flexuosa 3:169; 5:129; 6:208; 11:88; 14:182; 15:120: 17:148: 21:66: 22:02: 20:207: 22: 15:129; 17:148; 21:66; 22:93; 29:207; 32: 235; 33:51, 110, 116; 34:51; 37:203, 206, 422; 38:140, 266, 268; 40:279, 382, 387; 43: 219; 49:268; var. montana 25:6; 33:111, 117; 38:141. glauca 28:154. holeiformis 45:414. lasiantha 30:238. Mackenzieana 41:38. setifolia 4:144

Descurainia 42:245. andrenarum 38:406. canescens 37:192. glandulifera 39:71.
Hartwegiana 33:232; 39:208. intermedia
36:224; 37:192, 261; 42:266. millefolia 38:
404. multifoliata 38:404. pinnata brachycarpa 42:266; subsp. brachycarpa 42: 266; var. brachycarpa 42:266. Richardsonii 42:266; 44:127; 45:311. Sophia 41: 237; 47:214; 48:99. sophioides 41:233, 238; 42:328

Desmarestia 10:133, 134; 11:151. aculeata 1:127; 2:45; 5:211; 7:228; 10:116; 16:3; 26:191, 213; 50:261; var. attenuata 50:261. denticulata, var. rostrata 10:115. viridis 2:46; 7:228; 10:133, 134; 26:213; 33:130; 50:

Desmatodon cernuus 30:5. systylius 30:1, 5 Desmid(s) 5:79, 81, 135, 221, 252; 6:234; 7: 111, 266; 9:227; 10:97; 24:213, 236; 41:

135; 44:176; 50:67, 271

Desmidium 7:265; 24:240; 26:210. aptogonium 5:80, 254; 7:265; 24:240; 26:210. Baileyi 5:80, 254; 7:265; 24:240; 26:210. coarctatum 7:265. cylindricum 5:80, 254; 7:265; 24:241; 26:210. gracilipes 7:265. quadratum 7:265. Swartzii 5:80, 254; 7:265; 24: 241; 26:210

Desmodium 7:28; 8:146; 9:54; 10:207; 11:130; 13:18, 19, 21, 33; 19:30; 20:167; 23:172; 35: 38; 36:373; 39:339; 40:366; 42:154, 399; 44:23, 24, 362, 419; 47:101; 49:89, 96, 97, 299, 300; 50:21, 122, 153, 203. acuminatum 2:89; 4:89; 16:15; 38:189, 190; 39:98; 41: 462; 43:340; 44:279; 50:122, 203; f. Chandonnetii 38:189, 190; f. unifoliolatum 39: 98. bracteosum 20:167; 21:201; 35:39; 38: 96, 97; 43:520, 572; 50:203; var. longifolium 10:34. canadense 1:86; 2:89; 4:37; 9:121; 10:151; 16:15; 20:167; 43:340; var. hirsutum 10:33; var. longifolium 10:34. canescens 2:89, 91, 125, 157; 4:37; 12:190, 215; 13: 33; 20:167; 35:39; 36:374; f. albinum 44: 417; var. hirsutum 10:33; var. villosissi-Desmodium 7:28; 8:146; 9:54; 10:207; 11:130; 2:89, 91, 125, 157; 4:37; 12:190, 215; 13: 33; 20:167; 35:39; 36:374; f. albinum 44: 417; var. hirsutum 10:33; var. villosissimum 10:33. ciliare 2:89; 9:121; 40:437; var. lancifolium 40:437, 475, 483, pl. 523. cuspidatum 2:89; 4:37, 90; 5:203, 236; 9: 13; 50:123, 203. Dillenii 2:89; 6:232; 12: 215; 20:167; 37:427; 44:343. glabellum 20: 167; 35:39; 42:399, 457, 504. glutinosum 3s:97; 44:279, 280; 50:103, 122, 123, 203. grandiflorum 14:73; 20:167; 38:96, 97; 43: 572; 44:279; 50:123, 203. humifusum 2: 89; 4:27; 42:399, 457. illinoense 19:164; 35:361. laevigatum 37:427; 39:482. lineatum 38:377, 425; 39:473, 481; 47:101, 156; 49:96. marilandicum 2:89; 5:203; 12: 215; 20:167; 32:210, 212; 37:427; 42:100. nudiflorum 2:89; 20:167; 21:202; 37:427; 38:189, 190, 377; 41:462; 49:96, 300; f. Dudleyi 38:190; 49:300; f. foliolatum 38:189, 190; f. personatum 38: 189, 190. obtusum 13:19; 20:167; 32:210, 256; 36:220; 37:427; 39:374, 375; 41: 437; 42:100; × m a r i l a n d i c u m 42:100 cehroleucum 36:230; 39:481; 41:474, 546; 44:362, 417. paniculatum 2:89; 3:185; 4: 75; 5:130; 9:121; 12:215; 20:167; 21:202; 35: 39; 37:427; 49:96; var. angustifolium 38: 425; var. Chapmani 38:425; var. pubens 38: 425. pauciflorum 6:177; 38:189, 190, 424; 40:422, 436; 49:97. rhombifolium 39:415, 477; 40:367; 41:546. rigidum 2:89; 9:121; 12:215; 20:167; 32:256; 35:39; 36:220. rotundifolium 2:89; 4:75; 5:203; 6:141; 12: 477; 40:307; 41:346. rigidum 2:89; 9:121; 12:215; 20:167; 32:256; 35:39; 36:220; rotundifolium 2:89; 4:75; 5:203; 6:141; 12: 215; 20:167; 32:212, 263; 35:363; 36: 220; 38:424; 47:101. sessilifolium 2:89; 9:13; 25:48; 36:220; 39:187; 42:88, 92. strictum 2:89; 37:427; 44:343. tenuifolium 20:254, 415, 466, 466, 40:4434, 40:47, 00 39:354, 415, 466, 480; 40:436; 49:97, 99. viridiflorum 38:377; 49:96

Desmodiums 6:177

Desmotrichum 2:111, 206; 3:218; 7:228; 16: 105. balticum 2:46, 111; 7:227. undulatum 2:46; 7:227; 26:213; 50:261, 262

Deutzia 18:246. gracilis 18:246. scabra 18: 245; 41:546; var. plena, 42:43 Devil's-claw 34:215

Devil's-club 43:92

Devil's Paint-brush 4:62; 47:242

Dewberries 47:153; 50:75

Dewberry 8:147, 149, 150; 13:123; 44:345;

Dewey's Sedge 18:185

Dewya 5:249

Dexiidae 41:186, 187

Deyeuxia 8:83; 30:244; 32:36-38, 56; 46:285. borealis 32:55. crassiglumis 32:52. dubia 24:144; 32:46. gracilis 30:244. Langsdorfii 24:143; 32:43. Macouniana 24:143; 32: 41; 49:270. neglecta 32:53; var. americana 32:50; var. brevifolia 32:53; var. gracilis 32:47; var. robusta 32:50. Nuttalliana 32:47. Pickeringii 46:294. Porteri 24:143, 144; 46:288. strigosa 36:347. vancouverensis 32:55; 36:347. varia 46:300

Diachaea 2:79. bulbillosa 29:168. leucopoda 29:168. subsessilis 29:168, 172

Diachroa maritima 18:7

Diadelphia 47:275 Diandria 30:54

Dianthera 11:56; 36:373; 43:493. americana 6:152, 160, 161; 19:30; 36:374; 42:46; 50: 123. humilis 43:641. ovata 43:494, 641;

47:209; 50:224

86; 47:214. monspessulanus 9:39. plumarius 6:144; 11:131; 14:20; 15:203. repens 41:160, 163, 225

Diapedium 11:57

Diapensia 2:189, 190; 3:156; 9:154; 13:123; Diapensia 2:189, 190; 3:150; 9:154; 13:125; 22:38; 41:276. lapponica 1:192; 2:187, 200; 3:164, 165, 176; 4:15; 5:37; 9:163, 169; 11:97; 13:117, 136; 21:192; 22:38, 44; 25:10; 27:52; 28:56; 29:132, 181, 218; 35: 5, 121, 125; 42:336; var. obovata 42:335. obovata 41:147, 148, 163, 276; 42:335, 336 Diapensiaceae 4:15; 22:44; 24:231; 25:10; 29: 218: 31:43: 49:255

218; 31:43; 49:255 Diaporthe 37:121–123, 127 Diarina 34:204–206; 35:40. festucoides 34: 204–206; 35:39, 40. sylvatica 34:204

Diarrhena 21:216; 34:204, 205; 35:39, 40. americana 34:204. diandra 34:204; 50:106. festucoides 34:204; 35:39, 40

Diastatea 50:48

Diatoma anceps 9:137; var. capitata 10:181; var. linearis 10:182. elongatum, var. tenue 9:137. hyemale 9:137; f. curta 10:182; var. mesodon 10:182. tenue 9:137. vulgare 9: 137

Diatomaceae 1:100; 31:166

Diatoms 5:135; 6:234; 9:125-129; 10:179; 41: 135; 50:67, 271, 273, 275

Diatrypella eutypoides 44:169

Diblepharis 5:103, 104

Dicentra 6:117; 9:54; 18:215; 37:349; 44:22, 33, 34; 46:158. canadensis 1:26; 5:168; 6: 117; 14:75; 18:215; 24:116; 35:249. Cucullaria 1:170; 5:168; 6:117; 14:75; 18:215; 28:68; 31:8, 9; 32:206; 35:249; 36:218; 38: 303; f. purpuritincta 33:169. eximia 18: 215; 48:272. formosa 33:204; var. brevi-flora 33:204. spectabilis 42:43; 45:442, 444 Dichelyma capillacea 2:96; 4:182. pallescens

2:96. Swartzii 2:96 Dichismus 31:228

Dichodontium 40:359. pellucidum 39:40 Dichondra carolinensis 46:250. evolvulacea 45:275. repens 46:250; var. caroliniensis

37:439; 38:378; 39:480; 45:275 Dichostylis 31:124. aristata 44:56 Dichothrix 3:289, 292, 293; 24:105; 26:161; 40:235. Baueriana 50:68. compacta 3:290. g y p s o p h i l a 7:238; 26:161, 163; 50:68. Hosfordii 7:238; 14:236. Orsiniana 7:238; 26:163. rupicola 3:290, 292

Dichrocephala Schmidii 40:220 Dichroma caespitosa 40:391

Dichromena 46:94, 102; 47:291. alba 46:121. colorata 37:380, 396; 39:477; 42:370, 371, 420; 49:90. cymosa 46:245. distans 46: 191. glauca 46:276. latifolia 44:254; 49: 86, 88, 124. Marisculus 46:274

Dichrophyllum 43:110 Dickiea crucigera 9:135

Dicksonia 2:182; 6:100; 7:99; 9:27, 85; 13: 102; 21:175; 30:18. pilosiuscula 1:219; 2: 181, 229; 6:100; 9:85; 18:31; f. schizophylla 7:99; var. cristata 2:220. punctilobula 6: 100; 9:85; 13:101; 17:153; 21:178; 22:90, 133; 26:219; 32:157, 228, 259; f. cristata 15:44, 204

Dicliptera 11:56; 47:100; 50:224. americana 50:106, 123. brachiata 11:57; 41:486, 570; 43:287; 47:100, 181; var. glandulosa 43: 287, 288; var. Ruthii 43:288. glandulosa 43:287. ovata 50:225. peruviana 50:224

Diclytra 9:54 Dicodon 22:181

Dicotyledoneae 9:36; 42:320

Dicotyledons 7:30

Dicranaceae 30:3; 39:39, 100; 40:359

Dicranella cerviculata 2:62; 30:1, 3. Grevilleana 39:39. hawaiica, var. tomentella 36:132. heteromalla 1:35, 3:179, 180; 4:30; 30:3. rigidula 36:132. secunda 30:3. stichinensis 39:100. varia 4:30

Dicranocarpus parviflorus 47:331

Dicranodontium 40:359

Dicranoweisia 40:359. crispula 3:180, 182;

21:207; 39:13, 40

Dicranum 3:178; 6:43; 13:41, 42; 40:359. Bergeri 2:96; 9:65; 30:4. Bonjeani 2:62; 3:180; 6:43; 15:11; 30:4; var. juniperifolium 30:4. condensatum 13:40, 41. congestum 3:180. Drummondii 2:96; 13:42; 15:11, 13. elongatum 3:180; 30:1, 4. flagellare 4:240; 26:219. fulvellum 3:180, 182. fulvum 4:240; 13:42; 14:52; 24:122; 48:1. fuscescens 1:34; 3:180; 4:30, 242; 24:122; 30:4; 48:2; var. congestum 30:4; var. falci-

folium 30:4. groenlandicum 30:1, 4. heteromalla 1:35. longifolium 1:34, 53; 2:62; 3:180; 4:30; 24:122. majus 30:1, 4. montanum 1:34; 2:96; 4:182; 6:73; 14:52; 15:13; 24:122. Muhlenbeckii 13:41. pallidum 13:40, 41. palustre 2:96; 15:11. sabuletorum 13:40, 41; 15:13. scoparium 1:34; 2:96; 4:30, 240; 13:41; 30:4; var. orthophyllum 48:2; var. pallidum 2:96; 4:240. spurium 13:40, 41; 15:13; 24:122; var. condensatum 13:40, 41; 15:13; 24:122; var. condensatum 13:40. strictum 13:43. undulatum 1:34; 2:62, 96; 3:180; 6:73; 13:42; 15:11. viride 1:53; 2:96; 6:73; 13:42; 15:13; 24:122

Dictydiaethalium plumbeum 29:170, 173 Dictydium 2:79. cancellatum 29:170, 173; 50:286

Dietyophora 4:134. duplicata 3:38; 39:370 Dictyopteris delicatula 13:184

Dictyopteris deficatura 13:154

Dictyosiphon 8:157; 11:151; 26:189, 190. subgen. Coilonema 2:162, 163. subgen. Eu-Dictyosiphon 2:162. Chordaria 1:126. corymbosus 2:165, 166. Ekmani 1:126; 2:46, 162, 165, 166. flaccidus 2:165. foeniculaceus 2:46, 163-165; 7:242; 26:213; 50: 261; f. flaccidus 6:182; subsp. hispidus 2: 261; f. flaccidus 6:182; subsp. hispidus 2: 165; var. americanus 2:46, 163; 7:228; 33: 130; var. flaccidus 2:165; var. hispidus 43: 214. fragilis 2:166. hippuroides 2:46, 163-165; 7:242, 243; 35:149; 50:261; var. fragilis 2:46, 163, 164. hispidus 2:46, 163-165; 33: 130. Macounii 2:46, 162, 164, 166

Dictyosphaeria 3:91

Dictyosphaerium Ehrenbergianum 24:108. pulchellum 23:67

Dictyostelium mucoroides 50:286

Dictyota 10:135. bidentata 14:59. Binghamiana 8:109, 193. dichotoma 10:134; 21: 206. indica 21:203, 206. Kunthii 8:109. liturata 8:109. Pappeana 8:109

Diderma 2:78. effusum 29:168. floriforme 2:79. globosum 29:168. hemisphericum 29:168, 172. simplex 29:168, 172. testa-

ceum 29:168, 173

Didiplis 43:501; 46:20. diandra 41:377; 43: 500, 617; f. aquatica 41:376; f. terrestris 41:376

Didymella Iridis 41:514

Didymia 2:78

Didymium clavus 29:168. farinaceum 1:128. nigripes 29:168; var. xanthopus 29:168, 173. squamulosum 29:168

Didymodon 41:112. recurvirostris 39:41. rigidulus 11:117. rubellus 15:13; 30:5;

Dielytra 9:54. spectabilis 45:442

Diemisa 5:249

Diemisa 5:249
Diervilla 6:130; 9:147; 11:176; 12:184; 26:15.

§ Weigela 9:147. Diervilla 6:130. florida 26:15. Lonicera 6:54; 9:147; 11:175; 12: 184; 13:117, 146; 17:152, 153; 21:199; 26: 15; 29:220; 34:55; 42:144; var. hypomalaca 42:144. rivularis 9:147. sessilifolia 9:147. splendens 9:147. trifida 3:164, 177; 4:75; 26, 46: 6:130; 9:147; 31:222 5:36, 46; 6:130; 9:147; 31:222

Digitalis 7:16; 23:1; 25:63; 42:416, 417; 49:

254. ambigua 19:248; 24:119. lanata 20: 203; 25:63. lutea × purpurea 9:41. purpurea 13:132; 17:228; 25:63; 26:227; 32: 159, 274; 49:251; 50:214, 303

Digitaria 3:94; 15:55; 22:101-103; 29:114-116; 30:49-52; 47:108. argillacea 22:104. argyrostachya 22:103. badia 22:104. Bakeri 22:102. curvinervis 22:103. tylon 29:115. distans 22:103. filiformis 3:98; 15:55; 18:232; 22:101, 102; 24:185, 241; 31:111, 115, 117; 36:20; 46:76; var. villosa 36:19, 20; 38:386. glabra 18:231. gracillima 22:101, 102. humifusa 3:100; 14:180, 183, pl. 98; 15:55; 17:225; 18:231, 232; 20:102; 42:42. Ischaemum 18:231, 232; 20:102; 31:82, 111, 113; 40:369; 42:42; var. mississippiensis 22:103; 40:250, 369, 387. laeviglumis 22:103; 30:200; 31: 111, 113, 118. leucocoma 22:104. linearis 18:231. marginata 22:103. panicea 22:103. sanguinalis 3:99; 12:104; 14:168, 180, 183, pl. 98; 15:55; 17:212, 225, 226; 18:231, 232; 29:115; 31:108, 111; 32:232; 44:70. 50:201; vor. 44:70; 50:301; var. marginata 22:103. serotina 40:370, 387; 45:371, 385. Simp-

soni 22:103. villosa 36:19, 20, 219 Dilepyrum 29:158–160, 246, 247. aristosum 29:158–160, 246, 247; 45:260. erectum 45:

260. minutiflorum 29:158-160

Dilly, Wild 48:164; 49:289, 290, 292, 293 Dilophus 8:109. flabellatus 8:108, 109. marginatus 8:109

Dimerogramma minus 9:138. Surirella 9:138 Dimorphococcus cordatus 26:165

Dinemasporium gramineum 44:169

Dinobryon 29:163; 41:134. bavaricum 44:66. divergens 44:66. sertularia 44:66 Dinomonas vorax 50:278

Dinophyceae 44:68; 50:272, 276

Diodia 7:160; 39:358; 43:508, 514; 44:367; 47: 364. Harperi 39:308. hirsuta 39:308; 44: 457. teres 29:233; 36:221; 39:204, 306-308, 482, pl. 469; 43:646; var. hirsutior 39: 307, 308, pl. 469; 42:389, 480; var. hystri**cina** 39:307, 308, 475, pl. 469; 40:372, 458; 42:402, 481; 43:523, 646; 49:101, 181; var. oblongifolia 43:646; var. setifera 39:307, 308, pl. 469; var. typica 39:307, pl. 469; 43:646. tetragona 39:308. giniana 6:176; 39:308, 482; 44:367, 457, 458; \gamma. hirsuta 44:457; f. hirsuta 44:457; var. attenuata 44:457; var. hirsuta 39:308; var. latifolia 39:308; var. Linnaei 39:308. ginica 39:308

Diodonta 15: 77. coronata 40:349

Dionaea 5:267; 33:55. muscipula 33:56, map 29; 36:30, 45; 39:348

Dioscorea 13:34, 35; 20:48; 31:12; 36:344, 345; 42:151; 47:301. Batatas 41:538; 43:510, 42:151; 47:301. Batatas 41:558; 43:510, 549; 46:81; 47:131. floridana 13:35; 39: 401. glauca 13:35; 19:97; 36:345; 39:399, 400. hirticaulis 13:35; 39:400, 401, 476, 478, map 34; 40:367. opposita 46:81. paniculata 13:35; 19:127; 20:48, 49, 72; 36: 345, 346; 37:409, 410; 39:400; var. glabrifolia 13:35; 19:127; 20:49, 72; 36:346; 39:

401. quaternata 13:35; 24:149; 36:345, 346; 39:399, 400, 402, 481; 42:151; var. glauca 39:399, 402, 481; 46:81. sativa 13:35, 36; 47:274. villosa 13:35, 36; 19:127; 20:48, 49, 72; 36:344–346; 37:409; 42:151; 39:400, 401, 482; 47:301; f. glabrifolia 39:401, 402; var. glabra 36:345; var. glabrifolia 20:49, 72; 36:346; 39:401

Dioscoreaceae 33:44 Dioscorideae 25:158

Diospyros 21:190; 24:233; 33:41, 42, 53, map 14; 35:106; 42:363; 46:44, 139. virginiana 4:16, 19; 14:83; 19:246; 24:233; 36:224; 38: 377; 39:474; 42:101; 46:83; var. platycarpa 36:224; f. atra 42:101

Diphryllum 9:53

Diphylleia 33:29, map 5. cymosa 33:30, map 5. Grayi 33:30

Diphyscium 41:112. foliosum 1:34; 4:30.

sessile 8:131

Diplachne 49:262. maritima 25:107; 29:43, 44, 92; 32:210, 211, 236; 42:370, 387, 409; 43:522, 532; 44:354, 379; 48:18, 25; 49:263, 275. uninervia 48:18; 49:262

Diplarinus 31:228 Diplazia 19:206

Diplazium 19:171, 172, 174–178, fig. 1; 21: 175. acrostichoides 19:175, 178, fig. 4; 44: 484. angustifolium 19:178. grandifolium 19:172, fig. 1. plantaginifolium 19:172, 175, figs. 1, 4. pycnocarpon 44:484. se tatum 19:178. thelypteroides 19:178 semihas-

Diplemium 46:325. carolinianum 46:325.

nervosum 46:325

Diplocarpon roseum 39:370 Diplocyathium 43:110 Diplodia Smilacina 41:514, 519

Diplogon 9:55

Diplolaena Lyellii, var. Flotowiana 6:165

Diploma tenuifolia 41:557; 42:198

Diplomorpha 9:49 Diplonaema 5:3

Diploneis didyma, var. obliqua 9:134

Diplopappus cornifolius 42:494. graminifolius

44:469

Diplophylleia 16:73, 74. albicans 5:171; 15: 23; 25:199. apiculata 5:171; 12:203; 15:23; 25:199. gymnostomophila 16:72. Helleriana 6:172. taxifolia 3:181; 5:51, 171; 11:

118; 15:23; 25:199

Diplophyllum 16:72–75; 25:199; 38:77, 78, 80, 89. albicans 16:73–75; 25:196; 26:6, 11. apiculatum 16:74, 75; 17:120; 25:196. Dicksonii 26:10. exsectiforme 6:171. exsectum 6:171. gymnostomophilum 16:62, 71–75; 19:272; 25:196, 198; 38:80. Hel-lerianum 6:172. incurvum 16:75. taxifolium 16:74; 25:196; 26:12

Diploschistes scruposus 29:99

Diplotaxis 11:44, 45; 13:11; 18:218. bracteata 13:11. muralis 13:11; 18:218; 36:312; 40: 276. tenuifolia 13:11; 18:218; 36:312

Dipsacaceae 26:17, 232; 31:43

Dipsacus 26:17; 47:386. laciniatus 36:407. sylvestris 1:47; 15:67; 26:17; 35:364; 37: 195; 44:458; 46:140

Diptera 37:159, 161; 38:91; 39:62; 41:186 Dipteracanthus 47:32. ciliosus 47:32, 34, 36, 38, 50, 52, 74; β. dentatus 47:82; β. hybridus 47:71; γ. parviflorus 17:134; 47:2, 86; var.

parviflorus 47:27, 31, 32, 75. Drummondii 47:56, 57. hybridus 47:81. micranthus 47: 17–19. Mitchellianus 47:71, 72, 86. noctiflorus 47:49, 50; β. humilis 47:51. spectabilis 47:11. strepens 47:14, 52, 58, 60, 82; γ. Dillenii 47:71; var. calycinus 47:14; var. pedunculatus 47:14, 17; var. strictus 47:14,

17. strictus 47:14 Dipterocarpeae 32:95; 33:91

Direa 6:123; 23:114; 25:45; 40:383; 41:477; 44:29; 45:118, 119; 47:282. palustris 1: 171; 3:235; 4:132; 6:86, 123; 14:75; 15:203; 17:204; 21:199; 22:92; 23:114; 35:288; 36: 24; 40:73, 145, 383, 447; 41:477, 550; 44:29; 45:117

Disceliaceae 38:240 Discomycetes 3:70

Discopleura capillacea 1:159 Discosia faginea 41:514, 516

Discovium gracile 36:364, 365. ohiotense 36: 364, 365.

Disella sagittaefolia 38:407

Disperma 47:1, 261, 262. kilimandscharicum 47:262. trachyphyllum 47:261–263 Disporum trachycarpum 32:208; var. sub-

glabrum 39:150

Dissacanthus validus 38:406

Dissarrenum 9:53

Distichium 3:179. capillaceum 6:145; 30:3; 39:39. Hagenii 30:1, 3. inclinatum 30:3

Distichlis 11:38; 15:144; 27:67, 70, 71; 31:16; 42:22, 138; 46:203; 47:148; 49:264. dentata 27:67-69. distichophylla 27:71, 72; 47: 148. maritima 5:133; 27:68, 71; 29:106; var. airoides 29:108; var. stricta 27:69. nodosa Palmeri 27:70. spicata 11:229; 14: 184, pl. 99; 15:144, 203; 17:79, 213, 221; 23: 164, 231; 24:161; 27:67-69, 71, 72; 29:91, 93; 32:147, 161, 236; 39:54; 42:22-24, map; 43:522, 532; 44:231; 47:148; 48:18, 25; 49: 264; 50:301; var. distichophylla 47:148; var. stricta 27:69; 46:203. stricta 27:67-69; 42: 22, 23; 50:94

Distreptus spicatus 50:280

Disynanthus 47:240. plantagineus 47:240

Ditch Grass 44:217

Ditiola radicata 41:514

Ditremexa marilandica 39:413

Ditrichaceae 30:3; 39:39, 100

Ditrichum lineare 24:122. pallidum 26:219; 48:2. tortile 4:240. vaginans 2:62; 4: 181, 240

Ditylium Brightwellii 9:130, 139. inaequale 9:139. intricatum 9:139. tetragonum 9: 139. trigonum 9:139

Dizygandra noctiflora 47:49. tubiflora 47:49

Dizvgotheca 18:153

Docidium 5:252; 7:116; 24:219; 26:206. cheri 9:104. baculum 5:80; 24:219; 26:206. clavatum 9:104. constrictum 7:117; 9:105. coronatum 5:80; 7:117; 9:102. crenulatum 5:80. dilatatum 7:116, 117. Ehrenbergii

9:103. indicum 9:104. maximum 9:104. minutum 7:114; 9:232. nodosum 5:80; 9: 105. nodulosum 9:102. rectum 7:117. repandum 5:80. Trabecula 5:80, 255; 9:103. truncatum 5:80; 9:103. undulatum 7:116, 117; 24:219; f. perundulatum 7:116, 119, pl. 61. verrucosum 9:105

Dock 12:104; 28:63. Bitter 28:73. Butter

23:107. Water 47:133

Dodartia 47:288 Dodder 5:290

Dodecatheon 1:169; 39:319; 42:310; 46:158. acuminatum 37:365. **amethystinum** 33: **224**-226; 42:101, 102. cylindrocarpum 31: 52. frigidum 41:147, 154, 278; 42:312, 336. integrifolium 41:278. Meadia 1:170; 31: 51, 52; 33:224-226; 39:319, 320; 42:102; 50:199; f. Stricklerae 39:320, pl. 473; var. amethystinum 31:52; 33:224; var. Frenchii 29:233. paucifiorum 31:52. poeticum 32:27. radiatum 31:52. tetrandrum 36:409

Doellingeria amygdalina 42:494. umbellata 6:132; var. flexicaulis 42:493

Dog Berry 18:39. Wheat 12:27

Dog-fennel 47:102

Dog's-tail grass 50:177

Dog's-tooth-violet 44:27; 46:314; 48:266

Dogtail 49:264

Dogwood(s) 22:132; 41:193; 44:27; 47:91. Alternate-l e a v e d 12:182. Female 33:71. Flowering 23:195; 33:71; 34:29, 30. Poison 4:106. Poisonous 13:57. Red Osier 33: 70, 71. Round-leaved 4:131. Swamp 33: 71, 72. Tree 33:71. Virginia 33:71, 72. White 33:72

Dolicholus 7:28; 11:50. mollissimus 44:255 Dolichos luteolus 50:130. polystachios 44: 419. pubescens 44:422

Dolicothele sphaerica 37:78

Dondia 9:54, 140; 43:228. americana 9:141, 144, 146. linearis 40:182. maritima 9:141, 145. Moquina 12:16

Doronicum ramosum 44:340

Dortmanna 38:257 Douglas Pine 21:31

Douglasia 42:310. arctica 41:277; 42:336. Gormanii 42:336

Douinia 38:77. ovata 38:77

Downingia 50:41, 48. elegans 40:311; 50:124 Downy False Foxglove 48:205, 206. Green

Alder 12:178. Mildew 41:516

Alder 12:178. Mildew 41:510
Draba 6:118; 10:148; 13:216; 18:218; 27:
186; 28:100, 118; 29:139; 30:77; 35:55, 89,
390; 36:137, 139, 162, 164, 241, 244-246,
248, 250, 254, 256, 286, 288, 325, 343, 344,
421; 37:32; 38:101, 109; 39:72; 41:144, 164,
235; 42:32, 33, 303; 43:489; 49:254. § Heterodraba 9:37. § Leucodraba 36:244, 361;
sub-§ Holarges 36:244. § Phyllodraba 36:
242,244, 361, Adamsii 36:286, albertina 36: 242-244, 361. Adamsii 36:286. albertina 36: 294, 295. algida 41:237. **Allenii** 36:258, 289-292, 327, 393-395, 401, map 3, pl. 292; 44:124, 128, 142. alpina 25:113; 36: 243, 257, 285, 286, 397, 398, 400, map 1, pl. 290; 41:237; 42:310, 327; 45:311; var.

Adamsii 36:286; var. Bellii 36:285, 286; var. corymbosa 36:286; var. glacialis 36:286; 41:236; var. hebecarpa 41:236; var. nana 36; 285, 286, 288, 397, 400, pl. 290; 45:311; var. pilosa 36:286; var. Pohlii 36:286. americana 36:371. ammophila 36:367. androsa-cea 36:287, 289. aprica 36:261, 361–363, cea 36:287, 289. aprica 36:261, 361–363, 365, 397, 404, map 24, pl. 319; 42:32, 33. Arabis 7:66. arabisans 1:171; 6:97; 7: 61, 62, 65, 67, pl. 60; 9:161; 11:14; 13:117; 28:117, 201; 31:54; 32:18; 34:66; 35:48; 36:244, 245, 250, 254, 261, 300, 323, 328, 329, 331, 334, 337-339, 342–344, 353, 354, 356, 357, 360, 361, 367, 393–400, 403, 404, map 21, pls. 314, 315; 37:261, 422; 43:340; 44:126; 46:204, 303; β. 36:342, 356; var. canadensis 7:67, pl. 60; 36:329, 332, 356, 359, 393, 395, 398, 404, pl. 315; 37:261; var. orthocarpa 7:66, 67, pl. 60; 9:161; 35: 270; 36:335–337, 343, 344, 354, 356, 357. 270; 36:335-337, 343, 344, 354, 356, 357, 403, pl. 309; 44:142. arctica 36:360. aurea 403, pl. 303, 441142. alctica 30.300. alctica 30.300. alctica 30.301. alctica 30.300. alctica 30.301. alctica 233, 230, 41, 237, 232, 741, aureiformis 36:300, 301. aureola 36:361; 37:419; var. paniculata 33:204; 37:419. Bakeri 36:300. Bellii 36:285, 286, 400, pl. 290. bidentata 36:365. Boerhavii 36:370, 371. borealis 7:63, 65, 267; 10:148; 36:303; 41:237; 42: 327. brachycarpa 35:363; 36:230, 245, 261, 263, 365, 367, 404, pl. 319; 40:364, 421; 42; 32, 33; 43:489, 552; var. apetala 36:365; var. fastigiata 36:363, 365, 404, pl. 319; 42: 32, 33; var. grandiflora 36:365. cana 35: 390; 36:358, 359, 404, pl. 318; 37:73, 261. canadensis 7:62, 67; 36:331, 332, 356, 357, 404, pl. 315; var. pyanosporpa 36:330, 231 canadensis 7:62, 67; 36:331, 332, 356, 357, 404, pl. 315; var. pycnosperma 36:330, 331, 356. caroliniana 4:85; 5:203; 13:8; 18:218; 19:225; 23:172; 36:245, 364, 368, 369; 40: 181; β. umbellata 36:368; var. dolichocarpa 36:368; var. micrantha 36:368. chrysantha 36:243. cinerea 36:249, 359. clivicola 36: 260, 326, 327, 393–397, 402, map 14, pl. 303; 44:128, 142. coloradoensis 36:368, 369. confusa 7:61, 62, 64; 36:316, 339, 358. contorta 7:63; 36:314. corrupata 36: 242. corruphosa 9:161: 36:286, 289. crassa 242. corruphosa 9:161: 36:286, 289. crassa 358. contorta 7:03; 36:314. corrugata 36: 243. corymbosa 9:161; 36:286, 289. crassa 36:243. crassifolia 36:256, 258, 293–296, 321, 339, 392, 396, 397, 401, map 5, pl. 294; 38:152; 41:40, 155, 235; var. albertina 36:294; var. Parryi 36:294, 296, 320, 321, 402, pl. 300. cuncifolia 36:224, 245, 261, 40:26, 247; var. Hellori 26:237; var. 367, 369; 44:75; var. Helleri 36:367; var. leiocarpa 36:367, 369. dahurica 36:334. dasycarpa 36:342. daurica 36:244, 245, 249-254, 333, 338-343, 357, 403, pl. 308; 41:326; × aurea 41:236. densifolia 41:147, 162, 163, 235. dentata 36:360. dictyota 36:366. exalata 41:142, 163, 164, 236. fastigiata 36:363. filicaulis 36:367. fladnizensis 25:113; 29:16; 34:245; 36:148, 242, 243, 287–291; 38:117; 41:236; \times lactea 41: 236; *lactea 36:287; *lapponica 36:287; var. heterotricha 36:242, 258, 286, 287, 290,

392, 393, 397, 398, 400, map 2, pl. 291; 38: 116, 119, 125, 152; var. laxior 36:290, 291. glabella 7:62, 66, 67; 36:245, 249, 250, 253, 254, 256, 260, 322, 324, 325, 329, 336, 338–344, 359, 361, 392–400, 403, map 17, pls. 307, 308; 38:153; 41:146, 236; 42:327; 44: 117, 126; 45:311; var. brachycarpa 36: 336–338, 343, 344, 397, 403, map 19, pl. 310; var. megasperma 36:329, 335, 337 310; var. megasperma 36:329, 335, 337, 344, 392–400, 403, map 20, pls. 311, 312; 310; var. megasperma 36:329, 335, 337, 344, 392–400, 403, map 20, pls. 311, 312; 44:117, 142; var. orthocarpa 36:336, 343, 344, 357, 393–399, 403, map 18, pl. 309; 44: 117, 142; var. typica 36:253, 333, 334, 336, 337, 343, pls. 307, 308. gracilis 36: 365, 366. Helleri 36:367. Helleriana 36: 302. Henneana 7:62, 64; 36:244, 245, 249, 256, 333, 334, 340–343, 403, pls 307, 308; var. McCallae 36:341, 342. hirta 16:132; 28:90, 201; 35:120; 36:244, 245, 249, 293, 324, 325, 333, 337–343; β. alpicola 36:322; β. hebecarpa 36:324; γ. rupestris 36:293; δ. incisa 36:322; *trichella 36:324; var. arctica 36:293; var. brachycarpa 36:336; var. lejocarpa 36:336; var. norvegica 36: 322. hispidula 36:368, 369. hyperborea 41:235, 236. incana 4:150; 6:118, 208; 7: 61–64, 67, 267, pl. 60; 9:154, 161; 10:201; 13:119; 20:104, 105; 25:9; 28:60, 79, 80, 201; 31:54; 35:120, 127, pl. 239; 36:243, 244, 252, 259, 281, 304, 314, 315, 317–319, 337, 339, 358, 359, 361, 393–395, 397–400, map 10, pl. 299; 37:207; 44: 108; 49:248; β. contorta 36:314; β. hebecarpa 36:315; subsp. confusa 36:315; var. arabisans 6:118; 7:66; 36:333, 354; var. confusa 7:61, 64; 9:161: 13:119: 20:105: 28:201: 35:399, pl. 7:66; 36:333, 354; var. confusa 7:61, 64; 9:161; 13:119; 20:105; 28:201; 35:399, pl. 239; 36:315, 318, 392-401, pl. 299; 38:153; 44:108; var. conica 36:318, 401, pl. 299; 44: 142; var. diffusa 7:63; var. glabriuscula 7:66; 36:354, 356; var. hebecarpa 7:61, 64; var. legitima 7:63; var. luxurians 36:317, 318; var. nana 36:318, 401, 402, pl. 299; var. robusta 36:317, 319; var. stricta 36: 318, 402, pl. 299. incerta 36:299; 41:236. lanceolactea 36:242, 243, 287-291; 41:236. lanceo-lata 36:261, 357-360, 393-395, 397, 398, 404, map 22, pls. 316-318; 37:65, 73, 199, 261; 41:147, 236; 44:112; 46:204. lapilutea 36:252. lapponica 36:287, 288. laurenti-ana 36:260, 325, 328, 329, 332, 344, 394-400, 402, map 15, pls. 304, 305. laxa 36: 326. Liljebladii 36:297. laxa, α. legitima 36:322, 326. Longii 7:62; 36:334, 342, 354, 356. longipes 41:236, 237. lutea 36:366, 369. luteola 36:281, 301, 303-305, 401, pl. 297; var. minganensis 32:13; 36:302, 303, 401, pl. 297. MacCallae 41:236. magellan-401, pl. 297. MacCallae 41:236. magellanica 35:336; 36:249, 338; subsp. borea 36: 249, 334, 339; subsp. cinerea 36:249; var. dovrensis 36:249. McCallae 36:307, 334, 341, 342, 403, pl. 313. megasperma 7: 65, 67, 267, pl. 60; 9:161; 20:105; 28:53, 90, 201; 35:270; 36:323, 329, 335, 337, 338, 340, 344, 403, pl. 312; 44:142; var. leiocarpa 36:337, 344, 404, pl. 315. micrantha 36: 368, 369. micropetala 36:286. minga-

nensis 36:250, 251, **302**–305, 393, 396, 399, map 19, pls. **297**, **298**; 44:104, 126. mogollonica 36:243. mongolica 36:244. muralis, β. 36:366. muricella 36:297. nemoralis 36:366; α. genuina 36:366; β. glabra 36:366; lejocarpa 36:366; var. hebecarpa 36:366. nemorosa 36:254, 261, 365; α. typica 36: 366; β. hebecarpa 36:366; f. brevisiliqua 36:366; f. macroloba 36:366; var. brevisiliqua 36:366; f. macroloba 36:366; var. brevisiliqua 36:366; var. genuina 36:366; var. glabra 36:366; var. lejocarpa 36:366, 369, 397; var. lutea 36:366. neomexicana 36:302. nivalis 28:104, 121, 123, 201; 34:245; 35: 120, 275, 298; 36:242, 243, 258, 289, 296, 297, 327, 392–398, 400, 401, map 6, pl. 295; 38:113, 119, 125, 134, 152, 275; 41: 147, 237; 42:327; 44:129; 45:311. norvegica 36:245, 248, 260, 293, 321, 323, 325–327, 335, 392–397, 400, 402, map 12, pl. 301; var. hebecarpa 36:324, 326, 394–396; var. laxa 36:326; var. pleiophylla 36:324, 325, 394–397, 402. map 13. pl. 302: 44:142. var. hebeearpa 30:324, 326, 394–396; var. laxa 36:326; var. pleiophylla 36:324, 325, 394–397, 402, map 13, pl. 302; 44:142. oligosperma 31:55; 36:298, 299. Parryi 36:294–296, 320, 321. Peasei 36:258, 298, 299, 397, 401, map 7, pl. 295; 44:142. pilosa 36:286; 41:237. pinetorum 36:302. praealta 36:252, 254; 42:327. pycnosperma 7:67, pl. 60; 9:161; 28:125, 201; 32: 13; 36:260, 330–332, 357, 393, 394, 397–400, 402, map 16, pl. 306; 44:108, 127, 142. pyrenaica 36:322, 326. ramosissima 36:261, 360, 361, map 23; 41:138; 42:49; var. glabrifolia 42:49. reptans 36:261, 368, 369, fig. 1; var. micrantha 36:368. ruaxes 37:32. rupestris 28:60, 90, 125, 146, 201; 35:7, 120, 270; 36:242, 243, 245, 246, 248, 258, 281, 289, 292, 293, 322, 324, 325, 327, 392, 393, 396, 401, map 4, pl. 293; 38:119, 152; *trichella 36:324; 6. stricta, a. lejocarpa 36:322; b. hebecarpa 36:324; var. leiocarpa 36:292, 293. sachalinensis 36:244. Sakuraii 36:243. saximonnensis 36:244. Sakuraii 36:243. saximontana 22:195. scandinavica, a. legitima 36: 322; β. hebecarpa 36:324. sclerophylla, var. laxior 36:290. Sornborgeri 36:259, 319-321, 398, 402, map 11, pl. 300; 38:123, 126. spectabilis 36:302. stellata, α. nivalis 36: 297. stenoloba 36:320, 321; 38:123; 41: 155, 237. stylaris 7:62, 64, 67, pl. 60; 9: 154, 161, 166; 20:96; 33:234; 35:233; 36: 334, 341, 342, 358, 359; 41:236. subamplexi-S34, 341, 342, 338, 359, 41.236. subamplexicalis 36:244. surculifera 36:302. Thomasii 7:64; × cinerea 41:236. trichella 36:324. uber 36:300. umbellata 36:368. valida 36:358, 359, 404, pl. 317. verna 2:156; 5:203; 12:128; 18:218; 19:220; 26:199; 35: 261; 36:254, 261, 370, 371; 46:85; β. america 26:271; β. Bactleri 26:271; β. Bactleri 26:271; β. cana 36:371; β . Boerhavii 36:371; var. aestivalis 36:370, 371. Wahlenbergii 36:287, 288, 290; 41:236; β. heterotricha 36:287

Drabae 41:235 Drabas 42:310; 44:127

Dracocephalum 25:37. denticulatum 17:134; 45:461. Nuttallii 41:525. obovatum 44: 254. parviflorum 13:219; 19:247; 25:37; 44:104. thymiflorum 13:212; 14:56; 25:38 Dracontium 44:25 Dragon flies 41:156 Dragon's Claws 12:132

Draparnaldia glomerata 7:240; 23:67. plumosa

7:240; 50:68

Drepanocladus 12:154; 24:214; 40:155. aduncus 12:153, 154; 14:49; 15:12, 13; yar. capillifolius 48:3; var. Kneiffi 48:2. fluitans 30:10; var. falcatus 30:10. gracilescens 14:49. Kneiffii 14:49, 50. pseudofluitans 14:49, 50. revolvens 15:12; 30:10; 40:155, 167. scorpioides 13:45; 14:51. Sendtneri 14:50; var. Wilsoni 14:50. subaduncus 12: 153, 154; 14:49, 50. uncinatus 30:10; var. plumulosus 30:10. vernicosus 14:51; 30:10. Wilsoni 14:50; 40:155, 167

sioides 25:12 Drepanophyllum agreste 25:12.

Drop-seed 49:273. Grass 28:74

Drosera 1:207; 5:265-267, 269, 271; 6:118; 7:18, 21-23; 8:27; 18:249; 33:36, 53, 54, 56, 7:18, 21–23; 8:27; 18:249; 33:36, 53, 54, 56, map 28; 35:106; 41:487; 45:372. § Indicae 40:61. § Rossolis 33:56; 35:106. anglica 1:207; 7:8; 10:201; 12:117; 13:127, 133; 28: 121; 29:176; 34:53; 35:85, 87, 270, 271; 44: 108; β. obovata 35:87. binata 1:172, 206–208, pls. 8, 10; 5:265, 266, 268, 270, 271. brevifolia 36:45; 39:325, 467, 480; 40:378, 423; 41:487, 489, 545. capillaris 5:270; 38: 393; 39:325, 326, 336, 409, 480; 40:423; 41: 474; 45:372, 413; 49:86. cistiflora 5:268. dichotoma 1:206. filiformis 1:172, 206–208, pls. 8, 10; 5:130, 265–268, 270; 7:74; 14:29, 30; 19:217, 218; 32:212; 33:53, 55, map 29; 44:241; var. Tracyi 33: map 29. flagellifera 44:241; var. Tracyi 33: map 29. flagellifera 5:266, 268. foliosa 44:254. intermedia 4: 53.200, 265; 29:176, 214; 32:149, 150, 210, 253; 35:85, 87, 271; 37:249, 332; 38:365, 377; 42:452; 44:245, 254, 342; β. corymbosa 40:333; f. corymbosa 40:333; f. natans 44: 254; subvar. corymbosa 40:333; f. natans 44: 254; subvar. corymbosa 40:333; var. americana 1:172, pl. 8; 2:70, 71, 217, pl. 15; 3: 188; 5:130, 133. linearis 3:284; 5:266; 7:8; 9:189; 11:14; 12:116, 117, 119; 13: 132; 19: 217, 218; 29:110; 33:53; 35:57, 271; 37:64, 74, 199; 44:108. longifolia 2:217; 3:34; 5: 266; 7:8; 11:94; 14:29; 17:149, 150; 18:249; 19:217; 23:155, 265; 24:57, 87; 25:213; 29: 222; 34:53; 35:85; 36:281; × rotundifolia 23:265. lunata 5:268. oblongifolia 29:176. obovata 35:87, 270, 271. rotundifolia 1: 172, 206-208, pl. 10; 3:174, 188; 4:42; 5:133, 265-267, 270; 6:118; 7:8, 9, 14, 15, 21, 27, 94; 8:28; 9:121; 11:200, 231; 13:138; 14:29; 17:149; 18:30, 249; 19:217; 21:119; 23:155; 29:176, 214; 32:61, 149, 150, 214, 253, 261; 33:121, 144; 35:85, 87, 271; 37:206, 316; 39:471; 41:156, 167, 239; 42:452; 43:80, 492; 45:371, 412; var. comosa 7:9, 27, 93; 31:84; 33:144; 36:281; 44:108, 142 40:333; f. corymbosa 40:333; f. natans 44: 31:84; 33:144; 36:281; 44:108, 142

Droseraceae 5:266, 267; 6:118; 7:21; 18:249; 19:217; 29:214; 31:43; 32:253; 33:42, 56; 36:281; 37:306; 43:80; 49:255

Droseras 7:8, 78; 9:120; 42:358

Drosophyllum 33:54, map 28. lusitanicum 33:56

Drouetia 40:27. coalescens 40:27 Drummondia clavellata 4:30; 13:46

Dryas 5:281-283; 35:54; 36:164; 41:245; 49: 154. Dryamondii 5:154, 281; 7:5, 249; 9: 151, 152, 162, 167, 179, 188, 191; 13:141, 148, 223; 26:125; 29:50; 31:55; 37:197, 295; 41:155, 248; 42:314, 331; 44:106, 120. integrifolia 5:281, 282; 9:162, 167, 183; 13: 127, 129, 136, 219, 223; 14:88, 230; 17:159; 18:101; 25:9, 113; 28:62; 34:245; 35:51, 56, 81, 121, 274; 36:178; 38:120, 155; 41:245 18:101; 25:9, 113; 28:62; 34:245; 35:51, 56, 81, 121, 274; 36:178; 38:120, 155; 41:245; 248; 42:331; 44:111, 123, 124; 45:312; f. canescens 35:273, 274; f. intermedia 36: 178; var. canescens 13:129; 27:90; 35:56, 273; var. sylvatica 41:248, 249; 42:332. octopetala 4:98; 5:281; 13:223; 31:138; 34: 245; 36:178; 41:147, 151, 155, 160, 249; 42:312, 331; var. argentea 41:249. tenella 5:281-283; 14:230; 49:153

Dryases 42:310

Drymaria 42:210, 211. molluginea 42:179, 180 Drymaria 42:210, 163, 164, 166; 9:27; 10:30; 19:106, 172–174, 176, 177; 21:10, 174, 177; 22:91, 180; 26:230; 31:21, 23–26, 93; 38: 164; 42:278; 43:216, 218, 219; 50:16. § Goniopteris 19:177. subgen. Ctenitis 43:218. subgen. Goniopteris 43:218. subgen. Lastrea 43:218. subgen. Meniscium 43:218. subgen. Stigmatopteris 43:218. acrostichoides 6:100; 9:27; var. Schweinitzii 6:101. australis 42:97. austriaca 28:147; 41:150, 155, 171; 42:316. Boottii 6:101; 22:48; 43:338. 171; 42:316. Boottii 6:101; 22:48; 43:338. Braunii 1:183; 6:101. campyloptera 38: 164. celsa 39:363, 380, 475; 40:375, 382-384; 41:494; 42:97; 44:354, 363, 376; 49:95, 104. Clintoniana 42:98; var. australis 42: 97. cristata 6:101; 13:116, 139, 146; 22: 90, 91; 39:363; 40:248; 42:278; 43:76, 492, 528; 47:101, 106; × Goldiana 19:106; × marginalis 19:106; × spinulosa 19:106; var. Clintoniana 49:104; × Goldiana 19:106; × spinulosa 19:106; × spinulosa var. intermedia. 19:106. dilatata spinulosa var. intermedia, 19:106. dilatata spinulosa var. intermedia, 19:106. dilatata 17:44, 45; 41:171. disjuncta 43:217–219. Dryopteris 21:129; 43:216, 217. Filix-mas 4:164; 9:27; 13:116, 137; 22:89–91; 49:104. fragrans 9:154; 13:111, 218, 219; 34:244; 41:148, 163, 171; 42:311, 315, 324; 49:53; var. Hookeriana 44:138; var. remotiuscula 43:337; 44:104, 138, 162, pl. 697; 46:204; 49:53. Goldiana 6:101; 9:27; 17:46; 19: 106: 39:363: 43:76: 44:102: 49:104: ymar-106; 39:363; 43:76; 44:192; 49:104; × marginalis 19:106; × spinulosa 19:106; subsp. celsum 10:30. intermedia 17:44; 22:48; 50: 16. Linnaeana 41:150, 155, 171; 42:316; 43:216, 217; f. glandulosa 42:316; 43:217; var. disjuncta 43:217. marginalis 6:75-77, 101, fig.; 9:27; 13:141, 147; 22:90, 91, 123, figs. 1, 2; 42:278; × spinulosa 19:106; × spinulosa, var. intermedia 19:106. montana 19:173. nevadensis 43:218. noveboracensis 6:101; 9:27, 121; 22:90, 91; 43:218. ovamensis 43:218. patens 17:64. Phegopteris 41:30, 163, 171; 42:316; 43:218, 219. × pittsfordensis 6:75, 77, 138, 212, fig. pulchella 43:217. Robertiana 41:172; 43:218;

44:107. Schaffneri 19:177. simulata 1:183; 4:64; 9:121; 24:111; 43:218. spinulosa 6: 75-77, 101; 9:27, 121; 17:44, 48; 22:48, 89-91, 93; 28:147; 40:248; 42:149, 316; 44: 164, 354, 366; 50:16; subsp. dilatata 28: 147; var. americana 17:48; 38:164; 42:316; var. concordiana 6:212; var. dilatata 6:75; 17:44-46; 42:316; var. glandulosa 17:45; var. intermedia 6:77, 101, fig.; 17:44; 44: 354. Thelypteris 6:101; 9:121; 19:173, 176; 22:90, 91; 31:22, 27, 33; 43:218; f. Rogaetz-22.30, 31, 31.22, 27, 33, 43.213, 1. Rogaeuziana 31:30; var. β. squamuligera 31:34; var. kamtschatica 31:31, 32, 34; var. pubescens 46:73; 50:292; f. suaveolens 49:103. triangularis 43:217

Duchesnea indica 40:443

Dulichium 6:107; 8:27, 28; 9:121; 10:136; 13: 29; 31:12; 49:254. arundinaceum 6:107; 7:72; 13:29; 14:31; 17:150, 151; 22:135; 32: 12, 149, 238; 49:242. spathaceum 6:107 Dumble d'Or 28:60, 63

Dumontia 35:315. filiformis 25:34–36; 30: 195; 35:150, 315; 50:266; var. tenuis 21: 207. incrassata 43:214; 50:266

Dumortiera 23:70

Dumosae 47:386, pl. 991

Dunaliella 50:272. salina 50:277

Duosperma 47:262, 263. kilimandschari-

Buosperma 47:262, 263. kilimandscharicum 47:262. trachyphyllum 47:263
Dupontia 8:85; 18:2; 28:150; 41:38. Cooleyi 8:85, 87. Fischeri 41:180. micrantha 29: 55; 32:60. psilosantha 29:55; 38:142; 41: 157, 166, 180
Duranta 42:34
Duranta 42:34

Durvillea 9:38, 52

Dutchman's-breeches 5:168; 46:158

Dwarf Birch 47:303. Cornell 18:185. Mis-Helico 2:1, 221; 4:35; 5:202; 7:108; 8:168; 9:75, 208; 17:65; 23:97; 33:101; 37:268. Raspberry 16:151. Shadbush 50:49. Solomon Seal 18:185. Sumach 4:130. Tansy 4:32

Dyschoriste 33:53; 47:262. oblongifolia 39: 477; 47:60, 63

Dysmicodon 50:47, 48

Dyssodia 11:60; 26:85. chrysanthemoides 6: 82, 144. **gracilis** 38:408. Hartwegii 49: 162. tenuiloba 26:85. **texana** 49:162. Treculii 49:162

Early Sweet Blueberry 12:183. Winter Cress 11:140

Eatonia 6:106; 8:83, 84, 86, 137-142; 9:11. aristata 8:140, 141, 144; 42:357. densiflora 8:140, 141, 144. Dudleyi 1:68, 181; 7:68; 8:140, 141, 144; 9:11. filiformis 8:139–141, 144. glabra 8:140, 141, 143, 145; 10:65. hybrida 8:140, 141, 144. intermedia 8:139, 141, 145. longiflora 8:140, 141, 145. nitida 141, 143. Indigitary 3.140, 141, 143. Indicate 1:68; 8:138–141, 144. obtusata 7:138; 8: 84, 139–141, 144; 15:128; 43:533; var. purpurascens 50:93, 94; var. robusta 8:140. pallens 8:140, 141, 145. pennsylvanica 1: 181; 6:106; 7:68; 8:84, 139–141, 144, 145; var. filiformis 8:140, 144; var. longiflora

8:140, 145; var. major 8:139, 140. pubescens 7:138; 8:140, 141, 143, 144; 10:65; 43:533. purpurascens 8:138. robusta 8:140, 141, 144

Ebenaceae 4:16: 24:233: 31:43

Ebony Spleenwort 3:1; 4:54; 8:113; 10:165; 30:14

Eccilia 16:47. flavida 16:47. rhodocylix 44: 170

Echenais carlinoides, var. nutans 13:239 Echeveria 29:35

Echinacea 2:85; 38:197; 44:150; 47:398; 48: 99. angustifolia 2:85–87; 48:99. atrorubens 47:397, 398; var. **atrorubens** 47:398; var. **paradoxa** 47:398. laevigata 46:141; 47:397. pallida 2:85, 86; 10:146; 44:150; f. albida 44:150. paradoxa 47:397, 398. Porteri 50:111. purpurea 1:223; 2:85, 86; 26:82; 40:71; 44:150; 47:397; f. Liggettii 44:150; var. arkansana 40:71; var. laevigata 47:397; var. purpurea 47:397. san-guinea 2:86. serotina 2:86

Echinella rotata 10:106

Echinocactus Muehlenpfordtii 38:405

Echinocereus angusticeps 37:77-79, 80, pl. 327. enneacanthus 35:224. papillosus 37: 77-80, pl. 327. pentalophus 35:224. perbellus 35:224

belius 35:224
Echinochloa 3:95, 126; 14:167; 15:122; 23:49, 50, 56, 61, 63, 64; 30:26; 31:113; 32:58; 38:192; 43:527; 47:108, 212; 49:123. colonum 15:122; 23:51, 53, 54; 30:51; 42: 385, 413; 48:330; f. zonalis 23:51, 53. Crusgalli 3:126; 14:167, 180, 183, pl. 98; 15:122; 17:105, 106, 209, 212, 225; 22:137; 23:49, 54, 55, 57, 60; 29:148, 207; 31:111; 32:157, 233; 38:192; 44:70; 47:212; 49:123, 200: 50:301: f. longiseta 23:55: 31:111: f. 200; 50:301; f. longiseta 23:55; 31:111; f. vittata 18:232; 23:57; 31:111; var. aristata 23:55, 57; var. longiseta 49:200; var. mitis 44:257; var. muricata 23:57. erus-pavonis 43:527, 535, 536. echinata 23:52, 60, 61, 63; 49:123; var. decipiens 23:52, 60. frumentacea 15:122; 23:51, 54; 31:111. gracilis 23:51; f. longiseta 23:51. guadegracilis 23:51; f. longiseta 23:51. guade-loupensis 23:53, 63, 64. holciformis 23:53, 62. longearistata 23:62; 42:383, 413. microstachya 37:137; 47:212. muricata 17:106, 209, 212; 19:96, 108; 23:49, 50, 52, 57, 59, 60; 25:207; 31:111, 115; 37:137; 38:192; 42:413; 47:212; var. ludoviciana 23:52, 58-60; 37:137; var. microstachya 23:52, 58-60; 37:137; var. miltiflora 23:52, 59, 60; 37:137; var. occidentalis 23:52, 58-60; 31:111, 118; 37:137; 38:192; 47:212. oplismenoides 23:50, 52, 61, 62. paludigena 23:53,64; 23:50, 52, 61, 62. paludigena 23:53, 64; var. soluta 23:53, 64, 65. polystachya 23:53, 63-65; 42:21. pungens 37:137; 42:413; 47:212; 48:330; var. coarctata 37: 136, 137, 186, pl. 336; 42:510, 514; var. ludoviciana 37:137, 186, pl. 336; 49:123; var. mierostachya 37:137; 47:212; var. multiflora 37:137; var. occidentalis 37: 137; 47:212. pyramidalis 23:63, 64. sabulicola 23:60. setigera 49:123. spectabilis

23:63, 64. stagnina 49:101, 122, 123. Walteri 13:21; 15:122; 17:105; 23:49, 50, 52, 56, 61; 24:86; 27:201; 29:70; 31:111, 117; 32:57, 58, 147, 233; 35:252; 37:137; 40:146, 275; 43:536; 44:243; 49:200; f. breviseta 37:137; 43:536; f. laevigata 23: 52, 62; 31:111; 32:58; 42:383, 413; 44:382. zelayensis 23:50, 51, 54; var. macera 23: 51, 54; var. subaristata 23:51, 54. zonalis 23:53

Echinocystis 6:130; 9:55; 26:18. lobata 6: 130; 10:154; 16:13; 26:18; 35:364

Echinodorus 5:84-88; 12:3; 33:44; 44:219. cordifolius 5:88; 49:107, 108; f. lanceolatus 38:73; 49:108; var. lanceolatus 38:73; 49: 108. parvulus 5:83, 85–89, pl. 45; 7:71; 108. parvulus 5:83, 85–89, pl. 45; 7:71; 47:210. radicans 5:86, 88, 89, pl. 45; 39: 332, 341, 343, 381, 481, map 16; 43:508, 525, 526, 40:467. 525, 529; 49:107, 108. rostratus 5:88, 89, pl. 45; 49:108; f. lanceolatus 49:108; var. lanceolatus 38:73; 49:108. subulatus 5:84, 85; 42:408. tenellus 5:86, 87; 10:43; 12: 3; 13:151, 155; 29:248, 252, 253; 38:452; 39:481; 40:27; 44:219, 355, 378, 438; 47:210

Echinomitrium pubescens 10:185

Echinomyia decisa 41:186

Echinopanax 26:124. horridum 26:123; 36:308 Echinops 26:86; 47:386. sphaerocephalus 10: 152; 26:86

Echinospermum 40:341. deflexum 18:138,139; 40:341; var. americanum 18:139; 26:124; 40:341. Lappula 1:82; 2:205; 3:214; 6:82; 8:72; 9:14; 10:172. Redowskii, var. occi-dentale 3:214; 6:82, 84. virginicum 3:214; 18:139; 40:341

Echium 25:29: 44:33. australe 25:29. plantagineum 35:145. vulgare 3:214; 6:83, 146; 25:25, 29; 28:47; 35:248; 38:65

Eclipta 7:174; 26:86; 47:398, 399. alba 7: 173; 26:86; 35:145; 47:196, 398, 399. erecta 47:196, 398. prostrata 47:196, 398, 399 Ectocarpi 39:51

Ectocarpus 1:70; 2:206, 207; 10:125; 11:151; 23:255; 26:189, 190. aecidioides 2:46; 7: 226. affinis 39:149. amphibius 7:226. confervoides 2:46; 7:226, 243; 16:4; 26:191, 213; 35:347; 50:259, 261; f. brumalis 2: 13, 46; 7:227; f. Halliae 8:107; f. irregularis 8:107; var. brumalis 2:46; var. hiemalis 2: 46; 26:213; 50:261; var. subulatus 2:46; var. tenuis 2:46; var. typica 8:107. dasy-carpus 2:46. elegans 1:126; 2:46. fascicu-latus 2:46; 26:191, 213; 50:261; var. ab-breviatus 3:133, 137. granulosoides 39:50. granulosus 2:46; 39:50. hamulosus 14:58, 59. littoralis 21:207; 50:261. lutosus 1:126; 2:46. Mitchellae 2:46; 17:91, 92; 23:255; var. parva 23:254, 256, pl. 133. namulosus 14:58. ovatus 1:126; 2:46; 39:148; 50:261. paradoxus 35:107. parasiticus 8:125. penicillatus 2:46; 43:214. reptans 7:227. siliculosus 2:46; 7:227; 16:105; 21:205; 26:213; 35:347; 50:261; var. hiemalis 50:261. sub-corymbosus 1:198; 2:46; 7:227. terminalis 2:46. tomentosoides 2:46. tomentosus 2: 46; 4:118; 26:213; 50:261. virescens 17: 92; 23:255

Ectropothecium 35:146. viridifolium 36:132 Ectrosia 21:216 Edraianthus 50:47

Edwinia 31:93

Eel-grass 13:215; 18:94; 20:108; 21:53; 26:184, 190; 32:147; 36:261; 37:269; 41:257–262; 44:217, 220; 50:286, 299

Egeria 9:44; 34:152. densa 34:152

Eglantine 18:43

Ehrhartia clandestina 30:81

Eichornia crassipes 38:400 Elachistea 7:243; 26:189, 190. Chondri 3: 133, 137. fasciculata, var. major 2:46. fucicola 2:46; 3:133; 7:228; 26:213; 33:130; 50:261. lubrica 2:46; 7:242; 10:116; 43: 214. stellaris, var. Chordae 1:126; 2:46

Elaeagnaceae 6:86; 36:282; 45:313 Elaeagnus angustifolia 42:45. 162, 179; 30:122; 33:234; 36:282; 41:263. commutata 41:150, 263

Elaeocarpaceae 14:185; 49:292

Elakatothrix americana 1:150; 14:115. gelatinosa 1:150; 26:211

Elatinaceae 1:212; 22:75; 31:43; 32:265; 49:

254, 255

Elatine 7:159; 22:75; 36:350, 351; 41:367, 368, 371, 372, 382; 43:210, 662; 49:254. subgen. Crypta 43:210. americana 1:103, subgen. Crypta 43:210. americana 1:103, 203, 212, 214; 2:69; 7:95; 13:135, 140; 19: 10-12, 91; 21:191; 24:82; 26:221, 222; 33: 72, 73; 34:39; 41:369; 42:378, 386, 401, 466, 510, 513, map 18; 43:208-211. brachysperma 41:374; 43:211. californica 41:368, 371, 372, 375, 376, map 6, fig. 4; var. Williamsii 41:368, 372, 375, map 6. Clintoniana 19:13. minima 19:13; 21:73; 22:75; 23:274; 24:88, 177, 185; 26:37; 28:86; 29:164; 32: 148, 265; 35:13, 278, 387; 36:351, 407; 38: 340: 41:368, 371, 372, map 1, fig. 1: 43:208-340; 41:368, 371, 372, map 1, fig. 1; 43:208-211, figs. 2, 4; 49:250. rubella 41:370, 373. triandra 19:11–13; 33:73, 74, 227; 36:351; 41:367–370, 374; 43:208–210, figs. 1, 3; 48: 114; f. callitrichoides 33:73; 36:351; 43:209; f. intermedia 41:368, 370; 48:114; f. submersa 41:368, 370; f. terrestris 41:368, 370; 48:116; var. americana 33:72–74; 41:368, 372–375, map 3; 43:209, 262; var. andina 41:374; var. brachysperma 41:368, 371, 372, 374, 375, map 4, fig. 3; var. genuina 41:368, 369, 371, 372, 374, 375, map 2, fig. 2; var. obovata 41:368, 372, 375, map 5. Williamsii 41:375

Elatinoides 11:56

Elder 4:108; 43:94. Box 4:130. Common 12: 184. Red-berried 13:184. Stinking 18:43

Elderberry 43:92

Eleocharis 3:221, 228; 5:251; 6:107; 8:130; 11: 29; 13:72; 21:10, 75; 22:180; 27:37, 40; 31: 121–127, 171; 34:193, 215, 244; 36:378, 382– 384, 386, 421; 37:401; 39:381; 40:86, 249, 378; 41:1, 2, 4, 7, 9, 43, 47, 50, 52, 56, 63, 67, 70, 76, 77, 102, 105, 107, 110, 255, 256; 42: 508; 46:119; 47:208; 49:100, 101. § Chaetocyperus 39:239. § Limnochloa 31:127. ser. Aciculares 31:128, 183, 206; 36:389; 39:245; 41:2, 3, 14, 16, 19, map 1. ser. Intermediae 31:129; 41:1. ser. Maculosae 31:127, 128,

224, 241; 41:3, 43, 65; subser. Ocreatae 31: 128, 131, 224, 231, 242; 41:54; subser. Rigidae 31:128, 224, 225, 241. ser. Melanocarpae 31:129; 41:1. ser. Multicaules 41: carpae 31:129; 41:1. ser. Multicaules 41: 1, 4, 95, 104, pl. 546. ser. Multatae 31: 125, 127, 129, 162; 36:383; 41:3, 4, 12: ser. Ovatae 31:128, 207, 218; 41:3, 43, pl. 540. ser. Palustriformes 31:128; 34: pls. 219–221; 41:3; subser. Palustres 31: 58, 128; 34:193; 36:385; 39:259; 41:1–3, 55, 57, 59, 60, map 2, pls. 542, 547; Biglume 41:50: Unique mes 41:60: subser. Trun-55, 57, 59, 60, map 2, pls. 542, 547; Biglumes 41:59; Uniglumes 41:60; subser. Truncatae 31:128; 34:193, 226; 39:259, 265; 41:3, 65, 67, 73. ser. Pauciflorae 31: 125, 127, 167, 181; 36:382, 385, 386; 41: 3, 13, 14, 69. ser. Sulcatae 31:129; 39:211; 41:4, 73. ser. Tenuissimae 31:129, 241; 39:210-213, 245, 268, map 1, pls. 460-462; 41:3, 73; subser. Chaetariae 31:129; where Leicorrepos 21:129; 39:210-211, 212: subser. Leiocarpeae 31:129; 39:210, 211, 213; ser. Tuberculosae 31:129; 41:1. subgen. Limnochloa 31:127. subgen. Eleogenus 31: 128; b. Capitatae 31:128; c. Palustres 31: 128; b. Capitatae 31:128; c. Palustres 31: 128. subgen. Eu-Eleocharis, § Aciculares 31: 128; § Chaetarieae 31:129; § Leiocarpeae 31:129; b. Sulcatae 31:129; c. Montanae 31: 128. aciculariformis 31:183, 202, 204, 207, pl. 190; 41:16, 17, 106. acicularis 2:208; 3:228; 5:131; 10:136; 13:72; 14:31; 15:91; 17:142, 151; 22:135, 136; 25:7; 31:128, 170, 171, 183, 184, 187-191, 199-202, 205-207; 32:149, 183, 238; 37:366; 38:299; 39:218, 219, 228, 229, 238, 359, 389; 41:3, 12, 14, 16-19, 54, 92-95, 103, 104, 106, 109, 110, 167. 16–19, 54, 92–95, 103, 104, 106, 109, 110, 167, 199, map 55, pl. 539; 49:82, 242; 50:301; a. fluitans 31:186; b. fluitans 31:186; f. longicaulis 31:183, 187; f. submersa 31:186, 188; subsp. bonariensis 41:16; var. bella 31: 201; var. **gracilescens** 31:184, **191**; 41:19, 109, 110, pl. 539; var. liliputiana 41:16; var. Lindheimeri 31:199; var. longicaulis 31:187; var. longiseta 31:184, 189; var. minima 31: 201; var. nana 31:199; var. occidentalis 31:184, 190; 41:19, 109, pl. 539; var. radicans 31:199; var. submersa 31:171, 188; 35: 90, 216; 41:199; var. triangularis 31:187; var. typica 31:183, 184; f. fluitans 31:183, 186, 187; f. inundata 31:183, 186; f. rigidula 31:184, 187; f. triangularis 31: 184, 187. acuminata 10:140; 31:72; 32: 30–32; 34:216, 217; 41:64, 98, 106, map 68. acuta 41:4, 95, 102, 104, 106, 108, 109, pl. 538; var. pallens 41:95, 103, 109, pl. 538; var. platylepis 41:103. acutangula 41:106. acutisquamata 34:193, 194, 198, 218, 219, 226, 227, pls. 219, 221; 41:3, 66, 106. affinis 31:71; 41:106. afflata 31:129; 41:101, 102, 510; 44:354, 383; var. Berlandieri 39:271. albivaginata 31:235, 237; 41:106; α. tenuis 31:237; β. flaccida 31:237; γ. stricta 31:237;

δ. macrostachya 31:237; 41:45; ε. humilis 31: 237; var. β. flaccida 41:47; var. γ. stricta 41:47; var. e. humilis 41:47; var. flaccida 31: 235; var. stricta 41:47. alta 31:162; 41:106. alveolata 31:235, 241; 39: 213, 239, 240, alveolata 31:235, 241; 39: 213, 239, 240, 245, 272, map 10, pl. 460; 41:3, 106. amazonica 39:214, 222, 273, map 4, pl. 461; 41:3, 106. ambigens 37:394, 395, 452, pl. 387; 38:394; 39:475, 478, map 39; 41:3, 64, 106, 108; 49:66. ambigua 41:106. amphibia 31:203, 207; 41:106. anceps 39:214, 226, 252, 253, 268, 273, pl. 462; 41:4, 106. ancesica 41:72, 106. andina 41:61, 106. annua 31:212. appendiculata 41:60, 61, 106. arcuata 31:237, 239; 41:44, 106. Arcchavaletae 41:45, 106. arenaria 31:129; 39:239; 41:106. arenicola 24:24-26; 31: 39:239; 41:106. arenicola 24:24-26; 31: 128; 34:194, 219, 221, 222, 224, 226, 227, pls. 220, 221; 39:265; 41:71, 106; 49:66. argyrolepidioides 41:59. argyrolepis 41:62, articulata 31:131; 41:106. mensis 31:172, 173, 181; 36:381, 382, 389, pls. mensis 31:172, 173, 161, 50.601, 52, 32, 320, 321; 41:14, 106. atricha 31:206; 41: 95, 106. atropurpurea 31:128, 219, 224, 227–230, 241, 242, pl. 191; 39:225, 251, 253; 41:3, 45, 48, 49, 52, 54, 106–109; α. typica 31:229; β. Zanardinii 31:229; var. γ., 39: 224; var. setiformis 31:229, aurea 39:220; 41:106, austro-caledonica 31:159, 161; 41: 9, 11. Baeothryon 31:171, 172; 41:63, 106, bahamensis 31:224, 229, 230, 241, 242, pl. 191; 39:217; 41:3, 45, 106, Balansaiana 191; 39:217; 41:3, 45, 106. Balansaiana 39:267; 41:106. Baldwinii 31:129, 241; 39: 214, 240-242, 271, 272, map 11, pl. 460; 41:3, 106. Baroni 41:4, 95, 97, 99, 104, 106, 110, pl. 539. Barrosii 39:214, 220, 273, pl. 462; 41:3, 106. Bartoliana 41:99, 106. bella 31:183, 200, 201, 207, pl. 190; 41:3, 14, 17, 93, 106, map 53. benedicta 41:57, 106. Berlandieri 39:271, 272; 41:106. bermudiana 31:129; 34:226; 39:271, 272; 41:106. bicolor 39:219, 225, 273, pl. 462; 41:106. bicolor 39:219, 225, 273, pl. 462; 41:106. bise p t a t a 31:160; 41:106. bivæginata 41:68, 106. Bolanderi 31:128; 34:194, 224, 226, pl. 220; 41:3, 53, 66, 106, 559, map 35. boliviana 31:168, 179, 182, pl. 189; 36:386; 41:69. bonariensis 31:183, 31:128, 168, 180, 182, pl. 189; 41:69, 106. Brittonii 39:230; 41:106. brizantha 41: 110, map 65, pl. 547; 42:144; 49:61, 64, 67. calyptrata 39:266, 268, 273, pl. 465; 41:106. camptotricha 31:230; 39:221, 246; 41:106; var. Schweinitzii 31:230; 39:217.

cancellata 31:128, 183, 200, 201, 207, pl. 190; 41:3, 14, 17, 106. capensis 41:61. capillacea 31:224, 234, 235, 241, 242, pl. 191; 39:240, 241, 254; 41:3, 10, 45, 106, map 19. capitata 8:129; 20:24, 72; 23: 106; 24:24, 83, 86; 31:126, 128, 225, 235; 32:180-185; 34:194, 195, 197-199, 218, 224, 226; 39:247, 272; 40:378; 41:46, 48, 50-52, 65, 70, 106; 49:66; var. borealis 34:198-200, 203, 225-227, pls. 219, 221; 41:65; 49:242; var. dispar 8:129; 20:24, 72; 24:61; 31:227; var. pseudoptera 34:197-199, 202, 227, pl. 221; 39:475; 41:65; var. typica 34:198, 199, 226, 227, pls. 219, 221; 36: 389; 39:254, 475; 41:52, 65; var. verrucosa 34:198, 200, 202, 227, pl. 221; 40:378; 41:66. capitatus 32:180, 181. caribaea 20: 24, 72; 24:83; 31:126, 128, 219, 224, 225, 227, 229, 231, 241, 242, pl. 191; 32:181, 182, 184, 185; 39:254, 255, 262; 41:44, 45, 48-52, 106; 48:37; var. dispar 20:24, 72; 24:61, 83, 86; 31:227; 37:365, 366; 41:52; var. Stokesii 41:52. carniolica 31:129; 41:4, 95, 99, 104, 106, pl. 546. carolina 39:224, 225; 41:106. cellulosa 31:127, 130, 135, 152, 163, pl. 188; 36:383; 41:3, 5, 7, 9, 106, map 6. Chaetaria 39:214, 236, 241, 250-252, 273, pl. 461; 41:4, 54, 69, 106, 108; var. vivipara 41:101. chlorocarpa 41:101, 106. chrysocarpa 41:71, 106, 110, pl. 545. cognata 41:11, 106. comosa 41: 18, 106. compacta 31:162; 41:9, 11, 62, cancellata 31:128, 183, 200, 201, 207, pl. pl. 545. cognata 41:11, 106. comosa 41: 18, 106. compacta 31:162; 41:9, 11, 62, 18, 106. compacta 31:162; 41:9, 11, 62, 106. compacta 31:162; 41:9, 11, 62, 106. compressa 31:66, 128; 32:31; 34:193, 198, 201, 215, 217-219, 226, 227, pls. 219, 221; 37:204, 299; 41:3, 53, 64-66, 106, map 31; 49:66; var. atrata 34:193, 218, 227, pl. 221. confervoides 41:106. congesta 41: 4, 95, 102, 104, 106, 108, 110, pl. 546. conica 41:106. consanguinea 39:256; 41: 106. constricta 39:259; 41:106. contracta 39:258; 41:72, 106. costaricensis 39:267; 41:106. costata 31:184; 41:106. costulata 31:180, 183, 203-207, pl. 190; 41:15, 106. crassa 31:61; 41:59, 106. crassiculmis 39: 259, 262; 41:106. crinalis 41:3, 53, 67, 69, 77, 106, 110, map 41, pl. 544; f. humilis 31:180. crispovaginata 41:45, 106. cubensis 39:228, 273, pl. 462; 41:106. Cunninghamii 41:4, 95, 103, 104, 106, 107. Curtisii 39: 242, 243; 41:106. cylindrica 34: 226; 39:265, 266, 273, pl. 464; 41:3, 66, 73, 106, 109. cylindrostachys 31:215; 41:4, 95, 102, 104, 106, 109, pl. 537. debilis 31:128, 225, 240-242, pl. 191; 41:3, 44, 49, 106, 107, 110, pl. 543; f. macra 31:240; 41:49. decumbens 34:193, 224, 226, pl. 219; 41:3, 66, 106. densa 31:128; 34:193; 39:262, 273, pl. 463; 41:3, 73, 106. dense-squamata 41:106. depauperata 39:236; 41: 106. diandra 1:137; 2:60, 61; 3:63; 4:2; 8: 130; 10:136, 204; 13:178; 15:222; 19:91; 26: 37, 222;29:71, 72, 107; 31:128, 207, 210, 211, 217, 219; 41:43, 106, 110, pl. 540; var. depressa 2:60; 10:138; 31:210. Dietrichiana 41:4, 95, 103, 104, 106, 109, pl. 538. 106. complanata 39:224-226; 41:106. depressa 2:60; 10:138; 31:210. Dietrichiana 41:4, 95, 103, 104, 106, 109, pl. 538.

disciformis 34:222; 39:215; 41:106. dispar 108 tale of the state of the st 220, 223; 41:3, 44, 53, 67, 68, 73, 106, 108, map 39. Dregeana 41:3, 60, 61, 97, 106, 110, pl. 543. dubia 41:94, 106. dulcis 31:127, 129, 158, 162, 163, pl. 188; 36:381; 41:3, 11, 107-109, pl. 537. dunensis 41: 4, 74, 75, 91, 104, 107, 110, map 49, pl. 544. Durandii 39:215, 216, 272, pl. 460; 41:107. Dusenii 39:221. Dussiana 41:47, 107. ecarinata 41:59. Ekmanii 31:230, 242, pl. 191; 41:49, 107. elassocarpa 39: 267. elata 31:156, 158; 41:12, 13, 107, elegans 39:259; 41:3, 50-52, 73, 106-109. Elliottii 31:132; 41:107. elliptica 34:200; 41:3, 53, 65, 107, map 29; 49:242. elongata 31:125, 130, 155, 163, pl. 188; 41:3, 5, 12, 106, 107, 109, map 14, pl. 537. emarginata 41:77, 107. Engelmanni 1:137; 3: 250; 8:130, 223; 10:136, 140; 11:83; 13: 72; 31:126, 128, 207-210, 217, 219; 40: 391; 41:3, 4, 75, 107, 108, map 45, pl. 540; f. detonsa 31:208; 41:pl. 540; var. detonsa 1:137; 3:250; 8:130; 10:136, 140, 143; 12:155; 13:72; 23:42; 29:230; 31:208, 210; 41:110, pl. 540; var. monticola 31: 209; f. leviseta 31:210; var. robusta 31: 209; equisetiformis 41:59. equisetina 31: 130, 161, 163, pl. 188; 41:11, 107. equisetoides 31:130-132, 163, pl. 188; 40:251; 41: 3, 5, 11, 107, map 5; 44:260. erratica 31: 228; 41:107. ervthroehlamys 41:100, 107. 3, 5, 11, 107, map 5; 44:260. erratica 31: 228; 41:107. erythrochlamys 41:100, 107. erythropoda 34:218; 41:63, 107. esculenta 31:160, 161. eupalustris 31:60. eu-uniglumis 41:60. exigua 31:206; 39:217; 41:3, 14, 93, 107, 108, 110, map 54, pl. 539. exilis 31:233; 41:107. fallax 24:23, 25, 26; 31:128; 34:194, 225, 226, pl. 220; 41:64, 107; 49:61, 66. fennica 41:60, 107; var. sareptana 41:60. filiculmis 39:266–269, 273, map 20, pl. 465; 41:4, 74, 76, 77, 91, 106–109. filiformis 34:197, 200; 41:107. fistulosa 27:39, 40, pl. 149; 31:127, 130, 133, 135, 152, 153, 162, 163, pl. 188; 36:389; 41:3, 4, 6, 10, 106–108, map 28; var. micrantha 41:6; var. robusta 31:154, 163, 228; 41:107. erythrochlamys 41:100, 107. micrantha 41:6; var. robusta 31:154, 163, pl. 188; 41:4, 6. flaccida 31:128, 224, 233, 235, 236, 238, 239, 241, 242, pl. 191; 37;155, 156, 393; 39:247; 41:45, 47, 107; var. Arechavaletae 41:46; var. fuscescens var. Arechavaletae 41:46; var. fuscescens 31:238; 41:48; var. humilis 41:54; var. olivacea 37:155, 156; 38:396; 41:46. flavescens 31:236; 41:3, 10, 45-48, 52, 54, 55, 106-109, map 22, pl. 541; 44:342; 49:100, 124; var. fuscescens 41:48. floridana 39:247. funebris 41:61, 107. fuscopurpurea 41:3, 10, 44, 106, 107, 109, map 20. fusco-sanguinea 41:94, 107. galapagensis 31:224, 233; 41:45, 107. Gambleana 41:101. 107. geniculata 23:106: 31:128, 132: 101, 107. geniculata 23:106; 31:128, 132; 34:193; 39:258–262, 273, map 18, pl. 463; 41:3, 50-52, 65, 73, 106-108; 48:37; var. β. 41:51; var. densa 39:262, pl. 463; var. minor 41:51. glauca 31:68; 39:231, 238, 239, 273, map 9, pl. 461; 41:3, 106, 107.

glaucescens 31:70, 74; 32:31; 34:201, 217; 41:107. glaucovirens 41:4, 74, 77, 107, 110, pl. 545. Glazioviana 41:107, 110, pl. 545. Glehni 41:65, 107. globularis 41:59. gracilis 41:96, 107; var. gracillima 41:103; var. ilis 41:96, 107; var. gracillima 41:103; var. radicans 41:103. gracillima 41:103, 107. Graeffeana 41:8, 107. grandis 39:211, 269; 41:74, 107. grisea 39:213, 244, 245, 273, map 14, pl. 465; 41:3, 107. haematolepis 41:72, 107. halmaturina 41:107. halophila 37:395, 396, 452, pl. 387; 41:3, 64, 107; 42:370, 508; 44:139; 49:61, 64, 67, 242; 50:294. Haumaniana 41:3, 73, 107. Helenae 39:252; 41:107. heteromorpha 41: 61. Hildebrandtii 39:224–226, 273, pl. 462; 41:107. homonyma 31:234; 41:107. Hookeri 41:103, 107. hyalinovaginata 41:44, 107. hyalovaginata 31:239. intermedia 2: 61; 6:107, 203; 10:136, 140; 11:84; 15:161; 31:129; 39:262, 265; 41:3, 4, 35, 67, 92, 105, 107, 108; var. Habereri 8:130; 10:140; 105, 107, 108; var. Habereri 8:150; 10:140, 12:155; 39:265. intersita 41:59. interstincta 7:72; 10:136, 140; 11:29, 83; 13:72, 151; 21:75, 143; 24:86, 113; 29:230; 31: 127, 130-132, 163, pl. 188; 41:3, 5, 11, 50, 106, 107, map 13. intricata 31:225, 239-241; 41:3, 10, 54, 55, 107, map 27, pl. 541. Jamesonii 39:215, 216, 272, pl. 460; 41:107, japonica 31:76; 41:101, 107. Jelskiana 31: 162; 41:3, 5, 12, 13, 107, 108, map 7. kamtschatica 31:58, 59, 75-77, pl. 184; 41:3, 65, 107, 108; 49:61, 66. kasakstanica 41: 59. Kirkii 39:254; 41:107. Klingei 41: 60. Komarovii 41:60. Korshinskyana 41: 60. Komarovii 41:60. Korshinskyana 41: 60. Kuntzei 41:101. laetevirens 31:228; 60. Kuntzei 41:101. laetevirens 31:228; 41:47, 48, 107. laeviseta 41:4, 95, 100, 104, 107, 110, pl. 546. lanceolata 31:128, 207, 219; 41:3, 43, 107, 110, pl. 540. laxiflora 31:156; 41:3, 5, 6, 8, 107-109, map 15, pl. 537. Lechleri 31:181; 41:3, 70, 71, 73, 107. Lehmanni 41:107. Lehmanniana 31: 241; 41:43, 44, 107. lepida 41:94, 107. lepta 36:387, 388; 39:254; 41:107. leptocaulis 41:94, 107. leptos 31:167, 176, 177, 182, pl. 189; 36:387; var. coloradoensis 31:177; 36:387; var. Johnstonii 31:169, 177, 182, pl. 189; 36:387, 388. leptostachys 41:91, 107. leptostylopodiata 41:59. Le-41:91, 107. leptostylopodiata 41:59. Lereschii 31:228; 41:107. leucocarpa 41:73, 107, 110, pl. 545. Liebmanniana 39:220; 107, 110, pl. 545. Liebmanniana 39:220; 41:107. limosa 41:4, 61, 93, 95, 97, 99, 104, 107, 108, 110, map 63, pls. 539, 543. Lindheimeri 31:169, 183, 186, 199, 207, pl. 190; 37: 380, 393; 39:456, 471, 474, 482, 483, 488; 41:14, 15, 107, 481; 42: 370, 508. liocarpa 41:94, 107. litoralis 41:60, 61, 107. liukiensis 41:100, 107. Loefgreniana 41:4, 74, 75, 77, 90, 107, map 151, pl. 545. Mecaunii 15:292; 31:120: 30. 51, pl. 545. Macounii 15:222; 31:129; 39: 265; 41:3, 67, 107. macra 31:241; 41:44, 107. macrantha 31:167, 177, 182, pl. 189; 36:384; 41:3, 107. macrorhiza 36:385; 41:60, 107. macrostachya 31:58, 66, 67, 77, pl. 184; 41:3, 56-61, 98, 107-110, maps 67-69, pl. 547; 49:61, 63-65, 67. maculosa 31:128, 177, 224, 238, 239, 242, pl. 191;

41:3, 10, 43, 44, 49, 107, 108, map 25; f. humilis 31:237. madagascariensis 31:231; 41:54, 55, 107, pl. 541. Maidenii 31:240; 41:54, 110, pl. 541; var. subaquatica 31:240. mamillata 31:58, 59, 65–67, 71, 75, 77, 128, pl. 184; 41:3, 56–59, 110, pls. 542, 547; 49: 62, 63. margaritacea 36:336, 389, pl. 320; 41:3, 107. marginulata 41:4, 93, 95–97, 102, 104, 107, 109, 110, map 62, pl. 543. Maximowiczii 41:101. media 41:107. 543. Maximowiczii 41:101. media 41:107. megalostachys 41:60. melanocarpa 5:130; 7:72; 10:136, 140; 14:29; 19:67; 24:59, 60, 69, 86, fig. 1 (map); 31:129, 239; 32:211; 39: 211, 269, 270, 273, map 22, pl. 464; 40: 371, 391; 41:4, 60, 104, 107; 42:88, 91; 44: 241; 48:37. melanocephala 31:178, 179; 41:70, 73, 107. melanomphala 31:181; 36: 383; 41:3, 13, 14, 107, 110, pl. 539. melanorema 41:107. melanostachys 36:385; 41: sperma 41:107. melanostachys 36:385; 41: 3, 60, 106-109. Mendoncae 41:107. mendocina 41:3, 73, 107. mesopotamica 41:107. mexicana 39:216, 260; 41:107. microcarpa 31:129; 37: 393, 394; 38:396; 39:211, 214, 226, 227, 229-231, 241, 252, 272, 273, 473, 480, 481, map 7, pls. 460, 462; 41:3, 106, 107, 109; 44:342; 45:372; β. ? filiculmis 37:394; var. Brittonii 39:230, 241, 242, 272, pl. 460; var. filiculmis 37:393, 394; 39:214, 228, 229, 230, 272, 480, pl. 460, microformis 31:224, 230, 241, 242, pl. 191; 41:51, 52, 107. minarum 41:4, 91, 104, 107, 110, pl. 545. minima 31:129; 39:211, 214-219, 221, 223, 227, 244, 272, 273, map 2, pls. 460, 461, 465; 41:3, 106-109; var. bicolor 39:211, 213, 218, 219, 273, pl. 462; 41:109; var. mexicensis 39:216. minor 41: ocina 41:3, 73, 107. mesopotamica 41:107. 41:109; var. mexicensis 39:216. minor 41: 107. minuta 31:238; 41:3, 10, 54, 107, 110, map 26, pl. 541. minutiflora 39:226; 41: 108. minutissima 39:213, 245, 273, pl. 462; 41:3, 108. mitrate 31:162; 41:3, 5, 12, 108, 109, map mitrata 31:162; 41:3, 5, 12, 108, 109, map 8, pl. 537; var. africana 41:6. monandra 31:228; 41:108. montana 24:25, 26; 31: 128; 34:194, 219, 222-224, 226, 227, pls. 220, 221; 39:258; 41:67, 68, 71, 72, 108; subsp. montevidensis 41:71. montevidensis 41:3, 53, 67, 71, 76, 106, 108, map 38. monticola 31:209, 210; 41:108; var. leviseta 3:250; 31:210; var. pallida 31:209. mucronulata 41:102, 108. Muhlenbergiana 41: 63, 108. multicaulis 31:212; 39:265; 41: 4, 57, 95, 96, 103, 104, 107, 108, 110, 559, pl. 546. multiflora 31:228; 41:108. multiseta 41:60. mutata 7:72; 27:37-40, pl. 149; 31:127, 130, 133-135, 153, 163, pl. 188; 36: 31:127, 130, 133-135, 153, 163, pl. 188; 36: 383; 37:392; 41:3, 5-7, 108, map 4; var. obtusetrigona 31:161. nana 31:129, 170; 39:214, 218, 220-222, 244, 273, map 3, pl. 462; 41:3, 106, 108. Naumanniana 39: 214, 253, 254, 273, pl. 461; 41:4, 108, 109. nebrodensis 41:108. neozeylandica 41:3, 60, 108. nervata 31:183, 204, 207, pl. 190; 41:3, 17, 93, 108, map 60. nervosa 41:64, 108; 49:66. Niederleinii 39:211: 41: 92, 108. nigrescens 31:129; 39:211, 214,

220, 223, 225-228, 244, 252, 273, map 6, pls. 461, 462; 41:3, 106–109; var. minutiflora 39: **226**, 273, pl. **462**. nipponica 41:101, 108. **nitida** 8:**129**, 130, 13:134, 138; 15:222; 24: 162; 31:128; 34:194, 203, 226, pl. 219; 35: 85; 41:3, 66, 108; 49:81, 82; 50:20. nodulosa 31:128; 34:193, 223; 39:220, 255-259, 273, map 17, pl. 463; 41:3, 71, 72, 106-109; var. angulata 39:258; 41:53, 71, 72, 105, map angulata 39:258; 41:53, 71, 72, 105, map 36; var. subnodulosa 39:258; 41:72; var. tenuis 39:257, 258. nubigena 31:168, 179–182, 205, pl. 189; 41:70, 108. nuda 31: 156, 162; 41:3, 5, 8, 108, 109, map 12, pl. 538. nudipes 41:4, 73–75, 107, 108, 110, map 52, pl. 544. nupeensis 41:3, 6, 108. obsoleta 41:11, 108. obtusa 1:137; 6:107; 10:136, 140; 13:72, 141; 18:34; 20:24; 23: 233; 26:223; 30:237; 31:128, 207, 208, 211, 213, 214, 216–219; 32:181–184, 238; 34: 195; 41:3, 35, 43, 75, 108, 110, map 43, pl. 540; 44:82, 232; 46:145; 48:330; 50:301; var. ellipsoidalis 31:218; 39:389, 475; 49: 91; var. gigantea 31:215, 217; 41:57, 110, 91; var. gigantea 31:215, 217; 41:57, 110, pl. 540; var. jejuna 1:137, 203; 31:212, 213, 215, 216, 218; 37:156; 39:389; 41:110, pl. 540; 46:77; var. **Peasei** 31:217, 218. obtusangula 41:108. obtusetrigona 31:158, 161; 340; 40:77; Var. Peaset 31:217, 218. obtusangula 41:108. obtusetrigona 31:158, 161; 41:108. ochrostachys 31:157, 158; 41:8, 101, 102, 108. ocreata 31:235–239; 41: 45, 108; 44:342; var. flaccida 31:238; var. humilis 31:238. oligantha 31:129; 39:213, 222, 223, 272, map 5, pl. 460; 41:3, 108. olivacea 1:184; 5:130; 9:74; 10:136; 12: 120; 13:72, 178; 21:75; 23:162, 232; 24:114, 162; 25:208, 213; 29:65, 69; 31:128, 224, 231, 232, 236, 240, 242, pl. 191; 35:68; 37: 155, 366; 40:275; 41:3, 10, 46, 47, 108, 110, map 18, pl. 541; 49:100. oropuchensis 39:215, 216, 273, pl. 461; 41:108. ovata 5: 131; 10:136, 140; 13:72; 29:230; 31:128, 207, 210–214, 217, 218; 32:238; 34:195; 41: 3, 43, 106, 108, 110, map 44, pl. 540; 46:145; α. normalis 31:214; var. humifusa 31:214; β. minima 31:214; var. humifusa 31:214; β. minima 31:214; var. Engelmanni 31:208, 209; var. gigantea 31:216; var. Heuseri 1:137; 2:60; 31:213–215; 40:275; var. minima 31:214; var. obtusa 31:214. oxylepis 41:60. oxyneura 31:203; 41:108. pachycarpa 31:129; 39:211, 269; 41:4, 74, 75, 20; 05; 106, 108, 110, map 50, pl. 544 **221**; 41:3, 66, 108. palustris 1:98; 3:250; 6:107; 10:136; 11:230; 13:72; 17:150, 151; 22:136; 24:24; 25:7; 26:223; 29:63, 70, 208; 31:57-59, 65-67, 70, 74-76, 123, 128, 212; 32:19, 30; 34:6, 194, 225; 36:383; 37:395; 39:265; 41:3, 55-61, 73, 98, 106-108, 110, map 64, pls. 542, 547; 46:206; 49:61-66; 50:294; α aquatilis 31:61; β australis 41: 57; subvar. glaucescens 31:61; var. ϵ . humilis 41:62; var. arenaria 31:61; var.

calva 3:250; 8:130; 10:136, 140; 12:155; 15: 161; 31:68; var. glaucescens 1:98; 2:208; 3: 185; 10:136, 140; 13:72; 23:233; 29: 70; 31: 68, 70, 74; var. major 11:39; 15:161; 31: 60, 61, 63, 77, pl. 181; 33:117; 35:251; 38: 298; 49:66, 242; var. minor 31:61; var. typica 31:60, 71, 77, pl. 181; 36:278; var. vigens 4:27; 10:136, 140; 11:39; 15:161; 17: 150; 31:61; var. Watsoni 49:66. paracicularis 41:108. Parishii 34:194, 221, 222, 226, 227, pls. 220, 221; 39:259, 266; 41: 3, 53, 66, 67, 106, 108, map 34. Parodii 39:262; 41:3, 72, 108. parvula 31:123, 128, 167, 168, 170, 171, 176, 177, 182, 188, 189, pl. 189; 32:147, 238; 35:90, 215; 36:385, 387-389, map 3, pl. 320; 41:3, 108, 109; 42:387; 43:79, 522; 44:383; 50:294; f. spongiosa 39:273; var. anachaeta 36: 386-389, map 3, pl. 320; 39:236; 41:17; var. typica 42:24. paucidentata 41:60. pauciflora 6:107; 13:221; 31:123, 124, 128, 167, 171-175, 178, 181, 182, pl. 189; 33:23; 35:388; 36:278, 377-386, 388, 389, map 1, 182, 290, 39:2, 39:21, 41:3, 41, 106, 108 calva 3:250; 8:130; 10:136, 140; 12:155; 15: 35:388; 36:278, 377–386, 388, 389, map 1, pls. 320, 321; 39:471; 41:3, 14, 106, 108, 109; 44:243; var. bernardina 31:167, 174, 175; 36:389, pls. 320, 321; var. Fernaldii 36:380, 389, pls. 320, 321; 37:299; 44:243; 45:280; 47:207; var. Suksdorfiana 31:167, 174; 36:381, 389, pl. 321. pellucida 41: 4, 95, 100–102, 104, 106–109, 559. perlonga 31:59, 70, 71, 77, pl. 182; 41:59, 60, 98, 108, maps 69, 72, 73. Perrieri 39:224, 252, 273, pl. 461; 41:108. peruviana 31:162; 41: 12. philippinensis 31:130, 153, 155, 156, 158, 162, 163, pl. 188; 41:8, 108. pileata 31:75, 76; 41:62, 108. Pittieri 41:45, 46, 108. pityrea 31:241. plana 41:109, pl. 538. planiculmis 31:153, 157; 41:4, 6, 108. plantaginea 31:127, 131, 159–161; 41:11, 108. plantaginoidea 31:159. plant 109; 44:243; var. bernardina 31:167, 174, 41:11, 108. plantaginoidea 31:159. plantaginoides 41:11, 108. platypus 31:181; 36: 384; 41:108. plicarhachis 31:125, 130, 156, 158, 162, 163, pl. 188; 36:383; 41:3, 156, 158, 162, 163, pl. 188; 36:383; 41:3, 5, 12, 13, 107–109, map 9, pl. 537. polycaula 41:108. polymorpha 39:222. praticola 31: 124, 224, 229, 231, 236, 241, 242, pl. 191; 41:48, 49, 108. prolifera 31:230; 38:395; 39:217, 222, 223, 230, 240–243; 41:92, 108; 44:342; 49:124. punctata 39:221; 41:108. purpurascens 41:102, 108. purpureo-vaginata 39:267; 41:108. pusilla 31:170, 206; 41:3, 19, 95, 108, 109, pl. 539. pygmaea 6:107; 11:84; 31:169, 199; 36:388; 41:108; var. \$\beta\$. \$\begin{array}{c} anachaeta 31:176, 177; 36:387. quadrangulata 10:136; 11:29, 83; 13:72, quadrangulata 10:136; 11:29, 83; 13:72, 151; 24:86; 27:37-40, pl. 149; 29:230; 31: 130, 132-134, 153, 163, pl. 188; 37:392, 393; 38:377; 39:476; 41:3, 5, 6, 19, 108, 393; 38:377; 39:470; 41:3, 5, 6, 19; 103; map 10; 42:393; var. crassior 37:393; 41:7; var. typica 37:393. quinquangularis 41:4, 74-76, 107, 108, map 47. Rabenii 41:3, 67, 69, 70, 108, 110, pl. 545. radicans 31:199; 41:3, 14-17, 47, 54, 93, 106-108, 110, map 61, pl. 539; 49:90. Ravenelii 100:252, 44:108. radicate 30:262, 42:108. 39:258; 41:108. reclinata 39:262-265, 273, map 19, pl. 465; 41:67, 108; f. Habereri

39:265; var. Habereri 39:265. recurvata 41:108. retroflexa 31:129, 207, 241; 36: 388; 39:211, 213, 217, 218, 226, 236-239, 251, 273, map 8, pl. 461; 41:3, 16, 69, 106, 108, 109. Reverchonii 31:183, 203, 207, pl. 190; 41:3, 18, 93, 108, map 57. riparia 41:51, 108. rivularis 31:205, 206; 41:15, 108. Robbinsii 1:43, 204; 7:72; 10:136, 140; 13:72, 73; 14:31; 19:97; 21:75; 23:99, 149, 162, 232; 24:113, 162; 31:125, 127, 130, 154-156, 163, 205, pl. 188; 32:211; 36: 351; 37:249, 332; 39:467; 41:3, 5, 11, 12, 108, 254-256, map 3. rostellata 10:136, 141; 12:120, 135; 13:73, 178; 15:76; 19:32, 36; 23:103, 105, 110, 149, 233; 29:92, 106, 141; 12:120, 135; 13:73, 178; 15:76; 19:32, 36; 23:103, 105, 110, 149, 233; 29:92, 106, 107, 111; 31:67, 123, 128, 167, 172-176, 182, pl. 189; 32:147, 177, 210, 211, 238; 34:217; 36:381, 384, 385, 389, map 2, pl. 320; 37: 393; 41:3, 73, 108, 44:243; var. Congdom 31:175, 176; var. occidentalis 31:175, 176. Rothiana 39:266, 268; 41:77, 108. Sagotii 31:162; 41:12, 13, 108; var. glochidiata 41: 13. Salzmanniana 41:108. savannarum 31:192, 39:219, 273, pl. 462: 41:108. Savannarum 31:129; 39:219, 273, pl. 462; 41:108. Savatieri 31:75, 76; 41:3, 62, 108, 110, pl. 543. scariosa 31:134; 41:7, 108. Schaffneri 31: 224, 233, 241, 242, pl. 191; 41:3, 10, 46, 48, 107, 108, map 23. Schlechteri 39:255; 41: 108. Schaffneri 31: 225. 108. Schottiana 31:239; 41:44, 108. Schwein-108. Schottiana 31:239; 41:44, 108. Schweinfurthiana 39:214, 252, 273, pl. 461; 41:4, 107, 108. scythica 41:60. Sellowiana 31:128, 224, 233, 234, 240, 242, pl. 191; 41:3, 10, 45, 106-109, map 21; var. homonyma 31:234. septata 31:131; 41:108. septentrionalis 41:60. setacea 31:225; 41:51, 52, 54, 108. Shaferi 31:231; 41:49, 108, 110, pl. 541. Shimadai 41:101, 108. Sieberi 31:156, 157; 41:108. simplex 31: 129; 37:396; 38:376; 39:246-248, 271, 272; 41:108. simplex 31: 1181; 36:385; 41:61 41:108. simulans 31:181; 36:385; 41:61, 108. singularis 41:108. Sintenisii 41:3, 10, 108. Singularis 41:108. Sintennia 41:3, 10, 45, 49, 107–110, map 24, pl. 541. Smallii 15:222; 31:58, 59, 64, 65, 71, 74, 75, 77, pl. 182; 32:238; 34:217; 37:395; 41:3, 63, 64, 98, 108, 110, map 66, pl. 547; 49:61–67; 64, 98, 108, 110, map 66, pl. 547; 49:61-67; 50:294. sororia 41:97, 108. spadicea 39: 244; 41:108. Spegazinii 39:266; 41:3, 73, 108. sphacelata 31:126, 129, 160-163, pl. 188; 41:3, 11, 106, 108, 109. spiralis 31: 130, 134, 135, 152, 153, 163, pl. 188; 41:3, 5, 9, 106, 108, map 17. squamata 41:16, 108. squamigera 36:389, pl. 320; 41:4, 16, 105, 108, stepnograpa, 31:183, 205-108. squamigera 36:389, pl. 320; 41:4, 16, 105, 108. stenocarpa 31:183, 205-207, pl. 190; 41:3, 17, 93, 109, map 56. stolonifera 41:68, 109. striata 41:96, 109. striatula 31:203, 206; 41:16, 109. stylosa 41:109. subarticulata 41:4, 53, 72, 105, 109, map 37. subcancellata 39:213, 215, 227, 273, pl. 461; 41:3, 109. subfoliata 39:213, 227, 243, 244, 273, map 13, pl. 461; 41:3, 107-109. submersa 41:109. subnodulosa 39:258: 41:72. 109. subprolifera nodulosa 39:258; 41:72, 109. subprolifera 41:101, 109. subsphacelata 31:160; 41: 109. subtilis 39:218, 219; 41:109. subulata 31:157; 41:109. subvivipara 39:253; 41:101, 109. Suksdorfiana 31:174. sulcata

31:129; 39:211, 227, 266, 268, 269; 41:74, 76, 77, 91, 109; var. grandirostris 41:92. sulciculmis 31:237; 41:109. tenuis 2:208; School Strict St 231, 242; var. **pseudoptera** 41:53, **65**, 492, map 30; var. typica 41:53, map 33; var. verrucosa 41:53, 66, map 32; 42:360, 420. tenuissima 39:215, 217, 218, 238; 41: 109. Testui 39:254; 41:109. tetraquetra 31:129, 162; 41:4, 75, 95, 99, 104, 107, map 46; var. Wichurai 41:100. texana 39:266; 41:109. thermalis 31:235; 41:45, 46, 109. Thompsoni 41:101, 102, 109. Torreyana 10:136, 141; 13:151; 21:143; 31:129; 34: 200; 37:393, 394; 39:220, 228, 229, 480; 41: 109. tortilis 39:211, 213, 243, 245, 246, 273, 477, map 15, pl. 464; 41:3, 109; 44: 41:3, 353, 383, transcaucessia, 41:60, trial 241, 353, 383. transcaucasica 41:60. triangularis 31:187, 188. trichoides 31:206; 41: 109. tricostata 10:141; 13:151; 31: 128; 32:213; 34:193, 197, 219, 226, pl. 220; 128; 32:213; 34:193, 197, 219, 226, pl. 220; 36:38; 39:266; 40:371, 391; 41:3, 53, 66, 108, 468, 471, maps 4, 42; 44:241; 49:101, 124. triflora 31:76, 177; 39:236; 41:17, 109. trilophus 39:214, 253, 273, pl. 462; 41:4, 109. truncata 24:25, 26; 34:222, 223, 226; 41:68, 109. tuberculosa 5:130; 7:72; 8:27; 10:136; 13:73; 19:122; 21:73; 23:167, 169, 233, 300, pl. 130 (map 14); 24:162; 25:48; 26:37; 31:129; 34:217; 36:38; 37:267, 396; 38:376; 39:211, 213, 247-250, 273, 480, map 16, pl. 464; 41:3, 63, 108, 109; 44:260; 46:92; f. pubnicoensis 39:250, 273, pl. 464; dr. retrorsa 39:250, 273, pl. 464; var. β. 39:247, 248, 250; var. pubnipl. 464; var. β. 39:247, 248, 250; var. pubnicoensis 23:233; 39:250. tuberosa 31:159: 41:109. Tuerkheimii 41:109. tumida 31: 158; 41:109. turcomanica 41:59. uncialis 158; 41:109. turcomanica 41:59. uncialis 39:219, 273, pl. 462; 41:109. uniglumis 23:233; 31:58, 59, 61, 70-72, 74, 75, 77, 128, pl. 184; 32:61, 213, 238; 36:278; 37: 395, 452, pl. 387; 41:3, 56, 59, 65, 106, 107, 109, 110, pl. 542; 49:62, 63, 65, 66; var. halophila 31:72, 75, 77, pl. 183; 32:147, 238; 34:225; 35:215; 37:395; 41:64; 44:139; var. typica 31:72, 75. univaginata 41:44, 109. Urbani 41:47, 110, pl. 545. urceolata 39:213, 219, 221, 272, pl. 460; 41:3, 107, 109. ussuriensis 41:59. Usterii 41: 105. valdiviana 39:259; 41:60, 61, 109. 105. valdiviana 39:259; 41:60, 61, 109. valida 41:109. variegata 31:135, 154, 156-158, 162; 41:3, 5, 6, 8, 9, 13, 108, 109, map 11, pl. 537; var. laxiflora 31:130, 153, 155– 158, 163, pl. 188; 41:8. Vierhapperi 36: 379, 382, 383; 41:109. villaricensis 41:109. Vincentina 31:239; 41:44, 109; var. arcuata 31:239; 41:44. viridans 41:4, 74, 75, 77, 91, 92, 104, 108–110, map 48, pl. 544. viridis 41:109. vivipara 39:213, 217, 230, 241-243, 273, 376, map 12, pl. 461; 41:3, 92, 106, 109; 44:241; 49:96, 100, 124.

Vulcani 34:223; 41:109. Watsoni 31:71: Vuicani 34:223; 41:109. Watsoni 31:71; 41:109. Wichurai 31:129; 41:100, 109. Widgrenii 31:129; 41:72, 105, 109. Wolfii 31:128, 183, 201, 203, 207, pl. 190; 40:86, 251; 41:3, 18, 76, 93, 109, map 58; 47:205. Wrightiana 39:215, 216, 219, 244, 272, pl. 460; 41:109. xyridiformis 31:59, 71, 76, 77, pl. 184; 41:58, 98, 109, 110, maps 70, 71, pl. 547. yunnapasis 41:550 70, 71, pl. 547. yunnanensis 41:559. yunquensis 31:241; 41:49, 109. Zanardinii 31:238; 41:109

Eleogenus 31:124, 128. atropurpureus 31:227. capitatus 31:225; 41:51. laetevirens 31:228. nodulosus 39:256. ocreatus 31:234, 235, 237, 238; var. α . 1. minor 41:47; var. α . 2. flaccidus 41:47; var. albo-ater 31:239; var. binocreatus 31:239; var. flaccidus 31:235. ovatus 31:212. Schottianus 31:239. Sel-

lovianus 31:234

Eleogiton 49:51. atropurpurea 31:227. filiformis 34:200. parvula 31:168, 169. radi-

cans 41:15

Elephantopus 12:171; 44:367; 50:280, 281. carolinianus 12:171; 38:445; 39:482; 44: 367, 458; f. vestitus 44:458; 47:100, 191. mollis 50:282. nudatus 12:171; 38:377; 39:474, 480; 44:367. nudicaulis 44:254. spicatus 50:280–282. tomentosus 12:171; 38:377, 445, 446; 39:194, 474, 482; 44:254, 367; f. retundatus 38:445, 446; 44:367

Eleusine 15:131; 49:275. indica 8:226; 15: 131; 44:70; 48:17, 26; 49:275

Elliott's Dasystephana 15:224. Gentian 15:

224

Ellisia 9:55; 25:27; 42:33, 34, 38. ambigua 42:35, 36, 38. chrysanthemifolia 42:34, 39. Fremontii 42:39. membranacea 42:34, 39; var. hastifolia 42:39. micrantha 42:34, 39. microcalyx 42:39. Nyctelea 4:170; 6:151, 155; 24:17; 25:27; 42:33-35, 37, 38, map 1; var. coloradensis 42:35, 38. ranunculacea 42:39. Torreyi 42:34, 39; var. bipinnatifida 42:39; var. Orcuttii 42:39
Elm 11:32; 13:57; 22:131; 44:413; 46:154. American 8:125; 12:179; 21:42; 23:91; 28:

73. Red 47:204. Slippery 14:80; 25:172; 43:521; 44:351; 47:132, 204. White 48: 61. Winged 46:307. Wych 8:135

Elodea 12:4; 13:54, 79; 19:80, 153; 21:114, 115; 22:17, 20, 23; 29:249, 252; 31:122; 34:114–116; 36:350; 38:334; 42:150. canadensis 2:216; 5:134; 7:99; 10:38; 12:4; 15: 91; 19:107; 21:114; 22:17-22, 24-27, 29; 24:181; 29:249, 251, 252; 30:39; 34:115; 39:432; 44:219, 220; var. gigantea 34:151. Drummondii 38:434, 436; 39:358. Fraseri 28:434. 38:434. guyannensis 34:115. iowensis 22: 26, 29. latifolia 22:27. minor 22:28. Nuttallii 22:21, 25, 26, 29; 29:249, 252. occidentalis 22:21, 23–27; 29:249, 252; 32:105. Planchonii 22:21, 25–27, 29; 29:249, 252

Elodes 19:153; 22:17; 34:114. campanulata 1:212; 5:131; 6:123; 8:29. petiolata 47:217 Elodium 11:16. Blandowii 14:49; 15:13. palu-

dosum 14:49

Elsholtzia Patrini 12:117, 142; 46:316

Eltroplectris acuminata 23:84 Elvella fuliginosa 1:62

Elymus 6:107; 14:187; 15:150, 219; 20:81, 82; 31:45; 35:187; 39:127; 48:22; 49:266; 50:80. 99. arenarius 10:144; 11:164; 12:26–30, 36, 38; 13:117, 122; 15:29, 32, 33, 218; 16:184; 17:98–103, 146, 147; 20:82; 29:88; 34:108; 38:143; 41:207; 49:266; f. compositus 34:108; 38:143; 41:207; 49:266; 1. compositus 17:102; 41:183; subsp. mollis 41:183; var. compositus 17:102, 103; var. mollis 41: 166; var. villosus 17:99-103; 23:99, 232; 25:7, 112; 29:122, 131, 148, 185, 208; 32: 178, 201, 203, map 36; 34:51; 36:278; 48: 20, 25; 49:266. aristatus 4:147. arkansanus 8:212; 20:87; 35:194, 195; 50:85. australis 14:55; 15:150, 159; 16:82; 19:122; 20:82, 24, 86: 35:196-198; var. glabriflorus 20:82, 84, 86; 35:196-198; var. glabriflorus 20:82, 84, 86; 35:197, 198. brachystachys 13:89; 15:150; 20:98; 49:266; 50:86. canadensis 6:107; 12:26; 14:179; 15:150; 16:13; 20:82, 83, 86-89; 24:98, 186; 35:187-193, 196; 36:415; 48:20, 24; 49:266; 50:82, 86-90; X Hystrix patula 50:82, 87-89; f. cresendus 20:00.00; 50:26; f. classification 25:106. 20:90; 50:86; f. glaucifolius 35:191, 196; 36:415; 48:20; 49:266; var. glabriflorus 20: 84; 35:196, 198; var. glaucifolius 20:87; 35: 192; 36:415; var. pendulus 50:86; var. philadelphicus 35:191; var. robustus 35: 192; var. villosus 20:90. caninus 12:63, 70. capitatus 17:99, 100. caput-medusae 48: 20. carolinianus 20:83. cinereus 50:81, 20. carolinianus 20:83. cinereus 50:81, 90. condensatus 50:90. crescendus 20:90. curvatus 20:84; 35:196, 198. diversiglumis 20:83, 87; 50:88, 89. dives 17:99. europaeus 22:181. giganteus 17:98, 103. glabriflorus 20:84; 35:196–198; 36:415. glabrifolius 36:415. glaucifolius 20:87, 89; 24: 186; 35:189–191, 193; 50:86; var. robustus 35:192. glaucus 20:82. halophilus 19:122; 20:83, 84; 27:202; 35:196, 198; 50:83. hirsutiglumis 4:27: 10:65: 20:83; 35:196–198. 20.30, 34, 27.202, 35.190, 198; 30.35. hirsutiglumis 4:27; 10:65; 20:83; 35:196–198. hirsutus 35:192. Hystrix 14:187; 34:229, 230. innovatus 32:200, 202, map 18; 41: 147, 150, 183; 42:317. intermedius 20:83; 35:196, 198. interruptus 20:87; 50:88, 89. jejunus 20:83; 35:196, 198. Macounii 50: 82, 90. mexicanus 17:98. mollis 9:218; 12:26; 17:99–101; 25:99, 112; 29:208; 49:266. 12:26; 17:99-101; 25:99, 112; 29:208; 49:200. nitidus 20:83. philadelphicus 20:87, 89; 35:188-191; 50:86; var. hirsutus 35:192; var. robustus 35:192. riparius 20:82, 84, 86, 89; 21:116; 24:98; 39:416; 40:250, 386; 43:509; 44:70, 379; 48:20, 23, 24; 49:266. robustus 4:27; 8:223; 20:82, 83, 86, 88, 89; 35:187, 188, 191, 192, 362; 36:415; 49:266; 50:268, var. vastitus 20:83, 89, 90: 25:208. 50:86; var. vestitus 20:83, 89, 90; 25:208; 35:187, 189-191; 49:266; 50:86. sabulosus sibiricus 35:188. 17:98. Sitanion 6:83. spicatus 50:293. striatus 15:150; 20:83, 86; 35:193-195, 198; 38:385; 47:122; 49: 266; 50:82, 84; var. arkansanus 8:212; 20: 83, 87; 35:195, 196; var. Ballii 20:86; var. villosus 20:86; 35:195. strigatus 17:102, 103. triticoides 4:147. villosissimus 17: villosus 20:86; 35:194-196; 38:379,

385; 40:382, 386; 48:20, 24; 49:266; 50:81, 385; 40:382, 386; 48:20, 24; 49:266; 50:81, 84, 90; f. arkansanus 35:195; 40:382, 386; 48:20; 49:266; 50:81, 85. virginicus 12:26; 13:139; 14:179, 183, pl. 97; 15:150; 18:34; 20:82-84; 23:151; 26:222; 27:202; 32:216, 237; 35:193-198, 251; 36:374; 39:416; 44:345, 357, 379; 48:20, 22; 49:266; 50:81-84, 90; f. jejunus 20:83; 35:198; 49:266; 50:83; f. monanthos 34:32; var. glabriflorus 35:198; 36:416; 48:21; 49:266; f. australis 35:198; 36:416; 48:21; 49:266; var. halophilus 20:82, 83: 27:202: 32:237: var. halophilus 20:82, 83; 27:202; 32:237; 35:197, 198; 39: 416, 417; 43:512, 532; 48: 21, 25; 49:266; 50:81, 83, 84; f. lasiolepis 35:198; var. hirsutiglumis 10:65; 15:151; 16:189; 20:82, 83; 23:151, 232; 24:162; 35: 196–198; 36:415; var. jejunus 35:197, 198; 44:357, 379; 48:21; 49:300; var. micromeris 39:416; var. minor 20:83; var. submuticus 12:186, 192; 15:151; 20:82, 84; 35:198; 48: 21; 49:266; 50:81, 83; var. typicus 35:197, 198; 36:415; f. hirsutiglumis 35:197, 198; 36:415; 48:21; 49:266. Wiegandii 35:192, 193, 196; 48:21; 49:266; 50:87; f. calvescens 35:192, 196; 48:21; 49:266; 50:87

Elyna 5:250. Bellardi 36:188 Elynanthus capillaceus 35:52

Elytraria acuminata 38:407. caroliniensis 17:131, 137; 34:206; var. angustifolia 17: 131, 137. virgata 17:131, 137; var. angusti-

folia 17:131, 137 Elytrophorus articulatus 31:109 Elytrospermum californicum 6:71 Embelia Sarasinorum 9:39

Embloch 28:63

Emex 17:171. spinosa 17:171

Empetraceae 12:181; 18:39; 22:44; 23:92; 25: 9; 29:216; 36:282; 37:306; 49:255

9; 29:216; 36:282; 37:306; 49:255

Empetrum 4:34, 147, 196; 9:178, 193; 12: 106, 181; 18:39; 23:98, 148; 30:77; 35:54, 237; 36:180; 38:121; 41:158; 49:251. atropurpureum 15:211, 214, 215; 22:37, 44; 26:93; 36:179, 180; 44:143. Eamesii 15: 211, 215, 217; 26:93; 28:121; 29:130, 180, 181, 216; 35:12, 89; 44:143, 337. hermaphroditum 36:180–182. nigrum 1:192; 2:97, 98; 3:174; 4:24, 147, 148, 150, 189, 196; 5:35, 45, 49, 50; 9:149–152, 156, 162, 169; 170, 174, 177, 178, 180–182, 189, 218; 11:164; 12:105, 106, 181; 13:95, 99, 123, 136, 216; 15:31, 141, 211, 213–217; 16:191; 17:148, 149; 18:31, 39; 22:37, 44; 23:96, 98, 99, 105, 148, 169, 300, pl. 130 (map 2); 25:9, 83; 26:93; 27:214; 28:76, 82, 83, 243; 29:181, 216; 31:138; 32:60; 33:109, 110, 122; 34:53, 244; 35:80, 121, 125, 238, 239; 36:136, 179–182, 282; 38:156; 40:463; 41: 146, 148, 157, 165, 254; 42:311, 333; 44: 115, 230, 337; f. purpureum 25:83; 35: 89, 278; var. andinum 4:148–150, 196; 5: 35: 9:162, 210: 1105; 15: 144, 20:24 Empress Tree 25:172, 173 Empusa 8:67, 68; 26:218

Enantioblastae 9:37

Encalypta 6:145; 41:112. ciliata 6:145; 14: 52; 39:13, 40. Macounii 6:145. procera 19:68. rhabdocarpa 30:4. scabrata 36:132 Encalyptaceae 30:4; 39:40; 41:112

Encelia nutans 12:16

Enchanter's Nightshade 31:140

Encyonema caespitosum 9:135. lunatum 10: 180. prostratum 9:135. ventricosum 10: 182, 183

Enditria 5:249

Endocarpon miniatum, var. complicatum 28: 159. pulvinatum 36:142, 154

Endoderma 8:123. strangulans 17:91. 8:123. Wittrockii 8:123, 124; 26:213; 50:258

Endosphaera biennis 7:99

Englera 9:38 Englerastrum 9:38 Englerella 9:38

English Ash 25:174. Blackberry 28:80, 84. Cowslip 22:143. Hawthorn 11:47. Ivy 41: 478, 552. Oak 7:124, 126; 14:20, 90. White Oak 7:125

Ensatae 47:385

Enslenia albida 40:282

Enteridium Rozeanum 1:128; 29:170, 173. splendens 2:79, 81, pl. 16

Enteromophthoraceae 8:67

Enteromorpha 2:104; 4:123, 175; 5:2, 3, 7, 8, 18, 27, 28; 7:97, 172, 223, 227, 238; 10: 162; 11:23; 12:9; 24:109; 26:190; 32:106; 40:268; 50:257, 269, 270, 275. acanthophora 5:19, 29, 31, pl. 43. arctica 5:22. aureola 5:30. clathrata 2:44; 5:20, 22, 26, 28, 31, pl. 43; 7:224; 26:191; 35:149; 50:258, 259; f. prostrata 5:29; var. crinita 5:26; var. crecta 5:28; var. prostrata 5:26; var. ramulosa 5:29; var. Rothiana 2:44. compressa 2:44; 5:19, 21-25, 31, pl. 42; 21:207; 26: 213; 50:258; f. subsimplex 5:25. crinita 2: 44; 5:19, 26, 28, 31, pls. 42, 43; 7:224; 10: 115, 116, 160, 162; 24:50, 52, 53. cruciata 1:126; 2:44; 5:19, 27, 31. erecta 2:44; 5:20, 28, 31, pl. 43; 7:224; 50:258. fascia 5:19, 20. flexuosa 5:19, 21, 23, 31, pl. 42. Grevillei 11:23. Hopkirkii 2:44; 5:20, 26-28, 31, pl. 43; 7:224; 10:160, 162; 50:258. intestinalis 2:44; 4:175; 5:14, 18, 19, 21, 23, 24, 31, pl. 42; 7:224; 10:160, 162; 17:91; 21:203, 205; 26:213, 215; 29:139; 33:129, 130; 50:257, 258; f. bullosa 8:106; f. clavata 5:23; 10:116; f. cylindracea 2:44; 5:23; 7: f. prostrata 5:29; var. crinita 5:26; var. 5:23; 10:116; f. cylindracea 2:44; 5:23; 7: 224; 10:116; f. maxima 2:44; 5:23; f. tenuis 5:23; 50:274; var. compressa 5:25; var. micrococca 5:20; var. minima 5:24. lingulata 5:21, 22. Linza 2:44; 5:3, 10, 14, 18, 19, 23, 24, 31, pl. 42; 7:224; 11:24; 26:191, 213; 50:257, 258; f. erispata 5:24; f. lanceolata 5:24; var. crispata 7:224; var. oblanceolata 50:258. marginata 2:44; 5:19, 25, 31, pl. 42; 50:259. micrococca 2:44; 5:19, 20, 25, 31, pl. 42; 8:106; 43:213; f. bullosa 8:106; var. subsalsa 2:44; 5:19, 20. minima 2:44; 5:19, 20, 24, 31, pl. 42; 7:224, 242; 26:213; 50:257-259; f. glacialis 5:25; f. rivularis 5:24. percursa 2:44; 5:2, 19, 26, 27, 31, pl. 42; 7:225; var. ramosa 5:26; var. simpliciuscula 5:26. plumosa 5:27; 21:203, 205; 26:213; 50:259. prolifera 2: 44; 5:19, 21, 22, 26, 31, pl. 42; 7:225; 17: 91; 21:203, 205; 43:213; 50:259; var. arctica 5:22; var. flexuosa 50:259; var. trabeculata 5:22; var. tubulosa 5:19, 22; 50:259. ramulosa 2:44; 5:19, 29, 31, pl. 43. salina 5: 19, 22; var. polyclados 5:19, 22. torta 1:126; 2:44; 5:19, 26, 31, pl. 42. tubulosa

Entocladia viridis 8:124. Wittrockii 50:258. 259

Entoderma Wittrockii 2:44 Entodon 35:146. repens 4:183

Entodontaceae 30:11

Entoloma 13:58; 16:48, 50. clypeatum 13: 58, 59. cuspidatum 2:193. flavifolium 16: 50. fumosonigrum 16:50. grande 13:59, lineatum 44:170. mirabile 16:50. modestum 13:59, 65. nidorosum Peckianum 16:50. rhodopolium 13:63. salmoneum 16:50. sinuatum 13:59. strictius 13:58, 65; 44:170

Entomophtora 8:67, 68. americana 8:67. glo-

eospora 8:68

Entomophthoraceae 8:67: 23:183 Entomosporium maculatum 39:370

Entophysalis 10:162. granulosa 2:41; 7:172; 10:162; 50:256. Magnoliae 2:41

Entosiphon sulcatus 50:277

Entomostraca 6:234

Entosthodon Bartramii 38:240

Epeolidae 41:186

Epeolus 41:186. pectoralis 41:186

Eperna 33:92

Ephedra 40:215, 216. antisyphilitica 215-217; var. brachycarpa 40:218. nevadensis 40:215-217. Reedii 40:216, 217. texana 40:215, 216

Ephemeraceae 12:146, 147, 149; 38:240

Ephemerum 12:147, 148, 150. cohaerens 12: 147, 149, 150; 15:13. crassinervium 12: 149, 150. hystrix 12:149. megalosporum 12:149, 150. papillosum 12:149, 150. serratum 12:148–150. sessile 12:149. spinulosum 12:147-150

Epicampes 18:233

Epicladia Flustrae 2:44; 7:225

Epidendrum 2:31; 7:120; 30:54. variegatum 7:120

Epifagus 6:129; 9:55; 25:186; 36:353. virginiana 1:82; 2:219; 3:295; 4:93; 5:136; 6: 129, 152; 25:186; 32;152, 215, 216, 274; 33:140; 36:352, 353; 38:444; f. pallida 36:59

Epigaea 6:125; 13:193; 14:235; 16:88; 21:86; 24:153; 29:1; 36:233. repens 1:93, 200, 216; 2:214; 5:219; 6:125; 7:110; 11:97; 12: 129; 13:97, 139, 193, 216; 15:190; 19:220; 22:40, 41, 43, 44, 122; 24:153; 26:175; 28:60; 29:131, 183, 218; 32:206, 216, 269; 36:233; 37:320; 40:148, 449; 41:444-446, 516, 520, pl. 562; 44:121; 50:250; f. plena

38:408; 50:250, 251; var. glabrifolia 41: 446, pl. 562; 50:250

Epilobium 3:164; 6:123; 7:160, 161; 9:157; 11:143; 13:123; 20:1, 9, 30, 32; 23:115; 26:48; 28:60, 126; 30:137; 31:9; 33:60; 35: 124; 37:65; 40:433; 41:144, 263, 479; 46: 250; 50:178. § Chamaenerion 20:1; 35: 124. § Lysimachion 20:29. ser. Palustri-formes 27:33; 46:378, 382, 383. ser. Tetraformes 27:33; 46:378, 382, 383. ser. Tetragonoideae 46:383. adenocaulon 6:123; 7: 109; 11:96, 129; 17:151, 217; 18:40; 20: 32–35; 22:136; 32:261, 267; 36:374; 46:383, 384, 386; var. occidentale 20:33, 35; var. perplexans 16:192; 17:154; 20:33, 35; 46: 383, 384, 386. alpinum 9:154, 162, 191; 11:141–147; 20:36–38; 28:103, 219; 29: 217; 34:244; 35:121; 38:156; 44:101, 115; 6. lactiflorum 11:147; var. fontanum 11: 146. 147; var. Hornemanni 11:145; var. 146, 147; var. Hornemanni 11:145; var. majus 11:146, 147; var. nutans 11:146, 147. alsinefolium 11:144, 146; 20:36. americanum 46:383–386. anagallidifolium 3:164, 175; 9:162; 11:144-146; 20:36, 37; 28:103, 219; 44:101, 115. angustifolium 3:175. 188; 6:123; 11:129; 13:138; 17:154, 217; 18: 40; 20:1-4, 6-10; 22:136; 23:115; 25:10; 33: 51, 122; 34:54, 64; 35:58; 36:282; 37:206, 364, 365; 41:154, 165, 263; 42:312, 334; 44: 106; 45:313; 50:19; \$\beta\$ canescens 20:4; f. albiflorum 20:3, 4; 23:115; 42:334; 50:19; f. macrophyllum 20:2, 4; f. spectabile 20: 4; 42:334; var. intermedium 20:3-5; 28: 217; 36:282; 38:156; 41:263; var. macro-phyllum 20:4; 29:127, 129, 182, 216; 35: 58, 278; var. platyphyllum 20:4, 5; 37: 364. Behringianum 28:109, 219. Bongardi 20:38. boreale 20:33; 28:117, 218, 219; 35:278; 44:128; 46:386. brevistylum 28:123, 218, 219. ciliátum 46:383, 385, 386. cinerascens 46:386. coloratum 3:188; 5:131; rascens 46:386. coloratum 3:188; 5:131; 6:123; 11:129; 17:217; 20:33; 23:115; 24:177; 32:266; 40:431, 433; 41:550; 43:524, 617; 46:137, 383; 47:199. davuricum 28: 100, 118, 121, 217; 35:57, 278; 36:282; 41: 147, 263; 46:379. densum 13:220; 15:201; 17:151; 20:29-31; 21:116; 23:115; 27:32, 108; 32:266; 41:518, 520; 46:377, 378, 381-383; var. nesophilum 20:29, 31; 27:32; 44: 143. Drummondii 28:99, 108, 218, 219; 38:126, 131; 44:124. ecomosum 34:39, 40, 116: 44:143. exaltatum 46:386 frances 40, 116; 44:143. exaltatum 46:386. franciscanum 34:40. glandulosum 20:31–34; 28: 79; 29:129, 182, 217; 34:40; 41:264; 42: 79; 29:129, 182, 217; 34:30; 41.201, 42.334; 44:127; 46:383, 384, 386; var. adenocaulon 20:34, 35; 23:115; 24:177; 25:10; 26:48; 32:267; 33:122; 34:39, 40; 35:251; 46:383, 384; var. brionense 20:34, 35; 44: 143; var. cardiophyllum 20:34, 35; 44: 143; var. ecomosum 26:48; 34:39; 44:143; var. occidentale 20:34, 35; 23:276; 24: 177; 34:54; 46:384; var. perplexans 20: 34, 35; 33:75; 46:383, 384; var. typicum 20:34, 35. hirsutum 6:204; 10:152, 167; 23:115; 26:48; 34:64; 50:176, 178. Hornemanni 3:164, 175; 11:96, 141-143, 145-147; 20:36-39; 28:109, 116; 29:15; 34:54; 35:58,

121; 38:299; 41:154, 264; 50:214. intermedium 20:5. jucundum 37:324. khasianum 11:142. lactiflorum 11:141-144, 146, 147; 11:142. lactiflorum 11:141–144, 146, 147; 20:36–38; 28:117, 122, 219; 29:15; 35:58, 89, 121, 125, 279; 36:282; 44:115. latifolium 7:5; 13:111, 132; 20:6–10; 25:10, 113; 28:76, 104; 35:121; 37:364, 365, 418; 38: 156; 41:147, 155, 165, 264; 42:314, 334; 44:106, 120, pl. 698; 45:313; 46:251; f. albiflorum 46:251, 252; f. leucanthum 46:252; subsp. leucanthum 41:284; 46:252; 252; subsp. leucanthum 41:264; 46:252; var. albiflorum 41:264; 46:252; var. kamtschaticum 42:334. leptocarpum, var. Macounii 28:109, 218, 219; 37:65, 68, 74, 199. leptophyllum 46:378, 381, 382, 385; 49: 250; f. umbrosum 46:383. lineare 5: 133; 6:123; 7:110; 13:220; 32:266; 46:377–383; f. umbrosum 46:383; var. oliganthum 1:82; 6:205; 46:379, 380. micranthum 37:324. minutum 37:324. molle 3:34; 13:148; 15: 166, 201; 19:231; 20:30; 21:116; 23:115; 24:118; 32:177; 35:251; 46:377, 378, 382, 383; var. sabulonense 20:31; 46:383. montanum 20:34, 35. nesophilum 27:32, 33; 28:85, 127, 217; 35:59; 44:143; 46:378; var. sabulonense 46:383. nutans 11:146. 147; 27:34. occidentale 20:35; 46:384, 386. oliganthum 46:378-381. origanifolium, var. intermedium 11:146, 147. ovatifolium 38: 299. palustre 2:125; 11:96, 231; 13:188; 299. parustre 2:125, 11:90, 251, 15:158, 14:55; 20:29-31; 23:115, 276; 25:10; 27: 32, 33; 29:132, 217; 35:12; 36:282; 37: 206, 324; 41:159, 264; 42:334; 46:379; var. altaieum 27:33; var. labradorieum 27:33; 28:217; 31:142; var. lapponieum 28:116, 28:217; 31:142; var. lapponeum 28:110; 217; var. longirameum 13:188; 25:10; 34:54; 44:143; var. mandjuricum 27:33; 28:80, 217; var. monticola 11:96; 23:115, 276; 29:182, 217; 32:150, 214, 266; 33:109, 112, 122; 46:379, 380; var. oliganthum 46: 379. paniculatum 11:52; 35:390; 37:68, 199, 204, 216, 259, 324; 43:335; f. subulatum 27:224; var. subulatum 37:224; var. subulatum 37:248; 43:335 37:324; var. subulatum 37:324; 43:335. pauciflorum 20:2, 5. perplexans 20:35; 46:384. Pylaieanum 27:33, 34; 28:84, 217; 35:12, 278, 402, pl. 259; 46:379. rospinificijum 46:279 29:0. 2014 0:379. marinifolium 46:378, 380, 381; 49:250. rubescens 36;411. saximontanum 22:194; 28: 126, 219. scalare 28:218, 219. spicatum 20:4; 29:182, 216; β. albiflorum 20:4; β. leucanthemum 20:4. squamatum 46:378, 380. Steckerianum 20:38. strictum 1: 25; 6:123; 9:63; 46:377, 378, 381–383. subulatum 37:324; 43:335. tenellum 46: 378, 381, 382, 385. tetragonum 29:182, 217. Tracyi 37:324. wyomingense 28:60, 217. Tracyi 37 217, 219; 35:278

Epine 1:168

Epinette blanche 31:20. noire 31:20. 31:20

Epipactis 7:158; 11:77; 19:38, 57; 27:105; 44:457; 50:238. chinensis 27:106. piens 15:98; 32:205; 33:226; 37:68, 70. discolor 27:105. gigantea 45:267. Helleborine 1:52; 4:22; 48:88; 49:60; 50:236, 237, map. labiata 27:106. latifolia 42:

521; 44:456; 48:88. Lessonii 44:72. Mairei 27:105, 106. melinostele 27:106. monticola 27:105. palustris 3:202. pauciflora 27:106. pubera 50:126. pubescens 11:77; 11:77, 15:00. Dubera 50:120. pubescens 11:77, 19:38, 57; 37:315. repens 1:5; 19:38; 24: 99; 29:211; 41:215; var. ophioides 11:92; 18:35; 19:38, 57, 127; 22:40, 47; 29:155, 211; 32:205; 34:52. Royleana 27:106. setschuanica 27:106. secundiflora 27:106. tangutica 27:106. Tenii 27:106. tesselata 11:77, 15:00: 10:22 57, 129: 20:40, 42 11:77; 15:98; 19:38, 57, 128; 22:40, 42, 47, 137; 32:205. Wilsoni 27:106. xanthophaea 27:106. yunnanensis 27:106, 107 Epipactis, Broad-leaved 50:236

Epithemia argus 9:138; var. amphicephala 10:180. gibba 9:138, 10:180; var. ventricosa 9:138; 10:180. musculus 9:138. turgida 9:138; 10:183. zebra 9:138; 10:183.

var. proboscida 10:180

Epixiphium 44:437 Equiseta 6:148

Equisetaceae 6:102; 10:60; 18:31; 23:211; 25: 6; 29:205; 31:43; 32:229; 35:354; 36:276;

43:78; 45:308; 49:255

43:78; 45:308; 49:255

Equisetum 1:167; 3:221; 5:203; 6:92, 102; 10:60, 195, 207; 12:170; 16:16; 30:79; 31: 163; 33:21, 110, fig. 1; 35:354; 36:372; 39: 261; 44:33; 47:384. arvense 3:190; 6:92, 102; 10:60; 16:14; 17:150; 18:30, 31; 22: 135; 23:211, 214; 29:205; 30:79; 32:205, 229; 33:109, 115; 34:50; 35:354; 36:276; 37:206; 39:186; 41:146, 159, 167, 172; 42: 316, 363, 404; 43:521; 49:203; f. campactra 316, 363, 404; 43:521; 49:203; f. campestre 48:82; 49:284; f. decumbens 33:112, 115; 43:78; f. nemorosum 43:78; f. pseudo-sylvaticum 6:102; 43:521, 528; var. boreale 30:79; var. nemorosum 6:102. Braunii 49:206. corymbosum 49:280, 284; var. casuarinaeforme 49:284; var. polystachium 49:284. fluviatile 6:102; 10:60; 23:43, 44, 46, 209; 35:251, 354; 42:316; 49:203; a. praecox 23:45; β. limosum 23:45; f. limosum 11:87; var. polystachyum 23:47; var. uliginosum 23:46; var. verticillatum 23:46. Heleosum 23:46; var. verticillatum 23:46. Heleocharis 23:44, 45; A. fluviatile 23:46; f. polystachyum 23:47; B. limosum 23:45; f. uliginosum 23:46; f. limosum 23:45; f. polystachyum 23:47; f. uliginosum 23:45. hyemale 4:55; 6:102; 24:98; 30:79; 33:51; var. affine 10:60; 16:15; 23:187, 211, 215, 21:6; 24:98; 30:80; 35:354; 39:380; 40:385; 42:363; 43:523, 528; f. intermedium 30:80; var. intermedium 23:211, 219, 220; 27:28; 30:80; 39:186; var. Jesupi 30:80; var. pumilum 30:80. laevigatum 46:74. limosum 5:132; 6:102; 10:60; 23:43-45. 209. pulmum 5:132; 6:102; 10:60; 23:43-45, 209, 211, 214; 29:205; 30:79; 33:22; 34:50; 35: 354; 36:276; 41:149, 153, 172; α genuinum 23:45; α. Linnaeanum subvar. minus, 23: 46; β. aphyllum 23:45; β. Candelabrum 23: 47; β. minus 23:45; β. ramosum 23:46; γ. polystachyum 23:47; f. brachycladon 23: 46; f. fluviatile 23:46; subf. attenuatum 23:46: subf. brachycladum 23:46; subf. leptocladum

23:46; subf. polystachyum 23:47; f. leptocladon 23:46; f. Linnaeanum 23:45; subf. minor 23:46; f. minus 23:45; 35:354; f. natans 30:79; f. polystachium 23:45, 47, 97, 187; f. verticillatum 23:45-47; 35:354; var. attenuatum 23:46; var. E. fluviatile 23:46; var. Linnaeanum 23:45; var. simplex 23:45; var. uliginosum 23:45; var. verticillatum 23:46. litorale 7:106; 10:60; 16: 16; 22:136; 23:187, 211, 219; 29:127, 145, 205; 30:79; 35:354. majus 49:203. maximum 24:134; 49:203, 204. palustre 1:67; 6:192; 15:156; 21:65; 23:211, 219; 25:6; 30:79; 31:82; 35:354; 36:276, 305; 38:366; 39: 186; 41:149, 172; 42:316; 45:308; 49:278-285; (B) polystachion 49:280, 284; 4. arcuacladon 23:46; f. Linnaeanum 23:45; subf. 285; (B) polystachion 49:280, 284; 4. arcuatum 49:283; 5. ramulosum 49:285; 7. polystachyum 49:284; f. corymbosum 49:284; f. racemosum 49:284; β. Équisetum palustre minus polystachyon 49:279, 284; f. arcuatum 49:282–284; f. filiforme 49:282, 285; f. fluitans 49:282, 284; f. nanum 49:286; f. nigridens 49:282, 283; f. polystachion 49:281, 282, 284; f. ramulosum 49:282, 284, 285; f. simplicissimum 49:285; f. tenue 49:285; f. verticillatum 49:282–284; a. breviramosum 49:282, 283; b. longiramosum 49:283; var. americanum 30:79, 80; 49:281, 282, 284, 285; f. fluitans 49:284; f. luxurians 49:281, 283, 284; f. nigridens 49:283; f. ramosissimum 49:285; f. racemosum 49:284; β. Equisetum palustre dens 49:283; f. ramosissimum 49:285; f. tenue 49:281, 285; var. arcuatum 49:283; var. nanum 49:286; var. nigridens 44:138; 49:283; var. polystachium 49:280; f. corymbosum 49:280; f. racemosum 49:280; var. ramosissimum 49:281, 284, 285; var. ramulosum 49: 285; var. simplicissimum 49:285; var. tenue 49:281, 285. polystachium 23:47. prealtum 46:74. pratense 5:203; 6:92, 138, 148, 193; 8:168; 12:113; 13:115; 14:75; 15: 98; 16:96; 19:107; 23:211, 219; 24:112; 28: 125, 149; 29:32; 35:14, 130, 354; 39:186; 41:172, 505; 42:316. scirpoides 3:253; 6: 102; 10:60; 12:170; 13:125; 17:64; 19:68; 21:65; 23:133, 139, 170, 187, 211, 216; 25: 185; 29:121, 145, 205; 30:80; 32:205; 33: 227; 35:355; 36:276; 41:172. sylvaticum 3:190; 5:134; 6:92, 102; 10:60; 11:87; 17: 152; 20:129-131; 22:137, 165; 29:205; 32: 205; 259; 33:51; 35:354; 36:305, 421; 37: 206; 41:505; 42:316; 49:282; var. capillare 20:131; var. paueiramosum 20:130, 131; 23: mosissimum 49:281, 284, 285; var. ramulosum 20:131; var. pauciramosum 20:130, 131; 23: 211, 215; 25:6; 29:132, 145, 205; 33:115; 34:50; 35:354; 38:139; 41:173; f. multiramosum 20:131; 23:211, 215; 35:354; var. praecox 20:131; var. pyramidale 20:131; var. praecox 20:131, var. pyramidae 20:131, var. robustum 20:131; var. squarrosum 20:130, 131; 41:172, 173. Telmateia 23:44; 24: 134; 49:203, 204, 206, 207; var. Braunii 49:206, 207. uliginosum 23:45, 46. variegatum 1:221; 3:253; 6:192; 12:112; 13:130; 18:101, 142; 23:25, 211, 218, 219; 24:112, 184; 28:62; 29:132, 205; 30:80; 35:355; 36: 276; 37:204; 40:248; 41:173; 42:316; var. anceps 30:80; var. Jesupi 6:193; 15:154, 156; 23:211, 218, 219; 24:112; 30:80; f.

geminatum 15:156; f. multirameum 15:156; var. Nelsonii 7:106

Erable 1:168 Eragrostis 7:160; 12:40; 15:132; 20:173, 175, 178; 21:128, 216; 28:113; 29:10; 35:214; 36: 178; 21:128, 216; 28:113; 29:10; 35:214; 36: 420; 47:108; 49:263. campestris 4:144. capillaris 2:157; 10:146; 12:40; 15:132; 17: 227; 29:12, 13; 42:42; 44:258; 48:18, 24; 49:263. capitata 28:114, 115. caroliniana 21:137; 29:19, 21-26; 47:198. cilianensis 18:235; 44:70, 335; 49:263. condensata 19:95. Damiensiana 30:155-157; 47:108. Elliottii 44:258. Frankii 1:230, 2:87, 127; 17:227; 21:136; 29:23; 34:32, 95; 48:18, 24; 49:263; var. brevipes 34:95. glomerata 44:258. hirsuta 36:420: 37:134: 38:384: 24; 49:205; var. brevipes 34:95. glomerata 44:258. hirsuta 36:420; 37:134; 38:384; 39:474, 481; 41:500, 501; 42:390, 410; 49: 263; var. laevivaginata 41:500, 501; 42:391. hypnoides 21:191; 28:113-115; 39: 341, 366; 40:369; 41:477, 500; 42:410; 48:18, 24, 330; 49:263. inconspicua 30:156. intermedia 48:18; 49:263. major 4:39; 6:82; media 48:18; 49:263. major 4:39; 6:82; 18:235; 49:263. megastachya 13:18, 88, 178; 15:132; 18:235; 31:82; 48:18; 49:263. minor 9:12; 15:132; 49:263. multicaulis 47: 108; 48:18, 21; 49:263. multiflora 18:235. neo-mexicanus 6:82. nitida 4:144. pectinacea 15:132, 159; 32:236; 37:83; 46:75; 47:198, 199; 48:18, 24; 49:263, 264; var. spectabilis 15:132; 19:119; 32:236; 49:263. peregrina 19:95; 20:173-179; 21:133-140. 25:207; 29:19, 21-26; 30:155, 157; 37:83; 40:386; 42:410; 46:58; 47:108; 49:263; pilifera 40:331. pilosa 13:177; 15:132; 19: 93-95; 20:173, 174; 21:133-140; 28:74; 29:19, 22-26; 30:156; 48:18; 49:263; subsp. Damiensiana 30:156; 47:108. poaeoides 41:474, 500; 47: 42; 48:18; 49:263. Purshii 1:165; 2:127; 4:39; 10:153; 19:94; 20:173, 174; 21:133-140; 49:263. refracta 39:423, 477. reptans 4:39; 28:113-115. spectabilis 47:264; 48: 18, 24; 49:263; var. sparsihirsuta 48:19, 24; 49:264. trichodes, var. pilifera 40:331. 18:235; 49:263. megastachya 13:18, 88, 49:264. trichodes, var. pilifera 40:331. Weigeltiana 28:114

Eragrostis, Creeping 21:191. Tufted 28:74 Eranthemum laxiflorum 18:159

Eranthis 31:14; 33:88. hyemalis 18:177
Erechtites 6:133; 19:25, 26; 26:86; 37:306. hieracifolia 6:133; 17:209, 218, 219, 225; 18:99; 19:24–27; 26:86, 228; 28:72; 32:153, 280; 37:195; 39:372, 375; 48:122; 50:300; var. intermedia 19:27; 26:86; 37:195; 42: 47; var. megalocarpa 48:122; var. praealta 19:27; 26:86; 32:280; 42:47; var. typica 19:27. megalocarpa 19:24, 27; 28:111; 32:280; 41:256; 43:82; 48:122. praealta 6:133; 19:25–27

Eremocarpus setigerus 43:272

Erianthus 39:203; 45:249, 250, 255; 47:100. alopecuroides 14:166; 39:196, 481; 45:249, 251, 252, 254, 255, pl. 761; 47:100, 109; var. brevibarbis 45:246. brevibarbis 40:390, 391; 44:255, 367, 383; 45:246-250, 255, pls. 759, 760; 47:209, 212. coarctatus 45:246-249,

100 Rhodora

255, pl. 758; var. Elliottianus 45:246, 248. compactus 40:367, 390; 41:529; 45:249, 251, 252. contortus 39:477; 44:255. divaricatus 14:166; 36:219; 39:196; 45:252, 255, pl. 761. giganteus 14:166; 39:481; 40:390; 45: 249–251; 50:16. saccharoides 14:166; 45:249–252; subsp. brevibarbis 45:248; var. compactus 45:252. strictus 40:371, 390; 41: 529; 44:255; 45:249

Erica 9:47; 10:173, 175, 176; 16:158; 36:27; 47:290, 291. ciliaris 15:191. cinerea 1:93; 10:173, 179; 15:189. Gnaphalodes 47:377. hiemalis 36:234. Plukenetii 47:291. spumosa 47:377. Tetralix 1:93; 10:173, 176, 178, 179; 15:189, 191; 30:204, 205. vulgaris

9:47

Ericaceae 1:93, 183; 3:193, 264; 4:200; 6:125; 12:182; 13:221; 18:41, 98; 22:34-38, 40-43, 47; 24:152; 25:10, 116; 29:123, 217, 238; 31:43, 92, 95; 32:269; 36:283; 37:157, 306; 38:90; 40:149-153, 162, 167, 169, 170, 174; 42:352; 43:81; 44:187; 45:314; 49:255, 288; 50:298. subfam. Ericoideae 22:44-46; trib. Andromedeae 42:385; trib. Rhododendreae 11:53. subfam. Monotropoideae 11:153. subfam. Pyroloideae 22:44-46; trib. Pyrolineae 29:2. subfam. Vaccinoideae 22:44-46

Erigeron 6:131; 13:124; 15:59, 205; 26:86; 31:16; 37:307; 38:235; 42:157; 43:524; 44: 120, 345; 45:263, 361; 46:327; 47:291; 50: 43. § Trimorphaea 40:344, 346. acris 9: 164, 189; 12:225, 227; 40:344–346, 358, pl. 505; 41:388–390; β. glabratus 41:389; ζ. elongatus 41:390; subsp. angulosus 41:389; var. arcuans 28:236; 40:345, 347; 41:291; 42:340; var. asteroides 12:225, 227; 13:148; 25:11; 36:13; 40:344, 346; 41:291; 42:340; var. debilis 9:164; 12:226; 28:236; 39:495; var. droebachensis 9:164; 12:225; 40:344, 346; var. hirsutum 41:390; var. kamtscha-346; var. hirsutum 41:390; var. kamtschaticus 41:389; forme I 41:389; var. manshuricus 41:390; var. oligocephalus 12: 226, 227; 13:124; 28:236, 237; 40:344, 345, 347; 44:145. Aliceae 34:239. alpinus 12: 226; 40:345, 347; β. 28:236, 237; γ. elata 28:236, 237; 40:345; var. β. 40:345; var. γ. elatus 40:345–347; var. elatus 12:226; 40: 345. amplifolius 34:239. angulosus 41: 389; var. kamtschaticus 41:389; 42:340. annuus 6:131: 15:59, 60: 26:36: 29:124: 36: annuus 6:131; 15:59, 60; 26:86; 29:124; 36: 374; 46:324. armeriaefolius 12:227; 40: 344, 347. asteroides 12:225; 40:344, 346. bellidifolius 6:131. bonariensis 38:449; 42: 389, 495; 43:513. borealis 28:54, 123, 237; 40:345, 347, 358, pl. 505. caespitosus 42: 340. callianthemus 45:263, 264. camphoratus 41:459–461, pl. 569; 44:228. canadensis 6:131; 15:205–208; 17:36, 218, 225; 21: 170; 22:137; 26:86, 186, 228; 29:125, 190, 221; 32:278; 33:185; 36:374; 46:324, 327; 49:68, pl. 1055; 50:300; f. coloratus 31:53; var. glabratus 15:207, 209; var. pusillus 15:208. carolinianus 45:413; 46:323-325, 327–329. commixtus 34:6. compositus 30: 122: 39:495; 41:291; var. discoideus 50: 238, 239; f. trifidus 50:238; var. glabratus 50:239; var. incertus 39:495; var. multifidus 30:122; var. trifidus 30:122; 31:55; 33:233, 234; 42:340; 44:112; 50:238, 239; var. typicus 30:122. Coulteri 36:10. divaricatus 36:221. droebachensis 12:225; 40: 344, 346; 41:388; b. angulosus 41:389. elatus 12:226; 28:236, 237; 40:345–347, 358, pl. 505; 41:149, 291; 42:340; 44:120; 45: 316; var. oligocephalus 40:344, 346, 347, 358, pl. 505; 44:145. elongatus 40:344-346, 358, pl. 505; 41:388, 389; 42:340. eriocephalus 36:164, 171, 190–192, pl. 284; 41:292. glabellus 48:102; var. asper 48: 102; var. pubescens 41:156, 292. glabratus 40:346. glandulosus 44:469. Gormani 29: 36; 50:239. grandiflorus 41:292. hyssopifolius 1:48; 6:131, 193; 9:154, 164, 167, 172, 191; 11:99; 12:114; 13:117; 16:193; 17:18; 18:101; 23:136, 164, 170, 295, 300, pl. 130 (map 7); 36:284; 46:324, 325; var. villicaulis 17:17; 35:314, 315, 331. integrifolius 15:60. kamtschaticus 41:389; var. hirsuta 41:390; var. manshuricus 41:390. lanatus 37:365. lapiluteus 40:344, 346. linifolius 38:449. lonchophyllus 12:227; 29: 106; 36:13; 40:344–347; 42:340; var. laurentianus 32:13; 40:346, 347. multifidus 30: 122. nanus 41:292. nervosus 44:466, 467, 471; 46:325. paniculatus 15:207, 208. datus 50:239. peregrinus 45:264; subsp. callianthemus 45:264. philadephicus 6: 131; 13:141, 148; 21:170, 200; 22:136; 23: 295; 26:86; 34:8; 36:284; 38:449; 40:471; 43:655, pl. 695; 45:361; 49:189; var. scaturi-Cola 49:189. pilosus 40:468. pulchellus 6:131; 22:92; 26:86; 36:221; 38:235, 449, 454; 39:399; 40:422, 471; 42:279; 44:476; β. unalaschkensis 36:191; var. Brauniae 38:235. purpuratus 29:35. pusillus 15: 206-208; 19:250; 24:120; 26:86; 32:278; 35:39; 37:449; 50:300. quercifolius 36:51; 43:516, 654; 46:325. racemosus 12:227; 40:347. radicatus 41:148, 292; 42:340; 45: 316. ramosus 6:131; 15:59, 60; 17:36; 22: 136; 26:86; 28:72; 29:124; 32:278; 38:449; 136; 26:86; 28:72; 29:124; 32:278; 38:449; 44:340; f. discoideus 40:347; 42:104; 44: 340; var. Beyrichii 38:449; 39:482; var. discoideus 26:86; 40:347; 44:340; var. septentrionalis 15:60; 19:250; 24:120; 26: 87; 44:145, 340. salsuginosus 34:239; 42: 340; 45:263; var. unalaschcensis 11:141. scaturicola 43:654, 655, pl. 695; 44:345; 45:361; 49:189. strictus 15:207, 208. strigosus 3:189; 6:131; 15:60; 44:340; 46:324, 325; 48:116; 50:239, 300; f. discoideus 44: 340: 46:478; var. Beyrichii 44:340: 46:140; 340; 45:478; var. Beyrichii 44:340; 46:140; var. discoideus 40:347; 44:340; 50:239, 240; var. eligulatus 50:240; var. septentrionalis 44:340. tenuis 36:232. Thompsoni 34: 238; 36:8. trifidus 30:122; 34:244; 38:299; 50:238, 239. unalaschkensis 36:190–192; 38:159; 41:163, 292; 45:316. uniflorus 25: 114; 36:148, 191. vernus 36:51; 38:378, 394; 39:473, 480; 40:379, 471; 42:360. 495. yellowstonensis 40:344, 346

Erigerons 45:264

Eriocaulaceae 5:188; 6:109; 11:40; 12:6; 29:

209; 31:43; 32:242; 33:53; 49:255

Eriocaulon 6:109; 7:43, 44, 73; 8:27; 12:6; 13:93; 33:36, 39, 42, 44, 73; 36:350; 42:515; 13:93; 33:36, 39, 42, 44, 73; 36:350; 42:515; 43:209; 44:438; 49:255. articulatum 11: 40, 41, 240; 22:136; 24:61; 32:242; 37:164. compressum 24:186; 36:41, 52, 422; 39: 480; 44:241. decangulare 7:73; 11:41; 21: 119; 23:92; 39:363, 395, 467, 472, 480; 44: 241, 370, 389; 48:58; 49:87, 127. flavidulum 49:128, 129. gnaphalodes 24:186. Parkeri 5:175, 176; 19:91, 126; 21:116; 24:149; 33: 73; 34:39; 42:378, 386, 391, 399, 401, 432, 510, 513, map 17; 43:209, 211, 547; 44:372, 389, 438; 49:128, 129. Ravenelii 5:176. septangulare 1:155, 184; 3:79, 81, 82; 4:103; 5:130, 134, 176, 188; 6:109; 7:73, 110, 187; 9:121; 11:40, 41, 91, 129; 12:6; 13:117, 135; 3:130, 134, 170, 188; 6:109; 7:73, 110, 187; 9:121; 11:40, 41, 91, 129; 12:6; 13:117, 135; 14:31; 15:162; 16:39; 17:68; 19:126; 23: 102; 24:61, 186; 29:131, 163, 209; 32:149, 150, 172, 213, 242; 33:39, 73, 113, 118; 35:5, 387; 36:94; 37:164, 249, 308, 332; 38: 340, 364; 40:146; 42:87, 90; 43:209, 211; 44:244, 245; 47:208. villosum 39:395 rigobles, 36:420, contracts, 36:416, 420

Eriochloa 36:420. contracta 36:416, 420.

punctata 36:416

Eriogonum 43:212; 46:282. annuum, f. roseum 35:347. deflexum 46:282; subsp. Watsonii 46:282; var. brachypodum 46:282. depressum 37:364. flavum 48:101. hemipterum 47:92. hieracifolium, var. hemipterum 47:92. multiceps 48:101, pl. 1026. pauciflorum 48:101. tomentosum 42:449; 50: 199, 200

Eriolytrum 13:174 Eriophora 41:153, 157

Eriophora 41:135, 137
Eriophorum 4:82; 6:107; 7:81, 129–133; 8:
98, 161; 13:104, 113, 114; 15:20, 202; 28:
98; 31:124; 33:60; 42:311; 44:28, 33; 49:50.
§ Multivacuae 27:206. § Paucivacuae 27:
206. § Phyllanthela 7:86. § Trichophorum
49:51. § Vaginata 7:81; 27:203, 204, 206;
sub-§ Multivacuae 27:206; sub-§ Paucivacuae 27:206. § Phyllanthela 7:86. § Trichophorum
49:51. § Vaginata 7:81; 27:206; sub-§ Paucivacuae 27:206. § Phyllanthela 7:206; sub-§ Paucivacuae 27:206. § Phyllanthela 27:206; sub-§ Paucivacuae 27:206. § Phyllanthela 27:206; sub-§ Paucivacuae 27:206. § Phyllanthela 27:206; sub-§ Paucivacuae 27:206. § Phyllanthela 27:206. § Phyllanthela 27:206; sub-§ Paucivacuae 27:206; sub-§ Pauciva vacua 27:206. subgen. Trichophorum 49: 50. alpinum 2:121; 3:164, 170; 6:107; 7: 107, 129, 131-133; 8:161; 10:20; 22:181; 107, 129, 131-133; 8:161; 10:20; 22:181; 29:208; 31:124; 49:50, 51. altaicum 27: 210. angustifolium 7:87, 88; 10:136, 138, 139, 141; 11:89; 12:103; 13:123; 17:149, 151; 21:87; 23:98, 234; 24:97, 99; 25:7; 29: 208; 33:109, 118; 37:206; 38:143; 41:149, 157, 158, 199; 42:318; var. alpinum 7:89; var. brevifolium 7:87, 88; var. elatius 7:89; var. genuinum 7:89; var. laxum 7:89; var. waijus 7:89; 10:136, 141; 11:90; 22:111; 23:234; 29:150, 208; var. minus 7:89; var. vulgare 7:89. aquatile 27:207. brachyantherum 7:84, 85; 24:186, 187; 27:204, 208. callitrix 7:82, 85, 86, 134-136; 9:159, 180, 181, 189, 218; 10:136, 141; 136; 9:159, 180, 181, 189, 218; 10:136, 141; 11:89; 12:119, 127; 13:104, 123; 16:87; 17: 149; 19:31; 23:99; 24:186; 25:7, 112; 27: 203-208; 28:98, 105, 162; 33:101; 34:51;

41:151, 199; 42:318; var. erubescens 7: 85; 11:89; 13:113, 116, 123; 27:204, 209. capitatum 7:82, 83, 85, 134; 27:207. Chamissoi 7:83. Chamissonis 7:83, 85, 133–136; 9:159, 224; 10:141; 13:123, 147; 25:7; 27: 204, 206, 207, 210; 36:278; 41:199, 505; 44: 114, 123; f. albidum 23:131; 27:207; 45: 308; subsp. aquatile 27:208; var. albidum 308; subsp. aquatile 27:208; var. albidum 7:84; 9:159; 10:47, 141; 23:131; 27:207; 41:199; 42:318; var. aquatile 27:204, 207; 28:120, 162. cyperinum 1:137, 203; 7:130, 131, 133; 47:124; 49:50. fulvellum 7:83. gracile 2:121; 5:48, 133; 6:108; 7:86–89; 10:136; 12:127; 13:104, 123, 138; 25:7; 32: 172, 239; 33:60; 41:505; 49:243; var. cauri**anum** 7:87; var. paucinervium 1:203; 2: 69; 7:88. hudsonianum 8:161. humile 7: 134. intermedium 7:83, 133, 134; 27:207. japonicum 7:130. latifolium 7:90, 91, 133; 10:139; 29:150, 208; var. viridi-carinatum 7:90. leucocephalum 7:82; 27:207. lineatum 7:130. medium 7:83; 27:207; 41: 199; 42:318; 45:308. minus 7:89. ocre-199; 42:318; 45:308. minus 7:89. ocreatum 7:89. opacum 7:85, 136; 8:31; 10:136, 141; 11:13, 164; 27:204, 205, 207, 208; 28:53, 62, 98, 162; 35:216; 36:278; 41:146, 153, 199; 42:318. paucinervium 3: 198; 7:88; 10:47. polystachyon 4:82; 6: 107; 7:88-91, 129; 8:98; 10:138, 139; 24: 97; var. alpinum 7:89; var. angustifolium 7:89; var. latifolium 6:108; 7:90; var. majus 7:89; var. latifolium 7:87: 7:89; var. tenellum 7:87: 7:89; var. minus 7:89; var. tenellum 7:87; var. Vaillantii 4:82; 6:203; 7:91. pseudotriquetrum 7:89. rufescens 7:83; 27:207. russeolum 7:83, 133, 135; 27:207; 29:150, 7:85:133, 135, 135, 137; 27:207; 29:130, 208; 41:157, 158, 199; var. albidum 7:84; 27:207; var. aquatile 27:207; var. candidum 7:84; 23:131; 27:207; var. rufescens 7:83; 27:207. Scheuchzeri 7:82, 134; 25:7; 27: 204, 206, 207; 28:61, 109, 162; 35:120, 125; 38:134, 143; 41:146, 166, 199; 42:318; 49: 242; var. Chamissonis 7:83; 27:207. spis-242; var. Chamissons 7:83; 27:207. spissons 27:207, 208-210; 29:208; 32:178; 33: 99, 101; 34:51; 36:278; 38:143; 44:139; var. erubescens 27:209, 210; 29:150, 208; 35: 123. strictum 7:88. tenellum 7:87, 109; 10:47, 136; 11:89; 13:104, 123; 17:149; 27: 53; 32:172, 213, 239; 35:5; 44:123; 49:243; var. monticula 10:47, 141; 44:130 53; 32:172, 213, 239; 35:5; 44:123; 49:243; var. monticola 10:47, 141; 44:139. triquetrum 7:87. vaginatum 1:183; 2:121, 127, 208; 3:165; 5:36, 133; 6:149; 7:83-86, 129, 131, 134-136; 10:141; 13:217; 24:186; 27:204, 206-208; 29:208; 32:183; 41:158, 166, 199, 230, 286; 42:318; 45:308; β. medium 27:207; var. humile 7:85, 134; var. medium 27:83; var. opacum 7:86, 136; 27:208. virginianum 40:290. virginicum 2:208; 4:82; 6:108; 7:72, 91, 129, 133; 8:27; 9:121; 10: 136, 141; 11:90, 231; 13:104; 14:31; 16:90; 17:149; 18:34; 19:32; 27:53; 28:82; 29:128, 208; 32:150, 183, 216, 239; 33:109, 118; 34: 51; 35:5; 40:290; 42:390, 421; 44:364, 371. 51; 35:5; 40:290; 42:390, 421; 44:364, 371, 384; 45:405; f. album 26:2; var. album 7: 92; 10:136; 13:104; 26:2. viridi-carinatum 7:89; 10:136; 13:104; 19:31; 21:65; 24:97;

33:112, 118; 36:278; 41:505; 49:242; var. Fellowsii 7:91; 8:98; 10:136, 141; 23:234 Eriophyces 43:345. ramosus 43:346

Eristalis bastardii 34:214. flavipes 37:161. tenax 41:186, 187. transversus 41:186

Eritrichium aretioides 41:161, 163, 164, 282; 42:312, 337. oxycaryum 3:215. villosum 36:164

Erodium 3:35, 92; 4:248; 15:172; 21:79; 39: 233. Botrys 3:35; 6:82, 144; 21:79; 31: 243; 39:234, 235. fig. 1. californicum 39: 233. ciconium 15:172; 18:143; 21:79; var. tenuisectum 18:143; 21:79. cicutarium 3: 35; 6:81, 82, 84; 9:124; 15:172; 17:35, 37; 21:80; 35:363; 39:234, 235, fig. 1; 45:270; 46:135. laciniatum, var. Bovei 20:20; 21: 80. macrophyllum 39:233-235, fig. 1. malacoides 5:39; 21:80. moschatum 1:223; 4:248; 6:81, 82, 84; 19:132; 21:80; 39:234, 235, fig. 1. Stephanianum 19:132; 21:80. texanum 39:234, 235, fig. 1

Erodiums 39:233 rophila 9:54; 36:421. americana 36:371. Boerhaavii 36:370, 371. verna 36:370; var. americana 36:371; var. Charbonnelii 36: 370; var. cochleata 36:370; var. oedocarpa Erophila 9:54; 36:370. vulgaris 36:370; var. americana 36:371

Erpodiaceae 38:240

Eruca 11:44, 45; 27:31. sativa 11:28, 45, 240; 24:116

Erucastrum 13:11; 18:218; 41:78. bracteatum 13:11. gallicum 33:165; 41:78; 47:45. in-odorum 13:11. Pollichii 13:10, 11; 16:40; 18:218; 26:22; 28:88; 30:108; 34:174; 41:78

Erxlebenia 34:26 Eryngium 17:132; 24:93; 45:373–375, 381; 47: 104, 105, 384. amethystinum 3:210; 24: 93; 37:87. aquaticum 1:159; 3:210; 38: 377, 438; 39:480; 40:447; 42:386, 441, 467, 510, 513. Baldwin 47:164–168, pl. 899. integrifolium 47:166, 167. Plukenetii 44: 255. prostratum 45:373, 454; 47:103, 104, 163–168, pls. 897, 898; var. disjunctum 47:163, 164, 168, pls. 897, 898; 49:92. virgatum 47:167. virginianum 3:210. yuccifolium 1:159; 3:210; 36:224; 40:379, 447; 43:509, 617

Erysimum 6:62; 11:139; 18:218; 27:31, 65-67; 28:143. Alliaria 27:66. asperum 29:141, 142; 36:224. Barbarea 11:138, 139; 27:66. blepharophyllum 43:348. cheiranthoides 1: 81, 220; 6:84, 208; 10:72; 11:22; 16:191; 18:218; 27:66; 31:84; 34:53; 35:248; 41:239; 42:328; 45:277; 46:85. **coarctatum** 29: **141**, 142; 35:11. Drummondi 43:370. glastifolium 39:107. hieraciifolium, subsp. pannonicum, var. longisiliquum 9:41; subsp. strictum, var. longisiliquum 9:41. Holboellii 43:440. inconspicuum 41:239; 45:311. lyratum 11:138, 139. officinale 7:102, 181; 27:66, 67. Pallasii 27:171. pannonicum 18:218. parviflorum 10:146; 23:132, 265. petiolare 43:478. platyspermum 43:472. praecox 11:140. puberulum 43:451. pygmaeum 27:171. repandum 18:218; 31:243. vernum 11:140

Erysiphe cichoracearum 26:218; 39:370, 371; 41:514, 515. communis 26:218; 41:515. polygoni 39:371

Erysipheae 3:281

Erythraea 10:54. calycosa 10:54. Centaurium 1:224; 7:99; 24:234. spicata 10:54. texensis 10:54

Erythrina 9:43. micropterix 9:43. Poeppigiana 9:43

Erythrocoma 30:207. brevifolia 30:207.

ata, var. ornata 30:207. flavula 30:207 Erythronium 4:127, 128; 6:110; 10:129; 37: 349; 41:537; 42:151, 244; 44:27; 46:314, 315; 47:385; 49:137. albidum 39:101-105, fig.; 42:151; var. mesochoreum 39:104, 105, fig. americanum 4:88; 5:132; 6:110; 10:129; 12:128; 16:15; 18:30; 19:219; 31: 36; 37:59, 189; 39:102, 103, 105; 42:151; 43:156, 549; 46:314; f. castaneum 31:36; var. Bachii 29:230. Dens-canis 44:27. mesochoreum 39:101–105. propullans 37:72

Erythronium, Yellow 4:128 Erythrotrichia 7:230; 20:141. Bertholdii 20: 144. carnea 50:266. ceramicola 2:50; 7: 231; 10:134; 13:187; 26:214; 50:266. ciliaris 20:144. discigera 20:144. obscura 20:144. rhizoidea 20:144, 145, pl. 124; 50:266

Eschscholtzia 6:144; 18:214. californica 18:

Escobaria Runyonii 35:224; 38:405. Sneedii 38:407

Esnils 1:168 Espine 1:168

Euastrum 5:255; 6:234; 7:251; 10:100, 102, 108; 24:219; 26:204, 206; 37:22-24, 29; 44: 187. abruptum 37:29. affine 5:81; 24:219; 37:29. americanum 10:108. ampullaceum 7:252; 24:220. 7:252; 24:220; f. scrobiculatum 7:252. ansatum 5:81; 7:251; 24:220; 26:206; 37: 29. apiculatum 10:103. bidentatum 24: 220; 26:206. binale 24:220; 26:206; 37:29; 25; var. elobatum 7:252; var. insulare 7: 252; 24:220; var. retusum 26:206. Ciastonii 7:253. circulare 7:252; var. Ralfsii 7:252. compactum var. major 37:29. crassicolle 37:29. crassum 7:251; 26:206; var. ornatum 7:251; var. pulchrum 7:251, 266, pl. 64; var. scrobiculatum 7:251. crux-melitensis 10:108; 37:29. cuneatum 7:251; var. granulatum 7:251. denticulatum 7:252. didelta 7:252; 24:220; 37: 24, 30, pl. 325. elegans 5:81, 221, 223; 7: 252; 24:220; 37:29. everettense 37:29. evolutum 37:24, 30, pl. 325; var. Glaziovii 37: 420. 24, 30, pl. 325; var. integrius 7:252; 24:220; 26:207. fissum 37:29; var. americanum 26:207. fissum 37:29; var. americanum 7:253, 266, pl. 64. gemmatum 5:81; 7:252; 24:220; 26:207; 37:29. Glaziovii 37:24; 44:68. Hastingsii 7:252. humerosum 37: 24, 25, 30, pl. 325; f., 37: pl. 325; f. scrobiculata 37:25. inerme 7:252; 37:29. informe 37:25, 30, pl. 325. insulare 24:220; 26:207. integrum 5: 31; 24:220; 37:29. intermedium 37:28. magnificum 5:81; 37:29; var. crassioides 7: 251. margaritiferum 37:29. multilobatum

muricatum 10:110. Nordstedtianum 24:220. oblongum 9:79; 24:220; 26: 207; var. cephalophorum 37:26, 30, pl. 325. 207; var. cephalophorum 37:26, 30, pl. 325. occidentale 37:29. ornatum 7:251. papilio 7:252. pecten 37:29. pictum 24:220; 26: 207. pingue 37:26, 30, pl. 325. pinnatifidum 10:100. pinnatum 7:251; 24:220; 37:24, 29. pulchellum 24:220; 37:26; var. retusum 37:26, 27, 30, pl. 325; var. subabruptum 37:27. pyramidatum 7:252. Ralfsii 7:251. rota 37:29. sibiricum 24:220. sinuosum, var. reductum 26:207; 37:27, 30, pl. 325. sol 10:105. spinosum 7:252. tuddalense 37:24. validum 37:27, 28, 30, pl. 325. ventricosum 37:29. verrucosum 5: 81, 253; 24:220; 26:207; 37:29; var. alatum 37:29; var. reductum 7:252. Wollei 7:251; 37:28, 30, pl. 325; var. quadrigibberum 37:28 Eubotrys 41:554. elongata 41:554. racemosa

21:119; 41:554 Eucalyx hyalina 21:150. obovatus 21:162 Eucephalus glaucescens 30:228. glaucophyllus

30:228. glaucus 30:228. Gormani 29:36; 30:228. vialis 30:228

Euceridae 41:186

Eucheuma isiforme 6:182

Eucladium 41:112

Euclidium 18:219. syriacum 10:72; 18:219 Eucrypta 42:34. chrysanthemifolia 42:39; var. bipinnatifida 42:39. micrantha 42:39. Torreyi, var. paniculata 42:39

Eudesme virescens 50:261 Eudorina elegans 50:277

Euglena 50:277. agilis 50:277. fusca 50:277. gracilis 50:277. mutabilis 50:277. oxyuris 44:68. pisciformis 50:277. spirogyra 44: 68; 50:277. viridis 50:277

Euglenophyceae 44:68; 50:272, 277

Euglenopsis 2:111

Euklisia valida 41:189

Eukrania 34:29, 30. canadensis 34:29. cyananthes 34:29. mascula 34:29. suecica 34:

Eulalia 36:420; 43:536; 45:389. aurea 45: 389. viminea 36:420; 43:518, 536; 45:389; var. variabilis 45:389

Eulophus americanus 36:230

Euloxus spinosus 50:123

Eumycetes 16:79 Eunotia arcus 10:183; var. minor 10:182; var. plicata 10:183; var. tenella 10:182. Diadema 9:138. diodon 10:183; f. minor 10: 180, 183. elongata 9:138. flexuosa 9:138. formica 10:183. gracilis 9:138; var. nodosa 10:183. gracius 9:138; var. nodosa 10:183. impressa 10:180. incisa 10:183. lunaris 9:138; 10:181, 183. major 9:138; 10:181; var. ventricosa 10:181. minor 10: 182. monodon 10:181, 183. pectinalis 10: 181; var. stricta 10:182; var. ventricosa 10: 181, 183. praerupta 9:138; 10:183; var. bidens 9:138; 10:181. robusta 9:138; var. tetraodon 10:183. ternaria 10:181 tetraodon 10:183. ternaria 10:181

Eunotogramma laeve 9:138

Euonymus 11:50; 21:126. alatus 19:230. americanus 14:81; 23:71; 38:377. atropurpureus 1:107; 7:142; 19:230; 21:126, 189;

27:214; 40:382, 440; 43:520; 44:240, 346. europaeus 37:87; 42:44. radicans. acutus 42:101

Euosmus 8:197, 198; 15:14, 16-18. aestivalis 15:14. albida 8:199; 15:14-17; 38:179. Sassafras 15:14, 15, 17; 38:179

Eupatoria 47:195

Eupatoria 47:195
Eupatorium 3:83; 6:130; 9:49; 22:159; 26:87; 29:6, 31; 36:372, 373; 37:61, 307; 40:86, 159; 41:194; 42:157; 44:3, 366, 385; 45:371; 47: 226; 49:101, 254; 50:227. group Urticae-folia 42:51. ser. Rotundifoliae 37:179. ageratoides 1:171; 3:83, 84; 6:97, 130; 10: 165; 40:293; 43:557; var. angustatum 43: 557. album 21:107; 39:451, 477; var. glandulosum 39:451, 452, 480, 490, map 36, pl. 484; var. monardifolium 39:451, 452, 490, map 37, pl. 484; var. subvenosum 452, 490, map 37, pl. 484; var. subvenosum 39:451–453, 490, map 38, pl. 484; var. typicum 39:451, 452, 490, map 35, pl. 484. typicum 39:451, 452, 490, map 35, pl. 484. altissimum 40:293; 43:525, 653; 44:460; 47: 46; 50:190. americanum 22:67. amoenum 22:68, 69; 39:306. angustatum 43:557. anomalum 44:460, 461, pl. 738. aromaticum 3:33; 4:76; 13:8; 19:249; 26:87; 27:57, 62; 39:480; 47:193, 194; var. lacerum 47:194. atromontanum 22:64, 65; 39:305. ballotaefolium 43:558. boreale 3:83, 84; 6:130. Bruneri 22:64, 65, 165; 23:147, 292; 39:298, 303, 305; var. foliosum 39:305. bulliferum 43:558. capillifolium 39:474; 41:111; 47:102: 50:227. chrysocephalum 37:62. coe-102; 50:227. chrysocephalum 37:62. coelestinum 35:46; 37:88, 195; 38:377; 39: 474; f. illinoense 35:46. compositum 50: 227. cordatum 50:227. **cordigerum** 47: **192**, 193, pl. 908; 49:89; 50:28. cuneatum 192, 193, pl. 908; 49:89; 50:28. cuneatum 37:182. cuneifolium 37:179, 446; 39:477; 45:461; var. semiserratum 37:179, 446; 39:482. Dalea 31:95. deltoides 42:50, 51; 44:3, 463. deltoideum 44:463. dubium 22:63; 39:304, 305; 47:193; f. elutum 47: 195. falcatum 22:62, 68, 69; 26:87; 27: 57, 62; 35:24; 39:298, 303, 306; 40:458. fistulosum 22:67, 162; 23:173, 176; 39:298, 303, 306; 40:458; 47:193. foeniculoides 50: 27. Fraseri 3:84 fusco-rubrum 22:63: 227. Fraseri 3:84. fusco-rubrum 22:63; 39:304, 306; 50:191, 227. glandulosum 39: 451, 452. glaucescens β. leucolepis, 39:453. 451, 452. glaucescens β. leucolepis, 39:453. hyssopifolium 2:215; 3:33; 11:129; 27:57, 63; 32:151, 177, 211, 277; 37:179; 44:366, 458–461, pl. 737; 47:103, 191; 50:226; var. calcaratum 50:227; var. laciniatum 44: 459–461, pl. 737; var. linearifolium 44: 460, 461, pl. 737; 50:226, 227. incarnatum 39:482; 43:520, 653; 47:209; 50:227. ivae-folium 48:410. laevigatum 39:306. lance-colatum 37:181; 47:192, pl. 910; 50:29. leucolepis 13:152; 14:175; 25:48; 27:57, 63; 28:88; 39:344, 345, 360, 453, 454, 467, 480, 490, pl. 485; 40:368; 44:460; 49:101; var. 490, pl. 485; 40:368; 44:460; 49:101; var. novae-angliae 39:453, 454, 490, pl. 485; 44:127. linearifolium 44:459, 460; 50:226, 227. Luciae-Braunae 44:463, pl. 740. maculatum 6:130; 22:58-60, 62-64, 66, 161, 162, 165; 23:147, 174, 292; 24:182; 27:57. 61; 29:7-9, 124; 32:276; 35:252; 36:284;

104 Rhodora

39:297–306, pl. 468; 47:193; 49:252; f. Faxoni 47:195; var. β . urticifolium 39:305; var. foliosum 22:62, 66; 27:57, 61; 28:124, 236; 34:55; 39:305. Marrubium 37:181; 50: 236; 34:55; 39:305. Marrublum 37:181; 50: 227. ovatum 37:181. pauciflorum 43:558. perfoliatum 3:131, 188; 5:131; 6:130, 179; 11: 129; 13:148; 17:151; 18:30; 26:87; 27:56, 57, 60; 32:132, 133, 277; 36:374; 37:182; 38:366; 42:144, 244; f. laciniatum 32:133; f. purpureum 6:143; 26:87; 27:57; 32:33; 37:182; f. trifolium 27:55, 56; f. trunca-37:182; f. trifolium 27:55, 56; f. truncatum 27:55, 57; 32:133; var. colpophilum 37:182; 44:145; var. cuneatum 37:182; 47:195; var. truncatum 15:168; 26; 87; 27:55; 37:182. pilosum 37:181; 50: 225, 226, pl. 1114. pinnatifidum 44:255. pubescens 26:87; 27:57, 62; 37:179-181; 39: 481; 45:478; 47:192-194, pl. 911; 50:28. punctatum 22:63; 39:304, 305. purpureum 3:131; 4:88; 5:131; 6:97, 177; 13:91; 15: 168, 201; 22:57-62, 67-69, 157, 158, 160-162, 164, 165; 23:147, 172-174, 292; 26:87; 27:57, 62; 29:8, 9, 236; 32:33; 36:374; 39: 297-306, pls. 466, 467; 40:382, 458; 42:157, 244; 44:164; 47:193; β., 39:299, 301, 305; 42:244; 44:159; β. angustifolium 39:306; γ. angustifolium 22:67; var. β. album 39:306; var. amoenum 1:102; 22:68; 39:305, 306; var. falcatum 22:68; var. foliosum 10:86; 13:132; 14: 22:68; var. foliosum 10:36; 13:132; 14: 226; 15:168; 22:66, 134; 39:305; var. maculatum 10:86; 11:98; 13:139; 14:206; 17:151, 218; 19:164; 22:63; 39:305. ramosum 50: 190. recurvans 44:366, 461, 462; 45:461; 49:101, 186. resinosum 37:182; 47:195; var. kentuckiense 47:195. roanense 44: 385, 462. rotundifolium 13:8; 26:87; 27: 57, 62; 37:179–181; 39:474; 45:379, 478; 47:192, 193, pl. 909; 50:28; var. cordigerum 45:477, 478; 47:192; var. lanceolatum 37: 181; 39:480; 50:28, 29; var. ovatum 37: 181; 39:481; 45:478; 46:140; var. Sandersii 50:29; var. scabridum 37:181; var. typicum 37:181. rubrum 50:227. rugosum 40:293; 43:557, 558; 44:363, 371, 462, 463, pl. 740; 47:193; f. villicaule 44:463, pl. 740; var. angustatum 43:557; 44:463, pl. 740; var. chlorolepis 44:462, 463, pl. 739; var. roanense 44:462, 463, pl. 740; var. tomense 44:462, 463, pl. 740; var. tomense 44:457; var. villicaule 43:559; 44: tellum 43:557; var. villicaule 43:558; 44: 463. Rydbergi 22:64; 39:305. saltuense 44:461, pl. 738. salviaefolium 27:55. scabridum 37:179, 181; 44:255; 50:28. semiserratum 37:179. serotinum 38:65, 378; 40:86; 44:343; 50:227; var. polyneuron 40:86. sessilifolium 5:204; 19:249; 26: 87; 27:57, 62; 35:39, 290; 36:231; 37:179, 180; 43:521, 653; 47:194; var. Brittonianum 47:194, 195; var. Vaseyi 37:180; 41:471, 476, 571, map 11; 43:521, 653; 44:462; 46: 140; 47:194, 195. speciosum 48:340. stigmatosum 39:451, 452. ternifolium 22:63; 23:174; 39:298, 305; var. β. vesiculosum 39: 305. teucrifolium 5:204; 37:179, 181; 50: 226, pl. 1114. Torreyanum 44:459. tortifolium 42:384, 399, 481; 44:350, 462; 50: 226, 227. trifoliatum 22:61, 67, 163–165; 29:6, 7; 39:297, 298, 303–306; 40:382, 458; var. amoenum 39:306; var. Bruneri 39:305; var. foliosum 39:305; var. maculatum 39: 305. truncatum 27:55; 37:182. urticaclium 13:141, 148; 14:241; 16:13, 15; 21: 202; 26:87; 27:57, 60; 32:18; 36:374; 40: 293; 43:557, 558; 44:363, 462; 47:193; f. verticillatum 43:558; var. angustatum 43: 557; var. trifolium 43:558; var. villicaule 10:87; 35:290; 43: 558; 44:463. Valverdianum 37:62. Vaseyi 37:180. verbenaefolium 7:76; 26:87; 27: 57, 62; 32:212, 277; 37:179–181, 323; 39: 480; 42:87, 90; 47:192, 193, pl. 910; 50:28, 29, 226, pl. 1114; var. Saundersii 50:28, 29. verticillatum 22:61, 62; 23:147, 292; 26: 87; 27:57, 62; 29:9; 32:150, 276; 39:298, 299, 304–306; 47:193. virginianum folio, etc. 44:458

Eupatoriums 22:57, 157

Euphorbia 6:84, 87, 121; 12:14, 58; 13:93; 14:195; 21:82; 40:135, 180; 42:154; 43:97, 98, 102, 104, 109-111, 144, 168, 171, 172, 233, 240, 261, 272, 273, 515; 44:12; 47:290, 368; 50:63. § Anisophyllum 43:98, 110, 111, 273. § Acutae 43:111. § Chamaesyce 43:111; 44:15. § Hypericifoliae 43:111. § Tithymalus 39:496; 43:99, 110. subgen. Agaloma 43:100–102, 109, 110, 272, 273, 284, pl. 655; \$ Tithymalopsis 43:273; \$ Zygophyllidium 43:272. subgen. Anisophyllum 43:110, 111. subgen. Chamaesyce 43: 97–104, 107, 109, 110, 112; 50:63. subgen. Esula 43:99–102, 109, 110, 284, pl. 655. subgen. Poinsettia 43:109, 272. Abramsiana 43:115, 118, 240, 285, map 1, pl. 660. acuta 34:6; 43:111, 112, 176, 226, 284, map 35, pl. 659; var. stenophylla 43:176, 178. adenoptera 43:252; var. indivisa 43:251. albicaulis 43:229, 230. albomarginata 43: 114, 173, 202, 205, 285, map 23, pl. 661. ammannioides 41:548; 43:116, 128–130, 226, 284, 286, 517, 518, 522, 523, 588, map 39, pl. 654. angusta 43:112, 173, 178, 284, map 33, pl. 659. arenaria 43:133. areni-Zygophyllidium 43:272. subgen. Anisophylmap 33, pl. 659. arenaria 43:133. arenicola 43:126. arizonica 43:101, 113, 243, 245, 249, 285, map 43, pl. 661. arundelana 13:163, 164, 165, fig. astyla 43:114, 173, 227, 286, map 33, pl. 666. baja californica 43:196. bombensis 43:129. brasiliensis 43: 43:196. bombensis 43:129. brasiliensis 43: 141, 143; var. hyssopifolia 43:141. callirichoides 43:266. capitata 43:170. capitellata 43:112, 115, 174, 249, 284, map 45, pl. 657; var. laxiflora 43:174; var. linearifolia 43:176; var. typica 43:174. carunculata 50:63, 64. chaetocalyx 43:225. Chamaesyce 43:110, 111, 114, 249, 265, 268-272, 285, 286, map 44, pls. 660, 668; A. Chamaesyce 43:111; A. eu-chamaesyce 43:265. Chamberlinii 43:174. cinerascens 43:112, 173, 185, 242, 285, map 27, pl. 663; var. appendiculata 43:188. collina 43:243. conjuncta 43:183. consanguinea 43:230. conjuncta 43:183. consanguinea 43:230. cordifolia 43:117, 173, 196, 198, 284, map 30, pl. 658; 44:255. corollata 1:89; 3:253;

4:85; 6:85; 13:164; 21:82; 24:150; 34:25; 39:325; 40:253, 463; 43:101; 45:370; var. angustifolia 43:661; var. mollis 40:253; var. paniculata 45:453. crenulata 39:496. cu-phosperma 50:148. Curtissii 36:53. cuspidata 43:126. Cyparissias 6:85, 121; 11: 131; 12:57, 60; 14:93, 193, 194, 196; 15:43; 16:167; 21:82; 33:166; 34:62; 38:161, 162. Darlingtonii 23:175; 34:25. dentata 16: 89; 40:135, 136; 42:461; 43:589; 46:136; 50:148; f. cuphosperma 50:148; var. cuphosperma 50:148. depressa 43:254. dictyosperma 36:224; 37:193. dilatata 43:180. dioeca 43:252; var. ? indivisa 43:250. discolor 43:171. eremica 43:122. Esula 6:85; 10:154; 12:59; 19:230; 21:82; 32: 100–102, fig. 1 (map); 39:49, 50; 43:153, 154. 100-102, ng. 1 (map); 39:49, 50; 43:153, 154. exigua 11:50. falcata 41:473, 548. Fenderi 34:6; 43:117, 205, 223; var. chaetocalyx 43:173, 223-225, 286, map 31, pl. 666; var. dissimilis 43:224; var. triligulata 43:173, 223, 227, 286, map 29, pl. 666; var. typica 43:173, 223-225, 286, map 29, pl. 666. flagelliformis 43:127. flexicaulis 43:199. flocosiuscula 43:245. florida 43:114, 118, 138, 286, map 17, pl. 667. forbuserpens 43:190 286, map 17, pl. 667. forbuserpens 43:199. fruticulosa 43:181. gemella 43:172. geminiloba 43:174. Geyeri 43:116, 130, 173, 284, map 20, pl. 654; 44:407; var. microsperma 43:131. gladiosa 43:174. glomicrosperma 43:131. gladiosa 43:174. globulifera 43:170. glomerifera 43:103, 115, 118, 168, 284, map 2, pl. 656. glyptosperma 6:84-86; 12:140; 16:40; 35:287; 39:496; 43: 80, 115, 173, 235, 240, 241, 285, map 24, pl. 660; 44:15; 48:100; var. pubescens 43: 235; var. tenerrima 43:185, 235. Golondrina 43:117, 181, 226, 285, map 37, pl. 664. gracilis 36:53; 43:273; 50:148. gracillima 43:99, 100, 114, 118, 136, 284, 286, map 10, pls. 655, 657. Greenii 43:235. grisea 43: 272. Helioscopia 1:221; 6:85; 11:30; 13: 81; 21:82; 29:180, 216; 35:248. herniaroides 43:199; var. imbricata 43:199. hetero-181; 21:82; 29:180, 216; 35:248. herniaroides 43:199; var. imbricata 43:199. heterophylla 42:390, 461. hirsuta 6:85, 87, 195; 10:164; 11:30; 12:140; 16:89; 17:30; 21:83; 23:273; 43:150, 153, 154. hirta 38:332; 43:101, 103, 104, 113, 169, 170, 172; var. procumbens 43:170–173, map 18; var. typica 43:170, 171, 173, 284, map 24, pl. 657. hirtula 43:234. Hooveri 43:114, 173, 228, 285, map 32, pl. 664. humifusa 43:272. humistrata 17:30, 227; 41:35; 43:113, 226, 235, 261, 263, 269, 272, 285, 515, 588, map 40, pl. 662; 49:150. hypericifolia 38:332; 43:111, 144, 150, 168; 47:368; 48:200; β . Emaculata 43:143; β .? hirsuta 43:150; β . hyssopifolia 43:141; var. communis 43:144; var. maculata 43:143; var. multiflora 43: var. maculata 43:143; var. multiflora 43: 272; var. prostrata 43:272; var. simplex 43:272. hyssopifolia 43:103, 115, 140, 141, 143, 226, 284, map 38, pl. 656. inaequilatera 43:229. incerta 43:286, pl. 665. indivisa 43:113, 118, 250, 252, 285, map 11, pl. 663. Ingallsii 38:406; 43:128. inopina 43:226, map 34. involuta 43:183. Ipecacuanhae 6:85, 87; 13:163, 164, fig.; 21:107; 24:150;

36:47; 39:355, 466, 481; 40:448; 45:370; 50:148; f. linearis 50:148. Jonesii 43:141. laredana 43:113, 173, 271, 285, map 30, pl. 662. lata 43:112, 180, 226, map 36, pl. 659. Lathyris 10:36. longeramosa 43:127. boy. Lathyris 10:36. longeramosa 43:127. litoralis 43:254. littoralis 43:254. ludoviciana 43:198, 272. maculata 6:85; 9:121; 10:164; 12:140; 13:18; 17:227; 21:83; 31: 84; 32:151, 158, 258; 41:35; 43:100, 103, 115, 118, 143, 144, 149, 150, 153, 235, 254, 260, 272, 273, 284, 286, 515, map 10, pls. 655, 656, 668; 44:16; 47:367, 368, pl. 990; 48:197-200, figs. 1-4; β. detonsa 43:260; 36: 43:252; var. thymifolis 43:252; maless 43: 43:252; var. thymifolia 43:252. malaca 43: 266. manca 39:496. marginata 10:152; 21:83; 37:87; 43:100, 101, 514, 589; 46:136. marilandica 24:150; 36:47; 45:370. maritima 43:117, 128. meganaesos 43:254. melanadenia 43:112, 118, 184, 187–190, 285, anadenia 43:112, 118, 184, 187–190, 285, map 12, pl. 663; var. subinappendiculata 43:185. mercurialina 39:430. micromera 43:113, 114, 173, 194, 284, map 26, pl. 658. minuta 43:233. missouriensis 37:193. missurica 43:116, 132, 134; var. intermedia 43:118, 133, 134, 286, map 13; var. typica 43:118, 133, 134, 286, map 13, pl. 666. nemoralis 34:25. neomexicana 43:230. nodiflora 43:170. notata 43:230. novomexicana 43:229. nut-ans 43:144, 149, 150; 47:368; 48:197. Nut-tallii 43:133. obliterata 43:172. obtusata 37: 193; 38:426; 40:377; 43:488. occidentalis 43: 230. ocellata 43:114, 123, 125; var. arenicola 230. ocellata 43:114, 123, 125; var. arenicola 43:124, 126, 173, 285, map 22, pl. 665; var. Rattanii 43:112, 124-126, 173, 285, map 24, pl. 665; var. sulphurea 43:124, 125; var. typica 43:124, 126, 173, 285, map 22, pl. 665. opthalmica 43:172. oregonensis 43: 272. paniculata 44:255. Parishii 43:115, 173, 192, 245, 284, map 25, pl. 658. Parryi 43:116, 118, 127, map 9, pl. 654. parviflora 38:332. patellifera 43:193. pediculifera 43: 112, 176, 182, pl. 664; var. Abramsiana 43: 240; var. inornata 43:183; var. involuta 43: 240; var. inornata 43:183; var. involuta 43: 183; var. linearifolia 43:183–185, 285, pl. 664; var. typica 43:118, 183, 184, 285, map 6, pl. 664. Peplis 43:110, 111, 272. Peplus b, pl. 664. Peplis 43:110, 111, 272. Peplus 6:86; 13:181; 21:83; 29:180, 216; 31:85; 41: 303; 43:100. petaloidea 40:276; 43:134; α. Nicolletii 43:134; β. intermedia 43:134; γ. Nuttallii 43:133; δ. flagelliformis 43:127. pilulifera 38:331, 332; 43:171, 172; 1. discolor 43:171; I. hirta 43:170; β. discolor 43:171; f. humifusa 43:171; f. ruboromaculata 43:171; f. viridis 43:171; var. gueronitica. 43:171; f. rubromaculata 43:171; f. viridis 43:171; var. guaranitica 43:171; var. obliterata 43:172; var. pro-cumbens 43:172. platyphylla 6:86, 87; 21: 83. platysperma 43:114, 118, 121, 122, 285, map 8, pl. 665. podagrica 43:194. polycarpa 43:115, 117, 188, 190, 205; var. appendiculata 43:188; var. hirtella 43:112, 118, 189, 191, maps 3, 5; var. micromera 43:104; var. Parishii 43:102; var. simulana 43:194; var. Parishii 43:192; var. simulans 43:117, 118, 191, 192, map 5; var. typica 43:118, 191, 284, maps 4, 5, pl. 657; var. vestita 43:187, 189. polyclada 43:131. polygonifolia 5:131; 6:86; 13:181; 15:141;

106 Rhodora

18:31; 19:230; 20:102, 105; 21:83; 23:158; 18:31; 19:230; 20:102, 105; 21:83; 23:158; 24:59, 60, 69, 88, fig. 2 (map); 26:176; 29:42, 44, 58, 64, 111; 32:147, 158, 210, 258; 39:496; 40:44; 41:548; 42:400, 461; 43:103, 114, 117, 130, 249, 284, 286, 517, 588, map 42, pl. 654; 50:297. portulana 43:243. Preslii 6:86, 87; 10:36; 21:83; 42:41; 43:144, 149, 150, 515; 48:197. procumbens 43:172. prostrata 6:87; 21:83; 24:150; 42:369, 461; 43:111, 265, 266, 269, 270, 272; g. vestita 43:266. pseudonutans 43:144. pseudoserpyllifolia 43:194; f. tynica 43:144. pseudoserpyllifolia 43:194; f. typica 43:194; f. villosa 43:194. purisimana 43:243. purpurea 34:25. pycnanthema 43:174; f. serrata 43:174. radicans 43:199. Rafinesquii 43:150. Rattanii 43:126. revoluta 43: 99, 100, 114, 118, 137, 284, 286, map 8, pls. 655, 657. rinconis 43:180. rugulosa 43:230. rupicola 43:224. Rusbyi 43:174. 43:230. rupicola 43:224. Rusbyi 43:174. sanguinea 43:230. serpens 6:87; 43:114, 198, 226, 285, map 37, pl. 661; A. genuina 43:199; II. imbricata 43:199; III. flexicaulis 43:199; b. psilocyathia 43:199; var. flexicaulis 43:199; var. imbricata 43:199; var. radicans 43:199. serpillacea 43:265. serpyllifolia 12:140; 43:104, 117, 229, 233, 240; d. consequincea 43:230; var. genuina 43: β. consanguinea 43:230; var. genuina 43: 118, 229, 233, 284, map 15, pl. 657; var. hirtula 43:113, 116, 118, 229, 234, map 14; var. neo-mexicana 43:230; var. occidentalis 43:230; var. rugulosa 43:230. serrula 43: 115, 118, 248, 284, map 7, pl. 658. setigerus 43:272. setiloba 43:101, 113, 173, 245, 285, map 19, pl. 661; var. nodulosa 43:194. **Stanfieldii** 38:407; 43:247. stenomeres 43: Stanfieldii 38:407; 43:247. stenomeres 43: 141. stictospora 43:113, 173, 263, 285, map 28, pl. 662; var. texensis 43:266. stipulacea 43:202. subserrata 43:230. supina 43:100, 103, 110, 111, 113, 150, 226, 235, 253, 254, 260, 261, 263, 284, 285, 515, map 34, pls. 655, 662; 44:342; 47:368; 48: 198-200, fig. 2; 50:297. tenella 43:266. theriaca 43:114, 118, 242, 285, map 7, pl. 660. thymifolia 43:113, 252-254, 260, 261, 284, pl. 655; 8. disticha 43:260. trachy-261, 284, pl. 655; β. disticha 43:260. trachy-261, 284, pl. 655; β. disticha 43:260. trachysperma 43:114, 140, 173, 286, map 21, pl. 667. trinervis 43:144. vallis-mortae 43:112, 173, 186, 189, 285, map 32, pl. 663. vermiculata 43:116, 150, 153, 249, 284, map 41, pl. 656. vermiformis 43:183. versicolor 43:243. verticillata 43:170. villifera 43:115, 246, 247; var. nuda 43:116, 247, 248; var. typica 43:118, 247, 284, map 16, pl. 659. virgata 39:49, 50; f. esulifolia 39:50. Wrightii 43:205. zygophylloides 36: 224, 231; 43:133; var. cymulosa 43:134; var. flagelliformis 43:127

Euphorbiaceae 6:85, 121; 10:36; 21:82; 24: 43, 44; 29:216; 31:43; 32:257; 36:237; 37: 306; 43:80; 45:444; 49:255; 50:297. trib.

Phyllantheae 9:37

Euphorbiae 43:178, 189, 260 Euphorbias 38:413; 39:52; 42:369

Euphrasia 2:138; 3:270, 271; 4:108; 7:160; 12:105; 13:110, 116, 128; 17:181–183, 194; 28:49, 50, 96, 118, 145, 234; 29:89; 30:77;

33:110; 35:6, 94–96, 127, 298, 302–304, 373; 41:286; 44:109, 127. albimontana 17:185. americana 3:270, 271, 275; 4:26, 189; 7: 33; 11:13; 12:103, 143; 15:134; 17:148, 154, 182, 183, 185, 196–198, 200, 201; 23:290; 25:99; 28:80; 29:186, 219; 33:108, 124; 35: 306, 307; 44:109; var. canadensis 3:276; 7:33; 17:183, 195. arctica 10:201; 17:182–184, 190, 192, 194, 196; 25:11; 28:54, 60; 31:54; 34:244; 35:96, 121, 301, 302, 304–306; 36:87, 88; 38:157; 41:40; 44:109. borealis 9:163; 10:201. bottnica 17:187. brevipila 35:307. canadensis 3:270, 271, 276; 17:181–184, 195–198, 201; 23:149, 290; 25:84; 33:108, 124; 35:303, 305; 47:39. disjuncta 17:182, 184, 190, 192, 194; 28: 60; 35:301–304, 306; 41:286; 44:144. frigida 35:306. hirtella 3:271, 275; 17:183, 190, 33:110; 35:6, 94-96, 127, 298, 302-304, 373; 60; 35:301–304, 306; 41:286; 44:144. frigida 35:306. hirtella 3:271, 275; 17:183, 190, 193. hudsoniana 17:184, 194, 197; 36: 87; 38:158. latifolia 3:270–272, 274; 7: 33; 9:163, 190; 17:181–183, 190, 192–194; 35:302–306; 41:41. micrantha 3:274. mollis 3:271; 17:182–184, 190; 41:158, 230, 286; 42:338. nemorosa 17:196, 197, 201. Oakesii 3:176, 270–274; 4:108; 7:33; 10: 163; 17:181–183, 185, 186; 28:60, 131; 35: 298–301, 303; 44:129; f. lilacina 17:185; 35:299; 44:144. officinalis 3:270; 17:181, 182, 185, 188, 190, 195, 199, 200; 29:186, 219; 35:302, 303; 41:40; β. 35:302, 304, 305; 219; 35:302, 303; 41:40; β. 35:302, 304, 305; β. latifolia 17:193; γ. alpestris b. arctica, 17:193; var. hyperborea 17:193; var. latifolia 3:274; 35:302, 304; var. mollis 3:271; 17: 190; var. rotundifolia 35:304–306; var. tatarica 3:272, 274; 17:182, 185, 193, 198. orbicularis 17:185. purpurea 17:182, 184, 186, 189, 190; 29:128; 35:9, 299, 303–306; 44:127; 45:112; f. candida 17:187; 35:299; 44:144; 45:112; var. Farlowii 17:184, 189, 44:144; 45:112; var. Farlowii 17:184, 189, 190; 33:124; 35:96, 127, 301, 303; f. iodantha 17:189; 18:31; 35:301; 45:112; var. Randii 17:184, 188–190; 23:99, 139, 290; 29:14; 31:143; 33:124; 35:300, 303, 304; f. albiflora 17:188; 23:99, 290; 31:143; 33:124; 35:300; 44:144; 45:112. pusilla 17:182, 185. Randii 3:273, 274; 4:26; 7:33; 11:13, 98; 12:105, 143; 13:110; 17:148, 183, 188; 25: 89; 49:251; f. albiflora 45:112; var. Farlowii 3:274; 7:33; 11:98; 12:105, 107, 143; 15: 3:274; 7:33; 11:98; 12:105, 107, 143; 15: 203; 17:183, 189; f. iodantha 45:112; var. Reeksii 45:112; f. candida 45:112. rigidula 35:399; 44:109. Rostkoviana 3:275; 17: 183. salisburgensis 17:195. stricta 17:182, 184, 196–198, 201; 23:290; 31:167; 35:96, 306, 399; var. tatarica 17:184, 194, 197, 198. subarctica 36:87, 88, pl. 278; 42: 338. tatarica 17:193, 198; 44:109. Williamsii 3:272, 274; 7:33; 9:155, 163; 17: 183-185; 28:122; 35:96, 298, 299, 303, 306; 36:327; var. vestita 17:184, 186; 35:6, 88, 299, 303, 304

Euphrasias 7:35

Eupodiscus 9:130. Argus 9:139; 26:193, 195, 216. Rodgersii 9:139

Eupteris 43:12

Eurhynchium Boscii 6:73. graminicolor 6:73. hians 48:3. strigosum 2:62; 4:240; var. robustum 4:183; 48:3. Swartzii 48:3

European Black Currant 49:219. Corn Cockle 41:302. Hawkweed 41:130. Larch 28:44. Parsley 41:129. Primrose 22:143. Spruce 20:187. White Alder 47:335. Willow-herb 50:178

Eurotium herbariorum 44:170 Eurytaenia 21:182 Euryptera 21:182

Euscaphis staphyleoides 7:28 Euschistus fissilis 41:186, 187

Eusideroxylon 9:38

Eustachya 23:6. alba 23:6. oppositifolia 23:

Eustachys 23:6. floridana 50:122. glauca 50:122

Eustoma 35:44. exaltatum 35:44; f. albiflorum 35:44. Russellianum, f. albiflorum 35:110; f. Fisheri 34:176; 35:110; f. flavi-

florum 35:110

Euthamia 23:99, 143. bracteata 46:330. camporum 17:12; var. tricostata 45:413; 46: 329, 330. caroliniana 46:325-329. floribunda 10:93; 13:106, 107; 17:12. galetorum 45:413; 50:215. graminifolia 6:131; 28:72. gymnospermoides 10:93. media 45:413. microcephala 46:327, 329. microphylla 46: 327, 329. minor 10:93; 46:326, 327, 329. Nuttallii 10:92. pulverulenta 45:413. remota 45:413. tenuifolia 26:228; 46:325, 326; 50:300

Euthora cristata 1:125; 2:50; 3:135; 10:115,

116: 17:94. fruticulosa 10:115

Eutrema arenicola 39:76-78. Edwardsii 25: 113; 41:146, 147, 151, 232; 42:312, 326

Evactoma 43:661. stellata var. scabrella, 42: 99; 43:661

Evax nivea 38:407 Evening Primrose 11:199

Evergreen 18:32

Everlasting(s) 4:34; 39:340. Life 7:156. Pea 25:176; 42:100

Evernia mesomorpha 36:143, 154. prunastri 37:305

Evolvulus 37:63. argenteus 36:224; 37:63. Nuttallianus 37:63. pilosus 37:63; 40:181. sericeus 42:299

Exidia glandulosa 44:170. recisa 41:515 Exoascus communis 39:371. deformans 41: 515. Pruni 26:218. varius 39:371

Exobasidium mycetophilum 3:65. oxycocci 39:368. vaccinii 39:371

Exochorda 20:17. grandiflora 20:17 Exuviaella lima 50:276

Eyebright 13:128; 17:181, 183

Fabrica 25:156 Fabronia Degeneri 36:132 Fabroniaceae 37:228 Facchinia 21:11 Fagaceae 12:178; 16:111; 26:224; 31:43; 43: 80; 50:295 Fagopyrum 6:114; 9:54; 17:172. esculentum 4:203, 206; 6:114; 17:172; 36:373, 374; 38:97. tataricum 4:203, 206; 6:114; 17:172 Fagus 6:113; 12:178; 16:112; 25:165; 38:44; 40:383, 447; 45:109. alba 9:114. americana 6:113; 9:112, 114; var. latifolia 9:113. atropunicea 9:112, 113. ferruginea 5:130; 6:113; 9:112–115; 50:230; var. caroliniana 9:113, 114; var. latifolia 9:113, 114. grandifolia 9:112; 10:113; 12:178; 16:112; 21:199; 32:151, 215, 248; 37:352, fig. 1 (map); 38:376; 41:514, 516, 520; 47:214; f. pubescens 9:111, 114, 115; 16:112; 32:248; var. scens 9:111, 114, 115; 16:112; 32:248; var. caroliniana 9:114; 32:177; 36:352, 353; 40: 412; 47:214; f. mollis 9:114, 115; 40:253; 50:230. heterophylla 9:114 latifolia 9: 114 latifolia 9 112, 113. nigra 9:114. rotundifolia 9: 114. sylvatica 6:45; 9:113, 114; β. americana 9:114; c. americana latifolia 9:114; var. asplenifolia 6:45-47, figs. a-c; var. atropunicea 9:113; var. cristata 6:45; var. pendula 6:45. sylvestris 9:113, 114 Fairy Flax 5:119; 13:116. Lily 21:75

Falcaria Rivini 25:12. soioides 44:248.

vulgaris 25:12; 44:248 Falcata 9:54. comosa 35:276; 38:95. Pitcheri

Fall Dandelion 3:293; 4:39; 6:23

False Acacia 12:181. Foxglove, Downy 48: 205, 206. Maiden-hair 4:54. Tobacco 50: 205, 206. Maiden-hair 4:54.

Family, Adder's Tongue, 35:352. Club Moss 35:355. Curly Grass 35:352. Fern 35: 351. Flowering Fern 35:352. Horsetail 35:354. Pine 35:357. Quillwort 35:356. Yew 35:357

Fasciculus ruber 42:107 Fatsia 26:124. horrida 26:123: 39:7 Faux-tabac 50:282. des Marquises 50:282 Favolus alveolaris 3:144

Faxonanthus 20:120 Feather Grass 49:274

Fedia 9:55; 40:187, 188. amarella 40:196. canaliculata 40:199. chenopodifolia 40:195, 196. Fagopyrum 40:195, 196. longiflora 40:211, 212. Nuttallii 40:208. olitaria 40:191. patellaria 40:188, 193, 194. radiata 40:188, 204; β. ? leiocarpa 40:206. stenocarpa 40:199. triquetra 40:195, 196. umbiliata 40:188, 194, 195. Woodsigne 40: bilicata 40:188, 194, 195. Woodsiana 40: 192

Fegatella 23:70, 71 Felicia angustifolia 32:138; α. hyssopifolia 32:

Felix Foemina 31:174

Felix Foemina 31:174
Fern(s) 4:10; 5:120, 197, 245, 260, 272; 6: 23, 77, 95, 97, 148, 236; 7:26, 77, 99, 100, 103, 170; 8:12, 13, 23, 135; 11:27, 28, 128, 132, 176; 23:70; 41:138, 155; 44:333; 50: 135. Beech 30:16; 43:219. Bladder 30: 18. Broad Beech 30:16. Chain 11:28; 23:109, 145, 147; 30:14. Christmas 4:10, 53; 8:113; 23:71; 30:14; 31:249. Cinnamon 6:227; 15:154; 28:82; 35:352; 46:158. Climbing 4:51, 83; 35:352. Clinton 6:177. Family 35:351. Filmy 44:3. Gold 22:113. Goldie's 7:100; 13:238. Hay-scented 30:18; Goldie's 7:100; 13:238. Hay-scented 30:18;

108 Rhodora

49:104. Holly 9:27. Interrupted 35:352; 44:345. Lady 19:170, 171, 181, 187-189; 21: 175; 30:15. Licorice-root 24:129. Maidenhair 46:158. Marsh 23:164; 30:16; 31: 27, 28. Massachusetts 30:16. New York 30:16. Oak 30:16; 43:216. Ostrich 5: 196; 17:161; 23:151; 30:18; 46:158. Royal 22:132; 35:352; 45:396. Sensitive 30:18; 45:396. Shield 30:16. Silver 22:113. Snake 30:13. Sweet 12:178; 17:67. Venushair 45:268. Walking 5:196, 272; 46: 158. Wood 8:113; 30:16

Ferraria pulchella 48:158 Ferula villosa 45:298–301 Fescue Grass 49:259

Festuca 6:106; 9:174; 14:92; 15:146; 16:90; 18:1; 21:72, 76, 77, 215, 216; 33:60; 34: 246; 35:81-83; 44:117; 47:107; 48:21, 70; 49:259. § Ovinae, sub-§ Intravaginales 35: 134. subgen. Vulpia 47:107, 108. altaica 9:155, 159, 167, 174, 188, 224; 13:118; 41: 161, 181; 42:317. arundinacea 31:83. Borreri 10:65; 18:10. brachyphylla 35:47, 120, 134, 135; 37:250, 251, 339, pl. 359; 38:116, 118, 124, 134, 142, 143; 41:146, 147, 155, 164, 181. brevifolia 37:251; 38: 142; 41:181. capillata 18:235; 23:232; 28: 50, 56, 152; 29:126; 31:83; 35:12, 132, 134, 135, 273; 37:251, 339, pl. 359; 48:19; 49: 260. delawarica 18:9. dertonensis 43:220. diandra 34:204, 205. distans 18:12. distichophylla 27:68, 71. duriuscula 37:251. elatior 6:106; 14:179, 183, pl. 97; 15:146; 17:213; 26:185, 186, 222; 29:207; 32:237; 48:19; 49:259; 50:301; var. pratensis 6: 106. fluitans 16:90; 24:186, 187. inermis. villosa 35:316. Kingii 38:298. longifolia 33:207. monandra 47:106, 107. muti-Borreri 10:65; 18:10. brachyphylla 35:47, 6. Villosa 35:310. Kingii 36:295. longifolia 33:207. monandra 47:106, 107. mutica 18:236. myuros 6:83; 15:146; 32:237; 37:267; 40:459; 46:75; 47:106. nutans 12: 63, 70; 14:168; 15:146; 23:136, 170, 232; 31:80; 35:249; 47:199; 49:259. Nuttalliana 18:16. obtusa 14:168; 47:199; 48:19, 23, 2344, 40:250. casidontelia 34:244, 37:64 18:16. obtusa 14:168; 47:199; 48:19, 23, 24; 49:259. occidentalis 34:244; 37:64, 67, 70, 199, 203, 205, 216, 251, 252. octolora 15:146, 187; 32:237; 34:209-211; 36:38, 219, 416; 37:266; 41:501; 42:42; 43:493; 44:70, 255; subsp. hirtella 34:211; var. aristulata 34:210; var. glauca 34: 209; 47:107; var. tenella 34:209, 210; 36: 41:501; 47:107, 210. ovina 4:33; 7:106; 14:92; 15:146; 17:213; 18: 236; 26:188; 28:151; 31:83; 32:237; 35: 134, 135; 37:250, 251, 338, pl. 359; 44: 237; 48:19; 49:260; 50:293; β. vivipara 37: 251; f. hispidula 35:165; 37:251; 48:19; 49:260, f. laeviflora 35:165; subsp. eu-ovina 49:260, f. laeviflora 35:165; subsp. eu-ovina var. capillata 18:236; var. brachyphylla 39:495; var. brevifolia 9:159; 13:117; 21: 39:495; var. brevilona 9:199; 18:117; 21: 192; 37:251; var. capillata 15:146; 37:83, 252; 49:260; var. duriuscula 14:92, 93; 19:120; 35:165; 37:250, 251, 338, pl. 359; 48:19; 49:260; subvar. trachyphylla 14: 93; var. glauca 14:93; var. hispidula 15: 146; 21: 72; 24:113; 37:83; 49:260; var. polyphylla 37:252; var. pseudovina 37:251; var.

supina, subvar. pubiflora 13:123; var. vivipara 35:134, 165; var. vulgaris, subvar. hispidula 37:251. paludosa 18: 235. paradoxa 39:327, 331, 381, 482, map 6; 41: 481; 42:35; 47:97, 106, 199; 49:180. parviflora 44:255. procumbens 18:11. prolifera 35:133–136, map 14; 36:327; 44: 113; 48:19, 23; 49:260; var. lasiolepis 35:135, 136, 399, pl. 241. pseudovina 37: 251. pusilla 34:211. quadriflora 47:106. rubra 3:170; 14:92; 15:146, 147; 17:147, 148; 18:95, 96; 22:93; 25:6; 26:185, 188, 223; 32:150, 237; 33:60, 111, 117; 34: 51; 35:82, 132–135; 36:277; 37:83, 250; 38:142; 40:250; 41:182; 42:317; 44:117, 379; 48:19, 25; 49:259; 50:293; f. glaucescens 35:132, 165; f. megastachys 35:132, 133; 48:19; 49:259; f. planifolia 35:165; f. squarrosa 35:132; 48:19; 49:259; subsp. prolifera 10:65; var. arenaria 33:117; 35:51, 120, 132, 133; 36:277; 41:166, 181; 44:117; var. commutata 35:132, 133, 165; 48:19; 49:259; var. fallax 35:132; var. glaucescens supina, subvar. pubiflora 13:123; var. 49:259; var. fallax 35:133; var. glaucescens 23:232; var. heterophylla 46:25; var. juncea 33:117; 35:132, 133, 167; 49:259; var. lanuginosa 40:250; var. megastachys 15: 147; 36:277; var. multiflora 15:147; 24: 162; 35:132, 133; 48:19; 49:259; var. mutica 162; 35:132, 133; 48:19; 49:259; var. mutica 35:132, 133; 44:117; var. oelandica 35: 165; var. oraria 29:122, 149, 207; var. prolifera 9:159; 10:65; 11:39; 15:147; 35: 82; var. subvillosa 11:89; 13:70; 15:95; 19:120; 21:72; 35:132; 49:259; f. vivipara 11:89; var. trichophylla 48:19; var. vivipara 49:259. saximontana 37:250, 251, 339, pl. 359; 44:117; 47:225; 48:19, 23. seabrella 13:118, 137; 37:247; 44:114. sciurea 37: 266; 39:481; 47:106. Shortii 39:327, 331, 381, map 6; 44:70; 47:97, 199. subulata 21:78. supina 28:102, 151, 213; 37:251, 339, pl. 359; 38:142. tenella 2:157; 4:39; 5:129; 6:83; 15:187; 34:209, 210; 36:416; 47:107; β. glauca 34:209, 211; 47:107 tenuifolia 18:235; 37:251. triticoides 27: 68. varia, var. flavescens 15:146. versuta 39:423. vivipara 28:53, 59, 151; 35:7, 39:423. vivipara 28:53, 59, 151; 35:7, 120, 134, 135; 36:148; 37:250, 251, 339, pl. 359; 38:143; 41:182

Festucaceae 8:85, 138 Festucas 48:26

Fibichia 9:53

Ficus 33:88; 49:58. Carica 2:234; 28:73; 35: 40. indica 9:39. officinalis, 50:132. perforata 50:132

Fiddle-wood 44:31 Field Sorrel 28:73

Fig 28:73

Filago 26:88. arvensis 33:219, 221, fig. 4; 47:258. gallica 33:221. germanica 33:221. minima 26:88. nivea 38:407

Filaree 39:233

Filbert 38:76

Filices 3:69, 219, 283; 6:23; 23:90; 47:384–386 Filipendula 8:203, 204; 20:18. hexapetala 23:267. lobata 8:203, 204. rubra 8:202, 204; 10:144; 24:175; 42:44. Ulmaria 8: 72; 11:94; 20:18; 23:268; 42:44; 46:27;

var. denudata 11:48; 19:227; 46:27

Filix 21:10, 174; 31:24, 25, 91, 93, 94; 43: 11. aquilina 43:17. baccifera 31:93. bulbifera 22:49. foemina 26:230, 231; 43: mas 21:10, 174; 26:230, 231. pumila 43:216, 217

Filix-femina 28:131

Filix-foemina 43:12. aquilina 43:17; arachnoidea 43:58; var. caudata 43:54; var. lanuginosa 37:247; 43:26; var. pseudocaudata 43:49

Filix Mas 21:174 Filix-mas 28:131

Fimbriaria tenella 4:30

Fimbristylis 9:53; 11:39; 13:73; 31:124, 202; 33:44; 41:1; 46:144; 47:95, 206; 49:124. annua 46:144, 145; var. diphylla 46:144. annua 46:144, 145; var. diphylla 46:144. anomala 47:116. argentea 31:170. autumnalis 1:98; 2:123; 5:130; 10:139; 20:25; 72; 24:86; 32:210, 238; 35:68; 37:398; f. brachyactis 20:25, 72; var. mucronulata 37:398. Baldwiniana 37:397, 398, 452, pl. 389; 38:377; 39:474; 46:144, 145; 47: 213. capillaris 9:121; 10:139; 14:176; 40: 395. caroliniana 42:246; 44:354, 383; 46:145; 47:114, 115; f. eucycla 42:247; f. pycnostachya 42:247. castanea 10:142; pycnostachya 42:247. castanea 10:142; 37:397; 42:247; 44:354, 383; 46:145; 47: 114–116. complanata 20:25. Darlingtoniana 37:397, 398, 452, pl. 389; 46:144, 145. diphylla 44:261; 46:144, 145. Drummondii 47:95, 113–116, 127; α. minor 47: 115; β. major 47:115. Frankii 10:136, 139, 140; 11:180; 13:73; 14:29; 20:25, 72; 32: 238; 37:83, 398; var. brachyactis 11:180; 20:25, 72. geminata 20:25; 37:398. interior 37:396, 397; 47:115, 116. laxa 44: 261; 46:145; 47:213. melanostachys 41:60. miliacea 44:89. mucronulata 20:25, 72; 37:398. puberula 19:97; 37:396, 397, 452, pl. 388; 38:377; 42:247; 47:114; f. eucycla 37:396, 452, pl. 388; 42:247; f. pycnostachya 37:396, 452, pl. 388; 42:247. spadicea 37:397; 47:114, 116. sulcata 39: 268. Vahlii 11:180; 36:219

Finetia 27:107. falcata 27:107 Finger Grass 17:225; 28:74

Finger Grass 17:225; 28:74

Fir(s) 5:45; 11:175, 201, 202; 18:188; 21:
50; 22:129, 130; 23:91; 35:358; 39:206;
42:522; 44:94, 230, 413; 48:163; 49:228.

Balm-of-Gilead 35:358. Balsam 5:52; 9:
76; 11:201; 12:177; 17:165-168; 20:186;
21:109; 35:358; 44:413; Silver 17:165.

Black Spruce 34:188. Newfoundland White Spruce 34:188. Scotch 35:357

Fire Cherry 28:82

Fire-weed 20:1; 28:72; 42:334

Fischera 29:226

Fischerella 15:194, 197-199; 40:224. ambigua

Fissidens adiantoides 2:62; 4:30. bryoides, f. inconstans 14:52. cristatus 23:67. decipiens 4:30. exiguus 14:45. Garberi 36: 55. grandifrons 19:68. hawaiicus 36:132. hookeriaceus 36:55. incurvus 4:181, 182; 14:45, 46. insularis 36:132. minutulus 4: 182; 11:117; 14:45. obtusifolius orcutti 39:100. osmundoides 3:180; 15: 13; 30:2; 39:39. sublimbatus 39:100. taxifolius 4:240. viridulus 14:45, 46: var. Lylei 14:45, 46

Fissidentaceae 30:2; 39:39, 100 Flag, Blue 46:315. Cat-tail 4:93; 46:314

Flagellaria hyalina 26:193, 216 Flagellatae 24:110; 26:166 Flagellates 50:273, 275, 276 Flame Azalea 43:32, 33

Flammula betulina 13:64. penetrans

170. rhodoxantha 3:40

Flaveria 26:107. bidentis 26:107 Flax 4:81; 20:69; 43:341. Fairy 5:119; 13:

116. Purging 43:634 Fleabane, Daisy 28:72 Fleshy Fungi 4:171

Fleur de lis 21:180. de Louis 21:180.

lys 21:180, 181 Flies 41:186

Floating Heart 10:54. Knotweed 48:52

Floerkea 15:66. proserpinacoides 15:66; 47:

272; 50:283, 284 Florideae 24:3; 26:189 Flos Cardinalis 38:276 Flourensia 45:353

Flower de luce 21:180. Star 18:185

Flowering Dogwood 23:195. Fern Family 35:352. Raspberry 9:5

Flowers of tan 41:515

Fluminea 31:92, 96. festucacea 32:200, 201, 203, map 26; 33:19

Fly Honeysuckle, American 12:184

Fly-poison 45:374

Foeniculum Foeniculum 3:88. officinale 1: 47. vulgare 1:159; 3:88, 210; 6:144; 50: 119

Fomes 50:287. annosus 44:15. applanatus 26:218; 41:515. connatus 41:515. Palliseri 25:216, 217. roseus 25:214, 218, 219

Fontinalaceae 30:9; 37:228

Fontinalis 7:237; 15:6, 8, 10; 18:92. Allenii 15:8, 10, 11. antipyretica 15:7, 10; 30: 9; var. gigantea 2:62; 15:7, 10. Cardoti 4:182; 15:8. dalecarlica 15:9-11; 30:9. disticha 15:10. Duriaei 15:9, 10. flaccida 15:8-10. hypnoides 15:10. Lescurii 2:96; 4:182; 15:10; var. gracilescens 15:8. neo-mexicana 15:7. nitida 15:8-10. novae-angliae 15:8, 10, 11; var. heterophylla 15:9, 10; var. latifolia 15:9; var. Lorenziae 15:9, 11. squamosa 15:10. Sullivantii 15: 8, 10. Umbachii 19:69

Foramifera 10:44 Forbesia 25:157

Forestiera 21:190. ligustrina 46:307

Forget-me-not 42:337

Formica 43:206, 207; 45:440. fusca subsericea 43:207; 45:445. neogagates 44:15; var. 43:206, 207; 45:445

Forsythia 42:44. viridissima 44:431

Fosliella Lejolisii 50:266

Fossombronia 3:7, 8; 17:108, 109; 23:282; 25:76. angulosa 3:8–10; 14:224; 25:75,

8. Luetzelburgiana 17:109. salina 3:8-10, fig.; 5:170; 14:224; 15:22; 25:75, 76, 199. Wondraczekii 3:10; 5:170; 6:190; 7:58; 15: 22: 25:194

Fothergilla 33:29, map 2; 49:92. Gardeni 36:45. parvifolia 36:45; 49:22, 92

Fougère mâle 4:158, 162 Fowl Meadow Grass 49:261

Fox Grape 4:130; 42:390 Foxtail 49:271. Grass 28:74. Green 17:226.

Meadow 46:386; 49:271

Fragaria 5:32; 6:119; 20:18; 24:56; 28:71; 31:16; 33:60; 41:245; 50:42. americana 6: 119; 15:222. canadensis 13:106; 15:222; 29:179. glauca 45:312. grandiflora 12:217; 15:165; 19:227; 20:18. monophylla 2:198; 33:238. multicipita 10:49; 31:47; 44: 120, 143. sterilis 45:111. terrae-novae 13: 120, 143. sterilis 45:111. terrae-novae 13: 106. vesca 2:198; 5:32; 6:119; 20:18; 32:254; 33:182, 238; 50:302; var. americana 13:106; 20:18; 21:170, 200; 23:136, 170, 267; 35:249; 44:336. virginiana 2:208; 3: 174, 188; 6:97, 119; 10:50; 12:128; 13: 106; 18:38, 97; 20:18; 21:170; 22:136; 26: 225; 27:108; 29:179, 214; 32:254; 33:182; 35:272; 36:281; 39:373, 375; 50:297; f. maliflora 31:244; var. terrae-novae 13: 106; 15:203: 27:108: 29:179, 214: 32:214 106; 15:203; 27:108; 29:179, 214; 32:214, 254; 33:121; 34:53; 36:281. yukonensis 42:

Fragillaria aequalis, var. producta 10:182. capucina 9:137. construens 9:137. Harrisonii 9:131, 137; 10:183. virescens 9: 137; 10:181, 183

Fragrant fungus 6:125

Fraisier 24:56

Frankenia pulverulenta 49:248

Frangula caroliniana 46:307

Franseria tomentosa 45:116

Frasera 17:130; 40:356; 45:26; 50:198, 199.

caroliniensis 36:100, 220

Fraxinus 6:126; 12:184; 15:15; 24:56, 233; 29:48; 37:121; 40:381, 452; 42:155; 44: 412; 45:108; 46:150; 48: pl. 1026. § Fraxinaster 9:37. americana 4:17; 5:132; 6: 126; 12:184; 14:83, 192; 21:199; 24:233; 32:12, 176, 271; 33:140; 38:98; 40:375, 382, 440-451; 42:475; 45:274; 40:152, 150: 382, 449-451; 42:475; 45:274; 49:158, 159: 50:60, 168, 169, 186, 188; f. iodocarpa 14:192; 24:233; var. biltmoreana 49:159; var. caroliniana 50:188; var. microcarpa 42:361, 475; var. triptera 50:188. anomala 19:23. biltmoreana 40:380, 450; 47:209; 49:159. campestris 40:453. caroliniana 38: 377; 39:330, 331, 442, 474, 481; 44:240; 49:22, 91, 102, 159; 50:168, 186–188; β. F. latifolia 49:159; f. pubescens 50:188; var. β. cubensis 50:189; var. cubensis 50:189; var. g. f. lasiophylla 50:189, 190; var. oblanceolata 50:188; f. hypomalaca 50:

189; var. platicarpa 50:188; var. pubescens 39:442, 476; 47:171; 50:188; var. Rehderiana 39:442; 50:188. cinerea 40:375. cubensis 50:189. Darlingtoniana 40:450, 453. epiptera 40:451. excelsior 50:188, expansa 49:159. fusca 40:452. hybrida 50:188, 189. juglandifolia 49:159; β. subintegerrima 49:159. lanceolata 23:180; 40: 453; 49:159. longifolia 40:452. Michauxii 21:189, 190; 40:450, 451. nigra 3:235; 6: 21:189, 190; 40:450, 451. nigra 3:235; 6: 126; 12:184; 22:134; 24:233; 35:90, 280; 37:20-22, pl. 324; subsp. caroliniana 50: 188. Nuttallii 50:188. pauciflora 50:188, 189. pennsylvanica 3:235; 4:17; 12:108, 110, 141; 13:218; 15:15; 16:16; 24:233; 32: 271; 35:251, 293; 38:441; 39:442; 40:450-454, 484, pl. 529; 42:94, 95; 50:187; var. Austini 40:452, 453, pl. 529; 42:475; 45: 273; var. lanceolata 3:235; 4:17, 19; 15: 15, 167; 40:154, 161, 453; 42:475; 49:159; var. subintegerima 49:159; var. typica var. subintegerrima 49:159; var. typica 40:452, 453, pl. 529; 45:273. platicarpa 50:187, 188; β. pubescens 39:442; 50:188; 50:187, 188; β. pubescens 39:442; 50:188; γ. oblanceolata 50:188; var. floridana 50: 188. profunda 14:81; 21:190; 35:293; 37: 351, 361; 39:331, 442, 482; 40:450, 452, 484, pl. 528; var. Ashei 40:450. pubescens 3:235; 4:17; 40:452; 50:187; *subpubescens 49:159; δ. subpubescens 49:159. quadrangulata 19:23; 35:289. Rehderiana 39:442; 50:188. rubicunda 40:452. rufa 40:452. sambucifolia 1:40; 2:37; 4:17; 6:126. texensis 45:274. tomentosa 40:450–452, 484, pl. 528. triptera 50:188. viridis 3:235; 4: 17, 19: 49:159; var. Berlandierana 50:189 17, 19; 49:159; var. Berlandierana 50:189

Fremyella crassa 44:186. grisea 40:75

French Sorrel 28:84 Frêne 24:56 Fringe-tree 6:20

Fringed Gentian 1:11, 89; 5:75; 7:14; 25: 85; 28:60. Blue 9:28. Polygala 1:173

Fringed-orchid 48:185

Fritillaria alba 9:51. camtschatcensis 36:8; 41:214

Froelichia 31:146. campestris 43:336. floridana 36:220; 43:336; var. campestris 43: 336. gracilis 31:146; 36:220; 42:374, 450; 43:510, 515

Frog's Bit Family 44:219

Frogs 41:148, 156

Frommea obtusa 34:61

Frostweed 49:144

Frullania 8:44; 9:72; 12:193, 202; 19:270; 25:77, 92. subgen. Diastoloba 12:203. subgen. Trachycolea 12:202. aeolotis 4: 242. Asagravana 4:30; 5:171; 9:72, 73; 10: 191; 15:23; 25:197; 26:12; 39:38. Bolanderi 39:3, 4, 7, 9-11, 37, 38, fig. 5 (map). Brittoniae 5:171; 6:74, 190; 7:58; 9:73; 15: 23; 25:197; 26:13. cleistostoma 12:203. dilatata 6:74. eboracensis 4:30; 5:171; 8: 34, 44; 12:202; 15:23, 27; 25:197; 26:12, 13; 39:38. Hutchinsiae 7:55; var. 7:56; var. \$.7:56; var. \$\beta\$. integrifolia 7:56, 57. inflata 12:201-203; 15:23, 27; 25:197. Kunzei 12:203. Oakesiana 5:52, 171; 15: 23; 25:197; 39:38. pennsylvanica 7:56. plana 5:171; 15:23; 25:197. riparia 4:242; 5:171; 6:190; 15:23; 25:197. saxicola 12: 202, 203; 15:24, 27; 25:197. Selwyniana 10:191; 15:24, 27; 16:76; 19:272; 25:197. squarrosa 5:171; 15:24; 25:197. Sullivantiae 10:191. Sullivantii 10:191. Tamarisei 5: 171; 9:72, 73; 10:192; 15:24; 25:197. virginica 5:171; 8:44; 12:202; 15:27 rullanjaceae 39:37

Frullaniaceae 39:37

Frustulia Lewisiana 9:135. rhomboides 9:135; var. saxonica 9:135. viridula 9:135

Fucaceae 5:135 Fuchsia 46:250 Fuci 4:125

28. bacciferus 19:78. ceranoides 2:46; 7: 230. edentatus 2:46; 10:116. evanescens 2:46; 7:229; 10:116, 161; 50:261. filiformis 2:46; 33:130. lutarius 41:27, 28. natans 19:78. nodosus 50:262. platycarpus 2:46; 7:229; 35:151; f. 7:229. spiralis 41:26, 27; 43:214; 50:257, 260, 262; var. lutarius 41: 27, 28; var. nana 41:27; var. volubilis 41: 27, 28. vermicularis 14:58. vesiculosus 2: 48, 47, 73:202. 46, 47; 7:229, 230; 10:161; 16:3; 26:213; 33:130; 35:151; 41:26, 27; 50:260, 262, 265; f. 7:230; f. gracillimus 2:14, 47; f. limicola 8:109; var. laterifructus 7:230; 33: 130; var. sphaerocarpus 2:47; 7:230; 33: 130; var. spiralis 2:47; 7:229, 230; 41: 26-28; 50:262; var. volubilis 41:28. volubilis 41:28

Fuirena 3:33; 13:104; 33:44; 40:396, 397; 47:206. breviseta 42:390, 421, 442. hispida 38:378, 396; 39:482; 40:397, 398; 44:255; 47:103, 117. pumila 40:397, 398; 42:369; 47:103, 117. pumia 40:397, 398; 42:309; 44:241. scirpoidea 31:12. simplex 40:254; 42:144; var. pumila 40:397, 398. squarrosa 7:72; 10:43, 136, 142; 13:104, 247; 14:29, 32; 24:86; 26:180; 31:14; 32:177, 211; 33: 57, 58, map 32; 38:377, 396; 39:476, 488; 40:396-398; 44:255; 47:103, 117; β. pumila 40:398; var. hispida 7:72

Fuligo 2:78. ochracea 1:128, 129. septica 1:128, 129; 26:218; 29:167, 173; 41:515; f. laevis 29:167; f. ovata 29:167; var. candida 29:167

Fumana 9:46; 28:143 Fumaria 18:215; 47:385. Gussonei 9:39. officinalis 18:215; 29:175, 213; 45:117

Fumariaceae 11:44; 18:215; 29:213; 31:43; 45:444; 49:255

Fumarineae 47:385

Funaria flavicans 13:43. hygrometrica 4:30; 13:43; 30:5. microstoma 30:5

Funariaceae 12:146; 30:5; 38:240. subfam.

Ephemereae 12:146

Fungi 3:69, 79, 242, 257, 281, 282, 285; 4: 77, 171; 5:97, 99, 103, 107, 120, 136; 7: 170; 8:232; 9:36; 10:9; 11:129, 132; 13: 57; 16:45, 79; 18:240; 24:110; 42:417; 47:

281, 386; 50:285, 286. Imperfecti 50:287. Oomycetous 5:102. Zygomycetous 5:102 Fungus 5:95, 98; 11:28; 25:215. Fragrant

6:125Funkia ovata 1:47: 10:113

Furcellaria fastigiata 3:133: 25:36: 50:266

Furera 9:55

Fusarium 43:2; 50:288

Gabera hypnorum 44:170

Gaillardia aristata 24:120. lutea 36:232. multiceps 47:331. pulchella 42:498

Galactia 7:28; 33:36; 39:434; 42:213; 43: 512, 514. angustifolia 39:434. Macreei 39: 433, 434, 480. mollis 39:433. parvifolia 39:434. pilosa, β. Macraei 39:433, 434; var. angustifolia 39:434. regularis 39:481. volubilis 36:220; 39:194, 433, 434, 482; 42:214; var. intermedia 39:434; var. mississippiensis 39:434

Galardia bicolor 40:355

Galathenium floridanum 40:479. sanguineum

Galax 7:160; 11:54; 21:24; 34:231; 43:568. aphylla 21:24; 24:231; 38:378, 439; 39: 198, 200, 438, 475, 486, fig. 14 (map); 43:486, 629

Galaxaura 3:91; 50:135 Galaxaurata obtusata 8:110

Gale 16:167. palustris 16:167; var. subglabra 16:167

Gale, Sweet 12:178; 16:167; 22:132; 28:82

Galega spicata 42:456, 457

Galeopsis 6:128; 25:38; 38:100. bifida 12: 142. Ladanum 2:157; 5:204; 8:72; 25: 38; 29:219; var. latifolia 19:247. Tetrahit 2:205, 208; 5:50; 6:128; 11:98; 12:141, 142; 18:42; 20:107; 21:170; 22:137; 25:11, 38; 28:72; 29:219; 36:283; var. bifida 12:141, 142; 15:167; 20:107; 25:38; 33:109, 124

142; 15:167; 20:107; 25:38; 33:109, 124
Galera 5:198, 199. sphagnorum 16:46
Galinsoga 5:258; 24:35; 26:107; 32:14; 37: 307. aristulata 22:97, 98, 100; 24:35; 26: 107. bicolorata 22:98, 99; 26:107. caracasana 12:192; 22:98-100; 24:35; 26:107. ciliata 24:35; 26:107; 43:344. hispida 22:97, 100; 24:35. parviflora 1:47; 11:84; 17:30; 22:97, 98, 100; 24:35, 36; 26:107; 7. hispida 22:100; 24:35; var. hispida 22:205; 5:258; 6:91; 10:150; 22:97; 24:35; 26:107; 36:374; var. semicalva 22:101. purpurea 22:98. semicalva 22:98, 100
Galionella nummuloides 9:140

Galionella nummuloides 9:140 Galium 6:21, 22, 129; 7:160; 12:116, 229; 14:199, 200; 18:191, 193; 26:13; 30:106; 42:156, 339, 366; 49:89, 100, 155. Aparine 4:195; 15:167; 17:146, 147; 26:13; 32:275; 36:284, 374; 38:299. arkansanum 36:221, 232. asprellum 6:129; 9:122; 11:98; 26:13; 34: 64; 36:284, 374; 37:446. bermudense 18: 191-194. bermudianum 18:192-194. bor-

eale 1:25, 40, 75; 5:236; 6:142, 195; 9:14; 12:144; 26:14; 30:106; 36:284; 39:450; 41:289; 42:339; 45:315; var. hyssopifolium 30:107; 36:227; 40:251; var. intermedium

30:107; 43:343; var. scabrum 30:107; var. typicum 30:107; 32:59. Brandegeei 12: 77, 78, 229; 28:123, 236; 39:320; 41:156, 161, 289; 44:128. brevipes 12:78, 116; 14:175, 176; 44:104, 144. circaeoides 39: 450. circaezans 3:185; 18:192, 193; 26: 141, 23:275, 25:250; 20:440, 450, 400, 20 14; 32:275; 35:250; 39:449, 450, 490, pl. 483; 47:140; var. glabellum 39:450; var. glabrum 24:119; 39:449, 450; var. hypomaglabrum 24:119; 39:449, 450; var. hypomalacum 39:450, 490, pl. 483; 43:645; var. montanum 35:309; var. typicum 39:450, pl. 483. Claytoni 6:129; 7:110; 11:229; 12:217, 229, 230; 14:200; 17:151; 18:43; 22:135; 26:14; 27:108; 29:131, 187, 220; 32:161, 276; 33:125; 35:252; 37:443-445, 454, pl. 403; 39:320; 40:181, 254; 41:388; 42:144, 200; 49:100, 180; 50:299; var. subbiflorum 12:229; 39:320; 41:388. columbianum 41:388. erectum 4:91; 5:173, 174; 18:244; 19:248; 26:14. filifolium 37: 443. glaucum 11:57. hispidulum 18:193; 38:378; 39:480; 49:101. kamtschaticum 3: 160, 176; 9:163; 11:13, 98; 13:116, 138; 28:124; 32:206; 35:89, 309, 310, map 25. labradoricum 6:21, 206; 7:109; 11:98; 12:77, 144; 13:115, 119, 138; 14:199, 200; 15:203; 22:92; 25:11; 29:187, 220; 36:284; 49:180; 50:212. lanceolatum 1:222; 6:129; 10:165; 26:14. latifolium 42:346. Littellii 35:309. Mollugo 1:25, 47; 4:91; 5:173, 174; 8:99; 15:68; 19:248; 26:14; 33:170. obtusum 37:443-445, 454, pl. 403; 39:320; 42:366; 49:180; var. filifolium 37:443; 39:474, 476; 49:180; bar. days filifolium 42:246; 220:21:65: lacum 39:450, 490, pl. 483; 43:645; var. 49:180, 181. × ochroleucum 33:170. oreganum 35:310. palustre 1:69, 220; 21:65; 23:291; 24:119; 26:14; 29:187, 220; 35: 252; 36:93; 47:390. parisiense 43:498, 645; 46:140. pilosum 5:204; 14:21; 18:190-193; 26:14; 32:152, 276; 36:221; 45:276; var. laevicaule 18:192, 194; var. puncticulosum laevicaule 18:192, 194; var. puncticulosum 18:191, 193, 194. praecox 6:22. proliferum 45:276. punctatum 18:194. puncticulosum 18:192–194; β. pilosum 18:194. purpureum 18:192, 194. rotundifolium δ. bermudense 18:194; f. pilosum 18:194. saxatile 21:66; 28:83, 236; 29:126; 49:252. su b b if or u m 39:320; 41:388. sylvaticum 6:142; 26:14; 42:46. texense 45:276; 50:93, 98. tinctorium 6:21, 22; 14:200; 23:104, 106, 146, 291; 26:14; 32: 177; 37:350, 443–445, 454, pl. 403; 39:320; 40:181, 254; 41:388; 42:144, 200; 49:87, 100, 180, 181; 50:299; var. filifolium 49: 180; var. floridanum 37:178; 49:100, 180, 180; var. floridanum 37:178; 49:100, 180, 181; var. labradoricum 5:33; 6:21; 49:180; var. subbiflorum 39:320; 41:157, 289, 388, 506. tricorne 1:47. trifidum 1:107, 221; 3:188; 4:26; 6:21, 129, 206; 12:77, 78, 228–230; 14:205, 206; 17:151; 22:135; 23:104, 291; 24:119; 25:11; 26:14, 187, 228; 28:245; 29:187, 220; 32:165, 275; 37:443; 38:299; 39: 320; 41:289, 387, 388; 42:339; 49:87, 155, 181, 252; 50:299; β. tinetorium 41:388; subsp. columbianum 41:387, 388; subsp. tinctorium 41:388; var. brevipeduncula-

tum 41:388; var. halophilum 12:78, 107; 20:107; 23:105, 291; 32:179; 34:55; 44:144; var. pacificum 41:387, 388; var. subbiflorum 12:78, 228, 229; 39:320; 41:387, 388. tri-florum 3:176, 188; 5:50; 6:129; 11:98; 13: 125; 22:93, 137; 25:11; 26:14; 29:220; 32: 206, 276; 33:125; 36:93, 284; 37:206, 446, 454, pl. 404; 41:289; var. asprelliforme 37:445, 446, 454, pl. 404. uliginosum 29:187, 229, uniflorum 37:381, 446; 38:381, 444; 39:355, 480; 40:371, 457; 41:468. verum 6:22; 8: 222; 13:89, 237; 15:67; 26:14; 33:170; 49: 252; f. albidum, 33:170. virgatum 36:224, 231; 45:276. Wirtgeni 6:22

Gallberry, Bitter 44:365. Sweet 44:365

Gall-fly 41:217

Galpinsia 15:223. interior 15:223

Gansblum 9:54

Garberia fruticosa 48:410

Garden Cress 4:32. Larkspur 28:70. Raspberry 28:71

Garlic 46:315. Field 43:504. Keeled 46: 59. Wild 46:59

Gastridium 15:127: 49:272. australe 15:127: 38:265, 267; 49:272. ventricosum 49:272 Gastroclonium uvarium 21:207

Gastromycetes 3:70

Gastropoda 24:51

Gaultheria 6:126; 12:183; 23:98; 24:153; 46: autheria 6:126, 12:183, 23:393, 24:133, 40:158; 47:282. procumbens 1:93; 3:132; 5: 129; 6:126; 7:39; 12:183; 13:97, 139; 17: 152; 18:41; 22:41, 43, 44, 122, 156; 23: 98; 24:153; 27:108; 29:218; 32:216, 270; 33:112, 123; 36:129; 40:148; f. accrescens 36:129, pl. 283; f. elongata 25:184; f. suborbiculata 22:155; 24:153

Gaura 23:115; 40:99. biennis 2:125; 6:205; 19:231; 23:115; 42:467; 44:362, 430. coccinea 34:6; 36:224; var. parviflora 42:267. filiformis, var. Munzii 39:420; var. typica 42:500. glabra 27:15. induta 27:15. parviflora 27:15; 34:175; 37:193; var. lachnocarpa 27:14, 15; var. typica, f. glabra 42:

500

500
Gaylussacia 3:266; 9:54; 12:107, 183; 13:96; 22:167; 24:154; 32:127; 33:197; 36:236; 43:69. baccata 10:53, 84; 11:97, 231; 12: 183; 13:128, 139, 149; 17:148; 18:41; 23: 135; 24:154; 29:218; 32:151, 270; 34:64; 38:98; 40:145; 42:352, 354, fig.; 43:68; f. glaucocarpa 15:167; 24:154; f. leucocarpa 10:53, 84; 13:182. brachycera 22:167; 33: 197; 37:320; 39:196. dumosa 1:93; 2:168; 3:193, 197; 5:276; 7:75; 8:27; 9:119; 11: 97; 12:106, 156; 13:54, 96-99; 21:119; 22: 122; 23:285; 25:99; 33:123; 39:368, 437, 122; 23:285; 25:99; 33:123; 39:368, 437, 471, 480; var. **Bigeloviana** 13:99, 128, 135, 140, 149; 17:148, 149; 22:122; 23:99, 132, 148, 284, 285; 24:99, 154; 28:84; 29: 129, 183, 218; 32:270; 39:437, 475; 42:87, 88, 91, 92; var. hirtella 1:93; 3:194; 24: 99; 29:184, 218. frondosa 1:93; 5:204, 276; 11:231; 24:154; 32:151, 270; 36:49; 43: 81; var. nana 33:198; var. tomentosa 33: 198. hirtella 13:97. nana 33:198. resinosa 1:93; 2:6, 81, 83, 188; 3:194, 263, 266; 4:14, 131; 5:129; f. leucocarpa 3:195, 264; var. glaucocarpa 2:83, 168; 3:194, 235; 4:14, 131; 6:142; var. leucocarpa 10:53. ursina 33:198; 43:626

Geaster hygrometricus 41:515

Gelidium 7:172; 21:204. australe 20:203, 204, 206. cartilagineum 21:207. corneum 35:148; 50:266; var. sericeum 21:207. crinale 2:50; 7:231; f. luxurians 8:111. unilaterale 14:59

Gelinaria dentata 8:112

Gelsemium 18:227. sempervirens 36:50; 38: 377; 39:474, 480

Gemmingia 9:53

Genista 20:168. Boissieri 9:47. horrida 9: 47. tinctoria 1:81; 2:89, 168; 3:88; 10: 152; 20:168; 31:84; 32:156, 256; 39:187. Webbei 9:47

Gentian 7:22, 23; 17:56; 41:486, 487, 557; 42:337, 350; 47:143. Blue Fringed 9:28. Cherokee 41:487. Elliott's 15:224. Fringed 1:11, 89; 5:75; 7:14; 25:85; 28:60. Plym-

outh 23:160

Gentiana 1:36; 6:127; 7:23; 10:54; 17:56; 21:193, 194, 201; 24:234; 29:185; 41:556; 42:155; 47:290, 378; 49:175. § Crossopetalae 25:88; 41:280. acuta 9:154; 19: 149–151; 29:185; 49:251. aleutica 41:156, 279. algida 41:163, 164, 278. Amarella 19:149–151; 25:10; 29:185; 35:94–96; f. Michauxiana 19:151; var. acuta 6:94; 9: 154, 163, 167; 11:7, 97; 19:150. Andrewsii 4:93; 16:89; 19:147-149, 152; 21:201; 22: 104-110; 24:185, 234; 34:33; 36:224; 38: 366; 42:350; 46:139; f. albiflora 19:152. angustifolia 41:555, 556. arctophila 41: 279; var. β. 41:279. carinthiaca 21:193, 194. Catesbaei 41:555, 556; 49:86, 175, 176, 193, pls. 1078, 1079; var. nummulariaefolia 49:175, 193, pl. 1078. cherokeensis 41:471, 487, 555, map 14; 42:375; 44: 373, 431; 45:365, 366. ciliata 25:85, 87. clausa 19:148. 149: 21:201: 22:105. 106. Michauxiana 19:151; var. acuta 6:94; 9: clausa 19:148, 149; 21:201; 22:105, 106, 108, 109; 24:234. crinita 1:11, 89; 2:217; 3:189, 190; 7:14, 22; 14:21; 17:35; 24:234; 25:85, 86, 88; 26:175; f. albina 19:152. decora 39:200. detonsa 29:218. elegans 41:280. Elliottea 39:362; 41:555. Elliottii 39:362; 41:555, 556; 49:176; var. parvifolia 49:176. falcata 45:314. flavida 42:350. 49:170. Ialeata 45:514. Ilavida 42:530. frigida 41:278. glauca 41:148, 154, 163–165, 279; 42:312, 337. Grayi 37:326. linearis 1:184; 6:127; 7:110; 13:182; 24: 183; 32:143, 144; 37:325–327; 41:486; 42: 362; f. Blanchardii 19:152; 32:143, 144; var. lanceolata 37:325, 326; var. latifolia 26:40; 37:325, 326. Macounii 25:86, 89. monantha 39:495. nana 45:314. nesophila 13:119, 130, 138; 25:86, 89; 28:60, 79, 118; 29:130, 185, 218; 32:13; 35:60, 94-96; 36: 332. nigricans 42:299, pl. 625. nivalis 38:157. ochroleuca 37:326; 42:350. parvifolia 37:438; 38:394, 441; 39:362, 474, 477, 41:555, 40:176. 477; 41:555; 49:176. Pennelliana 42:198. plebeja 19:149, 151. Pneumonanthe 37: 326. Porphyrio 39:364, 444, 467, 472, 474;

41:487, 555-557; 44:152, 237, 238; 49:99; f. albescens 44:152; f. albocaerulea 44; 152; f. Stoneana 44:152. process 11:54; 19:164; 25:86, 88; 32:221; 41:153, 279, 280; 45:314; f. laevicalyx 32:221. pro-280; 45:314; f. laevicalyx 32:221. propinqua 19:150; 28:54, 60, 79, 80, 125, 224; 29:185; 35:95, 96; 41:164, 279, 280; 42: 336, 337; 45:314. prostrata 41:280; 42: 337; 45:314. puberula 35:361; 36:224; 41: 556. purpurea 41:487, 556, 557; 44:152, 237. quinqueflora 1:221; 16:90. quinquefloia 21:202; 35:289; 36:24, 100; 46:139; 47:143; f. lutescens 19:151. Romanzovii 39:494. rotata 21:193, 194. rubricaulis 7:109; 37:325-327. Saponaria 16:89; 19: 147-149; 22:105-110; 23:129; 35:255; 37: 350; 39:361, 362, 482; 41:486, 555, 556; 49: 350; 39:361, 362, 482; 41:486, 555, 556; 49: 175, 176. serrata 25:85, 86. spicata 10: 54. Stelleriana 21:193, 197. Stoneana 41:555-557, pl. 579; 42:198, 362; 43:502; 44:152, 237. sulcata 21:194. tenella 41: 280. tenuifolia 41:557; 42:198. unalaccensis 41:279. verna 21:66. Victorinii 25:87–89, pl. 139; 32:221; 33:73; 34:39; 41:377; 42:401, 514, map 26; 48:272. villosa 31:13, 17, pl. 178; 38:441; 39:362, 399, 480; 41:555, 556; 49:176

Gentianaceae 6:127; 21:194; 24:234; 25:10; 29:218; 31:43; 32:271; 34:167; 36:283; 40: 356; 42:155; 45:314; 49:255

Gentians 41:279, 488, 555

Geobalanus pallidus 48:136

Geocalyx 11:16; 19:270. graveolens 2:63; 5:171; 6:74; 9:73; 15:24; 25:194; 26:8

Geocarpon minimum 36:220, 231

Geocaulon 30:21, 23. lividum 30:23, 24; 32:206; 33:120; 34:52; 36:280; 41:149, 218; 42:311, 321

Geoglossum 1:59-61. Farlowi 1:63, 66, pl. 4. glabrum 1:63. hirsutum 1:63; form G. Farlowi 1:63. luteum 1:65-67. olivaceum 1:65. ophioglossoides 1:63. Peckianum 1: 63, 66, pl. 4. pistillaris 1:65. rufum 1: 65-67. simile 1:63

Geoprumnon 46:216. mexicanum 39:317. trichocalyx 39:317

Georgia geniculata 8:131. pellucida 2:62; 8:131; var. curvata 8:131, 132

Georgia Pine 50:182

Georgiaceae 8:131; 11:16

Geraniaceae 15:172; 18:39; 21:79; 25:9, 25; 26:226; 28:71; 29:215; 31:43; 32:257; 49: 255; 50:302

Geranium 3:149; 7:160; 8:113, 226; 11:130; 13:18; 21:80; 37:295; 45:5-7, 16; 46:28; 47:219. § Caespitosa 45:6, 8, 52. § Mexicana 45:6, 8, 52. § Sylvatica 45:6, 8. albiflorum 45:5, 33, 35; β. incisum 45:15, 25. atropurpureum 45:48, 50, 51; var. furcatum 45:45. atrum 37:300. attenuilobum 45:8, 9, 26, 40, 41. Bicknellii 15:141; 17:233; 19:230; 21:80; 24:176; 37: 295-298, 340, pl. 371; 43:35; 44:91, 92; var. longipes 37:297, 340, pl. 371; 43:35. caespitosum 45:8, 10, 38, 39, 41, 45-47, 49, 50; f. albiflorum 45:48. californicum

45:8, 10, 38, 41. canum 45:23. carolinianum 5:203; 15:141; 21:80; 24:176; 26:226; 32:257; 37:295, 296, 298-300, 341, pls. 373, 374; 42:458; 43:35; 50:302; var. confertiflorum 37:300, 301, 341, pl. 374; 38:454; var. longipes 37:297. columbinum 37:296, 310, 318. concinnum 45:8, 10, 36, 38. Cowenii 45:8, 9, 41, 42. dissectum 21:80; 37:296-299, 340, pl. 371; 42:458. divaricatum 34:207. eremophilum 45:8-10, 38, 46, 47. erianthum 41:154, 248, 254; 42:333; 45:5, 6, 8, 9, 13, 16, 17, 22. Fremontii 45:8, 9, 23, 41, 42, 44, 46, 47, 50; var. Parryi 45:43. furcatum 45:45, 46. gracile 45:47, 51. gracilentum 45:33, 35, 36. Hookerianum 45:33; β. incisum 45:22. ibericum 37:296. incisum 45:15, 16, 20, 23, 25, 39. Langloisii 37:300, 341, pl. 374. lanuginosum 37:300. laxum 37:297, 298, 340, pl. 371. lentum 45:6, 8, 10, 51–53. leucanthum 45:39. lobatum 30:56. loloense 45:33, 36. longipes 37:297. maculatum ense 45:33, 36. longipes 37:297. maculatum 3:149; 4:88; 5:130, 132, 256; 12:128; 15: 79; 21:80; 32:216, 257; 37:166, 296; 45:5, 6, 8, 10, 13, 14, 17, 19, 22; β. 45:15, 16; f. albiflorum 45:11; var. albiflorum 45:11; var. album 45:11; var. plenum 45:11. marginale 45:8, 9, 41, 42. mexicanum 45:53. molle 21:80; 34:207; 37:296, 301. nemorale 37:297, 340, pl. 371; 43:35; 44:91, 92; var. Bicknellii 43:35; 44:91. nepalense 47:220; var. Thunbergii 47:219, 220. 91, 92; var. **Bicknellii** 43:35; 44:91. nepalense 47:220; var. Thunbergii 47:219, 220. nervosum 45:23, 24, 36; 46:28. oreganum 45:8, 9, 13, 14, 16, 17, 19, 25. Parryi 45:8, 9, 42, 44, 46, 52. Pattersonii 45:43, 44. pentagynum 45:33. pratense 3:149; 5:256; 21:80; 23:273; 25:9; 37:87, 296; 45:6, 8, 9, 13, 19. pusillum 1:81; 2:125; 17:30; 19:230; 21:80; 37:296, 301. pyrenaicum 37:296, 301. Richardsonii 45:8, 10, 16, 17, 22, 25, 32, 35, 36, 38–40; var. intermedia 45:43. Robertianum 2:208; 3:188; 4:74; 5:132; 6:208; 9:39; 17:35, 233; 188; 4:74; 5:132; 6:208; 9:39; 17:35, 233; 188; 4:74; 5:132; 6:208; 9:39; 17:35, 233; 182; 29:121, 215; 32:173; 35:83, 250, 390; 37: 295; 38:454; 45:49. sanguineum 37:296. sibiricum 21:80; 24:17; 37:296; 47:216. sphaerospermum 37:296, 298, 299, 341, pl. 372. strigosius 45:8, 9, 16, 17, 21, 22, 25, 26, 36, 38, 39, 41; 46:28. strigosum 45: 23-25. sylvaticum 36:421; 45:8. texanum 23-25. sylvaticum 36:421; 45:8. texanum 37:299, 341, pl. 372. triste 30:56. viscosissimum 45:8, 9, 17, 19, 21–23, 25, 38; f. album 45:20; var. album 45:20. Wislizeni 45:6, 8-10, 51, 53

45:0, 8-10, 51, 53 Gerardia 9:38; 15:224; 20:67-70, 73, 133, 136, 137; 23:138; 28:143; 34:215; 35:74; 39:362; 41:382; 42:156, 416, 417; 48:206. § Dasystoma 20:68, 70, 73. § Eugerardia 20:68, 70, 73. § Otophylla 20:68, 70, 73. § Pedicularioides 20:70. auriculata 20:71, 73. cassioides 17:134. decembola 8:221; 38:443; 39:475. dons.id.com. 20:71, 73. 38:443; 39:475. densifiora 20:71, 73. droseroides 20:68. fasciculata flava 2:157; 5:129; 7:33; 10:165; 20:66-68, 71, 73, 133; 21:202; 25:63; 37:350; 39:474;

50:122; var. reticulata 38:407; 44:446. Gattingeri 38:366. glauca 20:67, 71. glutinosa 20:68. grandiflora 20:69, 70, 73, 135; 50:122; var. cinerea 38:407; var. integriuscula 10:35; var. serrata 10:35; 20:71, 73. Greggii 20:135. hispidula 20: 136. integrifolia 50:122. laevigata 20:71, 73; 35:202; 44:446. maritima 2:219; 5: 133; 7:33; 11:229; 17:208, 221; 24:203; 32:274. neoscotica 23:138, 139. obtusifolia 39:476. parvifolia 8:221; 13:151; 25: 62. paupercula 7:75; 9:122; 10:165; 11: 130; 13:19; 16:40; 19:30, 53; 23:290; 31: 167; 35:251; 44:246. pectinata 50:122. pedicularia 7:33; 10:86, 165; 13:19; 20: 68-70, 73, fig. 6; 35:202; 50:122; var. ambigens 10:36; 20:70, 73; 35:202; var. pectinata 10:86; 11:56; 20:70, 73. peduncularis 20:69, 135. fig. 7. Plukenetii 44:255. Gattingeri 38:366. glauca 20:67, 71. glularis 20:69, 135. fig. 7. Plukenetii 44:255. purpurea 1:205; 7:33, 35; 9:122; 13:19; 14:29; 20:68, 69; 23:290; 24:88; 32:274; 35:74; 39:474; 42:480; f. abiffora 44:446; 7:23 35:74; 39:474; 42:480; f. albiflora 44:446; var. paupercula 1:43, 205; 5:131; 7:33. quercifolia 3:185; 4:88; 5:129; 7:33; 10:165; 20:66, 67, 133; 50:122. racemulosa 39:476; 42:480. scabrosa 20:68. serrata 10:35; 20:71. setacea 34:206; 39:476; 44:255. Skinneriana 7:33, 35, 75; 8:221; 47:404; 50:106, 123. tenuifolia 2:219; 5:129; 7:33; 10:165; 16:40; 20:69; 24:119; 42:416; var. macrophylla 20:71, 73; var. typica 46:139. tuberosa 20:68; 41:382. virginica 13:182; 20:66-69, 71, 73, fig. 8; 21:199, 200; 25:63; 35:202; 39:474; 48:205. Wrightii 20:137 ierardia, Purple 25:62. Yellow 25:63

Gerardia, Purple 25:62. Yellow 25:63

Gerbera 17:136; 20:151 Gesnera Donklarii 9:45

Gesneria 30:54 Gesneriaceae 39:275

294, 340, pl. 370, calthifolium 33:59. camporum 24:47, 49. canadense 17:35; 20:18; 23:137, 268; 24:47, 48, 50; 32:216, 255; f. glandulosum 24:48, 50; var. 255; I. glandulosum 24:40, 50; var. brevipes 39:410, 475, 490, pl. 479; 40:417; 47:97, 152; var. camporum 24:48, 49, 50; 25:210; 39:410; f. adenophorum 24:48, 49, 50; 37:427; 39:344, 410, 490, pl. 479; var. texanum 24:47–49, 50. ciliatum 30:206, 673:444.405 207; 44:405. flavum 1:68; 35:39; 37:292, 427; 40:181. geniculatum 8:11. glaciale 41:163, 164, 248. hispidum 8:11. intermedium 8:11. laciniatum 25:98, 99; 37: 292, 293; var. trichocarpum 37:293. 292, 293, val. Hellocarpun 37,273, macrophyllum 6:193; 8:11; 13:115, 125, 138; 25:9; 29:131, 179, 215; 32:206; 33: 172–174, 176, fig. 1 (map); 36:281; 37: 294, 295; 44:104; var. perineisum 33:176, fig. 2 (map); 37:295; 41:248; 42:331.

Meyerianum 24:47, 48, 50. oregonense 33: 173, 174. Peckii 8:103; 9:154, 155, 162; 22:38, 48; 33:59. perincisum 33:173, 174, 176; 37:295. \times pulchrum 8:11; 44:104, 176; 37:295. × pulchrum 8:11; 44:104, 143. radiatum 8:103; 9:154; var. Peckii 3:165; 50:240. rivale 3:130; 4:76; 5:133; 6:120; 8:11; 11:94; 20:18; 21:65, 199; 29: 215; 33:179; 36:11, 281; 44:104, 115; 47: 215. Rossii 36:12; 41:163, 164, 248; 42: 331. strictum 1:220; 6:120; 11:7; 20: 18; 23:137, 268; 32:173; 33:172, 174, 176; 36:281; 37:293, 294. triflorum 1:171; 30: 206, 207; 33:172, 176, 227; 34:97; 35: 388; 37:203, 295, 299; 39:78; 44:405; 6:101; 30:207. pallidum 30:207; var. ciliatum 30:207; f. flavulum 30:207; f. ornatum 30:207. urbanum 12:189; 20:18; 33:173. virginianum 6:208; 7:154; 20:18; 21:199; 23: 137, 170, 268; 24:48; 25:98; 37:292, 293, 340, 427, pl. 368; 40:181; var. Murrayanum **25:99**; 37:292, 293

Giant Bulrush 4:102. Coral-root 39:342.

Horsetail 49:203. Rag-weed 41:82

Gigartina 17:96. canaliculata f. laxa 8:111. Chamissoi 17:92. exasperata 14:58. Les-

sonii 17:93. mamillosa 2:50. mollis 14:58 Gilia 6:153; 18:229; 25:27; 45:27. acerosa 34:6. androsacea 3:92; 6:153; 25:27. coronopifolia 6:151, 152. inconspicua 6:151; 25:27. leucocephala 6:151; 25:27. linearis 6:84, 144, 151, 153; 12:111; 23:288. multicaulis 25:27. rubra 18:229. tricolor 6: 153; var. longipedicellata 6:151, 154; 25:27

Gilibertia 18:234; 47:289

Gillena 19:153

Gillenia 19:153. stipulata 36:230; 39:482. trifoliata 39:482; 42:453; 45:215; f. multipetala 45:216

Ginannia 18:233, 234. lanata 18:234. pubescens 18:234

Gingko biloba 32:13

Ginseng 46:250

Giraudia sphacelarioides 2:206

Githopsis 41:301, 302, 306, 309, 312, 313. calycina 41:303, 308, 309; var. hirsuta 41: diffusa 41:303, 310, 311. filicau-308, 309. lis 41:304, 311, 312. gilioides 41:303, 311. latifolia 41:303, 304. pulchella 41: 303-306, 309, pl. 555. specularioides 41: 302, 303, 305, 306, 311, 312; subsp. candida 41:308; var. glabra 41:305

Glabraria geniculata 43:492; 47:140, 142,

pl. 888

Gladiolus 31:11; 47:385. × gandavensis 42:

Glastonbury Thorn 5:167

Glaucium flavum 26:127; 27:202; 32:180, 253. luteum 26:127

Glaucocystis nostochinearum 26:212; 50:274 Glaucous Alder 47:350. Willow 12:177

Glaux 4:213–215; 18:30; 24:232; 49:254. maritima 4:16, 33, 214, 215; 5:131; 13: 105; 22:110; 24:232; 29:88, 106; 32:173; 34:108; var. obtusifolia 4:215; 10:144; 11:7; 17:147; 18:42; 24:232; 33:123; 34: 55, 70, 72, 74, 81, map 4; 36:283; 42:116;

Glazioua 9:38

Glechoma hederacea 6:127: 29:185, 219:

50:299; f. acutiloba 47:176

Gleditsia 11:49; 20:168; 46:313; 47:207. aquatica 14:81. triacanthos 2:91; 4:103; 20:168; 32:152, 256; 38:97; 41:515, 517, 519, 520; 44:171, 174; 47:207; β. inermis 38:97; f. inermis 38:97; 47:207

Glenodinium cinctum 50:276

Glinus lotoides 42:98

Globeflower 5:34

Globularia 47:386. cordifolia 9:45 Gloeocapsa 5:30; 24:105, 106. aeruginosa 24:105. alpicola 50:68. alpina 24:106; 26: 163. ambigua 15:89. crepidinum 2:41; 7: 172: 10:162. fusco-lutea 15:89. Magma 6:229; 24:103, 105, 106; 26:162, 163. membranina 50:68. montana 26:163. rupestris 15:89. sanguinea 26:162. turgida 50: 69. violacea 7:235

Gloeocystis 10:155. ampla 50:274. confluens 50:69. rupestris 6:230; 7:239. scopulorum 10:155, 163. vesiculosa 6:230. zostericola

2:44

Gloeosporium decolorans 39:371. nervisequum 41:515. polygoni 44:170. profusum 41:515

Gloeotaenium Loitlesbergianum 14:115 Gloeothece fusco-lutea 26:163

Gloiococcus mucosus 14:115, 237; 15:92 Gloiosiphonia capillaris 1:70, 124; 2:50, 210; 7:235; 8:125; 43:73

Gloiotrichia Pisum 7:238 Gloriosa 1:96; 9:37; 47:288

Glossadelphus acutifolius 36:132. irroratus

36:132

Glossopetalum spinescens 34:6

Glossy Rose 12:180

Glottidium vesicarium 36:118; 40:180

Glumiflorae 9:37

Glyceria 6:106; 7:160; 9:53; 15:145; 16:14; 18:1; 28:150; 31:16; 33:60; 34:243; 35: 321; 36:266, 348; 37:262; 40:380; 44:34; 48:21; 49:261. § Atropis 36:346, 347. acutiflora 2:120; 13:92; 14:181, 184, pl. acutinora 2:120; 13:92; 14:181, 184, pl. 99; 15:145; 16:90; 27:202; 31:49; 32:105, 148, 176, 236; 38:363; 40:28; 43:658; 48: 19, 24; 49:261. airoides 18:16; 47:108. alnasteretum 36:265. angustata 18:21. aquatica 14:180. arctica 18:4. arkansana 31:49; 35:294; 40:380, 385, 386, 441; 42: 360, 410; 47:210. arundinacea 36:265. 360, 410; 47:210. arundinacea 36:265. borealis 2:158; 8:211; 11:89; 13:92; 14:45, 181; 15:98, 145; 16:14; 17:150; 22:135; 24:98, 186; 25:6; 27:197; 29:149, 207; 31:49; 37:83; 39:150; 43:339; 47:42, 45; 48:19, 23; 49:261. Borreri 18:10. canadensis 5:131; 6:106; 9:121; 11:231; 12:135; 13:139; 14:181, 184, pl. 99; 15:145; 17:72, 150; 18:34; 29:207; 32:172, 213, 236; 33:109, 117; 39:334, 381; 48:19, 22; 49:261. distans 18:10, 12, 16; 49:260; f. tenuis 18:13; 49:260; var. angustifolia 49:260; var. tenuis 18:13; 49:260. elongata 116 Rhodora

1:42, 204; 4:39, 146; 6:106; 8:211; 14:186. Fernaldii 19:75, 76, 119; 23:231; 24:113; 28:150; 32:177; 35:226; 47:42, 45; 48:19, 22; 49:261. fluitans 5:132; 8:211; 10:201; 14:180; 15:98; 24:98, 186; 27:197, 201; 28:50, 83, 85, 150; 29:126; 31:49; 35: 273, 294; 38:15; 43:339; 48:19; 49: 115, 241, 261. grandis 6:106; 11:89; 14: 181, 184, pl. 99: 15:145: 17:150; 32:105. 106 241, 261. grandis 6:106; 11:89; 14: 181, 184, pl. 99; 15:145; 17:150; 32:105, 106, 172, 176, 201, 203, map 37; 35:321, 322, fig. A; 36:264, 265, 307; 37:83; 41: 157, 181; 42:317; 48:19, 22; 49:241, 261; f. pallescens 23:231; 48:19; var. Komarovii 36:265, 266. kashmiriensis 37:262. laxa 1:183; 12:110, 135; 15:145, 203; 17:150; 23:231; 24:162; 32:177; 48:19, 25, 26; 49: 261. leptolepis 36:265, 266. leptostachya 30:215; 31:49. lithuanica 36:265; f. violacea 30:215; 31:49. lithuanica 36:265; f. violacea 36:265. maritima 18:7; 32:159; var. reptans 18:9. maxima 36:265. **melicaria** 14:186; 15:145; 19:30, 36; 37:455; 43:339; 48: 19, 23; 49:261. microtheca 30:215. mon-19, 23; 49:261. microtheca 30:215. montana 18:16; 30:215. natans 36:265. nemoralis 37:262, 263. neogaea 35:226; 49:261. nervata 3:170; 6:106; 15:145; 17:150; 19:76; 29:131, 149, 207; 31:47, 48; 32:236, 260; 41:157; 49:261; var. stricta 9:208; 25:6; 28:121; 41:181. nubigena 35:321, fig. B. obtusa 2:157; 9:121; 15:145; 23:231; 24:161; 28:38; 32:149, 150, 172, 213, 236; 42:38, 92; 47:237; 48:19, 25, 26; 49:261. pallida 1:42, 204; 6:106; 14:181, 182, 184, pl. 99; 15:145; 17:150; 19:75; 23:166, 231; 32:149, 216, 236; 36:266; 48:19, 24; 49:261; var. Fernaldi 8:211; 11:83; 15:145; 19:75, 76, 119; 35:226; 47:42. paludificans 36:265. pauci-226; 47:42. paludificans 36:265. pauci-flora 36:266. paupercula 18:18, 21; 36: 346. procumbens 18:11. pulchella 36:265. pumila 36:347. repanda 42:295. reptans pumila 30:347. repanda 42:295. reptans 18:9. septentrionalis 8:211; 15:98, 146; 17:213; 24:98, 186; 27:201; 31:49; 35:294; 37:389; 48:19, 24; 49:115, 261. striata 31:47, 48; 32:153, 216, 236, 260; 37:203; 43:79; 44:70; 48:19, 22; 49:261; var. mexicana 37:263; var. stricta 31:47, 48; 32: 260; 36:265, 277; 37:263; 38:298; 41:181; 47:210; 48:19, 23; 49:261. tonglensis 37: 263; var. honshuma 37:263. Tarrayana 263; var. honshuana 37:263. Torreyana 8:211; 14:186, 187; 15:121, 145, 226; 17: 150; 49:261. vaginata 18:14. vilfoidea 18: 8. viridis 36:266

Glycerieto-Distichlidetum 39:56

Glycerietum 39:54, 55. maritimae 39:56

Glycine 36:89; 44:423. Apios 36:88, 89; 41:547. bracteata 35:276. comosa 35:276; 38:95; 39:318. mollissima 44:255. monoica 35:276. reniformis 44:423. Soja 36: 374. tomentosa 44:422–425; var. α. erecta 44:422; var. β. volubilis 44:422, 423; var. γ. monophylla 44:423; var. monophylla 44:423

Glycyrrhiza 20:168. lepidota 1:46; 6:82; 20: 168; var. glutinosa 45:378, 453 Glyphomitrium 36:60. canadense 36:60 Gnaphalium 6:132; 7:160; 20:71; 26:108;

33:220, 221; 37:306; 47:241, 258. § Gamochaeta 37:449, 450. alpinum 26:98; 36: 102. americanum 45:479. arenarium 33: calviceps 37:449, 450, 454, pl. 405; 38:52; 39:456, 475; 40:471; 44:343; 46: 307, 308. carpathicum, var. Laestadiana 22:142. decurrens 1:74; 6:132; 13:55; 26: 22:142. decurrens 1:74; 6:132; 10:55; 20: 108; 50:215. dioicum 3:13; β. plantaginifolium 47:240, 241. falcatum 36:50; 37: 450, 454, pl. 405. Helleri 10:94; 20:71, 72. luteoalbum 33:220. Macounii 50:215. margaritaceum 40:219; 41:390, 391; α. americanum 41:390; α. genuinum 41:390; β. intermedium 41:391; β. kamtschaticum 41:391. monocephalum 47:241. norvegi-Graph (1917) 164, 191; 28:116, 122, 239; 33: 219, 220, fig. 4; 35:121; 44:115. obtusifolium 6:132; 20:71-73; 23:157; 25:23; 26:108; 29:128; 32:151, 160, 279; 33:75; 36:221; 38:232, 233, 238, pl. 434; 39:340; 48:232, 48:132 36:221; 38:232, 233, 238, pl. 434; 39:340; 44:237; 48:121; 50:300; var. Helleri 20: 72, 73; 25:22, 23; 38:232, 233, 239, pl. 434; 39:476; 43:211; 45:380, 480; var. micradenium 25:22, 23; 32:178; 35:291; 36:221; 38:232, 233, 239, pl. 434; 39:475; 40:369, 471; 43:211; 45:380, 480; var. praecox 38:231-233, 239, pl. 434; 39: 340, 456, 477; 40:471; var. saxicola 48: 121. pedunculosum 37:450, 454, pl. 405. peregrinum 45:479, pl. 795. plantagineum 121. pedunculosum 37:450, 454, pl. 405. peregrinum 45:479, pl. 795. plantagineum 15:120; 47:240. plantaginifolium 3:11, 12; 37:449; 47:183, 240, 241, 247, pl. 957. platense 45:479. polycephalum 6:132; 10: 94; 13:148; 17:36, 219; 18:99; 20:71-73; 21:170; 26:108, 228; 32:279; 39:373, 375; 41:517, 520; 50:300; var. Helleri 10:94; 20:72, 73. purpureum 13:33, 152; 19: 251; 23:172; 26:108; 32:211, 279; 36:51, 221; 37:450; 39:474, 482; 45:479; 48:121; var. purpureum 48:121. saxicola, 33: 75; 48:121. spathulatum 36:51; 39:456; 43:511, 656; 45:478, 479. spatulatum 45: 43:511, 656; 45:478, 479. spatulatum 45: 43:511, 656; 45:478, 479. spatulatum 45: 478. supinum 3:165, 177; 9:154, 164; 33:219-221, fig. 4; 36:148; 38:125, 160; 44:125. sylvaticum 2:137; 4:34; 6:193; 11: 30, 99; 23:164, 298; 33:220; 49:252. uliginosum 6:132; 9:154; 17:227; 18:44; 21:170; 22:137; 26:108; 29:221; 32:279; 33:75, 126, 220; 50:303; var. nudum 22:140. undulatum 17:135 undulatum 17:135

Gobia baltica 6:182; 8:157

Gold Fern 22:113

Golden Cap 7:144, 146. Club 16:18, 19. Crest 23:92. Saxifrage 49:26. Wonder Millet 18:232

Goldenrod(s) 2:57; 5:260; 6:49, 182; 13:123; 18:71, 204; 23:143; 25:16; 28:72; 32:160; 33:159; 41:130; 43:484; 44:1, 2, 114, 120, 124; 45:377; 47:91; 49:93. Bushy 28:72. Canadian 23:151. Seaside 4:89

Goldie's Fern 7:100: 13:238

Goldthread 22:130

Goienkinia paucispina 44:67. radiata 44:67 Gomontia Holdeni 5:220. polyrhiza 2:44; 7:226; 8:159; 26:213; 50:259

Gomphidius 13:57. gracilis 13:63. macu-

latus 13:63. roseus 13:60. vinicolor 13: 63, 65

Gomphonema acuminatum 9:136; 10:181, 183. angustatum 10:182, 183; var. elongata 10:182; var. producta 10:182. augur 9: 136; 10:183. capitatum 9:136. commutatum 10:183. constrictum 9:136; var. capitata 10:183; var. subcapitata 10:183. cristatum 9:136. dichotomum 10:181, 182. geminatum 9:136. Herculaneum 10:183. intricatum 10:181. micropus 10:182, 183. montanum 10:181; var. suecica 10:181. tenellum 10:182

Gomphosphaeria aponina 10:160; 24:106.

lacustris 44:65

Gomphrena 11:44; 17:180. globosa 17:180 Gonatherus 4:153; 15:17

Gonatozygon 7:112; 24:215. aculeatum 7: 112. asperum 7:112. Brebissonii 7:112; 24:215. monotaenium 7:112. pilosum 24: 215. Ralfsii 7:112

Gongrosira 10:122, 124. Debaryana 30:194.

fastigiata 50:274

Goniolimon collinum 18:158. tataricum, var. angustifolium 18:159

Goniophlebium californicum 24:136

Goniotrichum 7:230. elegans 2:50; 7:230; 13:187; 21:203, 204, 206. ramosum 2: 50; 7:230

Gonium pectorale 14:114

Gonolobus 39:358; 40:281-283, 285, pl. 494. onolobus 39:358; 40:281-255, 250, pr. 454. Caro-Baldwynianus 40:284, 286, pl. 494. Caro-linensis 40:284-287, pl. 494. **decipiens** 40:284, 286, 287, pl. 494. **gonocarpos** 40:283, 284, pl. 494. hirsutus 40:282, 285, 286. laevis 40:282-285; 41:557; var. macrophyllus 40:284, 285. macrophyllus 40:282–285. obliquus 40:284, 287, pl. 494; var. Shortii 40:287. Shortii 40:284, 287, pl. 494. suberosus 40:284, pl. 494

Good-bye-Summer 28:84

Goodyera 3:203; 6:112; 22:32; 23:81; 27: 105; 29:1; 31:8, 9, 12. chinensis 27:106. decipiens 34:244; 37:199, 216; 44:104; 48: 11. discolor 3:202. labiata 27:106. Mai-11. discolor 3:202. labiata 27:106. Mairei 27:106. melinostele 27:106. Menziesii 1:2, 3, 7, pl. 1; 4:18; 6:193; 48:11, 12. oblongifolia 48:11, 12. pauciflora 27:106. pubescens 1:3, 5, 7, 193; 2:172; 3:202, 203, 205, pl. 33; 4:18, 75; 5:82; 9:121; 13:216, 218, 219; 24:39, 41, 42, 44, 46, pls. 135, 136; 36:100, 220, 221, 227; 37: 381, 413; var. minor 1:3, 7. repens 1: 2-7, 26, 192, pl. 1; 2:22, 121; 4:21; 7:96; 24:99; 29:155; 41:149, 215; var. ophioides 1:6, 40, 199; 2:22, 121, 172, 180; 3:85; 4:18, 21; 5:37, 82; 6:112; 7:96; 25:8. secundiflora 27:106. tesselata 1:3, 6, 7, 193, 199, pl. 1; 2:180; 3:85, 86, 172, 202, 203, 205, pl. 33; 4:18; 5:82; 6:112; 7:96; 10: 145; 13:216; 24:99. yunnanensis 27:107

Gooseberries 12:19

Gooseberry 7:153. Smooth 12:179 Maple-leaved 28:73 Goosefoot 12:109.

Goosegrass 49:275

Goose-tongue 12:109; 18:43; 27:94; 28:63

Gordonia 49:86, 151-154. Lasianthus 39: 476; 44:364; 49:151, 152

Gormania 29:35

Gorse 21:29

Gossypium 22:73; 39:325. herbaceum 22:73

Goutweed 25:172

Gracilaria 5:231, 232; 17:96. compressa 8: 125. confervoides 5:231, 232; 17:93; 21: 203, 204, 206. filiformis 14:59. foliifera 43:214. multipartita 1:123; 2:50; 5:231, 232; 7:137, 231; 10:43; 21:203, 206; var. angustissima 2:50; 5:231, 232; 7:231

Graderia 9:38; 20:136

Grama 49:276

Gramen caninum 26:230, 231. nemorosum

26:230, 231

26:230, 231
Gramineae 3:69, 219, 221, 241, 283, 285; 6: 104; 9:37, 50; 10:195; 12:62; 13:66; 14: 20, 36, 165, 184; 15:54, 122, 144; 17:71, 222; 18:33, 95, 231; 21:129, 170; 23:90; 25:6; 26:222; 28:74; 29:207, 247; 31:8, 10, 16, 43, 92, 106, 145; 32:231; 33:111; 34:247; 36:277, 278; 38:109, 263, 379; 39: 383; 40:148-153, 161, 162, 166, 167, 169-171; 41:141; 42:41, 150, 417; 43:79; 45: 222, 248, 277, 308, 309; 47:108, 206, 385; 48:205: 49:115, 123, 254, 255, 257; 50: 48:205; 49:115, 123, 254, 255, 257; 50: 16, 107, 110, 111, 122, 293, 301. subfam. Panicoideae 14:180. subfam. Poacoideae Panicoideae 14:180. subfam. Poacoideae 14:180. trib. Agrostideae 29:10, 13, 14; 35:214; 38:263-265. trib. Andropogoneae 30:215; 31:106, 110; 36:312; 42:240; 45: 248, 254, 256. trib. Aveneae 8:81, 86, 138, 141; 21:76; 30:242; 38:263, 266. trib. Arundinelleae 9:50. trib. Chlorideae 48: 17. trib. Festuceae 21:76, 77; 29:10, 13, 14; 30:242; 35:214; 48:17. trib. Hordeae 48:17; 50:89. trib. Maydeae 29:14; 31: 106, 110. trib. Orvzeae 38:263, 264. trib. 106, 110. trib. Oryzeae 38:263, 264. trib. Paniceae 29:14; 30:215; 31:106, 107, 111; 37:370; 38:268. trib. Phalarideae 38:263, 264. trib. Tristegineae 9:50. trib. Zoysieae 31:107, 111

Grammatophora macilenta 26:193, 195, 216.

Grammatopnora machenta 20:193, 193, 216.

marina 26:193, 194, 216. oceanica, var.
machenta 9:138. serpentina 26:193, 216

Grape(s) 12:17-21, 23-25, 35-38; 15:29-32;
25:204; 27:71; 41:516; 43:154. Bear's 16:
26. Chicken 41:434. Concord 44:352.
Fox 4:130; 41:432, 435; 42:390. Frost 41:
432. Muscadine 41:432. Pigeon 38:428.
Rusty Winter 38:428. Summer 4:130.
Wild 12:17: Fox 41:435. Winter 41:432 Wild 12:17; Fox 41:435. Winter 41:432, 434, 435

Graphephorum 8:81, 83-86. altijugum 8: 89. Brandegei 30:241. melicoides 1:48; 6:192; 8:84-86; var. Cooleyi 8:87; var. major 8:87; 10:65. Shearii 8:89; 30:213. Wolfii 8:86, 87

Graphidaceae 28:159

Graphis scripta, f. recta 29:98; f. varia 29: 98; var. limitata 28:159; var. recta 28:

Grass(es) 5:245, 289; 6:90, 148, 177; 7:138; 8:205; 11:27, 132, 177; 12:132; 22:38; 39: 52; 40:146, 180, 243; 41:111, 129, 134,

152, 155, 160; 43:219; 44:70, 127, 221, 351; 47:206; 49:257; 50:288. Alkali 49: 264. Arrow 44:218. Barnyard 17:225; 47: 212. Beach 22:70; 44:169. Bent 49:270. Bermuda 41:482; 49:275. Billion-dollar 46: 314. Black 7:46; 17:214, 218, 219. Black Oat 49:274. Blue-eyed 48:153. Brome 49: Oat 49:274. Blue-eyed 48:153. Brome 49: 257. Canada Blue 49:262. Canary 44: 333; 49:276. Cockspur 49:200. Cotton 7: 81; 13:123; 23:131; 28:61, 62, 98. Couch 17:226; 49:265. Crab 17:225. Curly 23: 91; 24:159. Ditch 44:217. Dog's-tail 50: 177. Dropseed 28:74. Eel 20:108; 21:53; 32:147; 44:220. Family 49:257. Feather 49:274. Fescue 49:259. Finger 17:225; 28: 74. Featl Meadow 49:261. Green Fortail 74. Fowl Meadow 49:261. Green Foxtail 28:74. Hair 49:273. Heath 23:95; 28: 81. Herd's 18:33; 49:272. Indian 18: 33. June 49:262. Kentucky Blue 49:262. Low Spear 28:74; 43:630. Manna 28: 85; 49:261. Marram 22:70. Mat 21:23; 28:81. Meadow 49:262. Oat 21:76; 49: 269. Old Witch 28:74. Orchard 49:264. Psamma 22:70. Quaking 49:262. Quitch 49:265. Rattlesnake 49:261. Reed Canary 49:277. Reed Meadow 49:261. Ribbon 49:265. Rattlesnake 49:261. Reed Canary 49:277. Reed Meadow 49:261. Ribbon 49:277. Rusty Cotton 28:82. Sand 49: 265. Saw 37:405; 44:370, 371. Scurvy 11:140; 13:119, 124; 28:62. Sea 12:30. Spear 49:262. Spike 49:264. Sweet 18: 33. Sword 12:132. Tape 20:108; 44:220. Timothy 28:74. Vanilla 23:164; 32:61; 49:276. Velvet 49:269. Wild Pepper 18: 37. Wire-bent 21:23. Witch 17:225. Wood 7:130, 131. Wrack 44:217. Yellow-Wool 7:130, 131. Wrack 44:217. Yelloweyed 47:206

Grass-leaved Bermudiana 48:154

Grateloupia affinis 21:203, 206. filicina 21: 203, 206. ramosissima 21:204, 206

Gratiola 7:160; 14:30; 20:65; 25:63; 34: 148; 37:440; 39:203; 41:382. § Gratiolaria 9:123. Sophronanthe 9:123. acuminata 10:66; 44:255. anagallidea 10:67. attenu-10:66; 44:255. anagallidea 10:67. attenuata 10:67. aurea 4:76; 7:33; 9:122, 123, 195; 11:129, 152; 14:28; 19:116, 118; 21: 73; 23:102, 157, 290; 24:203; 25:63; 26: 37; 28:86, 225; 31:167; 32:149, 210, 274; 35:251; 36:194; 45:215; f. helveola 9: 123; 11:152; 26:37; f. leucantha 9:123; 44:235. Drummondii 9:123. dubia 10:67; 44:441, 443, 444, 446, pls. 731, 733. ebractes 9:123 floribunda 9:123 gracilis 9: ata 9:123. floribunda 9:123. gracilis 9: 123. lutea 34:147, 148; 41:376; f. pusilla 41:376; var. glaberrima 34: 149; 44:144. macrantha 9:123. megalocarpa 44: Macrantha 9:123. Megalocarpa 44: 255. Monnieria 37:440, 441. neglecta 16: 88; 20:65, 66, 73; 25:64; 34:147, 148; 48: 115. officinalis 20:66; 31:7; 34:148; 41: 382; β. carolinensis 20:66; 34:148. pilosa 37:442; 38:377; 39:197, 198, 480, fig. 9 (map). pusilla 9:123. ramosa 9:123. sphaerocarpa 9:123; 20:65, 73; 34:147, 148; 35:364; 36:50; 39:474. Torreyi 9: 123. trifida 20:65. virginiana 1:82, 222; 2:202; 7:33; 9:123; 16:88; 20:65, 73; 25: 64; 34:147, 148; 35:364; 36:50; 39:474;

44:440, 441, pl. 730; f. acutidens 44: 440, 441, pl. 730; var. aestuariorum 44: 356, 439-441, pl. 730; 45:380, 476. viscidula 39:327, 332, 476, map 10. viscosa 9:123 Gray Birch 4:132; 12:178; 13:207; 25:172.

Oak 18:46, 47. Pine 23:247; 35:357

Great Bulrush 6:65. Laurel 18:73 Great-spurred Violet 18:185

Green Alder(s) 6:162; 47:337; Downy 12: 178. Algae 5:2; 8:124; 11:196; 50:257, 271. Ash 15:15. Brier 23:109. Dragon 44:25. Foxtail 17:226. Spleenwort 4:54

Greenwaya 45:303

Greniera 21:11, 12. Douglasii 21:12. tenella

Griffithsia Bornetiana 2:50, 131; 7:233; 35: 148; 50:266. corallina 21:207; 26:191; 35: 148; 50:266. globulifera 35:148; 50:266. tenuis 1:126; 2:50

Grimaldia 16:63; 25:75, 199. fragrans 5:170; 9:73; 14:6; 15:22; 18:119; 25:193. pilosa 25:75, 193. rupestris 25:75, 193, 198

20:73, 193. rupestris 20:73, 193, 193 Grimmia 14:52; 36:60; 39:13. alpicola 30: 5; 48:2; var. latifolia 30:5; var. rivularis 39:13; f. papillosa 36:60. apocarpa 4: 240; 14:52; 30:5; 48:2. atricha 36:60. caespiticia 1:149. coloradensis 36:60. con-ferta 1:53; 14:52. Doniana 3:180, 182. Dupreti 37:166. Evansi 1:148, 149, pl. 7. hamulosa 36:60. Hartmani var. anomala 39:4. heterophylla 36:60. maritima 4:24; 24:122. Moxleyi 36:60. Olneyi 24: 122. patens 39:4. sulcata 1:149

Grimmiaceae 30:5; 36:60; 37:228; 39:4, 41 Grindelia 26:108; 40:181. lanceolata 19:249; 757, 59; 35:290; 36:222, 224, 227, 231. robusta 26:108; 27:57, 59. serrulata 37: 195. squarrosa 1:46; 13:89; 19:249; 27: 57, 59; 36:224; 38:65; var. serrulata 47: 46

Grinnellia 1:125; 2:131; 7:169. americana 2:50; 7:232; 26:214; 50:266 Grossularia 46:282. hirtella 13:73, 75. iner-

mis 13:74. klamathensis 13:74

Grossulariaceae 46:282

Ground Birch 41:154. Cedar 18:32. Hemlock 35:357. Hurts 28:80

Groundsel 28:72 Gruinales 47:385 Grypocarpa 20:120 Guaycuru 18:56

Guignardia aesculi 39:371. Bidwellii 41:516

Guinea-Pepper 41:302

Guizotia abyssinica 33:170 Gums 42:88

Gunnera 20:143

Gutierrezia 45:353; 48:pl. 1026. dracunculoides 36:224, 232

Guttiferae 9:37; 43:81

Gymnadenia 3:203. conopsea 19:127. tegra 50:123

Gymnadeniopsis integra 50:123

Gymnocarpium 43:218, 219. Dryopteris 43: 217; var. disjunctum 43:217

Gymnocladus 46:313. dioica 19:228; 44:372, 404

Gymnoconia interstitialis 34:61. Peckiana 39:371; 44:170

Gymnodinium palustre 50:276. punctatum

50:276. simplex 50:276

Gymnogongrus 7:137. dendroides 14:59. Griffithsiae 1:126; 2:50; 3:133, 134; 5:232. japonicus 21:206. norvegicus 2:50; 5:232. Torreyi 7:136–138. vermicularis 14:58

Gymnogramme Brunoniana 37:246. oregana 22:116, 117. pyramidalis 22:117, 118. triangularis 22:116; var. viscosa 22:117, 118. viscosa 22:117, 118. oregana 4:208. con-

Gymnomitrium 4:208. adustum 4:208. concinnatum 3:181; 4:207; 5:171; 15:24; 25: 194. corallioides 4:207, 208; 5:171; 15: 24; 19:263; 25:194. Hookeri 19:266

Gymnopodinae 8:78

Gymnopogon ambiguus 36:219; 38:378; 39: 204, 481. brevifolius 37:380, 390

Gymnopteris triangularis 22:116

Gymnospermae 6:102; 9:36; 41:142; 42:317 Gymnospermae 6:102; 9:36; 41:142; 42:317 Gymnosperms 40:145; 47:207; 48:267; 50:135 Gymnosporangium clavipes 39:371. cornutum 34:61. Ellisii 38:98. germinale 34: 62. globosum 34:62. juniperi-virginianae 34:62; 41:516. nidus-avis 39:371

Gymnostichum 14:187. Hystrix 14:188 Gymnostomum 3:179; 14:46; 41:112. rupestre

14:46, 47; 24:123; 30:4 Gymnozyga 7:266; 24:241. moniliformis 7:

266: 24:241

Gynophoraria falcata 42:332

Gypsophila 9:48; 18:86; 44:333. \$ Vaccaria 9:48. elegans 3:18. muralis 1:47; 5:189; 11:199; 18:86; 19:130; 44:333. paniculata 26:224; 32:159, 251; 37:86; 50:302

Gyromitra 1:60-62. esculenta 1:61, 66, pl.

Gyromitra 1:60-62. esculenta 1:61, 66, pl. 4; 16:45. gigas 1:61. sphaerospora 1:61
Gyrophora 36:140, 155. arctica 28:226; 36: 143, 153. cylindrica 36:143, 154. decussata 36:143, 154. deusta 36:143, 155. Dillenii 29:101. erosa 28:226; 36: 143, 153. fuliginosa 36:161. hyperborea 28:226; 36:143, 153. Muhlenbergii 29: 101, 105. polaris 36:143, 145, 149, 154. polyphylla 28:226. proboscidea 28:226; 36: 143, 145, 153, 162. rigida 36:61. torrefacta 36:143, 153. vellea 28:226; 36: 143, 154, 161. virginis 36:143, 154
Gyrophoraceae 28:226 Gyrophoraceae 28:226

Gyrophoreae 36:162

Gyrosigma Temperii 9:135

Gyrostachys 8:16; 9:53. Beckii 14:96; 48: 6. cernua 6:112. constricta 23:74. gracilis 6:112; 7:106. Grayi 48:6. latifolia 23:83. ochroleuca 23:74. parviflora 8:16; 23:83; 48:5. plantaginea 7:106; 23:83. Reverchonii 38:405. Romanzoffiana 6:112. simplex 48:6

Gyrotheca 9:53. capitata 1:68. tinctoria 7:

Haageocactus 44:28 Habenaria 2:172; 4:74, 79; 5:263; 6:111; 7: 49, 120; 10:195; 11:77; 12:137; 16:90; 19:56; 22:32, 42; 23:147; 28:102, 105; 34:246; 35:54, 57, 239; 42:147, 151, 319; 43:632; 44:456; 49:203. albida 28:102, 106, 174, 175; 35:238, 401, pl. 251; var. straminea 35:237. × Andrewsii 11:31; 19: 56; 28:21; 34:98; 42:521; 48:184, 185. blephariglottis 1:184; 2:124, 126, 172, 219; 3:204, 205, pl. 33; 4:18, 74; 5:83; 7:39, 73; 9:119, 121, 124; 10:71; 11:77, 92; 12: 118; 13:77, 128, 135; 14:204; 16:90; 19: 31, 49, 118, 127, 131, 236; 22:137; 23:90, 110, 142, 148, 157, 245; 28:21, 84; 29: 128, 210; 32:124, 245, 246; 35:5, 238, 239; 42:40, 151, 381, 446; 44:230; × cristata 34:98; var. conspicua 10:70; 39:349, 356, 402, 477, map 27; var. holopetala 11:92. bracteata 1:97, 104; 2:180; 4:18; 6:111, 208; 8:168; 10:146, 165; 11:7, 30; 15:163; 19:31, 49, 56; 22:39, 40, 43, 47; 23:136, 244; 28:91, 169-172, 174; 32:124, 216, 245, 246. × Canbyi 10:70; 34:98; 42:381, 446. × Chapmanii 34:98. ciliaris 1:147, 149, 44:23; 23:729, 23:245, 24:10; 110; 244; 28:91, 169-172, 174; 32:124, 216; 245, 246. × Canbyi 10:70; 34:98; 42:381, 446. × Chapmanii 34:98. ciliaris 1:147, 148; 4:18, 21; 7:39, 73; 8:27, 80; 9:119; 11:78; 16:158; 25:48; 32:213; 35:238; 38: 378; 42:88, 91, 151, 521; × cristata 34: 98. clavellata 3:88; 6:111; 9:121; 11:78, 92; 15:163; 17:151; 18:35; 19:31, 56; 23: 127, pl. 131; 28:92, 176; 29:128, 210; 32: 150, 216, 245; 33:109, 119; 34:246; 35:5, 85; 42:521; 48:10, 161, 162, 215, pl. 1045; var. ophioglossoides 48:161, 162, 215, pl. 1046. conspicua 10:70. cristata 10: 71; 21:118; 25:48; 30:190, 191; 37:413; 38:376; 39:473, 480; 42:381, 446; 44:241; 48:64; × blephariglottis 10:70, 71. dilatata 1:172, 193, 200, 230; 2:115, 124, 180; 3: 86, 172; 4:18, 80; 5:46, 83; 6:111; 9:160, 189, 190; 10:70; 11:92, 179, 180; 12:114; 13:115, 138, 179; 19:56, 131; 22:39, 40, 43, 47; 25:7; 28:75; 29:131, 210; 31:80; 32:61, 176; 33:109, 119; 34:52; 35:238, 277; 38:146; 42:320; var. media 10:70; 19:236; 22:43, 47; 36:279. elegans 8:3; var. maritima 48:10. fimbriata 1:200; 2: 172, 219; 3:34, 245; 4:18, 106; 5:83; 6: 111; 9:154; 11:78; 12:118, 137; 13:77; 15:204; 19:30, 56; 22:32, 39, 47, 135; 23: 68; 29:155, 211; 33:109, 119; 35:238; 48:184, 185, flava 11:78; 15:203; 16: 184-186; f. albiffora 48:185; f. mentotonsa 48:184, 185. flava 11:78; 15:203; 16: 16; 18:71; 19:30, 31; 23:147, 148, 160, 168, 244; 24:167; 26:177; 32:170; 35:251; 168, 244; 24:167; 26:177; 32:170; 35:251; 44:233, 257; var. virescens 23:148, 244. 233, 257; var. virescens 23:148, 244. 200, 222; 2:172, 180; 3:151; 4:18; 5:83; 6:111; 8:2, 3; 10:165; 11:78; 18:73; 19: 30, 56; 22:42, 43, 47; 23:245; 29:119, 155, 210; 35:57, 215, 239, 240, 401, pl. 252; 44: 72; 50:125; var. abbreviata 35:239, 240, 401, pl. 252; var. oblongifolia 3:237; 4: 18, 21. hyperborea 1:104, 184, 200; 2: 114, 172, 180; 3:86; 4:18, 79, 80; 5:83, 264; 114, 172, 180; 3:86; 4:18, 79, 80; 5:83, 264; 6:111; 9:124; 11:92; 12:117, 170; 13:115, 138; 19:31, 56; 21:202; 22:40, 42, 43, 47; 23:244; 25:7, 44; 29:210; 35:238; 36:279, 422; 37:206; 41:149, 150, 155, 215; 42: 314, 320. intacta 21:66. integra 44:241;

45: 55; 50:123. lacera 2:114, 179, 180, 219; 3:34, 245-248; 4:18, 74; 5:83, 133, 263, 264; 11:78; 13:220; 19:30, 56; 23:68; 26:177; 28:21; 29:155, 211; 32:149, 150, 245, 246; 35:362; 37:315; 42:88, 91, 521; 48:184-186; × psycodes 3:246; 34:98; var. terrae-novae 28:21, 22, 57, 176; 29:155, 211; 35:241; 48:184, 185. leucophaea 12: 118, 119; 28:22; 29:110. macrophylla 8: 1-5, 188, fig.; 9:124; 13:179; 19:127, 131, 236; 22:43, 47; 23:136, 245; 24:167; 31: 83; 35:238-240, 398. maritima 48:10, 11. nivea 44:241; 45:55; 50:125. obtusata 1: 17, 193; 2:124; 4:18, 22; 5:48, 83; 6:111; nivea 44:241; 45:55; 50:125. obtusata 1: 17, 193; 2:124; 4:18, 22; 5:48, 83; 6:111; 11:92; 13:138; 17:152; 18:71; 22:39, 43, 47; 23:245; 24:167; 28:91, 92, 97, 176; 29:131, 155, 210; 32:88, 89, fig. 1; 33:109, 119; 34:52; 36:279; 37:64; 41:149-151, 155, 215, 506; 42:314, 320; var. collectanea 28:175, 176; 38:146; 44:140. orbiculata 1:147, 200; 2:172, 180; 3:85; 4:18, 22; 5: 83; 6:111; 8:1-5, 188, fig.; 9:74; 11:78, 92; 19:56; 22:40, 43, 47; 29:210; 32:125, 205, 216, 245; 35:8, 57, 87, 88, 215, 238-240, 398, 399, map 9. peramoena 36: 220, 230; 37:350, 356, 358, fig. 4 (map) psycodes 2:114, 172, 219; 3:34, 86, 245-248; 4:18, 74; 5:83, 263, 264; 6:111; 9: 121; 11:78, 92; 19:56; 22:31, 32, 43, 47; 23:68, 151, 157; 25:44; 28:21; 29:155, 211; 35:85, 238, 241; 42:521; 48:184-186; 50: 35:85, 238, 241; 42:521; 48:184—186; 50: 125; × lacera 5:264; 6:139, 48:185; f. ecalcarata 48:184; f. varians 48:184; var. ecalcarata 22:31, 32; 48:184; var. grandiecalcarata 22:31, 32; 48:184; var. grandi-flora 42:521; var. varians 48:184. quin-queseta 50:125. repens 24:149; 49:202. straminea 28:174, 175, 213; 35:52, 53, 57, 120, 121, 125, 237, 238, 401, pl. 251. tridentata 1:200; 2:179; 3:88, 204, 205, pl. 33; 4:18, 74; 5:82; 6:111. unalascensis 37:66, 68, 70, 199, 203, 259. virescens 2:114, 124, 172; 4:18; 5:82. viridis 28: 54, 76, 91, 105, 169-172; 30:47; 41:164, 215; var. bracteata 23:244: 25:44: 28:124 215; var. bracteata 23:244; 25:44; 28:124, 169, 170, 172, 174; 30:47; 35:89; 36:279; var. interjecta 28:173; 30:47; 36:279; 41:163; var. Vaillanti 28:172

Hackberry 4:132; 44:413; 46:307

Hackelia 26:124; 36:12; 40:342, 343. americana 40:341–343, 357, pl. 503; 44:105. deflexa 40:341–343, 357, pl. 504; var. americana 26:124, 125; 33:232; 37:328; 40:341, 342. venusta 36:12. virginiana 40:343, 358, pl. 504

Hackmatack 19:22; 31:20; 35:358

Haematococcus 50:272. pluvialis 7:235; 50:

Haemodoraceae 23:162; 25:157; 33:33, 34, 53, map 10; 35:106

Haemotomma elatinum 28:229; var. ochrophaea 28:229. ventosum 28:229

Hair Grass 49:273

Hair-grass, Water 35:139

Hairgrass 49:268

Halenia 9:55; 31:141; 35:96. corniculata 31: 141. deflexa 1:36; 3:284; 6:192; 11:14;

13:138; 29:129, 218; 31:141; 32:17; 33: 124; 35:94, 95; 40:274; f. heterantha 40:340, 341; var. Brentoniana 11:97; var. heterantha 1:37, 103; 40:340. heterantha 1:36, 37; 40:340 Halesia 37:358

Half-high Blueberry 4:131

Halianthus peploides 11:113; var. diffusa 11:114; var. oblongifolia 11:114

Halictidae 41:186 Halictine bees 38:92

Halictus 41:186. coriaceus 41:186. lerouxii 41:186. pectoralis 41:186. pilosus 34:214; 38:93. planatus 38:93. provancheri 41: 186. viridatus 38:93

Halimeda 3:91

Halimium 19:59; 43:609-611, 613, 614. § Euhalimium 43:610. § Spartioides 43:610. rosmarinifolium 19:59

Halimolobos 43:293, 294, 480. mollis 43: 480. virgatus 43:479, 480. Whitedii 43:

Haliseris polypodioides 21:207 Halodule 42:20. Wrightii 42:20 Halohelophytes 5:133

Halohydrophytes 5:135 Halohygrophytes 5:131

Halophila Engelmannii 42:20

Haloragidaceae 6:123; 23:117; 227; 29:217; 31:43; 32:267; 25:10: 33:42, 36:282; 41:584; 49:255; 50:298. tribe Halorrhageae 23:165; 33:42, 43, map 15; 35:

Halosaccion 7:242; 16:4; 35:315. microsporum 21:207. ramentaceum 2:50; 7:242; 16:4; 25:35; 33:130; var. gladiatum 2:50.

Scopula 2:50 Halothrix 7:227, 228. lumbricalis 2:47; 7:

Halymenia floridana, f. dentata 8:112 Hamamelidaceae 18:246, 252; 21:170; 31:

43; 32:254; 37:306

43; 32:254; 37:306 Hamamelideae 32:95; 33:81, 91 Hamamelis 18:252; 21:42; 33:29, 83, 88, 91; 36:98-100; 42:380; 47:363. vernalis 35: 286; 36:97-100, 231. virginiana 2:216; 4: 96; 11:231; 17:35; 18:246, 252; 21:42, 170, 189, 199; 31:222; 32:152, 215, 254; 33:81, 90, 92, pls. 206, 207; 36:97-100; 45:450; β. parvifolia 38:233; var. parvifolia 38:234; f. parvifolia 38:233; var. parvifolia 23:265; 32:254; 42:380, 453; 45:450 Hamatocactus setispinus 35:224: 37:78

Hamatocactus setispinus 35:224; 37:78 Hamosa 39:420. Èmoryana 38:406. carpoides 38:406. macilenta 38:406. manca 40:136

Hancornia 49:58

Hantzschia amphioxys 9:136; 10:181, 182; 26:194, 216; f. major 10:182. elongata 10:181. marina 26:193, 216. segmentalis

9:136. vivax, var. granulata 10:182 Hapalosiphon 15:194–199; 40:224. delicatu-lum 26:163. filiformis 21:207. hibernicus 20:142. luteolus 29:163. pumilus 20:142 Haplohymenium triste 15:13

Haplomitrium Cordae 19:266. Hookeri 19:

Haplopappus 9:55; 12:14; 45:351. annuus 38:407; 45:352. ciliatus 36:224. divaricatus 47:195. gracilis 6:82. Havardii 45: 352. phyllocephalus 45:351. validus 38:

Haplospora globosa 1:126; 2:47

Harbin Lespedeza 50:25 Hard Maple 28:233 Hardhack 12:179

Harebell(s) 8:113; 21:107; 23:131; 28:60

Haricot 31:20 Harpachne 21:216

Harpalium rigidum 48:79

Harpanthus 19:269, 270. Flotowianus 19: 264, 268–271; 25:194, 198; f. typica 19: 271; var. uliginosus 19:271. scutatus 5: 171; 6:190; 7:58; 11:118; 15:24; 19:263, 270, 271; 25:194, 198

Harperella vivipara 49:157

Harpidium 12:154

Harrimanella 22:44; 44:29

Harveyella 10:115. mirabilis 2:50; 10:115, 116

Hauerbesien 12:23

Havgraes 12:27

Hawkweed 32:62, 110: 50:15. Mouse-ear 4:151. Orange 4:62, 151; 12:104; 32:14

Hawthorn 12:180. English 11:47 Hay 6:83: 41:152

Hay-scented Fern 30:18; 49:104

Hazel 38:76; 44:221, 224. Beaked 4:132; 38:76

Hazel-Alder 47:339, 340 Hazelnut 4:132; 45:30, 31

Heart's Ease 18:36 Heart-leaved Willow 12:177

Heath(s), 7:119; 10:173, 176; 18:39; 21:192; 40:145, 163; 41:148, 149. Cross-leaved 15:189. Family 41:147; 44:187. Grass 23:

Heather 2:53; 6:24; 10:175, 179; 15:189; 28:52, 82, 83; 31:106; 33:162. Bell 15:

Hebe 23:2-5, 38. blanda 23:39. elliptica 23:39. magellanica 23:38, 40. salicifolia

Hebeloma crustuliniforme 3:39. discomorbidum 16:51

Hecatonema maculans 2:47; f. solutum 8:108

Hedeoma 25:38. acinoides 45:275. arkansana 10:85; 42:7. camporum 38:240; 40: 180. ciliata 38:405. glabra 10:85; 42: 7. hispida 6:142; 10:208; 13:31; 15:167; 23:27; 25:38; 28:46-48; 36:220; 37:194, 331; 39:431. pulegioides 5:129; 18:42; 25:

38; 38:443. texana 38:405 Hedera 10:24. carnosa (fol. quinatis, etc.) 46:389. Helix 10:24; 41:478, 551. quinqu-

efolia 10:24, 25; 41:430

Hederaceae 47:386

Hedge-mustard 7:101, 103

Hedwigia 36:60. albicans 30:9. ciliata 4:30

Hedwigiaceae 30:9

Hedypnois 9:55; 27:49. paludosa 35:381,

Hedysarum 6:121; 9:37, 154, 193; 32:262; 42:217-220, 236, 237; 44:419. § Echinolobium 42:218. § Leiolobium 42:218. § Multicaulia 42:219. § Obscura 42:219 Subtrib. Eleutherotion 42:218. subtrib Gemotion 42:218. acuminatum 38:97; 44: 279, 280; 50:123. albiflorum 42:226, 227. alpinum 13:119, 129; 17:159; 28:76, 104, 216; 35:50, 81, 94, 275; 41:158, 253; 42: 219, 221-225, 229, 235, 236; subsp. americanum 42:226. canum 42:222; var. americanum 13:119; 28:125, 216; 31:54; 41:147, 253; 42:222, 223, 225, 238, 311, 333; 45:313; f. albiflorum 35:275; 42:222; var. grandiflorum florum 35:275; 42:222; var. grandiflorum 42:222, 223, 225; var. japonicum 42:227; var. philoscia 42:222, 224, 225. americanum 6:121; 9:154; 13:119; 42:222, 224, 238; f. albiflorum 35:275. boreale 1:86; 2:89; 6:97, 121, 192; 9:154, 162, 167, 172, 179; 11:14; 12:113; 13:119, 218; 41:253; 42:219, 221, 222, 224, 225, 231, 232, 235-238; 48:102; var. albiflorum 42:226; var. cinerascens 42:219, 220, 231, 232, 234; var. flavescens 42:226; var. leucanthum 42:226; var. obovatum 42:232, 235, 236; var. tynicum 42:232, 236; var. utahense var. typicum 42:232, 236; var. utahense 42:232, 235. bracteosum 38:97. canescens 42:234, 236. carnosulum 42:232, 236. ciliare 40:437. cinerascens 42:231, 233, 234, 236. conglomeratum 43:574, 576. cuspidatum 4:90. flavescens 42:226. frutescens tum 4:90. flavescens 42:226. frutescens 26:29, 31. glutinosum 44:279, 280; 50: 123. grandiflorum 38:96; 50:203. gremiale 42:219, 221, 230-232, 239, pl. 597. hirtum 43:583. junceum 26:30. lancifolium 42:228, 229. Mackenzii 9:179; 27: 90; 29:141; 41:150, 155, 253; 42:219, 221, 232, 235-238, 333; 45:313; f. canescens 42:234; var. albiflorum 41:253; var. canescens 42:234; var. leucanthum 42:296. scens 42:234; var. leucanthum 42:226; var. pabulare 42:233. marginatum 42:228, 229. obscurum 36:164; 42:227. obtusum 40:437. occidentale 42:219, 221, 227, 229, 230. pabulare 42:233, 236; var. rivulare 42:233. pedunculatum 38:406; 39:425, 426. philoscia 42:224. Roezlianum 42:232, 237. rotundifolium 32:262, 263. striatum 50: 21. sulphurescens 42:219, 221, 225, 227, 229. trifolium scandens 39:433. uintahense 42:228, 229. utahense 42:231, 233, 235, 236. violaceum 47:301. volubile 39:433

Heimia longipes 38:407

Hekorima candida 37:93. dichotoma 8:71 Helenia 45:485. autumnalis 45:490. decurrens 45:490

Heleniastrum 45:485

Helenium 6:82; 7:160; 26:108; 37:307; 39:363; 45:109, 110, 379, 485, 490. altissimum 35:360, 364; 45:490. autumnale 1:171; 26:108; 34:172, 173; 38:65; 45:109-111, 485-492, 495, pl. 796; 47:403; var. β. 45: 489; var. autumnale 47:403; var. canali-culatum 45:488, 490, 492, 495, pl. 797; var. grandiflorum 45:489, 491; var. montanum 45:491, 492; var. parviflorum 45: 490, 492, 495, pl. 798; var. pubescens

45:491. brevifolium 41:491, 574. canaliculatum 45:487, 488, 490, 491, 495, pl. 797. edwardsianum 45:110, 111. flori-797. edwardsianum 45:110, 111. floridanum 45:494, 495, pl. 799. Godfreyi 45:494, 495, pl. 799. grandiflorum 45:491. huronense 45:491. latifolium 45:110, 111, 486, 488, 490. longifolium 45:488, 491, 492. montanum 45:110, 111, 491. nudiflorum 4:198; 6:79, 81, 82; 19:252; 20:98; 26:108; 34:173; 38:65, 367; 40:477; 41:574; 45:493–495, pl. 799; 48:82. Nuttalli 26:51. perviflorum 45:489, 492, 493 lii 36:51. parviflorum 45:489, 492, 493, 495, pl. 798. polyphyllum 45:493, 494. pubescens 45:490, 492. pumilum 45:490. quadridentatum 45:487. tenuifolium 8:226; 26:108; 36:221; 37:451; 39:194, 474. virginicum 42:87, 88, 91, 92

Heleniums 45:109 Heleochloa 11:37; 15:125; 49:273. juncea 4:48. schoenoides 15:125; 38:265, 267; 49:273

Heleogiton 31:123 Heleophila 31:123 Heleophylax 31:123

Helianthemum 9:46; 19:58-60; 21:37; 22: 123; 28:143; 40:29, 30, 35, 41, 57; 43: 609-614. § Eriocarpum 43:612. § Euhelianthemum 9:46; 28:143. § Lecheo-Euhenanthemum 9:46; 28:143. § Lecheoides 43:609, 610. subgen. Lecheoides 43:609. aegyptiacum 43:610, 615, pl. 690. **Bicknellii** 21:36, 37; 22:123; 32:151, 177, 210, 265; 36:220; 38:192. brasiliense 43:611, 615, pl. 690. canadense 1:212; 5:129; 6:97; 11:131; 13:181; 19:58, 60; 20:49, 50; 21:36; 22:123; 32:151, 210, 265; 38:377; 39:325; 40:274; 43:611, 615, pls. 600, 601; 44:234, 237; 40:144; yer, selbar 690, 691; 44:234, 237; 49:144; var. sabulonum 43:615, 616, pl. 691. capitatum 43:611, 615, pl. 690. carolinianum 19: 59; 36:47; 43:610, 612, 613, pl. 689. corymbosum 39:325; 43:611, 616. dumosum 19: 60; 32:151, 177, 265. georgianum 19: 59; 20:50; 21:37; 43:612. globularifolium 43:615, pl. 689. glomeratum 43:611, 615, pl. 690. Greenei 43:610, 613. guttatum 43:610, 614, 615, pls. 689, 690. italicum, var. micranthum 9:48. majus 1:212; 3: 187, 190; 4:91; 11:131; 13:181; 19:58, 60; 20:49, 50, 73; 21:36, 37; 22:123; 32:265; 38:192. occidentale 43:610. penicillatum 9:48; var. micranthum 9:48. propinquum 20:50, 73; 21:36, 37; 24:117; 32:177, 265; 43:611, 615, pl. 690. rosmarinifolium 43: 610. scoparium 43:610, 613, 615, pl. 690. spartioides 43:610, 613, 615, pl. 690. spartioides 43:610, 613, Strickeri 43: 59; 36:47; 43:610, 612, 613, pl. 689. corymbo-690. spartioides 43:610, 613. Strickeri 43: 610. tripetalum 40:66

Helianthium parvulum 15:223; 47:210. tenellum 47:210

Helianthus 6:132; 26:108; 35:359; 37:307; 88:192, 193; 42:157; 48:112; 49:116, 191. angustifolius 21:119; 35:291; 37:323; 38: 380, 449; 39:352, 466, 482; 44:373, 476; 45:365; 47:103, 196; 49:190, 191, 193, pl. 1084; var. planifolius 49:190, 194, pl. 1083. annuus 1:47; 6:132; 14:206; 26:

108, 228; 32:159, 279; 34:63; 36:373, 374; 38: 194; 41:82; 43:82; 48:79; 50:303; var. bicolor 42:47. atrorubens 34:1-4; 38:377; 39:474, 42:47. atrorubens 34:1-4, 36:371, 39:374, 482; 47:399; 48:75-79; var. alsodes 48: 74-76, 81, pl. 1020; 49:191; var. atrorubens 47:399; var. normalis 34:2; 48:75, 76; var. pubescens 34:1-4; 48:77, 78. cucumerifolius 41:573. debilis, var. cucumerifolius 26:108. decapetalus 16:13; 26:108; 34: 63; 40:290; 42:382; 43:657; 50:190. divaricatus 3:185; 4:88; 13:18; 21:201; 25:26; 26:108; 35:291; var. angustifolius 49:191. dodecapetalus 40:290. floridanus 49:190, 191, 194, pl. 1085. formosus 38:194, 195. giganteus 26:108; 49:21; var. subtuberosus 35:346; 49:21; f. verticillatus 49:21. gracilis 34:2; 48:76, 77. grosseserratus 2: 125; 3:60; 17:225; 19:164, 251; 26:108; 125; 3:50; 17:225; 19:164, 251; 26:108; 38:194; 41:130; 49:116; f. pleniflorus 34: 19. heterophyllus 48:77; 49:191. hirsutus 38:194; var. leoninus 40:133. kentuckiensis 34:1-4, fig. A; 48:77, 78. laetiflorus 17:219; 26:109; 31:86; 43:635; 48:79, 80, 112; var. rigidus 48:79, 80, 112; var. subrhomboideus 48:79. laevigatus 42: 550 leoninus 28:104. 105: 40:124. lenter 350. leoninus 38:194, 195; 40:134. lepto-38:194. Maximiliani 12:192; 13:89; 26:109; 33:167; var. asperrimus 6:147. membranaceus 38:194. mollis 6:88, 89; 8:219; 26:128; 38:194; 39:459; 43:657; 49: 191: var. cordatus 49:191. occidentalis 47: 399; var. occidentalis 47:399. petiolaris 1:47; 3:89; 13:89; 23:198; 26:109. ramosissimus 50:190. rigidus 2:125; 3:60; 10: 153; 37:190; 38:194; 48:79, 80; f. flavus 48: 153; 37:190; 38:194; 48:79, 80; f. flavus 48: 79, 112. scaberrimus 23:198; 26:109; 38: 65, 194; 48:78, 79; var. subrhomboideus 48:79, 80. Schweinitzii 24:152; 39:477; 49: 190. severus 38:194. silphioides 34:2, 3, fig. B; 48:77-79. sparsifolius 34:2; 48:76. strumosus 4:88; 10:153; 26:109; 38:194, 195. subrhomboideus 13:103; 26:110; 48: 79, 80. tomentosus 38:194. trachelifolius 19:251: 49:192; 50:190. tuberceus 6:132; 19:251; 49:192; 50:190. tuberosus 6:132; 10:153; 26:109; 34:63; 38:194; 39:370, 375; 41:517, 520; 47:399; var. subcanescens 38:194; var. tuberosus 47:399

Helichrysum 20:71, 72; 44:35. arenarium 33: 221. crispum 45:479. italicum 33:221. spatulatum 45:479

Helictonia 21:10; 22:180

Heliopsis 6:83; 26:109; 37:307; 42:156, 375. gracilis 39:457. helianthoides 39:456, 457; 40:382, 472; 44:340; var. minor 39:457; var. scabra 44:340; var. solidaginoides 39:456, 457, 475; 40:422; 44:340. laevis 4:100; γ. scabra 44:340; var. minor 39: 457. minor 39:457. scabra 2:125; 3:60; 6:83; 19:164; 26:109; 28:245; 31:86; 44:

Heliotrope, Dwarf 46:306. Wild 46:158

Heliotropium 7:160; 11:54; 25:29. amplexicaule 47:143, 171, 172. anchusaefolium 25:29; 47:171. convolvulaceum 50:64. curassavicum 3:215; 6:84; 29:106; 37: 439; 42:369, 387, 477. europaeum 3:215;

25:30; 39:445; 42:46; 43:493, 636; 47:171, 172. indicum 3:215; 25:30; 39:366, 445; 44:432; 47:172; 48:330. tenellum 36:224, 227, 230; 46: 306

Helix hortensis 28:117

Hellebore 1:167

Helleborus pumilus 31:141. trifoliatus 40: 290. trifolius 31:136-138, 140-142. trilobus 31:141

Helminthocladia purpurea 8:108, 195

Helonias 33:39; 39:485; 41:470; 47:282. angustifolia 42:254, pl. 601. bullata 33: 40; 39:475, 478, map 40; 41:478, 536; 42: 88, 93; 43:497. graminea 40:354; 48:148, 149, 151

Helophytes 5:126, 127, 132, 133

Helotium scutula 44:170

Heltrope 28:63

Helvella 1:60–63. crispa 1:62. elastica 1: 62, 63, 66; var. fusca 1:62. Ephippium 1:60, 63. esculenta 1:66, pl. 4. infula 1: 61. lacunosa 1:60, 62. macropus 1:63. sulcata 1:62

Helvelleae 1:59, 91. subfam. Geoglosseae 1: 60. subfam Morchelleae 1:60

Helxine 9:54

Hemaris diffinis 36:28. thysbe 38:91

Hemerocallis 6:110: 10:129: 37:386: 49:137. flava 15:217; 19:127; 42:42. fulva 6:110; 10:129; 41:538; var. Kwanso 41:538; 44: 390. Lilio-Asphodelus var. β. (fulvus), 42: 242

Hemestheum Thelypteris 31:33 Hemianthus micranthemoides 42:514 Hemiaulus affinis 9:138. tubulosus 9:138 Hemicarex 5:249, 250

Hemicarpha 3:33; 4:82; 13:53, 104; 14:30. micrantha 8:28; 10:136; 11:40, 220; 12: 39; 13:30, 104; 14:29; 24:86; 25:185; 26: 37; 32:177, 211; 36:219; 39:359, 389; 40: 462; 44:244. subsquarrosa 1:98, 202; 2: 61; 4:82; 5:130

Hemigenia, § Hemigenia 9:47

Hemiptera 41:186, 187

Hemitrichia clavata 1:128, 130; 29:171, 173. rubiformis 1:128. Serpula 1:128; 29:171. vesparium 2:79; 29:171, 173

Vesparium 2:79; 29:171, 173

Hemizonia 26:109. fasciculata 26:109

Hemlock(s) 4:93, 169; 5:196; 12:177; 13:
57; 17:165, 167, 168; 19:273; 20:186; 21:
50, 51, 109; 26:195; 28:34; 34:188, 189;
35:358; 39:201; 43:67; 44:230, 410, 413;
46:154; 49:161. Ground 35:357; 46:313.
Pines 17:50. Poison 28:72. Spruce 17:
59-61, 164-168; 20:187; 21:109

Homp 4:81. Nottle 38:79

Hemp 4:81. Nettle 28:72

Henbane 18:144

Henbit 45:382

Hendersonia 50:287, 288

Hepatica 4:127, 128; 6:116; 8:48; 13:91; 16: 128; 18:166; 21:86; 29:53, 54; 37:349. acuta 6:116. acutiloba 1:170; 5:33; 6: 116; 14:75; 19:46, 224; 20:183, 194, 195; 35:66, 249, fig. 1; 36:224; 38:301-304, fig. 1; f. plena 49:216. americana 19: 45.46, 290; 20:182, 102, 104, 21:200, 27. 45, 46, 220; 20:183, 193, 194; 21:200; 25:

45; 27:131; 30:29; 40:375, 420; 43:485; 46:405; f. candida 19:46, 224; 27:131; 43:552; f. rhodantha 19:46; 27:131; 43:552. Falconeri 29:53, 54. Henryi 29: 552. Falconeri 29:53, 54. Henryi 29: 53, 54. nobilis 19:45, 46; 30:29. transsilvanica 29:53, 54. triloba 1:216; 3:130; 8:48; 12:128; 13:91; 14:235; 18:166; 19: 45, 220; 27:131; α. obtusa 19:45; β. americana 19:45; var. americana 31:13

Hepaticae 3:257, 260; 4:30, 207, 242; 5:50, 51, 170; 6:74, 165, 185; 7:26, 52; 8:34; 9:56, 63, 65; 10:185; 11:117, 185; 12:193; 15:21; 16:62; 17:107; 18:74, 103; 19:263; 21:149: 23:70, 281; 25:74, 89, 192; 38:77.

21:149; 23:70, 281; 25:74, 89, 192; 38:77; 39:33

Hepaticas 4:127

Hepatics 4:29; 10:37; 27:35

Heracleum 6:124; 17:151; 21:182; 24:93. lanatum 1:159; 3:175, 188; 6:124; 13:123, 138; 16:13; 17:151; 18:41; 24:93; 28:63, 84, 110; 29:217; 32:216, 268; 33:122; 34:54; 36:282; 41:154, 248, 267, 270; 42:334; 44:116; 46:50, 51, 389. maximum 46: 50, 390. Sphondylium 6:144; 8:99; 19: 245; 24:93; 28:84, 221; 43:342. villosum 10:152

Herb Robert 28:71 Hercules' Club 44:1 Herd's Grass 18:33; 49:272

Heritieria 9:53

Hermannia, § Euhermannia 9:37

Hermodactylus 30:55

Herniaria cinerea 46:25. diandra 9:40. glabra 46:24, 25; var. scabrescens 46:24; var. setulosa 46:24; var. subciliata 46:24. hirsuta, var. diandra 9:40

Herniary 46:24

Heron's-bill 6:81

Heronbill 39:233. Big 39:235. California 39:

235. Texas 39:235

Herpestis 37:441; 44:436, 437. § Bramia 37: 441. amplexicaulis 10:66. chamaedryoides, var. peduncularis 37:442. nigrescens 10: 66. peduncularis 37:442. procumbens, var. peduncularis 37:442. rotundifolia 41: 446, 447; 42:402, 479; 44:435, 437

Herpetium deflexum 10:190; 25:77; a. trierpetulm denexum 10:190; 25:77; α. tri-crenatum 25:77, 79; 1. commune 25:78; 1*. fuscum 25:78; 2. elongatum 25:78; β. implexum 25:77, 82; laxius 25:82; 1*. laxius 25:78; 2. innovans 25:78; 2*. julaceum 25:78; 3. gemmiparum 25:78; γ. devexum 25:78; δ. flaccidum 25:78; ε. pygmaeum 25:

coalescens 40:27

Herpophyllon 40:27. Herpophyllum 40:27

Herposteiron confervicola 26:212. vermiculoides 23:67; 27:165

Herpothamnus 36:236; 42:474 Hesperideae 47:384, 385, pl. 991

Hesperis 18:219; 27:66. Hookeri 27:171. matronalis 1:39, 97; 10:145; 18:219. mini-ma 27:171. Pallasii 27:171. pygmaea 27: 171

Hesperocallis 37:386 Heterachne 21:216

Heteranthera 9:53; 12:7. dubia 12:7; 16: 198. graminea 9:63. limosa 34:9; 47: 209, 213; 48:114; f. albiflora 34:9. reniformis 37:407; 39:481

Heterococcus viridis 24:51

Heterocodon 48:209, 211, 212; 50:43 Heterodoxia denticulata 5:206, 207 Heterokontae 14:114; 26:165, 211; 44:66

Heteromastix angulata 50:277 Heteromeris 19:58, 59; 43:612

Heteronema acus 50:277 Heteropogon 47:108

Heteroscyphus 14:214; 19:270

Heterophyllum 35:146

Heterospermum pinnatum 6:82

Heterosporium gracile 39:372 Heterotheca 30:201. subaxillaris 30:201; 41: 469, 571; var. petiolaris 30:201

Heterothecium grossum 28:160. sanguinarium 28:160

Heterothrix quadrata 50:274

Heterotoma 50:48

Heuchera 35:111, 119; 42:152; 43:495, 496, 499; 44:39, 345, 349. § Americanae 43: 497. § Villosae 43:497. americana 18:245; 20:196; 21:87; 35:111, 117; 40:375, 423; 43:495, 496; 44:39, 40, 345, 401; var. brevi-43:495, 496; 44:39, 40, 345, 401; var. brevipetala 43:499; 44:401; var. heteradenia 44:400, 402, pl. 721; var. hirsuticaulis 44:402, pl. 721; var. interior 44:402, pl. 721; var. subtruncata 44:401, pl. 721; var. typica 44:401. arkansana 35:286. elliata 35:116. Curtisii 35:115. hispida 35:111-119, 363; 42:351; 44:40; 47:215. parviflora 35:286; 36:224, 230; var. Rugelii 42:59, 99; 44:2. puberula 35:286; 36:224, 230; × americana var. hirsuticaulis, 40:253; 42:99. pubescens 35: 114, 119; 42:351. Richardsonii 35:113-117; var. Grayana 35:117, 118, 363; 37: 261; 47:215; var. hispidior 35:116-118; 261; 47:215; var. hispidior 35:116–118; var. typica 35:116, 117. scabra 35:114. villosa 35:119; 43:497; 44:40; 45:448

Hevea 49:58 Hexalectris 31:11, 15; 43:518; 46:20; 49: 96. aphylla 17:136; 42:446; 46:20. spicata 17:136; 24:150; 39:342, 343, 404, 470, 471, 474, 482, map 18; 43:507, 550; 44: 240; 46:81; 49:138, 180

Hexamitus inflatus 50:278

Hexastylis 45:374, 399. virginica 27:214

Hexorima dichotoma 8:71

Hevdelbéeren 12:23

Hibiscus 5:99; 13:21; 22:73; 33:44; 44:266, 274-276; 47:290. borealis 16:40. esculentus 15:15. incanus 44:277. lasiocarpos 44: 272. militaris 37:193; 39:340, 435; 42: 272. militaris 37:193; 39:340, 435; 42: 466. Moscheutos 5:203; 11:131; 13:21, 163; 15:68; 19:66; 22:15, 73; 26:88, 176; 29:44, 61, 65, 70, 108, 111; 32:148, 210, 265; 38:377; 39:337, 372, 375; 41:112; 42: 92; 44:267–278, fig. 2 (map); 46:137; β. purpurascens 44:268, 278; f. Peckii 44: 278. oculiroseus 26:88; 41:112; 44:267–269, 272, 273, 275, 277, 278. opulifolius 44:278. palustris 41:112; 42:88, 92; 44: 268-270, 272-278, fig. 1 (map); 46:71, 137; f. oculiroseus 41:112; 44:273, 276, 278; f. Peckii 44:278; var. albiflorus 44: 268, 278. pinetorum 44:278. syriacus 41: 516, 520. Trionum 2:205; 14:206; 16:40; 22:73. virginicus 43:607, 608

Hibiscus, Crimson-eyed 44:267

Hickories 43:71: 49:195

Hickory 7:123, 125, 126; 13:57; 43:70; 44: 409–411, 413, 414; 45:377; 46:149, 151, 154; 48:206; 49:172. Bitternut 44:413; 50: 61. Illinois 49:194. Pale 47:47. Pig-nut 49:194-196. Shagbark 47:47. White 49: 195

Hicoria 9:53; 21:189; 31:88. aquatica 14: 81. floridana 31:80. glabra, var. villosa 10:32. ovata 7:140; 21:189. Pecan 49:

194; 50:248. villosa 10:32; 14:83

Hieracia 49:253

Hieracia 49:253
Hieracium 4:25, 60, 197; 5:289; 6:134; 10: 148; 11:130; 12:146; 13:20; 21:29, 212; 26:109; 28:99, 122; 36:422; 38:100; 45: 325; 47:183, 242-244; 50:213. § Archieracium 9:37. § Vulgata 45:317-319. auratum 45:321. aurantiacum 1:164; 3:189; 4:62. 151; 6:134; 7:108; 12:104; 14:91; 17:154; 18:45; 22:137; 26:109; 29:233; 32:113; 34:7; 49:253; 50:19. Auricula 50: 213. canadense 1:184; 13:20; 14:21; 17: 20; 18:45; 26:109; 28:246; 29:221; 32:281; 34:55; 45:320-322; subsp. columbianum 45: 321; var. columbianum 45:320, 321; var. fasciculatum 45:320-322; var. hirtirafasciculatum 45:320-322; var. hirtira fasciculatum 45:320-322; var. hirtira-meum 17:19; 28:241, 246; 34:168; 44: 147, 337; 45:321, 322; var. latifolium 45: 321; var. macrophyllum 45:321. columbianum 45:320, 321. cynoglossoides, var. ursinum 32:27. fasciculatum 45:320. Flahaultianum 9:43; 39:309. florentinum 13:219; 15:116; 19:253; 26:109, 129; 28: 46; 40:482; 41:130. floribundum 4:25; 5: 289; 9:63; 12:103, 146; 13:219; 17:154; 31:86; 41:130; 49:253. Greenii 13:20. groenlandicum 28:121, 241; 29:141; 32: groeniandicum 28:121, 241; 29:141; 32: 62; 45:318, 319. Gronovii 9:122; 10:165; 11:130; 13:20; 14:21; 26:109; 32:151, 211, 281; 35:201; 36:221; 37:185, 186; 45:323, 325; 47:243; var. α. nudicaule 45:323, 325; var. β. foliosum 45:325; var. foliosum 27:185; 45:325; var. β. 37:185; 45:325; var. hirsutissimum 37: 185; var. nudicaule 37:185; var. subnudum 37:185. Kalmii 45:322. laevigatum, subsp. canadense 45:321. macrophyllum 45:320, 321. marianum 6:143; 11:84, 130; 13: 20; 19:253; 26:109; 32:179, 281; 35:201; 37:350; 45:325. molle 45:318. murorum 7:80; 31:86; 44:337; 45:319. paniculatum 19:37; 23:300; 24:208; 26:109; 32:281; × scabrum 24:208; f. glandulosum 19: 37; 26:109. pensilvanicum 37:186. Pilosella 4:151; 6:143; 19:253; 23:300; 26:110; 31:86; 32:110; 46:142; 48:243; 49:253; var. niveum 50:15; var. viride 26:110. praealtum 2:226; 4:61, 62, 151, 197; 5: 289; 6:144; 7:108; 13:218, 219; var. decipiens 2:36:10. praealtum 2:36:110. praealtum 26:110. pratense 3:36; 10:148; 13:219:

15:67; 18:45; 19:253; 23:300; 31:86; 46:142. Robinsonii 45:317–319. sabaudum 45:322. scabrum 5:130; 6:134; 9:122; 13:20; 16: 181; 22:137; 24:208; 26:109, 110; 32:281; 35:201; 36:221; 45:325; 47:243; var. intonsum 16:183; var. leucocaule 16:182; var. tonsum 16:182; 44:147. smolandicum 45:317; subsp. Robinsonii 45:317. triste 11:141. venosum 5:129; 11:130; 13:20; 14:21; 26:110; 36:55; 37:185; 44:343; 45: 323–325, 511; 47:243; var. ß. subcaulescens 45:323; var. Blombergii 37:451; 45:323–325: var. nudicaule 45:323, 511; var. sub-15:67; 18:45; 19:253; 23:300; 31:86; 46:142. 325; var. nudicaule 45:323, 511; var. subcaulescens 26:110. virgatum 45:321, 322. vulgatum 2:135, 136, 141; 3:36; 4:60; 26:110; 31:86; 45:317-319; var. irriguum 3:36

Hierochloe 6:104; 9:53; 15:124; 19:153; 35: 77; 37:355; 38:121, 267; 49:276. alpina 3:169; 9:156, 158, 166; 21:192; 25:6; 28: 110; 29:132, 148, 207; 35:5, 120, 125; 38: 112, 116, 118, 134, 139, 264, 269; 41:146, 160, 177; 42:317; 44:115. borealis 2:216; 6:104: 9:11 fragrams 19:152. Nashii 19: 160, 177; 42:317; 44:115. borealis 2:216; 6:104; 9:11. fragrans 19:152. Nashii 19:153. odorata 14:20; 15:124; 17:146, 147, 212, 221; 18:33; 19:33, 35, 109, 152, 153; 21:116; 23:164; 28:162; 29:65, 68, 71, 132, 148, 207; 32:172; 36:277; 37:354, 358, fig. 4 (map); 38:139, 264, 271; 41:148, 177; 42:42, 317; 49:276; f. Eamesii 38: 264; 277; 47:42:42, 317; 49:276; f. Eamesii 38: 264; 276; 47:48; 276; f. Eamesii 38: 264; 276; 48:162; 32:61; 32:6 264; var. fragrans 19:153; 28:162; 32:61, 105; 34:50; f. Eamesii 19:152. pauciflora 41:38, 157, 177

High Blueberry 12:183. Cranberry 4:131 High-bush Blueberry 23:97, 98, 109. Cranberry 42:339

Highland Cranberry 18:41 Hildenbrandia 26:189; 50:263. Prototypus 2:50; 7:235; 10:158; 26:214; 35:151; 50:266

Hills of Snow 11:46 Himanthalia lorea 16:4 Himantoglossum viride 28:172 Hindberries 12:19

Hippochaete 30:79

Hippopodium 22:181

Hippuris 6:123; 44:33; 50:210. indica 31: 159. maritima 38:413. montana 41:264. tetraphylla 34:245; 41:264. vulgaris 6:123; 8:168; 14:24; 23:277; 29:217; 31:97; 33: 166; 36:282, 307; 37:206; 41:153, 159, 264; 50:210; f. fluviatilis 41:264; var. maritima 25:10; 36:282; 44:117

Hirschfeldia adpressa 40:309. incana 40:

309; var. hirta 40:309

Cress 42:302. Hoary Alder 12:178. 4:249. Plantain 40:457. Willow 28:82

Hobble, Witch 12:184

Hobble-bush 5:260; 12:184; 23:134

Hoffmanseggia 31:92, 94-96. densiflora 34: 6. falcaria 31:92

Hog Blackberry 9:5. Cranberry 18:41

Holcus 8:138; 15:128; 18:231, 233; 28:143, 144; 49:269. avenaceus, var. nodosus 18: 235. bulbosus 13:208; 18:234. fragrans 19:152. halepensis 18:231. lanatus 11:88;

15: 128; 18:231, 234; 26:185, 186, 223; 29:207; 31:82; 32:150, 235; 38:266; 41: 518, 520; 44:172, 174; 49:269; 50:287, 293. odoratus 16:186; 19:152. Sorghum 18:231. striatus 8:138; 44:381

Hollies 34:16, 233

Holly 4:140, 142; 14:91; 23:118; 44:351; 50: 65. Fern 9:27. Mountain 12:182 Hollyhock 7:27. Fungi 18:240

Holmgrenia 35:146

Holomitrium squarrifolium 36:132

Holoschoenus 31:124; 49:52

Holosteum 11:112. succulentum 11:112, 114, 115. umbellatum 26:199; 33:211; 35:261; 40:372, 373, 415; 45:359, 400; 47:45

Homalachna 18:233

Homalia 6:145. Jamesii 4:183; 11:117; 39: 13, 43. trichomanoides 1:55; var. Jamesii 6:236. trichomitrion, var. Jamesii 6:145

Homalocenchrus 9:53; 14:187; 30:82. oryzoides 31:146

Homalosorus 38:164 Homoeanthus 20:150 Homoetricha 32:36 Homomallium 35:146 Homothalictrum 46:350 Honey Locust 17:49; 46:307

Honeysuckle 43:31; 44:334. American Fly 12:184. Bush 12:184. Fly 28:76. Japanese 25:173; 37:380; 49:150; 50:66. Trum-

pet 4:40; 12:184

Honkenya 11:113; 21:1, 2. oblongifolia 11: 111, 114; peploides 11:113, 115; 29:175; subsp. major 41:223; var. diffusa 11:114; var. latifolia 11:113; var. oblongifolia 11: 114

Hookeriaceae 37:228 Hoorebeckia 9:55

Hop Clover 11:199. Tree 21:49

Hop-hornbeam 4:93; 7:123, 126; 23:91; 43:

521; 44:351

Hordeum 6:107; 15:150; 47:280; 49:254, 267; 50:90. aegiceras 48:21. boreale 13: 125, 127, 137; 28:121, 152. Caput-Medusae 19:121. distichon 1:107; 15:150; 49:267. 19:121. distichon 1:107; 15:150; 49:267. jubatum 1:105, 107; 6:83; 12:26; 13:89; 15:150; 17:147, 221; 25:6; 29:44, 45, 64, 106; 36:278; 41:152, 183; 42:317; 44:70; 46:206; 48:21, 26, 116; 49:242, 267; 50: 90. marinum 48:21; 49:267. maritimum 15:150; 49:267. murinum 14:163; 15:150; 19:121; 48:21; 49:267. nodosum 15:150; 48:21; 49:267. pratense 6:83. pusillum 36:38, 237; 44:70; 48:21, 27, 115. trifurcatum 19:121. vulgare 6:107; 15:150; 44:70: 48:21: 49:267: var. Aegiceras 6: 44:70; 48:21; 49:267; var. Aegiceras 6: 107; var. trifurcatum 31:83; 48:21

Hormidium 40:76 Hormiscia 5:73. penicilliformis 7:225, 243

Hormogoneales 40:235 Hormospora purpurea 18:26

Hormothamnion 44:184 Hormotila mucigera 26:165

Hormotrichum Younganum 50:259

Hornbeam 26:182. Hop 7:123, 126; 23:91

Horned Pondweed 44:217

Horse-chestnut 12:32: 25:173 Horsenettle 4:13

Horse-radish 26:198; 27:186

Horsetail(s) 35:354; 41:505; 48:267. Common 35:354. Family 35:354. Giant 49:203

Horseweed 17:225; 28:72

Hosackia 20:168. americana 20:168. mic-

rantha 8:233. prostrata 8:233 Hosta caerulea 37:85. japonica 19:127

Hosta caerulea 37:85. japonica 19:127
Hottonia 24:232; 50:210, 211. inflata 1:
82, 179; 2:125; 3:216; 4:16, 20, 76, 85;
5:134; 9:14, 63; 13:108; 24:88, 232; 27:
203; 38:439; 39:482; 40:449; 42:45, 409;
44:430; 46:143, 144; 50:210
Houstonia 4:75; 21:69; 26:14; 34:177; 42:
299, 362; 46:306–308; 47:291, 364. angustifolia 36:224, 231; 37:195; 42:299, 300,
pl. 625. caerulea 3:165, 188; 4:75; 5:
119, 131; 9:209, 210; 12:129; 17:154; 19:
220; 26:14; 29:187, 188; 34:65; 36:221;
37:356; 44:174; f. albiflora 9:210; var.
Faxonorum 9:210; 29:187. canadensis 46:
309. ciliolata 36:221: 37:64. 70: 46:309. Faxonorum 9:210; 29:187. canadensis 46: 309. ciliolata 36:221; 37:64, 70; 46:309. Faxonorum 29:127, 129, 133, 187, 188, 220. lanceolata 26:14; 34:177; 39:450; 42: 362; f. albiflora 34:177. longifolia 24: 100; 26:14; 36:55; 40:382, 458; 41:466, 570. minima 36:221, 231, 364. nigricans 42:299, pl. 625. parviflora 34:177. patens 21:69; 36:51, 221, 227, 231; 40:458; 46: 306. purpurea 36:231; 38:444; f. pubescens 38:444; var. calycosa 6:195; var. longifolia 4:75; 5:128, 202; var. pubescens 38:444. pusilla 21:69; 34:177; f. albiflora 34:177; f. rosea 41:585. serpyllifolia 9: 210; 29:187; 39:198, 200, 205, fig. 20 (map). setiscaphia 46:309. tenuifolia 7:142; 24: 100; 39:342, 450, 471, 474, 475, 486; 40: 100; 39:342, 450, 471, 474, 475, 486; 40: 372; 42:362; 49:180; f. leucantha 34:177

Howellia 50:48 Huckleberries 39:60

Huckleberry 4:131; 10:53; 13:86; 15:225; 18: 29; 37:325; 39:368; 44:230. Black 4:14; 12: 183; 18:67; 23:135; 42:352. Blue-black 4: 14. Blue-fruited 2:81. Bog 23:99. Box

22:167, 168. Squaw 12:168

22:107, 108. Squaw 12:108
Hudsonia 11:128; 18:70; 22:123; 23:92; 33: 39; 35:348; 40:35, 41; 47:207. ericoides 1:212-214; 2:22; 4:61; 5:128; 11:128, 131; 13:135, 140, 161, 181; 19:231; 22:123; 24: 177; 28:87; 29:44, 111, 181, 216; 32:169, 212; 35:348; 37:267; f. leucantha 19: 76. montana 29:181. tomentosa 1:212, 212; 42:44:24. 23; 4:34, 61; 5:128; 11:128, 131; 13:181; 14:20; 18:26; 20:102, 106; 22:124; 29:42, 44, 45, 181, 216; 32:151, 265; 35:348; 40:35; var. intermedia 15:154; 32:179; 35:

Humulus 6:114; 17:169. japonicus 6:139; 17: 169; 42:390, 447. Lupulus 6:114; 17:169. scandens 42:390, 447

Hundahveiti 12:27 Hunde Hvede 12:27

Hurts, Ground 28:80. Sweet 28:80

Hutchinsia calycina 40:298; β. americana 40: 298; var. β. 40:300, 301; var. γ. 40:300; var. integrifolia 40:300, 301

Hyede 12:27. Hunde 12:27. Vild 12:27, 28

Hvedegraes 12:27

Hyeiti 12:25, 26, 30, 37, 38; 15:33

Hveti 12:32

Hyacinth(s) 28:75; 47:379. Water 38:401. Wild 28:90

Hyacinthus 24:210 Hyalodaphnia 24:51

Hyalodiscus stelliger 9:140; 26:193-195, 216.

subtilis 9:140 Hyalotheca 7:265; 24:240; 26:204, 210. dissiliens 5:79, 254; 7:240, 265; 24:240; 26: 210; 29:163; var. hians 5:254; var. minor 7:265. mucosa 5:254; 26:210. undulata 24:240

Hybanthus concolor 21:87; 40:375, 382, 447;

43:520; 44:240, 363. verticillatus 34:6 Hydnum albonigrum 44:168. auriscalpium 44:168. Caput-Medusae 1:108, 109; 3: 37. Caput-Ursi 1:108, 109; 3:37. chrysorhizum 48:202, 203. coralloides 1: 108, 109; 3:37. erinaceus 1:108, 109; 3: 37. Medusa 1:108. putidum 3:40. velutinum 44:169

Hydnum, Bear's-head 1:108, 109. Coral 1:

108. Hedgehog 1:108

108. Hedgehog 1:108
Hydrangea 18:250; 21:103; 23:203, 204; 31:
18, 120, 254; 47:364. arborescens 20:15;
21:102, 103; 23:203–206, 208; 36:374, 40:
374, 375, 423; 43:523, 559; 44:240, 351;
γ. oblonga 23:204; δ. sterilis 23:208; f. grandiflora 23:206, 207; 43:559; f. oblonga 23:206; f. typica 23:206; f. vulgaris 23:
206; var. cordata 23:206; var. Deamii 23:204, 206, 208; f. acarpa 23:206, 208; var. oblonga 23:204–208; 43:559; f. sterilis 23:206. 208; var. sterilis 11:46; var. typica 23:206, 208; var. sterilis 11:46; var. typica 23:206; var. vulgaris 23:206. cinerea 18: 23:206; Var. Vulgaris 25:206. Chiletea 15: 245, 246, 250; 23:204, 205, 207, 208. cordata 23:206. paniculata 18:246; 19:226; 31:18, 19, 120, 254; 42:43. quercifolia 18: 245, 246; 19:226; 46:389–391. radiata 23: 204. vulgaris 23:206, 208; β. cordata 23:206

Hydrangea, Climbing 44:351 Hydranthelium 44:436, 438. crenatum 50: 124. egense 50:124. obovatum 44:438. rotundifolia 48:116

Hydrastis 49:199. canadensis 1:157, 200; 20: 183, 196; 23:219; 49:199

Hydrocaryaceae 23:116; 31:43

Hydrocharideae 25:158

Hydrocharis 47:385. Spongia 44:378 Hydrocharitaceae 12:4; 29:249; 31:43; 32: 231: 44:219

Hydrochloa carolinensis 26:159. fluitans 26:

Hydrocoleum 1:197, 198; 7:223; 39:278; 40: 224, 227. glutinosum 2:42; 7:223; 40: 228–230, 268, 273, fig. 2; 50:256. Holdeni 3:254; 5:220; 7:169, 223; 40:228-230, 268, 273, fig. 3. homotrichum 50:69. lyngbyaceum 2:42; 40:228; 50:256; var. rupestre 2:42. majus 1:197, 198, pl. 9; 2:42; 3: 254; 40:229, 230

Hydrocoleus 40:227

Hydrocotyle 6:124; 24:93; 42:297; 43:81. alchemilloides 41:438. ambigua 41:437. americana 1:159; 3:188; 6:124; 17:151; 23: 277; 24:93, 179; 32:4; 38:366; 42:298; 47:218. asiatica 42:295, 298; var. filoridana 42:295. australis 41:437. bonariensis, var. tribotrys 41:437, 438. Canbyi 32:124, 125, 148, 209-211, 267, 268; 37: 433; 38:394; 39:437, 480; 41:437, 438. chinensis 26:93. cordata 42:297, 298. erecta 42:295. interrupta 32:268. natans 41:437; var. triradiata 41:438. prolifera 41:437, var. triradiata 41:437. ranunculoides 37:380, 433; 39: 437, 480; 46:138. reniformis 42:295, 296, 298. repanda 42:295, 296, 298. tribotrys 41:437, 438. umbellata 1:159; 2: 125, 217; 3:210; 4:103; 5:204; 7:75; 9:13; 11:129; 13:8; 21:73; 24:88, 94, 179; 32: 148, 210, 267; 39:474, 481; 42:298; 44: 173, 174; var. ambigua 32:267; 41:437. verticillata 1:159; 25:48; 32:148, 209, 210, 267, 268; 39:480; 40:253; 41:437; var. longipedunculata 41:437; var. pluriradiata 41:437; var. triradiata 41:437; var. 13-nervis 41:437; var. triradiata 41:437, 438

Hydrocybe 29:238, 239. constans 29:238,

409

Hydrodictyon reticulatum 14:237

Hydrolea affinis 46:56. quadrivalvis 38:393; 39:332, 338, 444, 477; 41:477, 558; 42:477; 44:432; 45:377, 459; 46:56. uniflora 46:56

Hydroleucum glutinosum 40:75 Hydrophila 21:10; 22:180

Hydrophyllaceae 6:151; 24:98; 25:27; 31:43;

42:34. trib. Hydrophylleae 42:33

Hydrophyllum 6:156–158; 25:28; 37:349; 47: 288. americanum 21:200. appendiculatum 6:151, 156; 7:142. canadense 2:157; 6: 151, 155–158, 160, 184, 185, 203, 205; 7:99; 31:14, 17, pl. 178; 37:87. macrophyllum 39:431. virginianum 1:171, 222; 6:151, 156–158, 185; 7:99; 9:75; 24:118; 25:28; 27:212; 35:250; 37:64; 40:341; f. simplicifolium 40:341, pl. 502

Hydrophytes 5:126, 127, 134, 135

Hydropyrum esculentum 26:156, 157. latifolium 26:158

Hydrurus 26:161. foetidus 24:103, 110; 26:

162, 166

Hyella caespitosa 2:42; 7:172; 26:212; 50:256 Hygroamblystegium fluviatile 39:44. irriguum 48:3; f. marianopolitanum 39:44; var. spinifolium 39:44. orthoeladon 39:44 Hygrocybe 29:239. constans 29:238, 239.

obrussea 29:239. Constans

Hygrohypnum dilatatum 30:10; 39:44, 45. eugyrium 39:45. molle 39:3, 4, 44, 45. ochraceum 39:45. palustre 39:45; 50:52 Hygrophila 47:262. illinoiensis 47:17, 18

Hygrophila 47:262. illinoiensis 47:17, 18 Hygrophorus 2:72; 13:57, 59, 66; 16:51; 29: 238, 239. § Limacium 1:16. chlorophanus 3:143. coloratus 13:64, 65. conicus 2: 128; 3:143; 29:238. constans 29:238, 239. flavo-discus 1:16, 17; 13:63, 65. fuligineus 1:16, 17; 2:32; 13:63, 65. hypothejus 13: 63, 64. laetus 13:59. Langei 29:239. laurae 13:63, 65. luridus 13:59. marginatus 39:372. miniatus 3:143; 39:372. Morrisii 16:49. nitratus 16:49. obrusseus 29:238, 239. Peckianus 16:49. pratensis 11:124. psittacinus 16:48. puniceus 3:143. pustulatus 16:49

Hygrophytes 5:126, 127, 130, 131 Hygroryza aristata 26:159

Hylocomiaceae 30:11; 39:45 Hylocomium 35:146. brevirostrum 4:181; 6: 73; 24:123; 48:3. proliferum 30:11. pyrenaicum 1:54; 4:182; 39:45. splendens 3: 178, 180; 4:30. squarrosum 2:95; 4:181. triquetrum 4:30. umbratum 2:62; 3:180; 4:240; 8:168

Hymenatherum aureum 6:81, 82; 35:182 Hymenocallis caroliniana 50:194. coronaria

50:194. crassifolia 50:194

Hymenochaeta corrugata 44:170. tabacina 44:170

Hymenogastraceae 26:195

Hymenolobus procumbens 28:54, 106

Hymenomycetes 3:70; 13:63

Hymenopappus 34:6

Hymenophysa 42:304. fenestrata 42:306. macrocarpa 42:306. pubescens 39:191, 281; 42:302, 304, 305

Hymenoptera 41:185; 42:354; 44:189

Hymenostylium 14:47. curvirostre 14:46, 47; 30:5

Hyophila 41:112. Tortula 36:55

Hyoscyamus 7:160; 12:191; 25:60. niger 11: 179; 12:191, 215; 18:144; 25:60; 34:238

Hyoseris biflora 17:135. minima 11:61

Hypaelytrum iridifolium 35:260. umbellatum 35:260

Hyparrhenia 47:108

Hypericaceae 1:212; 6:122; 18:40, 98; 22:75; 26:226; 29:216; 31:43; 32:265; 38:432; 49:

255; 50:168, 298

Hypericum 4:135; 6:122; 7:160, 161, 189; 22: 17, 75; 36:373; 37:72; 38:64; 41:376; 42: 8, 10, 11, 17, 19, 154; 49:87, 89, 100, 152. § Brathys 49:87. § Elodea 38:433. acutifolium 17:134; 50:206, 208, pl. 1111. adpressum 1:212; 4:135–137, pl. 37; 32:212; 40:442; 41:469, 471, map 5; 42:8, 18, 19; 44: 174; var. fastigiatum 42:19; var. spongiosum 4:136, 137, pl. 37; 42:18, 19. angulosum 17:134; 50:205–208, pl. 1109. apocynifolium 42:8, 15, 16. Ascyron 1:212; 15:154, 166; 24:184; 32:173. aspalathoides 42:12. aureum 12:55; 22:75; 24:117; 42: 15, 16; 46:389–391. axillare 42:13–15. Bissellii 4:136, 137, pl. 37; 42:8. boreale 1:184, 212, 221; 6:122; 7:109; 9:121; 11: 96; 13:146; 15:166; 17:221; 22:75, 135; 23:274; 25:212; 32:149, 173, 214, 265; 35: 23:274; 25:212; 32:149, 173, 214, 265; 35: 251; 41:376; 42:45; 47:217; 49:87, 100, 101, 154, 250; f. callitrichoides 41:376. Buckleyi 42:8, 19. calycinum 50:167. campanulatum 38:435, 436. canadense 1: 212; 3:188; 5:130; 6:123; 9:121; 14:28; 15:166; 17:151; 18:40; 22:75; 29:181, 216; 30:188–190, fig. 1; 32:265; 33:122; 48:58; 49:87, 115; 50:205, 208; var. galiiforme

128 Rhodora

49:154, 155, 193, pl. 1076; var. magninsulare 30:188-190, fig. 1; var. majus 1:212. cistifolium 35:255; 42:8, 17, 18. cistoides 47:379. Coris 42:12. densiflorum 38:64; 47:379. Coris 42:12. densiflorum 38:64; 42:8-12, 14, 15, 17, 88, 92; 50:168; var. lobocarpum 42:8, 11. denticulatum 17: 134, 137; 39:473; 42:17; 43:500, 609; 44: 373, 430; 50:205-208, pl. 1109; var. acutifolium 17:134, 137; 50:206-208, map 3, pl. 1111; var. ovalifolium 17:135, 137; 38: 393; 39:337, 435, 467, 481; 40:371, 442; 43:500; 45:373, 453; 50:206, 208; var. cognitum 50:207, 208, map 2, pl. 1110; var. tynicum 50:207, map 1, pl. 1109. var. **typicum** 50:**207**, map 1, pl. 1109. dissimulatum 23:149, 274; 24:117, 177; 32: 177; 39:353, 435, 475; 49:87, 155. dolabriforme 39:195; 42:8, 16, 17. Drummondii 35: 288; 36:220; 41:485, 549; 42:466; 50:207. elliptieum 1:212; 4:103; 5:131; 7:110; 17: 151; 22:75, 135; 32:173; 33:207; 34:65; 35: 251; 37:319; 38:364; 47:217; f. submersum 251; 37:319; 38:364; 47:217; 1. submersum 41:376. fasciculatum 42:12–14; var. β. 42: 14; var. aspalathoides 42:12, 14. fastigiatum 42:18, 19. foliosum 42:10. frondosum 42:8, 15. galioides 42:9, 11–15, pl. 587; 50:112; var. ambiguum 42:14; var. axillare 42:14; var. cubense 42:14, 19, pl. 587; var. fasciculatum 42: 12, 14, 19, pl. 587; var. Llaydii 42:pl. 587; var. pallidum 91. 587; var. Lloydii 42:pl. 587; var. pallidum 42:9, 14, 19, pl. 587; var. reductum 42: 14, 19, pl. 587; var. typicum 42:19, pl. 587. gentianoides 9:121; 21:19; 22:75; 32: 587. gentianoides 9:121; 21:119; 22:79; 52: 265; 35:287; 36:220; 42:466. glaucum 42: 19. glomeratum 42:10, 11. graveolens 37: 319. gymnanthum 24:88; 37:432; 39:482; 47:45. Harperi 50:207, 208, pl. 1111. hedyotifolium 50:208. interior 42:10, 11. Kalmianum 19:64, 67; 35:388; 37:204; 42: Raimanum 19:04, 07; 39:300; 31:204, 12:8, 9; 46:493. Lasianthus 49:151. lobocarpum 42:11, 12, 16. maculatum 1:212; 6: 122; 9:121; var. subpetiolatum 7:109. majus 15:166; 18:40; 19:230; 22:75; 49: 87. Michauxii 42:12. micranthum 37:432. Mitchellianum 37:319. mutilum 1:212; 5: 121:6120; 22:75; 23:75; 25: 131; 6:122; 22:75; 32:158, 265; 33:75; 35: 287; 38:372, 431; 41:549; 49:87; 50:124, 205, 298; var. gymnanthum 38:372; var. latisepalum 38:372; 42:402, 466, 510; 43: 609; 44:368; var. parviflorum 41:549; 43: 81. myrtifolium 42:8, 19. nitidum 42:12, 13, 19, pl. 587. nudicaule 1:212; 5:128. nudiflorum 37:432; 39:480; 40:442; 42:8, 17, 18; var. \$\beta\$. 42:16. oklahomense 42:11, 12. opacum 42:17. parviflorum 41:549. perforatum 1:212; 3:188; 5:135; 6:122; 7: 122; 22:75; 26:185, 226; 32:151, 160, 265; 39:374, 375; 40:443; 41:506; 50:298. petiolatum 35:288; 36:220, 226, 227; 37:432; 38: 377, 433-436; 39:358, 473, 481; 42:87, 88, 90, 92; 47:217; var. tubulosum 38: 436; 39:358, 435, 481. pilosum 50:205. procumbens 42:16. prolificum 22:75; 24: 117; 37:353; 38:64; 40:382, 442; 42:9-11, 45; 44:372, 429; 50:167, 168, pl. 1101; var. 609; 44:368; var. parviflorum 41:549; 43: 45; 44:372, 429; 50:167, 168, pl. 1101; var. β. 42:9; var. densiflorum 42:10. pseudomaculatum 37:432; f. flavidum 41:585.

punctatum 16:16; 19:116; 21:200; 22:75; 37:432; 44:359, 429; f. subpetiolatum 44:429; var. pseudomaculatum 37:432. quin quenervium 50:205. rosmarinifolium 42:12-14, 17, 18. rostratum 42: 11. Scouleri 37:364. setosum 24:151; 39: 324, 335, 364, 435, 467, 477; 40:366, 442; 45:374-376, 453; 47:95, 127; 49:99, 154; 50:205. spathulatum 50:168, pl. 1101. sphaerocarpum 42:8, 17, 18; var. turgidum 42:17. splendens 42:9, 15. subpetiolatum 42:359, 429. tenuifolium 42:14. tubulosum 38:434-436; 39:358; var. Walteri 47: 217. turgidum 42:17. virgatum 17:134, 137; 50:206, 208, pl. 1111; var. acutifolium 17:134, 137; 50:208, var. ovalifolium 17:135, 137; 50:208, virginicum 1:212; 3: 188; 6:123; 9:121; 11:96, 230; 13:128, 146; 14:28, 30; 17:151; 18:98; 22:75, 135; 29: 131, 216; 32:149, 210, 265; 35:251; 37: 319, 366; 38:433-436; 44:174; var. Fraseri 38:434, 435

Hypericums 46:306

Hypheothrix 40:225. calcicola 24:106; 26: 163

Hypholoma candolleanum 44:170. delineatum 16:46. rugocephalum 3:40; 16:46.

sublateritium 39:372

Hypnaceae 11:16; 30:11; 31:38; 37:228; 39: 451. subfam. Amblystegieae 37:228. subfam. Brachytecieae 31:38; 37:228. subfam. Climacieae 31:38; 37:228. subfam. Entodonteae 37:228. subfam. Hylocomieae 37: 228. subfam. Hypneae 37:228. subfam. Plagiothecieae 37:228. subfam. Porotricheae 31:38; 37:228. subfam. Stereophylleae 37:228

Hypnea Coulteri 14:59. musciformis 2:50;

8:111. nigrescens 21:207

Hypnum 4:238; 12:136; 13:221; 33:19; 35: 146; 47:386. aduncum 12:154. arcuatum 39:13. Bambergeri 30:11. chrysophyllum 4:238. cordifolium 1:54; 4:182; 5:199, 200. crista-castrensis 1:34; 2:62; 3:178, 180; 4:30, 181; 6:97; 42:277. cupressiforme 4:240; 6:97; 30:11. curvifolium 4:181, 241; 48:3. cuspidatum 6:43, 73. dilatatum 4:241. eugyrium 4:241. fastigiatum 50:52. fertile 4:181; 39:45. fluitans 2:96; var. atlanticum 4:181. Haldianum 2:63; 4:241. hispidulum 4:239. imponens 3:180; 4:181, 241; 30:11. Kneiffii 12:154. molle 39:44. molluscum 4:182. montanum 3:180, 182; 11:117. ochraceum 2:63; 4:182. pallescens 4:181, 241; 30:11. Patientiae 4:181. pratense 4:30, 181. reptile 4:181, 241. Richardsonii 5:200. Schreberi 1:34; 3:178, 180; 4:30. scorpioides 10:38. Sendtneri 12:154. splendens 6:97. stellatum 10:37; 11:117. Sullivantii 6:73. trifarium 10:38. umbratum 6:97. uncinatum 3:180; 4:30; 12: 154; 15:12, 13; f. plumosa 4:182. Vaucheri 30:11. vernicosum 6:43

Hypochaeris 26:110. glabra 26:110; 46:206. radicata 3:88; 6:23; 12:217; 29:191, 221;

43:344, 663; 46:142

Hypoglossum denticulatum 5:205-207 Hypopithys 29:2. Hypopitys 6:125. lanuginosa 15:190 Hyporhodii 16:50

Hypoxidaceae 25:157; 37:411 Hypoxideae 25:156, 158

Hypoxis 7:158; 11:75; 25:120, 121, 123, 125, 151, 155–160; 33:36; 37:380; 47:206. sub-151, 155–160; 33:36; 37:380; 47:206. subgen. Euhypoxis 25:121; 37:412. subgen. Ianthe 25:121; 37:413; 42:374. breviscapa 25:122, 137, 138, 144, 151, fig. 9. caricifolia 25:129. carolinensis 25:126, 127. catamarcensis 25:123, 146, 153, fig. 13. Curtissii 25:127. decumbens 25:120, 122, 128–130, 132, 134, 140–142, 144–147, 151–155, 161, fig. 4; 37:410; var. major 25:122, 131, 132, 151, 152, 154, 155, fig. 5; var. mexicana 25:129. erecta 2:157; 5:204; 9:121; 25: 120, 126; ß. aestivalis 25:134, 136; var. leptocarpa 25:127. fibrata 25:123, 143, 151–155, fig. 12. filifolia 25:123, 124, 126; 44:255. glabella 37:411. gracilis 25: 126; 44:255. glabella 37:411. graciis 25: 129. graminea 25:126. grandis 25:126, 127. hirsuta 11:75; 24:185; 25:120, 122, 126, 127, 134, 151-155, fig. 2; 32:245; 34: 97, 99, 240; 36:220; 37:410; 38:402; 39: 324; 40:462; 42:445; f. villosissima 42: 445; var. leptocarpa 25:122, 127, 128, 151-155, 161, fig. 3; 36:42. humilis 25: 123, 143-145, 151-155, fig. 12. juncea 25:120, 122-126, 134, 139, 142, 151-155, fig. 1; 44:255; var. Wrightii 25:140, 142. leptocarpa 25:127; 39:327, 331, 341, 402, 481, map 7; 40:407; 42:397, 445; 44:241, 391. Longii 37:410-413, 450, 453, pl. 393; 38:394; 39:471, 474, 475; 42:372-374. mexicana 25:123, 145, 146, 151, 153, 154, fig. 13. micrantha 25:123, 137, 139, 151-155, fig. 10; 36:42; 38:378, 402; 39:329, 126; 44:255. glabella 37:411. gracilis 25: 155, fig. 10; 36:42; 38:378, 402; 39:329, 402, 467, 480; 41:481; 49:99, 133. pallida 25:126. potosina 25:123, 139, 154, 155, fig. 10. pusilla 25:145; 37:411. racemosa 25:132. rigida 25:122, 132, 133, 151, 153-155, fig. 6. rugosperma 25:123, 141, 142, 153, 154, fig. 11. scorzoneraefolia 25:161. sessilis 25:120–122, 134–137, 153, 154, fig. 8; 37:412, 413; 38:394; 39:467, 471, 480; 42:374. stellata 37:411. tepicensis 25:122, 134, 135, 154, fig. 7. Wrightii 25:123, 140, 141, 151, 154, 155, 67, 11 25:123, 140, 141, 151, 154, 155, fig. 11

Hypriea Coulteri 14:59 Hyptis mutabilis 42:400; var. spicata 42:400,

Hypoxylon 26:218. rubiginosum 50:288

Hyssopus 25:38. officinalis 25:38

Hysterium pulicare 44:170

Hysterographium Mori 50:287. praelongum

44:170. vulvatum 44:170

Hystrix 14:187; 48:24; 49:267. Hystrix 14: 188. patula 14:188; 15:151; 16:15; 21: 201; 23:232; 24:229; 40:375, 387; 44:70; 48:21, 23, 24; 49:267; 50:88-90; var. Bigeloviana 48:21-23; 49:267

Iberis 18:219. amara 18:219; 23:140 Ibidium 9:53; 21:10; 22:180; 23:74. Beckii 48:6. cernuum 23:74, 127. floridanum 38: 405. lucayanum 23:84. ovale 48:5. parviflorum 48:6. plantagineum 23:83. praecox 28:244

Icamadophilus ericetorum 28:229 Ichnanthus 17:72

Icosandria 41:383; 47:275

Ilea 5:7, 30. fascia 50:262; var. caespitosa 50:262. fulvescens 2:44; 4:175; 5:3, 20,

30, 31, pl. 41; 7:225; 10:160, 162

30, 31, pl. 41; 7:225; 10:160, 162
Ilex 6:121; 9:151; 12:181; 14:205; 15:15, 63; 16:28; 21:125; 23:97; 26:231; 29:243; 36: 32; 41:424, 426; 46:313; 47:332; 49:204. ambigua 41:425, 428. Amelanchier 41: 427, 428, pl. 559; β. monticola 41:428. Aquifolium 23:118, 119; var. laurifolia 23:119. arenicola 34:16, 17, 233–235; f. oblanceolata 34:234, pl. 225; f. sebringensis 34:17, 18, 233, pl. 224; f. typica 34:234; var. obovata 34:234, pl. 226; var. paucidens 34:233–235, pl. 227; var. transiens 34:233, 235, pl. 228. Beadlei 41:428. bronxensis 15:222. caroliniana 34: 233; 41:425: var. jejuna 34:234, 236, 41:425. bronxensis 10:222. caronimara 64:233; 41:425; var. jejuna 34:234, 236, pl. 231. Cassine 26:231. coccifera 47: 297. coriacea 39:477; 42:368, 400, 461; 44:365; 45:361. cumulicola 34:233. decidua 21:189; 36:47, 224; 39:331, 353, 472, 481. dubia 41:424-428, pl. 559; var. 481. dubia 41:424-428, pl. 559; var. Beadlei 41:428; var. hupehensis 41:428; var. macropoda 41:428; var. mollis 41:428; f. Grayana 41:428; var. monticola 41:428. f. Grayana 41:428; var. monticola 41:428. fastigiata 23:109, 274. glabra 3:198; 5:128, 204; 7:74; 10:43; 11: 232; 13:8, 150, 159, 161; 14:19, 21; 15: 76; 16:163-165; 21:125; 23:91, 92, 97, 98, 105, 109, 110, 142, 148, 158, 159, 161, 274, 300, pl. 130 (map 3). 25:147, 148; 26:231; 30:198; 32:210, 264; 38:377; 42:368; 43: 300, pl. 130 (map 3). 25:147, 148; 26:231; 30:198; 32:210, 264; 38:377; 42:368; 43: 507; 44:365. Krugiana 26:231. laevigata 3:65, 198; 5:134, 204; 11:232; 13:54; 14: 21; 19:230; 21:119, 126; 26:231; 32:177, 264; f. Harveyi 10:34; 21:126; 26:231. lucida 26:231; 36:47. macropoda 41:428. mollis 14:205; 41:424-426, 428. montana 41:424-428, pl. 559; var. Beadlei 41:428; var. hupehensis 41:428; var. macropoda 41:428; var. mullis 41:424, 426, 428. monti-41:428; var. mollis 41:424, 426, 428. monti-41:428; var. mollis 41:424, 426, 428. monticola 9:151; 15:15; 21:130; 41:424-426, 428; var. mollis 6:204; 15:15; 19:230. myrtifolia 26:231; f. Lowei 26:231. opaca 3:58, 59; 5:204; 9:13; 10:43; 13:151; 14:19, 21, 81, 91; 16:163-165; 21:126; 23:92, 118, 119, 167; 26:129, 175, 231; 28:35; 30:198; 32:152, 210, 263; 34:16, 233, 234; 36:220; 39:482; 41:518, 520; 47:217; f. subintegra 23:119; 32:263; 34:233, 234; 36:47; f. vanthocarna 10:34: 26:231. subintegra 23:119; 32:263; 34:233, 234; 36:47; f. xanthocarpa 10:34; 26:231; pygmaea 34:17, 233, 234, 236, pl. 229; var. subedentata 34:234, 235, 236, pl. 230. verticillata 2:105, 106, 241, 242; 3:58; 5:131, 134; 6:121; 11:231; 12:181; 13:117, 139, 146, 149; 14:21; 17:150, 152; 18:39; 21:126; 22:93, 132, 134, 135; 23:109, 159, 273; 26:231; 32:151, 216, 264; 33:122; 35:287; 37:350, 352, 355, fig. 3 (map); 39:373, 375; 42:88, 93; 46:313; f. chryso-

carpa 2:106, 242; 21:126; 25:148; 26:231; var. eyelophylla 2:105; 7:108; 31:85; var. fastigiata 23:274; 24:176; 32:179, 214, 264; var. padifolia 2:105, 106; 16:191; 21:126; 23:159, 274; 31:85; 35:287; 36:100, 200. 220; var. tenuifolia 2:105; 3:188; 4:92; 12:181; 19:230; 21:126; 23:274; 24:176; 29:181, 216; 31:85; 43:81; vomitaria 36: 31, 47; 37:432; 38:377, 426; 39:467, 480;

44:240; 45:461 Iliamna 34:143; 48:89, 91, 92, 94. latibracteata 48:95. remota 10:52; 34:143, 145; 48:89-93, pls. 1021, 1022; var. Corei 48:96, pl. 1024; var. typica 48:93-95,

pls. 1021-1023

Ilicioides 9:54. mucronata 6:121 Illecebraceae 5:190; 17:202; 31:43

Illecebrum 17:203. verticillatum 14:207; 17:

Illicium 28:35. floridanum 44:12

Illinois Hickery 49:194

Ilysanthes 7:35; 10:66; 14:24; 16:88; 25:64; 44:441; 46:20. anagallidea 10:67, 205; 19:248; 25:64; 32:274; 42:46. attenuata 7: 35, 36; 9:122; 10:67; 44:443. dubia 10: 67, 205; 21:191; 22:138; 25:64; 32:274; 44: 67, 205; 21:191; 22:138; 25:04; 32:274; 44: 442, 444, 446, pl. 733; var. inundata 44: 442, 444-446, pl. 733. gratioloides 7:35; 9:122; 10:67, 218; 32:274; var. curtipedicellata 10:67. inaequalis 25:64; 26:227; 32:149, 160, 210, 274; 50:299. riparia 7: 33, 35; 10:67; 44:444

Impatiens 2:235; 6:122; 7:160; 9:37; 21:99, 128; 25:26; 36:372, 373; 42:147, 154; 48: 412. aurea 6:122. biflora 2:234; 3:188; 6:122; 14:26; 17:151, 217; 18:39; 19:115, 117; 21:99, 100, 128, figs. 4–6; 27:199; 29:131, 181, 216; 32:149, 216, 264; 34:7; 36:374; 41:254; 42:147; 43:523; 46:139; 50:203, 204, pl. 1108; f. albiflora 19:115–118: 21:99, 128: 50:205; f. citrina 19:115 118; 21:99, 128; 50:205; f. citrina 19:115–118; 21:99; 24:117; 42:44; 50:205; f. immaculata 19:117; 24:117; 37:87; 43:604; 50: 205; f. Peasei 19:116, 117; 21:98, 99; 24:117; 42:44; 43:604; 44:428; 50:205; f. platymeris 21:99, 100, figs. 1-3; 24:117; 50:205. candida 48:414. capensis 19:118; 50:203-205, pl. 1108; f. albiflora 50:205; f. citrina 50: 205; f. immaculata 50:205; f. Peasei 50: 205; f. platymeris 50:205. Dalzellii 19: 118. diversifolia 19:118. fulva 2:234; 3: 130; 5:132; 6:122; 50:204; f. albiflora 19: 115; 50:205. glandulifera 48:412, 413; f. pallidiflora 48:414. glanduligera 48:413. laevigata 19:118. longipes 19:118. modesta 19:118. Noli-tangere 50:204. pallida 6:122; 19:116; 24:184; 32:4; 34:7; 36:374; 40:179; f. dichroma 40:179; f. speciosa 40:179; 46:136; var. alba 40:179. porrecta 19:118. racemosa 19:118. repens 19:118. Roylei 48:412, 413; f. albida 48:414; var. candida 48:414; var. pallidiflora 48:413,

Imperatoria lucida 21:146. Ostruthium 29: 217

Inactis 40:225

Incense Cedar 49:228 Incisalia niphon 42:354

Corn 12:17, 25, 26, Indian Apple 46:317. 37, 38; 28:74; 41:82. Grass 18:33. Jug 28:62. Tea 28:82. Pipe(s) 11:153; 24: 225

Indian-wheat 39:233 Indigo, False 46:306

Indigofera 32:263. echinata 32:263. prostrata 32:263. rotundifolia 32:262

Inga, § Pseudinga 9:37

Inkberry 23:91, 98, 105, 109, 145, 169
Inocybe 13:57, 62; 16:51. agglutinata 16:
48, 51. asterospora 16:51. calospora 16: 51. castaneoides 16:51. commixta 13:62, 65. diminuta 16:51. echinata 13:60, 62. euthelella 16:51. eutheloides 16:51. geophylla 13:62. hiulca 16:51. infelix 16: 51. intricata 13:62, 65. longispora 16: 51. minima 16:51. rimosoides 16:51. subochracea 16:51. trechispora 16:51.

umboninota 16:51 Inodes exul 18:155 Interrupted Fern 35:352

Inula 6:132; 26:110; 37:307. subgen. Chrysopsis 44:466. argentea 44:466, 471, 473. gossypina 40:468. graminifolia 44:465, 466, 469. Helenium 6:132: 10:153; 26:110. salicina 26:110

Inundatae 47:385, pl. 991

Iodanthus dentatus 39:168; 48:208. pinnatifidus 40:430

Ionopsis 7:119

Ionoxalis 40:180. monticola 38:405

Ioxylon 9:54; 21:190. pomiferum 9:91 Ipomoea 5:101; 11:54; 25:26; 31:147; 42:33, pomoea 5:101; 11:54; 25:26; 31:147; 42:33, 155; 46:390. coccinea 1:47; 25:26; 35: 289; 36:376; 37:194; var. hederifolia 25: 26. hederacea 6:233; 10:153; 25:26; var. integriuscula 37:178; 42:476. heptaphylla 38:164. lacunosa 25:26; 31:147; 37:194; 38:441; f. purpurata 40:454. leptotoma var. Wootoni 39:151. Nyctelea 42:35. orbicularis 44:255. pandurata 20:65; 36: 374; 38:377; var. rubescens 20:65. pescaprae 44:255. purpurea 1:47, 222; 6: 233; 25:26; 31:147. sagittata 17:131, 137. speciosa 17:131, 137. comopsis 18:229

Ipomopsis 18:229 Iresine celosia 42:499. celosioides 47:214. paniculata 42:499. rhizomatosa 38:379, 416; 39:482, 483; 42:370, 371, 450, 499;

47:214Iria 9:52, 53

Iridaceae 6:111; 11:75, 131; 18:35; 25:7; 26: 223; 29:210; 31:43; 32:245; 36:279; 49: 255, 288; 50:295, 301

Irideae 25:158; 31:7

Iriha 9:53

Iris 4:89; 5:157, 158; 6:111; 9:52; 11:75; 13: 110, 227; 15:138; 21:180; 29:9, 29; 30: 55; 31:7, 9, 11; 36:34, 237; 38:199; 42: 151, 319; 44:27, 118; 45:360; 47:385. § Apogon, sub-§ Californicae, 38:199, 200. arizonica 45:26. bracteata 32:24. californicae, 38:44. capacity 40:212 fornica 32:24. canadensis 49:213. cristata 1:171; 36:230, 237; 37:72. Douglasiana 32:24. ensata 5:158. foliosa 35:360, 362. germanica 1:165; 50:295. Hookeri 4:24, 179, 180, pl. 39; 5:157; 10:145, 146; 12: 105; 17:155; 29:154; 49:210-214; f. pallidi-Hora 49:210; f. zonalis 49:210. innominata 32:23, 24; 38:200. lacustris 37: 72. laevigata 24:115. macrosiphon 38:200. prismatica 2:215; 4:89; 5:133; 10:112; 11: 75; 15:76, 138, 139; 29:61, 62, 65, 70, 71; 32:210, 245; 37:415; 39:347, 402, 476; 49: 32: 124. 92, 133, 134; var. austrina 49:133, 134. Pseudacorus 5:158; 6:143; 11:75; 21:180; 23:95, 244; 24:115; 30:55; 40:279; 43: 549. Purdyi 32:23. purpurisatta 39:347. 549. Furdyi 32:25. purpursatta 39:347. regifulva 39:347. setosa 5:157-159; 9:219; 41:149, 214; 42:319; 49:211-213; var. canadensis 5:158; 11:164; 12:105; 13:110; 15:138, 139; 17:148; 23:139, 244; 25:7, 99; 28:75, 104; 29:89, 123, 130, 154, 210; 31:143; 33:110, 119; 34:52; 40:274; 44: 118; 49:211, 213; f. pallidiflora 28:168; 49:210; f. zonalis 11:91; 49:210. subfulva 39:347. Thompsonii 38:199-201. tri-39:347. Thompsonii 38:199-201. tridentata 5:157; 49:213. tripetala 5:157; 49:213. variegata 37:85. verna 36:237; 38:378; 45:360, 362, 363, pl. 770; 49:214, 215; var. Smalliana 49:214. versicolor 3:172, 189; 4:24, 179, 180, pl. 39; 5:131, 132, 158, 159; 6:111; 8:29; 9:219; 10:145; 11:75, 131, 176; 17:151; 18:35; 22:135; 26:186, 223; 28:38; 29:56, 128, 154, 210; 31:12; 32:149, 245; 33:109, 119; 34:52; 35:154-160, figs. 1-3 (maps); 36:279; 37:64, 203; 38:52; 39:372, 375; 41:514, 517, 520; 46:315; 49:212; 50:295; f. Murrayana 38:52. virginica 35:154-160, 362, figs. 1-3 (maps); 36:42; 37:64, 70, 162; 38:52, 376, (maps); 36:42; 37:64, 70, 162; 38:52, 376, 402; 48:15. viridivinea 39:347

Iris, Beachflag 49:213. Blue 18:42 Irpex 26:218. cinnamomeus 41:516

Isachne miliacea 14:170

Isactis centrifuga 3:136, 237. plana 2:

42; 3:136; 7:224; 26:190, 212; 50:256
Isanthus 16:89. brachiatus 16:88; 27:189, 190; 35:388; 36:220; var. linearis 35: 388. caeruleus 1:25

Isatis tinctoria 18:221 Ischaemum 45:389

Isnardia 37:175. ascendens 37:176. intermedia 37:175. media 37:175. natans 37: 175. palustris 26:226; 37:176; 50:298; β. americana 37:176; f. submersa 35:229; 41: 377. repens 37:175; var. rotundata 37:

Isoetaceae 6:102; 10:59, 61; 23:209; 31:43; 32:229; 35:356; 49:254, 255

S2:229; 55:350; 49:254, 255
Isoetes 1:155; 3:221, 237; 4:2; 5:277; 6:
102; 10:61, 195, 210; 11:87; 15:223; 23:
102, 104, 146; 28:18; 34:39; 35:124, 356;
36:350; 37:342; 38:164; 39:331, 341, 344;
40:247; 42:149, 358, 364; 49:254. Braunii
5:279; 32:172; 35:356; 38:340; 41:505;
49:239; f. robusta 35:356. Butleri 36:
223, 227, 230. canadensis 5:279; 10:42. 61 223, 227, 230. canadensis 5:279; 10:42; var. Robbinsii 5:279; 10:42, 61.

Dodgei 10:42; 35:356; 41:29; var. Robbinsii Dodgei 10:42; 35:356; 41:29; var. Robbinsii 10:42, 61; 35:356. Eatoni 5:280; 10:61; 35:356. echinospora 4:2; var. Braunii 1: 185; 2:120; 3:169; 5:48; 10:61; 11:87; 16:17; 24:160; 35:356; var. muricata 5: 277; 10:61; 35:356; var. robusta 5:277. Engelmanni 5:279; 10:61; 24:86; 32:216, 229; 35:357; 41:29; 46:74; var. caroliniana 42:358, 367, 375, 406, map 2; 44:377; var. gracilis 2:157; 35:357; var. valida 37: 312. foveolata 5:280; var. plenospora 5: 280; 10:61; 35:357. Gravesii 5:280; 10:61; 15:223; 35:356. heterospora 5:44, 48; 10:42. hieroglyobica 15:223, lacustris 3: 10:42. hieroglyphica 15:223. lacustris 3: 165; 5:279; 10:62; var. maxima 5:279. macrospora 6:102, 138; 10:42, 52; 24:160; 28:149; 31:82; 33:113, 115; 35:357; 44:121, 123; 49:238; var. heterospora 10:42; 35: 357. melanopoda 36:219; 48:114, 115. ri-537. Helanopoda 50:219; 48:114, 115. Fiparia 5:277–280; 10:62; 24:82; 35:356; var. canadensis 10:42; 35:356; 41:29; var. major 5:279. saccharata 5:277, 278; 41:111; 42: 364, 391, 393, 405, 406, 510, 514; 44:372, 377; var. Amesii 5:278; 10:61; 35:356. Tuckermani 5:277-280; 10:61; 18:26; 23: 188; 26:37; 28:85, 120, 149; 31:80; 35: 357; 41:377; var. borealis 6:138; 23:188; var. Harveyi 10:61; 23:188; 35:357. virginica 42:88, 92

Isoglossa 50:225. ciliata 50:225. ovata 50:

Isolepis 31:124, 126; 40:392, 393; 44:483; 47: 116; 49:51; 50:129. § Bulbostylis 40:395. acicularis 31:184. allochroa 31:228. ambigua 39:218; 41:109. aphylla 41:109. atropurpurea 31:227. capillaris 40:395; 47: 116. carinata 44:479. ciliatifolia 40:391. coarctata 40:392. dichroa 31:228. Drummondii 47:116. echinulata 44:56. filiformis 34:197. fuscopurpurea 31:239; 41: 44. heteromorpha 39:259; 41:60. koilolepis 44:479. Langsdorffii 40:395. leptalea 50:129. leptocaulis 46:145. leptos 31:176, 177; 36:387. longifolia 41:19, 109. Martii 25:54. monandra 41:109. nigrescens 39: 224. nudipes 39:269; 41:74. oligantha 45: 280. nygmaea. var. californica 46:145 280. pygmaea, var. californica 46:145. setifolia 31:228. stenophylla 40:391, 393. uninodis 44:483, 484

Isopappus divaricatus 47:195. validus 38:

Isoptera regularis 21:204, 206 Isopterygium elegans 15:13. Muellerianum 15:13; 39:13, 45. pulchellum 30:11. tur-faceum 15:13. vineale 36:132

Isopyrum 37:349; 50:199. biternatum 1:171; 50:199. Hallii 36:9

Isotachis 21:156

Isotria 28:34; 42:98. affinis 49:135, 136. medeoloides 49:134, 136. verticillata 23: 76; 42:98, 279; 49:135, 136

Isthmia nervosa 9:131, 138

Isthmoplea sphaerophora 1:126; 2:47; 35:293

Isymenia angusta 8:110

Itea 7:157, 159, 160; 39:203, 204; 49:22. virginica 14:81; 18:141; 21:119; 30:235; 38:

377; 39:196, 198, 204, 359, 481, 486, fig. 8 (map); 47:301; 49:22, 92; f. abbreviata 49:22, 23, 92, 142

Iva 26:110; 41:81, 82, 84. axillaris 46:206. caudata 41:85, 86. ciliata 8:98; 41:81, 82, 84-86, fig. 1; var. 41:82; var. macrocarpa 41:34, 85, fig. 1. frutescens 4:89, 94; 5:133, 204; 8:25, 26; 32:159; 37:184; 41:573; var. oraria 37:184; 46:22, 23. imbringta 44:342, oraria 8:26: 26:110; imbricata 44:342. **oraria** 8:**26**; 26:110; 32:159, 279; 37:184; 40:274; 50:303. **pedi** cellata 38:407. xanthifolia 6:144; 12: 117, 144; 13:89; 26:110; 33:167; 41:83; 48:100, 101

Ivesia Jaegeri 40:136

cus 6:104. viridis 6:104; 28:74

Jabotapita 30:56 Jacea 30:59

Jack Pine(s) 21:46, 52; 22:130, 132; 23:188, 200; 40:165, 242; 46:153 Jack-in-the-Pulpit 6:163; 18:222; 44:19; 46:

158; 47:363 Jacobaea virginiana 45:495

Jacobinia carnea 50:122. magnifica 50:122

Jacquemontia tamnifolia 43:636

Jamesia 31:93, 96. americana 31:93 Jamesianthus alabamensis 44:280, fig. 1

Jamesoniella 21:152. autumnalis 5:51, 171; 8:45; 15:24; 19:263; 25:194; 26:8. Schraderi 26:8

Japanese Barberry 15:225; 25:176. Beetle 50:66. Clover 50:22, 24. Honeysuckle 25: 173; 37:380; 49:150; 50:66. Ivy 45:416. Knotweed 25:172. Rose 18:97

Jasione 6:146; 21:106; 26:19. montana 3: 15, 20, 199; 6:146; 21:105-107; 26:19
Jasmine, Yellow 18:226

Jatropha Manihot 49:80. spathulata 37:78. texana 45:271

Jeffersonia 18:226; 37:349; 49:198, 199. diphylla 49:198

Joe Pye Weed 23:147 Johannisbeeren 12:22

Johnny-Jump-up 45:444

Jubula 7:52, 56. Hutchinsiae 5:171; 7:55–57; 15:27; var. Sullivantii 7:56; 26:13. japonica 7:56. **pennsylvanica** 7:55, 57, 58; 10:192; 15:24, 27; 25:197; 26:13. piligera 7:56

Juglandaceae 6:112; 7:27; 16:109; 31:43; 32:

247; 43:80

Juglans 6:112; 13:217; 16:110; 33:88; 44:25, 33, 409, 411, fig. 1; 45:107, 108; 46:149–151. alba minima 49:195. amara 40:452. inerea 3:233; 6:112; 16:16, 110; 21:44; 32:247; 35:249; 37:207; 40:146, 375, 412; 43:523; 44:240, 409, 410, 412; 45:107. illinoensis 49:194, 195. nigra 21:87; 24: 185; 36:224; 37:85; 39:333; 44:410; f.

oblonga 39:334; 50:147; var. Stabler 50: 147. Pecan 49:194, 195. squamosa 40:452 Juncaceae 3:219, 283; 5:193; 6:34, 38, 109, 174, 211; 12:95; 14:55; 18:34, 96; 25:75 26:223; 28:74, 133; 29:209; 31:43; 32:242; 36:279; 40:77; 43:79; 44:251; 47:206, 207, 268; 49:254, 255; 50:294, 301

Juncaginaceae 10:169; 11:208; 18:33; 25:6; 29:206, 245; 31:43; 32:231; 36:277; 44:

218: 49:255

Juncetum baltici 39:54, 56. Gerardii 39:54,

Junci 3:220; 11:164; 46:5

Juncoides 9:3; 26:230. bulbosum 15:42. campestre 15:41, 43; var. comosum 15: 41; var. multiflorum 15:42. carolinae 17: 63; 28:244; 46:5. comosum 15:41; var. congestum 15:42; var. macrantherum 15: 41; var. macranthum 15:41; var. subsessile 15:41. echinatum 15:42; 17:64; 40:84. intermedium 47:271. multiflorum var., 47:265. parviflorum 6:110. pilosum 5:193, 195; 17:63; 28:244; var. michiganense 40:404; var. saltuense 40:404; 46:4. saltuense 17:63

var. saltuense 40:404; 46:4. saltuense 17:63
Juncus 3:228; 4:60, 170; 6:109; 10:142; 11:
131; 12:81, 95; 15:42; 17:214; 18:35, 142;
21:75; 23:302; 26:186; 29:153; 31:12; 33:
60; 35:84; 36:93; 38:379; 39:387; 40:40,
459; 41:505; 42:150, 319, 429; 43:79; 44:
43; 47:119, 126, 185, 187, 206, 207, 260,
268, 269, 385; 48:82; 49:82, 100, 120. §
Ensifolii 41:464. § Genuini 38:401; 47:
126. § Graminifolii 39:397. § Nodosi 32:
21. § Poiophylli 7:50. group Ensifolii 40:
71. group Poiophylli 6:36. ser. Prophyllati 47:206. subgen. Junci thalassii 19:
18. 19. abortivus 39:349, 356, 396, 466. 103; 49:120; var. Marshallii 35:234; var. mucroniflorus 32:88, pl. 198; var. rariflorus 35:84, 233, 234; 37:299; 49:120; var. unibiceps 28:166. anceps 35:236. arcticus 32: 62; 42:244. aristulatus 6:174, 175; 13: 151; 17:66; 24:87; 32:177, 212, 213; 36: 219; 37:156, 157. articulatus 5:48; 6:34, 35, 110; 11:91, 164; 12:95, 98; 15:162; 18:

30, 35; 23:152, 242; 24:87; 32:86, 161, 172, 244; 33:119; 35:47, 235, 236; 37:85; 40: 460; 44:244, 245; 50:301; × brevicaudatus 12:137; 23:242; 35:236; × canadensis 23: 242; × nodosus 23:242; var. nigritellus 11:164; var. obtusatus 6:34, 35, 139; 12: 95; 19:17; 23:142, 242; 29:127, 153, 210; 32:148, 178, 244; 33:119; 35:91, 236; 49: 246; var. stelonifer 49:246, eseptus 47: 246; var. stolonifer 49:246. aseptus 47: 189–191. asper 24:149; 39:324; 40:460; 41:535; 42:389. austerus 19:18. balticus 4:33; 5:248; 6:34, 40; 14:35; 19:18; 29: 153, 209; 41:166; 43:634; 44:245; var. Haenkei 41:210; 42:319; var. littoralis 12: 95, 113; 17:147, 151; 18:34; 24:87; 25: 7. 208; 27:53; 29:42, 60, 63, 70, 89, 91, 109, 111, 122, 153, 209, 230; 32:106; 33:110, 118; 34:51, 70; 35:252, 253; 36:279; 37: 204; 39:54; 44:245; 47:44; f. dissitiflorus 25:208; 29:230; 35:254; var. melanogenus 14:35; 44:140; var. mentanus 14:26; constants 25:26; 29:250; 55:254; var. mentanogentus 14:35; 44:140; var. montanus 14:36; var. stenocarpus 44:106, 140. bicornis 47:123. biflorus 37:156, 157; 39:398, 481, 490, pl. 477; 41:485; 42:429; f. adinus 37:157. biglumis 26:203; 29:56, 154, 210; 38:146; 41:210; 47:269. bogotensis, var. comparatus 43:624. breadwarenus 4.27 60; os:140; 41:210; 47:269. bogotensis, var. compactus 43:634. brachycarpus 4:27, 60; 6:34, 41; 12:96, 112; 13:151, 152; 14:55, 56; 18:142, 143; 39:339, 343, 346, 354, 397, 482, 488, map 21; 40:378, 403; 42:516. brachycephalus 6:34, 40, 110; 15:98, 162; 18:142, 143; 19:126; 21:56; 32:85, 86, 88; 37:366; 40:460; 47:127; f. hexandrus 40:460. brachychyllus 11:155, 156 85, 86, 88; 37:366; 40:460; 47:127; f. hexandrus 40:460. brachyphyllus 11:155, 156. brevicaudatus 6:34, 35, 36, 110; 7:106, 109; 9:121; 12:96; 15:162; 17:151; 18:35; 20:103; 22:135; 23:152, 166; 29:56; 32: 83-88, 106, pl. 198; 33:119; 34:51; 35: 236; 47:127, 213; 49:245. brunnescens 40:71. bufonius 1:43, 205; 6:34, 38-40, 109; 12:96; 17:147, 151; 18:34; 22:136; 23:150; 29:209; 32:148, 242; 33:118; 35: 252, 273; 37:206, 350; 39:150; 41:210; 42: 318: 43:512. 548: 47:120: 50:291. 294: 252, 273; 37:206, 350; 39:150; 41:210; 42: 318; 43:512, 548; 47:120; 50:291, 294; var. congestus 6:34, 39, 12:96; 23:198; var. halophilus 6:34, 39, 40; 11:91; 12: 96, 107; 15:169; 17:147; 23:158, 239; 29: 91-93; 44:140. bulbosus 3:230; 6:41; 28: 50, 81, 83, 166; 29:43, 127, 132, 153, 210; 34:117, 118; 36:92, 93, map 1; 37:157; 47:118, 120; var. fluitans 49:245. caesariensis 24:149; 39:324, 327, 475, map 1; 40: 460; 41:111, 470, 473, 478, 481, 535, 536; 42:389, 442; 44:241, 390. campestris 15: 41-43; 47:269. canadensis 6:34-36; 9:121; 11:230; 12:96; 13:139; 14:31; 18:94, 96; 23:142, 166, 241; 28:38; 29:154, 210; 32: 83-88, 149, 243, pl. 198; 33:112, 119; 35: 233; 42:429; 45:295; 47:127-130; A. coarctatus 32:84, 86; B. patulus 32:84, 86; f. ctatus 32:84, 86; B. patulus 32:84, 86; f. coarctatus 32:87; f. conglobatus 49:131; var. brachycephalus 32:84, 86; var. brevicaudatus 6:35; 32:83-88; var. coarctatus 2:121; 6:35; 32:84, 86-88; 47:213; var. euroauster 47:127-129, 131, pl. 881; 49: 101, 132; var. longicaudatus 32:84; 47:

129; var. sparsiflorus 23:241; 35:5, 233; 129; var. sparsiflorus 23:241; 35:5, 233; 47:128, 129, 131, pl. 881; 49:245; var. subcaudatus 4:99; 6:34; 19:30, 48, 126; 32: 83, 84; var. typicus 47:128, 129, 131, pl. 882; f. apertus 47:128, 129, 131, pl. 882; f. conglobatus 47:128, 129-131, pl. 882. capensis 47:268-270. castaneus 6:41; 9: 24, 160, 190; 34:245; 38:146; 41:210; 42: 319; 44:124; 47:224. coaretatus 32:84, 86. columbianus 47:185. communis var. 319; 44:124; 47:224. coarctatus 32:84, 86. columbianus 47:185. communis, var. effusus 12:84. compressus 8:233; 11:41; 13:138; 35:391; 47:118, 120. Congdoni 6: 39. congestus 15:41; 47:268. conglomeratus 6:36, 41; 12:84, 86; 17:64; 28:50; 29:153, 209; 35:233; 47:269. Cooperi 19: 18. debilis 6:34; 8:220, 221; 26:223; 32: 244; 37:407; 38:376; 39:481; 42:88, 92; 47:213; 50:301. dichotomus 1:89; 5: 130: 6:34, 37, 41: 7:51: 15:151: 19:126. 244; 37:307; 38:376; 39:481; 42:88, 92; 47:213; 50:301. dichotomus 1:89; 5: 130; 6:34, 37, 41; 7:51; 15:151; 19:126; 20:97; 32:161, 243; 47:96, 118, 119, 121–123, 125, 126, pl. 879; 50:294; var. platyphyllus 12:96, 108, 137, 216; 18:34; 19:126; 24:87, 115; 32:243; 38:405; 42:88, 91; 47:96, 124. diffusissimus 35:285; 36: 231; 39:328, 397, 478, 482, 488, map 33; 42:442; 43:500, 548; 48:330. Dudleyi 6: 34, 109; 7:109; 8:220; 11:155; 23:140, 170, 239; 24:115, 184; 35:91, 233, 252; 36:279; 38:366; 41:35; 48:115. Duranii 47:185, 186–188, 190, map. effusus 5:31; 6:34, 109, 211; 12:81–85; 13:70; 16:90; 19:18; 22:135; 23:145, 240; 26:223; 29:153; 33: 60; 38:379, 401, 402; 42:244; 47:126, 269; 48:330; var. α. 42:244; var. aemulans 12: 89; var. atratus 12:82; var. brunneus 12: 84–86, 88–90; var. compactus 6:34, 36, 41, 211; 12:82–86, 89, 92, 96; 13:70; 18:34; 20:103; 23:239; 32:177; 33:119; 35:233; 38: 365; var. conglomeratus 6:36; 12:83–86; var. conglomeratus 6:36; 12:83–86; 23:24. 365; var. conglomeratus 6:36; 12:83–86; 13:31, 70, 140; 14:95; 19:126; 23:245; 24: 165; 28:50; 29:127, 153, 209; 34:118; 35: 233; 49:245; var. costulatus 23:239, 240; 233; 49:245; var. costulatus 23:239, 240; 32:149, 150, 161, 210, 243; 37:407; 38: 401, 451, pl. 445; 43:548; 44:342; 50:294; var. decipiens 12:82, 83, 85, 87, 93, 96; 13:179; 14:55, 56; 19:126; 24:115; 38:365; var. exiguus 12:83, 87, 90; var. fistulosus 12:82; var. gracilis 12:84, 85, 88, 89; var. hesperius 12:84; var. pacificus 12:84, 89; var. Pylaei 12:84-87, 92, 96; 13:139; 15: 162; 17:151; 20:103; 23:145, 240, 241; 24: 165; 28:127, 166; 29:154, 210; 32:178, 260; 38:365; 46:78; 49:245; var. solutus 12: 82, 84, 85, 87, 90, 92, 93, 97; 15:162, 201; 16:39, 90; 20:103; 23:240; 29:128, 153, 209; 32:153, 216, 243; 33:119; 37:407; 43: 79; 46:78; 47:208; 49:245. Elliottii 36: 42; 37:380, 407; 38:394; 39:396, 480; 40: 381, 403; 41:476; 44:241. ensifolius 40: 71. erectus 47:268. filiformis 1:184; 3: 170. 71. erectus 47:268. filiformis 1:184; 3: 172; 4:2; 6:34; 7:106, 110; 9:156, 160, 189; 11:200; 12:97; 15:162; 16:12; 17:151; 22:135; 23:169; 25:7; 29:209; 32:61; 33: 109, 119; 35:251; 36:279; 37:206; 38:146; 41:505; 42:313, 319; 47:269. floridanus 46: 5. fluitans 3:229, 230; 36:92; var. fluitans

134 Rhodora

3:230; var. subtilis 3:229, 230. × fulvescens 35:236. fuscatus 46:5. Gerardi 5: 133; 6:34, 40, 143; 7:46; 8:233; 11:41, 225, 226, 229; 12:97; 17:147, 208, 209, 212-216, 218, 220, 221; 22:76, 111; 25: 107; 29:43, 87, 88, 92, 111, 138, 139; 32: 148, 243; 34:70, 74, 75, 108, map 7; 35: 90, 233, 292; 36:279; 39:55; 40:81; 46:5; 47:118, 120; 49:245, 276; 50:294; var. pedicellatus 22:76. germanorum 47:118. glaucus 29:153, 154, 209; 38:401; 43:634; 47:270. × gracilescens 49:120. Greenei 1:202; 2:69; 4:85; 5:130; 6:34; 12:97; 16: 190; 17:153, 154; 22:93; 23:150, 239; 24: 87; 26:223; 32:58, 151, 161, 243; 35:253; 44:245; 50:301. Griscomi 38:401, 402, 450, pl. 445; 39:475; 47:126. gymnocarpus 37:313; 38:379, 401, 451, pl. 445; 47:126. heteranthos 37:156. inflexus 38:401; 43: 634. interior 11:155; 40:459; 48:330. intermedius 47:268, 271. inventus 32:21. kanmedius 47:268, 271. inventus 32:21. kansanus 43:660. Kraussii 19:18. lampocarpus 11:164; 29:153; 32:87, 88; 35:235; 7. 32: pl. 198; var. macrocephalus 32:87, 88, pl. 198; var. nigritellus 11:164. Leersii 88, pl. 198; var. hightenus 11:104. Leersii 6:36, 41; 12:86. liniger 47:268. longicaudatus 32:85. Longii 39:397, 398, 475, 489, pl. 477; 41:474; 44:241; 47:96, 127. longistylis 11:41, 42, 91; 33:207. macer 35:391; 37:156, 308; 40:82; 41:35; 43:79; 47:119, 120, 122, 125, pl. 879; f. anthelatus 40:81-83; f. discretiforus 40:82; 47:123; Williamsii 40:82; var. 27: 40.31-83; f. discretiflorus 40:82; 47:123; f. Williamsii 40:82; var. anthelatus 37: 85; var. Williamsii 37:85; 43:162. marginatus 1:106; 6:34, 175; 9:121; 12:97; 14:31; 15:62; 23:92, 142, 149, 242; 24:167; 28: 138; 32:149, 244; 37:156, 157; 38:376; 39:328, 397, 398, 473, 489, pl. 477; 43:79, 634; β. ? odoratus 37:156; var. β. biflorus 37: 156. maritimus 19:18-20. Marshallii 35: 233. maximus 47:269. megacephalus 37: 380, 407; 39:471, 474, 476; 42:367, 370, 371, 442, 505, 506, 508, 516, map 5; 49: 90. melanocarpus 46:5. Mertensianus 47: 185-191, map. militaris 1:155, 184; 2: 69; 6:34; 8:29, 80; 9:119; 12:97; 13:247; 14:30; 19:18; 21:75; 23:242; 24:115, 165, 166, 184; 28:81, 82; 32:149, 213, 244; 33: 113, 119; 35:228; 38:364, 365; 41:111; 49:246; f. bifrons 24:166; f. subnudus 24: 166; 38:364. monostichus 7:50, 51; 15: 166; 38:364. monostichus 7:50, 51; 15: 62. multiflorus 15:42; 47:268-271. neva-62. multiflorus 15:42; 47:268-271. nevadensis 40:71; 47:185, 187-191, map. nigritellus 11:164. × nodosiformis 35:235, 236. nodosus 2:126; 4:60; 6:34, 109; 12: 98; 16:12; 23:242; 24:166; 28:138; 32:21; 35:233, 236, 252; 36:307; 50:155; var. genuinus 41:210; var. megacephalus 4: 170. nodulosus 35:84, 234; β. biceps et uniceps 35:84; \(\beta \). rariflorus 35:234. notatus 48:330. obtusiflorus 47:270. odoratus 37: 156. **oronensis** 6:34, **36**, 38, 41, 235. pallescens 15:42. paradoxus 32:84, 86. parviflorus 47:269. pelocarpus 1:184; 3: 229, 230; 4:129; 5:130; 6:34; 7:110; 9: 121; 11:91, 230; 12:98; 13:128, 135; 14:

31; 15:163; 21:73; 22:135; 23:242; 24: 82, 87; 25:209; 29:242-245; 32:86, 149, 158, 172, 213, 243; 35:5, 68, 85, 251, 387; 36:194; 38:364; 39:356; 44:244; 49:245; 50:301; var. crassicaudex 39:356, 396; var. fluitans 36:92; var. subtilis 36:92. pervetus 19:17-20; 30:204, 205; 32:177. pilosus 44:315; 46:4; 47:269, 378; var. 5:193. platyphyllus 47:124-126, pl. 880. polygephalus 36:219: 39:480: 49:86. 880. polycephalus 36:219; 39:480; 49:86, 130, 131; var. schizocephalus 49:131. Pylaei 12:92. ranarius 6:39, 40. rariflorus 35:234. repens 38:402; 39:354, 480; 40: 368; 47:101, 127. Roemerianus 19:17–20; 38:402; 42:505; 43:522, 548. saximontanus 22:195; 40:71. scirpoides 4:60; 6:41; 7:73; 24:87, 99; 28:87; 31:12; 37:407; 38:376; 39:482; 40:378, 403; 42:88, 91, 516; 47:96, 127; 49:131; 50:155; var. meridionalis 376; 39:482; 40:378, 403; 42:88, 91, 516; 47:96, 127; 49:131; 50:155; var. meridionalis 49:130, 131; var. polycephalus 49:131. secundus 1:106; 3:59; 6:34, 139; 7:51; 12: 98; 15:224; 21:19; 29:244; 32:176; 37:85; 40:83; 41:490, 535. setaceus 29:154; 38: 376; 39:473, 481. setiflorus 47:270. Smithii 38:401; 39:235; 47:126. sphaerocarpus 6: 38, 40. spicatus 47:269. stygius 13:124; 21:65; 22:181; var. americanus 6:34, 41; 7: 8, 94, 154; 11:86, 91; 12:116, 177; 28: 120, 166; 29:153, 210; 35:59; 44:108. subcaudatus 23:142, 143, 149, 156, 158; 32: 85, 177, 212; 44:353, 390; 47:127; var. planisepalus 23:241; 24:165. subtilis 3: 228-230; 4:129; 6:34, 41; 11:42; 13:128; 22:135; 36:92, map 1. sudeticus 15:43. Suksdorfii 47:185. supinus 3:230; 28:50; 29:153; 34:117, 118; 36:92, 93. Tenageia 29:153, 210. tenuis 1:106; 3:59, 60, pl. 23; 6: 35; 11:155, 156; 12:82, 98; 13:146; 15: 62, 223, 224; 17:151, 214; 22:136; 26:223; 28:74; 31:222; 32:151, 243; 33:118; 35: 251, 391; 37:308; 41:35; 47:117-123, 125, pl. 879; 49:245; 50:294; f. discretiflorus 47:123; var. anthelatus 3:59, 60, pl. 23; 4:27; 6:35, 37; 7:109; 12:98; 19:126; 37: 85; 40:81; var. platyphyllus 38:405; 47: 124, 125; var. Williamsii 3:60, pl. 23; 4:99; 6:35, 109, 139, 196; 9:121; 11:14; 12:98; 23:239; 32:243, 260; 37:85; 40:82, 83. Thalassii 19:18, 19. Torreyi 4:170; 6:35, 38; 15:201; 19:30, 48; 32:21; 37: 415. Tracyi 41:464. trifidus 1:192; 2:97, 98; 3:172; 5:37; 6:35; 9:156, 160, 169; 11:31; 13:117, 136, 238; 17:65; 25:7; 28:110; 29:154, 209; 35:5, 93, 120, 125; 38:122, 146; 44:115; 47:269; 49:245; var. monanthus 44:1121, 14:1121, 14:125 29:154, 209; 35:5, 93, 120, 125; 38:122, 146; 44:115; 47:269; 49:245; var. monanthus 146; 44:115; 47:269; 49:245; var. monanthus 6:41; 11:31; 17:65. triglumis 13:124, 127, 130, 137; 18:101; 26:201–203; 35:57, 236, 400, pl. 249; 41:210, 211; 46:5; 47:269; var. albescens 26:202; var. fuscatus 26:202; var. nigricans 26:202. trigonocarpus 47:127, 128. uliginosus 34:117, 118; β. subtilis 36: 92; var. subtilis 3:230. ustulatus 32:87, 88, pl. 198. utahensis 40:69, 71, fig.; 41:464. validus 49:131. Vaseyi 6:35, 37, 38, 41; 11:155; 12:108, 137; 15:224; 37: 256. vernalis 5:193; 47:269. verticillatus 3:230. xiphioides 40:71

June Grass 49:262

June Grass 49:262

Jungermannia 11:16; 21:149, 152, 163; 47:
386. acuta 8:35; 12:197. alpestris 3:181;
10:187. amplexicaulis 21:163. aquatica 6:
167. ascendens 7:54; 14:212. asperifolia
14:223. attenuata 10:187, 188. badensis
12:197. bantriensis, var. acuta 8:35; var.
Muelleri 8:35. barbata 1:35; 6:30; 16:
67; 26:8; var. attenuata 4:210; 10:187;
var. Floerkii 4:210; var. lycopodioides 4:
210; var. pusilla 10:188; var. quinquedentata 4:210. bicrenata 4:209. bifida 14:
220, 221. biformis 21:149. bvssacea 14: 220, 221. biformis 21:149. byssacea 14: 221, 222. calycina 11:189. capitata 4: 209; 8:34. catenulata 6:173; 17:112, 113. 209; 8:34. catenulata 6:173; 17:112, 113. clypeata 10:190. colpodes 7:52. connivens 16:71; f. symbolica 16:70, 71. convoluta 19:268. Cordeana 18:106. cordifolia 6: 170, 171; 10:192; 15:24, 27; 16:75; 21: 162, 165; 25:98, 194. crenuliformis 10: 186. crocata 8:37. curta 38:83. deflexa 10:190; 25:78, 79. denudata 25:89, 90. distans 18:79. divarieata 11:193; 14:221, 222. dovrensis 9:58. elachista 11:191, 192. emarginata, var. aquatica 6:167; 10:186; var. grandis 6:167. endiviaefolia 11:190. excisa 4:209; 8:34; var. crispata 4:209; 8:34. exsecta 6:171. exsectaeformis 6:171. ferruginea 16:173. flaccida 21:162, 168; 25:78. Floerkii 4:210; var. aculeata 10: 188. Flotowiana 19:268. fossombronioides 23:281. fragilis 14:217. furcata 11:185. 23:281. fragilis 14:217. furcata 11:185. glaucocephala 11:194. gracilis 10:187, 188. grandiretis 16:65. haematosticta 9:57, 58. Hampeana 11:192. Hatcheri 10:188; 14: 210. Helleriana 6:172; 14:224; 16:72. heterophylla 8:37. Hookeri 19:266. Hornschuchiana, var. Muelleri 8:35. Hutchinsiae 7:56. hyalina 21:149, 150. incisa 4:242; 26:8. inflata 26:8. intermedia 4: 209; 8:34; var. capitata 8:34. interrupta 12:200. Kaurini 12:198. Kunzeana 7:52. Kunzei, β. plicata 7:52. lacinulata 16:70. lanceolata 5:171; 6:190; 15:24; 25:194; 26:8. laurentiana 8:35. laxa 12:199. Libertae 8:35. longidens 9:59. longiflora 10:189. lunulaefolia 16:70, 71. lycopodioides 4:210. Lyoni 4:210; 16:67. marchica 12:199; 26:9. Michauxii 1:35. microrhyncha 18:82. Mildeana 4:212; 12: 199. minuta 1:35. Muelleri 8:35. multifida 14:17. multiflora 16:70. Naumanni 199. minuta 1:35. Muelleri 8:35. multi-fida 14:17. multiflora 16:70. Naumanni 4:210. nemorosa 25:95; var. purpurascens 8:41. novae-caesareae 4:212; 12:199. obo-vata 21:162. obtusa 14:212. ovata 16: 72, 73. pallescens 7:54; β. rivularis 14: 219. pauciflora 6:185. platyphylla 18:82. platyphylloidea 18:84, 109, 111, 113, figs. 14-25. plicata 7:52; var. Kunzeana 7: 52. polyanthos β. pallescens 7:54. Porella 18:79. porphyroleuca 8:36; var. attenuata 9:59. pubescens 10:185. pulcherrima 8: 9:59. pubescens 10:185. pulcherrima 8: 42. pumila 5:171; 6:190; 8:45; 10:192; 15:24; 16:76; 25:194; 26:8. quinquedentata 1:34, 35; 4:210, 211; 16:67, 68; var. attenuata 10:187; var. gracilis 10:187. reclusa 6:

173; 17:112, 113. riparia 6:171; var. potamophila 6:171. rosacea 38:83. scalaris 14:11; β . minor 9:57; β . repanda 9:57. Schiffneri 39:3, 10, 11, 33, fig. 4 (map). Schmideliana 21:149. Schraderi 4:242. Schultzii 6:185. scitula 6:172. sertu-Schult 211 6:185. schulta 6:172. sertularioides 6:185. setacea 6:185. Silvrettae 9:57. sphaerocarpa 5:171; 14:12; 15:24; 21:163, 167, 168; 25:194; 39:3, 34. Starkii 14:221, 222. Sullivantii 7:55; 10:189. tomentosa 10:185. triangularis 10:190; 25:78, 79, 81. tricrenata 10:190; 25:76, 78, 79, 81. ustulata 4:208. ventricosa 4:242; 26: 9; var. porphyroleuca 8:36. verruculosa 6:172; var. Helleri 6:172. viticulosa 7:53, 55. vogesiaca 19:268

Jungermanniaceae 5:171; 15:23

Jungermanniales 11:16; 25:192 Juniper 3:254; 4:34; 7:122; 11:22; 18:29; 19: 22; 23:101; 35:359; 40:425, 426, 429; 43: 439; 44:351; 49:153. Common 35:359. Low 12:177. Pasture 28:82. Western 49:

Juniperus 10:63; 12:177; 19:23; 21:68; 25: 164; 35:54, 359; 40:180; 43:225, 344-347; 47: 144. arborescens 37:133. Ashei 40:426; 50:92. barbadensis 37:133. californica 43: 347; var. siskiyouensis 33:203; var. uta-347; var. siskiyouensis 33:203; var. utahensis 33:204. caroliniana 37:133. communis 3:146, 169, 232; 10:63; 13:215; 15:118; 19:107; 21:68; 24:185; 28:43, 46; 29:147, 206; 31:193; 32:13; 35:359; 41: 175; 42:314, 317; 43:345, 347; lusus thyiocarpos 43:345; var. alpina 3:146; 5:128; var. canadensis 3:146, 169, 189, 232, 254; 4:34, 133; var. depressa 10: 63; 11:22; 12:177; 17:153, 154; 18:32; 23: 188; 28:43, 45; 29:244; 32:180, 229; 33: 139; 34:7; 35:359; 36:277; 38:269; var. erecta 3:146; var. megistocarpa 33:110, 116; 44:138; var. montana 9:158; 11:87; 12: erecta 3:146; var. megistocarpa 33:110, 116; 44:138; var. montana 9:158; 11:87; 12:177; 13:132, 215; 25:6; 28:82; 29:147, 206; 33:110, 116; 34:50; 35:5, 239; 36:277; 38: 139; 41:175; var. nana 3:146, 160, 164, 169; lusus gymnosperma 43:345. Deppeana 43:346, 347. erythrocarpa 38:185, 186; 43:347. flaccida 38:185; 43:345, 347. fragrans 37:133. gymnocarpa 38:184, 185, 187: 43:344, 346, horizontalis 9:202: 10: grans 37:133. gymnocarpa 38:184, 185, 187; 43:344, 346. horizontalis 9:202; 10: 63; 11:87; 12:105, 177, 218; 13:117, 216; 15:138; 16:189; 17:148; 18:32; 23:189; 24: 98; 27:54; 28:43, 46; 29:129, 147, 206, 227; 33:110, 116; 34:231; 36:277; 39:107, 130; 40:274; 41:175; 43:347; 48:102; f. lobata 9:202. isophyllos 43:345. megalocarpa 43:347. mexicana 38:183; 40:425-427, map 1; 43:345-347; 45:275; 50:92; var. monosperma 38:183, 43:347. monosperma 38:183-185; 43:345. oblonga 43:345; var. monstrosa 43:345. occidentalis 33:204; 38:183, 185; var. conjugens 38:183; 43:347; var. gymnocarpa 38:183, 185; var. conjugens 38:183; 43:344. pachyphlaea 38:185; 43:346, 347. phoenicea 43:345. Pinchotii 38:185; 347. phoenicea 43:345. Pinchotii 38:185;

43:347. procera 43:345. Sabina 13:216; 19:68; 29:147, 206; 43:345; var. procumbens 1:221; 3:189; 4:34, 37; 10:63; 13:216; 23: 189; 24:98. sabinoides 43:346, 347. saxi-cola 43:345. scopulorum 43:347. sibirica 42:317. tetragona 43:345–347; var. oligosperma 43:346, 347. utahensis 43:347. virginiana 3:233; 4:133; 5:128; 7:122, 127; virginiana 3:233; 4:133; 5:128; 7:122, 127; 10:63, 146; 12:9, 218; 13:91, 216, 219, 220; 16:186; 21:202; 25:165; 28:43, 46; 29:147, 206; 31:20, 193; 32:152, 229; 34:62; 35:359; 36:223; 37:130, 132, 133, 186, pl. 332; 39:371, 375, 473; 40:427; 41:516, 520; 43:347; 44:171, 174; 49:83; A. vulgaris 37:133; B. australis 37:133; B. J. caroliniana 37:133; f. Bremerae 31:193; var. crebra 37:133, 186, pl. 333; 43:79; 49:172; var. humilis 13:216; var. montana 37:133; var. scapulorum 43:348 scopulorum 43:348

Jupica? albiflora 46:4 Jussiaea 36:373; 46:197; 47:237, 239. decurrens 24:83; 39:194, 195, 473, fig. 2 (map); 46:197. diffusa 41:111. grandiflora 46:197, 198; 47:238. Michauxiana 46:197, 198; 47:238. repens 47:238; subsp. hirsuta, var. grandiflora 47:238; var. glabrescens 46: 197, 198; 47:239. uruguayensis 46:197, 198; 47:238, 239; var. genuina 47:238

Justicia 40:376; 43:641; 44:346; 50:224. americana 6:161; 43:493, 639-641, pl. 693; 44: 346; 49:24; 50:123, 178; var. subcoriacea 43:641. brachiata 43:287. carnea 50:122. humilis 43:493, 639-641, pl. 693; 47:209; 50:224, 225. mortuifluminis 44:92. ovata 39:480; 43:639, 641; 50:224, 225. pedunculata 6:161. pedunculosa 50:123. umbratilis 43:639-642, pl. 693; 44:92

Kallstroemia 11:50 Kallymenia reniformis 1:126

Kallymenia reniformis 1:126
Kalmia 6:125; 9:187; 11:199, 200; 12:183; 24:154; 29:183, 238; 33:99; 36:25; 40: 278; 42:54; 47:282, 385. angustifolia 1: 93, 192; 2:6; 3:164, 175; 5:37, 45; 6:125; 7:110; 9:163, 169, 189; 11:97, 175, 223, 232; 12:183; 13:54; 15:151; 17:148; 18: 41; 20:106; 21:119; 22:37, 40, 41, 44, 134; 23:248; 24:154; 28:82; 29:218; 32:259, 269; 33:123; 34:54; 36:25, 26, 28, fig. 1; 39:354, 437, 466; 43:81; 44:115; 50:298; f. candida 15:151; 24:154; 25:10; var. caroliniana 39:437, 476, 498; 40:449; 41:490, 553. caroliniana 37:320; 39:437, 476, 498. glauca 1:40, 93, 183, 192; 2: 6, 38, 123, 125; 3:175, 195; 4:106, 189; 5:35, 45, 133; 6:125, 149; 9:182; 13:217; 40:278. hirsuta 49:86, 158. latifolia 1: 93, 136; 3:195, 235; 4:131, 151; 5:289; 9: 122, 187; 11:199; 12:1; 13:182; 14:91; 15: 142; 21:189, 199; 24:154; 26:175; 31:222; 33:198; 36:25, 374; 37:4, 10, 12, 416; 40:278; 42:54, 471; 44:115; 45:382, 510; f. alba 12:2; f. fuscata 12:2; f. minor 12: 2; f. mytifolia 12:2; f. obtusata 12:2; f. nolynetala 12:1; f. rolynetala 12:2; f. nolynetala 12:2; f. nolyneta 2; f. myrtifolia 12:2; f. obtusata 12:2; f. polypetala 12:1; f. rubra 12:2; var.

alba 12:2; var. fuscata 12:2; var. laevipes 42:53, 54, 471; var. myrtifolia 12:2; var. monstruosa 12:1; var. nana 12:2; var. obtusata 12:3; var. Pavartii 12:2; var. polypetala 12:1; var. rubra 12:2. myrtifolia 12:2. polifolia 9:163, 169, 182, 189; 11:97; 15:68; 17:148; 22:37, 40, 41, 44; 23:98; 24:154; 25:10; 29:218, 222; 32:143, 261; 33:92, 98-101, 109, 123; 34:54, 239; 36:283; 40:145

Kalmiopsis 40:278. Leachiana 40:278, fig. Kantia 9:56; 11:16. Neesiana 11:194. sphagnicola 9:65. suecica 9:66. Sullivantii 4: 207, 212; 5:171; 8:44; 9:67, 73; 15:27. Trichomanis 4:211; 5:51, 171; 6:74; 9: 66; 15:27; 26:10; var. Neesiana 11:193; var. tenuis 9:69; 17:119

Karwinskia Humboldtiana 35:225; 37:78

Keeled Garlic 46:59 Kempfera 30:54, 55

Kentrosphaera facciolaae 50:274

Kentucky Blue Grass 49:262. Coffee Tree 44:372

Keratococcus caudatus 26:212

Kernera 9:38

Kerria 33:29, 200, map 3. japonica 19:227; 24:116; 33:29, 199

Ketmia africana 44:271. americana etc.. 44:271

Kiaeria Blyttii 30:4. Starkei 30:4 Kibera 27:31

Kickxia 11:56. Elatine 42:479

Kidney Vetch 13:240

King Devil 7:106; 47:242. Weed 4:61, 151; 12:103; 13:219

Kinnikinick 42:335 Kirchneriella contorta 23:66 Kjarrheveiti 12:27

Kjellmannia sorifera 16:152 Knapweed, Spotted 49:84

Knautia 26:17. arvensis 19:249; 26:17 Kneiffia 15:223; 20:52; 24:178; 25:47. arenicola 36:48; 41:550. fruticosa 24:178. longipedicellata 10:34. perennis 25:47. pratensis 10:34. pumila 1:173, 174; 6:123 9:122. subglobosa 36:48. tetragona 24:

Knotgrass 28:73. Bird's 4:65

Knotweed, Creeping 27:128. Floating 48: 52. Japanese 25:172. Mud 27:128. Swimming 27:128; 48:52

Kobe Lespedeza 50:24, 27

Kobresia 5:249–251. § Pseudokobresia 5:250. Bellardi 29:55; 34:245; 36:410; 38:143; 39: 495; 41:160, 163, 200. bipartita 41:151, 200. caricina 13:124, 127, 130, 137; 17: 159; 18:101; 41:200. elachycarpa 5:251; 10:136; 12:112; 13:218; 18:142. macrantha 5:250. simpliciuscula 27:90; 28:62; 35: 51, 81, 120

Kochia 17:177. scoparia 17:177; 36:376

Koeberlinia spinosa 35:225

Koeleria 8:83, 84, 137-139; 21:216; 30:241, 242. § Lophochloa 8:83. cristata 36:222, 416; 38:266, 267; 48:115. orthostachya 7: 142. paniculata 8:144. pennsylvanica 8: 138, 139, 144. phleoides 8:83, 84. truncata 8:139, 144, 145; var. major 8:140, 143, 145; 10:65. villosa 8:83, 84

Koellia 9:55; 10:86. Beadlei 39:446. capitata 50:222. flexuosa 50:220–223. pycnan-

themodes 10:86. virginiana 9:122 Koenigia islandica 32:60; 36:139; 38:148,

150; 41:161, 166, 219, 220 Korean lespedeza 50:22, 25

Korycarpus 34:204, 205. arundinaceus 34:

204, 205. diandrus 34:204

Kosteletzkya altheaefolia 43:513. virginica 39:477; 43:513, 525, 607, 608; 44:357; var. altheaefolia 43:513, 608, 609, pl. 688; 44: 271; var. aquilonia 43:607-609, pl. 688; var. typica 43:607, 608, pl. 688

Kraniopsis 34:29. comosa 34:29. panicu-

lata 34:29

Krigia 9:55; 26:111, 126; 31:10. amplexicallis 1:97; 15:67; 17:135, 137; 19:253; 26:111; 32:280. biflora 17:135, 137; 32: 280; 37:337, 338; f. glandulifera 37: 337. Dandelion 27:48; 36:221; 38:450; 39:473, 482. occidentalis 36:232. virginica 5:128; 21:19; 26:111; 32:151, 211, 280; 36:52, 221; 37:414, 415

Kruhsea 37:91. Tilingiana 37:111. Tilingii

37:110, 111

Krummholz 11:163

Krynitzkia californica 3:215 Kudzu-vine 44:352; 49:150

Kuehneola Uredinis 34:62

Kuhnia 18:227. eupatorioides 37:195; 39: 454, 484; 41:571; 42:398, 481; 45:376; 50: 227; var. corymbulosa 37:195. suaveolens 35:364; 37:195

Kuhnistera candida occidentalis 39:28. occidentalis 39:28. oligophylla 39:28. pinnata

17:131

Kumlienia 36:11

Kummerowia 50:22. striata 50:22

Kunkelia nitens 44:171 Kylinia compacta 50:266

Kyllinga 37:386; 44:44; 47:113. brevifolia 42:396, 419. caespitosa 47:113. elongata 47:113. granularis 35:260. polyphylla 35: 260. pumila 37:392; 39:359, 389; 46: 77:47:113:48:330. rigidula 47:113. scirpina 46:146. tenuifolia 47:113

Kyrstenia angustata 43:557

Labiatae 2:224; 3:69, 70, 283; 6:127; 9:37, 50; 10:207; 11:132; 13:93; 18:42, 99; 21:170; 25:11, 37; 26:64, 227; 28:72; 29:219; 31:16, 43; 32:272; 36:283; 38:373; 39:18; 40:292; 42:400; 43:81; 49:255; 50:54, 299, 303. trib. Scutellarioideae 26:62. trib. Stachydeae 26:62; subtrib. Scutellarieae 26: 62. trib. Stachyoideae 26:62

Lablab 44:32 Labois 1:167

Labrador Pine 18:241, 242. Pea 4:131; 12: 182; 17:149; 42:335

Labyrinthula 41:257, 258, 260, 262. macrocys-

tis 50:286

Labvrinthulales 50:286

Laccaria laccata 2:32; 16:49; 44:171. trullisata 39:372

Lachenalia 25:157

Lachnanthes 9:53; 40:61; 43:36; 44:229, 230, 232, 365, 390. capitata 9:119. tinctoria 1: 68; 14: 29; 17:68; 30:35; 32:177, 212; 34: 206; 42:88, 92, 279; 43:36; 44:232, 354, 390; 45:55

Lachnobolus congestus 29:172. globosus 29:

Lachnocaulon 41:472, 491. anceps 39:328, 338, 347, 395, 467, 480; 40:402; 41:472, 502, 538; 42: 381, 432; 47:103, 360; 49:99, 128 Lachnocladium 3:143

Laciniaria 9:55; 48:167, 309. acidota 48:232, 235. angustifolia 48:368–370. arenicola 48: 363. aspera 48:302. brachyphylla 48:232. carinata 48:277, 278. Chapmanii 48:280; var. longifolia 48:280. chlorolepis 48:236, 237. cylindracea 48:376; × scariosa var. sphaeroidea 48:381; f. solitaria 48:376, 381; var. solitaria 48:376, 381. cymosa 48:373. Deamiae 48:280, 281. Deamii 48:312, 313; f. albina 48:312. densispicata 48:363. Earlei 48:336, 338. elegans 48:341. elegantula 48: 254, 255, 259. elongata 48:220, 224. fallacior 48:362; var. celosioides 48:362, 363. flabellata 48: 345. formosa 48:318, 322. Garberi 48:236. Gladewitzii 48:381, 382. gracilis 48:273. graminifolia pilosa 37:183. Halei 48:232, 233, 235. Helleri 48:260. indecidua 48:302, 304. kansana 48:228, 229. laevigata 48:289. lancifolia 48:228, 229. Langloisii 38:407; 48:238, 244. laxa 48: 273, 276, 277. leptostachya 48:364. ligu-listylis 48:318, 322, 323. macilenta 48:238. microcephala 48:230, 231. Nashii 48:236, 237. nervata 48:376, 378. Ohlingerae 48:374. pauciflora 48:281, 284. platylepis 48: polyphylla 48:230. punctata 48:347; f. albiflora 48:347; f. corymbosa 48:347; var. turgida 48:347. regimontis 48:277. Ruthii 48:336–338, 370. scabra 48:316, 317. scariosa 48:309, 311, 323; f. corymbulosa 48:318; f. globosa 48:319; f. uniflora 48:318, 319; var. angustata 48:318, 320; var. annuens 48: 318, 320; var. basilaris 48:318, 320; var. borealis 48:296, 300; var. brachiata 48:323; var. Chandonnetii 48:323; var. composita 48:318, 320; var. corymbulosa 48:318, 323; 310; var. media 48:305, 309; var. multiplex 48:318, 320; var. nictitans 48:323; var. Nieuwlandii 48:324, 326, 331; f. borealis 48:325, 331; f. gracillima 48:325, 331; f. septentrionalis 48:325, 331; f. versicolor 48: 325, 331; var. novae-angliae 48:333, 334, 336; var. obesa 48:302, 303; var. opima 48:318, 320; var. perusta 48:318, 319; var. petiolata 48:305, 306, 309; var. porrecta 48:302, 303; var. praecellens 48:323; var. praeceps 48: 318, 320; var. praesignis 48:325, 326, 332;

var. praestans 48:318, 320; var. propingua 48:323; var. ramea 48:323; var. salutans 48: 302, 305; var. scalaris 48:318, 320; var. singularis 48:318, 320; var. squarrulosa 48:296; var. strictissima 48:302, 303; var. subcorymbosa 48:318, 320; var. superans 48:323; var. supereminens 48:318, 320; var. superscandens 48:323; var. trilisioides 48:175, 412; var. uniflora 48:318, 320; var. virgata 48:302, 303; var. virginiana 48:296, 300. secunda 48:278, 282. serotina 48:225, 226, 412. Shortii 48:316. Smallii 37:182; 48:253, 258, 259. spicata, f. albiflora 48:179; var. albiflora 48:179; var. foliacea 48:179, 180, 227; var. pumila 48:411. squarrosa 48:394; var. intermedia 48:376. stratiotes 48:302, 304. tenuifolia 48:287. Tracyi 48:336–338. vittata 48:217, 220, 223

Lactarius 1:187; 3:141. chrysorheus 2:193. corrugis 1:15; 2:192. deliciosus 13:131. fuliginosus 16:49. griseus 2:193. hygro-phoroides 1:15. lignyotus 16:50. luteolus 1:14, 58; 2:194. subdulcis 2:193. theiogalus 44:171. volemus 1:15; 2:192

Lactuca 6:134; 7:10; 12:145; 14:191; 26: 111; 28:124, 241; 36:373; 40:479, 481; 42: 157, 243, 300, 301; 44:18; 49:254; 50:30-32. § Scariola 38:367. biennis 42:300, 302; f. aurea 42:302; f. integrifolia 42:302. campestris 40:481. canadensis 1:12, 13, pl. 2; 6:134; 12:145; 17:220; 18:99; 22:9, 10, 137; 26:111; 32:281; 37:195; 40:480, 481; 42: 302; 50:30; f. angustipes 26:111; var. elongata 40:481; var. integrifolia 6:134; 22:9-11; 26:111; 37:195; 40:481; f. angustata 22: 10, 11; 26:111; 32:281; var. latifolia 22:9, 10; 26:111; 37:195; 43:82; f. exauriculata 22:10, 11; 26:111; f. villicaulis 41:574; var. longifolia 40:481; 42:368, 498; var. montana 15:168; 22:11; var. obovata 22: 10, 11; 26:111; 37:195; 40:481; f. Steelei 40:481; 44: 478; f. stenopoda 22:10, 11; 26:111; var. typica 22:9, 10; 37:195; 40: 481; f. angustipes 22:10. elongata 22:9, 10; 40:481; α. longifolia 22:10; 40:481; β. integrifolia 22:11; γ. sanguinea 40:478, 481. floridana 16:78; 32:212; 35:203; 50:30, 31; f. leucantha 42:498; var. floridana 50:31; var. villosa 50:31. hirsuta 1:12; 4:37; 6: var. villosa 50:31. hirsuta 1:12; 4:37; 6: 134; 12:145; 22:156; 23:300; 24:208; 26: 111; 32:211, 281; 40:477-481; f. calvifolia 22:156; 40:478, 481; var. genuina 40:481; var. sanguinea 40:481, 482; 44:236; f. indivisa 43:657. hortensis 26:230. integrata 12:15. integrifolia 1:12; 19:253; 22:9, 11; 37:195; 40:481. leucophaea 1:12, 13, pl. 2; 3:278; 6:134; 42:300-302. longifolia 40: 481. ludoviciana 35:203; 40:481; 48:102; f. campestris 40:481. Morssii 1:12, 13, 193, pl. 2; 3:278; 4:138; 11:131; 22:10; 26: 111: 32:179. pulchella 36:284; 42:343; 48: 111; 32:179. pulchella 36:284; 42:343; 48: 100; 50:30. racemosa 42:300. sagittifolia 6:134; 22:11; 37:195. saligna 35:291; 36: 374; 38:367. sanguinea 40:478-481. Scariola 1:47; 2:125, 205, 215; 6:49; 7:10-12,

102; 13:10, 89; 19:64, 253; 20:180, 181; 24: 19; 26:111; 34:5; 36:374; 42:343; 48:100, 102; var. integrata 4:92; 6:49; 7:11, 12, 102; 13:89; 17:209, 218, 220; 20:180, 181; 26:111. Serriola 50:30. spicata 6:134; 22: 10; 25:12; 26:111; 28:124, 241; 42:300, 302; 49:253; 50:30; f. integrifolia 42:302; var. aurea 42:302; var. integrifolia 42:302. Steelei 22:10; 40:481; 44:478. stolonifera 44:18. terrae-novae 28:240, 241. villosa 25:202; 40:481; 50:20, 21. villosa 7:10:12 35:203; 40:481; 50:30, 31. virosa 7:10-12. vulgaris 26:230

Lactucas 5:256; 44:18 Ladies' Mantle 13:124; 23:94. Slipper 13:114. Tresses 14:91; 23:129

Lady-fern(s) 19:170, 171, 181, 187-189; 21:

175; 45:396; 48:389, 391

Lady's Mantle 45:27. Slipper(s) 4:94, 95, 106; 5:259; 18:71; Showy 11:28; White 50:231; Yellow 28:95; 43:488. Thumb 17: 225

Laelia 2:31

Lagenaria 26:18. vulgaris 26:18: 42:47

Lagerstroemia indica 41:500

Lagopoda 30:59 Lagopus 30:59

Lagotis glauca 41:284; 45:315; var. lanceolata 42:338; 45:315. Stelleri 41:160, 163, 283, 284

Lagrosiphon 38:334 Lambkill 12:183; 28:82 Lambsquarters 41:82

Laminaria 1:69, 124; 2:116, 118; 4:175, 177; 8:108, 158, 160; 16:3, 4; 19:80; 24:8; 26: 189; 33:129; 39:51; 40:26; 50:261. § Digitatae 2:116, 143. § Simplices 2:116, 143, 146. Agardhii 2:117, 143, 146, 147, 7:168, 226, 229; 16:3; 26:189, 213; 50:260, 262; f. angustissima 8:108; f. normalis 2:143, 147; f. vittata 2:143, 147; 7:229; f. zostericola 8:108. ascia 50:262. caperata 2:47. digitata 2:12, 117, 118, 143-145; 26:189, 213; 33:130; 43:214; 50:261, 262, 264; f. complanata 2:143, 144; f. ensifolia 2:143, 144; f. typica 2:143, 144; var. complanata 2:47; var. ensifolia 2:47; 43:214; var. typica 2:47; 4:177. Gunneri 2:144. intermedia 2: 118, 143, 145, 146; f. cucullata 2:143, 144; f. longipes 2:143, 144; f. ovata 2:143, 144; var. cucullata 2:47; var. longipes 2:47; 43: 214; var. ovata 2:47. longicornis 50:262. longicruris 1:124; 2:12, 47, 117, 118, 143, 146, 148; 4:177; 8:159; 16:3, 4; 50:262. longipes 148; 4:177; 8:199; 16:3, 4; 50:262. Iongspes 8:108. Phyllitis 2:47. platymeris 2:47, 118, 143, 210; 4:176; 26:189, 214; 30:195; 50: 262. saccharina 1:70; 2:47, 117, 118, 143, 146–148; 7:229; 21:207; 33:130; 50:262; f. caperata 2:143, 146; f. normalis 2:143, 146; f. Phyllitis 2:143, 147. stenophylla 2: 47, 118, 143, 145, 146; 4:175

Laminariaceae 2:115, 117, 131, 210; 16:4

Laminariae 2:11, 115 Laminarias 8:123

Lamium 4:218; 6:127; 25:38; 45:382. 4:218; 6:127; 25:38. amplexicable 13:91:

19:220; 21:170; 25:38; 29:219; 36:50; 40: 445; 42:46; f. clandestinum 43:486, 638; 44: 337. hybridum 11:55; 19:248; 25:38; 29: 219. maculatum 6:127; 25:38. purpureum 28:112, 225; 29:219; 42:268 Lamotris hyacinthina 38:405

Lamourouxia serratifolia 20:66 Lamprocystis roseo-persicina 26:215

Lamproderma arcyrionema 29:169. columbi-

num 29:169. physaroides 1:128 Lannaea nudicaulis 50:176

Lantana pedunculata 46:157, 158

Lapeyrousea 9:38 Lapithea 17:55, 56. Boykinii 17:54

Laplacea 9:49 Lapland, Rosebay 28:62

Lapland, Rosebay 28:62
Laportea 6:114; 9:54; 17:169; 36:373; 43:492.
canadensis 6:114; 16:13; 17:169; 21:200;
23:137, 170, 257; 29:121, 127, 157, 212; 32:
205; 35:249; 36:374; 37:130, 167; 40:280,
382, 413; 43:492
Lappor

Lappa intermedia 12:45; 26:5. major 12:44; subvar. purpurascens 12:45. minor 12:47. officinalis 12:44. tomentosa 12:45. vul-

garis 26:5

Lappula 25:30; 40:343; 43:637. americana 18:139; 26:124; 37:328; 40:341. brachystyla 40:344. deflexa 9:163; 10:201; 18: 138, 139; 26:125; 37:328; 40:341, 342; var. americana 18:139; 26:124; 40:341. echinata 23:288; 25:30. Redowskii 40:344; var. occidentalis 35:182; 41:282. texana 34:6. venusta 36:12. virginiana 14:235; 25:30. virginica 35:248

Lapsana 26:130. communis 4:92; 12:145; 20: 98; 24:121; 26:130; 31:86; 42:104, 498; 43:

36, 24.121; 20:130; 31:86; 42:104, 498; 43: 344, 498; 44:334; 46:142

Larch(es) 4:35; 7:126; 12:177; 13:114; 17: 65; 19:22; 23:91, 109; 35:358; 38:112; 41: 152, 174. American 12:177; 35:358; 50:118. Black 35:358. European 28:44; 45:107. Scotch 7:124

Lardizabalaceae 32:107

Large Cranberry 4:234; 12:183 Large-toothed Aspen 12:178; 28:73

Larix 6:103; 7:160, 250; 10:62; 11:37; 12:177; 21:43; 23:248; 33:22, fig. 1; 35:358; 40:149, 152; 47:207; 50:37. alaskensis 41:174. americana 1:183; 2:9, 10, 36, pl. 14; 3:164, 169, 232; 4:106, 189; 5:134; 6:103; 50:106, 118. decidua 10:62; 28:43, 44; 32:152, 22: Johnseni 11:169. laricina 1:183; 6:103; 9: 158, 169; 10:62; 12:103, 177; 13:137; 17: 148, 152; 18:30; 19:110; 21:191; 28:43, 45; 29:206; 31:20; 32:196; 33:19, 93, 98; 34: 50, 62; 35:122, 358; 36:276; 40:145, 154, 160, 170; 41:174, 42:217, 45:106; 50:110 169, 170; 41:174; 42:317; 45:106; 50:118. Lvallii 36:305; 37:363. occidentalis 37:363

Larkspur, Garden 28:70 Larrea 31:92-96; 45:353. nitida 31:93

Lasiacis divaricata 14:170

Lasinia cinerea 50:201. fulva 50:201, 202

Lasiococca 36:237 Lasiococcus 36:237

Lasius americanus 44:15; 45:440, 445. niger, var. americanus 43:207; 45:445

Lastrea 4:10, 53, 161, 162; 31:27; 37:248. dilatata, var. glandulosa 17:45, 47; var. lepidota 28:147; var. tanacetifolia 4:53. Fairbanksii 31:34. Filix-mas 4:159. palustris 31:33. patens 4:162. squamulosa 31: 34. tetragona 4:162. Thelypteris 31:27, 33; β. glabra 31:34; γ. intermedia 31:34; var. pubescens 31:31, 32, 34

Laternea 4:135

Lathesia tuberiformis 50:262

Lathesia tuberiformis 30:202

Lathyrus 11:49; 20:168, 204; 26:187; 33:60; 36:311; 44:334; 47:207; 49:196; 50:138. altaicus 13:52. Aphaca 20:168; 24:75. californicus 34:181, 184, 186. decaphyllus 19: 158–160, 162; 36:310, 311; var. minor 13:52. eucosmus 19:160. hirsutus 24:75; 39:433; 40:45:41; 446. incapus 10:183: 27:297; f 40:438; 41:546. incanus 19:153; 37:227; f. albidus 37:227. japonicus 34:177, 178, 180, 184–187; 35:167, 391; 41:161, 253; 46:284; var. aleuticus 34:178, 179, 180, 184, 187; 35:276; 36:282; 38:156; 41:253; f. albinus 42:157; var. glaber 34:178-181-187; 35: 277; 50:297; f. acutifolius 34:178, 182, 184; 35:277; var. parviflorus 35:390; var. pellitus 34:178, 180, 183, 184, 187; 35:277, 391; 43:80; f. candidus 42:157; var. typicus 34:178, 182, 187. latifolius 24:75: 42: 44, 100. maritimus 2:89, 208; 3:188; 5:131; 44, 100. maritimus 2:89, 208; 3:188; 5:131; 7:127; 11:95; 14:22; 16:39; 17:146; 18:29, 39, 98; 20:168; 25:9; 26:184, 226; 29:42-44, 58, 60, 64, 65, 89, 111, 122, 215; 32:147, 173, 214, 257; 33:111, 122; 34:53, 70, 177, 178, 180-186; 35:391; 39:371, 375; 41:253, 513, 517, 520; 46:284; 49:196; 50:297; ß. acutifolius 34:182; f. velutinus 34:180; var. aleuticus 28:120, 216; 34:179, 180, 187; var. glaber 11:95; 20:168; 24:87; 34:181; var. Thunbergianus 34:178, 187; var. velutinus 34:180, 187. multiflorus 19:158. myrtifolius 13:47, 48, 50, 52; 19:162; 36:311; var. macranthus 11:108; 13:48-50. Nissolia 23: macranthus 11:108; 13:48-50. Nissolia 23: 246; 24:75. ochroleucus 2:89; 36:373; 37: 203. ornatus 19:162, 163; 36:311; var. incanus 19:162, 163. palustris 2:89; 5:132; 13:47-51; 23:273; 29:65, 70, 180, 215; 35: 363; var. genuinus 13:47; var. latifolius 13: 47; var. linearifolius 13:47-49, 51; 19:229; 36:282; var. macranthus 13:50; 23:273; 33:122; var. myrtifolius 2:89; 13:47, 48, 52; 19:32; 29:180; 36:311; var. pilosus 11:95, 108; 13:48–51; 16:191; 17:154; 18:39; 19:229; 20:168; 23:273; 29:131, 180, 215; 32:257; 34:53; 41:253; var. retusus 29:128, 180, 2015. pauciflorus 44:38. pilosus 13:48, 49, 51. pisiformis 34:178. polymorphus 19: 159, 160, 162, 163; 36:310, 311. polyphyllus 44:38. pratensis 1:223; 2:89; 20:168, 204; 23:132, 273; 35:15, 277, 278; 37:416; 44: 334. pusillus 44:256. rotundifolius 3:23: 28:2168, 204; 23:146. proj. 23:246. proj. Sandbergii 23:246. sativus 2:92; 20:169. sphaericus 24:75. **stipulaceus** 13:52; 19: 162, **163**; 36:310, 311; var. **incanus** 19:163. tuberosus 3:230, 231; 6:141; 34:175. venosus 19:156, 157, 159, 160, 162; 23:203; 39: 377, 433, 484; 45:270; 47:207; 49:180; var. β. 19:158; var. γ. 19:158; var. arkansanus

39:377; var. intonsus 19:158, 160; 47:207; var. meridionalis 19:158; 45:269. viciaeformis 13:47, 51

Lauraceae 6:85; 8:197; 9:38; 18:213; 31:43;

32:253

Laurel 42:54; 44:364; 46:313; 49:161. Caro-Mountain 4:131, 140, 142, 151; 6:227; 10: 165; 14:91; 18:41; 33:198. Oak 48:138, 145. Sheep 12:183. Swamp 18:206. White 18:206

Laurencia botryoides 21:204. obtusa 21:203,

204, 206. thuyoides 21:204 Laurocerasus caroliniana 36:45

Laurus 8:197; 15:14, 16, 17; 20:99; 38:178; 49:204. subgen. Euosmus 8:197; 38:179. aestivalis 8:198; 47:140–142, 150, pl. 888. albida 8:199; 15:14–16; 20:99; 38:179. axillaris 47:149, 150. Benzoin 8:198; 15:14; 18718 47:149, 150. Benzoin 8:198; 15:14; 47:140–142, pl. 889. Borbonia 47:149, 150. caroliniana 47:149; α. glabra 47:149; β. pubescens 47:149. Diospyros 15:14. diversifolia 38:178, 179. fragrans 8:198. geniculata 15:14; 47:140, 142, 150. Pseudo-Benzoin 8:198. Sassafras 8: 199; 15:14–16; 20:98, 99; 38:178, 179. varii-folia 8:199: 30:08: 38:178, 179.

folia 8:199; 20:98; 38:178, 179 Lavender, Sea 18:53, 55; 32:270 Layia 26:130. platyglossa 26:130 Leafy Spurge 39:49

Leak 4:81

Leather Leaf 12:183 Leatherwood 44:29

Leathesia 26:189. difformis 1:70; 2:47; 7: 228; 21:205; 26:214; 33:130; 50:262

Leavenworthia torulosa 46:308. uniflora 36:

224, 230

Leavenworthias 46:306

Lecanora 29:98. allophana 35:150. Bockii 29:101. cinerea 28:228; 29:101. dimera 28: 228. dubitans 28:228. elatina 28:229; var. ochrophaea 28:229. frutulosa 28:228. gib-bosa 29:101. Hageni 28:228; 35:150. in-tricata 28:229. muralis, var. saxicola 28: 228. pallescens 28:228. pallida 29:101, 103. polytropa 28:228. privigna 28:226. **riparia** 29:**102.** sordida 28:228. subfusca 15:94; 28:228; 29:102; var. campestris 29:102; var. chlarona 29:102; var. distans 15:94. subpallida 29:102. symmicta 28:229. tartarea 28:228. varia 18:94; 20:40; 29:103; 50:292; var. intricata 28:229; var. polytropa 28:228; var. symmicta 28:229. ventosa 28: 229

Lecanoraceae 15:94: 28:228

Lechea 1:230; 7:122, 127; 20:50; 22:124; 37: 415; 39:352, 364, 436; 40:29, 30, 33-35, 38-42, 44, 47, 51, 57, 63, 64, 66, 68, 92, 97, 99, 100, 102, 111, 112, 115, 121, 129, 130; 42: 154; 45:457; 47:282. § Brevisepalae 40:33, 34. § Cernuae 40:34, 102. § Divaricatae 40:34. § Eulechea 40:47. § Lechidium 40: 33, 47. § Longisepalae 40:33, 34. § Myriophyllae 40:34. subgen. Eudiexa 40:30, 63, 90. subgen. Lechea 40:30. subgen. Lechidium 40:32, 37, 40. subgen. Menandra 40: 30, 90, 106, brevifolia 40:60, cernua 40: 33, 36-39, 42, 49, 93, 100-103, 130, map 14, pl. 490. chinensis 40:29. cinerea 40:32, 104-106; var. Torreyi 40:32, 104, 106. cubensis 40:31, 32, 34, 42, 49, 93, 101, 103, 104, 130, map 15, pl. 490. Deckertii 40:33, 34, 38, 42, 48, 93–96, 98, 101, 130, map 11, pl. 489. depressa 40:66. divaricata 40:32, 34, 38, 39, 42, 48, 93, 96–98, 101, 103, 130, map 12, pl. 490. Drummondii 40:31, 33, 50–52, 54, 66. exserta 40:33, 34, 62, 65. inter-54, 66. exserta 40:35, 34, 62, 65. Intermedia 1:212, 214; 2:124; 3:187; 10:34; 12: 108; 13:31; 15:153; 17:154; 20:102, 106; 22:124, 182; 23:130, 138, 274; 25:212; 40: 32, 33, 36, 39, 40, 42, 49, 60, 61, 93, 110, 112, 115, 121-123, 125, 127-129; var. depauperata 40:35, 36, 49, 120, 124, 127, 131, map 28, pl. **491**; var. juniperina 10:3**4**; 40:120, 124–126, 128, 129, 131, map 26, pl. **491**; var. laurentiana 40:120, 124, **127**, 129, 131, map 27, pl. **491**; var. typica 40:120, **124**, 125, 129, 131, map 25, pl. 491. juncifolia 40:90. juniperina 1:212; 10:34; 40:32, 33, 123, 126, 128. Leggettii 1:69, 212; 11:83; 19:231; 20:97; 22:124; 32:213, 266; 38:366, 380; 39: 477; 40:32, 33, 40, 41, 43, 49, 60, 107, 110, 115-117, 121-123, 128; var. intermedia 40: 125; var. moniliformis 40:36, 43, 95, 117, 118, 120, 122, 123, 131, map 23, pl .491; var. ramosissima 40:36, 37, 107, 117, 119, 120, 123, 131, map 24, pl. 491; var. typica 40:36, 93, 111, 115-117, 120, 122, 123, 131, map 22, pl. 491. major 1:212, 214; 4:28; 20:49, 50; 21:36; 40:29, 30, 32, 33, 53, 56, 57, 97; 47:282; var. α. villosa 40:33, 54; var. β. divaricata 40:33, 97; var. divaricata 40: 97; var. villosa 40:54. maritima 1:212; 2: 205; 10:34; 11:131; 14:20; 22:124; 24:88; 32:151, 210, 266; 40:30–33, 35, 36, 39, 40, 49, 60, 61, 93, 107, 109–113, 128; var. interior 10:34; 13:31; 19:231; 22:124, 182; 40:33, 109, 111; var. subcylindrica 40:49, 101, 108, 109, 112, map 20; var. typica 40:91, 101, 108, 109, 112, 131, map 18, pl. 490; var. tyriginica 40:93, 101, 108, 109, 111-113, 131, map 19, pl. 490; 49:101, 155. mensalis 40: 37, 42, 48, 67, 92, 93, 101, 130, map 10, pl. 489. minor 1:107, 212, 213; 4:130; 6: 141; 20:106; 22:124; 24:88; 39:352, 480, 481; 40:29-32, 38, 39, 41-44, 48, 54-61, 88, 93, 99, 100, 117, 121, 125, 128, map 5; 41: 549; α. 40:99; f. stricta 40:114; var. α. 40: 31, 91; var. β. 40:31, 88, 91; var. γ. 40:88, 91; var. dumosa 40:31, 88; var. gracilis 40:31, 91, 99; var. maritima 5:128; 40:32, 109, 111; var. subcylindrica 40:49, 101, 108, 40:31, 91, 99; var. maritima 5:128; 40:32, 109; var. racemulosa 1:214. moniliformis 40:33, 119, 122, 123. mucronata 40:54, 56. myriophylla 40:33, 94-96, pl. 489. novaecaesareae 40:31, 59-61. patula 40:31, 33-35, 38, 39, 41, 48, 55, 61, 63-65, 93-95, 98, 107, 113, map 6. pauciflora 40:60. prismatica 40:33, 34, 62-65. racemulosa 1:212: 37:433; 39:475; 40:29–32, 41–44, 48, 60, 61, 91, 93, 98–102, 107, 128, 130, map 13, pl. 488; 41:549. san-sabeana 40:33, 37, 38, 40, 42, 47, 49, 52, 55, 67, 90, 93, 102, 103, 130,

map 1, pl. 488. secundiflora 40:60, 88, 90. map 1, pl. 488. secundiflora 40:60, 88, 90. sessilifolia 40:63. Skinneri 40:66. stellata 40:61. stricta 40:32, 36, 45, 49, 113–115, 120, map 21. tenuifolia 1:212; 5:128; 22:124, 182; 36:220; 40:29–32, 35, 37–41, 43, 48, 51, 60, 67, 87, 90–93, 101, 103, 110, 115, 128, 130, map 8, pl. 489; var. occidentalis 40:67, 88, 89, 92, 93, 101, 130, map 9, pl. 489. thesioides 40:31, 88, 90. thymifolia 5:128; 40:29–32, 59–61, 109, 110, 128. Torrevi 40:32, 37, 41, 49, 93, 101, 103–107, 113 37, 40, 46-48, 51, 55, 65-69, 93, 130, map 7, pl. 489. uniflora 40:60, 61, verna 40:90. verticillata 40:29, 30. villosa 20:50; 22:124. 182; 32:210, 265; 35:288; 36:220; 40:30–34, 36–40, 48, 51–53, 56–58, 61, 90, 93, 97, 98, 110, 111, 128; 44:237, 256; 48:206; var. macrotheca 40:48, 53, 54, 55, 58, 130, map 4, pl. 488; var. Schaffneri 40:36, 41, 53, 54, 55, 57, 58, 66, 93, map 3; var. typica 40:34-36, 41, 43, **53**-55, 57, 58, 130, map 2, pl. 488

Lecheas 40:93, 123

Lechidium 40:31, 51. Drummondii 40:31, 50,

Lecidea 36:140, 158, albocaerulescens 29:99, 105; var. flavocaerulescens 28:160. brunnea 28:160. atrocaesia 36:158. Berengeriana 28:159. cinerascens 28:160. coeruleonigricans 11:100. contigua 28:160. cyrtidea 29:99. eupetroides 36:158. enclitica 28:160. enteroleuca 28:160. excentrica 36: 158. geographica 28:161. granulosa 28: 159; 29:99. gregaria 29:99. grossa 28:160. hypnophila 28:160. infernula 36:158. melancheima 28:160. panaeola 28:160. parasema 28:160; var. elaeochroma 28:160; var. enteroleuca 28:160. peliaspis 28:159. platycarpa 29:99. rubiformis 36:139. speirea 28:160. sphaeroides 28:160. vernalis 28:159: 29:99; subsp. minor 28:159. vesicularis 11:100

Lecideaceae 28:159 Lecidiae 36:162

Leciophysma finmarkicum 36:142, 154

Lecythidaceae 49:58

Ledum 6:125; 12:182; 17:66, 88, 146; 23:159; 24:154; 29:226, 238; 31:142; 33:97-100; 38: 90; 41:166. decumbens 34:245; 41:147, 157, 158, 160, 274; 42:335. glandulosum 37:365. groenlandicum 1:93, 183; 3:131, 175; 4:131; 5:35; 6:125; 7:12; 9:156, 162, 169, 170, 174, 189; 12:118, 182; 17:65, 148, 149; 19:246; 22:37, 40-44, 137; 23:159, 168, 248; 24:118, 154; 25:10; 27:214; 28:82; 29:217; 31:137, 142, 143; 33:19, 92, 96, 98, 123, map 4; 34:54, 63; 36:283; 37:206; 38:90, fig. 1; 39:471; 40:145, 148, 154, 156, 160, 163; 41:146, 149, 153, 274; 42:335; 43:507; 45:314. latifolium 1:93, 183, 192, 193; 3:131; 4:131; 5:45, 133; 6:125; 13:217. palustre 7:12, 13; 9:182; 25:10; 38:90; 42:10; var. decumbens 25: 114; 38:156; 42:335; var. dilatatum 7:12, 13; 31:142, 143 158, 160, 274; 42:335. glandulosum 37:365.

Leersia 5:118; 9:53; 14:187; 15:123; 29:159; 38:267; 39:362; 49:277. hexandra 26:159, 232; 30:82; 38:393; 39:338, 339, 382, 477. imbricata 38:386, pl. 440. lenticularis 35: 284; 36:376; 38:386; 39:348, 349, 353, 382, 482, map 22; 41:111; 42:35, 397, 400, 411; 482, map 22; 41:111; 42:35, 397, 400, 411; 44:240; 49:201. monandra 30:82. oryzoides 5:118; 13:148; 15:123; 17:212; 30:81, 82, 84; 31:146; 35:251; 38:263, 268, 385; 39:348; 48:330; 49:277; f. clandestina 18: 239; 19:109; 23:229; 30:84; f. glabra 5: 118; 15:123; 23:229; 26:48; 34:39; 38:263; 49:277; f. inclusa 30:84, 85; 38:264; 49:277. ovata 38:386. virginica 1:42; 4:93; 15:123; 16:16; 35:251; 38:264, 269, 270, 385, 386, 450, pl. 440: 49:277; var. ovata 38:386. 386, 450, pl. 440; 49:277; var. ovata 38:386, pl. 440; 49:277

Legume(s) 39:52; 40:146; 41:461; 44:352 Leguminosae 2:89; 3:283, 285; 4:13; 5:246; 6:120; 7:28; 9:37; 10:195; 11:132; 12:181; 13:33, 119; 14:22; 16:15; 17:37; 18:38, 98; 20:165; 21:29, 170, 190; 23:246; 24:43, 44; 25:9, 25; 26:226; 28:71; 29:215; 31:16, 43, 92, 93, 95; 32:256; 36:6, 282; 37:306; 41: 147, 461-463; 42:218; 43:80, 92; 45:313; 49: 58, 255, 288; 50:297, 302. subfam. Caesalpinoideae 12:16; 33:192; 41:463. subfam. Mimosoideae 31:96. subfam. Papilionoideae 41:463. trib. Astragalinae 40:180. trib. Caesalpinieae 12:16; 33:92. trib. Mimoseae 12:16

Leibleinia 40:235

Leiocolea 14:211. Gillmanni 39:13, 34, 36, 41. heterocolpa 39:13, 34

Leiophyllum 29:225–227; 33:39. buxifolium 1:185; 14:95; 33:40. Hugeri 33:40. prostratum 33:40

Leitneria 50:125. floridana 14:81; 50:125 Leitneriaceae 50:125

Lejeunea 25:75. cavifolia 5:171; 11:118; 14: 17, 224; 15:24; 25:97, 197; 26:13. clypeata 10:190, 191, echinata 14:224. Hookeri 19: 266. patens 25:97, 197, 198; 26:6, 13. serpyllifolia 14:224. unciloba 10:190, 191

Lejeuneaceae 25:197; 26:12

Lejica 28:42 Lemairea 9:50

Lemanea 8:190; 24:103. fucina 26:166; var.

rigida 7:241

Lemna 5:287; 7:73; 9:96; 12:5; 15:20; 20: 143; 29:61, 62; 40:76; 49:165-167, 169-171. abbreviata 48:146, 147. angolensis 48:147. abbreviata 48:146, 147. angolensis 48:147. arhiza 48:147. cyclostasa 36:41; 37:75, 76; 48:146, 147. gibba 7:99; 48:147. minima 42:98; 48:147. minor 5:135; 7:99; 9:96, 150; 12:5; 17:214; 23:131, 238; 29:65, 69, 71, 132, 209; 32:148; 37:76, 357; 38:452; 48:147; 49:165, 166, 169-171; var.? cyclostasa 37:76; 48:146, 147. perpusilla 1:68; 14:22; 37:190, 406; 39:481; 42:370. polyrrhiza 48:147. Torreyi 48:146. trisulca 5: 135; 7:97, 98; 12:5; 23:131, 199, 238; 29:65, 69, 71; 30:121; 42:26; 48:147. valdiviana 1:106; 12:5; 37:75, 406; 38:377; 39:481; 48:146, 147, 205; 49:127; var. abbreviata 48:147; 49:127; var.? platyclados 48:147 48:147; 49:127; var. ? platyclados 48:147 Lemnaceae 5:287; 12:5; 21:87; 29:61, 209;

31:43; 34:119, 120; 36:240; 41:42; 49:171,

Lemotris hyacinthina 40:131

Lens ervilea 5:72. esculenta 5:72; 19:229 Lentibulariaceae 6:129, 152; 25:11, 185; 29: 219; 31:43; 32:274; 36:284; 49:255

Lentinus 3:142. suavissimus 6:126

Lenzites 3:39

Leocarpus fragilis 29:168, 173. vernicosus 1: 128

Leontodon 4:249; 13:18; 17:146, 227; 21:211; 26:130; 27:47-49; 28:143. autumnalis 1: 165; 3:132, 189, 293, 294; 4:39, 40, 189, 249; 5:135; 6:23; 9:122; 11:99; 17:36, 220; 18: 44; 25:11; 26:130; 27:48; 28:221; 32:151, 280; 33:167; 46:314; var. pratensis 3:293, 294; 4:189; 11:99; 17:146; 18:44; 26:130, 228; 32:280; 33:109, 126; 50:303. bulbosum 27:48. ceratophorus 35:373. Dandelion 27: 48. erythrospermum 35:379. hastilis 4:250. hirtus 3:293, 294. hispidus 3:293, 294; 21: 211; 27:48, 49. laevigatus 35:379. latilobum 35:377. officinalis 35:380. palustre 4: 157; 35:380–382. Raji 35:380. Taraxacum 27:48; 35:380; 50:216; δ. palustre 35:380, 381; δ. vulgare 35:380; var. palustre 35:381. tuberosum 27:48. vulgare 35:380, 382; 50:

Leontopodium 37:211. alpinum 33:219, 221,

fig. 4

Leonurus 6:128; 25:38. Cardiaca 2:223, fig.; 4:91; 6:128; 11:127; 17:35; 18:42; 25:38; 26:227; 32:273; 50:299

Leotia 1:60, 61, 66. chlorocephala 41:516. circinans 1:64, 91. lubrica 1:66, 67, pl. 4.

viridis 1:65

Lepachys 26:130; 40:353. columnaris 25:68; 26:130; var. pulcherrima 40:353. pinnata 3:60; 26:130

Lepadena 43:110 Lepargyrea 9:54 Lepechinia 18:25

Lepia 28:42. multiflora 28:42. pauciflora 28:

Lepidagathis alopecuroides 33:88

Lepidanche Compositarum 36:372. squarrosa

Lepidium 6:117; 18:219; 24:19; 27:186; 32: 28; 36:364, 413; 39:64, 191; 42:152, 302–304. apetalum 3:18; 10:72; 13:89; 18:219; 22: 137; 28:39; 31:84; 32:28, 29; 40:182; 42: 327. calycinum 40:298. campestre 18:219; 23:264; 31:84; 32:28; 37:418; 38:64; 40: 432. chitungense 32:29. densifiorum 40: 182: 48:116; yer Bourgeauenum 20:281 182; 48:116; var. Bourgeauanum 39:281. Draba 19:225; 23:140, 264; 37:162; 39:64, 190, 191; 42:302–304; var. repens 42:303. latifolium 26:197; 37:161. macranthum 32: 29. montanum, var. alyssoides 39:280; var. Eastwoodiae 39:280. perfoliatum 18:219; 19:225; 38:366; 39:280. ruderale 5:133; 18:219; 32:29. sativum 4:32. spathulatum 9:40. virginicum 5:135; 6:117; 17: 35, 216; 18:97, 219; 21:170; 22:137; 26:185, 186, 225; 32:253; 36:44; 39:280; 45:382; 50:296. vulgatum 32:151

Lepidiums 39:280

Lepidoptera 36:28; 38:91; 41:186; 42:354; 44:165

Lepidospartum 40:320. squamatum 40:320-323, fig. 1; var. obtectum 40:322; var.

Palmeri 40:321, 322, 323, fig. 2

Lepidozia 6:165, 185. reptans 1:34; 4:30; 5: 51, 172; 15:24; 25:196; 26:11. setacea 5: 172; 6:185-189; 10:192; 14:224; 15:24, 27; 19:69; 25:196; 26:11. sphagnicola 5:172; 6:185; 15:27. sylvatica 6:186-190, pl. 57; 11:195; 14:18; 15:24, 27; 25:196. tricho-

clados 6:189 Lepigonum 42:58, 106, 192, 204. arenarium 42:173, 174, 176, 185, 186, 203, 208; var. depressum 42:174-176. campestre 42:83, 111. canadense 42:112, 125. chilense 42:210. depauperatum 42:161, 162. diandrum 42: 82, 110. floribundum 42:170. glandulosum 42:173. gracile 42:181, 183. grande 42:185, 203, 204. grandiflorum 42:161, 162. laeve 42:192, 193. leiospermum 12:158, 163; 42: 125, 131. Liebmannianum 42:173. macrorhizum 42:174, 176. macrothecum 42:70. marginatum 42:119. marinum 12:161; 42: margnatum 42:119. marinum 12:161; 42: 118, 119, 121, 124, 139, 186, 189; subsp. dubium 42:119, 121. medium 29:174; 42:112, 118, 124, 126; var. macrocarpa 42:119. mollugineum 42:210. murale 42:174, 208. neglectum 42:79, 125, 129, 133, 139, 140; var. tenue 42:139. paradoxum 42:210. purpureum, var. firmum 42:169. rubrum 42:106, 111; γ. perennans 42:106. rupestre 42:125, 129, 130, 174, 207. salinum 12:159, 162; 29: 174; 42:79, 125, 126, 129. salsugineum 42: tenue 42:126, 138, 139. trachyspermum 42:173, 174, 176, 185, 186, 207, 208; *subsp. murale 42:208. villosum 42:173, 176, 186,

Lepiota 1:227; 13:62; 17:31, 32. americana 4:199; 17:31. asperula 3:40. cepaestipes 4:199. clypeolaria 13:60. cristata 2:32. cristatella 16:46. haematosperma 13:62. lutea 44:171. metulispora 13:60. Morgani 3:143; 17:32. naucina 2:32; 4:199; 17:31. procera 1:224-226; 3:143; 13:61; 17:30, 31. rhacodes 1:224-227, pl. 11; 3:40; 17:31. umbonata 44:171

Lepocinclis fusiformis 50:277. ovum 44:68; 50:277

Leptamnium 9:55. virginianum 6:129 Leptandra 23:2, 6. alba 23:6. purpurea 23: 6. villosa 23:6. virginica 23:6

Leptanthus ovalis 47:209, 213

Leptasea Hirculus 34:245

Leptilon canadense 6:131; 15:206, 209; 26: 228; 28:72; 50:300. pusillum 26:228; 50:300 Leptobarbula berica 39:5

Leptobasaceae 44:185

Leptobasis 44:183, 185, 186. caucasica 44:186. crassa 44:185, 186

Leptobryum pyriforme 4:30, 182; 24:123; 30:

Leptocaulis patens 10:34

Leptochloa 15:131; 49:262, 275. attenuata 47:211, 212. dubia 50:93. fascicularis 13:

151; 15:131; 22:15; 29:43, 44; 42:390; 44: 379; 49:263, 275. filiformis 15:131; 36:237; 37:390; 39:481; 41:503; 44:379; 47:211; 48: 17; 49:275. imbricata 15:131; 49:262

Leptoclinium brasiliense 48:410. trichoto-

mum 48:411

Leptodictyum riparium 30:10; 48:3; f. longifolium 48:3. trichopodium, var. Kochii 50:

Leptodontium 41:112. brevicaule 36:132 Leptogium 29:98. lacerum 28:226. liche-

noides 28:226; 36:142. plicatile 28:226. pulvinatum 36:142, 154. saturninum 36:142. tremelloides 28:226; 29:99

Leptoglossum luteum 1:66. olivaceum 1:65 Leptoloma 36:68; 47:263. cognatum 14:55; 31:111, 118; 38:363; 39:363, 382; 41:111, 503; 47:263, 264

Leptonia 16:48, 51. flavobrunnea 16:51. gra-

cilipes 16:51. validipes 16:51 Leptophyllum 21:10, 11; 22:180 Leptopoda brachypoda 4:198 Leptorchis Loeselii 6:112; 32:124

Leptorkis 9:53 Leptoscyphus 12:201 Leptostachys 9:51 Leptothrix 9:131

Leptotrichum pallidum 3:179 Leptura chrysocoma 36:28 Lepturus paniculatus 48:114

Lerchea 9:54

Leskea 12:153; 13:43. gracilescens 13:43. nervosa 2:62, 63; 4:182; 11:117. obscura 13:43, 44. polycarpa 2:63; 4:239; 13:43,

Leskeaceae 30:9; 37:228; 39:43. subfam. Anomodonteae 37:228. subfam. Leskeae 37:228. subfam. Thelieae 37:228. subfam. Thuidieae 37:228

Leskeella nervosa 30:9 Lespedeza 2:186; 8:146; 13:33; 14:91; 20:169; espeueza 2:180; 8:140; 13:33; 14:91; 20:169; 21:8; 23:172; 26:25; 35:38; 36:130, 131; 390-392; 37:264, 310; 39:352; 40:367; 42: 154; 43:518, 572, 574; 47:45. § Eu-Lespedeza 26:33. § Lespedezaria 26:33. acuticarpa 26:27; 37:167; 39:484; 40:437. angustifolia 2:89; 14:72, 91; 26:26, 29, 32, 33; 33:2424.442.442.442.472. 32:212; 42:458; 43:573, 575, 581, 585, 587, pl. 681; × capitata 42:458; f. subvelutina 42:457; var. brevifolia 26:32. Bicknellii 10:51; 43:579. Brittonii 20:169; 32:177. capitata 2:90, 186; 5:128, 129; 9:121; 10:51, 153; 13:19; 14:22, 91, 92; 15:153; 20:169; 24:58; 26:26, 31–33; 32:210, 256; 37:190; 40:367, 437; 42:100; 43:572–576, 578, 581, pl. 673; β. sericea 43:574; β. vulgaris 43:574; var. angustifolia 26:25; var. calycina 43:576, 578, 579, 586, pl. 675; var. hirtiformis 40:437, 475, 483, pl. 524; 43:578; var. longifolia 14:91; 40:437; 43:575, 579, 585; var. sericea 43:574, 576, 586, pl. 673; var. stenophylla 14:92; 19:29; 20:169; 43: 575, 576, 579, 581, 586, pl. 676; f. argentea 43:579; var. typica 43:576, 578, 586, pl. 673; var. velutina 10:51; 13:33; 20:169; 43:576, 579, 581, 582, 586, pl. 677; var. vul-

garis 43:574, 576, 577, 580, 581, 586, pl. 674. cuneata 40:437; 42:100; 46:76, 135; 47:45. frutescens 3:185; 9:120, 121; 20:169; 21: 202; 26:26, 29–31. hirta 2:186; 14:22; 20: 169; 26:25, 26, 32-34; 32:256; 34:65; 36: 220; 40:367, 437; 42:100; 43:572, 573, 575, 578-584, pl. 678; var. β. calycina 43:578; var. angustifolia 43:573; var. appressipilis 26:**32**; 43:580–582, 584, 586, pl. 679; var. dissimulans 43:583, **585**, 587, pl. **682**; var. intercursa 43:582, 585, 587, pl. 681; var. longifolia 43:582, 585, 586, pl. 680; var. oblongifolia 13:31; 19:229; 43:575, 581, 585; var. sparsiflora 43:583; var. typica 43:582 var. sparsiflora 43:583; var. typica 43:582-584, 586, pl. 678. intermedia 2:90; 26:26, 27, 29, 31, 32; 37:264-266, 427; f. **Hahnii** 37:265, 266; 40:432, 433; var. **Hahnii** 26: 32; 37:265. juncea 26:31. leptostachya 26:26, 33, 34; 40:115. longifolia 14:91; 43: 575, 579, 581, 585. Manniana 26:33. neglecta 26:29; 37:265. Nuttallii 2:90; 6:141; 42:2; 20:169; 24:117; 37:265; 46:135. oblongifolia 42:458: 43:575, 585. polystachya 14:22; 20:109; 24:117, 37:203, 40:103. Colongifolia 42:458; 43:575, 585. polystachya 2:90, 168; 5:130; 43:583. prairea 26:27, 28. procumbens 1:180; 2:90, 168; 13:19; 20:169; 21:8; 26:25, 27, fig. 2; 32:212, 256; 35:39; 36:220; var. elliptica 26:26, 27, fig. 1; 39:415. repens 2:157, 186; 7:68; 26:25; 36: 220; 37:427; 42:154, reticulata 1:106; 2: 220; 37.312; 42.104. Tellettata 1.105, 2.1090, 168; 26:25, 31. Schindleri 43:579. sericea 37:318; 47:45. sessiliflora 26:30, 31. simulata 19:229; 26:33; 36:230. stipulacea 37:318; 38:425; 44:343; 46:135; 47:45; 48: 391; 50:21–27, pls. 1091, 1092. striata 31: 146; 36:220; 38:425; 46:135; 50:21–27, pls. 1091, 1092. Stuevei 2:90; 6:141; 13:19; 20: 169; 26:28, 29; 32:212; 37:264–266, 427; 39: 472; 44:242; 50:124:15; 37:264–266, 427; 39: 473; 44:343; 50:124; f. angustifolia 37:265, 473; 44:343; 50:124; 1. angustifolia 37:265; 266; var. angustifolia 26:29; 37:264, 265; var. intermedia 26:29, 31. velutina 10:51; 43:579. violacea 2:90; 5:203; 20:169; 26:25, 28, 30, 31; 32:256; 42:154; 47:301; var. prairea 26:27, 28. virginica 20:169; 26:25. 29-31; 32:213; 35:39; 37:264, 265; f. Deamii 37:265, 266; var. sessiliflora 26:30; var. typica 26:30, 41

Lespedeza(s) 50:21-23. Common 50:24, 25, 27. Harbin 50:25. Kobe 50:24, 27. Kor-

ean 50:22, 25

Lesquerella 13:129; 32:110; 35:55, 81, 127, 269, 373; 41:393, 394; 50:95. § Eu-Lesquerella 41:394. angustifolia 36:231. arctica 13:223; 27:90; 28:100, 103, 107, 118, 201, 213; 35:55, 267–270, 401, pl. 258; 41:163, 164; 42:311, 327; var. Purshii 13:127, 129– 131, 138, 223; 18:101; 28:201; 35:55, 267, 270, pl. 240; 41:235; var. Scammanae 42: 327. condensata 41:408. globosa 45:278. gracilis 34:5; 36:224, 231. Kingii 36:409; 41:393. lata 32:110. lepidota 32:110. montana 32:110. montevidensis 35:270. ovalifolia 34:6; var. alba 38:239; 50:95. Purshii 35:267-270, 338, 399, 401, pls. 240, 258; 36:329. rectipes 32:110

Lessonia 8:111 Letharia thamnodes 14:89 144 Rhodora

Lettuce 41:157. Prickly 7:9; 12:15; 20:180. Wild 1:12

Leucanium 24:51

Leucanthemum 25:16. vulgare 5:178; 25:16; 26:228

Leucobryaceae 30:4; 40:359

Leucobryum 2:65, 66; 40:359. glaucum 1:34; 3:180; 30:4. gracile, var. hamatum 36:132. vulgare 4:30

Leucocoma 22:181; 46:346, 347, 469. albens 46:480. canadensis 46:375. dasycarpa 46: 480. dioica 46:435. Lunellii 46:439. thyrsoidea 46:439. vegeta 46:480

Leucocrinum montanum, var. fibrosum 35:

 $_{-}$ 348

Leucodon brachypus 1:55; 14:49; 24:123. julaceus 14:49. sciuroides 1:55; 3:178; 4: 30, 31, 183; 14:48, 49; 24:123

Leucodontaceae 37:228

Leucojum aestivum 13:179; 23:242, 244; 24:

144; 44:344, 390; 45:359

Leucolejeunea clypeata 10:190; 14:17; 15:24, 27;25:197. unciloba 10:190; 15:24, 27; 25: 197

Leucoloma Crugerianum 36:55 Leuconymphaea 29:235, 237; 30:54, 57, 58 Leucophyllum texanum 35:225; 37:77 Leucophysalis grandiflora 4:190; 44:104, pl.

Leucothoe 11:223; 23:109; 24:154; 41:554; 44:29. § Eubotrys 41:554. acuminata 17: 132, 137. axillaris 36:49; 39:477; 42:379; 44:240; 47:169-171, pl. 900; 50:218; var. ambigens 47:168-171, pl. 901. Catesbaei 47:169-171, pl. 902; 50:218. editorum 50: 218. elongata 36:49; 41:554. platyphylla 47:170, 171, pl. 900. populifolia 17:132, 137. racemosa 1:93; 2:125, 214; 5:204; 7:75; 8: 28; 9:14; 14:19, 21; 20:115; 24:154; 32:151, 210, 269; 36:33, 49; 39:474; 41:553, 554, pl. 578; 49:23; var. elongata 41:554, pl. 578; var. projecta 41:553, 554, pl. 578. recurva

Leveillea bidentata 21:206

Levisticum 3:210; 6:124; 24:94. officinale 1: 159; 6:124; 21:199; 23:277; 24:94. scoticum 1:159

Lewisia pygmaea 37:363 Liagora 50:135. hirta 14:59

Hagora 50:135. Inta 14:29.

Liatris 7:158; 9:55; 12:14; 26:130; 31:37; 39:

354; 40:156, 158; 44:34, 248; 46:148; 49:186.

§ Suprago 48:167, 176, 235, 363, 409; ser.
Graminifoliae 48:172, 177, 226, 232, 237, 246,
260, 279, 285, 286; ser. Pauciflorae 48:177,
279, 285, 286; ser. Pycnostachyae 48:169,
173, 177, 237, 244, 246, 409; ser. Scariosae
48:171, 177, 228, 259, 293, 311, 323, 331, 362,
374, 380, 409; ser. Spicatae 48:168–170, 173,
177, 225, 229, 232, 236, 237, 244, 246, 312;
ser. Tenuifoliae 48:174, 177, 286. § Euliatris 48:167, 176, 177, 235, 312, 363; ser.
Cylindraceae 48:177, 313, 373, 375; ser.
Elegantes 48:177, 340; ser. Punctatae 48:
169–171, 177, 235, 237, 346, 372; ser. Squarrosae 48:173, 174, 177, 380, 393. acidota 48:
178, 232–236, 366, 369, 373, 411; var. mucro-

nata 48:364; var. vernalis 48:232, 234. alata 48:411. amplexicaulis 48:410. angustifolia 48:170, 235, 346, 357, 363, 365, 366, **368**, 370–372. aspera 48:168, 170, 173–175, 246, 293, 301, 302, 310–312, 315–317, 323, 324, 332, 382; × cylindracea 48:381; × punctata 48:314; × pycnostachya 48:245; var. glabra 48:300; var. intermedia 48:305, 311, 339; var. typica 48:302, 315. baicalensis 48:410. Bebbiana 48:238, 239, 243, 244. bellidifolia 42:481: 48:410. borealis 48:168, 173, 294, 331, 332, 334-336. botrys 48:411. × Boykinii 48:292. brachystachya 48:238, 243.
 bracteata
 48:346, 367, 371.
 brasiliensis
 48:410.

 410.
 carinata
 48:277, 285.
 Chapmanii
 48:279, 281.

 279,
 281.
 compacta
 48:401.
 cordata
 48:
 279, 281. compacta 48:401. cordata 48:410. corymbosa 48:410. x creditonensis 48:409. cylindracea 35:388; 48:168, 171, 172, 174, 175, 312, 361, 373–375, 379, 380, 382, 404, 405, 408, 409; x sphaeroidea 48:381; var. solitaria 48:376. cylindrica 48:347, 350, 361, 362. cymosa 48:171, 373, 375. x Deamii 48:313. densispicata 48:170, 287, 346, 363, dubia 37:132, 48:250, 285 237, 346, **363.** dubia 37:183; 48:250, 255, 258. Earlei 48:294, 336, 339, 340. elegans 35:361; 48:169, 173, 174, 292, 293, 340, 341, 343, 345; 49:187; \times tenuifolia 48:292; f. Fisheri 48:174, 340, 344; var. carizzana 48: 169, 341, 344, 345; var. flabellata 48:341, 345; var. typica 48:341, 344, 345. × fallacior 48:325, 362. flabellata 48:345. flexuosa 48:376, 380. × Frostii 48:245, 246. fruticosa 48:410. Garberi 48:169, 178, 225. 236, 237. glabrata 48:401, 404. × Gladewitzii 48:312, 381, 382. gracilis 48:176, 247, 259, 273, 276, 277, 284. graminifolia 37:182, 183; 39:477; 48:176, 221, 226, 232, 247, 248, 255, 258–261, 263, 301; var. dubia 37:183; 48:247, 250, 253, 256-262, 278; 49:187; var. 48.247, 250, 255, 250-202, 278, 49.187, 481. elegantula 48:248, 254, 259, 277; var. lasia 37:183; 39:476; 48:248, 253, 258; var. Smallii 37:182; 39:475; 45:478; 48:248, 253, 259, 261, 263; 49:187; var. typica 48: 247, 248, 255, 256, 261, 278; 49:187. Haywardii 48:318, 320, 324. Helleri 48:176, 247, 250, 260, 263, Hayrickii 48:318, 310, 324. 259, 260, 263. Herrickii 48:318, 319, 324. heterophylla 48:301, 411, 412. hirsuta 48: 399, 404. hirsutiflora 48:395. hirsutissima 48:411. intermedia 48:376, 380, 404, 405, 49. kansana 48:228, 229. laevigata 48: 170, 286, 288, 290–292. lanata 48:410. lanceolata 48:273, 276, 277. lancifolia 48:177, 228–230, 243, 244. Langloisii 38:407; 48: 238, 240, 244. latifolia 48:410. laxa 48:273. ligulistylis 48:168, 171-174, 176, 177, 246, 293, 311, 318, 324, 325, 331, 332, 361–363, 374, 380, 409, 410; \times squarrosa, var. glabrata 48: 409; f. leucantha 48:319. linaria 48:411. lobelioides 48:410. macrostachya 48:178 221, 222, 242. magnifica 48:178. marginata 48:376. microcephala 48:168, 172, 178, 230 232, 236, 279. monocephala 48:376. mucronata 48:170, 232-235, 346, 357-360, 364-368, 370, 372; var. interrupta 48:361, 365. 372; var. typica 48:364. × Nieuwlandii 48:311, 312, **325.** novae-angliae 48:333; f.

albiflora 48:333; var. Nieuwlandii 48:325: f. alba 48:325; f. trilisioides 48:412. odoratissima 48:410. Ohlingerae 48:373-375. oppositifolia 48:410. paniculata 46:148; 48: 410. pauciflora 48:279, 281, 284–286. pauci-48:279, 281, 284–286. pauci-flosculosa 42:496; 48:273, 276. picta 48:411. pilosa 48:250, 253, 257–259, 263. propinqua 48:250. pumila 48:411. punctata 38:366; 48:168, 170, 172, 175, 176, 233, 237, 285, 314, 315, 325, 346, 347, 350, 352, 354, 355, 357– 362, 366, 367, 372, 404; var. β. 48:353, 356, 357; var. γ. 48:347, 348, 356; var. mexicana 48:347, 354, 360, 361, 367; var. nebraskana 48:314, 347, 353, 356–358, 363, 370, 371; var. turgida 48:172; var. typica 48:347, 356–358, 360, 361, 363; f. coloradensis 48:351, 357, 358, 360, 367. pycnostachya 26:130; 27:57, 59; 31:38; 44:248; 48:170, 171, 173, 226, 229, 230, 232, 242–246, 409, 411, 412; \times squarrosa 31:37; 48:245; a. 48:238; B. 48:238, 243; f. Hubrichti 48:238, radians 48:340, regio-Hubrichti 48:238. radians 48:340. regiomontis 48:227, 247, 277, 278, 285, 286; 49: 187. resinosa 48:217, 222, 223, 353. × Ridgwayi 31:37, 38; 48:245, 409. rigida 48:411. Rosendahlii 48:318, 319, 322–324. scabra 48:293, 316, 332, 340. scariosa 10: 167; 26:130; 27:57, 62; 34:19; 36:222, 224; 44:248, 256; 48:166, 173, 258, 293, 294, 298, 300–302, 304, 308, 309, 311, 317, 318, 322, 233, 332, 335, 338, 339, 375, 382, 404; β. intermedia 48:332; f. Benkei 34:19; 48:302; var. Deamii 48:313; var. sphaeroidea 48: 382; var. squarrulosa 48:294, 296, 301; var. typica 48:294, 296, 300, 312, 336; 49:187; var. virginiana 48:293, 294, 296, 300, 311; 49:187, secunda 48:279, 282, 284–286, 292. 49:187. secunda 48:279, 282, 284-286, 292. sessiliflora 48:217, 219, 223, 225. sphaeroidea $48:302, 305, 309, 313, 315, 382; \times$ cylindracea 48:381; f. asperifolia 48:302; f. Benkii 48:302; var. salutans 48:302. × sphaeroidea 48:168, 228, 311, 312, 382. spicata 1:171; 19:164; 26:130; 27:57, 59; 35:361; 37:88; 40:366, 459; 42:41; 48:168, 171, 174, 175, 177, 178, 220–222, 224–226, 228, 229, 232, 236, 242–245, 256, 261–263, 286, 312, 411, 412; × sphanoides, 48:207, 0 412; × sphaeroidea 48:227; β. macrostachya 48:178; γ. racemosa 48:250; f. albiflora 48: 179, 227; f. montana 49:186; var. β. 48:217, 222; var. macrostachya 48:222; var. montana 48:216, 222; var. resinosa 48:216, 223-225, 227, 286; 49:98, 186; var. typica 48: 178, 216, 217, 223–225, 227–229; 49:186; f. montana 48:216, 223, 229. squamosa 42: 496; 48:411. squarrosa 31:38; 35:290; 36: 221; 39:454, 482; 48:171–174, 220, 245, 333, 361, 376, 379, 380, 393, 395, 401, 403–406, 408, 409; β. 48:406; β. floribunda 48:395; δ. intermedia 48:376; var. δ. 48:394; var. alabamensis 48:394, 398; var. compacta 48:394, 401, 406–408; var. floribunda 48:403; var. glabrata 48:380, 394, 398, 401, 406–410; var. gracilenta 48:394, 397, 398, 403, 405–408, 412; var. hirsuta 48:380, 394, 399, 401, 407, 408; var. intermedia 48:394, 402, 404, 405, 407; var. **typica** 48:**394**, 401, 404, 405, 407, 408; 49:187. squarrulosa 48:296, 300,

312, 336, 338, 339. × Steelei 48:227, 312. stricta 48:376, 380. tenuifolia 48:175, 286, 288, 290–293, 345; β. 48:289; var. laevigata 48:289; var. quadriflora 48:289, 290, tomentosa 42:481; 46:148; 48:411. trichotoma 48:411. turbinata 48:412. turgida 48:168, 247, 258, 259, **261**; 49:187. umbellata 48:411. uniflora 48:412. varia 48:301, 412. virgata 48:250, 253. Walteri 42:384, 481; 44:256; 48:411. × Weaveri 48:314, 362

Libellus rhombicus 9:134 Libinia canaliculata 10:125, 158 Libocedrus decurrens 49:228

Licea minima 29:170

Lichen digitatus 40:10. fibula 40:22. pyxidatus β. major 37:54. radiatus 40:21, 22

Lichenes 9:36

Lichenes 9:30
Lichenes 9:30
Lichenes 3:257, 282, 285, 287; 4:172; 5:234; 7:77; 11:100, 128, 132; 13:15, 91; 14:88; 15:93; 18:94; 20:40; 22:181; 23:69, 183, 184; 28:157, 205, 225; 29:97; 32:60; 35:149; 36:133; 37:305; 38:112, 116, 133; 41:142; 42:417; 50:288, 290, 291

Licmophora flabellata 9:138; 26:193, 216. Juergensii 9:138. Lyngbyei 26:193, 216. tineta 9:138: 26:193, 216

Licorice 45:378

Licorice-root Fern 24:129

Life Everlasting 7:156

Lignum 9:51

Ligusticum 18:29; 24:94. actaeifolium 3:209; 21:145, 146. apiifolium 10:13, canadense 35:288; 36:24, 230; 43:490, 618; 45:378; 47: 162; 50:217. Gmelini 28:221; 41:268, 269. Hultenii 32:7-9, pl. 194; 41:161, 266. Macounii 41:160, 163, 266. mutelloides, subsp. alpinum 41:267. socthicum 3:210; 51:157, 1870, 18:215, 215, 215, 215, 216, 217, 240. 54:36:282; 41:266, 519, 520; 50:298. vulgare 26:227; 50:298

Ligustrum 24:233; 47:281, sinense 39:353, 442; 47:171. vulgare 4:17, 74; 24:233; 32: 159, 271; 40:443; 42:45 Lilac 11:32, 127. Common 12:184

Lilaea 46:205, 206. scilloides 46:205, 206.

subulata 44:8; 46:205

Lilaeopsis 23:111; 24:94; 26:93, 94; 33:36; 39:408, 409; 42:371, 373, 506, 515, map 7. attenuata 26:94. carolinensis 26:94; 36: 48; 39:408; 42:367, 371, 470, 506, 508, map 6; 49:90. chinensis 26:93; 32:177, 212; 36: 24; 38:438; 39:365, 472; 42:391, 470, 506, 510, 513. lineata 14:176; 15:76; 23:110, 277; 24:94, 151; 26:93, 94; 40:463. occidentalis 26:94. Schaffneriana 26:94

Lilia 49:137

Liliaceae 5:246; 6:110; 10:128; 11:131; 25:7, 157; 26:223; 28:73; 29:210; 31:11, 43; 32: 244; 36:279; 37:386; 43:79, 83; 44:454; 45: 308, 443; 46:1, 2, 11; 47:206; 48:266; 49: 255, 288; 50:294, 301. subfam. Asphodeloideae 9:37

Lilies 42:381, 444; 44:221, 454; 48:102. Cow 21:183, 184. Water 21:183

Liliiflorae 48:267

Lilium 6:110; 7:160, 161, 190; 10:129; 13:227; 21:180; 42:403; 44:220, 221; 47:385; 49:137. canadense 2:217; 3:129; 4:89; 10:129; 12: 111; 13:141, 161; 15:217; 16:13; 23:136, 300, pl. 130 (map 10); 37:356; 40:274; 44:225, 407, 453–455, fig. 1; 45:394, 395, 512–515, pl. 771; 46:86, 87; f. rubrum 44:454; 45:394; var. editorum 45:393-395, pl. 771. carolinianum 41:471, 485, 538, map 13; 46:80. Catesbaei 42:381, 443, 444, pl. 632; var. Longii 42:443, 444, pl. 632; 44:349. Michauxii 42:382; 46:80; 49:133. michiganense 35:362; 44:220, 222-226, 453-455. fig. 1; 45:394, 395, 512, 514; 46:86, 87. philng. 1, 43.34, 39. 312, 314, 40.30, 31. pinter adelphicum 2:217; 4:89; 10:129; 11:131; 15:217; 19:164; 32:216, 244; f. flaviflorum 15:218; var. andinum 36:279. superbum 2:217; 13:8; 19:127; 24:84; 32:117, 212; 35:362; 38:98; 39:470; 44:220, 221, 223–227, 45:302, 30:303, 55:470; 44:220, 221, 223-221, 453-455; 45:395, 512-515; 46:21-23, 86, 87, tigrinum 6:110; 7:39; 8:65; 10:129; 16:39; 26:223; 31:83; 32:159, 244; 50:301

Lily 21:180; 45:512, 513; 46:21, 22. Adder'stongue 46:314. Cow 4:93; 10:49. Day 25:

175. Fairy 21:75. Water 10:49; 13:191; 29:235–237, 239. White Pond 10:49. Yellow Pond 16:137, 139. Water 29:235–237 Lily-of-the-Valley 25:174; 28:57; 46:12

Limnanthemum 10:55; 22:89. aquaticum 10: 55. lacunosum 1:184; 2:201; 4:76; 5:134; 7:75, 110; 10:54; 40:338, 340; a 40:338, 339; β. australe 40:339. trachyspermum 10:55; 42:298

Limnetis cynosuroides 49:115. juncea 49:114, 115; var. monogyna 49:114, 115

Limnobium 38:401; 44:379. Bosci 44:379. Spongia 38:377, 384; 39:481; 42:512, 529; 44:365, 370, 378, 379; 45:461

Limnocharis albibracteata 31:179. emarginata

3:202, 205, pl. 33

Limnochloa 31:124, 127, 179. acutangula 31: 153. articulata 31:131. Baeothryon 31:172. calyptrata 39:266. capensis 41:61, 97. cauduciflora 26:158. constricta 39:261. crassiculmis 39:259. fistulosa 31:153. geniculata 41:51. media 31:153. montevidensis 41: 71. mutata 31:134. obsoleta 41:11. obtusetrigona 31:161; 41:4. parvula 31:169. spiralis 31:135, tetraquetra 41:100, truncata 41:68

Limnoecia phragmitella 43:91

Limnorchis 4:79. dilatata 4:80; 6:111. fra-grans 4:80, 81; 6:111. huronensis 4:79, 81. hyperborea 4:80, 81; 6:111. major 4:79, 81. media 4:79-81; 7:106; 10:70

Limodorum 27:193-196. altum 23:132. falcatum 27:107. praecox 48:190, 191. pul-chellum 27:195. Royleanum 27:106. tuberosum 8:29; 13:220; 21:119; 23:132; 27:193-196; 28:139; f. latifolium 48:188; var. nanum 48:189

Limonietum 39:54. trichogonum 39:56

Limonium 11:54; 18:54-56, 94, 156; 19:1; 24: 232; 25:55; 29:1. angustatum 18:54, 57-60. 65, pl. 118; 25:55-57. brasiliense 18:54, 58. californicum 18:54, 57, 60, 61, 64, 66, pl. 119; 25:56, 58, 60. carolinianum 11:229; 17:35, 147, 217, 221; 18:53, 54, 57–59, 61–65, 98, pl. 118; 24:232; 25:55-59; 32:159, 270; 39:53, 374, 375; var. angustatum 25:56-59; 38:439. collinum 18:158. commune, var. californicum 18:64. Endlichianum 18:57, 60; 25:59. eximium, var. album 18:158; var. superbum 18:158. imbricatum 18: 158. latifolium, var. album 18:158; var. roseum 18:158. Lefroyi 18:54. limbatum 18:54, 57, 64–66, pl. 119; 25:59, 60. mexicanum 18:54, 57, 59, 65, pl. 118; 25:56, 57, 59. Nashii 18:54, 57, 58, 61, 63–65, pl. 118; 25:55, 57–59; var. trichogonum 25:58; 32: 270: 38:439 obtasilohum 18:57–63 270; 38:439. obtusilobum 18:57, 63, 66, pl. 119; 25:60. Perezii 18:158. profusum 18:158. purpuratum 18:158; var. longifolium 18:158. sinuatum, var.candidissimum 18:159. superbum 18:159; var. flore-albo 18:159. Suworowii, var. album 18:159. tataricum, var. angustifolium 18:159; var. coccineum 18:159; var. nanum 18:159. trichogonum 18:53, 57, **61,** 63, 66, pl. **119**; 20:106; 24:232; 25: 60; 25:55, 58; 29:89; 39:53, 54. vulgare. var. album 18:159; var. macrocladum 18: 159

Limosella 12:143; 20:162; 25:64. aquatica 10:20; 20:160-163; 23:110; 28:87, 225; 33: 74; 36:308; 43:209; 48:115, 116; var. tenuifolia 4:33; 7:33, 36; 12:120, 143; 13:182; 15:76; 19:248; 20:160, 161, 164; 25:64; 32: 274. maritima 20:162, 164. subulata 20: 162–164; 23:110, 150, 290; 24:182; 25:64; 26:222; 27:203; 32:149, 173, 177, 214, 274; 33:73, 74; 37:380, 416, 440; 43:209; 50:299. tenuifolia 20:160, 162, 164
Linaceae 6:121; 21:78; 31:43; 32:257; 36:282;

45:313

Linagrostis 7:129, 130, alpina 8:161, paniculata 7:87. polystachia 7:88

Linanthus Harknessii 41:506

Linaria 6:128; 11:56; 25:64; 41:382; 49:254. bipartita 24:119. canadensis 2:168, 169; 5: 129; 7:33; 17:36, 209, 218, 220; 18:43; 23: 290; 24:88; 25:64; 26:186, 227; 32:151, 273; 36:43, 49, 54; 37:322; 38:443; 41:558; 44: 343; 50:299; f. albina 45:476; f. cleistogama 38:443; var. texana 36:220; 41:490, 558. Cymbalaria 7:33, 36; 25:64. dalmatica 50:214. Elatine 7:33, 36; 25:64. genistaefolia 9:14; 14:234; 25:64; 43:556. Linaria 6:128; 9:51. minor 12:142; 14:204; 16:40; 18:71; 20:107; 23:132, 290; 25; 64; 34:176; 41:473, 558. odorata 46:324. perenne 45:329. repens 25:64; 31:85; 49: 251. reticulata 24:119. Spartea 24:119. supina 25:64. vulgaris 6:128; 7:27, 33; 11: 130; 14:235; 17:36, 217; 23:131; 25:64; 26: 227; 32:160, 274; 36:220; 39:319; 40:443; 42:338; 49:251; 50:303; f. leucantha 23:290 Lindera 8:197, 198; 47:140. Benzoin 4:132; 5:134; 6:85; 8:196, 198; 47:141, 142, pl. 889.

triloba 20:99. umbellata 20:99 Lindernia 16:88; 44:162, 441. anagallidea 46: 139; 48:330; 50:299. attenuata 7:35; 10:67. dubia 44:441–446, pls. 731, 732; subsp. major 44:442–446, pls. 731, 733; subsp. typica 44:442; var. inundata 44:356, 445, 446, pl. 733; var. **riparia** 44:444-446, pl. 732. pyxidaria 10:67. refracta 44:256

Ling 10:175; 15:189; 28:52. Scotch 10:178

Ling-berry 12:23 Lingon 12:23

Lingonris 4:232

Linnaea 3:34, 149; 6:125, 130; 13:217; 18:185; 21:31; 22:181; 23:109; 26:15; 33:109; 41: 290; 44:30. americana 6:56, 130; 24:210-212; 29:220. borealis 1:184, 192, 200; 2:201, 218; 3:176, 188; 5:50; 6:54, 56, 130; 7:110; 22:134, 181; 24:210-212; 27:13, 14; 28:81; 29:189, 220; 33:178; 41:146; 42:311, 339; f. curticalyx 24:212; f. integerrima 24:212; f. minutifolia 24:212; var. americana 6:56; 13:78, 125; 17:152; 18:43, 71; 19:249; 22: 40, 43, 48; 24:210-212; 25:11; 26:15; 29: 189; 32:179, 206; 33:51, 125; 34:55; 36:284; 37:206; 38:158; 41:290; 42:339; var. longiflora 24:210-212; f. angustissima 24:212; f. insularis 24:212; f. orientalis 24:212. longiflora 24:212. flora 24:212. serpyllifolia 24:210, 211

Linosyris squamata 40:320, 321; var. Breweri 40:320, 321; var. Palmeri 40:320, 322

40:320, 321; var. Palmeri 40:320, 322
Linum 6:121; 14:56; 21:78; 47:385. Berlandieri 34:6. catharticum 5:119; 13:116; 14:56; 15:203; 22:111; 23:68; 32:17; 35: 15, 277, 278; 43:634; 47:68, 362. floridanum 12:190; 13:151; 18:224; 37:428-430, 453, pl. 396; 39:435, 467, 481; 47:216; 50:17; var. intercursum 18:224; 19:229; 32:177, 212. intercursum 18:224; 37:429, 430, 453, pl. 396; 39:475, 481, 487; 50:17. Lewisii 36:282; 41: 254; 42:333; 45:313. medium 3:64; 6:141; 19:229; 21:78; 24:117; 35:363; 37:427-430, 453, pl. 396; var. texanum 37:428-430, 453, pl. 396; 38:377; var. typicum 37:428, 429, pl. 396. perenne 41:254. rigidum 34:6. pl. 396. perenne 41:254. rigidum 34:6. San-Sabeanum 40:50, 51. striatum 11:83; 21:78; 24:88; 32:177, 257; 36:220; 37:350, 429-431; var. multijugum 37:431. sulcatum 6:141; 10:43; 15:67; 21:78; 35:388; 36:220; 38:192; 48:115. usitatissimum 6: 78, 121; 9:119; 21:78. virginianum 1:43, 205; 2:157; 3:65; 14:28; 21:78; 24:185; 32: 257; 37:428, 429; γ. angustifolium 37:428; var. α. microcarpum 37:428; var. β. medium 37:428; var. β. oppositifolium 37:431; var. δ. ? texanum 37:428, 429

Liochlaena lanceolata 4:30

Liparis 2:172; 6:112; 7:120; 9:53; 11:78; 19: 57; 31:8, 15; 40:249; 48:189; 49:137. lilifolia 1:26, 103; 2:180; 4:18, 20, 21, 74; 11: 78; 12:168; 23:197; 34:19; 37:381, 413, 437; 38:378; 40:252; 42:40; 49:137; f. viridiflora 34:18. Loeselii 1:181; 3:189; 4:19, 62; 5: 82; 6:112; 11:78, 200; 19:30, 57, 131; 22:43, 47; 23:141, 245; 25:45; 32:124, 125, 178, 213, 246; 34:18, 191, 192; 40:251, 252; 42:200;

Lipocarpha maculata 39:353, 359, 389, 476 Lippia 7:159; 30:54. cuneifolia 34:6. lanceo-lata 37:131, 178, 188, pl. 350; 38:378; 39: 477; 40:372; var. recognita 37:178, 188, pl. 350. ligustrina 37:78. nodiflora 37:439; 38:378; 39:482; 42:370, 389, 478, 510 Liquidambar 1:130; 9:37; 21:50, 190; 28:35; 32:95, 98, 99; 33:30, 91; 38:440; 39:330; 41:

484; 45:108. peregrina 40:379, 411, 412. Styraciflua 1:130; 2:37; 14:81; 18:246, 247; 20:196; 21:49; 32:95, 98, 100, pls. 200, 201; 37:351-354, 361, figs. 1, 2A, 2B (maps); 38: 377; 40:452

Liquidambareae 32:95; 33:81

Liriodendron 13:217; 17:224; 21:190; 32:98, 99; 37:308; 41:484; 42:512; 49:83; 50:36. Tulipifera 2:122; 13:217; 21:189; 32:12; 33:

Tulipifera 2:122; 13:217; 21:189; 32:12; 33: 32; 37:437; 39:473
Listera 1:111; 6:112; 7:159; 9:53; 11:78; 18: 71; 19:57; 24:187; 35:61; 42:151. auriculata 1:111; 3:152; 4:19; 6:139, 193; 13:116, 138; 24:187; 44:120; 48:82. australis 19: 31, 51; 22:15; 23:126; 24:87, 187, 188; 25: 47; 37:308; 38:402. Banksiana 50:231, 232, pl. 1116. borealis 29:141; 35:60, 61, 241; 36:329; 41:149, 215. caurina 50:232, 233, pl. 1116. convallarioides 1:111, 193; 3:172; 4:19: 6:112: 10:146: 11:92: 13:138: 18:71. 4:19; 6:112; 10:146; 11:92; 13:138; 18:71; 21:192; 22:40, 47; 23:137, 170; 24:187; 28:75; 29:121, 129, 156, 211; 32:205; 35:277; 50:232, 233, pl. 1117. cordata 1:111, 184; 3: 172; 4:19, 21; 5:82; 6:112; 11:78, 92; 13: 138; 17:154; 19:57, 131; 22:40, 43, 47; 24: 187; 25:8; 29:132, 156, 211; 32:205; 33:119; 34:52; 36:279; 37:64, 206. Eschscholziana 50:232, pl. 1117. ovata 3:202. Smallii 37: 315

Listeras 1:111

Lithoderma fatiscens 8:158

Lithodesmium undulatum 9:139 Lithophyllum macrocarpum 50:266. pustula-

tum 50:266, 267

Lithosiphon 40:26. pusillus 1:126; 40:26, 27 Lithosiphon 40:26. pusillus 1:126; 40:26, 27 Lithospermum 25:30; 46:497. angustifolium 3:215; 34:6; 46:496, 497. arvense 1:82; 2: 205; 3:214; 13:89; 25:30; 40:445; 50:124. bejariense 37:330. callosum 46:496, 497. canescens 36:224. carolinianum 37:330. caroliniense 17:131, 137; 34:206; 36:54; 37: 329-331, 341, pl. 376; 43:498, 506, 637. ciliatum 46:406 tum 46:496. croceum 37:329, 331, 341, pl. 376. digynum 46:496. Gmelini 17:131, 137; 37:70, 329, 330. heliotropioides 46:496. hirtum 37:329, 330. hispidum 46:496. latifolium 25:30; 46:496, 497; 50:124. lutescens 46:496; 50:124. luteum 46:496, 497. officinale 3:214; 12:170; 35:248; 47:390. strigosum 37:330

Lithothamnion 2:210; 10:156; 26:189. circumscriptum 2:50. colliculosum 2:50. compactum 2:50; 23:67. evanescens 2:50. flabellatum 2:50. foecundum 2:50. glaciale 7:243; 23:67. laeve 2:50. laevigatum 2: 50; 7:235. Lenormandi 2:50; 26:214; 50:

148 Rhodora

266. norvegicum 2:50. polymorphum 2:50; 23:67; 50:266. Ungeri 2:50; var. fastigiatum 2:50

Litsea 15:18; 33:53; 47:150; 49:86. aestivalis 47:140, 142, pl. 888. geniculata 42:362, 397; 43:492; 47:140, 142, 150, pl. 888

Littorella 7:158; 24:203; 36:350. americana 20:62; 23:135; 24:203; 28:86; 33:79; 36:194, 350; 37:31; 49:251. lacustris 4:129; 23:135; 37:31. uniflora 20:61, 62; 21:191; 22:16; 33:79; 36:194; 41:56

Littorina 50:260

Live Oak 46:44

Liverwort(s) 4:81; 5:50; 13:221; 23:70; 27:

Lloydia 36:10. serotina 34:245; 36:10; 41: 147, 160, 214; 42:319

Loasaceae 34:166, 167; 43:92

Loaseae 8:226

Lobaria 29:98. amplissima 29:99. laciniata 28:227. pulmonaria 28:227. scrobiculata

28:227

Lobelia 6:130; 26:19; 33:39; 38:241-263, fig. 1; 39:203, 345; 40:175; 46:306, 307; 47:102, 385; 50:48, 192. § Eulobelia 38:244, 245. § Hemipogon 38:244, 245. amaena 38:284. amoena 38:248, 251, 254, 256, 260, 283, 285. 297, 359, fig. 2, 7 (map), pl. 435; 40:175-177; var. glandulifera 38:286, 292; var. obtusata 38:286. antisiphilitica 38:279. aphylla 38: 354. appendiculata 38:248-250, 253, 255, 256, 262, 313, 321, 327-329, figs. 2, 19 (map), 23 (map). Berlandieri 38:258. Bollii 38:282. Boykinii 38:248, 249, 255, Bollii 38:282. Boykinii 38:248, 249, 255, 261, 326, 351, fig. 2, 22 (map); 45:55. bracteata 38:305. brevifolia 38:248, 251, 252, 255, 256, 259, 286, 288, 290, 291, figs. 2, 11 (map); × puberula 38:291. Canbyi 38: 248, 249, 252, 255, 261, 324, 325, 359, figs. 2, 21 (map), pl. 435; 45:55. Cardinalis 3:296-298; 4:15; 5:284-286, pl. 49; 6:142; 9:120, 122; 21:217; 26:19; 27:200; 31:147; 32:216, 276; 35:252, 360, 364; 37:195, 350, 354; 38: 243, 246, 248, 250, 254, 255, 257, 259, 276, 359, figs. 2, 3 (map), pl. 435; 40:175, 176; 42:104; β. alba 21:218; γ. candida 21:218; 42:104; β. alba 21:218; γ. candida 21:218; f. alba 21:218; 24:120; 26:19; 42:47, 104; f. rosea 21:217; 42:47; var. alba 21:218. Claytoniana 38:308; 40:175–177. Cliffortiana 38:245, 258, 322, 323, 355, 359, pl. 435; var. brachypoda 38:258; var. xalapensis 38: 355. crassiuscula 38:288. Dortmanna 1: 155, 184; 2:125; 4:15, 76; 5:50, 130, 134; 6: 130; 7:110; 9:119; 11:98, 129; 13:139; 14: 130; 7:110; 9:119; 11:98, 129; 13:139; 14:26, 30; 15:204; 22:136; 23:102; 26:19; 29:131, 220; 33:39, 113, 125; 35:85, 87, 311, map 8; 36:128, 350; 38:243, 247, 253-255, 257, 261, 340, 357-359, figs. 2, 30 (map), pl. 435; 41:56. Douglassii 50:107, 124. elongata 38:248, 251, 254, 255, 260, 283-286, 292, 378, 445, figs. 2, 8 (map); 39:476, 497; 40:175-177, 181; 42:279, 511, 513; 44:241, 369, 458; 45:461; 49:90, 185, 186. Erynus 50:107. falcata 38:356. Feayana 38:248, 255, 256, 261, 354, 359, figs. 2, 8 (map), pl. 255, 256, 261, 354, 359, figs. 2, 28 (map), pl. 255, 256, 261, 354, 359, figs. 2, 28 (map), pl. 435. fenestralis 38:245, 252, 258. flaccidifolia 38:248, 250, 255, 256, 262, 347, figs. 2, 24 (map). floridana 38:248, 250, 253, 255, 256, 261, 349–351, 359, figs. 2, 25 (map), pl. 435. fulgens 38:243, 250, 259, 362. Gattingeri 38:248–250, 255, 256, 262, 327, 328, 346, 359, figs. 2, 23 (map), pl. 435; 42:6; 46: 340, 359, 11gs. 2, 23 (map), pl. 455; 42:6; 46: 307. georgiana 49:89. glandulifera 38:248, 251, 254, 255, 260, 286, figs. 2, 9 (map); 39: 339, 343, 345, 363, 450, 477, 486, map 20; 41: 478; 42:362; 43:492; 45:377, 477; 47:102; 49:89. glandulosa 38:248, 251, 255, 256, 260, 288, 291, 292, 359, figs. 2, 10 (map), pl. 435; 39:476, 497; 40:175–177; 41:537; 49:185, 186; 50:192, 193; β. glabra 49:186; γ. obusifolia 49:184; var glabra 38:284; 40:186. tusifolia 49:184; var. glabra 38:284; 49:186; var. laevicalyx 49:186. goodenioides 38: 308. gracilis 38:352; 40:176. gruina 38: 245, 258. Halei 38:248, 250, 253, 255, 256, 262, 347-349, figs. 2, 24 (map). hirtella 38: 313. inflata 3:296, 297; 4:15; 5:129; 6:130; 9:122; 18:43; 21:170; 26:19; 32:176; 38: 248, 249, 255, 257, 261, 322, 359, figs. 2, 20 (map), pl. 435; 40:176; 46:27; × Cardinalis 3:296. Kalmii 1:40, 48; 4:15; 6:130; 9:164, 5:29. Rainin 1.40, 48, 4.15, 0.130, 9.104, 189, 190; 12:112, 114, 117; 13:138; 14:199; 15:121; 18:101; 19:64; 26:19; 32:18; 35: 91; 37:204, 366; 38:247, 252–255, 257, 261, 352, 355, 359, figs. 2, 29 (map), pl. 435; 40: 176; 44:457; var. caroliniana 38:352; var. gracilis 38:352; var. strictiflora 38:356. leptotable 26:221; 28:240, 205; 246: 46:177 tostachys 36:231; 38:249, 305, 346; 40:177. ludoviciana 38:290, 348. Michauxii 38:322. microphylla 38:354. nivea 38:308. microphylla 38:354. nivea 38:308. nudicaulis 38:350. Nuttalli 37:380, 413, 446; 38:248, 252, 255, 256, 261, 324, 352, 355, 359, figs. 2, 27 (map), pl. 435; 39:198, 477; 40:176. pallida 38:308, 318, 350; 40:175–177. paludosa 38:248, 250, 253, 255, 256, 261, 350, figs. 2, 26 (map); 40:176, 177; var. floridana 38:349. paniculata 38:319. puberula 37: 350, 356; 38:248, 251–253, 255, 256, 260, 278, 284, 291, 292, 297, 308, 317, 359, 377, figs. 2, 13 (map), pl. 435; 39:497; 40:175–177; 49: 182-186; β. glabella 49:184; f. candida 41: **570**; form a 38:293, 294, 296, fig. 12 (map); form b 38:295, 296; form c 38:296; form d 38:296; var. glabella 38:284, 292, 294, 296; 40:175, 177; 49:184, 185; var. laeviuscula 49:184; var. mineolana 38:297; 49:186; var. obtusifolia 49:184; var. pauciflora 38: 297; var. simulans 49:184. sessilifolia 38: 245. siphilitica 1:171; 4:15, 20; 5:284–286, pl. 49; 13:218; 24:184; 26:19; 34:64; 35: 360; 38:246, 248, 251, 254, 255, 257, 259, 278, 282, 284, 359, 366, figs. 2, 5 (map), pl. 435; 39:497; 40:175, 176; 41:475, 570; 43:520, 652; 44:240; 45:477; × Cardinalis 5:284–286, pl. 49; f. laevicalyx 45:476; var. ludoviciana 38:251, 255, 259, 281, 282, figs. 2, 6 318, 321, 329, figs. 2, 16 (map), 19 (map);

var. leptostachys 38:248, 249, 251, 253, 255, 255, 262, 317, 318, 320, figs. 2, 18 (map); 40:176, 177. splendens 38:243, 250, 258, 259, 277, 362, fig. 4 (map). strictiflora 38:356. × syphilitico-cardinalis 5:284–286, pl. 49. urens 38:243. xalapensis 38:258, 355, 359

Lobelia, Water 36:128 Lobeliaceae 4:15; 6:130; 18:43; 21:170; 26: 19; 29:220; 31:43; 32:276; 49:255, 288

Lobeliae 38:244

Lobelias 38:243, 245, 257; 40:175 Lobelioideae 38:243, 244

Loblolly Bay 44:364; 49:151, 152. Pine 23: 195; 47:102; 50:183, 184. Tree 49:152 Lobomonas rostrata 50:277

Lobularia 18:219. maritima 18:219

Locust 7:125; 11:128. Black 25:173. Clammy 12:181. Common 12:181. Honey 17:49

Loeflingia texana 45:268

Loiseleuria 3:156; 9:54; 13:123; 29:227; 40: 278. procumbens 1:93; 2:97; 3:165, 175, 195; 9:154, 162, 169, 177; 11:97; 12:107; 13:117; 22:37, 44, 46; 27:52; 28:56; 29:218; 35:5, 121, 125, 233; 41:148, 163, 275; 42:335; 50:126

Lolium 6:106; 7:160, 161; 15:148; 47:280; 48: 26; 49:267. Boucheanum 19:121. multiflorum 15:148; 19:121; 37:83; 44:70; 48: 21; 49:267; f. submuticum 43:532; var. diminutum 19:121; 48:21; 49:267. perenne 6:97, 106; 15:148; 16:87; 19:121; 23:123; 29:207; 31:83; 40:373; 44:70; 48:21; 49: 267. temulentum 1:105; 6:138; 12:185; 15: 148; 48:21; 49:267; var. leptochaeton 12: 185; 15:148; 19:121; 48:21; 49:267

Lomaria 17:161

Lomatium 21:182; 34:6; 40:180. daucifolium

36:224, 232. Gormani 29:35

Lomatogonium 21:193, 194, 197. brachyan-therum 21:197. carinthiacum 21:194, 197; var. Stellerianum 21:197. diffusum 21: 198. Forresti 21:197. Lubahnianum 21: 198. macranthum 21:197. minus 21: 198. rotatum 21:194, 196, 197; 28:53, 54, 60; 31:143; 41:161, 280; 49:154; f. americanum 21:197. canum 21:197; f. ovalifolium 21:197; 44: 144; f. tenuifolium 21:197; 42:337; f. typicum 21:197. spathulatum 21:198. sulcatum 21:195. Thomsoni 21:197 Lombardy Poplar 16:206

Lomentaceae 47:385

Lomentaria Baileyana 50:266. orcadensis 43: 74. rosea 2:50; 3:135; 35:151. uncinata 2: 50; 7:232; 35:148; 50:266; var. filiformis 2:

Lonchocarpus 47:289, 290

Long Blackberry 10:121 Long-leaf Pine 41:488; 42:365; 43:487; 45: 369, 374–376; 50:182–186, 241–247 Long-tongued Bees 41:185

Lonicera 4:40; 6:23, 130; 11:211; 12:166, 167, 184; 16:118; 22:110; 26:15; 27:1, 2; 29: 188; 33:110; 40:145. \$ Chlamydocarpi 11: 210. § Vesicariae 11:210. sub-§ Coeruleae 27:1. subgen. Chamaecerasus 11:211. subgen. Periclymenum 11:211; 27:7. alba 16: 118, 119. bella 24:120; 41:35. caerulea 1: 97, 180, 183; 2:123, 208; 3:65, 177, 198; 4: 24; 6:54, 56, 130; 10:167; 11:209–211; 12: 209; 27:1, 3, 4, 6, 7, 11; 29:188, 220; var. angustifolia 11:210; var. calvescens 12:210, 211; 26:15; 27:3, 8, 9; 38:158; var. canadensis 12:210; var. villosa 6:56; 9:163, 190; 11.98; 12:109, 117, 129, 209-211; 17:150; 22:38; 26:15; 27:1-3, 5-8; 34:55. canadensis 6:24, 54, 56, 130; 12:129, 184; 13:141, 161; 14:75; 15:121; 16:118; 17:152; 19:249; 21:130, 199; 22:134; 24:120; 26:15; 32:206; 21:130, 199; 22:134; 24:120; 26:15; 32:206; 33:110, 125. cauriana 27:10. ciliata 5:36; 6:24, 56, 97, 130; 16:118. conjugialis 11: 211. dioica 1:222; 3:235; 6:24, 54; 13:182; 15:118; 42:103, 104, 292. emphyllocalyx 11: 210. Ferdinandi 11:210. flava 12:167; 36: 231. flavescens 12:167. flavida 12:167; glauca 3:235; 4:131; 6:24. glaucescens 25: 13. Griffithii 11:211. hirsuta 6:54.56:26. 213. Griffithii 11:211. hirsuta 6:54, 56; 26: 15; 48:202, 203. involuerata 7:5; 10:20; 11:211; 13:115; 23:248; 26:125; 36:284; 44: 106, 120. japonica 6:54, 57; 26:15, 228; 32: 159, 276; 35:364; 37:380; 40:443; 50:65, 300. Morrowi 6:54, 57; 10:151; 19:248; 24:181; 26:15; 28:39; 29:245; 44:334. oblongifolia 6:54, 57, 130; 9:189; 11:211; 12: 117-119; 13:111, 217, 221; 19:32; 21:65; 24: 100; 29:110; 41:35. parviflora, var. Sullivantii 12:167. Periclymenum 23:291. prolifera 12:166, 167; 26:16. reticulata 12: 166. rupestris 12:166. sempervirens 4:40; 6:54, 57; 12:176, 184; 26:16; 36:51; var. flava 26:16; var. Sullivantii 12:167. Solonis 27:2, 6. Sullivantii 12:166, 167; 26:16. tatarica 6:54, 57; 16:40; 19:249; 26:16; 28: 39; 42:46. velutina 27:2, 5; 29:188, 220. venulosa 27:4. vesicaria 11:210. villosa 27:2, 4-8, 10, 11; 28:59; 76; 29:130, 188, 220; 34:55; 35:122; var. calvescens 27:5, **8**; 29: 130, 189, 220; 38:158; var. Fulleri 27:5, **10**; var. Solonis 27:5, **6**, 8, 9; 33: 112, 125; 37: 332; var. tonsa 27:5, **9**, 10; 33:207; 47:45; var. typica 27:5; 29:188; 36:284. Xylosteum 6:54, 57, 26:16 teum 6:54, 57; 26:16 Loosestrife(s) 1:131; 43:342. Purple 32:14.

Spiked 32:109

Lophanthus 4:88. anisatus 1:171. nepetoides 8:223. scrophulariaefolius 1:220; 2:126; 4: 89, 94; var. mollis 1:220 Lophatherum 21:216

Lophiocarpus calycinus 24:73

Lophiola 21:68; 23:92, 160-163, 168, 300, pl. 130 (map 17); 32:170; 40:273; 43:36; americana 23:163, 243, 244; 24:167; 40:274; 44:233; 45:55, 415; 50:125. aurea 21:68; 23:162, 163, 243; 40:355; 45:415, 512; 50: 125. **septentrionalis** 23:**243**, 244; 24:167; 45:55

Lophocolea 19:270. alata 17:107, 111, 112;

21:169; 25:194, 198. Austini 5:172; 8:37, 39, 41; 15:28. bidentata 5:172; 7:58; 15: 24; 17:112; 25:194; 26:8. crocata 8:37, 40. cuspidata 17:111, 112; var. alata 17:111. Hallii 8:40. heterophylla 4:30; 5:172; 8: 37, 39-41; 15:24, 28; 25:194; 26:8, 219. Macounii 8:37, 40, 41. minor 5:172; 7:58; 8:37, 39; 10:192; 14:215, 224; 15:24; 25: 194. profunda 8:40. vagesiaga 19:268 194. profunda 8:40. vogesiaca 19:268

Lophodermium juniperinum 44:171. pinastri

39:372: 41:516

Lophophora Williamsii 35:224, 225; 37:78 Lophotocarpus 12:3; 24:71, 73; 29:249, 251; 33:36, 42; 37:386; 44:219. calycinus 24:71-73, pl. 137; 37:350, 356, 358, fig. 4 (map); 48:330; f. depauperatus 38:73; f. fluitans 40:177; f. maximus 38:73; var. maximus 10:31; 24:72; 38:73; var. spongiosus 24: 73, pl. 137; 29:248, 251; 40:462. depauperatus 38:73. fluitans 40:178. spatulatus 24:72, 73. spongiosus 12:3, 120, 143; 13:177; 15:76; 20:102; 21:115; 24:71-73, 182;

44:219; f. laminatus 38:73; 44:219 Lophozia 5:51; 9:56; 12:193; 14:211; 19:263. acuta 8:35. alpestris 3:181; 5:172; 9:59; 12:204; 14:18; 15:24; 18:119; 25:194; 26:8. attenuata 3:181; 10:187, 188, 190; 14:211; 15:24, 28; 18:119; 25:194; 26:8; 39:14, 34. badensis 12:197, 198; 14:211; 15:24, 27; 19: 272; 25:194. barbata 3:181, 299; 4:210, 211; 5:172; 7:58; 14:212; 15:24; 25:194; 26:8. Baueriana 10:188, 189; 14:210, 211. bicrenata 4:209; 5:172; 8:35, 44; 10:192; 15:24; 25:194; 26:8. capitata 8:34. confertifolia 9:59; 11:195; 15:24, 27; 16:75; 25:194; 26:8. excisa 8:34-36; 9:73; 14:17, 18; 15:24, 27; 25:194; 26:8. exsecta 6:171. Floerkii 4:210, 211; 5:172; 6:168, 190; 7:53; 10:188; 15:24; 25:194; var. Baueriana 10: 188. gracilis 4:210; 5:172; 7:58; 10:187; 15:28. grandiretis 16:62, 65, 66; 25:194, 198; var. humilis 16:65. harpanthoides 14: 211. Hatcheri 10:188; 14:210, 211; 15:24, 27; 17:120; 25:194; 39:14, 34. heterocolpa 8:36; 14:211, 212; 15:24, 27; 19:263, 272; 25:82, 194. incisa 3:181; 5:172; 7:58; 15: 25:82, 194. incisa 3:181; 5:172; 7:58; 15: 24; 16:66, 67; 25:194; 26:8; 39:14. inflata 3:181; 5:51, 172; 7:53; 10:114; 14:13; 15: 24; 19:272; 25:194; 26:8, 9. Kaurini 12: 193, 198, 199; 14:211; 15:24, 27; 16:75; 25: 194; 39:13, 34. Kunzeana 7:52, 53; 15: 24, 27; 19:263; 25:194; 26:9; 39:14, 35. Libertae 8:35. longidens 9:59, 60; 15:24, 27: 17:190; 10:263; 25:105; 26:0; 20:14; 26 27; 17:120; 19:263; 25:195; 26:9; 39:14, 35. longiflora 10:189; 11:195; 15:24, 27; 25: 195; 26:9. lycopodioides 3:181; 4:210, 211; 5:172; 6:168; 10:188; 15:24; 25:195; var. Floerkii 4:210. Lyoni 4:210, 211; 5:172; 15:28; 16:67, 68. marchica 4:211, 212; 5: 172; 6:190; 10:192; 11:118; 12:199, 200; 14:224, 225; 15:24; 16:67; 25:195; 26:9. Michauxii 5:51. Mildeana 12:199, 200; 15: 24, 27; 16:66, 67; 25:98, 195. Muelleri 8: 35, 36; 12:197, 198; 14:211, 212; 25:82. novae-caesariae 12:199. obtusa 14:212; 15: 24, 27; 25:195; 39:3, 14, 35. porphyroleuca

8:36, 37; 9:66, 73; 10:189; 14:18; 15:24, 27; 19:263; 25:195; 26:9. quinquedentata 4: 210, 211; 15:25, 28; 16:62, 67, 68; 25:195; 39:36. Rutheana 12:198, 199. ventricosa 3:181; 5:51, 172; 8:35-37; 9:59; 10:189, 192; 15:25; 25:195; 26:9; var. longiflora 10: 189. Wenzelii 9:59

Lophoziaceae 25:194, 195; 26:8; 39:33

Lophura floccosa 21:207

Loranthaceae 2:1; 6:85; 10:36; 17:171; 31: 43; 49:58

Loranthus 44:35 Lotoidea 30:59 Lotononis 41:317

Lotus 18:163; 20:169; 38:272; 49:254. arabicus 6:84. corniculatus 2:92; 8:72; 20:169; 24:150; 32:4; 49:250. siliquosus 9:48. tenuis 7:167

Lotus. American 36:23

Lousewort 4:88

Love Lies Bleeding 17:179

Low Black Blueberry 12:183. Blueberry 18: 67; 23:135. Juniper 12:177. Rose 12:180. Sweet Blueberry 12:183

Lucilia cornicina 38:91 Ludwigia 11:52; 23:116; 47:105; 49:99. \$ Isnardia 37:175, 188, pl. 349. alata 38:438; 39:480; 42:510, 513; 44:370, 430; 45:461; 49:90, 156. alternifolia 5:203; 23:116; 26: 176; 32:213; 38:377; 39:472, 473; 48:330. apetala 37:176. brevipes 35:228: 37:380. 433; 38:377, 438; 39:472, 473, 475; 40:447; 42:508; 44:343; 49:92, 100, 156. cylindrica 44:256. fluitans 37:175. glandulosa 37:433; 38:377, 438; 39:335, 482; 44:256; 47:101, 161. hirtella 6:176; 39:335, 436, 480; 49:99. lacustris 35:228; f. aquatilis 35:229. lanceolata 44:256. linearis 37:379, 433; 39: 335, 436, 480. microcarpa 42:144. natans 37:175, 176; 44:256; var. rotundata 37:175, 188, pl. 349; 50:97; var. stipitata 37:175, 188, pl. 349; var. typica 37:175, 188, pl. 349. nitida 37:176. palustris 5:132; 14:26; 23:116; 26:226; 32:148, 216, 266; 35:227; 37:175–177; 47:218; f. submersa 35:229; 37:175–177; 47:218; f. submersa 35:229; 41:377; var. americana 37:176, 188, pl. 349; 43:81, 662; 47:218; 50:298; f. elongata 41:377; var. Liebmanni 37:176; var. nana 37:176, 177, 188, pl. 349; 38:381, 438; var. pacifica 37:176, 188, pl. 349; var. typica 37:176, 188, pl. 349. pilosa 37:379, 433; 38:377; 39:480; 44:368, 430; 45:461; 49:99, 156. polycarpa 14:176; 23:116; 37:193. repens 37:175, 176; var. rotundata 37:175. spathulata 37:175. sphaerocarpa 7:75; 10:43; 13:8; 23:116; 24:88; 35:227; 37:173, 174; 44:256; var. Deamii 37:173, 174, 188, pl. 348; var. jungens 37:173, 174, 188, pl. 348; 39:475; 40:371, 447; var. macrocarpa 37:173, 174, 188, pl. 348; var. macrocarpa 37:173, 174, 188, pl. 348; var. typica 37:173, 174, 188, pl. 348. virgata 49:99, 155

Ludwigiantha arcuata 35:227. brevipes 35:

227, 228; 37:433

Luetkea cinerascens 36:11. pectinata 41:245 Luina hypoleuca, var. dentata 32:28

Lunaria 26:230. annua 3:88 Lunatia 5:209; 10:124. heros 5:209; 10:123 Lungwort, Sea 23:102 Lunularia 16:63. cruciata 5:170; 10:192; 15: 22; 23:284; 25:193; 26:6, 7

Lupinaster 30:59

Lupine 11:128; 16:92, 93, 128; 23:105; 41:

482, 563, 564; 42:310

Lupinus 20:169; 46:282. albicaulis 16:93. arcticus 41:146, 149, 155, 249, 250; 42:332; 45:313. cochinchinensis 41:327, diffusus 36:45, 53. Havardi 41:563, 564. nootkatensis 16:94; 23:105, 273; 41:250; var. Kjellmanii 41:249, 250. perennis 2:90; 4:76; 5: 129, 203; 9:124; 14:79, 91, 237; 15:153; 17: 71; 20:169; 24:87; 32:212; 34:97; 36:45; 41:249; 45:356; 47:215; f. albiracemus 16: **129**; f. leucanthus 45:356; f. roseus 14: 237; 16:128; 33:169; 45:356; var. occidentalis 47:215; 49:249; f. albiracemus 45:356; f. bicolor 45:356. polyphyllus 16:94; 23:105, 273. villosus 36:45. yukonensis 41: 249

Lupulina 30:59 Lupulinum 30:59

Luridae 47:384-386, pl. 991

Luzula 6:110; 9:53; 12:14, 98; 15:186; 26: 230; 34:243; 40:83; 41:144; 47:207, 269. § Anthelaea 28:138. § Gymnodes 28:138. § Anthelaea 28:138. § Gymnodes 28:138. § Pterodes 28:138. subgen. Pterodes 5:194. acuminata 46:4, 5; var. carolinae 46:5 arcuata 3:172; 8:31; 41:211, 212; 47:267. bulbosa 40:372, 403. campestris 6:38; 15:38-41; 20:97; 28:133-135; 29:210; 40:83; 47:267, 268; var. acadiensis 19:38, 39; 25:16; 29:130, 154, 210; 33:207; 35:144, 237; 47:267, 271, pl. 962; var. alpina 15:39, 40, 43; 29:56; 35:93, 120, 237; 47:265; var. bulbosa 15:40, 42: 20:97; 24:115, 149; 28:133. bosa 15:40, 42; 20:97; 24:115, 149; 28:133, 134; 36:220, 230; 37:350; 40:83, 84; var. calabra 15:39; var. comosa 15:40, 41, 42; 28:133, 166; 33:119; 47:268; var. congesta 15:39-43; 28:56, 133, 167; 29:127, 154, 210; var. echinata 15:40, 42; 17:64; 19:39; 32: 177, 210, 211, 244; 40:83; var. frigida 6:35, 38; 11:91; 15:39, 40, 42, 186; 38:124, 146; 42:319; 47:265–268; var. macrantha 15:40, 41, 42; 28:133; var. Mannii 28:133; var. migrata 28:133; var. multiflora 6:35, 38, 110; 7:154; 12:98, 128; 15:39, 40, 42, 43, 118, 186; 19:39; 20:97; 28:133; 29:154, 210; 32:244; 33:109, 119; 40:83, 84; 42:319; 47: 267; var. pallescens 15:39, 40, 42, 43; var. sudetica 15:43; var. vulgaris 15:41. caricina 28:135. carolinae 5:194, 195; 17:63; 40:403; 46:4, 5; var. saltuensis 40:404; 46:4. comosa 15:38, 39, 41; 28:135; var. congesta 15:41; 28:135; var. laxa 15:41; var. macrantha 15:41; 28:135; var. subsessi-42:319; 47:265-268; var. macrantha 15:40, var. macrantha 15:41; 28:135; var. subsessilis 15:41; 28:135. confusa 6:35; 9:160; 25: 112; 36:148; 38:112, 114, 116–118, 121, 122, 134, 145; 41:146, 151, 211; 42:319; 44:115; 47:224. echinata 40:83, 84, 85, 403, map 3; var. mesochorea 40:84, 85, map 4. frigida 47:265. glabrata 8:31. hyperborea 41: 211. intermedia 47:271. japonica 41:211;

42:319. labradorica 46:5. luzuloides 50: 213. multiflora 6:38; 28:133–135, 137; 40: 83–85, map 1; 41:146, 211, 212; 42:319; 47: 266–268, 271, pl. 962; f. bulbosa 28:136, figs. 1-3; var. acadiensis 47:267, pl. 962; var. bulbosa 40:84, 85, map 2; var. congesta 47:268, 271, pl. 961; var. frigida 41:212; 42: 319; var. fusconigra 47:266, 267, 271, pl. 962. nemorosa 41:78; 48:82. nivalis 41:212; var. latifolia 41:160, 212. nodulosa 28:138. pallescens 15:42; 28:134. parviflora 6:35, 110, 193; 9:156, 160, 169; 10:206; 36:279; 38:145; 41:154, 212; 42:319; 44:336; 46:5; var. melanocarpa 29:210; 46:5. pilosa 5: 193-195; 17:63; 29:154, 210; 30:29; 41:211; 46:4; β. 5:193, 195. plumosa 5:194, 195. saltuensis 5:195; 6:35; 12:99, 128, 170; 14:75; 15:118; 17:63, 152; 21:200; 24:149; 29:127, 154, 210; 30:29; 33:119; 39:201; 40: 23.127, 134, 210, 210, 23, 33.119, 33.201, 40.
404; 41:211; 46:4. spadicea 8:31; var. melanocarpa 3:172; 5:37; 6:110; var. Wahlenbergii 41:212. spicata 2:97; 3:172; 6:35; 9:160; 13:123; 25:7; 28:110, 146, 166; 35: 7, 81, 120, 298; 36:148; 38:116, 118, 121, 122, 7, 81, 120, 298; 30:148; 38:110, 116, 121, 122, 124, 145; 41:212; 44:115; 49:246; var. tenella 9:160, 167. subsessilis 15:41; 28:133, 135. sudetica 15:43; 35:94, 237; 44:129; 47:265, 266, 271, pl. 961; var. frigida 47:265, 266, 271, pl. 961. vernalis 2:121; 5:193–195. Wahlenbergii 41:167, 212

Lycaeidae 41:186

Lycaena pseudagiolus 37:159

Lycaenidae 42:354

Lychnis 5:236; 6:115; 13:134; 18:86; 36:421; 42:152; 47:385. § Melandrium 34:22. affinis 34:22-25, figs. 3-5; 38:148. alba 5:189, 235, 236; 9:121; 18:86; 26:186, 224; 32:28, 251; 34:25; 35:362; 42:152; 46:84; 50:296. alpina 9:160, 167, 174, 186, 191; 13:118, 136; 35:83, 120; 38:124, 148, 412; 42:259, 260; var. americana 42:259, 260; 44:114; f. albiflora 42:259; var. typica 42:259, 260. albiflora 42:259; var. typica 42:259, 260. apetala 25:112; 34:22; 42:324; 45:310. brachypetala 34:22. chalcedonica 4:85; 5:189; 6:115; 7:108; 18:86. coeli-rosea 18:87. Coronaria 5:189; 11:44; 18:87. dioica 1:223; 5:189, 236; 17:216; 18:87. diurna 5:189. Dorothea 34:23. Flos-cuculi 1:47; 5:189, 235; 6:140; 8:66; 18:71, 87; 23:264; 24:116; 33:165. furcata 34:22-25, figs. 1, 2, 6; 38:119, 124, 148; 41:224. Githago 6:115. Kingii 39:495. pauciflora 34:22. Tayloriae 42:324. vespertina 5:189; 34:25 Lycioides 38:439-441

Lycium 25:60. chinense 25:60; 42:479. hali-

mifolium 25:60. vulgare 7:167 Lycogala epidendrum 2:78; 29:170, 171, 173. flavo-fuscum 29:170. miniatum 1:128, 130 Lycopersicum 11:56; 25:60. esculentum 25: 60; 26:133; 28:72; 41:512, 520

Lycopodes 38:374

Lycopodia 42:359, 405

Lycopodiaceae 6:102; 10:60; 18:32; 23:90. 211, 212; 25:6; 29:205; 31:43; 32:229; 33: 53; 35:355; 36:276; 43:78; 49:255

Lycopodiales 28:18

152 Rhodora

Lycopodioides 44:34 Lycopodium 4:55; 5:290; 6:102, 227; 7:71, 160; 10:60; 14:30; 18:26; 19:31; 24:39; 28: 18; 35:106, 355; 36:13-17; 37:342; 38:139; 41:144; 42:149, 358; 46:282; 49:88; 50:17.
§ Clavata 28:19.
§ Complanata 28:19. adpressum 17:66; 21:119; 23:99, 100, 169; 28: 56; 38:382; 48:135, 136; f. polyclavatum 42: 30, 33.362, 48.136, 130, 130, 1, polydravatini 4, 405; 48:136. alopecuroides 6:176; 10:60; 13:151; 17:66; 23:100; 33:168, 201-203; 35: 355; 36:14, 15, 18, 19, pl. 276; 38:380, 382, 383; 39:334, 479, 480, map 49; 41:111; 42: 358, 359; 48:134, 135; f. adpressum 48:136; subsp. adpressum 48:136; var. 48:136; f. polyclavatum 42:405; 48:136. alpinum 3:280; 9:158; 20:60; 25:6; 29:129, 146, 206; 34:244, 245; 36:15–17; 38:139; 41: 163, 164, 173; 44:115; 47:224. annotinum 5: 47: 6:102; 8:80; 9:63, 74; 10:60; 13:170; 15:157; 17:123, 124, 152; 19:107; 22:48, 133; 23:187, 211, 216; 24:186; 25:6; 26:177; 29: 205; 30:198; 32:205; 34:50, 244; 35:355; 36:14-16, 19, 276, pl. 275; 37:206, 244; 40: 149-153, 162, 163, 169, 170; 41:146, 149, 155, 149-153, 162, 163, 169, 170; 41:146, 149, 155, 173; 42:316; 46:282; var. acrifolium 17: 124, 125; 19:107; 23:187, 211, 216; 24:112; 25:6; 31:82; 35:355; 44:138; var. alpestre 17:124, 125; 23:211, 246; var. pungens 1: 192; 2:99; 3:169; 5:38, 47; 9:158; 11:13, 87; 12:107, 133; 17:123-125; 22:38, 48; 23: 211, 216, 217; 25:6; 29:132, 146, 205; 34: 50; 35:5; 36:276; 41:173; 42:316. apodum 17:68; 50:17. Bigelovii 48:134. carolinia-num 14:95: 21:119: 33:45, 46, map 17: 35: 17:36; 36:17. In the state of Chamaecyparissus 4:59. Chapmani 23:100; 48:135, 136. clavatum 3:164, 169, 237; 4: 57, 101, 102; 5:39, 40; 6:102; 10:60; 12:50-54; 13:54, 169, 170; 17:152, 153; 18:32; 22: 133; 23:211, 215; 29:205; 30:135, 198; 32: 104, 176; 33:115; 34:50, 244; 35:130, 355; 36:15, 16, 19, pl. 277; 37:206; 40:149–153, 162, 167, 169, 170; 41:146, 149, 155, 164; 42: 278, 316; 47:386; var. brevispicatum 7:96; 12:54, 55; 29:146, 205; var. integerrimum 12:54, 55; 29:146, 205; var. integerrimum 12:54, 55; var. megastachyon 12:53, 55; 13:54, 103, 116; 15:157; 19:107; 22:92; 23: 187, 211, 215; 29:243; 34:50; 35:355; 36: 276; var. monostachyon 3:169, 237, 238; 4:57, 58, 100, 101; 5:40; 6:102, 138; 7:96; 10: 145, 206; 12: 50-53, 55; 19:107; 22:92; 23: 211, 216; 31:142; 35:355; 41:173; 42:316; var. tristachyum 34:50. complanatum 3: 278-281; 4:57, 59, 154; 6:193, 212; 9:121; 13:116, 137, 169-171, 211, 212; 15:98; 23:188, 211, 216, 217; 24:98; 25:6; 28:19; 29:146, 206; 32:205; 34:50, 244; 36:15-17, 19, 276, pl. 277; 37:206; 41:146, 149, 155, 173; 42: 316; 46:282; var. canadense 35:130; 41:173; 316; 46:282; var. canadense 35:130; 41:173; 49:238; var. Chamaecyparissus 4:59, 98; 6: 102; 10:60; 13:169; var. flabelliforme 3: **280**; 4:59; 6:102, 212; 10:60; 13:128, 139, 168; 15:98, 122; 20:60; 22:133; 23:188, 211, 214; 24:98; 29:146, 206; 35:356; 36:100, 219,

221, 227; 39:337, 380; 42:149; 49:105; f. brachypodum 49:105; var. sharonense 20: 60; var. Wibbei 6:102, 138; 23:212. den-60; var. Wibbei 6:102, 138; 23:212. dendroideum 6:102. drepanoides 33:46. Drummondii 33:46. Habelliforme 13:168–171; 28:19; 36:17; 38:164. goyazense 33:46. inundatum 1:28–30, 104, 105, 184; 2:120; 3:253; 5:45, 47; 6:102; 7:71, 96; 10:60; 11:200; 13:79, 128; 23:100, 187, 212, 217; 25:213; 26:177; 27:212; 29:205; 32:133, 172; 33:112, 115, 168, 201–203; 34:244; 35:355; 36:14, 15, 18, 19, pl. 276; 38:382; 39:337; 40:149, 166, 167; 44:242, 244; 46:282; 48:134–136; β. Bigelovii 48:134, 135; γ. alopeœuroides 48:134; var. adpressum 38: y. alopecuroides 48:134; var. adpressum 38: 382; 41:474; 42:358, 359, 405; 44:375; 48: 135, 136; f. polyclavatum 42:405; 44:375, 377; 48:136; var. alopecuroides 23:100, 212, 218; 35:355; var. Bigelovii 5:134; 10:60; 14:28; 15:76; 23:99, 100, 161, 169, 187, 212, 218; 24:112, 159; 28:56, 84, 149; 29:146; 32:150, 210, 229; 33:168, 201, 203; 35:355; 37:385; 38:382, 383; 42:358, 359; 44:343, 375, 377; 48:135, 136; 49:88, 130; f. furcatum 44:377; 48:136; f. polyclavatum 48: 136; var. robustum 33:202, 203; 35:355; 48:135, 136; f. furcatum 48:136. lucidulum 3:168; 4:58; 5:47; 6:102; 9:121; 10:60; 15:225; 17:152; 22:133; 23:212-214; 29:146, 205; 30:136, 198; 32:104, 176, 205; 33:110, 115; 34:169-172, 244; 36:14-18, 19, 219, 221, 226, 276, pl. 275; 40:153, 375, 385; 42:278; 44:374, 377; f. occidentale 34:169, 170; var. occidentale 34:170, 172; var. porophilum 23:212, 220; 34:169, 170; 36: 14:28; 15:76; 23:99, 100, 161, 169, 187, 212, porophilum 23:212, 220; 34:169, 170; 36: 221, 226, 227; 37:312. meridionale 33:46. obscurum 4:57; 9:121; 10:60; 13:169, 170; 15:157; 22:133; 23:187, 188, 212, 214; 25: 6, 166; 29:131, 205; 32:205; 33:115; 34:244; 35:130, 356; 36:14-16, 19, pl. 277; 40:149, 163; 41:149; 43:78; var. dendroideum 3: 168; 10:60; 11:87; 13:54; 17:152; 23:188, 212, 214; 25:166, 167; 34:50; 35:356; 36: 276; 41:173. paradoxum 33:46. pinnatum 7:71. porophilum 19:69; 34:169-171, 244: 36:15. sabinaefolium 3:278; 6:102, 193; 12: 110, 133, 207; 13:147; 15:98; 20:60; 22:123; 23:212, 216, 217; 25:166, 167, 185; 36:15-17; var. sharonense 20:60; 25:167; var. sitchense 25:166, 167; 28:19; 29:129, 146, 205; 34:50; 35:130; 43:338. sarcocaulon 33:46. Selago 2:98, 99; 3:168, 253; 4:58, 150; 5:47, 290; 6:94; 7:20; 8:102; 13:136, 147; 23: 212, 216; 25:112; 29:132, 205; 33:112, 115; 34:169, 171, 172, 244; 35:5, 121, 355; 36:14, 15, 18, 19, 276, p1. 275; 37:206, 248; 38:122; 41:148, 173, 505, 42:218, 40:52, page 244. 41:148, 173, 505; 42:316; 49:53; var. appressum 9:156, 158, 169; 11:87; 12:54; 22:38, 48; 23:212, 216; 34:169, 172; 38:116, 118, 48; 25:212, 216; 34:169, 172; 38:116, 118, 139; var. lucidulum 7:268; var. patens 9: 158; 23:212, 216; 34:169–172; 37:248. sitchense 3:156, 169, 278; 4:98; 5:44, 47; 6:193; 9:158; 11:87; 14:72; 23:212, 216; 25:166, 167; 34:244. tristachyum 4:98; 6:102; 10: 60; 12:207; 13:169, 170; 15:98, 157; 16:38; 19:30, 34, 68; 20:60, 101, 102; 23:130, 188, 212, 214; 28:18; 32:14; 34:244; 35:94, 130, 356; 36:17; 39:337, 380; 40:385; 42:149; 43: 519; var. sharonense 20:60, tuberosum 33:

Lycopsis 18:50; 25:30, arvensis 3:214: 10:

154; 18:50; 25:30. virginica 43:636, 637 Lycopus 6:128, 136; 25:39; 38:373-375; 42: 156. americanus 6:128; 9:122; 17:217; 22: 135; 25:39; 26:188, 227; 32:273; 36:283; 37:366; 38:373, 374, pl. 439; 44:256; 50:303; var. Longii 39:329, 446, 475; 47:103, 180; var. scabrifolius 47:180. amplectens 46: 56, 57, 451, 452; 48:37; var. **pubens** 46:**452.** angustifolius 44:256. arkansanus 38:374. asper 38:375, pl. 439. communis 6:134-137, 142. europaeus 12:191; 25:39; 26:188; 39: 446; 43:638; 44:256; 49:177; var. mollis 49: 177, 178; var. sessilifolius 46:56. lucidus, var. americanus 24:100. macrophyllus 6: 136, 137. membranaceus 6:134–137, 142. pubens 46:451, 452. pumilus 6:135, 136. rubellus 6:128; 13:8; 14:30; 25:39; 38:375, pl. 439; 42:19; 48:330. sessilifolius 1:69; 2:126; 8:80; 14:29; 24:100; 25:39; 32:212; 38:375; 46:56, 451, 452; 48:37. sinuatus 3: 189; 5:131; 6:128; 44:256. uniflorus 6:128, 135, 136, 142; 7:109; 11:98; 13:139; 17:151; 18:42; 22:135; 23:156; 25:39; 26:186, 187, 227; 27:108; 32:149, 153, 273; 33:124; 34: 62; 35:282; 36:24; 38:374, pl. 439; 41:515, 520: 50:299: f. flagellaris 23:289: var. ovatus 23:156, 290; 29:186, 219. virginieus 4:91; 5:131; 6:128, 134-136; 9:120, 122; 16: 16; 22:134; 24:185; 25:39; 29:186, 219; 32: 177, 273; 38:375, pl. 439; 46:452; var. β. pauciflorus 6:135, 136; var. macrophyllus 6: 136, 137

Lycurus phleoides 6:82

Lyellia 40:359

Lygodesmia rostrata 50:64

Lygodium 3:34; 4:83; 9:85; 22:85; 33:39, 42; 35:352. palmatum 1:182, 184; 2:220; 3:43; 4:36, 51, 64, 83; 5:204; 9:85; 13:78; 17:68; 22:82, 84, 86; 28:179; 33:39; 35:352; 39:195,

196, fig. 6 (map); 42:87, 91 Lyme-grass 15:32. Sea 12:27 Lyngbya 5:27; 7:223; 39:278; 40:224, 232, 262. aerugineo-caerulea 15:89. aestuarii 2: 42; 4:123; 5:27; 7:172, 222, 235; 8:123; 9: 197; 10:160, 162; 12:9; 15:89; 26:212, 215; 39:280; 40:75, 224, 229, 233, 235, 236; 50: 256, 275; f. aeruginosa 40:236; f. ferruginea 40:236; f. limicola 40:228, 236; f. natans 40: 236; f. symplocoidea 40:224, 236. Allorgei 50:275. confervoides 2:42; 7:172; 10:160; 40:234, 237, 238; 50:275. Digueti 40:234, 235. epiphytica 28:2; 40:233, 235; 50:275. ferruginea 40:236. gigantea 40:267. gracilis 2:42. hahatonkensis 40:76, 262. infixa 40:233, 234, 273, fig. 4. Lagerheimii 2:42; 40:233, 235, 273, fig. 5. lutea 2:42; 7:222; 40:234, 238; 50:256, 260. luteofusca 40:237. majuscula 2:42; 40:234, 236, 237. nigrescens, var. major 40:228. ochracea 7:236; 40:234, 238; 50:69. semiplena 2:42; 8:123; 10:162; 40:234, 237-240, 262. stagnina 40:

236. subtilis 2:42; 7:222; 8:113; 10:162. tenerrima 40:238

Lyngbyas 40:236

Lyonia 10:53; 24:154; 31:92, 95; 36:236; 50: 128. calyculata 13:215. capreaefolia 43: 514, 627. ferruginea 31:92. frondosa 43: 628, 629. ligustrina 11:232; 14:135, 149; 21: 199; 24:88, 154, 182; 32:151, 269; 39:373, 375; 43:514, 624, 625; 49:100, 158; f. nanella 49:158, 193, pl. 1077; var. capreaefolia 43: 625, 627; var. foliosiflora 10:53: 24:154: 39:477; 43:625, 626, 628; 44:370, 430; var. pubescens 43:625, 627, 628; var. salicifolia 43:624-626, 628; 44:370; 49:158; var. typica 43:624, **625.** lucida 17:132, 137; 39:359, 360, 437, 467, 477; 42:379; 44:240. mariana 38:378; 39:482. multiflora 43:625-627. nitida 10:53; 17:132, 137; 36:32. paniculata 43:625, 627. salicifolia 43:625-627

Lysias 9:53. Hookeriana 6:111. orbiculata

6:111; 8:5

Lysiella obtusata 6:111

Lysigonium moniliforme 9:139. varians 9:

139

Lysimachia 6:126; 12:141; 22:193, 194; 24: 232; 37:440. § Steironema 42:474. angustifolia 39:439-441. asperulaefolia 44:256; 50: 125. ciliata 40:449; 44:234; var. 39:439. clethroides 24:118. decipiens 39:439. Hemslevana 9:39. Hemslevi 9:39. Herbemonti 44:256. heterophylla 39:439-442. hybrida 39:439-441, 490, pl. 482; 46:78, 138; 47:209; 50:112. lanceolata 38:175; 39:438, 439, 441, 442, 490, pl. 482; 47:171; var. hybrida 39:438, 439. Linum-stellatum 28:131. longifolia 50:17. Nummularia 1:164; 4:16; 7:99; 18:42; 24:232; 31:85; 35:289; 44:367. polyantha 1:134, 135, pl. 6. × producta 1:134, 135, pl. 6; 4:16, 92, 137; 8:80; 9:14; 12:217; 19:246; 24:118, 232; 31:85; 35:39; 42:364, 474; 43:81. punctata 3:201; 4:16, 92; 23:95, 286; 24:232; 37:87. quadriflora 39:439; 50:17. quadrifolia 1:131-133, 135; 4:16; 5:130; 9:122; 21:200; 24:232; 26:176; 32:216, 270; 37:437; 38:98; 40:290; 42:364. racemosa 1:132, 134. radicans 39:341, 438, 482; 42:88, 92, 366, 367, 397, 474, map 3. stricta 1:131-134; 3:189; 4:16; 5:131; 6:126; 42:364; var. ovata 24:76; var. producta 1: 132-134. terrestris 6:126; 11:231; 12:141; 13:139; 14:29, 30; 16:15; 17:151; 18:42; 22:135; 24:180, 232; 29:218; 32:150, 216, 270; 33:113, 123; 34:205; 35:280; \times thrysiflora 12:141; var. **ovata** 24:**76.** thyrsiflora 1:40, 184; 4:16; 5:204; 6:126; 9:207; 12: 141; 22:193, 194, figs. 1-4; 24:232; 33:60; 36:283; 41:156, 157, 277; 43:343. vulgaris 4:16, 107; 7:106; 10:152; 16:185; 19:246; 24:232; 41:513, 520 Lysipomia 50:48

Lythraceae 6:24; 23:114; 28:199; 31:43; 32:

266; 36:237; 42:507

Lythrum 23:114. alatum 1:89; 9:75; 10:153; 23:114; 24:117; 25:212; 48:40. hyssopifolium 4:89; 7:142; 9:39; 23:114; 32:177. intermedium 9:48. lanceolatum 39:342,

436, 480; 43:504, 617; 44:256. lineare 39: 480; 42:370; 43:522, 617; 45:272. Salicaria 1:82; 2:201; 9:49; 19:231; 23:114, 276; 32: 109; 34:238; 43:342; var. gracilius 9:49; 11: 52, 240; var. intermedium 9:49; var. tomentosum 23:114. virgatum 23:114

Macbridea caroliniana 17:132, 137. pulchra 17:132, 137

Machaeranthera linearis 38:407

Machaerina hirta 25:53. restioides, var. effusa 25:54

Macleaya cordata 45:444

Maclura 9:54, 91; 17:169. aurantiaca 6:49; 9:91. pomifera 9:91, 148; 17:169 Macrocalyx 9:55; 42:34. Nyctelea 42:35

Macrophoma Candollei 41:516 Macropis ciliata 37:159

Macropodia macropus 1:63 Macrosporium saponariae 39:372

Macuillamia 41:447; 44:436, 437, 439. obovata 39:475; 41:447; 44:355, 438, 439. ro-

tundifolia 41:447; 42:22 Madia 9:37; 37:307. glomerata 6:81, 82; 43: 156. sativa 30:36; 33:167; var. congesta 33: 167; 37:88

Madotheca 18:74, 75, 82, 85. Baueri 18:85, 118, 119. Cordeana 18:106–109. involuta 18:79. Jackii 18:85, 110, 112, 115, figs. 28–30, 32. laevigata 18:85. microrhyncha 18: 79–82, figs. 9–11. platyphylla 18:83, 85, 111, 112, 118, 120, pl. 120; β. major 18:84; var. subsquarrosa 18:118, 120, pl. 120. platyphylloidea 18:83–85, 110, 112, 118. Porella 18:79, 82. rivularis 18:83. Sullivantii 18:

79, 81. Thuja 18:81, 85

Magnolia 18:205, 206, 209-213; 19:256; 33: 29; 41:478, 536; 46:313; 47:284; 50:139. acuminata 19:256; 36:230; 42:244. Ashei 28:35, 36. cordata 28:36. foetida 9:48. Fraseri 39:198, 200, fig. 19 (map). glauca 4:140; 5:203; 15:63; 18:205-207, 209-212; 47:259; 50:248. grandiflora 9:48. macrophylla 28:35, 36; 39:194. pyramidata 28: 36; 46:390, 391. tripetala 15:63; 39:482; 42:244. virginiana 10:43; 13:150, 155; 18: 205, 213; 21:49; 30:207; 36:32, 44; 38:376; 39:473; 42:88, 92, 244; 47:151, 259; 49:153; 50:248; α. glauca 42:244; β. foetida 42:244; γ. grisea 42:244; δ. tripetala 42:244; ε. acuminata 42:244; var. australis 47:151; var. foetida 9:48

Magnolia, Laurel 21:49. Swamp 21:119

Magnoliaceae 18:213; 31:43

Magnolias 39:193 Magnusia 9:38 Mahogany 38:426

Mahonia amplectans 39:376

Maianthemum 6:110; 9:53; 10:130; 28:111; 244; 33:119; 35:155; var. interius 16:211; 25:209; 28:9-11; 29:230, 231; 37:258-260 Maidencane 39:338

Maidenhair 30:13. Berry 35:129. False 4:54.

Fern 46:158. Spleenwort 8:113

Mairania 16:26–29, 32. alpina 16:22, 27, 28, 33. Arctostaphylos 16:27. Uva-Ursi 16: 27, 28

Malaceae 21:190

Malachodendron 38:429. ovatum 41:198. pentagynum 41:198

Malapoenna 15:18. geniculata 47:140 Malaxis 38:378, 382. **Bayardi** 38:402–404, 451, fig. 1, pl. 446; 39:475; 41:469, 539; 49:94. **brachypoda** 28:**176**, 177; 35:61, 241, 242, 401, pl. 253; 38:404; 47:213. diphyllos 28:177. floridana 39:375, 403, 471, phyllos 25:177. horldana 39:375, 405, 411, 476; 43:520, 525, 550. Grisebachiana 38: 403. lilifolia 49:137, 138. monophyllos 28: 92, 176, 177; 35:61, 242, 401, pl. 253; var. brachypoda 35:242. spicata 39:357, 403. unifolia 29:211; 30:199; 32:176; 33:109, 119; 36:42; 37:413; 38:402-404, 451, fig. 2, pl. 446; 41:539; 42:40

Mallow, Common 28:71. Marsh 41:468

Malpighiaceae 36:247

Malus 18:153, 154; 21:190; 45:450, 451; 48: 132; 49:229-232. § Docyniopsis 49:231. § Eriolobus 49:231. angustifolia 47:215; var. puberula 18:154; 45:450. baccata 49: 230; × pumila 42:43. bracteata 18:154. coronaria 36:224; 49:232; var. dasycalyx 49:232; var. elongata 18:154; var. puberula 18:154. floribunda, var. Arnoldiana 18:155; var. Parkmanii 18:154. fragrans, var. elongata 18:154. glabrata 18:154. glaucescens 18:154. Halliana 45:451; 49:231; f. Parkmanii 18:155. ioensis, var. Bushii 18:154; var. creniserrata 18:154; var. Palmeri 18: 154; 37:193; var. spinosa 18:154; var. texana 18:154. lancifolia 18:154; 49:232. microcarpa 14:131. micromalus 18:155. platycarpa 18:154; var. Hoopesii 18:154. prunifolia, var. Rinki 18:155. robusta 42: 43. Scheideckeri 18:155. Sieboldii, var. arborescens 18:155; var. calocarpa 18:155. theifera 18:155; var. rosea 18:155. transitoria, var. toringoides 18:155

toria, var. toringoides 18:155
Malva 6:122; 22:73; 43:342. Alcea 1:81; 6:
122; 22:73; 25:212; 32:109; 37:87; var.
fastigiata 14:204. borealis 22:74; 39:98, 99;
40:442. crispa 22:73. moschata 1:81; 6:
122; 11:96; 22:73; 37:310, 319; var. alba
37:87. neglecta 39:99; 43:341; 50:303. nicacensis 39:98, 99. parviflora 22:73; 39:99.
pusilla 22:74; 39:98, 99; 40:442. rotundifolia 3:188; 11:127; 17:35; 18:39; 21:170;
22:74; 26:226; 28:71; 32:264; 34:64; 39:
99; 40:442; 41:518, 520; 50:303. sylvestris
1:223; 12:140, 141; 22:74; var. mauretiana
12:140; 22:74; 46:137. Tournefortiana 9:
39; 44:72. verticillata, β. crispa 43:159.
vulgaris 39:99

vulgaris 39:99

Malvaceae 6:122; 9:37; 18:39; 21:170; 22: 72; 26:226; 28:71; 31:43; 32:264; 49:288; 50:303

Malvastrum 22:74; 41:436; 44:450. angustum 41:435, 436. coccineum 41:436; 42:45.

coromandelianum 19:132; 22:74. tricuspidatum 19:132

Malveae 40:460 Malvineae 9:37

Mammillaria 12:14. Engelmannii 38:405. Escobaria 38:405. Muehlenpfordtii 38: 405. Runyonii 38:407. Scheeri, var. valida 38:405. Sneedii 38:407. valida 38:

Mandragora 44:24 Mandrake 44:24 Manihot 9:37

Manilkara 48:164; 49:289, 290, 292. baha-mensis 48:164; 49:290, 293. emarginata 48:164; 49:293; subsp. typica 49:293. Jai-miqui 48:164; subsp. emarginata 49:293. parvifolia 48:164; 49:293. Zapodilla 49:290 Manisuris 42:279, 382. rugosa 41:476, 529;

42:278; 44:241

Manna Grass 49:261

Maple(s) 6:219; 7:125; 12:30, 32, 37, 38; 13: 57, 86; 15:33; 18:31; 19:273; 21:51; 22: 130; 39:319; 41:135; 44:413; 46:154; 48:61. American Sugar 28:233, 234. Ash-leaved 25:176. Bigtooth 46:445, 448. Bird's Eye 15:34. Florida 44:351. Hard 28:233; 44: 410. Mountain 12:37, 182; 22:131. Norway 7:125; 25:173, 174. Red 12:182; 22: 131, 132; 28:71; 44:230; 49:172. River 4: 130; 7:123; 16:13. Rock 12:182; 18:31. Silver 4:130; 25:175. Soft 28:234. Striped 12:182. Sugar 10:165; 12:182; 23:91; 28: 179, 233; 36:238; 43:340; 46:445, 448; 49: 172; 50:248. Swamp 12:182; 13:86. Sycamore 7:125, 126; 25:174
Maple-leaved Goosefoot 28:73

Marantaceae 27:77; 33:53 Marasmius 3:141; 11:123; 16:46. androsaceus 44:171. cohaerens 11:123. oreades 14:53; 39:372. varicosus 16:46

Marchantia 16:63; 47:386. hyalina 16:62. polymorpha 4:30; 5:170; 15:22; 23:282; 25: 193; 26:7; 39:9, 37

Marchantiaceae 5:170; 15:22; 16:62; 25:193; 26:7. group Astroporae 16:63. group Compositae 16:63. group Operculatae 16:63 Marchantiales 11:16; 25:192

Mare's Tail 14:24; 18:31 Marginal Shield-fern 4:51 Marginaria californica 24:136 Margined Sumach 4:130 Margot berry 34:53 Margräs 12:30

Marguerite 5:177; 25:16 Maria-Antonia 41:320

Mariana 9:55

Marigold, Marsh 13:123

Marine Algae 2:41; 5:135; 8:124; 21:203; 35: 151; 40:323; 43:72, 213; 47:63, 64; 50:253

Marisci 44:49, 50

Mariscus 25:49, 50, 53; 33:54; 37:153, 154; 44: 43-47, 89; 47:112. acicularis 31:184. aromaticus 25:51. australis 25:54. boninsimae 25:51. borneensis 25:52. californicus 25:52; 44:89. capillaceus 25:52. chinensis 25:52. Cladium 25:50, 51. col-

podes 25:53. complanatus 25:53. Curtisii 44:78, 79. cylindricus 37:152; 44:78, 256. cyperoides 25:53. delicatulus 25:53. Deplanchei 25:53. dissitiflorus 44:60. distichus 25:53. Drummondii 25:54. ensiger 25:53. falcatus 25:53. fallax 25:53. ficticius 25:53. filiformis 25:53. Gaudichaudii 25:53. geniculatus 25:53. globiceps 25:53. hirtus 25:53. Huttoni $\overline{25}:53$. jamaicensis 25:50, 51. latifolius 25: 54. leptostachyus 25:50. litoreus 44:78, 79. Maingayi 25:53. mariscoides 32:149, 239; 37:366; f. congestus 25:53. Martii 25:54. Melleri 25:54. mexicanus 35:260. micranthes 25:54. Milnei 25:54. Muelleri 25:54. ovularis, y. cylindricus 37:152. panamensis 37:154. pantopodus 25:54. philippensis 25:53. platyphyllus 25:54. praelongatus 44:81. pubescens 47:112. pulcher 25:54. restioides, var. effusus 25:54. riparius, var. crassus 25:54. samoensis 25:54. serratus 25:50-52; 32:183. Vauthiera 25:54. xiphioides 25:54

Marram Grass 22:70

Marrubium 25:39. vulgare 6:82, 84; 11:127; 25:39; 32:272

Marsh Andromeda 5:68: Common 18:100. Cranberry 18:41. Elder 41:82. Fern 23: 164; 30:16; 41:478. Marigold 13:123. Muhly 45:222, 223, 231. Pine 50:184. St. Johnsworts 38:433

Marshallia caespitosa 36:225, 232. obovata

36:54. trinervia 39:473, 477

Marsilea 10:59; 13:221; 35:354; 40:182. quadrifolia 3:237; 5:134; 10:59; 13:79, 221; 16:85; 22:156; 23:210, 212, 213; 35:354. vestita 48:115

Marsileaceae 10:59; 23:210; 31:43; 35:354; 40:182

Marsupella 4:208; 6:167; 9:57; 21:161. Iarsupella 4:208; 6:167; 9:57; 21:161. adusta 4:208; 26:9. aquatica 6:167-169; 10:186; 15:25, 27; 25:195; 26:9. emarginata 1:35; 3:181; 4:208, 209, 242; 5:51, 172; 6:167-170; 7:53; 15:25, 27; 25:195; 26:9; var. aquatica 6:167. erythrorhiza 6:167, 168; 9:57. media 6:167-170; 7:52; 8:41; 9:57. robusta 10:186; 15:27. Silvrettae 9:57. sparsifolia 7:52; 15:25, 27; 25:195. sphacelata 4:208; 5:172; 6:167-170; 8:41; 15:25; 25:195. var. erythrorhiza 6:167. Sprucei 4: 25:195; var. erythrorhiza 6:167. Sprucei 4: 208. Sullivantii 6:168; 9:57; 15:25, 27; 19:272; 25:195; 26:9. ustulata 4:208; 5: 172; 7:52; 10:192; 15:25; 25:195

Marsupials 41:483 Marsypocarpus 9:54 Martagon 47:385 Martia 9:38

Martinellia 38:89. apiculata 9:71. curta 38: 84, 85. gracilis 8:42. gymnostomophila 16: 171. hyperborea 23:282. lingulata 38:88. mucronata 38:85, 86, 88. rosacea 38:84

Martiusia 9:38 Martynia 25:186; 34:215; 47:386. fragrans 42:46. louisiana 6:152, 160; 25:186; 37:194 Martyniaceae 6:152; 25:186; 31:43

Maruta Cotula 26:228; 32:157

Maryland Polygala 41:383 Masbjörk 12:30 Masdevallia 2:31 Maser 15:33

Maser-birke 12:30 Maskou 1:167 Masku 1:167

Massachusetts Fern 30:16

Mastigobryum 25:78, 91. ambiguum 10:190; 25:89, 94. deflexum 10:190; 25:77, 78, 90, 91; B. implexum 25:80; B. implexum laxius 25:81; var. flaccidum 25:80. denulatum 10: 190; 25:89-91. triangulare 25:81, 91; f. implexum 25:81

Mastigocoleus testarum 2:42; 7:223; 8:159;

26:212; 50:256

Mastigamoeba longifilum 50:278

Mastixia 33:92

Mastogloia exigua 26:193, 216. gibbosa 9:135.

Smithii 10:183. undulata 9:135 Masur 12:31, 32; 15:33 Masurbiörk 12:31 Mat Grass 21:23 Mathers 28:124

Matricaria 5:288; 6:78; 11:239; 26:130; 36: 193; 37:307. ambigua 41:296. asteroides 42:482, 485, 486. Chamomilla 13:90; 26: 130; var. coronata 12:104, 144. discoidea 1: 18, 25; 4:33, 107, 189; 5:288; 9:14. glastifolia 42:486. grandiflora 25:114; 36:192. inodora 4:189; 6:78; 11:239; 12:104; 13: 90; 26:130; 29:221; 36:192, 193; subsp. maritima 36:193; var. borealis 36:193; var. grandiflora 36:192, 193; var. maritima 36: 193; var. nana 36:192; var. salina 11:239; 26:130. maritima 11:239. matricarioides 42:341. suaveolens 12:144; 13:90; 17:146; 18:44; 19:252; 23:298; 26:131; 31:86; 33: 126; 42:341; 49:252

Matrimony Vine 7:167 Matteuccia 17:161, 162; 21:175. nodulosa 17:164; 47:124. pubescens 37:219; 47:124. Struthiopteris 17:161, 162, 164; 21:179; f. pubescens 37:219; 47:124; var. pubescens 37:219; 47:124

Matthiola 9:45. tristis 9:45 Maturea nigrescens 10:66 Maurandya Wislizeni 44:437

Mausurr 12:30 Maxillaria 2:31

Mayaca 7:158; 44:32; 49:88, 130. Aubleti 37: 379; 49:86, 130. fluviatilis 49:88, 130

May-apple 43:93

Mayweed, Stinking, 18:44

Mazer 12:30

Meadow Foxtail 46:386; 49:271. Grass 49: 262. Rue 11:199

Meadow-sweet 5:260; 12:179

Meal-grass 12:27, 29. Sand 12:27

Mecardonia 37:442. acuminata 35:289. peduncularis 37:442. procumbens 37:442. tenuis 37:442

Medeola 6:111; 8:20, 100; 10:130; 13:217; 28:34; 31:243; 45:396; 47:364. virginiana 2:217; 3:130, 189; 5:132; 6:111; 9:121; 10:

130; 23:197; 31:14, 17, pl. 177; 32:124, 153, 215, 216, 244; 37:354; 40:290

Medicago 2:91; 20:170; 43:505; 49:354. leata 2:92; 20:170. agrestis 2:92; 20:170. arabica 2:90, 168; 6:82; 20:170. denticulata 2:90; 6:82; 9:124. falcata 20:170. hispida 2:90, 92; 6:82; 20:170; var. apiculata 20: 170. intertexta 20:170. laciniata 2:90; 6: 82; 20:170. lappacea 2:92; 20:170. lupulina 2:90, 168; 5:135; 6:81, 82; 17:35; 20: 170; 28:71; 42:332; 49:250; var. glandulosa 42:456. maculata 2:90; 6:82; 43:571. minima 20:170; 45:115; var. compacta 43:505, 571; var. longiseta 20:170; 43:571. orbicularis 9:45. polymorpha, var. orbicularis 9:45. praecox 20:170. sativa 2:90; 6:83; 9:121; 14:194; 20:170; 31:84; 36:374. virginica 26:30

Medick(s) 6:81; 15:172. Black 28:71 Mediterranean Fruit Fly 40:1

Meehania cordata 39:195

Meesea 6:43. trichodes 30:8; 39:41; var. angustifolia 30:8. triquetra 33:77, 78, pl. 205. tristicha 6:43; 33:77, 78

Meeseaceae 30:8; 38:240; 39:41

Megadenus 31:228

Megalondonta 17:63; 26:59, 131. Beckii 24: 207; 25:107; 26:131

Megalospora sanguinaria 28:160

Megastachya hypnoides 28:114. reptans 28: 114

Meibomia 9:54: 44:23, 24. acuminata 44:279. arenicola 38:425. canadensis 43:340. canescens, var. hirsuta 10:33. longifolia 10: 34. nudiflora, f. Dudleyi 38:190; f. foliolata 38:189

Melampsora 13:14. Bigelovii 34:62. Euphorbiae 34:62. Humboldtiana 34:62. Medusae 34:62

Melampsorella elatina 34:62 Melampsoridium Betulae 34:62

Melampsoropsis abietina 34:62. Cassandrae

34:62. ledicola 34:62

Melampyrum 23:148; 25:65; 44:450. americanum 5:130; 7:33; 44:448, 450, 451, pl. 735; var. latifolium 44:245, 448-450, 452. brachiatum 44:450. lanceolatum 44:451. latifolium 44:447, 452. lineare 3:176; 11: 97, 98; 13:117, 149; 17:149, 152; 25:65; 29: 186, 219; 32:274; 34:55; 44:448-451, pl. 734; subsp. latifolium 44:448, 452; var. a. latifolium 44:448, var. 3. latifolium 44:448, 449; var. americanum 44:449, 451, 452, pl. 735; var. latifolium 44: 446, 448–450, 452, pl. 736; var. lineare 44:449–451, pl. 734; f. brachiatum 44:450; var. pectinatum 44:449, 452, pl. 736. pratense 44:448; \(\beta\). americanum 44:451

Melanconium typhae 44:171 Melandrium 36:421; 41:162. affine 34:22, 23; 41:224. apetalum 41:155, 224; 42:324. macrospermum 41:163, 225, pl. 552. pauciflorum 34:22; 41:224

Melanopus 13:64

Melanthium 44:451; 50:193. angustifolium 21:119. densum 42:254, pl. 601. glaucum

37:257. hybridum 50:193. latifolium 50: 193. parviflorum 46:80. virginicum 42:

381, 443; 46:80

Melargyra canadensis 42:112. media 42:119. purpurea 42:210. rosea 42:210. rubra 42: 106

Melastoma 44:451

Melastomaceae 23:114; 31:43; 32:266; 49:58.

Melgras 12:27

Melia Azedarach 38:426

Melica 21:76, 77, 215, 216. subgen. Bromelica 21:77. acuminata 21:78. aristata 21:77. 215. bromoides 21:78; var. Howellii 21:78. caerulea 35:137. diffusa 41:501; 49:200. Geyeri 21:78, 215. glabra 41:501. Harfordii 21:78, 215; subsp. tenuior 21:78; var. minor 21:78. mutica 36:32, 38, 223; 38: 384; 40:386; 41:501; 44:70; f. diffusa 41: **501**; var. diffusa 41:501; var. glabra 41:501. nitens 46:75; 49:200. Smithii 10:205; 21:77, 215; 37:199, 205, 208, 216–218, 250, map 11. **striata** 8:**211**; 15:144; 19:119; 21:76, 77, 215; 24:113; 31:82; 35:249; 49: 264; f. **albicans** 10:47; 44:139. subulata 21:78, 215. triflora 30:238

Meliloti 30:59

Melilotus 2:149; 6:120; 11:49; 20:170; 23:26; 24:19; 30:59; 39:427; 41:463; 42:154; 43: 24:19, 30:39, 39:427, 41:405, 42:164, 45: 525. § Micromelilotus 9:37. alba 2:90; 6: 63, 83, 120; 12:16; 13:89; 14:90; 17:35, 217; 20:170; 23:26; 35:248; 36:374; 42:154; 49: 250. indica 12:190; 20:170; 50:214. offici-nalis 2:90; 6:83; 13:89; 20:170; 36:374; 38: 64; 42:54. parviflora 20:170; 50:214. psoralioides 39:426, 427 Melinis 9:50. § Tristegis 9:50

Melinum palustre 26:157

Meliosa 50:66

Melissa 25:39. officinalis 25:39; 46:139 Melissodes agilis, var. aurigenia 41:186. illata 41:186

Melitaea nycteis 36:28

Melobesia 21:204; 26:190. Corallinae 2:50; 3:134, 137. farinosa 2:50. Lejolisii 2:50; 7:235; 26:190, 214; 50:266. macrocarpa 2:50. membranacea 2:51. pustulata 2:51; 26:214: 50:267

Melosira Borreri 9:128, 139; 26:193, 216. coronata 9:140. nummuloides 9:140. octogena 9:140. sculpta 9:140. sulcata 26:193, 195, 216; f. coronata 26:194, 216. undulata 9:

140. varians 9:139

Melothria 47:364. pendula 37:446; 39:482

Melr 12:27-30; 15:33 Meltrema 5:249

Melur 12:27

Memaecylum 41:446

Meniscium 44:450

Menispermaceae 43:92, 524 Menispermum 44:351, 450. canadense 4:129; 21:191; 33:30; 36:374; 37:307; 38:422; 39: 399, 409; 40:375, 382, 421, 422; 44:240; 47: 140; 49:24. dauricum 33:30

Menoidium gracile 50:272, 277. incurvum 50:

277. tortuosum 50:277

Mentha 6:128; 9:49; 25:39; 27:31; 29:186; 44:450. alopecuroides 26:173. aquatica 4: 106; 24:119. arvensis 1:47; 6:128; 9:122; 10:86; 17:217; 22:136; 24:119; 25:39; 29; 186, 219; 39:373, 375; 46:331, 335; 50:299; a. villosa 46:333; \(\delta\). glabra 46:332; var. canadensis 6:128; 25:39; 29:186, 219; 41: 35; 46:331, 333, 334; var. glabrata 10:86; 11:14; 22:135; 25:11; 36:283; 37:194; 46: 331, 333; var. lanata 46:331, 332, 335; var. 331, 333; var. lanata 46:331, 332, 335; var. occidentalis 46:335; var. Pavonia 46:335; var. Penardi 10:86; 46:333; var. Schmitzii 46:335; var. typica 46:331, 334, 335; f. glabra 46:331; f. lanata 46:331, 332, 335; f. puberula 46:331, 332, 335; f. typica 46:331, 332; var. villosa 46:331, 333-335; f. brevipilosa 46:333, 334, 335; f. glabrata 46:333, f. lanata 46:333, 335; f. typica 46:333, 335; f. spicara 46:333; f. lanigera 46:333, 335; f. typica 46:333. borealis 46:333. bracteolata 9:44. canadensis 4:34; 6:128; 10:86; 41:283; 46: 333; 48:330; β. glabrata 46:333; var. glabrata 2:157; 10:86; 29:186, 219; 42:338. Cardiaca 4:100; 25:39; 32:273. citrata 46: 139. crispa 1:69; 32:273. foliicoma 9:44. gentilis 21:201; 25:39; 50:214. longifolia 1:69; 26:20, 22, 171–175; 43:638; \times rotundifolia 9:42. occidentalis 46:335. piperita 4:192; 6:128; 25:39. Pulegium 42:46. rotundifolia 24:119; 26:21, 172-175. rubella 46:334. rubra 4:34. spicata 6:128; 9:48; 25:39; 26:19-22, 171-175; 32:273; α. viridis 26:20-22, 172-174; β. longifolia 26:20-22, 172, 174, 175; y. rotundifolia 26:20, 22, 172, 174, 175; var. viridis 9:48. stachyoides 24: 119. sylvestris 26:20–22, 172, 173, 175. verticillata, var. pilosa 24:119. villosa, β. Lamarckii 9:42. viridis 6:128; 9:48; 26: 19-22, 171-174

Mentzelia 23:113; 34:166, 167; 44:450. humilis 47:331. oligosperma 36:224; 47:217 Menyanthes 2:216; 6:127; 17:150; 24:234; 41:281. punctata 40:339. trachysperma 40: 41:281. punctata 40:339. trachysperma 40:339, 340. trifoliata 1:184; 2:216; 3:189, 190; 4:106; 5:133; 6:127; 9:157, 163, 189, 190; 11:98; 12:11; 17:149, 150; 22:43; 24:234; 28:62; 29:218, 242; 31:195, 197, 198; 33:51, 60; 35:251; 37:206; 40:251; 41:281; var. minor 31:195–198; 32:61, 150, 173, 214, 271; 33:124; 36:283; 40:254; 41:281; 42:200; 47:208. verna 31:197, 198

Menziesia globularis 42:346

Merathrepta compressa 45:245. pinetorum 45:243. spicata 45:242. thermalis 45:243; var. pinetorum 45:243

Merckia 21:1-5. peploides 11:113. physodes 21:4; 41:223; 42:323

Mercurialis 21:83. annua 6:86, 87, 91; 21:83; 29:224

Mercury 18:39

Meridion circulare 9:137. constrictum 10:181, 183; f. elongata 10:182; var. Zinkenii 10: 182. intermedium 9:137

Meringosphaera Henseni, var. brevispina 50: 274, **279**, pl. **1118**

Merismopedia elegans 20:141; 30:195. glauca

15:89; 24:106; 26:162, 163; 28:1; 29:163. punctata 26:163. tenuissima 30:195; 50:275 Mertensia 2:77; 9:55; 16:158; 20:155; 37:349; 42:310. alaskana 41:282, 283. Bakeri 39: 495. Eastwoodae 41:163, 282. incongruens 36:409. maritima 3:214; 4:189; 15:143; 16: 192; 17:146, 147; 18:29, 42; 23:102; 25:11, 99, 114; 27:55; 29:89, 122, 219; 33:111, 124; 34:55, 70; 41:161, 282; 47:259; f. albiflora 23:288; 24:202; 41:282. paniculata 36:283; 41:164, 282; 42:337; 45:315; 48:163; var. alaskana 41:283; var. subcordata 37:328, 329. virginica 1:171; 3:215; 31:256

Merulius americanus 41:516. bellus 25:165 Mesadenia 40:356. Muhlenbergii 40:356. ro-

tundifolia 40:356, 357

Mesadenus lucayanus 23:84

Mesembryanthemum loreum 30:56. scabrum

30:55. tortuosum 30:56

Mesogloia 26:189, 190. divaricata 1:70; 2:47; 4:178; 6:182; 7:229; 26:214; 50:262
Mesophylla hyalina 21:150. minor 9:58.

obovata 21:162. scalaris 14:12 Mesophytes 5:126, 127, 129

Mesosphaerum 36:373

Mesotaenium 7:112; 24:216; 26:204. Braunii 6:230; 7:112. Endlicherianum 7:113; var. grande 24:216. macrococcum 7:112; 26:

204. micrococcum 24:216

. Mespilus 10:76. Amelanchier 43:562; 48:128. 131, 132. apiifolia 10:79. arborea 14:127. 131, 147, 150, 152; 43:563, 565. arbutifolia 43:562. canadensis 14:121, 122, 130, 131, 150; 22:151; 43:560-563, 566; 48:128; var. α. obovalis 14:130, 147; 43:563-566; var. β. cordata 14:125, 130, 150; 43:563, 565; var. γ. rotundifolia 14:124, 125, 138; 43:563; var. δ. oligocarpa 14:125, 128, 158; 43:563. cordata 10:78, 82. nivea 14:130, 150; 43:562. Phaenopyrum 10:82. prunifolia 10:75, 76. sorbifolia 49:232

Metachlamydeae 41:142; 47:209

Metastelma 9:37 Meteoriaceae 37:228

Meteoriopsis remotifolia 36:56

Metzgeria 9:68; 11:188. conjugata 4:30; 5: 170; 8:44; 10:185; 11:186-189; 15:22; 25: 193. crassipilis 11:188, 189; 12:204; 15: 22, 26; 25:193. dichotoma 11:189. furcata 11:185–189; 12:204; 15:22, 26; 25:193; 26: 7; 39:13, 33; subsp. M. crassipilis 11:188. glabra 11:185. hamata 11:186. myriopoda 11:186. pubescens 16:185; 11:185; 14:18; 15:22, 26; 16:75; 25:193

Metzgeriaceae 5:170; 15:22 Mexican Cedar 40:427

Mibora 17:97; 49:271. minima 17:97; 38: 265, 267; 49:271. verna 17:97

Michauxia 50:41

Michelia 27:78

Micheliella verticillata 44:254

Micrampelis 9:55. lobata 6:130 Micranthemum emarginatum 44:256. micranthemoides 41:111; 42:514; 44:356, 368, 446. Nuttallii 7:38. orbiculatum 17:131,

137. umbrosum 17:131, 137; 34:206; 39:

327, 331, 362, 446, 480, map 8; 44:241, 256, 367, 375, 446; 45:367

Micranthes spicata 41:243. tenuis 19:142 Micrasterias 6:234; 7:253; 10:97, 98; 24:220; 26:204, 207, 212; 37:117; 44:177, 189. americana 5:81, 223, 253; 7:254; 10:99, 108, 110; 24:220; 26:207; f. genuina 5:253; var. 5: 253; var. Boldtii 24:220; 26:207; var. Hermanniana 10:110; var. Lewisiana 24:220; var. recta 5:81; 7:254; 10:109. angulosa 10:104. apiculata 10:99, 103; 24:220; 26: 207; subsp. fimbriata 10:103; var. fimbriata 26:207. arcuata 10:98, 101; 29:163; 37:117; var. expansa 10:101; var. gracilis 37:117, 121, pl. 330. conferta 10:98; 37:118, 119; var. hamata 10:99, 103. crenata 7:254; 10: 102; 24:221. crux-melitensis 10:99, 108; 24: 221; 26:207. decemdentata 37:117; var. turgida 37:117, 121, pl. 329. denticulata 7: 253; 10:99, 104; 24:221; 26:207; var. angulosa 10:104. depauperata 37:117, 120, pl. 329; var. Kitchelii 10:101; var. Wollei 7: 254; 10:101. dichotoma 10:108. disputata 10:99. expansa 10:101; 29:163; 37:117, 118, 120, pl. 329. fimbriata 7:253; 10:103; f. apiculata 10:103; f. simplex 10:104; var. elephanta 10:104; var. nuda 10:103. foli-acea 7:254; 10:97, 99, 111; 44:177; var. granulifera 10:111. furcata 5:81; 7:253; 10:103, 107; 24:221; var. simplex 7:253. incisa 10:99. Jenneri 10:98, 102; 37:118, 120, pl. 329. Johnsonii 44:177; var. bipapillata 44:177; var. novae-angliae 44:177, 178, 186, fig. 5; var. ranoides 44:177. Kitchelii 10:101. laticeps 5:81; 10:98, 99; 24:221; 26:207; f. major 7:254. mahabuleshwarensis 5:81; 7:254; 10:99, 109, 110; 26:207; 37:118, 121, pl. 330. melitensis 10: 107. morsa 10:108. muricata 5:81; 7:254; 10:97, 99, 100; 24:221; 26:207; f. minor 7: 254; 10:111; var. tumida 10:110. Nord-stedtiana 7:254; 10:97, 99, 110. oscitans 10:98, 99. papillifera 6:234, fig.; 10:99, 105; 24:201. var. clabra 24:221. pipartifela 7: 24:221; var. glabra 24:221. pinnatifida 7: 254; 10:100; 26:207; var. divisa 10:100; var. inflata 10:100; var. trigona 10:100. pseudo-furcata 10:107. pseudotorreyi 10:107. radiata 10:99, 107, 108; 24:221; 26:207; var. dichotoma 10:108; var. simplex 10:107, 108. radiosa 5:81; 7:253; 10:105; 37:118; var. ornata 10:105; 37:118, 121, pl. 330; var. punctata 10:104; var. Swainei 7:253; 10:105; var. Wollei 10:105. ranoides 44:177. ringens, var. serrulata 7:254; 10:109. rotata 7:253; 10:99, 106; 24:221; 26:207. sol 10:99, 105; 24:221; 26:207; var. ornata 10: 105; var. Swainii 10:105. speciosa 24:221; 37:118-120, pl. 329; var. novae-terrae 37:118. subfimbriata 10:104. Swainii 10:105. Torreyi 7:253; 10:99, 106, 107. triangularis 37: 119, 121, pl. 330. truncata 7:254; 10:98, 102; 24:221; 26:207; 29:163; var. crenata 10:**102** Microchaetaceae 44:184, 185

Microchaete 20:142; 44:183-186. calothrichoides 44:185. crassa 44:185, 186, fig. 6. grisea 2:42; 7:223; 10:126; 40:75. naushonensis 20:141. uberrima 44:185: f. minor 44:185

Microcladia borealis 11:17

Microcodon 50:41

Microcoleus 40:224, 230, acutissimus 50:69, chthonoplastes 2:42; 5:233, 234; 7:223; 39: 278; 40:231. lacustris 40:230, 231. paludosus 24:103, 106; 40:230, 231; 50:69. tenerrimus 5:233, 234; 40:231, 232. vaginatus 24:106; 40:231; 50:69; var. Vaucheri 40: 231, 232

Microcystis 26:211; 40:259. aeruginosa 40: 259. flos-aquae 50:275. marginata 14:236;

15:89. parasitica 50:275

Microdon 31:93, 95, 96. ovatus 31:93 Microglossum fumosum 41:516

Micromeria glabella 42:7; var. angustifolia 42:7. Nuttallii 42:7

Micromitrium 12:146

Micropetalon 16:146. lanceolatum 16:151

Microphacos parviflorus 38:405 Microphacos Poeppigiana 9:43

Microseris 26:131; 50:33-35. § Nothocalais 50:34. cuspidata 50:34, 35. Douglasii 26: 131. Forsteri 50:34. nigrescens 50:33, 34. troximoides 50:33, 34

Microspermae 9:37

Microsphaera alni 39:372; var. vaccinii 39:372

Microspongium gelatinosum 2:47

Microspora 9:78; 12:9; 24:108; 30:194. abbreviata 7:239. amoena 7:239; f. crassior 1:149. crassior 7:239. quadrata 29:162; 50:274. stagnorum 7:239; 50:69. Willeana

50:274. stagnorum 7:239; 50:69. Willeana 26:212; 50:274. Wittrockii 50:69, 274
Microstylis 3:85; 4:75; 6:112; 7:49, 97, 160; 11:78; 19:57; 22:43; 23:197; 31:8, 10, 15. brachypoda 28:92, 176. floridana 39:403. monophyllos 1:184, 221; 2:114, 172, 180; 4: 19; 6:112, 193, 204; 9:160; 13:117, 125; 21: 65; 22:43, 47; 23:126; 28:31, 92, 176; 47: 213. ophioglossoides 2:180, 208; 4:19, 75; 5: 82; 6:79, 112; 7:39, 95; 38:403. unifolia 11:78, 83, 92; 13:78; 17:149; 19:31, 52, 57, 131; 22:43, 47; 23:197
Microthamnion Kuetzingianum 26:212; 50: 274. laxulum 36:58
Microtus 37:165

Microtus 37:165

Mielichhoferia compacta 3:183; nitida 3:180, 182

Mikania 9:55; 26:131; 36:373; 46:142-144. scandens 5:204; 24:82, 83, 88; 26:131; 27: 57, 62, 203; 32:177, 212; 35:290; 37:447; 46: 142, 143; var. pubescens 37:446, 447

Mikrosyphar 20:143. Porphyrae 20:143

Mildew, Downy 41:516

Milhania 41:416

Milium 4:142, 143; 6:105; 13:173; 49:274. effusum 1:183; 6:105, 208; 10:206; 13:125; 16:14; 19:30, 109; 23:136, 170, 229; 28:111, 162; 32:14; 33:116; 38:265, 270; 40:74, 380, 386; 43:338; 48:81, 82; 49:199, 274. Muhlenbergianum 4:142, 143. paniceum 22:103. pungens 4:142, 143; 16:90. racemosum 8: 210

Milk Vetch 14:56

Milkweed 20:206; 23:135; 34:65; 44:31; 46:

Millegrana 11:50. Radiola 11:50; 27:215

Millet, Golden Wonder 18:232 Millspaugh's Blackberry 15:224 Mimosa 41:478. pallida 35:225

Mimulus 7:160; 13:18; 25:65; 49:254. alatus 7:33; 19:248; 37:440; 38:377; 39:474; f. albiflorus 42:102. brevipes 7:38; 25:65. glabratus, subsp. michiganensis 41:524: var. Fremontii 41:525; var. michiganensis 41: **524**, 525; var. oklahomensis 41:**525**. guttatus 41:283. Jamesii 7:38. Langsdorfii 7: 33; 14:55. luteus 7:33. moschatus 6:227, 228; 7:33, 37; 8:66; 11:98; 13:115; 17:230; 25:65; 35:282; 37:331; 47:186; 49:251. ringens 5:131; 7:33; 13:141; 16:15; 25:65; 34:118, 119; × alatus 40:254; var. colpo-philus 34:119; 44:144; var. congestus 34: 119; var. minthodes 34:119. Tilingii 36:411

Mimusops 49:289, 292. bahamensis 48:164; 49:293. depressa 49:293. emarginata 48: 164; 49:289, 293. floridana 48:164; 49:293. Jaimiqui 48:164. parviflora 48:164; 49:293. parvifolia 48:164; 49:289, 293. Sieberi 48:

164; 49:292, 293 Mint 4:34; 44:334

Minthe 9:49

Minuartia 21:1-5, 10. arctica 42:323. biflora 36:148. campestris 21:6. dichotoma 21:5. macrocarpa 42:323. montana 21:6. verna 42:80

Mirabilis Jalapa 41:540; subsp. Lindheimeri 38:405; var. Lindheimeri 38:405

Miscanthus sinensis 31:110, 113; 39:388; 44:

Miscellaneae 47:386, pl. 991

Mistletoe 4:35; 21:49; 39:353; 43:92. Dwarf

Mistletoe 4:35; 21:49; 39:353; 43:92. Dwarf 2:1, 221; 4:28, 35; 5:202; 7:108; 8:168; 9: 75, 208; 17:65; 23:97; 33:101; 37:268, 414 Mitchella 6:129; 13:216; 26:14; 43:494. repens 6:129; 13:32, 216; 17:152; 21:200; 26: 14; 28:56, 236; 29:127, 220; 32:276; 33:125; 36:221, 226; 37:350, 354; 43:82, 494; 47: 262; f. leucocarpa 13:32; 19:248

Mitella 6:119; 8:90–92; 18:250. americana 43:497. caulescens 8:92. diphylla 1:171; 8:91, 92; 12:170; 14:75; 18:245-247, 250; 19:132; 21:200; 23:71; 33:179; 34:231; 35: 249; f. intermedia 8:91. intermedia 8:91. nuda 1:184; 3:149; 5:197; 6:119; 7:79, 90–92; 11:94; 13:125, 217; 18:245, 250; 19:30, 226; 29:131, 176, 214; 32:206; 33:110, 121; 34:53; 36:281; 40:145. prostrata 8:90-92; 18:245, 247; 35:249

Miterwort 18:185

Mitremyces 11:197, 198. lutescens 1:31; 11: 197. Ravenelii 11:197

Mitreola 7:160; 39:346 Mitrophora 1:156; 9:55

Mitrula 1:60, 61, 65. crispata 1:66. cucullata 1:60, 66. laricina 1:65. lutea 1:65. lutescens 1:65, 66. olivacea 1:65, 67, pl. 4. paludosa 1:65. phalloides 1:65. rufa 1:65, 67; f. Geoglossum luteum 1:66, 67, pl. 4;

f. Geoglossum rufum 1:66, 67, pl. 4. viridis 1:65. vitellina, var. irregularis 1:65

Mittenothamnium 35:146 Mniaceae 30:8; 39:41; 43:95

Mniomalia Bernoullii 36:56. viridis 36:55 Mniopsis acutifolia 19:266. Hookeri 19:266 Mnium 23:70: 43:95. affine 3:180: 4:30: 23: 68. ciliare 23:68. cinclidioides 1:54; 5:200. cuspidatum 1:34, 54; 4:30; 39:41. Drummondii 1:54; 39:41. hornum 24:123; 30:2, 8. orthorrhynchum 4:182. punctatum 3: 180; 4:30; 26:219; var. elatum 4:30; 23:68; 30:8. rostratum 30:8. serratum 4:30. spinulosum 3:180; 11:117. stellare 1:54; 4:30. subglobosum 30:8. sylvaticum 2:63

Moccasin-flower 5:259

Moccoet 1:167

Mock Orange 17:121; 42:99

Mockernut 47:47

Modiola 7:160. caroliniana 46:336

Moehringia 21:1-5. ciliata, var. obtusa 21:7. dasvphylla 21:6. glaucovirens 21:7. Grisebachii 21:6. Jankae 21:6. lateriflora 16: 56; 19:259; 21:2, 5; 41:222; 42:323; γ. glabrescens 19:261; S. angustifolia 19:262; var. typica 19:260. macrophylla 16:55; 34:244. muscosa, B. sedoides 21:7. papulosa 21:7. platysperma 21:7. stellarioides 21:7. Tom-masinii 21:7. trinervia 21:3

Moerckia 6:166. Flotowiana 6:75, 165. hibernica 6:75; var. Wilsoniana 6:165

Molineria 25:156–159, 163. plicata 25:156, 163. recurvata 25:160–162, fig. 17

Molinia 35:137; 49:254, 264. caerulea 6:90; 14:55; 24:113; 35:137; 44:335; 48:19; 49: 240, 264. distans, var. reptans 18:8

Mollugo 11:127; 17:203, 226. verticillata 5: 188; 17:35, 203, 226, 227; 26:224; 32:250;

50:296

Monanthium 21:10; 22:180

Monarda 6:128; 25:39; 39:353; 44:450; 46: 491; 50:54. aristata 44:252. Bradburiana 36:230; 46:491, 492. ciliata 50:53, 54; var. 7:142. citriodora 25:39. clinopodia 19:248. coccinea 7:48. didyma 1:30, 171; 6:128; 7:48; 15:67; 21:202; 25:39; 35:320; 43:81. fistulosa 3:13–15; 4:91; 8:223; 15:66; 21: 202; 25:39; 41:129; 46:494-496; var. menthaefolia 46:495; var. media 3:13, 15; var. mollis 1:221; 3:13, 15; 46:494, 495; var. rubra 3:13, 15; 25:39; 37:87; 41:129; var. typica, f. albescens 48:97, hirsuta 50:54. 55. media 3:13, 15. menthaefolia 3:14, 15: 46:495, 496. mollis 3:13-15; 4:89, 91; 25: 39; 36:373, 374; 38:65; 43:638; 46:494; var. menthaefolia 3:15; 46:495. punctata 25: 40; 35:363; 38:377; var. Stanfieldii 38:407. purpurea 3:13. Russeliana 46:491, 492. scabra 3:13, 15. Stanfieldii 38:407. stricta 3:15. virgata 46:492

Monardella lanceolata, var. sanguinea 41:312 Monas 24:51; 50:278. amoebina 50:278

Mönchia 22:181

Moneses 6:125; 17:28; 21:10; 22:180; 24:155; 29:1-3, 5; 33:109. grandiflora 1:93, 165, 193; 2:122, 218; 3:175, 189; 6:125; 17:28; 24:118. reticulata 17:28, 29. uniflora 6: 125; 17:28, 29, 152; 18:41, 71; 22:40, 42-44; 24:155; 25:10; 29:217; 32:206; 33:123, 227; 34:54; 36:283; 40:145; 41:161, 271; 42:334; var. reticulata 17:28, 29; 41:271; 42:334

Monk's Rhubarb 23:107

Monniera 37:441. acuminata 10:66. amplexicaulis 10:66. caroliniana 10:66. cuneifolia

37:440. rotundifolia 41:447

Monoblepharis 5:103-105, 107, 108, pl. 46. brachyandra 5:103–106, 108, pl. 46. fasci-culata 5:103, 105. insignis 5:103, 105. macrandra 5:106. ovigera 5:106. polymorpha 5:103-106, 108, pl. 46. regnigens 5:106. sphaerica 5:103, 105

Monochaete 9:52 Monochaetum 9:52 Monochoria 27:76, 77, 79 Monocotyledonae 42:317

Monocotyledoneae 9:36; 36:61; 41:142; 47:

Monocotyledons 40:182; 47:384

Monolepis chenopodioides 6:82; 35:182. trifida 6:82

Monosiga ovata 50:278

Monostroma 5:2, 7, 10, 13, 15, 17, 18; 8:106; 11:23–25; 16:4; 18:91. angicavum 5:13, 14. arcticum 5:11, 13, 14, 31, pl. 41; 11:24, 25; var. intestiniformis 5:11, 14; 11:24. Blyttii 5:10-12, 31. Collinsii 5:18. crassiusculum 5:12. crepidinum 2:44; 5:11, 16, 31, pl. 41; 7:224. cylindraceum 5:13, 14. fuscum 2: 44; 5:11, 12, 15; 11:24, 25; 16:4; f. Blyttii 5:12, 31, pl. 41; f. splendens 5:12. Grevillei 2:44; 5:11–14, 31, pl. 41; 7:224; 11:23–25; f. lactuca 5:15; var. arctica 5:13, 14; var. Vahlii 5:13, 14; 11:24. groenlandicum 1: 126; 2:44; 5:10, 11, 18, 31, pl. 41; 7:242. Lactuca 5:15; 11:23-25. latissimum 2:44; 3:134; 4:175; 5:10, 11, 16, 17, 31, pl. 41; 7:224, 238; 11:26. leptodermum 2:44; 5: 11, 15, 16, 31, pl. 41. lubricum 5:12. orbiculatum 11:25, 26; f. varians 11:26. pulchrum 1:124; 2:44; 5:11, 14-16, 31, pl. 41; 7:224; 11:25. quaternarium 4:175; 5:11, 17, 31, pl. 41. saccodeum 5:13, 14. splendens 5:12. undulatum 5:11, 14, 15, 31, pl. 41; 11:25; var. Farlowii 2:44; 5:11, 14, 15; 7:242; 23:67. Vahlii 1:126; 2:44; 5:13. zöstericolum 5:16 f. lactuca 5:15; var. arctica 5:13, 14; var.

Monotropa 6:125; 13:17; 24:155, 225; 29:2-5; 33:109; 44:450. Hypopitys 1:93; 3:175; 5:49, 136; 6:125; 10:166; 11:96, 154; 13:18; 24:155; 28:125; 31:166; 33:216, 269; 34:54; 36:220; 49:250; var. rubra 32:269. uniflora 1:93; 2:218; 5:49, 136; 6:125; 11:96; 13: 18; 15:190; 17:152; 18:30; 22:134; 24:155; 29:131, 183, 217; 32:152, 206, 216, 269; 33:

32, 123; 34:54; 36:220

Monotropsis 11:154; 45:364. odorata 11:153;

39:200, 477; 44:256; 45:363

Montia 18:240; 23:131. Chamissoi 33:228. fontana 2:208; 4:150; 5:188; 9:219; 11:164; 12:138, 146, pl. 84; 28:117; 29:175, 213; var. tenerrima 12:138. Hallii 12:138. lamprosperma 12:106, 138, 146, pl. 84; 13:122; 14:

72; 17:154; 22:111; 27:97; 28:117; 29:14, 123, 132, 175, 213; 34:66; 35:292; 37:307; 38:150; 41:161, 220. minor 12:138. parvifolia 32:24. rivularis 12:138, 146, pl. 84; 13:140; 20:104; 23:131; 28:50; 35:273; 50: 212. sarmentosa 42:322. sibirica 18:240. Sweetseri 32:24

Moonseed 4:129; 21:191; 44:351

Moonwort 35:353

Moose-tongue 18:40

Moosewood 12:182, 184; 44:29

Moraceae 21:190: 31:91

Morchella 1:60, 61. angusticeps 1:61. bispora 1:156, 157. conica 1:61, 66, pl. 4; 14: 53, 54. esculenta 1:61; 13:58. hybrida 1: 61, 156, 157. semilibera 1:61, 156, 157

Morchelleae 1:60

Morella inodora 46:390 Mormon Weed 9:26

Morongia 31:93, 96 Morus 17:170; 21:191; 44:27. alba 1:106; 17:170; 50:295; var. tatarica 46:82. rubra 17:170; 21:87; 24:184; 36:43; 37:437; 38:

376; 39:473 Mosku 1:167

Mosquitoes 41:156

Moss(es) 4:29; 6:43, 95, 97, 145; 7:77; 8:135, 136; 9:98; 10:37; 11:176, 177; 18:204; 23: 70, 183; 38:112, 116; 41:142, 151; 42:268, 277, 417; 44:124, 130; 47:281; 48:1. Club 7:96; 8:135. Peat 10:113 Mösurr 12:31, 32

Mosurr 12:30, 37, 38; 15:29, 33, 34. Wood

12:18, 25, 30, 32

Mougeotia 24:103, 108; 26:161, 162; 29:161-163: 50:67. calcarea 24:104, 108. genuflexa 7:239; 23:66. parvula 23:253; 24:108. robusta 7:239. sphaerocarpa 14:114. tenuis 23:253

Moulds, Bread 5:97

Mountain Ash 13:238; 22:131; 28:72; 49:231; American- 12:179; Spiraea 12:179. Blackberry 12:180. Bluet 50:179. Cinquefoils berry 12:180. Bluet 50:179. Cinquefoils 37:4. Cranberry 4:231, 232; 11:177; 12: 23, 25, 34, 35, 37, 183; 13:136; 15:29, 30, 32; 42:311; 44:118. Holly 12:182; 41:426. Laurel 4:131, 140, 142, 151; 6:227; 10:165; 14:91; 18:41; 33:198. Maple 12:37, 182; 22:131. Pink 4:131. Spleenwort 4:54 Mouse-ear Chickweed 28:70. Hawkweed 4:

Moxie Plum 12:183. Vine 18:41 Mucilago 2:79. spongiosa 29:168, 173

Mucor 5:99; 44:450; 50:286

Mucorales 8:67 Mucors 5:97

Muhlenbergia 6:105; 9:17, 23; 12:40; 15:125; 18:233; 19:109; 29:10, 13, 160; 31:16; 35: 181, 214; 38:267; 44:373, 375; 45:221, 223, 226, 229, 235, 255, 379; 47:209; 48:63; 49: 254, 272; 50:16. § Acroxis 9:18. § Muhlenbergia 9:17. § Stenocladium 9:17. ambigua 0:200, 26:14, 2013, 45:222. bigua 9:20; 26:1; 29:13; 45:236; var. filiformis 45:236. aspericaulis 4:46; 18:233. brachyphylla 44:373, 380; 45:365, 366, 380. brevifolia 18:233. calycina 45:237. capil-

laris 4:143; 15:125; 19:109; 36:219; 38:265. 270; 39:364, 381, 481; 40:387; 44:375; 49: 273. commutata 45:235. curtisetosa 47: 211. cuspidata 18:233; 35:284; 36:223; 39: 150. depauperata 18:233. diffusa 2:120; 9: 17. dumosa 4:46. erecta 29:158; 45:260, 261. expansa 4:143; 44:253, 375, 380. filiformis, var. fortis 38:298. foliosa 9:19–21; 14:55; 15:125, 160; 16:13; 19:96, 109; 38:265, 268; 44:335, 380; 45:221, 222, 224, 226, 228, 229, 235, 236, pls. 749, 750; 49:273; f. ambigua 26:1; 38:265; 45:236; subsp. ambigua 9:20, 21; 15:160; 26:1; subsp. setiglumis 9:20; var. setiglumis 38:265, 268; 44:335. frondosa 45:235, 379, pls. 749, 750; 49:273; f. commutata 45:235; 49:273. glabriflora 9:22; 45:227, 379, 385; 47:99, 109. glomerata 1:104; 6:105; 9:22; 10:165; 45:231, 232, 234, 237, 239, pl. 756; 47:211; 48:64; 49:272; var. cinnoides 48: 64; 49:239, 272; var. ramosa 9:22; 45:231, 04; 49:239, 272; var. ramosa 9:22; 45:231, 232, 237. gracilis 9:20. lateriflora 45:226, 227. mexicana 6:105; 9:18, 19, 21, 23; 15: 125, 160; 16:89; 19:109, 164; 24:113; 28:74; 32:178; 38:265, 268; 45:221, 223, 224, 226–230, 235, 236, 238, pls. 751, 752; 47:213; 49: 273; 50:16; f. ambigua 45:236; 49:273; f. commutata 26:1; 38:265; 45:236; f. setilumis 45:236; subsequence 45:236; subsequence 45:236; subsequence 21.18 glumis 45:236; subsp. commutata 9:18, 21; 26:1; var. commutata 26:1; 45:235. microsperma 48:64. palustris 9:17. polystachya 9:18. racemosa 6:105; 9:20, 22; 12:40; 15:125; 19:30; 22:134; 23:229; 28: 127, 162, 245; 32:18; 36:407, 416; 38:265, 268; 45:221, 222, 224, 231, 232, 237, 238, pls. 753, 754; 47:211; 48:63; 49:272; subsp. violacea 9:22; var. ramosa 9:22; 45:237. Richardsonis 18:233; 29:10, 229; 32:201, 203, map 31; 38:265, 268, 269. Schreberi 9:17, 22; 15:125; 29:158, 159, 247; 38:265, 270; 49:273; subsp. curtisetosa 9:17; subsp. palustris 9:17; 10:65; var. palustris 10:65. setiglumis 45:236. setosa 45:222, 231-233, 235, 237–239, map 1, pls. 755, 756; 47:198, 211; 48:63, 64; 49:272; var. cinnoides 45: 233, **238**, 239, map 2, pl. 757; 47:211; 48: 64. simplex 38:298. sobolifera 9:17, 18, 22; 12:40; 15:125; 16:90; 38:265, 270; 49:272; f. setigera 38:265; subsp. setigera 9:18. squarrosa 18:233. sylvatica 6:97; 9:18, 20, 21, 23; 15:125; 19:109; 32:118; 36:416; 38: 265, 269; 45:221, 222, 224, 230, 231, 235, 237; 49:273; f. attenuata 38:363; 49:273; var. gracilis 9:20; var. robusta 45:236, 237; 49: 273; var. setiglumis 9:20; 45:236. tenui-flora 9:18, 21, 22; 15:125; 16:89; 21:201; 28: 74; 34:32; 36:219, 416; 38:265; 44:380; 49: 272; subsp. variabilis 9:18. trichopodes 4: 143; 44:380. umbrosa 9:20-22; 32:118; 36:416; subsp. attenuata 9:21. uniflora 29:10-13; 35:215; 38:265, 268, 365; 43:339; 44:242; 49:272; var. terrae-novae 29:11; 35:5, 85, 214, 215, 399, pl. 241; 49:239, 245. Willdenowii 2:120; 9:18 Muhly 45:223. Marsh 45:222, 223, 231. Wire-stem 45:223

Mulberry 9:5. White 25:176

Muley 45:222

Mulgedium 42:301. acuminatum 50:31. floridanum 40:479; 50:30; var. y. 50:30. leucophaeum 42:300, 301; β. integrifolium 42:302

Mullein 18:95; 49:67 Multisiliquae 47:385, pl. 991

Munroa 7:159 Muscadina 46:49

Muscadine 46:48, 49 Muscae 47:386

Muscari 10:129; 24:17, 18, 209, 210. botryoides 10:129; 21:106; 24:17, 18, 209. comosum 24:17-19, 208, 210; f. monstrosum 24: 18, 19. racemosum 1:68; 24:17, 18; 41:490 Musci 3:242, 257, 285; 4:30, 238; 6:72; 11:

117; 39:39; 42:345; 47:386, pl. 991

Museum beetles 40:1

Mushroom(s) 7:153; 23:87; 44:171

Musk filaree 39:235. Plant 6:227 Mustard(s) 38:243; 40:306. Hedge 7:101, 103. White 14:164

Mutinus bovinus 44:171. caninus 4:134 Mutisia pinchichensis 35:257. Rimbachii 35: **257,** 258

Myagrum rugosum 31:96

Mycena 3:42; 16:47. alcalina 44:171. calorhiza 3:40. cyaneobasis 3:40. cyanothrix 3:40. Iris 3:40. sanguinolenta 44:171

Mycetozoa 16:79 Mycetozoan 41:257

Mycocalicium subtile 36:142, 154

Mycosphaerella 50:287, 288. punctiformis 41: 514, 516

Mylia 12:201. § Leptoscyphus 12:201. anomala 5:172; 6:190; 7:58; 14:225; 15:25; 17: 120; 25:195; 26:9. Taylori 5:51, 172; 14: 224; 15:25; 25:195; 26:9

Myogalum Boucheanum 9:43

Myosotis 6:127; 9:45, 46; 25:30; 41:492; 42: 244; 43:637; 47:378. alpestris 36:164, 171, pl. 284; 41:163; 42:337; 45:315; var. asiatica pl. 284; 41:103; 42:33; 45:315; var. asiatica 41:154, 164, 282. arvensis 2:124; 3:214; 4: 91; 6:142; 19:247; 25:30; 29:125, 185, 219. collina 1:11, 76; 3:214, 215. deflexa 40:341. hispida 3:215. laxa 2:69; 3:214; 6:192; 21: 170; 25:30; 35:90; 43:555. macrosperma 10:55; 41:493, 558; 43:488, 503, 637, map 1. micrantha 25:30; 38:366. palustris 1:222; 2:214; 6:127; 10:145. georgisides 11:09; 3:214; 6:127; 10:145. scorpioides 11:98; 23:95; 25:30; 35:90; 49:251. sylvatica 25:30. verna 1:104; 3:214, 215; 6:84; 43:488, 636, 637; 45:459; var. macrosperma 10:55. versicolor 40:455; 44:337. virginica 12:129; 25: 30; 41:558; 43:488, 636; var. macrosperma 10:55: 37:350: 41:558

Myosurus minimus 35:362; 36:364; 40:372, 373, 420; 44:75; 48:115. Shortii 40:45 Myriactis pulvinata, var. minor 2:47: 7:228

Myriandra spathulata 50:168

Myrica 6:113; 7:74, 157, 159; 9:50; 12:178; 16:89, 109; 37:423; 40:408, 409; 42:95; 43: 220; 44:27. asplenifolia 3:130; 5:129, 130; 9:121; 12:128, 178; 15:153; 16:38, 109; 17; 153, 154; 18:35; 20:101; 21:199; 32:177, 212; 34:61; 39:200; 40:145, 156, 379, 410-412, 482,

pl. 514. carolinensis 7:74, 123, 125, 127; 11: 231; 12:119, 178; 16:109; 18:35, 96; 20:101, 103; 21:119; 23:105, 257; 24:87; 26:185, 224; 28:39; 29:129, 156, 211; 32:127, 151, 161, 210, 247; 33:120; 37:423; 38:98; 44: 172-174; 50:295. cerifera 1:194; 3:130, 189; 5:128; 7:74, 123; 9:194; 13:243; 19:32; 20: 103; 28:244; 29:156, 211; 36:31, 43; 37:423; 38:376; 39:473, 480; 40:408, 409; 44:342; β. media 40:409, 410; γ. pumila 40:408, 409. Comptonia 40:412. Curtissi 37:423, 424; 39:477: 40:409, 410; var. media 37:423; 40: 409, 410. floridana 50:125. Gale 1:183; 5: 132; 6:113; 7:110; 11:93; 12:117, 128, 178; 16:109, 167; 17:150; 18:35; 19:32; 22:40, 132, 134, 135; 25:8; 28:82; 29:156, 211, 222; 32:151, 247; 33:179; 34:52, 239; 35:238, 251; 36:280; 37:307; 38:148; 40:145; 42:321; 44: 364; var. **subglabra** 16:**167**; 19:128; 27: 212. heterophylla 40:409, 410; 49:22; var. Curtissi 40:410. inodora 46:389-391. pensilvanica 37:423; 38:377; 40:410; 42:94, 95. peregrina 40:412. pumila 7:74; 40:408, 409, pusilla 40:408, 409, 448. sessilifolia 40:409, 410; var. latifolia 40:409, 410

Myricaceae 6:113; 12:178; 16:109; 18:35, 96; 25:8; 26:224; 29:211; 31:43; 32:247; 36:

280; 43:80; 49:255; 50:125, 295

Myrioblepharis 5:107 Myriocladia 8:196

Myrionema balticum 2:47; 50:262. Corunnae 8:158; var. filamentosa 8:158. foecundum 2:47, globosum 2:47; 50:262. Leclancheri 26:214; 50:262. vulgare 2:47; 7:158

Myriophyllum 2:215; 4:105; 7:142; 10:167; 21:122, 123; 23:117; 24:214; 33: fig. 1; 35:124; 41:524, 528; 42:524. § Tessaronia 33:40, 42, 53, 59. subgen. Eumyriophyllum 33:40, 42, 53, 55. Saugett. Edinyinphymin 33:40. alterniflorum 1:103; 12:190, 191; 19: 232; 21:191; 22:136; 23:117, 133, 277; 24: 182; 28:127, 219; 29:217; 41:167, 264, 265; 43:555. ambiguum 3:34; 4:105; 5:134; 10: 52; 27:152; f. capillaceum 12:190; var. capillaceum 10:52, 166; var. limosum 4:105; 10: 52; 27:152; var. natans 10:52. brasiliense 41:551, 565. capillaceum 10:52. elatinoides 41:551, 565. capillaceum 10:52. elatinoides 21:124; 26:93, 94. exalbescens 21:120, 122, 123; 23:117, 277; 24:117; 28:127, 220; 29:65, 70, 109; 33:19; 34:70; 36:282, 307; 41:157, 158, 265; 44:143; 47:218; 49:250. Farwellii 22:136; 23:163, 277; 33:59, 166; 36:407; 43:555; 44:123. heterophyllum 7: 107, 142; 36:48; 41:551. hippuroides 41: 524. humile 13:18; 14:26; 23:105, 117, 277; 24:179; 32:148, 267; 50:304; f. capillaceum 10:52; 23:117; 32:267; 42:45; f. patans 10: 10:52; 23:117; 32:267; 42:45; f. natans 10:52; 23:117; 32:267; 42:45; f. natans 10:52; 23:117, 277; 32:267. magdalenense 21: 122, 123; 26:198; 32:13; 44:143; 50:212. pinnatum 3:88; 26:227; 32:124; 38:438; 39: 482; 41:551; 50:290, 298. procumbens 2: 219; 3:34. proserpinacoides 41:551, 565. quitense 21:124. scabratum 3:88; 25:48; 62:27; 32:148, 210:267; 50:290, gratum 3:88; 25:48; 26:227; 32:148, 210, 267; 50:298. spicatum 5:134; 13:182; 15:91, 166; 19:232; 21:122-124, 191; 23:117; 24:117; 29:217; 36:307; 41:265; 47:218; 49:250; var. exalbescens 47:218. tenellum 1:184; 5:130, 134; 11:129; 13:135, 140; 14:31, 202; 16:40; 22:16; 23: 105, 117, 141-143, 163, 277; 24:179; 26:37, 38; 29:217; 31:85; 32:148, 169, 173, 214, 267; 43:555. titikakense 21:124. verticillatum 21:123; 41:524; var. Cheneyi 41:524; var. intermedium 21:123; var. pectinatum 22:136; 23:131, 277; 29:217; 38:299

Myriophyllums 41:126 Myriopteris gracilis 48:386, 387

Myriotrichia 35:256. clavaeformis 2:47; 35: 149, 256; 50:262. densa 35:256. filiformis 2:47; 35:256

Myrmica emeryana 44:15; 45:445. fracticor-

nis 43:207; 45:445 Myrrhis 15:17. longistylis 25:110

Myrtillum 12:23

Myrtillus uliginosa, var. microphylla 25:25; 36:183; var. pubescens 25:25 Myrtle 18:42. Wax 37:423

Wax 37:423

Myrtle-tree 12:23 Mystery Tree 36:239

Myurella 6:146. apiculata 6:146. Careyana 6:73, 145. gracilis 15:13; 39:43. julacea 6: 146; 14:52; 30:9; 39:43

Myxobacteriales 50:286 Myxococcus 50:286

Myxogastrales 50:286

Myxomycetes 1:128; 3:207; 29:165, 166, 172, 173

Myxonema 5:72; 26:212

Myxophyceae 24:102-104; 26:162, 190, 211, 212; 28:1; 39:424; 40:74, 232, 236, 240; 43:74; 44:65; 50:272, 275

Myxothallophytes 50:286

Nabalus 3:217, 219; 31:9, 10. altissimus 6: 134. Boottii 9:154; 12:6. crepidineus 38: 300. Fraseri 44:478; var. integrifolius 44: 478. integrifolius 44:478. nanus 3:177; 6: 134. serpentarius 29:191, 221

Naiad 41:187; 44:217. Family 44:217

Najad 41:187; 44:217. Family 44:217
Najadaceae 3:283; 6:103; 10:168; 11:205; 12: 12; 16:120; 18:33, 95; 25:6; 26:219; 29:206, 247; 31:43; 32:230; 36:277; 38:333; 40:183; 42:149; 43:79; 44:217; 49:255; 50:293
Najas 2:217; 6:104; 7:45; 11:37, 205; 25:105, 109; 38:333, 334; 40:28, 183; 41:188; 43: 527, 658; 44:8, 217, 356; 49:105, 233–235. § Americanae 37:348; 39:59. conferta 38: 224, 237, 437; 6:124, 6:104, 176; 10:168. 334, 337. flexilis 5:134; 6:104, 176; 10:168; 11:205; 17:211; 21:75; 22:136; 23:146, 192; 25:107, 108, 206; 33:207; 35:14; 37:308, 345, 346, 348, 414; 38:334-339, 341, 342, pl. 438; 39:57, 58, pl. 455; 41:188; 42:95; 44:7, 8, 217, 40:15; 108, 222, 225, 225, 235, 24:7, 8, 24:15; 40:15; 108, 222, 235, 24:7, 8, 24:15; 40:15; 108, 222, 235, 24:7, 8, 24:15; 40:15; 108, 222, 235, 24:7, 8, 24:15; 40:15; 108, 222, 235, 24:7, 8, 24:15; 40:15; 108, 222, 235, 24:7, 8, 24:15; 40:15; 108, 222, 235, 24:7, 8, 24:15; 40:15; 108, 222, 235, 24:7, 8, 24:15; 40:15; 108, 222, 235, 24:7, 8, 24:15; 40:15; 108, 222, 235, 24:7, 8, 24:15; 40:15; 108, 222, 235, 24:7, 8, 24:15; 40:15; 108, 222, 235, 24:7, 8, 24:15; 40:15; 108, 24:15; 40:15; 108, 24:15; 40:15; 108, 24:15; 40:15; 108, 24:15; 40:15; 108, 24:15; 40:15; 108, 24:15; 40:15; 108, 24:15; 40:15; 108, 24:15; 40:15; 108, 24:15; 40:15; 108, 24:15; 40:15; 40:15; 108, 24:15; 40:15; 217; 49:105, 106, 233-236; subsp. caespitosa 44:7; var. robusta 10:168, 170; 11:205; 25: 206; 44:217. gracillima 10:168; 11:205; 24: 86, 182; 25:109; 36:249, 405; 37:346, 414; 38:334, 335, 337-341, map 3, pl. 438; 39:58, 432; 40:28; 41:189, 474, 500; 44:217; 47: 210; 49:106, 233-236. guadalupensis 10:170; 13:151, 160; 24:112; 25:107, 108, 206; 30: 136; 32:104; 37:345, 348; 38:334, 335, 337, 342, 344, 381, 383, map 4, pl. 438; 39:57, 58,

60, pl. 455; 41:188, 189; 42:370; 44:8, 217; 48:329; 49:106, 233-236. indica 49:236; var. gracillima 5:134; 25:109; 49:236. major 25:106; 29:43, 44. marina 22:15; 25: 106; 29:43, 92, 111; 37:345, 346; 38:334, 335, 338, map 1, pl. 438; 41:188; 44:8; var. gracilis 38:336. microdon 38:334; 49:235. minor 38:334–338, map 2, pls. 437, 438; 39: 57, 58. **Muenscheri** 39:**59**, 60, pl. **455**; 49: 233-236. olivacea 37:347, 348, pl. 382; 38:334, 344; 41:187, 188. tenuissima 38:339

Nama 41:562; 44:35. Havardii 41:562, 563; var. album 41:562. torynophyllum 41:563 Nanomitrium 12:146-148, 150. Austini 12: 147, 148; 13:46; 15:13. synoicum 12:148

Napaea dioica 43:94

Narcissus 6:83; 25:176; 44:344; 47:332. × Barrii 40:407. biflorus 45:398. Daffodil 50: 112, 125. incomparabilis 40:407. Jonquilla

30:69. poeticus 4:84; 6:83; 32:27; 37:85. Pseudo-Narcissus 38:85; 50:125
Nardia 21:149, 152, 155, 156, 163, 167; 23:281. subgen. Eucalyx 21:149, 154. subgen. Eunardia 21:149. adusta 4:208. biformis 21: 150, 158, 159. crenulata 5:172; 6:75; 7:58; 10:156, 157; 14:10:156, 158, 159. 10:186, 187; 14:12; 15:25; 21:149, 154; 25: 195; 26:9. crenuliformis 10:186, 187; 15: 25, 27; 19:272; 21:149, 154, 160; 25:195. emarginata, var. aquatica 6:167; var. major 6:167. fossombronioides 23:281; 25:195, 198. Geoscyphus 9:57, 58; 14:12; 15:25, 28; 16:76; 19:363; 21:149; 25:195; 26:9. haematosticta 4:209; 5:172; 9:57, 58; 15: 28. hyalina 4:209; 5:172; 10:187, 192; 11: 118; 15:25; 21:149-156, 158-167, figs. 1-9; 25:195; var. heteromorpha 21:156, 158; var. ovalifolia 21:158; var. subaquatica 21:158. insecta 9:58, 59. minor 9:58. obovata 3: 181; 5:172; 6:170; 7:58; 10:187; 15:25; 21: 149, 155, 160, 162–167, figs. 10–14; 23:284; 25:195; β. bogotensis 21:163; var. bipartita 25:195; β. bogotensis 21:103; var. bipartita 21:168; var. elongata 21:168; f. flaccida 21:168; var. rivularis 21:168. **obscura** 21: **159**–162, 164, 166, 167, 169, pl. **126**; 23:284; 25:195, 198; 26:9. paroica 21:156, 167. re-panda 9:57. robusta 6:167; 10:186; 15:27. scalaris 9:58; 14:1, 11–13; 15:25, 27; 21: 149; 25:195; var. insecta 14:13. Silvrettae 9:58. sparsifolia 7:52. sphacelata, var. crythrorbigs 6:167; var. media 6:167. suberythrorhiza 6:167; var. media 6:167. sub-elliptica 21:164, 167. subtilissima 21:162

Nardosmia 48:123. corymbosa 48:124. frigida 48:124; var. corymbosa 48:124; var. genuina 48:123; var. palmata 48:124. Hookeriana 48:124. palmata 48:124. speciosa 48:124

Nardus 40:134, 135. stricta 2:137; 21:22; 28: 81; 29:126; 35:203, 273; 38:15; 40:134; 44: 336; 48:21

Narketis 21:194. hyperborea 21:195. rotata 21:195

Narrow Spleenwort 7:100

Narrow-leaved wintergreen oak 48:143 Narthecium 33:52. americanum 33:52; 39:29

Nasmythia articulata 11:41

Nasturtium 6:118; 10:32; 18:220; 19:115; 27: 186; 42:271, 303; 43:291. Armoracia 6:118;

10:32. hispidum 10:32; 30:133; 42:29, 270; f. Tetrapoma 42:27. indicum 18:155. la-custre 10:32; 27:186. natans 7:142; var. americanum 27:186. officinale 1:81; 3:17; 6:118; 48:330. palustre 6:118; 30:132, 133; 42:267; var. brevisiliquum 42:270; var. genuinum 42:29; var. hispidum 10:32; 30: 133; 42:26; var. majus 42:272; var. micro-carpum 42:27, 29, 270, 271, pl. 605; 50:100; var. minus 42:272. sphaerocarpum 10:32; 38:406. sylvestre 9:12. terrestre 6:118:30: 132. 133: var. hispidum 42:273: var. occidentale 42:27

Naucoria 13:57; 26:218. Christinae 2:127-129. festiva 2:128. firma 13:64. hilaris 2: 128. Jennyae 2:129. lugubris 2:128.

sphagnophila 16:48

Naumburgia 22:193, 194. thyrsiflora 1:184; 6:126

Navarretia mitracarpa 33:206. Savagei 33:

205 Navicula 9:131; 10:184; 26:217. acrosphaeria 10:181, 183; var. dilatata 10:183; var. minor 10:182. advena 9:132. affinis 10:181; f. maxima 10:184; var. amphirynchus 10:184. ambigua 26:194, 216. americana 9:133; var. bacillaris 10:184. amphigomphus 9: 133; 10:184. amphipleuroides 9:133. amphirynchus 9:126, 133; 10:181. appendiculata 10:182. approximata 9:132. arabica 9:133. aspera 9:133; 26:193, 216. bacillum 9:133. Bartleyana 9:133. bicapitata, var. hybrida 10:181. bisulcata 10:182, 184. Boeckii 9:135. bogotensis 10:184; var. interrupta 10:182; var. undulata 10:182. Bombus 9:132; 26:193, 216. borealis 9:132; 26:194, 216. brasiliensis 9:132. Braunii 10: 181; 26:194, 216; var. interrupta 10:181. Brebissonii 9:132; 10:181. brevicostata 10: 184. californica, var. campeachiana 9:133. cancellata 9:132. cardinalis 9:132. Cari, var. angusta 10:182. caribaea 9:132. circumsecta 9:133. clavata 9:132; var. caribaea 26:193, 216. columnaris 9:133. commutata 10:184. crabro 10:132. crassinervia 9:135. crucicola 9:133. cryptocephala 10: 181. cuspidata 9:133; 10:181. daetylus 9: 132; f. curta 10:184. Dariana 10:184. decurrens 10:182. delawarensis 9:133. dicephala 10:182; 26:194, 216; var. lata 10:182. didyma 9:132; 26:193, 216. digito-radiata 9:132. dilatata 9:133. diploneis, var. obliquus 9:133. directa 9:132. distans 9:132: 26:193, 217. divergens 9:132; 10:182, 184; var. bacillaris 10:184; var. constricta 10:184. dubia 10:181. elegans 9:133; 26:192, 194, 217. elegantissima 10:182, 184. elliptica 9: 126, 132; 10:182; var. oblongella 9:132. esox 9:133. exempta 26:193, 217. fasciata 10:182, 184. firma 9:133. Fischeri 9:133. forcipata 9:132; var. densistriata 26:193, 217. formosa 9:133; 26:192, 195, 217. fortis 9:132. fusca 9:132; 26:194, 217. gentilis 10:184. gibba 9:132; 10:182, 184. gigas 9:132; 10:181. gracilis 26:194, 217. Gregorii 26:195, 217. Hantzschiana 26:194,

217. hemiptera 10:182. Hennedeyi 9:132; 26:194, 217. heronia 10:182. hibernica 9: 132. Hitchcockii 9:133; 10:184. humerosa 9:133; 26:194, 217. hungarica 26:192. interposita 9:133. interrupta 9:132; 26:194, 217. iridis 9:133; 10:181, 184; var. amphigomphus 9:133; var. amphirhynchus 9:133; var. producta 9:133. irrorata 9:132. kamorthensis 9:133. lata 9:128, 132. latissima 9:133. Legumen 9:132; 10:184. Lewisiana 9:130, 135. liber 9:133. limosa 9:133; 10:181, 184; var. subundulata 10:181. linearis 10:184. longa 9:132. Lyra 9:130, 132; 26:194, 217; var. dilatata 26:194, 217; var. elliptica 26:194, 217. maculata 9:129, 133. major 9:132; 10:181, 182, 184; 26:194, 217. marina 9:133. maxima 26:194, 217. mesogongyla, var. interrupta 10:181. mesolepta, var. stauroneiformis 10:181, 184. mesota, var. stauroneirorinis 10:181, 164. Mesotyla 10:181, 184. nanella 26:192, 193, 217, fig. 1. nobilis 9:131; 10:181, 184; var. dactylus 9:132. nodosa, var. curta 10:181. notabilis, var. expleta 26:194, 217. oblongella 9:132. palpebralis 9:133; var. angulosa 26: 194, 217. parallela 9:133. parva 10:182. peregrina 9:132; 26:192, 194, 195, 217. peripunctata 9:131, 133; 10:180. permagna 9: 129, 130, 133. polyonca 9:132. polysticta 9:132. Powellii 9:133. praetexta 9:132. producta 9:133; var. acuta 10:184. pupula 10:181; var. lineare 10:181. pusilla 9:133. pygmaea 9:132. quadratarea 26:194, 217. rhombica 9:134. rhomboides 9:135. rhynchocephala 9:132; 10:184; 26:194, 217. rupestris 10:184. Semen 9:128, 132. serians 9:133. Sillimanorum 9:133. Smithii 9:132; 27:194, 217; var. dilatata 10:182. sphaero-phora 9:133. stomatophora 10:182. sub-capitata, var. stauroneiformis 10:182. subcapitata, var. stauroneiformis 10:182. sub-orbicularis 26:194, 217. Tabellaria 9:132. theta 9:134. transversa 10:184. trinodis 9: 134; 10:181. tubulosa 9:134. tumescens 9: 133. tuscula 9:133. viridis 9:132; 10:181, 183, 184; 26:194, 217; var. commutata 10: 181, 183; var. fallax 10:183. viridula 26: 194, 217. yarrensis 9:132; 26:194, 217. zostereti 9:132

Nazia 9:53

Neckera complanata 24:124. pennata 1:54; 3:178; 4:30; 24:124; 39:43 Neckeraceae 37:228; 39:43

Neckeropsis undulata 36:56

Neckeria 9:54

Necklace Poplar 4:133

Nectria cinnabarina 39:372; 41:516; 50:288 Needhamia 9:54

Neeragrostis 28:113. hypnoides 28:114, 115. Weigeltiana 28:114, 115

Neesiella 16:63; 25:74. carnica 16:65. pilosa 14:210; 15:22, 26; 16:62, 65; 25:74, 199. rupestris 16:62, 64, 65; 25:75, 198, 199

Negundo 15:222. aceroides 1:40; 32:99 Nelumbium 18:164. luteum 36:23, 24. pentapetalum 36:23

Nelumbo 18:90, 162, 164; 29:235, 236; 30:54, 56-58; 36:24; 42:369. lutea 8:29; 18:90;

24:87; 33:230; 36:23; 37:192. 36:23, 24; 37:192; 38:272; 43:662; 48:330 Nemalion 50:256. multifidum 2:51; 7:223, 231; 8:190; 26:191, 214; 50:267

Nemastoma Bairdii 2:51; 43:72

Nemastylis 7:160. acuta 36:224, 227, 230

Nematosporangium 29:38

Nemexia 15:222; 46:36. elliptica 46:35, 36. Hugeri 46:36. lasioneuron 39:399

Nemocharis 49:150

Nemopanthus 6:121; 9:54; 11:50; 12:182; 18: 30; 21:126; 46:20. canadensis 1:183. fascicularis 1:183, 191; 2:38; 3:174, 198; 5: 35, 134; 6:121; 7:154; 14:21. mueronata 11:96; 12:182; 13:78; 17:51, 148, 152; 18: 39; 21:126; 22:134, 135; 28:124, 216; 29: 181, 216; 32:176; 33:122; 34:53; 40:161; f. chrysocarpa 47:144; var. chrysocarpa 42: 307: 47:144

Nemophila 42:34. Fremontii 42:39. microcalyx 40:375, 454; 41:489; 42:39; 43:485; 45:383, 459. pulchella, var. Fremontii 42:

Nemorosa quinquefolia 30:186

Nenuphar 18:163; 21:185. advena 21:186. album 30:57. luteum 21:186; 30:57. minimum 21:186. pumilum 21:186 Neobeckia aquatica 27:186; 40:132

Neofinetia 27:107. falcata 27:107

Neomammillaria hemisphaerica 35:224, 406; 37:78. multiceps 35:224

Neopieris mariana 18:68

Neottia 7:50: 11:106. calcarata 23:84. glandulosa 17:136. gracilis 48:6, 7, 190, 191; var. B. secunda 48:5, 7, 9. lacera 48:5-7. lucida 23:83. plantaginea 23:83; 48:6. pubescens 1:5. repens 1:6; β. 1:6. tortilis 48:190, 191

Neottia, Slender 48:6 Nepeta 6:127; 13:18; 25:40. Cataria 3:131; 25:40; 26:227; 32:272; 35:248; 50:299. flexuosa 50:221. Glechoma 6:127. hederacea 18:42; 23:289; 25:40; 35:364; var. parviflora 23:289; 25:40. Sieheana 9:43. virginica 47:178

Nephrocytium Agardhianum 14:114, 236; 15:

Nephrodium 3:269; 4:9, 10, 158-166; 7:99; 19:181; 31:26; 48:384, 385. \$ Eunephrodium 4:162. acrostichoides 4:159, 162. asplenioides 19:185, 189; 21:178. Boottii 4: 10, 52. Clintonianum 4:10–12. cristatum $4:10, 52, 53, 165; \times \text{marginale } 4:10, 11, 51;$ 6:32; var. Clintonianum 4:52; var. Slossonae 4:52. dilatatum 4:53. Filix-foemina 19:185, 186. Filix-mas 4:158, 159, 162, 163, 165; 8:22, 23. fragrans 4:10; 25:2, 3; var. remotiusculum 44:138. Goldieanum 4:10, 52. lanosum 48:383-388. marginale 4:9-12, 51, 165, 245; 6:77; 7:103; 30:17; f. Davenportii 4:245; 6:212; 30:17. molle 4:161. noveboracense 4:10, 165; 7:103. pittsfordense 6:76, 211, 212. simulatum 4:10, 84. spinulosum 4:9, 10, 12, 53; 6:31, 77; 7:99, 103-105; var. concordianum 6:33, 211, 212; 21:178; var. dilatatum 4:53; 6:31, 32; 7: 104, 105; var. fructuosum 7:103, 104; 9:84;

var. intermedium 4:53; 6:31, 32; 7:103, 104. squamulosum 31:34. tenue 37:374, 377, 378. Thelypteris 4:10; 31:33; β. squamulosum 31:34; f. Pufferae 9:83; 30:16; f. suaveolens 23:165; var. squamuligerum 31:34. unitum 4:161

Nephrodium, Purdie's Concord 6:33

Nephroma arcticum 11:100; 28:227. helveticum 28:227. laevigatum 28:227; 36:142 Nephromopsis ciliaris 20:40; 29:103

Nesaea longipes 38:407

Neskiza 5:249

Neslia 18:219. paniculata 10:167; 11:179; 18: 219; 19:225; 23:265; 42:327

Nestronia 30:22, 23. umbellula 30:22

Netrium 7:113; 24:216; 26:205. Digitus 7: 113; 24:216; 26:205; var. constrictum 24: 216; 26:205; var. cylindricum 7:113. interruptum 7:113; 24:216. oblongum 7:113; f. major 7:113

Nettle 8:226; 28:63, 117. Chili 8:226. Hemp 28:72

Neumayera 21:11. austriaca 21:11. Villarsii

21:11 Neurolaena 37:61, 62. lobata 37:61. macro-

cephala 37:62. Schippii 37:62, 63 Neves-Armondia 9:51

Neviusia 33:29, map 3. alabamensis 44:12 New York Fern 30:16

New Jersey Tea 4:130; 32:161

Nicandra 9:55; 25:61. physalodes 11:56; 25: 61

Nicotiana 25:61; 42:156. Bigelovii 25:61. longiflora 25:61; 36:375. rustica 14:206; 25: 61; 29:52; 41:82. Tabacum 26:133; 42:400 Nidularia stercorea 2:101. striata 2:101

Nigella Damascena 18:177; 20:184

Niggerheads 12:132 Night Bloomers 1:222

Nightshade 28:72. Mountain Enchanter's 31:

Nigrella 7:25

Nigritella 9:48. angustifolia 9:48. nigra 9: 48

Nimble Will 49:273

Ninsi 47:386

Niobea pratensis 25:144

Nipa 47:385

Nitella 41:127. flexilis 5:134; 44:175. tenuissima 23:67

Nitellas 7:45

Nitophyllum cryptoneuron 17:95

Nitschkia Fuckelii 50:287

Nitzschia 9:131. acuminata 9:136. angularis 9:136. circumsuta 9:136. Closterium 9: 136; 26:193, 217. curvirostris, var. Closterium 9:136. eurvula 9:131, 136. fasciculata 9:136. fonticola 26:194, 217. frustulum, var. perminuta 26:194, 217. granulata 9: 136. linearis, var. tenuis 9:136. longissima 26:193, 194, 217. Lorenziana 9:136. marginata 9:136. obtusa 9:136. plana 9:136. scalaris 9:130, 136; 26:194, 217. Shafferi 9: 131, 136. Sigma 9:136; 26:193, 194, 217. sigmoidea 9:136; 10:181. spectabilis 10:184.

tenuis 9:136. tryblionella 9:136: var. maxima 9:136

Noble Fir 42:522

Nodding Pogonia 22:55 Nodularia Harveyana 2:42; 10:162; 26:163. paludosa 26:211. spumigena 2:42; 10:162; var. genuina 40:75; var. litorea 2:42; var. major 2:42; 7:223 Nolanea 16:47. delicatula 16:47

Nolina 11:80, 81. atopocarpa 11:81, 82; 36: 52. Brittoniana 11:81, 82. georgiana 11: 80-82; 36:52

Nomada bella 37:159. cuneata 41:186; 42: 354. florilegus 36:28. subrutila 37:159

Nomadidae 41:186 Nonnea rosea 5:72

Norta 27:31

Northern Scrub Pine 35:357

163; 50:69. expansum 14:58, 59. macrosporum 24:106; 26:163. microscopicum 7: 236: 24:103, 106; 26:163; 50:69. muscorum 6:230; 7:242; 40:75; 50:69. parmelioides 7: 236. planctonicum 44:183. pruniforme 7: 237; 15:89. punctiforme 20:143; 26:163. rivulare 50:275. rupestre 6:230. sphaericum 10:160; 14:114. verrucosum 15:89

Nostochaceae 1:10 Nostochopsis lobatus 7:237 Notch'd-leaved Alder Tree 47:342 Notheia 14:59, 60. anomala 14:59 Nothocalais 50:33, 34

Notholaena dealbata 35:361; 36:223, 231. Grayi 26:49. Schaffneri, var. mexicana 26: 49. sinuata 47:394, 395, pl. 992; var. cochisensis 47:393-395, pl. 992; var. crenata 47:

Notholcus 18:233. lanatus 18:234

Nothopanax fruticosum, var. plumatum 18: 153; var. Victoriae 18:153. Guilfoylei 18:

Nothoscordum 7:160. bivalve 36:42; 38:381, 402; 39:52; 45:360, 364, 393

Notosolenus apocamptus 50:277. orbicularis

Notothylas 9:219. orbicularis 5:173; 6:190; 7:58; 9:219; 15:26; 21:169; 23:183; 25:197; 26:13

Nowellia 11:16

Nullipora polyphyllamea 50:267 Nummularia microplaca 44:171

Nuphar 6:116; 8:29; 10:49; 16:139; 18:120, 161, 164; 19:92; 21:184, 185; 31:37; 39:407, 408; 42:152; 44:357, 358, 368. advena 2: 215; 5:134; 6:116; 9:121; 16:139-141; 19: 91, 130; 21:186; 31:37; 44:356-358, 394, 395, 397, 398, pl. 717; 50:17; × sagittifolium 44: 397; B. tomentosa 21:186; var. brevifolium 31:37; var. hybrida 6:116; 21:187; var. minor 1:184; 6:116; 21:187, 188; var. variegatum 10:49; 21:187. affine 21:188. amer-

icana 16:138-141; 21:186, 187; a. tomentosa 16:139. centricavatum 21:188. fluviatile 39:333, 340, 407, 477; 40:368; 42:451. × interfluitans 44:397, 398, pl. 719. intermedium 21:187. japonicum 21:187; var. subintegerrimum 21:187. juranum 21:188. Kalmianum 5:44, 49, 134; 16:141; 19:111; 21:186, 187. luteum 21:185, 186; 29:175, 213; β. Kalmianum 21:186. **microphyllum** 19:111, 130; 21:186; 43:339; 44:357, 395, 396. minimum 1:184; 2:125; 6:116; 21:186 polysepalum 21:187. pumilum 21:186. rubrodiscum 19:111; 21:187; 44:357, 395. sagittifolium 44:357, 395–398, pl. 718. sericeum 21:187. subintegerrimum 21:187. systylum 21:186. tomentosa 21:186. variegatum 16:140; 19:92, 130; 21:187; 41:156, 157, 225; 42:324; 44:123, 357, 395; 47:214

Nuttallia 34:166, 167. pedata 40:461 Nyachia 38:417, 418. pulvinata 38:417, 418

Nyctaginaceae 17:202; 31:43 Nyctalis asterophora 44:171

Nyctelea 42:34, 38. ambigua 42:35, 38. americana 42:36, 38. Nyctelea 42:35, 38

Nymphaea 6:116; 8:29; 10:49; 13:21; 16: 138; 18:90, 120, 161–164; 21:183–185; 29: 234–237, 239; 30:53, 54, 56–58; 31:7, 9, 12; 38:375; 39:407; 47:385; 49:171. advena 6: 116; 8:29; 13:20; 14:26, 31; 15:90–92; 16: 137, 139, 140; 18:90; 19:92; 21:186; 29:175, 132; 43:89; 19:92; 21:186; 29:175, 132; 43:18; 213; 42:88, 92; var. variegata 10:49; 11: 93; 16:137; 17:150; 21:187; 22:136; 32:251. affinis 21:188. alba 18:162, 164; 21:183, 184; 30:54, 56-58; f. rosea 40:368, 415. americana 16:138, 139, 141; 21:187, 188. arifolia 21:186. bombycina 21:188. caerulea 29:239. Fletcheri 21:187. flava 50:111. fluviatilis 21:188; 39:333. hybrida 7:109; 21:187. japonica 21:187. Kalmiana 1:184; 6:116: 21:186. lekophylla 38:406. lutea 18:162; 21:183–187; 30:53, 54, 56, 57; β. Kalmiana 19:111; 21:186, 187; β. N. minima 21:186; β. pumila 21:186; var. affinis 21: 188. macrophylla 21:186. maculata 29: 239. magnifica 18:120, 144. microphylla 16:17; 18:90; 19:111; 21:186, 187; 22:138; 44:395. minima 21:186. minor 23:162. Nelumbo 36:23. odorata 2:215; 5:134; 6: 116; 9:121; 16:141; 32:148, 252; 49:141, 142, 171; f. rubra 45:400; var. gigantea 10:49; 49:141, 142; var. minor 4:76, 103; 5:44, 49; 23:162; 24:99; 49:141; var. parviflora 23: 162; var. rosea 23:161, 162, 264; 33:120; var. stenopetala 49:141, 142, 193, pls. 1061–1063. orbiculata 21:188. ozarkana 36:231. pentapetala 36:23, 24. polysepala 21:187. pumila 21:186; 38:35. reniformis 4:27. rosea 23:162. rubra 18:120. rubrodisca 1: 184; 18:90; 21:187, 188; 24:99; 32:260; 44:395. sagittifolia 21:186; 44:395, 396. tetragona 38:375; 43:74. tuberosa 4:27; 19:130; 29:239. ulvacea 44:396. umbilicaulis 21: 185. variegata 10:49; 16:137, 138, 141; 18: 90; 19:92; 21:187; 33:19, fig. 1; 44:395 Nymphaeaceae 6:116; 7:78; 18:37, 89; 22:89; 29:213; 31:43; 32:251; 36:280; 40:149, 166. 167, 169; 45:443; 49:255

Nymphalidae 41:186; 42:354

Nymphanthus 21:185. europaeus 21:185, 186 Nymphoides 10:54; 21:75; 23:169, 171; 24: 234; 40:338; 42:298. aquaticum 10:55; 24:234; 34:206; 40:339; 42:298, 475. cordatum 40:338, 339; 42:298; 44:262. lacunosum 10:54; 11:129; 14:26, 30; 24:88, 234; 32:148, 210, 271; 40:338, 339. peltatum 48:330

Nymphona 21:185. lutea 21:186

Nymphozanthus 21:184, 185; 31:37; 36:250; 39:407, 408; 40:148, 155; 42:152. advena 21:186; var. macrophyllus 21:186. affinis 21:188. bombycinus 21:188. centricavatus 21:188. europaeus 21:186. fluviatilis 21:188; 39:333. intermedius 21:187. japonicus 21:187. juranus 21:188. luteus 21:185. microphyllus 21:186, 187; luteus 21:185. microphyllus 21:186, 187; 38:375. orbiculatus 21:186. polysepalus 21:187. pumilus 21:186. rubrodiscus 21:187, 188; 23:137, 264. sagittifolius 21: 186; 36:33, 43. sericeus 21:187. subintegerrimus 21:187. variegatus 21:187, 188; 29:164, 175, 213; 32:148, 173, 251; 33: 19, 113, 120; 34:52; 35:5; 36:280; 42:324. vulgaris 21:184, 185
Nyssa 15:103; 21:190; 24:95; 33:42, 43, map 16; 35:106; 37:434; 41:484; 47:97, 364. aquatica 14:81; 35:200; 36:49, 220; 37:434; 38:377; 39:330, 474, 482; 40:251, 385, 452; 44:240; 50:248. biflora 36:48; 37:434, 435. canadensis 37:437. caroliniana 37:434, 435.

canadensis 37:437. caroliniana 37:434, 436, 437. multiflora 37:434; var. sylvatica 37: 434. sylvatica 3:235; 4:91, 131; 6:54, 164, 195; 14:80; 21:119; 24:95; 25:185; 26:129; 32:127, 152, 215, 269; 35:200; 36:48, 220; 37:352, 434-436, fig. 1 (map); 44:20; var. biflora 35:200; 37:435-437, 453, map 2, pl. 398; 38:445; 39:330, 480; 47:168; var. caroliniana 37:436, 437, 454, map 4, pl. 400; 39:482; 47:168; var. dilatata 37:436, 454, map 3, pl. 399; 39:480; 42:362; var. typica 37:434, 435, 437, 453, map 1, pl. 397. uniflora 50:248

Oak(s) 4:93; 7:122, 123, 125, 127, 129; 9:60; 13:57, 86; 16:79; 19:22, 23; 21:31, 49, 107; 31:79; 38:53; 42:88, 152; 43:71; 44:262, 263, 369, 413; 45:377; 46:151, 154; 47:281, 287, 297, 299; 50:38. Bartram 44:265. Bear 36: 239, 240. Black 4:132; 9:61; 38:58, 59; 41: 523; 44:262; 49:172. Black-jack 21:49; 44: 262. Catesby's 43:487; 44:349, 351. Chestnut 16:142; 41:523; 44:351; 47:365. Cow 37:351. Darlington 48:144; 49:102. English 7:124, 126; 14:20, 90; White 7:125. Fern 30:16: 43:216. Gray 18:46, 47. Laurel Fern 30:16; 43:216. Gray 18:46, 47. Laurel 28:35; 48:138, 145. Live 43:513, 514. Narrow-leaved wintergreen 48:143. Northern Red 41:521-524. Pin 42:361, 477; 44:262. Poison 12:181. Post 46:307. Red 10:165; 12:179; 16:142, 143; 17:30; 18:45-48; 23: 91; 34:246; 36:239; 41:523; 44:230, 262, 264,

351, 410; 47:297, 364, 366; 49:172. Saul's 44:262. Scarlet 41:523; 44:262. Scrub 9: 60; 12:8; 18:67; Black 4:133. Shingle 46: 307. Southern Red 41:521. Spanish 41: 521, 522; 44:262. Swamp Chestnut 47:365. Water 48:143. White 4:132; 9:61; 16:142; 34:246; 38:55; 41:523; 44:391; 48:206; 49: 172. Willow 21:49; 44:262. Yellow 4:132 Oakesia 6:110; 10:128; 23:92; 31:12. Conradii 37:10. sessilifolia 5:132; 6:110; 10: 128; 12:128; 27:108; 32:153, 215, 216, 244; var. nitida 37:407, 409; 41:536 Oat. Sand 12:27. 29. Strand 12:28

Oat, Sand 12:27, 29. Strand 12:28 Oat-grass 12:27; 21:76; 49:269. Black 49:274 Oats 6:78; 14:179; 15:33; 28:74; 41:157; 49: 269. Wild 18:34

Obeliscaria pulcherrima 40:353

Obelisteca 40:353

Obolaria 40:375; 43:486. caroliniana 10:66. virginica 39:482; 40:364, 454; 42:279

Obularia 47:364

Ochlochaete ferox 10:157. lentiformis 50:259

Ochna Jabotapita 30:56

Ochra 15:15

Ochraceae 36:131, 390, 392 Ochrolechia tartarea 29:203 Ochromonadaceae 41:134

Ochromonas 50:276

Ocimum 9:44; 25:40. § Gymnocimum 9:37. Basilicum 25:40

Oconee Bells 49:160

Octoblepharum 40:359. albidum 36:55 Octodiceras 11:16. Julianum 15:13 Odontella aurita 9:138. turgida 9:138 Odonthalia dentata, f. angusta 10:116

Odontia spathulata 50:287

Odontidium Harrisonii 9:137. hiemale 9:137. mutabile 9:137

Odontites rubra 13:182; 33:166

Odontoglossum 2:31

Odontoschisma 14:1, 14; 21:152. denudatum 4:211; 5:172; 6:173; 9:73; 14:1, 13, 15, 16; 15:25; 25:196; 26:11; var. elongatum 14: 13, 14. elongatum 14:13-16; 15:25, 27; 25:196; 26:11. Macounii 14:13, 15, 16. prostratum 5:172; 8:44; 15:25; 25:196 Odontostephana Baldwiniana 40:286. carolinensis 40:285. decipiens 40:286. obliqua

40:287. Shortii 40:287

Oeceoclades falcata 27:107. Lindleyana 27: 107. Lindleyi 27:107

Oedocephalum 5:97, 98, 102. echinulatum 5:

Oedogonia 38:67

Oedogonium 5:107; 7:171; 9:78; 10:57, 58; 15:88; 20:142; 23:67; 24:103; 26:212; 29: 163, 164; 30:193; 36:197; 38:68; 41:135; 50:67, 270, 271. acmandrium 36:198. acrosporum 36:198; var. bathmidosporum 36: 198. Areschougii. var. americanum 36:198; var. contortifilum 36:199, 213, pl. 287. autumnale 36:199. boreale 36:200, 207; var. americanum 36:199, 213, pl. 287. Borisianum 20:142; 36:200. Boscii 36:201; var. occidentale 36:201. ciliatum 36:201. concatenatum 36:201; 38:68. costatum 36:

207. crassiusculum, var. idioandrosporum 36:201:50:274. crenulatocostatum 7:240: f. cylindricum 36:202; 38:68; var. longiarticulatum 36:202. crispum, var. gracilescens 36: 202; 38:68; var. uruguayense 36:202; 38:68. Croasdaleae 36:202, 214, pl. 288; 38:68. cryptosporum 36:203; 38:68; var. vulgare 36:203; 38:68. cymatosporum 36:204; var. areoliferum 36:203, 213, pl. 286. dictyospermum 36:204; f. Westii 36:204. echinospermum 36:204; 38:68. elegans 36:205; var. americanum 36:204, 213, pl. 288. globosum 36:205, grande 36:205; var. angustum 36:205. hians 38:69; var. megasporum 38:68, 69, 73, pl. 407. Huntii 10: 57, 58. hystricinum 36:206; var. excentriporum 36:205, 213, pl. 286. illinoisense 36:210. intermedium 36:206. inversum 36: 206. longatum 26:165. macrandrium, var. 206. longatum 26:165. macrandrium, var. propinquum 36:206. mammiferum 36:206. megaporum 36:200, 207. michiganense 36:203, 211. minus 36:206. mirratum 36:206. monile 36:209. nobile. var. minus 36:206. oelandicum 36:200, 207; f. minus 36:207; var. novae-angliae 36:207, 213, pl. 287; 38:69. platygynum 36:207; 38:69; var. ambiceps 36:208, 213, pl. 287. pratense 36:208; 38:69. pungens 36:208. pusillum 36:208. Rayenellii 7:171. Reinschii 30:103 208. Ravenellii 7:171. Reinschii 30:193, figs. 3, 4; 36:208. reticulocostatum 36: **208**, 213, pl. **287**; 38:69. rugulosum 36: 209. Sancti-Thomae 36:209. scrobiculatum 38:70. sexangulare 36:209; var. majus 36: 210. spiralidens 36:210. spiripennatum 36:210, 212, pl. 286. suborbiculare 38: 69, 70, 73, pl. 407. suecicum 36:211. tapeinosporum 36:211. **Taylorii** 36:211, 213, pl. **286.** Tiffanii 38:70. undulatum, f. senegalense 36:212; 38:70. verrucosum 38:

Oenanthe 50:126. ambigua 10:35 Oenothera 6:123; 10:195; 11:130; 12:14; 13: 209; 15:45, 50, 223; 17:235-237; 18:198; 23: 116; 24:178; 33:179; 34:246; 40:180; 45: 366; 46:390. subgen. Kneiffia 41:550. am-300; 40:390. Sangen. Khema 41:390. ammophila 15:47. angustifolia 15:46. angustissima 15:46, 48, 81, 82, 84, 85, pls. 100, 101; 26:3. argillicola 15:46. atrovirens 17:41, 42. biennis 3:18; 6:123; 9: 122; 13:209; 15:45, 46, 48, 50-53, 81, 85, pls. 102, 103; 16:15, 34; 17:217, 225; 23:116; 26: 3, 4, 185, 186, 226; 29:182, 217; 32:161, 267; 35:94; 36:374; 39:373, 375; 50:298; var. canescens 10:34; var. grandiflora 1:82; var. nutans 26:3; var. pycnocarpa 26:3; var. sulphurea 15:53. bistorta 23:116. caespitosa 40:354. chrysantha 20:51. cleistantha 17:41-43, 44, pl. 111. cruciata 12:108, 109, 141; 17:41; 23:116; 29:128. florida 20:51. franciscana 16:33–35, 37. fruticosa 1:97, 173; 6:97; 12:108; 20:50, 51, 73; 23:116; 24:177, 178; 36:24; 39:325; 41:550, 551; β. ambigua 20:51; var. **Eamesii** 20:51, 73; 39:347, 436, 475; var. hirsuta 12:108, 109, 141; 20:51, 73; 24:177; var. humifusa 39:

347, 436, 475; var. microcarpa 41:550, pl.

576; var. subglobosa 41:550, 551, pl. 576; var. unguiculata 41:551, pl. 577; var. vera 41:551, pl. 577; 42:88, 93. gigas 37:110. grandiflora 13:210; 15:45; 23:116; 26:3, 226; 32:159, 267; 50:303. Greggii, var. typica 42:500. Hookeri 16:33. humifusa 49:101. hybrida 20:51, 73; 24:177-179; var. ambigua 20:52, 73; 23:116. laciniata 20:51; 23:116; 31:85; 34:6; 36:48; var. grandiflora 10:34; var. grandis 10:34. Lamarckiana 15: 45, 46, 49; 16:37; 17:235, 237; 18:199-201; 19:69; 26:3; × nanella 18:200, 201; × rubrinervis 18:199; f. brevistylis 17:235; f. laevifolia 17:235. latifolia 50:64. linearis 20:51, 73; 32:177, 212; var. Eamesii 10:34; 20:51, 73. linifolia 36:220. longipedicellata 10:34; 32:177, 212. missouriensis 34: 7; 36:224, 232; 40:354; var. incana 42:500. mollissima 20:51. muricata 11:130; 15:45, 47, 166; 16:15; 17:35, 146, 147, 217; 18:29, 40, 48; 19:231; 23:116; 26:3, 4; 29:131, 182, 217; 32:267; 34:54; 36:282; var. canescens 10:34. nanella 18:199-201; × Lamarckiana 18:199. nutans 15:81-83-85: 26:3. Oakes-19:69; 26:3; × nanella 18:200, 201; × ru-18:199. nutans 15:81-83-85; 26:3. Oakesiana 13:218; 17:41; 23:116; 42:45. ob-longa 18:199. parviflora 26:4; 31:85; 42: 45; var. angustissima 26:3. perennis 25: 47; 33:122; 35:279; var. rectipilis 25:47. pratensis 10:34; 12:109; 14:55; 20:51; 23: 116; 31:85. pumila 1:173; 3:188; 5:129; 6:123; 12:108; 13:139; 17:35, 154; 18:40; 19:111; 20:51, 106; 22:136; 23:116; 25:47; 29:182, 217; 32:261; var. rectipilis 19:110, 111; 20:106; 25:47. pycnocarpa 15:81-83-85; 26:3. Robinsonii 17:41, 42-44, pl. 111. rubrinervis 18:199–201; × nanella 18:200, 201. serrulata 11:199; 36:224. sinuata, var. grandiflora 10:34. Spachiana 50:97. speciosa 41:551. stenomeres 17:41, 42. stenopetala 17:41. subglobosa 36:48; var. arenicola 36:48. subrobusta 18:199. tetragona 20:51; 24:178, 179; var. riparia 45:366, 454. tetraptera 24:178. Tracyi 13: 210, 211, pl. 93. venosa 17:41-44, pl. 111. venusta 16:34-36; var. grisea 16:35, 36, 37, pls. 107, 108

Oenotheras 16:34, 37

Oicomonas socialis 50:278. termo 50:278

Oidium candicans 50:288

Olacaceae 21:69

Oldenlandia 45:372; 47:291. Boscii 39:359, 450, 480; 40:369, 458; 41:477, 570; 43:501, 617; 45:371, 372, 476. uniflora 38:377; 39; 482: 44:343

Old-field Pine 50:183, 185

Oleaceae 4:17; 6:89, 126; 12:184; 24:233; 26: 227; 31:43; 32:271; 50:298

Oleoides 38:441

Oleraceae 47:385, pl. 991

Oligonema flavidum 29:171

Oligotrichum 40:359 Olisthodiscus luteus 50:272, 276

Olotrema 5:249

Ombrophila clava 16:46

Omphalia 3:142; 16:47. maura 16:47. pyxidata 13:58

Omphalodes Luciliae 9:39

Onagra 13:209; 15:223. angustifolia 20:51.

biennis 6:123; 15:51

Onagraceae 6:123; 18:40, 98; 23:115; 25:10; 26:226; 29:216; 31:43; 32:266; 36:282; 43: 81; 45:313; 46:198; 49:255, 288; 50:298, 303. trib. Epilobieae 26:48

Oncidium 2:31, 64. sphacelatum 2:30. vari-

cosum 2:63, 64

Oncophorus 40:359. virens 30:4; 39:13, 40. Wahlenbergii 1:53; 30:3; 39:40

Oncostylis 40:395

Onion(s) 4:81; 25:102; 43:504; 46:315

Oniscus 40:474

Onobrychis 20:171. eubrychidea 9:43; 39:

309. viciaefolia 20:171

Onoclea 6:100; 9:85; 17:161; 21:175; 30:18. erispa 37:245. nodulosa 17:161, 162, 164; 21:175, 179; 42:315; 47:123, 124. sensibilis 1:219; 2:184, 229; 3:41, 190; 4:157; 5:134, 274; 6:100; 9:85; 11:7, 176, 232; 13:126, 139; 16:13, 14; 18:31, 187; 21:175; 22:81, 82, 90, 135; 23:185; 28:127; 29:131, 145, 166, 205; 30:18; 32:136, 225, 228; 34:65, 244; 35: 360; 38:98; 50:19; f. obtusilobata 4:36; 30: 18; var. obtusilobata 1:219; 6:100; 16:14. Struthiopteris 1:219; 2:184, 229; 4:157; 6:100; 9:85; 11:86; 12:111, 170; 15:44; 16:13, 14; 17:161, 162; 21:178, 179; 23:186; 30:18; f. obtusilobata 37:219; 47:124; var. pubescens 47:124

cens 47:124
Onopordum 11:60; 26:131. Acanthium 1:164, 171; 19:252; 26:131; 27:203
Onosmodium 7:160; 14:163; 16:158. hispidissimum 36:224. molle 37:194. occidentale 19:247. subsetosum 36:224, 232; 37: 194. virginianum 2:125; 3:214, 215; 16: 159; 24:88; 32:212; 39:445, 482; 42:362, 477
Onychonema 7:265; 24:240; 26:210. filiforme 24:240; 26:210. laeve 24:240; 26:210; var. micranthum 7:265. Nordstedtiana 7:265
Oocystis 24:103; 26:212. lacustris 24:108. solitaria 24:108; 26:165; 50:69
Oomycetous Fungi 5:102

Oomycetous Fungi 5:102 Opegrapha varia 28:159 Ophelia minor 21:198

Ophiocytium cochleare 14:114; 50:275. majus 50:275. parvulum 14:114; 26:165. undu-

latum 50:275, 279, pl. 1118

Ophioglossaceae 2:185; 6:23, 100; 9:85; 18: 26; 23:209, 210; 31:43; 32:228; 35:352; 36:

276; 40:182; 49:254, 255

Ophioglossum 6:100; 9:85; 23:141; 35:352; 41:492, 497; 46:313-315. alaskanum 41:498. arenarium 15:86–88, 222; 23:187; 41:497, 498. Engelmanni 15:86; 36:222, 223, 227, 230; 46:307. Grayi 15:88; 41:496-498. lusitanicum 44:162. microstichum 15:88. nudicaule 44:162. Prantlii 41:497. Pringlei 41: 499. pubescens 41:496. pusillum 41:496-498. reticulatum 41:498. vulgatum 1:219; 2:185; 3:42; 6:100, 235; 9:85; 13:79; 15:86, 87, 156; 18:26; 23:141, 142, 187, 210, 217; 32:216, 228; 34:244; 35:352; 36:22, 23; 38: 369; 40:462; 41:495—499, pl. 571; 46:313, 314; f. arenarium 15:88; 41:498; f. lanceo-

latum 15:87: 41:498, 499: f. pseudopodum 15:87, fig.: 19:106: 35:352: 41:498, pl. 572: f. pusillum 41:499; var. alaskanum 41:495, 498; var lanceolatum 15:87; 41:497-499; var. microstichum 15:88; var. minus 15:86, 88; 23:187, 210, 217; 41:499; var. pseudopodum 41:498, pl. 572; 50:19; var. pycnostichum 41:494, 495, 498, pl. 570; 42:278 Ophiorrhiza lanceolata 44:257. Mitreola 44:

Ophrydium 23:66

Ophrys 22:181; 34:98. aestivalis 48:191. banksiana 50:232. barbata 48:11. Corallorhiza 11:106; 48:193. lilifolia 49:137, 138. pubera 50:126. spiralis 21:10: 22:180

Oplismenus 45:389. crus-pavonis 23:60, 61. hispidus 50:106. holciformis 23:62. jamaicensis 23:63. polystachyus 23:63. zelayen-

sis 23:54

Oplopanax 26:124. horridum 26:123, 124; 43: 92

Opossum 41:483

Opulaster 9:54. intermedius 10:32

Opuntia 7:160; 11:52; 16:102–104; 40:380, 486; 41:469; 42:155; 46:82; 48: pl. 1026. calcicola 46:307. glomerata 16:104. humifusa 35:348; 36:48; 40:448, 486. leptocaulis 35:225. Lindheimeri 35:225. macrarthra 36:48. macrorhiza 36:232. missouriensis 16:104. Rafinesquii 1:128; 29:232; 44:75. vulgaris 1:127; 13:151; 16:101, 103, 104; 19: 231; 23:113; 32:178, 212; 35:348; 39:89; 41: 486

Orange 44:372; 50:38. Hawkweed 4:62, 151; 12:104. Mock 17:121. Osage 9:91, 148; 25: 174. Trifoliate 41:547

Orbexilum 39:427. gracile 39:427. peduncu-latum 39:425, 427

Orbilia 50:287. curvatispora 50:287

Orchard Grass 49:264

Orchid(s) 5:82, 259, 260, 264; 6:27, 28, 63, 94, 177; 7:49, 50, 95, 96, 110, 119, 120; 8:19, 100; 11:28; 13:217; 19:56, 131, 235; 21:192; 22: 40, 42; 23:73, 90, 196, 197; 24:37; 25:47; 27: 105; 41:129, 138, 149, 477; 42:55, 151, 279, 314, 359, 363, 380, 381, 521; 43:502; 44:104,

456; 45:267, 268; 46:81; 48:7; 49:58 Orchidaceae 2:114; 4:18; 5:264; 6:28, 111; 7: 120; 9:52; 10:195, 207, 210; 11:76, 102, 105, 179; 18:35; 19:56; 22:34, 47, 53; 24:43-45, 188; 25:7; 29:123, 210; 31:8, 10, 14, 15, 43, 91; 32:245; 36:279; 37:306; 39:485; 42:147, 151; 45:308; 48:9, 193; 49:255, 288; 50:152. trib. Ophrydeae 23:77. trib. Spirantheae 23:73, 82, 84; subtrib. Sarcanthinae 24:45. subtrib. Spiranthinae 41:138

Orchideae 25:158; 31:7; 47:385

Orchioides decipiens 48:11. Menziesii 1:7; 48:11. pubescens 1:5. repens 1:6. secundiflora 27:107

Orchis 3:203; 6:111; 8:1; 11:79; 18:71; 34: 98; 35:239. bidentata 44:257. bifolia 8:4.

bractealis 28:174. bracteata 28:170-172, 174. ciliaris 16:90. clavellata 48:10, 161, 162, 215, pl. 1045. dilatata 10:70. falcata 27:107. flava 23:148; 50:123; var. virescens 23:148.

Hookeri 50:125. integra 50:123. lilifolius 34:192. maculata 24:45. Michauxii 50:125. nigra 50:123, 125. nivea 50:123, 125. orbiculata 8:1, 4, 5; 35:398. psycodes 16:90; 35:241; 50:125. repens 1:6. rotundifolia 4: 35:241; 30:125. repens 1:6. Foldmonth 4: 19, 21, 22; 13:115, 221; 21:65; 28:97, 100, 103, 169; 33:88; 37:207; 41:150, 214; 44: 108. spectabilis 1:26, 147, 171; 2:180; 3: 86; 4:19, 22, 93; 6:111; 10:146; 11:79; 17: 204; 19:131, 236; 25:45; 34:231; 35:360; 40: 375, 407. tridentata 48:162. virescens 23: 148. viridis 28:172; β. Vaillanti 28:171, 172; var. Vaillantii 28:171

Orchis, Ragged 28:21, 57. White-fringed 23:

90, 110

Oregon cliff-brake 48:272 Oreobroma pygmaea 37:363

Oreoweisia 40:359. serrulata 30:3

Origanum 25:40. flexuosum 50:220-222, 1112. marjorana 25:40. vulgare 1:25; 25: 40

Ornithogalum 6:83; 9:43; 10:129; 25:155. Boucheanum 9:43. hirsutum 25:126. umbellatum 6:83, 143; 7:40; 10:129; 23:242, 244. undulatum 9:43

Ornithopteris 43:12. aquilina 43:17. caudata

43:54. esculenta 43:61

Orobanchaceae 6:129, 152; 25:186; 29:220; 31:

43; 32:274; 49:255 Orobanche 6:129; 25:186; 26:133; 28:125; 35: 308. § Aphyllon 28:235, 236. artemisiae 9: 49. artemisiepiphyta 9:49. Columbriae 9: 49. columbarihaerens 9:49. minor 3:295. minuta 28:236. purpurea 28:236. ramosa 3:295; 26:133-135, pl. 145. Rapum 9:49. sarothamnophyta 9:49. Schultzii 43:4. Sedi 28:236; 35:308; 37:365. terrae-novae 28:235; 29:187, 220; 32:13; 35:48, 95, 308, fig. 2. trichocalyx 43:4. uniflora 6:129, 152; 11:98; 21:202, 25:186; 28:235, 236; 29:245; 32:206; 35:95, 308, fig. 3; 37:365; 43:488, 645; var. terrae-novae 35:308

Orobus maritimus 34:181, 184. Mühlenbergii

19:157

Orontium 16:18, 19, 77; 23:171; 24:186; 33:39; 36:34; 37:310; 39:204; 42:40, 393. aquaticum 1:184, 202; 3:186; 5:134; 7:73; 9:119; 13:151; 16:18, 77; 24:87, 185; 26: 180; 32:178, 212; 33:39; 36:41; 39:197, 198, 477, 487, fig. 11 (map); 42:40, 87, 90 Orthilia 34:26. parvifolia 34:

26. procumbens 34:26

Orthocarpus 25:65. purpurascens 7:38; 25:65 Orthodicranum flagellare 30:4. montanum 30:

Orthostachys 22:181

Orthotrichaceae 30:9; 37:240; 39:42

Orthotrichum 3:178. anomalum 30:9; 39:42. Blyttii 30:9. Braunii 1:54. elegans 48:3. Garrettii 38:240. Macounii 39:7. obtusi-folium 1:54; 39:43. pumilum 13:46. sordidum 4:181; 23:68; 48:3. speciosum 1:54; 39:43; 48:3. splachnoides 5:201. strangulatum 4:30: 39:13, 43

Oryza 30:81, 82. clandestina 30:82, 83; f. inclusa 30:83, 84; f. patens 30:83. oryzoides

30:82

Oryzopsis 6:105; 15:124; 16:90; 49:274. asryzopsis 6:105; 15:124; 16:30; 49:274. asperifolia 2:120, 121; 5:197; 6:105; 11:88; 13:139; 15:124; 21:200; 23:229; 28:162; 33:116; 35:215; 38:265, 268, 298; 43:339; 49:274. canadensis 1:67, 183; 4:142, 143; 18:233; 23:132, 229; 35:13, 215; 36:277; 37:249; 38:265, 268, 269; 43:339; 49:274. juncea 1:67, 183; 4:142, 143. melanocarpa 1:185, 2:130, 6:07, 105, 208; 2:10, 10:168 185; 2:120; 6:97, 105, 208; 8:210; 10:166. parviflora 4:142, 143. pungens 15:124; 19: 109; 24:161; 31:82; 32:176; 35:215; 36:277; 37:203; 38:265, 269; 44:231; 49:274. racemosa 8:210; 15:118, 124; 16:15; 17:233; 35:249: 38:265, 269, 270: 49:274

Osage Orange 9:91, 148; 25:174; 50:38

Oscillaria 40:263

Oscillatoria 1:100; 7:238; 24:51; 26:211, 215; 40:225, 230, 255, 263, 270. § Oscillaria 40: 263. acutissima 50:275. Agardhii 40:264. amoena 24:106; 26:163; 39:279. amphibia 2:42; 7:235; 26:215; 28:1; 39:278; 40:232, 265, 269; 50:275, 276. anguina 39:279; 40: 264, 265, 267. angustissima 40:264. animalis 40:264. articulata 50:276. Bonnemaisonii 40:229. brevis 40:76, 266, 269, 270; 50:275; var. neapolitana 39:278; 40:264, 266, 270. chalybea 7:172; 26:164; 28:1; 40:264. chlorina 40:265, 269, 273, figs. 8, 9. Corallinae 2:42; 7:172; 40:268. curviceps 40:264. 2.12, 7.112, 40.205. Cutviceps 40.204. formosa 7:172; 14:114; 26:164; 39:277, 278; 40:267, 271; 50:69. geminata 50:276. granulata 39:278, 280, fig. 2; 40:266, 270. Grunowiana 40:264. irrigua 28:1; 29:164. Grunowiana 40:204. Irrigua 25:1; 25:104. laetevirens 2:42; 7:172; 28:1; 39:277, 278; 40:259, 266, 268, 270. limosa 2:42; 7:235; 14:114; 40:264, 268; var. chalybea 40:76. luteola 39:277, 278, 280, fig. 1; 40:266, 270. margaritifera 2:42; 26:190, 212, 215; 39: 278; 40:228, 229, 265, 267, 268; 50:256, 276. 275, 40.226, 229, 205, 207, 205, 50:256, 276.

maritima 50:276. nigra 40:264. nigroviridis 2:42; 40:75, 76, 265, 268; 50:276.

Okeni 40:264. ornata 40:264, 267, 269; 50:
275. princeps 2:42; 7:223, 235, 238; 26:
164; 28:1; 40:264, 267, 269. proboscidea 40:
264, 267. prolifica 1:100; 40:264; 50:275. pseudogeminata 50:275. quadripunctulata 28:2. rubescens 40:264. salinarum 8:105. sancta 40:264; var. caldiorum 28:1. splendida 7:236; 26:164, 211; 39:279; 40:266, 269. subtilissima, var. litoralis 28:2. subtorulosa 40:231, 263. subuliformis 26:215; 40:264, 270. tenuis 2:42; 7:235, 236; 10:162; 15: 89; 26:211; 40:265, 268; 50:69, 275, 276; var. natans 7:236; 40:269; 50:69; var. tergestina 28:1; 39:278; 40:269. terebriformis 40:264

Oscillatoriaceae 39:277; 40:221, 232, 266; 50: 272. trib. Lyngbyeae 40:224, 232. trib. Vaginaricae 40:224, 225, 232

Osmanthus americanus 36:30, 50; 39:477; 42:

Osmaronia 34:167; 43:92 Osmia atriventris 38:91

Osmorhiza 4:88, 153, 154; 5:49; 6:124; 11:53: 13:18; 15:17, 18; 24:94; 25:110; 37:455; 46: 20. brevistylis 1:159; 4:153; 6:124. Claytoni 10:53; 16:15; 21:200; 23:170, 277; 24:

94; 25:110; 32:204, 206; 33:178; 34:64; 35: 250; 37:64. divaricata 6:193; 13:148; 14: 72; 23:140, 170, 277; 28:125, 221; 32:206; 33:227; 35:387; 37:64, 68, 70, 216. longi-33:227; 35:387; 37:04, 08, 70, 210. long-stylis 1:159; 4:81, 153; 10:53; 12:113; 24: 94; 25:110; 31:85; 33:140; 35:250; 43:342; var. brachycoma 25:110; 43:342, 662; var. villicaulis 10:52; 19:245; 25:110, 111; 40: 383, 448; 43:662. obtusa 4:154; 13:115, 126, 138; 18:187; 28:78; 32:206; 37:455; 44: 102

Osmunda 3:223, 224; 4:83; 6:100; 9:85; 10: 196; 13:134; 21:176; 32:71; 35:352; 40:182. 190, 13.134, 21.110, 32.71, 35.332, 30.132. bipinnata 32:75. caroliniana 17:162. cicutaria 19:214. cinnamomea 1:219; 2:184, 209; 3:129, 190, 224; 5:47, 132, 134, 196; 6: 100; 8:219; 9:85; 11:28, 87, 176, 231, 232; 13:139; 15:63, 154, 155; 17:150; 18:31; 21: 119; 22:82, 133; 23:185; 26:108; 28:82, 124, 148; 29:131, 205; 32:74-76, 136, 215, 228; 33:115; 34:65, 244; 35:59, 352; 36:219, 226, 376; 44:353; f. angusta 15:155; f. bipinnatifida 15:155; 35:352; f. cornucopiaefolia 15: 156; f. frondosa 15:156; 35:352, 405; 42:41; f. glandulosa 15:155; f. incisa 15:155, 200; 16:38; 35:352; f. latipinnula 15:155; 16:38; 35:352; f. trifolia 15:155; var. asiatica 32:75; var. auriculata 15:155; var. frondosa 3:42; 9:85; 15:156; 35:352; var. glandulosa 8:219; 15:155; 22:82, 86; 44:353, 376; var. imbricata 32:75; var. incisa 10:196; 11:28; moricata 32:75; var. incisa 10:196; 11:28; 35:352; var. typica 32:75. Claytoniana 1: 219; 2:184; 3:164, 168, 190, 224; 5:45, 47; 6:100; 9:85; 17:150; 22:82, 133; 25:6; 26: 108; 28:124, 148; 29:131, 205; 32:73-76, 136, 176, 205; 33:115; 34: 50, 65, 244; 35:59, 352; 37:190, 203; 42:278; 44:345, 376; var. dubia 6:138; var. lanosa 32:74; var. vestita 32:73-75. crispa 37:245. imbricata 32:75. intergrupts 32:74. morticals 32:73. 74: var. interrupta 32:74. monticola 32:73, 74; var. vestita 32:73, 74. pilosa 32:73–75. regalis 1:219; 2:184; 3:168, 190, 224; 4:83; 5:134; 6:100; 9:85; 13:132; 16:90; 18:31; 21:179; 22:132, 134, 135; 23:134; 29:205; 32:72, 73, 75, 76, 228; 34:244; 40:161; 47:386; 49:238; f. interrupta 16:38; var. interrupta 16:38; var. pumila 13:133; 32:72; var. spectabilis 21:176, 179; 22:82; 32:72, 73, 75, 136, 150; 33:115; 35:352; 36:219, 226; 43:78; 49:238; f. anomala 35:352; subvar. anomala 35: 352. spectabilis 16:90; 21:179; 32:72, 73. Struthiopteris 21:179. virginiana 47:374. virginica 40:290

Osmundaceae 6:100; 11:36; 18:31; 21:173; 22:80, 82; 25:6; 29:205; 31:43; 32:228; 35: 352; 40:182; 43:78; 49:255

Osmundastrum cinnamomeum 32:75

Osteospermum Uvedalia 19:47 Ostreobium Quekettii 2:42; 8:159

Ostrich Fern 5:196; 17:161; 23:151; 30:18; 46:158; var. pubescens 47:124

Ostrya 6:113; 16:111; 21:191; 40:150, 157, 172; 44:351. virginiana 12:128; 16:111; 21: 190; 23:137, 170, 257; 24:167; 31:84; 32: 152, 215, 247; 38:414; 40:170, 382, 412; 41: 31; 43:523; f. glandulosa 38:414; var. lasia

38:414. virginica 5:130; 6:113; 13:141, 148; 21:190; 35:249; 36:100; α. glandulosa 38:414; B. eglandulosa 38:414

Othake 48:85. macrolepis 38:408; 48:84-86. Reverchonii 48:86. robustum 38:408; 48: 86. roseum 48:86. texanum 48:86 Otophylla 20:68, 134, 136, 137

Over-cup Oak 39:331

Ovularia obliqua 26:218 Oxalidaceae 6:121; 21:79, 170; 26:226; 29: 215; 31:43; 32:257; 45:27; 49:255; 50:297 Oxalis 6:121, 233; 11:119, 131; 12:14; 19:44; 21:79; 31:140; 39:231; 40:180; 50:191. Acetosella 1:170, 184, 192; 3:174; 5:35; 6:121; 9:207; 17:152; 20:76, 77; 21:79; 22:134, 143, 144; 31:140; 36:3; 39:200; var. subpurpurascens 9:207; 20:78. albicans 27:119, 120. ambigua 27:113, 134. americana 20:76, 78; 21:79, 199, 200; 22:143, 144; f. **rhodantha** 20:78; 22:144. Brittoniae 11:50; 27:133. Bushii 27:135. californica 27:116, 118, 120; var. **subglabra** 27:116, **119.** colorea 27:133. corniculata 6:121; 9:121; 11:131; 17:154, 226; 21:79, 170; 22:136; 27:113, 114, 117, 120, 122–124, 134; 28:67; 31:149; 35:200; 36:374; 41:35; var. Dillenii 27:114, 122; var. Langloisii 27:117, 121, 122; var. mivar. Langloisii 27:117, 121, 122; var. micrantha 27:120, 138, 139; var. stricta 27:134; var. viscidula 27:117, 121, 122. cymosa 3: 188; 5:34; 6:121; 27:114, 115, 135. Dillenii 27:113, 122, 123, 134; β. florida 27:133, 134. enneaphylla 27:137. europaea 21:79; 27: 113–115, 118, 123, 124, 134–136; 35:200; 41: 35; 44:345, 425; 46:27; f. cymosa 27:118, 135; f. pilloidiflora 44:425; f. pilosella 27:118, 135; f. villicaulis 27:118, 135; 30: 158: var Rushii 27:118, 135, 136: 31:149. 158; var. Bushii 27:118, 135, 136; 31:149; f. subglabrata 27:118, 136; 44:425; f. vestita 27:118, **136**; 31:149; 40:253; var. lanulosa 31:149. filipes 5:33, 34; 6:204, 233; 11:119; 15:98; 21:79; 27:116, 117, 122, 124, 133; 35:200; 36:46; 37:431. florida 27: 113, 116, 117, 124, 133, 134; 46:135; var. strigosifolia 27:117, 134. furcata 27:122. glauca 27:133, 134. grandis 27:118, 136, 139. herpestica 27:121. hirsuticaulis 27:138, 139. interior 27:135. Langloisii 27:121. Lyoni 27:122, 137. macrantha 27:135, 139. montana 22:143, 144; 29:180, 215; 32:206; 33: 110, 122; 34:53; 35:77, 321, 322; 39:200, 202, fig. 27 (map); f. rhodantha 22:144; 39: 231; 42:44. monticola 38:405. Navieri 27: 122. **oreophila** 38:**405.** pilosa 27:122; 28: 67; var. **subpilosa** 28:**67**; var. **Wrightii** 28:**67.** Priceae 27:138, 139. pumila 27: 120, 137. pusilla 27:113, 120. recurva 27: 118, 136–139; 44:257; var. floridana 27:118, 138; var. macrantha 27:118, 138; f. sericea 27:118, **138**; var. **texana** 27:118, **138**. repens 21:79; 27:114, 120; 41:35. rufa 27: 135. stricta 5:34; 6:121, 233; 11:118, 119, 131, 179; 19:41, 44, pl. 122; 21:79; 26:186, 226; 27:113–115, 117, 122, 124, 134; 28:71; 32:257; 35:200; 36:46; 38:425; 50:290, 297; f. viridiflora 38:425; var. piletocarpa 27: 117, 123; var. viridiflora 11:118, 119; 19:41,

44. Suksdorfii 27:118, 137. texana 27:138. verticillata 27:120. violacea 1:81, 171; 5: 203; 8:24; 21:79; 36:54, 362; 38:378; 39: 52; 50:224, pl. 1113; f. albida 42:101; var. trichophora 39:378; 46:135. Wrightii 27: 117, 119, 120; 28:67; var. pilosa 27:117, 119, 120, 139; 28:67; var. subpilosa 27:117, 119; 28:67

Oxalis, Yellow-flowered 5:33, 34

Ox-eye Daisy 5:177; 17:225; 47:389 Oxybaphus 17:202. albidus 36:224. angustifolius 10:31. floribundus 16:40; 17:202. glaber 27:15; var. recedens 27:15. hirsutus 19:129; 35:199. linearis 10:31; 37:191. nyctagineus 13:89; 14:20, 90; 17:202; 19: 129: 34:5: 46:84

Oxycaryum 49:49, 50. Schomburgkianum 49:

49

Oxycoccus 11:61; 29:49. macrocarpus 8:29. microcarpus 41:147, 151, 275. Oxycoccus 6: 126. palustris 7:39

Oxydendrum arboreum 23:180; 37:130, 437;

38:377; 39:474; 44:240

Oxygraphis 39:52. glacialis 41:163, 228 Oxypolis 21:182. Canbyi 41:139; 49:157, 158. filiformis 41:139; 49:86, 88, 156, 157; var.

Canbyi 49:157. rigidior 19:164; 21:119; 39: 437; 40:367, 449; 44:261; 50:126; var. ambigua 10:35. rigidus, var. longifolius 10: 35. ternata 41:471, 472, 481, 485, 491, 502, 552, map 8; 44:349; 49:157 Oxyria 18:196; 38:121; 45:510. digyna 3:165;

4:203; 9:154, 160; 25:112; 28:124, 199; 34: 245; 35:93, 120, 265, map 11; 36:48; 38:114. 119, 124, 134, 148; 41:151, 219; 42:312, 321; 44:116: 47:224

Oxytria crocea 50:128

Oxytrope 45:1

Oxytropis 1:85, 86; 9:54; 27:90; 28:76; 30: 121-123, 137, 138, 145, 150, 151; 33:108; 34: 243; 38:101; 42:310; 44:90; 45:313. § Diphragma 30:147. arctica 30:139, 143–145, 150, 152, 155, pl. 172; 33:122; 42:332; α. subumbellata 30:144; β. minor 30:125; δ. inflata 30:154, 155; var. uniflora 30:152. arctobia 25:113, 222; 30:139, 145, 152, 153. Belli 30:139, 145, 150–152; 36:179. borealis 30:144. campestris 1:85–88; 2:92; 13:218; 30:141–144, 146–150, 155; var. caerulea 1:86, 87; 13:119, 129, 216; 25:9; 30:142, 146, 148. 149; var. johannensis 1:**88**; 2:90; 3:284; 6:193; 9:162; 13:119; 28:104, 125, 216; 30: 146; var. melanocephala 25:113; 30:142-144, 155; 41:252; 42:332; var. sericea 1:87; var. 30:143, 152. chartacea 38:95. coronaminis 30:151, 152, pl. 175. deflexa 30:140, 141; 42:314, 333; 46:283; β. sericea 30:140. foliolosa 28:103, 105, 106, 213, 216; 30:138-140; 34:245; 35:50, 274, map 3; 38: 155; 41:251. foliosa 30:140. **gaspensis** 30: **123**, 138, 141, pl. **171**; 33:232, 234, 240; 38: 95; 44:112, 143; 45:3, 4. gracilis 30:123, 124, 141; 42:333; 45:313. Hallii 30:154, 155. hudsonica 30:138, 142, 145, pl. 172; 41: 155, 251; 42:333; 45:1-4. ixodes 45:2-4, pl. 745; 49:20; f. ecaudata 45:4, pl. 745.

iohannensis 30:139, 145-147, 149, 150, pl. 173; 33:111, 122; 35:89, 275; 36:282; 38: 95; 44:127. **kokrinensis** 41:251, 252, pl. 553. Lamberti 1:85, 87; 30:146, 149; 38: 95; α. 1:85, 88; δ. 1:85, 88; var. sericea 1: 87, 88; 30:146. lapponica 30:140, 141. leucantha 30:142-144. Maydelliana 30:139, 142-145; 41:252; 42:332. Mertensiana 41: 163, 164, 252; 42:312, 332. nigrescens 30:153; 41:252, 253; var. arctobia 30:152. plattensis 35:287; 36:224. podocarpa 30:139, 150, 154, 155; 41:151, 252. **pygmaea** 30:**153**; 41:151, 163, 252, 253; 42:333; 45:313. **re**trorsa 30:140, 141: 41:253: 42:333: 46:283: var. sericea 30:140, 141, revoluta 41:252. Roaldi 30:152. rubricaudex 41:252. sordida 30:148, 149, 152. splendens 36:179. terrae-novae 30:139, 147, 149, pl. 174; 35: 275, map 22; 38:155. uralensis 1:85, 88; 30:146; β. 1:88; γ. minor 30:148; var. b. 1: 85; var. pumila 30:144; 33:122. viscida 30: 122-124, 141; 33:232; 44:112; 45:3. viscidula 30:141; 45:3, 4

Oyster 10:44, 45 Oyster-plant 23:102

Pabina 1:168 Pachypleurum alpinum 41:267

Pachysandra procumbens 27:214; 37:318; 39: 195, 196, fig. 5 (map)

Pachystima 33:29; 50:111. Canbyi 31:256 Padina Pavonia 21:207

Padus 21:190. caroliniana 46:45. nana 18:

140. virginiana 18:140

Paederota 23:3

Paeonia 6:116; 33:88. Moutan, var. Banksii 18:156; var. Humei 18:156; var. papaveracea 18:156; var. rosea 18:156; var. roseasuperba 18:156; var. rubro-plena 18:156; var. vittata 18:156. officinalis 6:116; 39: 369, 375. papaveracea 18:156. suffruticosa, var. Banksii 18:156; var. Humei 18:156; var. papaveracea 18:156; var. rosea 18: 156; var. roseo-superba 18:156; var. rubro-plena 18:156; var. vittata 18:156

Paesia 43:12. aquilina 43:17. coriifolia 43:17 Pagesia 37:442; 44:162

Paint-brush, Devil's 4:62

Painted Trillium 10:21, 22, 214; 12:163

Palafoxia 26:131; 48:85. callosa 36:225, 422. linearis 48:84, 85. macrolepis 48:86. Reverchonii 48:86. riograndensis 48:84, 85. rosea 48:86; var. robusta 48:86. sphacelata 48:86. texana 26:131

Paliurus 17:49

Pallavicinia 6:166. Flotowiana 6:165, 166; 14:224; 15:22, 26; 16:76; 17:120; 19:272; 25:193; 26:7. hibernica 6:75, 165, 166; var. leptodesma 6:165, 166; var. Wilsoniana 6: 165. Lyellii 5:170; 6:75, 166; 7:58; 15:22; 25:193; 26:7

Palmae 9:37; 47:384-386

Palmafilix 44:34

Palmella 10:155. mucosa 50:274

Palmellococcus 9:197. marinus 10:160. miniatus 9:198

Palmodictyon varium 26:212

Palovea 18:234

Panaeolus 3:143; 5:199. fimicola 3:38 Panax 6:124; 23:118; 33:29; 46:250; 47:386. Balfouri 18:153. filicifolium 18:153. horridum 26:124. laciniatum 18:153. monstro-sum 18:153. nossibiense 9:43. plumatum 18:153. quinquefolium 6:124; 13:218; 31: 13; 46:250. repens 46:250. trifoliatum 40: 290. trifolium 12:129; 23:118, 31:13; 40: 246, 247, 290. Victoriae 18:153
Pancovia 16:6. angustifolia 16:10. digitata

16:10. palustris 16:10

Pancratium carolinianum 50:193, 194. coronarium 50:193, 194. maritimum 50:194 Panctenis 20:68, 70, 136

Pandorina 8:78. Morum 14:114; 15:91; 26:

Pandorinae 8:78

Panicularia 9:53. americana 6:106: 49:261. borealis 1:105; 2:158; 4:146. brachyphylla 8:211. canadensis 6:106. Davyi 4:145. distans 18:12, 16. elongata 6:106; 14:187. fluitans 4:146; 31:49. laxa 1:183. maritima 18:7. melicaria 14:187. nervata 6:106; 26: 139; 31:48; 49:261; f. stricta 31:47. pallida 6:106. rigida 31:47, 48; 47:210. Torreyana 4:146

ana 4:146
Panicum 3:94, 119; 6:43, 104; 8:138; 11:27; 12:108, 218-220; 13:66, 173-175; 14:36, 175; 182; 15:36, 54, 56, 64, 66, 223; 16:82; 17: 71, 72, 233; 20:102; 22:153, 182; 23:64, 141, 156, 224; 27:29; 29:114; 30:229; 31:107, 108; 33:62, 131; 36:21, 22, 61-65, 422; 37: 267, 370, 372; 39:324, 365; 40:367, 370, 372, 388; 41:86, 475; 44:227, 348; 45:277, 369, 372, 381; 47:108, 210; 48:212; 49:91, 99, 123, 254; 50:46. § Capillaria 21:110, 111. § Dichotoma 38:394. § Echinochloa 3:95, 126. § Eupanicum 3:95, 100; A. Homophylla 3:95, 96, 101: B. Heterophylla 3:95 phylla 3:95, 96, 101; B. Heterophylla 3:95. 96, 107. § Excelsa 3:95. § Lanuginosa 23: 225. § Spreta 23:224. § Syntherisma 3: 94, 98. group Agrostoidia 13:67. group Bicknelliana 13:67. group Capillaria 13:67. group Commutata 13:68. group Dichotoma 13:67. group Eu-dichotoma 13:67. group Fasciculata 13:67. group Lanuginosa 13:86. group Oligosanthia 13:68. group Scoparia 13:68. group Spreta 13:67. sub-\$ Lanuginosa 49:122. subgen. Dichanthelium 12: 219; 36:61, 67, 68; 38:394; 48:212; sub-\$ Scoparia 38:392-394; 40:331, 333. aciculare 36:61; 37:390; 39:477; 44:241, 343; 45:376, 386. aculeatum 8:209; 19:108; 31:111, 118; 38:393, 450, pl. 443; 40:333. Addisonii 118; 38:393, 450, pl. 443; 40:335. Addisonni 3:63, 128; 15:56; 30:230; 36:63; 37:391. adspersum 13:67. agrostidiforme 3:145. agrostoides 3:95, 96, 101, 102, 128; 14:40, 182; 15:56; 19:95; 25:207; 31:111, 114, 116; 36:74, 75; 37:267; 38:390, 391, 450, pl. 442; 40:369, 389; 42:386, 412; var. condensum 36:74; 37:390; 40:390; 42:391, 412; var. ramosius 38:390-392, 450, pl. 442; 39:340,

353; 42:144; 47:109. albemarlense 13:67; 19:108; 22:182, 183; 24:86, 98; 26:180; 30: 230; 31:107, 111, 117; 32:177, 210, 233; 36: 63, 64, 66, 76, 79. albomarginatum 13:68: 39:387, 424, 467, 477; 41:504; 42:364. alopecuroideum 38:389; A. cynosuroides 31: 110. amaroides 3:95, 96, 102; 13:67. amarulum 13:67; 17:72; 38:390. amarum 3: 102; 13:67; 30:230; 31:111, 113, 118; 40: 389; 42:396; 44:257, 342. anceps 36:63, 75: 20:451. 447. vor. vor. 40:200; vor. mpber 75; 39:481; 44:70; var. 40:390; var. pubescens 36:69; var. rhizomatum 36:73; 37: 390; 38:381, 392; 39:477. angustifolium 36: 61; 37:390; 44:257. annulum 30:230; 31: 111, 117; 32:177, 211; 36:62; 39:481. arenicola 36:62. argyrostachyum 22:103. aristatum 23:63. Ashei 3:116, 117; 14:39, 40, 173; 15:38, 56, 59, 132; 17:71; 31:111, 115, 117; 32:177, 211; 36:62-64, 83-86. atlanticum 1:98; 3:63, 95, 98, 121; 36:62. auburne 13:67; 30:230; 31:111, 117; 32:177, 211; 39: 481; 45:386; 48:37. autumnale 7:68. badium 22:104. barbipulvinatum 13:67: 16: 82; 21:110, 111; 30:230; 36:63, 65. barbulatum 1:39, 67, 76, 105; 3:95, 97, 113, 145; 15:56; 17:71; 30:230; 36:63, 64, 81; 37:370. bartowense 38:387. **Benneri** 46:**2**, 3, pl. 185; 3:95, 97, 117, 129; 4:89; 13:139; 15: 56; 17:153; 22:133, 134; 23:195, 228; 31: 111, 114; 33:112, 116; 35:201, 202; 36:62, 63; 40:332; 42:42; 49:239; var. michiganense 42:306. Boscianum 38:387. Boscii 13:76; 14:167; 15:56; 30:230; 31:111, 115–117; 36: 63; 37:381; var. molle 10:64; 30:230; 31: 111, 115, 117; 35:39; 37:391; 39:342; 44:70. brevifolium 38:389. brizoides 30:26. bulcosum 13:0. 10. caemilascens 13:67: 36: bosum 13:9, 10. caerulescens 13:67; 36: 363; 39:476; 41:476, 504; 42:412; 43:512; 44:380. Cahoonianum 36:62. calliphyllum 3:108; 13:67; 15:56, 99; 30:230; 31:111, 118; 33:131; 36:62; 40:250. capillare 3:18, 95, 96, 105, 106; 6:104; 13:173; 14:39, 182, 184, pl. 99; 15:56; 17:212, 225; 18:95; 21:110-112; 22:154; 28:74; 30:230; 31:111, 114; 32: 232; 36:63; 38:388, 389; 41:86; 42:412; 47: 264; B. sylvaticum 21:112; var. agreste 21: 111; var. minimum 3:105; 21:112; var. occidentale 21:112; 23:192; 30:230; 31:111, 113, 114; 36:65; var. vulgaris 21:111. cenchroides 44:257. chamaelonche 36:35, 61, 63. chloro-44:257. chamaelonche 36:35, 61, 63. chloroticum, var. agreste 38:390. chrysopsidifolium 40:378, 389. ciliatum 36:61; 44:257. clandestinum 3:95, 97, 109; 13:76; 14:40; 15:56; 16:13; 24:161; 31:111, 114; 32:233; 33:132; 36:63, 312, 374; 40:333. Clutei 3: 95. 97. 117, 119; 13:67; 15:56; 30:230; 31: 107; 36:62-64; 37:370; 39:356, 386; 40:333. colonum 23:53; 30:51; var. zonale 23:53. columbianum 1:98, 105; 3:95, 98, 125, 128; 8:209; 14:38, 40, 171, 172; 15:38, 56, 57; 22: 183; 24:98; 30:230; 31:107, 111, 115, 116; 32:211; 36:62-64, 77, 79, 80; 37:249, 370, 391; var. oricola 36:79; 39:475; var. thin174 Rhodora

ium 10:64; 14:172; 15:37, 57; 30:230; 31: 107, 111, 117; 36:64, 77. Combsii 36:63, 69, 71-73. Commonsianum 6:42, 195; 17:71; 19:108; 30:230; 31:111, 117; 32:118, 177, 210, 211, 233; 36:63; 39:354, 387, 476; 40:366, 389; var. Addisonii 14:96; 31:111, 113, 117; 37:391; 39:476. commutatum 3:95, 97, 116; 14:175; 15:56, 57; 30:230; 31: 111, 118; 36:35, 61-64, 66, 83-87; 39:342; 44:70: var. Ashei 36:83; var. Lorgii 39: 44:70; var. Ashei 36:83; var. Joorii 39: 388. condensum 36:74, 75; 37:390; 42: 386, 412. consanguineum 36:35, 61, 63: 37:313; 39:326, 386, 467, 477, 478, map 47: 40:381, 401: 44:258, corrugatum 44:257. cruscorvi 49:123. crusgalli 3:80, 95, 96, 126, 127; 6:104; 23:55-57, 61, 302; 32:157; 49:123; a. aristatum 23:57; a. brevisetum 23:55; β. mite 23:60; γ. purpureum 23: 60; var. hispidum 3:127; 23:62; var. longisetum 23:55, 57; var. muticum 3:126; 17:106; 44:257. crus-pavonis 23:61. cryptanthum 13:68; 38:393, 450, pl. 443; 40:333; 42:364, 383, 412. Curtisii 14:168. curvinerve 22:103. cynosuroides 31:110. dactylon 29:115. Deamii 32:118; 36:81. debile 3:103; 14:168; 20:115; 24:86; 31:108. decoloratum 3:109. deminutivum 16:167. depauperatum 3:95-97, 107, 108; 6:97; 14: 40, 169, 170; 15:58; 17:71; 22:183; 23:138, 194; 31:111, 115; 32:150; 36:54, 61, 81, 219; var. psilophyllum 23:193, 194; 24:161; 30: 231; 31:112-114; 32:232; 37:249; f. cryptostachys 23:194; 24:161. dichotomiflorum 12:220; 13:175; 14:39, 172; 15:56; 17:212; 22:153, 154, fig. 5; 23:166, 192; 24:160; 30: 231; 31:112, 113, 115, 116; 32:232; 38:387–390, 450, pl. 441; 44:375, 381; var. bartowense 38:387; 44:381; var. geniculatum 38:387, 390, 450, pl. 441; 44:381; var. imperiorum 44:380, 381; var. puritanorum 22:154, 155, figs. 1-4;30:231; 31:112, 117; 35:68; 38:387; 44:375, 381. dichotomum 3: 93, 95, 97, 114; 4:38; 8:206; 12:216; 13:173, 176; 14:40, 173; 15:57, 160; 30:231; 31:112, 114, 116; 32:152, 158, 232; 36:61, 63, 64, 81, 219; 37:370; 38:394; β. fasciculatum 23:228; 36:77; var. barbulatum 3:113; 31:112, 113, 115, 116; var. fasciculatum 14:171; var. nitidum 3:113. dilatatum 38:386. dimidiatum 14:167; 38:389. discolor 3: 113; 47:198; var. major 3:114. dissectum 14:167; 29:114; 30:51. divaricatum 14: 168, 170. dumus 14:169. Eatoni 3:63, 119. echinatum 23:57, 60, 61; 49:123. Elliottianum 44:381. elongatum 3:128; 14:168; 31:108, 112, 115, 117; 32:118; 38: 391; var. ramosius 38:391. ensifolium 36:61, 63; 37:380, 391, 412; 39:326, 387, 388, 477; 41:472, 504; 44:241, 257; 45: 386. equilaterale 36:62. fasciculatum 14: 171. filiculme 3:123. filiforme 1:201; 2: 202; 3:94, 96, 98. filirameum 36:62. firmum 4:142, 143. flavescens 31:110. flexile 25: 207; 36:63; 37:366; 45:378, 386; 47:97. frumentaceum 23:54. Funstoni 15:36; 23:227. fusiforme 36:63; 41:469, 504. Gattingeri

21:110, 114; 22:153, 154; 25:207; 36:63; 39: 424; 41:86, 90. geniculatum 3:104; 38:387-389. gibbum 44:257, 355, 381, 382. glabrissimum 36:62. glabrum 3:100; 6:104; 18: 231; var. mississippiense 22:103. glaucum 18:232; 31:109; 44:257. glutinoscabrum 49:122, 192, pl. 1059. gracillimum 22:101. gravius 8:205, 206. gymnocarpon 44:257. haemacarpon 3:121. Hallii 50:92, 93. Helleri 13:68; 36:63, 80-83; 37:370. Helopus 13:174. hemitomon 13:68; 14:167; 38: 393; 39:338, 339, 343, 379, 388, 480, map 14; 40:371, 390; 42:87, 90; 44:241, 258, 369, 381. 40:371, 390; 42:87, 90; 44:241, 258, 369, 381. heterophyllum 3:113; 14:171, 172; 15:38, 57; 36:63; var. thinium 14:172; 15:37, 38, 57. hians 13:67; 39:332, 358, 388, 481; 40:390; 44:257. hirtellum 3:127; 38:389. hispidum 3:127; 23:62. huachucae 8:208; 15:57; 18:33; 22:183; 23:141, 223–226, 228; 31:107; 32:117, 232, 233; 36:62-66, 77, 78, 416; 37:370; 45:277; var. fasciculatum 14:171; 15:37, 57; 23:228; 36:77; 44:70; var. silvicola 10:64; 14:40, 171; 15:37, 57; 23:224–226, 228; 32:232, 233; 36:65, 77, 78, 418. humifusum 3:94, 96, 100. implicatum 1:105. 185: 3:123: 12:110: 13:116, 135: 14:40: 105, 185; 3:123; 12:110; 13:116, 135; 14:40; 15:57; 17:153; 22:182, 183; 23:223, 224, 226, 228; 32:233; 36:63, 65, 77, 78; 37:370; 46: 3: 50:293. indicum 31:194. involutum 3: 107. Ischaemum 18:231. italicum 13:173; 14:168; 28:143; 31:108; 38:389. Joorii 13: 68; 36:35, 63, 66, 83-87; 39:388. lancearium 36:35, 61-63, 66, 80; 39:354, 466, 477; var. patulum 36:80. lanceolatum 49:123. patulum 36:80. lanceolatum 49:123. languidum 13:68; 14:37, 40; 15:37, 57; 23: 141, 224, 225, 228; 36:63, 65, 66, 77, 78. lanuginosum 3:95, 98, 124, 125, 128; 4:38, 90; 8:207; 10:65; 30:231; 31:112, 117; 36: 61-63, 78; 37:391; 44:257; 46:3; var. fasciculatum 36:77, 416; 37:82; 46:3; var. huachucae 8:208; 23:228; 36:77; var. indicatum 36:77; var. Lindheimen; 36:77; plicatum 36:77; var. Lindheimeri 36:77; plicatum 36:77; var. Lindheimeri 36:77; 37:239; var. septentrionale 36:77, 79, 416; 37:391; 46:3; var. siccanum 8:207; 15:56; 22:183, 196. latifolium 1:98; 3:95, 97, 111, 117; 14:169, 182, 184; 15:38, 57, 100; 17: 233; 21:201; 31:108, 112, 114, 115; 32:105, 176; 36:63; 38:389; 46:76; var. molle 10:64. laxiflorum 3:117, 129; 24:98; 36:35, 61, 63, 65, 75, 76; 37:370; 39:481; 42:383; 47:211; var. strictirameum 36:75; 39:428. laxum 3:108. Leibergii 36:63; 47:43. leucocomum 3:108. Leibergii 36:63; 47:43. 3:108. Leibergii 36:63; 47:43. leucocomum 22:104. leucothrix 14:170; 36:62; 44:241; 45:55. Lindheimeri 12:216; 15:36, 38, 57; 23:141, 170, 223–225, 227; 24:98; 31:107, 112, 113, 115, 116; 36:63–66, 77; 37:249; 45:277; var. fasciculatum 23:226–228; 26:223; 31: 112, 114; 32:150, 158, 232, 233; 36:77; var. implicatum 23:226, **228**; 31:112, 114; 36: 77; var. septentrionale 23:226, 227; 24: 161; 31:112, 114; 35:284; 36:77; var. typicum 23:226, 227; 36:77. lineare 3:100; 18: 231; var. mississippiense 22:103. linearifolium 3:95, 97, 108, 118; 14:40; 15:57, 100; 17:65; 22:183; 23:194; 30:231; 31:112, 114; 36:62, 63, 65, 219; 37:203, 249, 370; 42:42;

44:70; 47:211; var. Werneri 23:194; 30: 231; 31:82, 112-115; 37:82, 249. longifolium 1:67; 3:95, 96, 101; 4:38; 19:108; 21:143; 23:160, 168, 193, 300, pl. 130 (map 16); 30: 190, 191, 231; 31:39, 40, 112, 117; 32:150, 209–211, 232; 36:63, 69–73, 75; 37:267, 313; 39:196, 387; 42:88, 93; 44:231; var. Combsii 36:69, 70, 72; 37:136; 39:477; var. pubescens 36:69, 70, 73; 45:381, 386; var. tuskecens 36:69, 70, 73; 45:381, 386; var. tusketense 23:192, 300, pl. 130 (map 16); 30: 191; 32:209; 36:69, 70, 72, 73. longiligulatum 39:467, 477. longisetum 23:62. lucidum 14:36, 40; 15:57; 21:119; 24:86; 30: 230; 31:107; 36:62, 64, 81; 37:379, 391; 39: 326, 358, 386, 387, 481; 44:241; 45:376; 47: 103; var. opacum 39:386, 475. lutescens 18:232; 31:109. luteum 31:110. macrocarpon 1:98, 185; 3:95, 97, 111, 145, 185; 4:38, 89; 14:184; 15:57, 64; 31:108. maculatum 14:169, 170. malacophyllum 13:68: 36:62. 14:169, 170. malacophyllum 13:68; 36:62, 14:169, 170. malacophyllum 13:08; 36:02, 63, 231. marginatum 23:194; var. strictum 14:169. mattamuskeetense 3:95, 97, 114; 13:67; 15:56, 57; 30:231; 31:107, 112, 117; 32:177, 211; 36:62-64; 37:370; 39:364, 386, 476, 478, map 31; 44:241; var. Clutei 32: 177; 39:386, 476; 41:504. melicarium 14:26. meridianda 2:123: 11:22: 15:26. 32 186. meridionale 3:123; 11:82; 15:36, 38, 57; 24:86, 98, 161; 31:107, 112, 117; 32:150, 158, 210, 233; 36:62–66, 76, 77, 79; 39:475, 478, map 46; 42:35; 46:3, 76; 50:301; var. albemarlense 36:76; 38:365; 39:475, 478, map 43; 42:35; 43:79; 44:348. microcarpon 3:113; 4:39; 14:172; 15:58; 31:112, 115, 117; 32:177, 211; 36:61, 81; 38:394; 43:79; 44:70. miliaceum 3:95, 96, 106; 6:138; 10: 153; 13:173-175; 15:58; 30:231; 31:82, 112; 38:387-389. miliare 13:175. minimum 3:95, 96, 105; 21:112, 114. minus 3:105; 6:138; 8:220; 24:98. minutulum 14:170, 171; 138; 8:220; 24:98. minutulum 14:170, 171; 30:35, 230. multiflorum 12:220; 14:172; 36: 416; 44:257. mundum 38:392–394, 450, pl. 443; 39:338, 475; 40:332, 333; 45:386. muricatum 17:105, 106; 23:57, 61; 37:137. mutabile 39:339, 343, 388, 467, 477, map 15; 40:389; 42:379; 44:380. Nashianum 36:80. nervosum 3:116. nitidum 1:105; 3:95, 97, 118; 6:97; 13:67; 38:392, 394; 39:386, 467, 481; 41:504; α. ciliatum 23:228; 36:77; δ. pilosum 23:228; 36:77; δ. densiflorum 3:119; yar majus 3:114. obtusum 13:68: 36:231 var. majus 3:114. obtusum 13:68; 36:231. occidentale 13:175. oligosanthes 15:58, 64; 24:86, 98; 30:231; 31:107; 35:284; 36:35, 52, 63, 64, 80-83; 37:370; 40:250; 44:258, 342; var. Helleri 36:80; var. Scribnerianum 36: 79, **80**, 416; 37:82. orangense 36:62. **oricola** 8:**208**; 13:67; 14:39, 40, 72; 15:58; 19:108; 20:97, 116; 24:98; 26:223; 31:107, 112, 117; 32:150, 158, 210, 233; 36:64, 65, 79: 50:293. ovale 13:68; 36:61; 44:258. ovinum 36:62. Owenae 31:107, 112, 113, 117; 36:64. pacificum 23:226, 228; 29:36. parvipaniculatum 36:62. patulum 8:209; 36: 62, 63, 66, 80. pauciflorum 3:112; 24:98; 44:258, 342. paucipilum 3:119; 36:62. pedunculatum 3:109. pensylvanicum 47:198. perlongum 36:62, 219. phaeothrix 22:104.

philadelphicum 13:54; 15:58; 21:110-112, 114; 24:98; 30:231; 31:112, 115, 117; 38: 390; 41:79, 86–90; var. **Tuckermani** 41:**90.** 390; 41:79, 86–90; var. **Tuckermani** 41:90. pilosum 14:171, 172. piloatum 23:64. polyanthes 12:220; 14:172; 24:113; 31:112, 117; 32:177, 211; 36:61, 63, 230, 416; 37:391; 43:500; 44:70, 257. porphyrium 21:112. Porterianum 3:112. **praecocius** 8:**206**; 36:63. procumbens 14:173. proliferum 1:42, 204; 2:202; 3:95, 96, 104; 13:175; 14:39; β. geni culatum 38:387, 389. prostratum 14:173. psammophilum 3:125; 8:209. pseudopubescens 13:68; 15:66; 30:230; 31:112, 118; 36: 63, 66, 79; 43:220. pubescens 1:98; 3:121, 122, 128; 6:104; 13:175. pubifolium 3:112. 122, 128; 6:104; 13:175. pubifolium 3:112. pumilum 31:110. pungens 17:106; 37:137. pyramidale 23:63, 64. pyriforme 36:76. ramulosum viride 3:114. Ravenelii 3:128; 39:479, 482, map 52; 44:380. recognitum 40:331-333, 357, pls. 497, 498; 44:227. reptans 14:173. retrofractum 38:387, 389. rhizomatum 13:67; 36:63, 73, 74; 37:390; 40:390; 44:343. roanokense 13:67; 36:35, 62; 37:390; 39:332, 477; 47:109. sabulicola 23:60, 61. sanguinale 3:94, 96, 99; 29:103: 29:114-116; var longidume 22: 22:103; 29:114–116; var. longiglume 22: 103; var. Simpsoni 22:103. scabriusculum 8:209; 36:63; 38:393; 39:388, 477; 40: 332, 381, 401; 44:258. scoparioides 15: 66; 19:108; 30:231; 31:112, 118; 36:63, 66, 79, 219. scoparium 3:112, 128, 129; 13: 151, 175; 16:82; 30:231; 31:112, 117; 211; 36:63, 83; 38:393; 39:473; 44:70, 258, Scribnerianum 3:95, 97, 112, 128; 14: 40, 184; 15:57, 64; 24:98; 31:107, 108, 112, 115, 116; 36:63, 64, 80–83, 219, 416; 37:370. setigerum 49:123. setosum 49:123. shalotte 36:62. Simpsoni 22:103. soboliferum 3: 106; 21:114. spectabile 23:63, 64; var. guadeloupense 23:63. sphaerocarpon 1:98; 3: deloupense 23:63. sphaerocarpon 1:98; 3: 95, 97, 120, 144, 145; 4:39; 6:138; 13:68; 14:40, 172; 15:58; 22:183; 24:98; 29:242; 31:112, 115, 117; 32:150, 233; 35:284; 36:61, 63, 219; 40:333; 44:70, 258; var. inflatum 13:68; 37:391; 45:386. spicatum 31:194; 32:262. spretum 3:119; 14:40; 15:58; 19: 108; 21:73; 23:99, 101, 102, 141, 195; 24:86, 98, 161, 182; 26:37; 31:112, 115; 32:177, 211; 35:202; 36:62; 39:482; 40:371, 389; 42: 42: 45:372. stagninum 49:123. stinitatum 42; 45:372. stagninum 49:123. stipitatum 3:128; 4:26; 14:168, 169; 17:160; 30:230; 31:108; 32:118; 38:391, 450, pl. 442; 39:353; 46:76, 78. strictum 3:107; 14:169, 170; 15: 58: 17:71; 23:194, 195. strigosum 36:61; 39:326, 338, 386, 467, 477; 41:472, 538; 42:358; 44:258. subvillosum 14:40; 15:58; 20: 102; 23:103, 224, 228; 30:231; 31:107, 112, 118; 32:176; 36:62, 64; 46:3. syzigachne 30:26, 27. tennesseense 3:124; 9:208; 12: 110, 133; 14:37, 40; 15:37, 57, 58, 160; 16: 12; 22:182; 23:141, 223, 225, 226, 228; 32: 117, 232; 36:62-66, 77, 78, 416; 42:42; 45: 257, 232; 36:62-66, 77, 78, 416; 42:42; 45: 456. 277; 46:3. tenue 13:66, 68; 36:61; 45:386. texanum 3:128; 15:58; 31:112, 113. thermale 36:63. Thurowii 36:62. Torreyi 21: 112. trifolium 37:313; 39:387, 477; 41:504.

176 Rhodora

tsugetorum 1:185; 3:128; 14:38, 40; 15:37, 56, 58; 22:183; 24:98; 31:107, 112, 114–116; 32:211; 36:62–64, 79; 37:249, 370. **Tucker**mani 21:111, 112, 114; 22:153; 24:98; 25: 185, 207; 31:112–114; 37:82; 41:86–90. umbrosum 14:173; 15:38, 59, 132; 17:71; 24: 185. unciphyllum 3:93, 95, 98, 121-123, 125; 4:38, 90; 6:104; 7:109; 8:209; 36:78; f. pilosum 3:124; f. prostratum 3:124; 23: 228; 36:77; var. thinium 8:209; 10:64; 14: verrucosum 3:95, 96, 103; 5:130; 13: 151; 14:168; 20:115; 24:86; 26:180; 31:108, 112, 117; 32:176, 211; 36:63, 81; 39:479, 481, 112, 117; 32:176, 211; 36:63, 81; 39:479, 481, map 50; 44:241; 48:58. versicolor 13:175. villosissimum 15:59, 68; 22:183; 30:232; 31:112, 115, 117; 36:62, 63, 66, 79; 37:391; 46:2, 3; var. pseudopubescens 36:79; 38: 392; 40:251; var. scoparioides 36:79. villosum 14:173; 44:258. violaceum 13:175. virgatum 1:201; 2:202; 3:95, 97, 103; 5: 130; 6:233; 13:88, 175; 14:139, 182; 15:59; 19:108; 21:115; 23:200; 24:11-13, figs. 1, 3; 25:207; 31:12, 112, 113, 118; 34:32, 149; 36: 63; 41:516, 520; 42:87, 91; 44:70, 257; 49: 24; 50:92, 287, 288, 294; var. breviramosum 24:13: var. confertum 24:12: var. cubense 24:13; var. confertum 24:12; var. cubense 13:67; 15:59; 19:108; 20:116; 21:115; 23: 156, 192, 200; 24:11, 13, fig. 5; 34:149; 35: 158; 39:477; var. obtusum 13:67; 15:59; 24:11; 34:149; var. scorteum 24:13, 14, fig. 6; var. spissum 24:13, 15, 161, figs. 2, 4; 25:207; 31:112, 115; 32:150, 161, 232; 34:32; 43:79; var. thyrsiforme 24:13, 14. viride, var. brevisetum 8:210; 12:134. viscidum 3: var. brevisetum 8:210; 12:134. viscidum 3: 128, 129; 44:258. Walteri 3:95, 96, 112, 127; 10:153; 14:167; 23:61; 44:258. Werneri 3: 95, 97, 98, 118; 9:208; 11:179; 15:59; 23: 194; 36:63, 65; 37:249, 370; 44:70; 47:211. Wilcoxianum 28:245; 36:63, 81. Wrightianum 13:67; 14:29, 170, 171, 175; 16:167; 30:230; 31:112, 117; 32:177, 211; 36:62; 38: 393; 39:327, 337, 347, 387, 476, map 13; 40: 389; 41:476; 44:241; 45:371, 372, 386. xalapense 24:98; 35:362; 36:35, 63, 65, 230; 37: 370; 39:481; 47:211. xanthophysum 1:98, 183; 2:120, 121, 124; 3:95, 97, 108, 109, 145; 6:43: 15:59, 100: 19:108: 30:230: 31:112. 6:43; 15:59. 100; 19:108; 30:230; 31:112. 118; 36:63, 75, 76, 81, 82; f. amplifolium 3: 109. yadkinense 14:169, 170; 36:35, 62. zonale 23:53

Pannaria brunnea 28:227. hypnorum 28:226. leucosticta 28:227. microphylla 28:227. nigra 28:227. pezizoides 28:227. rubiginosa

28:226. triptophylla 28:227

Pannariaceae 28:226 Panoxis 23:39 Pansy 5:155; 45:444 Panurgidae 41:186

Panus stipticus 44:171
Papaver 18:214; 41:164; 42:310, 312; 47:385.
alaskanum 41:230, 231; 42:326; 45:311.
dubium 1:47. intermedium 6:144. Macounii 41:162, 231. microcarpum 41:164, 231; 42:326. nudicaule 38:117; 41:230.
pygmaeum 37:363. radicatum 25:113; 38: 113, 114, 116, 119, 121, 151; 41:230, 231.

Rhoeas 6:144; 9:39; 18:214; 50:112, 125. somniferum 1:47; 18:214. Walpolei 41:163, 231, pl. 552

Papaveraceae 6:117; 18:214; 31:43; 32:253; 45:311, 444

Papaverales 37:386

Paper Birch 12:178; 13:207; 21:50; 22:131; 41:149, 152, 218

Paphiopedilum 27:105. Esquirolei 27:105

Papilionaceae 7:28, 29; 47:385 Papillaria Deppei 36:56

Pappophorum mucronulatum 48:19

Papyrius 31:91, 94

Paracedroxylon 11:172. scituatense 11:171, pls. 80, 81

Paractaenum 13:174

Paraleucobryum 40:359. longifolium 30:3; 39:39

Paralia sulcata 9:140 Paramoecium 24:51

Parasites 5:136

Parentucellia 17:194; 35:303, 305. latifolia 35:303

Parietales 9:37

Parietaria 17:170; 43:230. debilis 2:158. pensylvanica 1:171; 8:222; 15:67, 163, 201; 17:170; 29:199; 35:249; 42:94

Parkinsonia 46:313

Parmelia 36:140. alpicola 36:143, 153. aurulenta 29:103. austerodes 36:146. Borreri, var. reducta 14:89. caperata 2:67; 10:36; 14:89; 29:103, 105; 35:150; 50:292. centrifuga 28:229. cetrarioides, var. typica 45:418, 427. conspersa 28:229; 29:103; f. isidiata 29:103. granulosa 36:143, 153. groenlandica 36:143, 145, 154. infumata 36:143, 154. lophyrea 23:183. minuscula 36:143, 153. olivacea 23:229. olivaria 29:103. omphalodes 36:143, 153. perforata 29:103; var. hypotropa 14:89. perlata 14:89, 90; 28:229. physodes 28:229; 29:103; var. obscurata 28:229. pubescens 36:143, 153. rudecta 29:103, 105. saxatilis 28:229; var. laevis 28:229; var. sulcata 15:94; 28:229. sorediata 36:143, 153. stygia 36:143, 154. subaurifera 29:103. subobscura 28:229; var. subquercifolia 29:103; var. vicinior 29:103

Parmeliaceae 14:89; 15:94; 28:229

Parmeliella corallinoides 28:227. microphylla 28:227

Parmeliopsis 23:184. aleurites 20:40; 29:103.

ambigua 36:143

Parnassia 6:119; 18:250; 23:111; 29:1; 41:469, 478, 481; 44:106. asarifolia 24:150; 37:162; 39:475, 478, 486, map 41; 41:469, 478, 480, 536. caroliniana 1:222; 2:217; 6:119; 8: 220; 10:164; 12:112, 114, 117, 118, 187; 14: 241; 18:245, 247, 250; 19:33, 164; 20:97, 101; 22:39, 42, 49; 35:59, 61, 91, 271; 44:457. glauca 44:457. grandifolia 11:46, 240; 36: 224, 227, 230; 37:317; 40:254; 42:144. Kotzebuei 9:162, 167; 13:124; 28:122, 123,

125, 210; 35:275; 38:125. 154; 41:147, 164, 243; 42:311, 329; 44:106, pl. 698; 45:311. montanensis 44:106; 45:311. multiseta 28: 211; 36:281; 39:310, 311. palustris 25:9; 28:53, 60, 211; 37:364; 39:310-312, pl. 470; 41:243, 244; β. multiseta 28:211, 212; 39: 310; var. neogaea 39:311, 312, pls. 470, 471; 41:243, 244; 42:311, 329; 45:311; var. tenuis 39:310-312, pl. 471. parviflora 7:5; 9:162, 189; 11:94; 12:117; 13:119, 138; 28: 79, 211; 35:51, 59

Parnassiaceae 46:282
Paronychia 6:51; 8:101, 102; 17:203; 38:416, 417, 421; 44:25; 46:278–280; 47:90. § Anychia 38:416–418, pl. 447. § Nyachia 38:417, 418. arbuscula 42:141. 143. argyrocoma 4: 61; 5:190; 8:101–103; 31:222; var. albimontana 8:103; 17:203; 18:25; 21:19; 47: 90. Baldwinii 39:333, 339, 406, 480; 42:450. canadensis 6:53; 38:418, 420, 451, pl. 447; 40:414; 45:400; 49:201; β. pumila 38:420. chartacea 38:421, var. Nuttalli 38: 421, 451, pl. 447; var. paleacea 38:421, 451, pl. 447; var. paleacea 38:421, 451, pl. 447; var. typica 38:421, 451, pl. 447; var. typica 38:421, 451, pl. 447; yar. typica 38:421, 451, pl. 447; yar. typica 38:421, 451, pl. 447; yar. typica 38:421, 451, pl. 447. Jamesii 34:7; 46:278. Lindheimeri 46:278, 279. montana 38:421. monticola 46:279. Myosotis virginiana 36:369. Parksii 46:280. polygonoides 38:421. pulvinata 38:417, 418. riparia 42:450; 43:514, 551; 45:370, 400. scoparia 46:280. setacea 46:278. virginica 46:280; var. scoparia 46:280

Parosela 12:14; 20:171; 31:92, 95; 49:164. Dalea 20:171. formosa 34:6. laxa 38:406. leporina, var. alba 36:376. longipila 38:406.

neomexicana 38:406

Parrya 39:78; 42:310. arctica 38:410. arenicola 39:76. macrocarpa 41:239; 42:328. Menziesii, var. lanuginosa 43:480. nudicaulis 41:148, 163-165, 239; 42:312, 328; var. aspera 41:239

Parsleys 41:129

Parsnip 4:188. Cow 28:84. Wild 4:188; 18:

41; 28:84

Parthenium 24:35; 26:131; 47:400. auriculatum 28:208; 31:256; 46:141; 47:399. hispidum 46:141. Hysterophorus 19:251; 26:131. integrifolium 31:256; 36:224; 38:378; 42:308; 47:399; var. auriculatum 47:399; var. integrifolium 47:399. repens 31:256;

36:224, 232

Parthenocissus 10:24, 25; 12:14; 42:154. hirsuta 10:26, 28; 41:429, 430; var. dubia 41: 430. inserta, f. macrophylla 43:604. laciniata 10:27. quinquefolia 6:122; 10:25; 32: 161, 264; 41:430; 42:154; 50:298; f. hirsuta 41: 429; var. hirsuta 19:230; var. laciniata 10: 28; var. Saint-Paulii 35:287. radicantissima, var. minor 10:27. Saint-Paulii 10:27. tricuspidata 10:29; 32:264; 33:169; 45:416; 50:298. vitacea 32:177; 41:430; 42:154; f. dubia 41:430; var. dubia 10:28; 41:430

Partridge-berry 13:123, 216; 28:56; 47:262

Partridge, Pea 14:91

Paspalum 3:94; 14:174; 15:55, 223; 16:136; 30:52, 133; 31:107; 36:21; 37:370, 372; 39: 341; 40:367, 372, 388; 41:468; 44:237; 45: 277; 46:57; 47:210. ambiguum 3:100. australe 8:205. bifidum 40:372, 388, 389; var. projectum 40:388, 482, pl. 509. bistipulatum 39:384. Boscianum 39:360, 477. Bushii 47:212. ciliatifolium 30:134; 36:20-22; 37:390; 39:481; 40:429; var. Muhlenbergii 36:20, 21; 46:76; 50:294; var. stramineum 36:20, 21. circulare 16:136: 21: 115; 30:134, 135; 31:112, 115, 117; 36:22, 230, 417; 37:390; 45:277. dasyphyllum 44: 258. dilatatum 44:70; 46:76. dissectum 29: 116; 39:341, 382, 383, 481; 40:369, 370, 387; 41:111, 477, 503; 44:258; 45:372, 386. distichum 39:477. Elliottii 8:205. floridanum 35:283; 36:22; 39:481; 44:70; var. glabratum 36:22. fluitans 39:341, 343, 359, 382-385, 482, 489, map 17, pl. 474; 41:477, 503; 44:367, 380; 45:377, 386; 50:16. Frankii 39:382, 385. furcatum 8:205. gracile 39:384. laeve 24:98; 36:22; 39:481; 44:70; 45:277; 46:76; 47:212; var. australe 8:205; var. circulare 36:22; 37:390; var. pilosum 36:22; 37:390; 46:76. laeviglume 36:22. lentiferum 40:367; 41:485, 502, 504; 49:121. longepedunculatum 37:390; 47:212; 49:122. longipilum 37:390; 39:424; 44:70. mucro-natum 39:341, 382, 383, 385. Muhlenbergii 2:26; 14:20, 174; 15:55; 24:98; 30:134; 32: 232; 36:20. natans 39:382, 385. paniculatum 39:385. plenipilum 30:134, 135; 36: 22. praecox, var. Curtisianum 40:367, 388; 41:485, 502, 504; 49:99, 121. prostratum 8: 205. psammophilum 8:205; 13:22; 14: 174; 15:55; 16:136; 21:115; 24:98; 30:135; 31:112, 117; 32:176, 211. pubescens 19:108; 24:98; 30:134, 135; 31:112, 115, 116; 32:150, 210, 232; 36:20-22; 37:82; 44:70; var. Muhlenbergii 36:20. pubiflorum 36:22; var. glabrum 36:22; 44:70. pyramidale 39:384. repens 39:341, 382-385, 489, pl. 474; 50:16. sanguinale 3:99. setaceum 14:20; 30:133-135; 31:112, 115, 117; 32:209-211, 232; 37: 390; 39:354, 481; 47:212; 49:99, 121, 122, 192, pl. 1058; var. calvescens 49:121, 122, 192, pl. 1057; var. longepedunculatum 37: 390; 47:212; 49:122, 192, pl. 1058; var. supinum 37:390; 38:381, 386; 39:477; 41:503. stramineum 36:20-22, 219. supinum 37:390; 38:386; 41:503; 44:258, 343. Urvillei 41: 469, 503; 42:411. vaginatum 44:258. virgatum 29:114; 30:51, 52

Passiflora coerulea 7:25. foetida 47:275. incarnata 31:146; 38:377; 39:482. **Jamesonii** 18:**156.** lutea 36:230; 39:482; 47:217; var. **glabriflora** 41:436; 47:217. **mollissima** 18:**156.** Parritae 18:**156**

Passifloraceae 49:58

Pastinaca 6:124; 24:94; 26:23; 50:126. sativa 1:159; 4:188; 6:124; 11:127; 24:94; 29:217; 32:268; 46:51; 47:390. triquinata 45:299, 301

Pasture Juniper 28:82. Rose 12:180. Thistles 12:211

Patellaria coccinea, b. molariformis, 6, prolifera 34:124. fusca, f. pyxioides, e. m. perithetum 40:18

Patoie 1:168

Patte d'oie 1:168

Pattersonia caroliniensis 47:71

Patulix 34:167

Paulownia tomentosa 27:214; 28:242; 37:162 Pauridia 25:157-159. hypoxidioides 25:161. minuta 25:160, 161, fig. 16

Pawpaw 18:211; 39:333

Paxillus corrugatus 3:40. paradoxus 2:194 Pea(s) 41:157. Beach 29:58; 42:157. Everlasting 25:176. Hoary 4:249. Partridge 14:

Peanut(s) 20:165; 42:383, 391, 396; 44:352 Pear(s) 45:450, 451; 49:229, 231. Chinese 49: 231. Sugar 12:109. Wild 18:38

Peat-Moss 10:113

Pecan 49:194-196; 50:248

Pectis angustifolia 39:422. papposa 39:422. tenella 39:422. texana 39:421

Pedalium 47:385

Pediastrum 5:81: 24:102, 103: 50:271. Borvanum 5:81; 14:115, 237; 15:91; 24:108; 26: 165; 50:274; var. longicorne 24:108; 26: 165; 29:164. duplex 14:237. Ehrenbergii 5:81. pertusum 5:81. Tetras 14:115, 237; 15:91; 29:164; 50:274. tricornutum alpinum

24:108; 26:162, 165

Pedicularis 20:134; 25:65; 40:392; 41:382; 42: 312, 338. canadensis 4:88, 93; 7:34; 12:108; 16:14, 128; 21:199; 25:65; 32:176, 274; 36: 32; 37:354; 40:456; 48:59, 60, 80, pl. 1009; f. praeclara 16:128; 19:248; 36:50; var. Dobbsii 48:59, 60, 80, pls. 1009, 1010; var. fluviatilis 48:60. capitata 25:114; 36:188; 41:147, 151, 286; 42:338; 45:315. euphrasioides 25:11; 33:193; 34:245; 40:292; 41: 287; β. labradorica 33:193. flammea 9:163; 14:88; 19:142; 25:11, 114; 28:96, 98, 234; 35:121; 38:158; 41:287; 44:124. Furbishiae 6:192; 7:34; 13:218. groenlandica 25:11; 36:283; 38:123, 126; 41:287. hirsuta 25:114; 36:188; 41:287. labradorica 33:193; 38: 158; 40:292, 293, pl. 495; 41:147, 166, 287; 42:311, 321, 324, 338; 45:315. lanata 25: 114; 36:188; 41:287; 42:338. lanceolata 7: 34, 36; 12:186. 192; 20:98; 25:65; 29:243; 36:100; 37:322; 38:365; 39:448; 40:252. 254; 42:41; 45:520, 639. Langsdorffii 41: 147, 148, 287; 42:338. lapponica 34:245; 38: 158. Oederi 41:287; 42:338. palustris 28: 81, 235; 29:126; 34:66; 41:287; 44:104. Pennellii 41:287. sudetica 34:245; 41:147, 287; 42:338; 45:315. sylvatica 28:51, 81, 235; 29:126; 35:273; 38:15; 41:382; 47:267. verticillata 41:161, 287; 42:338; 45:315

Pedinophyllum 12:200, 201. interruptum 12: 193, 200, 201; 15:25, 27; 25:195. pyrenaicum, var. interrupta 12:200

Pediocactus Simpsoni 38:299

Pediomelum caudatum 38:406. humile 38:

Pelargonium 36:373: 50:103. zonale 9:41 Pelexia cranichoides 23:84. setacea 23:84

Pellaea 6:101: 22:88; 30:14; 37:65; 43:524; 50:138. atropurpurea 1:104, 105; 2:14, 127; 3:41; 4:54; 6:101; 8:13; 9:187; 15:67, 154; 16:198; 19:68; 22:81, 87, 88; 24:184; 30: 14; 36:223; 37:65, 71, 222; 42:40; 43:524, 11, 30:223, 34:34, 49:200; 50:154; var. Bushii 11:35. densa 21:124; 37:247; 44: 121. glabella 11:35; 22:81, 87, 88; 36:223; 37:65, 71, 222; 41:138; 46:73; 50:154. gracilis 3:41; 6:101; 7:110; 9:74, 154; 10:35; 19:67, 68; 22:49. Stelleri 6:101. Wrightiana 50:93; var. compacta 26:49

Pellia 5:51; 11:190, 191; 19:266. calycina 11: 189. endiviaefolia 11:190. epiphylla 5:170; 6:75; 10:192; 11:190, 191; 15:22; 23:282; 25:194; 26:8; f. Neesiana 11:190. Fabroniana 11:189–191; 12:204; 15:22, 26; 19:272; 25:194; 39:33. Neesiana 11:190, 191; 12: 203; 14:224; 15:22, 26; 19:266; 21:169; 25:

194, 198; 39:33

Pelliaceae 25:193, 194; 26:7; 39:33 Pellicularia pruinata 50:287, 288 Peloria 47:291

Pelotes marines 11:149

Peltandra 4:169; 10:166; 12:5; 13:179; 14: 95, 102; 21:73, 192; 23:129; 42:360; 46:20; 50:56, 58, 59. subgen. Leucospatha 14:102, 103. alba 14:102, 103; 46:20; 50:58, 59, 125. angustifolia 12:50; 14:103, 106. canadensis 14:104. glauca 50:58, 59, 101, 125, 126. hastata 14:103, 105; 50:57. heterophylla 12: 49; 14:103, 106. latifolia 14:104; 50:57. luteospadix 50:58, 59. sagittaefolia 50:58, 59. sagittifolia 12:47; 14:102, 103; 50:58, 59, 125. Tharpii 50:56. undulata 1:184; 5: 59, 125. Undula 106, pl. 94; f. hastifolia 14:105, 106, pl. 94; 50:56; f. heterophylla 14:106; f. latifolia 14:104, 106, pl. 94; f. rotundata 14:104, 106, pl. 94; var. angustifolia 12: 50, pl. 83; 14:103, 104; var. heterophylla 12:49, 50, pl. 83; 14:103, 106. Walteri 50: 57

Peltidea ulorrhiza, var. praetexta 50:252 Peltigera 29:98; 36:140. aphthosa 28:228; 29:99. canina 29:99; var. rufescens, f. innovans 50:252; var. spongiosa 28:228. erumpens 36:142, 153, horizontalis 28:227. leptoderma 36:142, 154. malacea 28:228; 36:142, 153, 154. polydaetyla 28:228; 29: 99; 36:142, 153, 154. polydactyloides 36: 142, 145, 154. rufescens 29:99; 36:142, 149, 153; f. innovans 50:252. scabrosa 36:142, 153. spuria 36:150. Suomensis 36:142, 149, 154. variolosa 36:142, 154. venosa 28:228;

36:142, 151 Peltigeraceae 28:227 Peltigerae 36:155 Peltolepis 16:63, 64

Penicillium 50:288. glaucum 13:86

Penicillus capitatus 3:91

Peniophora cinerea 50:287. Sambuci 50:287.

tenuis 50:287

Penium 5:252; 7:113; 9:227; 24:213, 216; 26: 204, 205; 44:181. annulare 9:228, 233; var. obesum 9:233. Brebissonii 7:113. Clevei 9:228, 230; var. crassum 9:230. closterioides 5:80; 7:113; 9:228; 24:218; f. interrupta 9: 229. crassa 7:113. cruciferum 9:228, 232; 26:205. cucurbitinum 26:205. curtum 9: 228, 232. cuticulare 9:228, 230. Digitus 5: 222, 254; 7:113. interruptus 7:113. lamellosum 7:113. Libellula 7:113; 9:228; var. intermedium 9:229; var. interruptum 7:114; 9:229. margaritaceum 5:254; 7:114; 9:228-230; 24:216; 26:205; 44:181; var. papilliferum 44:183, 186, fig. 1; var. punctatum 9:231. minutum 7:114; 9:228, 232, 233; var. elongatum 7:114; 9:233. Navicula 9: 228, 229; 24:216; 26:205. oblongum 7:113. phymatosporum 9:228, 231. polymorphum 7:114; 9:228, 231; 24:216. rufescens 44:181. spirostriolatum 9:228, 231; 24:216; 44:181; var. apiculatum 9:231

Pennisetum 13:175; 31:100. americanum 18:

232; 31:109. glaucum 18:232

Pennyroyal 38:240 Penstemon 7:36; 25:65; 32:89; 41:283; 42: 105, 156, 416; 44:485. § Graciles 37:420, 421. albidus 34:6; 48:99. arkansanus 36: 232. attenuatus 37:420, 421. australis 39: 339, 447, 466, 477; 49:179. brevisepalus 37: 322; 39:431. calycosus 37:350; 39:431; 46: 307. 308. canescens 46:72: 49:179, 180. Cobaea 42:103; 46:156; var. purpureus 36: 224, 232; 42:103. deustus 33:206; var. Savagei 33:206; var. suffrutescens 33:206. Digitalis 37:350; 38:64; 40:463; f. Baueri 43:663. dissectus 44:258. Gormani 29: 35; 45:315. gracilis 18:244; 49:256; subsp. wisconsinensis 49:293; var. wisconsinensis 49:293. grandiflorus 7:34, 36; 35:255. guadelupensis, subsp. Ernesti 38:407; var. Ernesti 38:407. hirsutus 8:222; 24:185; 25:65; f. albiflorus 33:169. laevigatus 1:40; 2:126; 7:34, 36; 11:22; 25:65; 44:485; var. Digitalis 1:82; 7:34, 36; 25:65; 32:109; 42: 307; 44:485. Nelsonae 37:419-421. oklahomensis 40:181. pallidus 8:222; 38:453; 40:463. procerus 37:421; 41:163, 283. pubescens 1:164; 5:204; 7:34, 36; 24:185. secundiflorus 22:195. Smallii 7:34, 36. Tolmiei 37:421. triflorus, subsp. integrifolius 38:407; var. integrifolius 38:407. tubiflorus 7:34, 36, 37; 35:364; 36:232. uintahensis 36:410; 39:495. wisconsinensis 49: 293

Pentaglottis sempervirens 31:85

Pentagonia 9:55

Pentameris compressa 45:245. spicata 45:243. thermalis 45:243

Pentatomidae 41:186, 187

Pentaphylloides canadense 37:287, 289

Pentaphyllum palustre 16:6

Penthorum 18:249; 47:364. sedoides 13:141; 18:249: 19:65, 217; 35:251, 360

Peperomia reflexa, f. capensis 43:163

Peplis 43:500, 501. americana 19:11, 12; 33: 72. diandra 41:376, 377; 43:500–503, 617, map 3; 44:356; f. aquatica 41:376; 43:617; f. terrestris 41:376; 43:617

Peponia 9:52 Peponium 9:52

Peppergrass 4:32; 45:382. Wild 18:37

Pepperidge 4:131; 7:123

Peppermint 43:92 Pepper-root 5:168

Peramium decipiens 48:11. Menziesii 1:7: 48:11. ophioides 28:245. pubescens 1:5.

repens 1:6; 6:112

Peranema trichophorum 50:277 Percursaria 5:3. percursa 5:26 Perdicium semiflosculare 17:135

Perezia 20:151. aletes 20:151; 30:20; 47:47. sonchifolia 47:47

Perichaena chrysosperma 29:172. depressa

29:172. populina 1:128 Pericome 39:209. caudata 39:209, 210, pl. 459. glandulosa 39:209, 210, pl. 459. macro-cephala 39:209

Peridermium 2:223; 9:194, 195. abietinum 4: 35. Cerebrum 9:194. pyriforme 9:194

Peridinium bipes 50:276

Perilla 25:40. frutescens 36:374; var. crispa 11:55; 24:119; 25:40; var. nankinensis 11: 55. nankinensis 25:40. ocymoides, β. crispa 25:40; var. nankinensis 25:40

Perilomia 26:61-63. ocymoides 26:63

Periploca graeca 1:171

Periptera tetracladia 9:139

Peristeria 2:31

Peristylus bracteatus 28:174. viridis 28:172; a. gracillima 28:172; b. macrobracteata 28: 171, 172; var. macrobracteata 28:171

Peromyscus 37:165

Peronospora effusa 39:372. halstedii 39:372. Viciae 41:516

Peronosporeae 5:101

Persea 42:368, 380, 382; 44:366; 49:152, 153. Borbonia 39:473, 480; 42:368; 44:366, 399; 47:149, 150; 49:152; f. pubescens 47:149. caroliniensis 47:149; α. 47:149; α. glabriuscula 47:149; β. pubescens 47:149; var. palustris 47:149. palustris 38:377, 422; 39: 480; 40:421; 42:368; 44:240, 366, 399, 400; 47:149, 150; f. laevifolia 44:399; 47:149. pubescens 38:422; 47:149, 150. Sassafras 8:

199; 38:179

Persicaria 25:20; 27:147, 150, 151, 175; 28:16; 29:84; 43:612. § Potamocallis 27:150; sub-§ Emersae 27:150; sub-§ Hartwrightianae 27:150; sub-\(\) Hydrophileae 27:151. aboriginum 27:166. abscissa 27:161. alismaefolia 27:165. ammophila 27:151, 161. amphibia 27:150; var. terrestris 27:158. Andrewsii 27:148. asclepiadea 27:161. canadensis 27:151. carictorum 27:151, 161. chelanica 27:161. coccinea 27:148, 150, 164; var. asprella 27:150. emersa 27:164. fluitans 27:148, 151, 159; 48:49, 52. grandifolia 27:150. Hartwrightii 27:148, 151, 161. homalostachya 27:161. Hydropiper 29:86.

hydropiperoides 28:16, 25, 27. insignis 27: 149, 162. laetevirens 27:159. lonchophylla 27:150. longistyla 27:182. maculata 23: 258. major 23:258, 259. mesochora 27:151; 48:52; var. arenicola 27:151. mexicana 27: 182. Muhlenbergii 27:164. muriculata 27: 161. nebrascensis 27:151, 161, nodosa 23: 258. novae-angliae 27:164. omissa 27:183. opelousana 28:28. oregana 27:159; 48:52. pennsylvanica 19:71; 27:179. persicarioides 28:27. plattensis 27:159, 165. portoricensis 25:20. pratincola 27:149, 150, 166. punctata 29:87. purpurata 48:52. rigidula 27:148, 150, 165. robustior 23:147. salici-27:143, 150, 165. Fobusilor 25:147. Sanctifolia 23:259. segeta 27:181. spectabilis 27: 166. tanaeophylla 27:150. tomentosa 23: 259. vestita 27:150. villosula 27:161

Persimmon 18:211; 21:49; 42:88, 101; 43:92

Personatae 47:384–386, pl. 991

Pertusaria amara 29:101. centhocarpa 29:101.

communis 28:228. globularis 28:228. glo-merata 28:228. leioplaca 28:228. multi-puncta 28:228; 29:101. pustulata 28:228; 29:101, 105. velata 28:228

Pertusariaceae 28:228

Perularia flava 44:257

Pestalotia adusta 39:372. hysteriformis 41:

Petalomonas carinata 50:277. mediocanellata 50:277

Petalonia fascia 26:214; 50:262; var. caespi-

tosa 26:214; 50:262

Petalostemum 41:561; 49:163. candidum 33: 226; 36:223, 224; var. occidentale 39:28. corymbosum 17:131, 137. decumbens 44: 252. emarginatum 41:562. foliosum 19:64; 46:308. Gattingeri 42:6; 46:308. gracile, 1308. gracile, 20:308. var. oligophyllum 39:28. occidentale 39: 28. oligophyllum 39:28. oreophilum 41: 561; 49:163. pinnatum 17:131, 137. pubescens 38:96. pulcherrimum 38:96. purpureum 33:226; 36:223, 224; 38:96; f. pubescens 38:96; var. molle 38:96. violaceum 1:171; var. pubescens 38:96. virgatum 38:96

Petasites 6:133; 17:66, 88; 26:131; 37:306; 40:163; 48:123. alaskanus 48:123. corymbosus 48:124. dentatus 48:123. frigidus 41: 147, 297; 42:341; 48:122-124; var. corymbosus 48:123, 125; var. genuinus 48:123, 125: var. hyperboreoides 48:124: var. palmatus 48:124, 125. gracilis 41:297; 48:123. Hookerianus 48:124. hyperboreus 48:124. nivalis 48:124. palmatus 4:128; 5:44, 50; 6:133; 10:146; 13:125; 17:66; 18:132, 298; 24:208; 25:11; 26:131; 32:206; 36:284; 48: 122, 125; var. frigidus 48:124. sagittatus 36:11, 284; 38:123, 126, 299; 48:122, 123. speciosus 48:124, 125; var. frigidus 48:124. trigonophyllus 9:155, 164, 191; 29:57; 48: 124. vitifolius 9:155, 164; 44:123; 48:122, 124. vulgaris 10:151; 12:129; 19:220; 26: 131. Warrenii 48:123

Petrocelis 10:158, 159; 23:66. cruenta 2:12, 51; 10:158, 159. Hennedyi 10:159. Middendorffii 10:158, 159

Petromarula 50:40

Petrophytum cinerascens 36:11

Petunia 1:47; 25:61; 28:72; 42:156. axillaris 25:61. hybrida 15:167. nyctaginiflora 10: 153; 15:167; 28:72. parviflora 37:440. violacea 25:61

Peucedanum rigidum 50:126 Peuplier de la Virginie 1:167

Peutalis nodosa 23:258

Pevrousea 9:38

Peysonnellia Rosenvingii 2:51

Pezicula australis 44:171

Peziza 1:84; 47:386. rapulum 2:106. vesiculosa 1:83

Pezizeae 1:63

Phaca aboriginorum 33:240. alpina 39:314. astragalina 36:179. elegans 10:33. frigida 39:314; var. littoralis 41:250; var. parviflora 41:250. neglecta, f. Limonia 39:318. parviflora 10:33. polaris 41:251. Robbinsii 6: 97. Tracyi 38:406

Phacelia 7:160; 11:54; 25:28; 40:374; 42:39. Bicknellii 39:431; 46:308. bipinnatifida 36: 230; var. brevistylis 11:54. brachyloba 6: 151; 25:28. brevistylis 11:54. circinata 6: 151. congesta 6:151; 25:28; 38:240; 40:180. Covillei 42:39. dubia 36:230; 40:374, 441, 455; 41:489, 557; 45:383, 459; 46:53–56, pl. 816; var. dubia 46:54, 55; var. georgiana 46: 54, 55; var. interior 46:54-56, pl. 816; 47: 171. fallax 46:51-53, 55, 56, pl. 814; 47: 171; 49:177. gilioides 46:53, 56, pl. 815. hirsuta 46:51-54, 56, pl. 815. linearis 19: 247. maculata 49:177. magellanica 25:28. minor, var. Whitlavia 25:28. parviflora 46: 54, 56. Purshii 6:151; 44:75. pusilla 46:55. ranunculacea 42:39. tanacetifolia 6:151; 25:28. viscida 6:151. Whitlavia 6:151

Phacelias 46:306

Phacotus lenticularis 44:67

Phacus acuminatus 44:68. brevicauda 50:277. longicauda 44:68; 50:277. parvula 50:277. pleuronectes 50:277. pyrum 50:277. triqueter 50:277

Phaeobulgaria inquinans 44:171

Phaeocephalum 9:51; 21:10; 22:180, 181; 46: 101, 102. album 46:121; var. macrum 46: 124. axillare 46:108. Baldwinii 46:181. brachychaetum 46:164. caducum 46:261. capillaceum 46:126; var. levisetum 37:252; 46:128. Chapmanii 46:168. ciliatum 46: 160. compressum 46:237. Curtissii 46:172. cymosum 46:245. decurrens 46:264. distans 46:191. dodecandrum 46:228. Earlei 46:233. fasciculare 46:189. filifolium 46: 174. fuscum 46:170. glomeratum 46:113: var. minus 46:115. gracilentum 46:183. Grayi 46:231. inexpansum 46:257. intermedium 46:130. Knieskernii 46:126. leptorhynchum 46:179. microcarpum 46:266. miliaceum 46:257. mixtum 46:262. pallidum 46:166. patulum 46:266. perplexum 46:270. Plankii 46:233. plumosum 46:131. proliferum 46:262. punctatum 46:238. rariflorum 46:208. schoenoides 46:265. solitare 46:161. stipitatum 46:259. Torreyanum 46:269

Phaeophyceae 10:116; 26:189, 190, 213; 40: 323

Phaeophyta 50:260

Phaeosaccion 3:111, 131. Collinsii 1:126; 2:

Phaeosporaceae 24:3

Phalacroloma 46:324. obtusifolia 46:324, 325 Phalaenopsis grandiflora 3:204, 205, pl. 33 Phalangium croceum 50:128. quamash 10:31.

virgatum 11:80

Phalaris 6:104; 14:178; 15:123; 49:276. americana 32:47. arundinacea 6:104; 15:123; 17:212; 26:144; 31:82; 32:47, 172; 38:264, 268; 49:277; f. picta 24:185; f. variegata 24:185; 38:264, 267; 49:277; var. picta 1:165; 6:104; 15:123; 49:277; var. variegata 49:277. canariensis 10:153; 15:123; 32:234; 38:264; 42:317; 44:333, 334; 49:276. caroliniana 36:36; 38:379, 385; 39:481; 41:82; 42:370; 49:90. erucaeformis 30:24, 25, 51. maritima 22:71. oryzoides 30:81, 82

Phalleae 1:59

Phallus duplicatus 26:196

Phanerogamae 40:281

Phanerogams 45:515

Phanerotaenia 21:181, 182. texana 21:182

Phanopyrum 13:174

Pharbitis barbigera 37:178 Pharmacosycea perforata 50:132

Phascum cuspidatum 48:3, 4; var. ameri-

canum 48:3

Phaseolus 4:13; 7:16, 28, 160. Bulai 41:325. coccineus 45:169, 170. diversifolius 24:99. helvolus 47:216. multiflorus 37:87. mungo 49:80. paniculatus 44:419. perennis 2:90, 92; 4:13, 99; 5:291; 6:89; 7:37; 8:223; 9: 10; 44:419. polystachios 24:99, 117; 40:380, 438; 44:367, 418, 419; 45:169, 170; 49:180; var. aquilonius 44:418, 419. vulgaris 1:47; 2:92; 34:65; 45:169, 170; var. humilis 39:

374. 375

Phegopteris 3:269; 6:101; 9:82; 21:176; 22: 91; 30:16, 48; 43:219. alpestris 8:31; 9:155, 158; 19:203; 30:44, 48, 49; 44:125. connectilis 43:219. Dryopteris 1:219; 2:127, 183, 229; 3:42, 168; 6:101; 9:63, 82; 11:86; 13: 124, 125, 131; 21:179, 200; 22:133; 30:16; 37:362; 42:316; subsp. disjuncta 43:217. hexagonoptera 1:9, 219; 2:183; 3:42, 190; 6:207; 9:82, 208; 10:166; 14:240; 15:154; 17:204; 21:179; 30:16; 35:360, 361; 37:190. Phegopteris 6:101; 11:35. polypodioides 1: 192, 219; 2:183, 229; 3:42, 168, 190; 6:101; 9:82; 11:86; 13:125; 17:152; 21:179, 200; 22:38, 133; 29:245; 30:16; 37:311, 362; 42: 316; 43:219. Robertiana 9:158; 13:131, 219; 21:179; 37:219

Phellodon alboniger 44:168

Philadelphus 18:247, 251. acuminatus 17:122. coronarius 1:106; 17:122, 123; 18:245, 247, 251; 19:226; 37:86; var. acuminatus 17:122; var. satsumi 17:121; var. tomentosus 17:122, 123; 18:245, 251. Gordonianus 17:122. grandiflorus 17:122. hirsutus 39:430.

inodorus 18:245; 19:226; 45:358, 450; var. grandiflorus 39:430. intectus 17:123. latifolius 17:122, 123; 39:430. Lewisii 16:77; 17:122; 37:364; 41:506; var. platyphyllus 16:77. platyphyllus 16:77. pubescens 17:122; 18:245; 42:99; var. intectus 17:123. satsumanus 17:121, 122. satsumi 17:121, 122. tomentosus 17:122. Yokohamae 17:121

Philerea latifolio 17:50

Phillyrea angustifolia 30:55, 56. media 30:55

Philohela minor 49:82

Philonotis 12:152, 154; 13:45. caespitosa 12: 152, 153; 13:46; var. compacta 13:46; var. heterophylla 13:46; var. laxa 13:46. fontana 4:30; 6:73; 12:152, 153; 30:9. marchica 12:152. Muhlenbergii 12:152

Philotria 22:17; 34:114-116. angustifolia 19: 108; 21:115, 218; 22:25, 29. canadensis 21: 114. iowensis 22:26, 29. linearis 22:25. minor 22:22, 28. Nuttallii 22:24, 29. Plan-

chonii 22:29

Phippsia 8:138; 18:2; 28:150. algida 38:118,

121, 140; 41:178

Phleum 6:105; 7:160; 11:38; 14:178; 15:125; 33:108; 44:33; 49:272. alpinum 3:169; 4: 150; 9:24, 154, 158, 190; 13:136; 17:78; 18: 197; 25:6; 28:54; 29:207; 35:215; 37:206; 38:265, 269; 41:155, 177; 49:240. pratense 5:36; 6:105; 13:208; 14:92; 15:125; 17:212; 18:33; 21:170; 22:136; 25:6; 26:186, 223; 28:74; 29:207; 32:150, 234; 33:116; 34:50, 63; 36:277, 374; 38:265; 39:373, 375; 41: 152, 177; 44:237, 380; 49:272; 50:294; var. nodosum 44:344, 380; 47:109; 49:272

Phloeospora tortilis 16:105

Phlomis 7:160

Phlox 6:154; 25:27; 42:155; 43:510; 44:221. alvssifolia 48:100. amoena 36:54. bifida 36:220; 37:321. carolina 37:321; var. triflora 40:381, 454; 41:490; 45:365, 459. cordata 44:258. divaricata 6:155; 15:79; 41: 194; 50:126; var. Laphamii 50:126. Drummondii, var. littoralis 39:421. Hentzii 42: 399, 476, 477; 43:71; 45:383, 459. Laphamii 50:112, 126. Lighthipei 36:55. longifolia 34:5. maculata 6:151, 154; 36:100; 43:510, 34:5. maculata 6:151, 154; 36:100; 43:510, 636; 44:258; var. candida 6:151; var. odorata 37:350, 356. nivalis 36:54; 40:364, 366, 441, 448, 454; 42:476, 477; 43:71; 45:383, 459. ovata 37:321; 41:33; var. latifolia 46:139. paniculata 1:107; 6:151, 154; 7:108; 25:27; 38:441; 39:370, 375. pilosa 1:76; 6:151; 8: 222; 15:66, 67; 19:164, 247; 34:97, 176, 240; 50:250; f. albiflora 34:176; 50:250; f. albiflora 34:176; 50:250; f. alvana 41:194 reptage 6:151: 37: var. ozarkana 41:194. reptans 6:151; 37: 321. Richardsonii 45:314. sibirica 41:160, 163, 281. Stellaria 37:321; 46:307. stolonifera 37:321. subulata 1:224; 6:142, 151, 154, 155; 12:129; 25:27; 37:321; 40:576; var. australis 37:321

Phoenicaulis cheiranthoides 43:480; var. lanuginosa 43:480, 481

Phoenix dactylifera 29:51

Pholidota yunnanensis 27:107. yunpeensis 27:107

Pholiota 3:143: 16:46. aurivella 3:39. mycenoides 16:46

Pholistoma 42:34. membranaceum 42:39

Phoradendron 21:50. flavescens 2:1; 14:81; 17:64; 21:49; 39:353, 473, 482; 46:83

Phormidium 40:225, 255, 259, 263. ambiguum 2:42; 40:224, 237, 258, 262, 267. angustissimum 28:2; 40:260, 261. autumnale 2:42; 40:75, 232, 255, 258, 262; 24:104, 105; 50:69. 40:75, 232, 255, 258, 262; 24:104, 105; 50:09. bigranulatum 28:2. cabennense 28:2. calidum 28:2. Corium 2:42; 7:236; 28:2; 40:240, 257, 261. Ectocarpi 40:260. favosum 2:42; 7:236; 40:255, 262; 50:69. foveolatum 28:2. fragile 1:42; 40:256, 260. incrustatum 50:70. inundatum 40:255, 261. laminosum 24:103; 28:2; 40:255; 50:275. luridum 40:75, 256, 260. majus 1:198. molle 40:256, 260, 273, fig. 7. mucicola 40:255, 259. orientale, var. hreviarticulata 28: 255, 259. orientale, var. breviarticulata 28: 2. papyraceum 26:212; 40:240, 257, 261; 50:70, 256. penicillatum 40:255. persicinum 2:11, 42; 40:256, 259, 260, 270, 273, fig. 6. pulvinatum 40:240. purpurascens 40: 255. quadripunctulata 28:2. Retzii 6: 230; 7:236, 243; 8:122; 24:103, 107; 40:241, 258, 262; f. fasciculatum 8:122. Setchellianum 40:255; 50:70. subfuscum 40:255. submembranaceum 40:240, 258, 262, 263. subtorulosum 40:263. tenue 26:211; 40:257, 260, 261; 50:70, 275. tinctorium 40:256, 260. Treleasei 40:255. uncinatum 7:236; 40:255; 50:70. Valderianum 2:42; 40:257, 261. Woronichinii 40:240

Phorobolus Brunonianus 37:246. crispus 37:

Phragmidium 10:13, 14. americanum 34:62; 39:372. gracile 10:14. speciosum 44:172 Phragmites 4:93; 10:153; 15:131; 24:55, 56; 30:202; 34:212; 48:21; 49:264. Berlandier: 34:211. communis 4:93; 5:131; 10:146, 153; 12:117-119; 14:20; 15:131; 18:96; 19:119, 164; 22:15; 24:161; 26:154, 156, 159, 175; 29:60, 65, 68, 71, 107, 110; 32:149, 236; 33: 170; 34:212; 43:286, 287; var. **Berlandieri** 34:**211**, 212; 48:19, 25, 26, 205; 49:264; var. stolonifera 49:264. maximus 43:286, 287 Phragmopedilum caudatum 9:50

Phryma 25:187; 33:29; 42:512. Leptostachya 1:220; 4:90; 5:204; 7:34; 11:7; 13:218; 16: 17; 25:187; 31:16, 17, pl. 178; 33:32; 35: 250; 37:442, 443, 454, pl. 402; 40:431; 45: 115, 274; var. confertifolia 37:442, 454, pl. 402; 45:115

Phrymaceae 25:187; 31:43 Phrynium 9:53; 27:77

Phycodrys rubens 43:74; 50:266, 267

Phycomycetes 5:107; 8:67, 68; 50:286 Phyllachora graminis 41:516; 44:171, 172; var. Panici 41:516. trifolii 44:172

Phyllanthus 9:37, 45; 11:50; 37:310. acuminatus 36:268. brasiliensis 36:268. caroliniensis 37:318, 432; 39:482; 43:272; 46: 136. Conami 36:268

Phyllis 47:386

Phyllitis 2:131; 7:228; 19:171; 21:177, 179. fascia 2:47, 163; 7:228, 243; var. caespitosa 7:228. Lindeni 37:221. Scolopendrium 21: 177, 179; 37:199-202, 221, 244, 309, 312, 338, map 2, pl. 355; var. americana 37: 220, 338, pl. 355; var. Lindeni 37:221. zosteraefolia 1:127; 2:47; 7:242

Phyllobium dimorphum 7:99

Phyllocalyx 41:320 Phyllodoce 36:421; 44:29. caerulea 9:163, 169, 190; 13:133, 136; 15:216; 22:37, 44; 25:10; 27:52; 28:116, 223; 35:58, 59, 279; 36:24, 223; 44:115. empetriformis 37:365.

glandulifera 37:365. hybrida 37:365 Phyllophora 26:189. Brodiaei 2:51; 3:134; 5:232; 7:231; 26:214; 35:148; 50:264, 267; f. pygmaea 10:116; var. interrupta 10: 116. membranifolia 2:51; 7:231; 26:191, 215; 30:196; 35:148; 50:264, 267. rubens 1:127. Trailii 2:51; 7:231
Phyllosticta amicta 39:372. Epigaeae 41:

516. hibiscina 39:372. illinoensis 41:517. labruscae 26:218. orobella 41:517

Phyllostictina pallidior 44:172

Phymatolithon 33:131. compactum 23:67; 33: 130. polymorphum 50:266, 267

Phymosia 34:142, 143. acerifolia 34:143. remota 34:142, 144-146, 207, fig. 1; 48: 89-91, 94

Physalacria 3:143

Physalis 6:128; 16:198; 25:61; 40:380; 42: 156; 49:102. Alkekengi 35:201, 406; 42: 46. angulata 25:61; 35:201; 42:371, 478; 44:434. barbadensis 35:201; 44:361, 434. grandiflora 13:219. heterophylla 1:221; 3: 131; 6: 128; 25:61; 49:178, 179, 193, pl. 1081; var. ambigua 1:221; 24:184; 25:61; 49: 178, 179, 193, pl. 1082; var. clavipes 49: 178, 179, 193, pls. 1080; var. nyctaginea 7:106; 49:178, 179, 193, pl. 1082. ixocarpa 25:61. longifolia 25:61. maritima 37:178; 39:480; 44:342. missouriensis 36: 232. monticola 40:380, 456; 41:558; 45: 370, 476. pendula 35:201. philadelphica 1:47. pruinosa 13:19; 25:61; 35:201. pubescens 37:87, 440; 42:479; 44:434; 49:178. subglabrata 25:61; 37:194. virginiana 1: 224; 6:128; 15:67; 25:61. viscosa 24:100; 37:178; 44:342

Physaloides 9:55

Physaria 33:142; 41:392–394, 396–398, 411. acutifolia 41:393, 394, 396, 399, 400, 413– 415, fig. 2, pl. 556. alpestris 41:395, 399, 401, 402, 415, pl. 556. australis 41: 401, 402, 415, pl. 556. australis 41: 394, 396, 399, 405, 407, 408, 410, 415, pl. 556. brassicoides 41:396, 399, 410, 411, 556. brassicoides 41:396, 399, 410, 411, 415, pl. 556. Chambersii 41:395, 399, 402, 403-405, 415, pl. 556; var. membranacea 41:405, 415, pl. 556. condensata 41:395, 396, 399, 407, 408, 415, pl. 556. didymocarpa 37:364; 41:395, 398, 399, 402, 404-412, 415, pl. 556; β. contractoreplum 41:412; var. australis 41:409; var. integrifolia 41:406, 407; var. lanata 41:395, 397, 406, 407, 411; var. Newberryi 41:403; var. normalis 41:406, 407. floribunda 41:393, 394, 396, 400, 412–415, fig. 1, pl. 556. Geyeri 41:393, 395, 399–401, 410, 415, pl. 556; var. **purpurea** 41:399, 401; var. **typica** 41:401. Grahamii 41:396, 397, 399, 410. lanata 41:407. macrantha 41:406. Newberryi 41:395, 399, 402–405, 415, pl. 556. oregana 41:395, 399, 400–402, 404, 415, pl. 556. Osterhoutii 41:396, 399, 412, 413, 415, pl. 556. vitulifera 41:396, 399, 411–413, 415, pl. 556

Physarium 41:398

Physarum bivalve 1:128. cinereum 1:128, 129; 29:166. compressum 29:166. confertum 29:166, connatum 29:167, contextum 1:128. didermoides 1:128. globuli-ferum 1:129; 29:167. lateritium 29:167, 172. leucopus 1:128, 129; 29:167, 172. murinum 1:128. nutans 1:128, 129; 29: 167. serpula 29:167, 172. sinuosum 29: 167, 168, 172. virescens 1:128; 29:167; var. nitens 29:167. viride 1:128; 29:167, 172; var. aurantium 29:167; var. incanum 29:167

Physcia aquila 29:105; var. detonsa 29: 104. caesia 36:143, 153. ciliaris 28:231; var. crinalis 11:101; 28:231. constipata 36:135, 143, 149, 154. hispida 14:90; 28: 232. intermedia 36:143, 154. leucomela 11:101. millegrana 50:292. muscigena 36: 143, 153. obscura 29:105; var. endococcina 29:104; var. virella 29:104. parietina 14: 89. pulverulenta 29:105; var. leucoleiptes 28:232; 29:104. sciastra 36:143, 153. stellaris 20:40; 28:232; 29:104, 105; 35:150; var. aipolia 29:104. tenella 29:104; 36: 143, 154. tribacea 14:90; 29:104, 105; 36: 143, 153

Physciaceae 28:231

Physcomitrium 3:179. immersum 12:151. turbinatum 4:30

Physocarpa 46:346

Physocarpon 46:346. vespertinum 34:25

Physocarpum 46:346, 360. clavatum 46:363.

podocarpum 46:421

Physocarpus 9:54; 20:18; 46:346. opulifolius 1:106; 8:99; 19:226; 20:18; 24:116; 36: 281; 40:382, 423; var. intermedius 10: 32; var. luteus 42:43

Physolepidion 42:303. repens 42:305

Physospermum 9:42

Physostegia 7:160; 11:55; 25:40; 40:455; 45: 275, 368. aboriginorum 45:459-461, 464, 275, 368. aborigmorum 45:359-461, 464, pl. 783. angustifolia 45:462, 464, pl. 785. denticulata 17:134, 137; 39:340, 445, 482; 40:455; 45:368, 460-464, pls. 784, 785. granulosa 41:377; 45:463, 464, pl. 786. intermedia 45:462, pl. 784. leptophylla 45:460. Nuttallii 41:525. obovata 44:254. purpurea 17:134, 137; 45:461. speciosa 41:377; 45:462; var. glabriffora speciosa 41:377; 45:462; var. glabriflora 41:377. veroniciformis 45:460. virginiana 4:190; 17:134; 25:40; 41:377; 45:462, 463; var. alba 42:46; 50:112; var. granulosa 45:464, pl. 786; var. speciosa 45:463

Phyteuma 50:40, 47. Halleri 9:39

Phytolacca 17:180; 36:373; 45:378. americana 17:180; $32:216, 250; 35:254; 42:244; 45: 378; 50:296; var. <math>\beta. 42:244.$ decandra 5: 188; 17:34, 180; 32:250; 36:374; 42:244;45:378. octandra 42:244

Phytolaccaceae 5:188; 17:180; 31:43; 32: 250;

50:296

Picea 6:103; 7:160, 189; 10:63; 12:177; 15: 105; 25:164; 33:97-99, fig. 1; 34:191; 35: 358; 37:267, 415; 40:149-153, 157, 161-163, 165, 168, 169, 171-173; 41:290; 42: 149, 314; 43:297; 45:108, 309; 49:83; 50:36, 37. Abies 10:63; 28:43, 44; 32:152, 229; 35:358; 36:150; f. virgata 9:110. alba 2:3, 5, 10, 222, pl. 12; 3:189; 4:24, 189; 6:103; 9:75; 13:217, 219; 21:41. balsamea 11:203. brevifolia 6:103; 9:109; var. semi-11:203. brevifolia 6:103; 9:109; var. semi-prostrata 9:110; 15:200. canadensis 2: 3, 5, 222, pl. 12; 6:103; 9:158, 169; 11: 201; 12:103, 177; 13:137, 217, 219; 15: 138; 17:152; 18:32, 242; 20:186, 188; 21: 41, 44, 109; 22:133; 24:98, 112; 25:205; 27:54; 28:43-45, 235; 29:146, 206; 31:20; 32:196, 198, 199, 201, 205, 229; 33:19, 93, 97, 99, 110, 116; 34:188; 35:358; 37: 16-19, 268, pl. 323; 40:73; 41:174; f. parva 31:19; 34:187. Engelmanni 37:363. excelsa 10:63; 32:229; 36:150; var. virgata 9:110. Fraseri, var. hudsonia 34:190. celsa 10:63; 32:229; 36:150; var. virgata 9:110. Fraseri, var. hudsonia 34:190. glauca 17:62; 21:109; 32:152, 229; 34: 188; 35:122, 358; 36:238, 276; 37:64; 40: 143, 145, 154, 167, 169-171; 41:145, 174, 211, 288; 42:317; 44:412, fig. 1; 45:308; 6. parva 34:187. mariana 1:183; 2:2, 6, 222; 6:103; 7:108; 9:110, 158, 169, 174; 10:63; 11:201; 12:177; 13:54, 138; 14:80; 15:223; 17:148, 149, 171; 19:110; 21:43, 44; 27:108; 28:43, 45; 29:146, 206; 31:20, 82: 32:60, 196, 201: 33:19, 22, 92, 93, 96-44; 27:108; 28:49, 45; 29:140, 200, 31:29, 82; 32:60, 196, 201; 33:19, 22, 92, 93, 96–99, map 3; 34:50, 62, 188; 35:90, 122, 358; 36:276; 40:145, 148, 154–156, 160, 163, 167, 169–171; 41:149, 175, 207; 42: 149, 317; 43:507; 44:412, fig. 1; 45:106; 49:83; f. semiprostrata 15:200; 28:43; 31: 20; var. brevifolia 9:109, 110. nigra 1: 183; 2:2, 6, 10, 36, 126, 222; 3:169; 5: 36, 49; 6:41, 86, 103, 204; 7:108, 154; 9: 75, 218; 12:175; 21:43; var. brevifolia 9: 109; var. virgata 9:110; 34:211. nobilis 109; var. virgata 9:110; 34:211. nobilis 42:522, 523. pungens 16:95; 18:242; 32; 152, 229; 34:62. rubens 9:110; 15:223; 34:188, 211; 35:358; 47:144; f. virgata 34:211; 35:358. rubra 1:191; 2:10; 3: 189, 232; 4:28; 5:36; 6:103; 9:110; 10:63; 12: 175, 177; 15:157, 223; 17:148, 152; 18: 32; 22:133; 28:43, 45; 29:146, 206; 31: 20, 97; 33:93; 34:211; 35:322, 358; 37: 309, 313; 39:231; 42:149; 47:144; f. virgata 9:110, 111: 28:43, 44: 34:211 9:110, 111; 28:43, 44; 34:211

Pickerel Weed 16:18, 19; 27:76, 78, 79; 39:274 Picris 26:132. echioides 1:104; 19:253. hieracioides 26:132. Sprengeriana 36:375

Pied cog 1:167

Pieris 29:49; 44:29. mariana 7:75; 8:27. nitida 10:53

Pigeon Berry 18:39. Grape 38:428

Pig-nut 4:132; 47:46, 47; 49:194-196; 50:60, 62. Hickory 49:194-196. Sweet 47:46, 47; 50:60, 62

Pigweed 17:226; 28:73; 41:82. Amarantha

28:73

Pila 11:63 Pilea 9:54; 17:170; 38:169; 47:100. fontana 38:170, 236, 365, pl. 413. opaca 38:170. pumila 5:132; 17:170; 21:170; 35:249; 38: 169, 170, 236, 365, pl. 413; 50:212; var. **Deamii** 38:169, 170, 236, pl. 413 Pileolaria Toxicodendri 39:372

Pileotaria Toxicodentri 59:512
Pilinia 5:208-210; 10:122, 124, 127, 156. diluta 5:210. endophytica 10:156. Lunatiae 10:122, 123, 125, 127, pl. 77. maritima 2:44; 5:210; 10:122, 126. minor 10: 122, 124, 156. Morsei 10:122, 126, 127, 126, pr. 125, 126, pr. 125, 126, pr. 125, pr. 126, 122, 124, 156. Morsei 10:122, 126, 127, pl. 77. Reinschii 10:122, 125, 126. rimosa 5:207, 208, 210; 10:122, 126

Pilobolus 50:287

Pilophorus Cereolus, var. Fibula 11:216 Pilosella 20:201, 202. novae-angliae 20:201–203; 39:276. Richardsonii 20:202, 203

Pilotrichella pulchella 36:56

Pilotrichum cryphaeoides 36:56, 58. mexicanum 36:58. spiculiferum 36:56, 57, fig. 1

Pilularia 22:89 Pimbina 1:168

Pimpernel, Water 21:191

 Pimpinella 3:211. Anisum 1:159, 168; 3:
 210. integerrima 1:159; 3:211. Saxifraga 11:53; 26:230; 41:129

Pin Oak 42:361, 447

Pin Oak 42:361, 447
Pinaceae 6:102; 9:157; 10:62; 12:103, 176; 18:32; 25:6; 26:219; 28:43; 29:206, 247; 31:43; 32:229; 35:357; 36:276, 277; 43: 79; 45:308; 49:255; 50:37, 293
Pinckneya pubens 39:270
Pine(s) 4:74; 5:196; 7:122, 125; 13:57; 21: 107; 30:129; 35:357; 41:488; 42:88, 308; 43:67; 44:413; 46:152, 154; 47: 281; 49:228; 50:37, 181. Austrian 7:124-126; 33:140. Banksian 21:44-49, 52, 65. Douglas 21:31. Family 35:357. Georgia 50:182. Gray 23: Family 35:357. Georgia 50:182. Gray 23: 247; 35:357. Hemlock 17:50. Jack 21: 52; 22:130, 132; 23:200; 30:129; 43:341; 46:153. Labrador 18:241, 242. Loblolly 33:195; 50:183, 184. Long-leaf 41:488; 43:487; 44:349, 351; 45:369; 50:182–186, 241–247. Marsh 50:184. Northern Scrub 241–247. Marsh 50:184. Northern Scrub 35:357. Norway 4:133; 13:139; 22:137. Old-field 50:183, 185. Pitch 7:124–126; 11:21, 22; 12:99, 176; 21:46, 50; 30:129-131; 35:357; 47:334, 335; 50:184. Pond 37:379; 50:183, 185. Red 11:21; 12:176; 13:139, 161; 22:130; 23:91; 30:129, 130; 35:357; 44:230. Savanna 50:183. Scotch 7:124–127, 129; 28:44; 32:229; 33:162, 163; 35:357; 47:335. Scrub 21:50, 51; 27:27, 28. Short-leaf 21:49. Slash 50:183, 184, 247. Swamp 50:182, 183, 185, 243. Three-leaved Marsh American 50:181. White 4:93; 7:124–126; 11:21; 12:176; 19:67; 21:50; 22:130; 23:91; 27:27, 28; 30:129; 33:139, 163; 35:357; 37:268; 39:193; 44:410; 49:161, 172, 173 Pineapple 50:38. Weed 1:18: 5:288

Pinella 42:248

Pinellia ternata 44:16-19, fig. tripartita 44:16 Pinellia ternata 44:16–19, fig. tripartita 44:16
Pinguicula 7:76; 9:153; 23:111; 24:103; 36:
34; 50:191, 224. arctica 41:288. caerulea
50:223, 224, pl. 1113. elatior 36:51; 50:
224. lutea 50:224, pl. 1113. villosa 25:
11; 38:158; 41:151, 288. vulgaris 6:152;
7:8, 154; 9:154, 163, 167, 172, 183, 190;
11:98; 12:117; 13:115, 124, 136; 25:11; 28:
75; 29:132, 220; 33:112, 125; 36:10, 284;
37:64, 207, 365; 38:158; 41:150, 288; 42: 339: 44:120

Pinguiculas 7:78

Pink 11:131. Mountain 4:131. Swamp 4: 131

Pink-spored Agarics 4:6

Pinnularia 9:131

Pinus 6:102; 10:62; 11:170; 12:176; 15:101; 17:166, 167; 25:164; 35:357; 36:69; 40:68, 166, 169, 172, 173; 42:149; 44:154, 169, 170, 166, 169, 172, 173, 42:149, 44:154, 169, 170, 174, fig. 1; 45:108, 452; 47:144; 50:37. Abies 17:62; 20:187; 34:211. alba 17:62 albicaulis 37:363. australis 50:182, 186, 241-243, 246, 247. austriaca 7:127. balsamea 17:59, 60, 165-168; 20:186, 187; 21:109. Banksiana 1:135, 136; 11:13; 13:217, 219; 14:79; 15:137; 16:184; 17:155; 18:241; 19:64; 20:101; 21:42-54, 60-65, map; 22:33, 130, 133, 134; 23:130, 188, 247-249; 24:160; 25:99; 28:43-45; 30:129, 130; 31:20; 32:196, 198, 201; 33:100, 227; 34:50; 35:357; 36:276; 37:66, 203, 259; 40:145, 147, 149-153, 155-160, 162, 165, 167, 169-171, 173, 241, 242; 43:338; 44:412; 46:152, 153, 493; 48:37; 50:248. canadensis 17:59-62, 166-168; 20:186-188; 21:51, 108, 109; 34:188. Cembra 41:174. contorta 47: 109; 34:188. Cembra 41:174. contorta 47: 186. cubensis 50:183-186. divaricata 13:217 21:53; 23:188; 50:248. echinata 15:102; 21: 49; 35:291; 36:219; 38:378, 403; 39:466, 481; 44:240; 45:272; 50:181. edulis 45:117. Elli-ottii 50:183, 184. flexilis 34:246. glauca 17: 62; 21:109. heterophylla 50:183, 184. hudsonica 34:190. inops 1:104. Larix 19:22. laxa 17:62. lutea 46:44; 50:247. Massoniana 18:242. microcarpa 50:118. mon-tezumae 50:244. Murrayana 39:132; 41: 506. nigra 33:140. nobilis 42:522, 523; f. glauca 42:523; f. robusta 42:524. occidentalis 50:244. palustris 15:105; 36:34; 39:477; 41:488; 42:365; 44:240; 45:375; 46: 44, 45; 50:181-186, 241-247, 249. Parryana 13:229. patula 50:245. pendula 50:118. 13:229. patula 50:245. pendula 50:118. Picea 17:60. ponderosa 37:418; 45:117. pumila 41:174. pungens 15:102, 104; 46: 44. resinosa 1:183; 2:124; 3:232; 4:133; 10:62; 11:21; 12:103, 176, 217; 13:116, 139, 146, 161, pl. 89 (map 8); 14:79; 16:186; 133; 23:131, 188, 247; 24:112; 28:43-45; 30:129; 31:98; 34:7, 61, 66; 35:357; 37:66, 203; 40:145, 147-153, 155-162, 167, 169-171, 173; 44:412. rigida 1:130, 135; 2:124; 3:138, 232; 5:128, 129; 7:123, 127; 9:194, 195; 10:62; 11:21; 12:99, 176; 13:103, 253; 14:79, 89; 15:102, 104; 16:189; 18:32; 21: 50; 25:184; 28:43, 46; 30:129, 130; 31:98;

32:152, 229; 35:357; 39:370, 372, 375; 40: 72, 241; 41:514, 515, 519, 520; 42:88; 44: 168–170, 174; 47:334; 50:181, 182; f. globosa 168–170, 174; 47;334; 50:181, 182; f. globosa 42:308. serotina 15:104; 36:34; 37:171, 379, 385, 389–391, 399, 406, 407, 413, 423, 425, 426, 433, 438, 446; 38:377; 39:249, 476; 42:462; 43:548, 569; 44:240; 45:461; 50:183, 185. Strobus 5:132, 134; 6:102; 10:62; 11:21, 87; 12:176; 13:77, 139, 219, 253; 15:102, 104; 18:32; 22:133; 23:185; 24:160; 27:27; 28:43, 45; 29:146, 169, 206; 30:129; 32:229, 259; 33:139, 163; 34:7, 246; 35:11, 130, 154, 314, 357; 37:268, 312; 39:195; 40:73, 145–154, 157, 160–163, 167, 169, 170; 41:512–514, 520; 44:169, 412; f. prostrata 34:168, 35:11, 130; var. prostrata 34:168, sylvestris 7:123, 125, 127; 10:62; 11:163; 14:79; 18:242; 26:219; 28:43, 44; 34:168. sylvestris 7:123, 125, 127; 10:62; 11:163; 14:79; 18:242; 26:219; 28:43, 44; 32; 152, 160, 229; 33:162; 35:357; 36:150; 41:516, 520; 42:42; 50:293. Taeda 15: 101-104; 36:35; 38:376, 445; 39:355, 466, 473, 477; 40:74; 41:482; 46:44; 50:181-186, 242, 245, 246; var. heterophylla 50:183. virginiana 9:195; 15:101, 102, 104; 27:27, 28; 37:320; 38:383; 41:89, 474, 540, 546; 42:308; 44:240, 362

Piperia maritima 48:10. unalaschensis 34:244

Piperitae 47: 385, pl. 991

Pipewort 5:175

Pipsissewa 19:237; 46:158

Piptocephalis 8:67

Pireella cymbifolia 36:56

Pissenlit 1:168 Pistatia 17:50

Pisum 20:171; 45:169. dasigynum 34:181, 184, 186, 187. maritimum 11:95; 19:160; 34:179, 181, 184–187; 46:284; 49:196; β. glabrum 11:95; 34:181, 187. sativum 2:92; 20:171

Pitch Pine(s) 7:124–126; 11:21, 22; 12:99, 176; 21:46, 50; 26:182; 35:357; 42:308; 47: 334, 335; 50:184

Pitcher Plant 23:148; 42:279

Pitnagen 28:124

Pityopsis 44:464. ser. Aspereae 44:464. ser. Graminifoliae 44:464. argentea 44:471. aspera 44:464, 469. graminifolia 44:469. microcephala 44:470

Pitvoxylon 11:168

Pityrogramma 22:114. triangularis 22:114-120; var. Maxoni 22:116, 118, 119, 120; var. pallida 22:116, 119; var. viscosa 22:115, 117, 119. viscosa 22:117

Placodiaceae 28:231

Placodium elegans 28:231; var. granulosa 11:101; var. trachyphyllum 11:101. ferrugineum, var. discolor 28:231. rupestre 28:231. vitellinum 28:231

Placynthium nigrum 28:227 Plagidia montana 38:421

Plagiobothrys cognatus 42:337. Cusickii 42: 337. leptocladus 40:311. scopulorum 48: 115

Plagiochasma erythrospermum 16:62

Plagiochila 12:200, 201; 16:62, 68, 69; 21: 161. allegheniensis 16:69. asplenioides 2: 63; 5:172; 6:75; 15:25; 25:195; 26:9. Austini 16:68, 69; 23:284; 25:195, 199. interrupta 12:200. lobata 12:200. macrostoma 12:200. pyrenaica 12:200; var. interrupta 12:200. spinulosa 16:68, 69. Sullivantii 5:172; 15:25; 16:68, 69; 25:199

Plagiogramma Gregorianum 9:138. stauro-

phorum 9:138. validum 9:138 Plagiopus Oederi 30:8; 39:42

Plagiotheciaceae 30:11

Plagiothecium 35:146. denticulatum 1:35; 2: 63; 4:30, 241; 30:11. laetum 48:3. late-bricola 2:96; 15:13. Muellerianum 1:54; 4:182. silvaticum 4:241; 30:11. striatellum 30:11. turfaceum 2:63; 4:30, 182, 241

Plagiotropis vitrea 9:135 Plane tree 41:515 Planera aquatica 14:81

Planodes virginica 39:81

Plantaginaceae 3:258; 6:129; 18:43; 20:61; 21:170; 25:11, 187; 26:228; 28:73; 29:220; 31:43; 32:275; 36:284; 37:31; 43:82; 49:

255; 50:299, 303

Plantago 6:129; 12:109; 21:28; 25:187; 31: 94; 39:233; 40:373. § Neoplantago 9:37. alpina 27:95, 96. altissima 24:204; 36: 389, 390. arenaria 33:171; 35:262; 40:276; 41:570; 43:515. aristata 9:122; 13:19; 25: 187; 32:275; 35:255; 36:221; var. Nuttallii 11:57, 131; 13:19. asiatica 38:299; 47: 294. barbata 27:94. borealis 4:24, 25; 27:95, 96, 98, 101; f. pygmaea 27:101. Coronopus 25:187. decipiens 4:25, 89; 11:229; 12:109; 13:216; 17:63, 147, 148, 218, 221; 18:43; 25:11, 187; 27:93, 95-98, 100, 102; 29:89; 35:127. elongata 2:156, 194; 6:211; 36:51, 221; 37:194; 43:82; 48: 116. erecta 34:6. eriophora 24:204. eriopoda 29:106; 44:117. gibbosa 27:94, 95. gnaphaloides 6:84. halophila 32:275; 50: 215. heterophylla 40:364, 372, 373, 457. hungarica 24:204. indica 41:474, 570; 43: 515. juncoides 27:93, 97-99, 104, pl. 150; 30:77; 33:125; 35:127, 336; 41:161; 49: 247; var. californica 27:99, 100, 104, pl. 150; 29:123, 161, 187, 220; 32:214, 275; 187; 32:275; 35:255; 36:221; var. Nuttallii 150; 29:123, 161, 187, 220; 32:214, 275; 33:111, 125; 34:70, 74, 75, map 8; 36: 284; var. glauca 27:99, 101, 104, pl. 150; 284; var. glauca 27:99, 101, 104, pl. 150; 29:14; 33:125; 34:55; 35:399, pl. 240; 38:158; 41:41; var. laurentiana 27:99, 102, 104, pl. 150; 33:125; 35:9; 44:144; var. typica 27:99; 41:289. lanata 24: 204. lanceolata 5:135; 6:129; 13:199-203, 205, 206, figs.; 15:173, 177, 178; 18:43; 24:203, 204; 25:187; 26:185, 228; 29:220; 32:275; 36:374; 44:173, 174; 50:288, 299; 26 capitallata 24:204; 8 pagitallata 24:204; 8 β. capitellata 24:204; γ. pumila 24:204; δ. capitata 24:204; 8. lanuginosa 24:204; var. alopecuroides 13:204; var. androxantha 15: 178; var. sphaerostachya 13:204; 15:174, 175; 24:203; 204; 25:187; 32:275; f. eriophora 24:203, 204; 25:187; 32:275; f. vernalis 35:309. major 2:208; 5:50, 135; 6:129; 10: 207; 17:218; 18:43; 21:170; 22:136; 25: 187; 26:185, 228; 28:73; 29:220; 31:7; 32:

275; 33:109, 125; 35:309; 36:284; 39:370, 375; 46:140; 47:293; 50:299; var. asiatica 31:85; 35:92, 308; 41:289; 42:339; var. intermedia 31:85; 32:275; 36:284; 50:303; var. minima 3:189; 6:129; var. scopulorum 50:215. maritima 2:188; 3:189; 4:25; 13: 215; 17:63; 27:93-100, 102; 29:187, 220; 32:275; 41:41; var. glauca 27:96, 101; var. juncoides 27:97, 99. media 1:47; 6: 206; 11:83; 13:200; 25:187; 47:294; var. Monnieri 24:119. microcephala 24:204. oliganthos 27:94, 95, 97-99, 101-104, pl. 150; 28:63; 29:106; 32:147, 173, 275; var. fallax 27:102, 103, 104, pl. 150; 29:14; fallax 27:102, 103, 104, pl. 150; 29:14; 36:284; 44:144; var. typica 27:102, 104. patagonica gnaphalioides 1:165; var. aristata patagonica graphanoldes 1:105, var. anstata 1:82. pauciflora 27:94, 98, 102, 104. pur-purascens 40:457. Purshii 6:84; 35:255; 37:332. pusilla 2:156, 194; 36:364; 37: 194. rhodosperma 40:457. Rugelii 6:129; 10:145, 207; 17:227; 25:187; 31:85; 36: 374. sphaerostachya 24:204. virginica 2: 214; 32:210, 275; 36:51, 221; 40:373, 374, 424, 457, 484, pl. 530; 41:130, 559, 560; 43:493; 47:294; var. longifolia 40:457; var. progressa 40:457; var. viridescens 40: 456, 457, 484, pl. 530 Plantain(s) 27:93; 28:73; 40:424; 41:560.

Rattlesnake 24:39. Seaside 27:93

Plasmopara pygmaea 41:517. viburni 39: 372. viticola 26:218

Platanaceae 18:246, 252; 31:43; 32:95

Platanthera 9:53. bifolia 35:54. bracteata 28:174. convallariaefolia 4:79. dilatata 4: 79. hyperborea 4:79. integra 50:123. leucostachys 4:79. Menziesii 8:3-5. orbiculata 8:5. viridis 28:170, 172; var. bracteata 28:172, 174

Platanus 18:252; 31:88; 33:31, map 6. occidentalis 1:221; 3:233; 4:132; 5:132, 134; 18:246, 248, 252; 21:189; 32:99; 33:32, map 6; 41:515, 520. orientalis 33:30, map 6. Wrightii 19:23

Platoma 43:73. Bairdii 43:72

Platycodon 50:41 Platygyrium 35:146

Platymonas 23:249, 251, 252. subcordiformis 23:249, 251, 252, 256, pl. 133; 26:190, 212; 50:259. tetrathele 23:250, 252 Platypetalum dubium 50:9. purpurascens 50:

9, 10

Plectonema 8:113; 10:162; 40:222, 224, 232. Battersii 4:177; 5:233; 10:162. calothri-choides 2:13, 42; 10:162; 50:256. Golen-kinianum 2:13, 42; 5:233. norvegicum 50:256, 257. Nostocorum 3:133; 6:230; 50:70. purpureum 50:70. terebrans 2:42; 7:223; 50:256, 257. Wollei 7:236; 50:236

Plectritis 50:187 Plegorhiza 18:56

Pleienta 17:55–57. capitata 17:54, 55. fasci-culata 17:55. flexuosa 17:55. gentianoides 17:55. leucantha 17:55. rigida 17:55

Pleiotaenia 21:181 Pleocnemia 4:162

Pleodorina californica 44:67

Pleonectria denigrata 41:519

Pleonosporium Borreri 2:51; 7:234; 50:264, 267; var. fasciculatum 21:203, 204, 206. venustissimun 17:95

Pleuranthe olivacea 19:268, 269

Pleuridium californicum 39:100. subulatum 48:2

Pleuripetalum 9:52 Pleurisy-root 14:91

Pleurocapsa 3:137; 7:222. amethystea 3: 136. crepidinum 3:136, 137. fuliginosa 2:42; 7:172; 10:160; 28:1

Pleurochaete 41:112

Pleurococcus marinus 9:197, 198. membraninus 50:68. miniatus 9:198. rufescens 50:

68. vulgaris 26:212

Pleurogyne 21:193, 194. brachyanthera 21: 197. carinthiaca, var. pusilla 21:195. diffusa 21:198. fontana 21:195–197. Forresti 21: 197. himalayensis 21:197. Lubahniana 21: 198. macrantha 21:197. Purshii 21:195. 198. macrantha 21:197. Furshi 21:195. rotata 10:201; 14:230; 21:195, 196; 34:245; 49:154; β. tenuifolia 21:197; 42:337; γ. americana 21: 197; var. americana 21:195; var. tenuifolia 21:195. spathulata 21:198. sulcata 21:195. Thomsoni 21:197

Pleurolobus 9:54

Pleuromonas jaculans 50:278

Pleuropetalum 9:52

Pleuropterus 40:289-291. cuspidatus 40:290,

291. Zuccarinii 40:290, 291

Pleuroschisma deflexum 10:190. flaccidum 25:78, 82, 83. parvulum 25:78. tricre-natum 10:190; 25:81; var. implexum 25: 81-83, 94

Pleurosigma 9:128-130. acuminatum 9:134. aestuarii 26:194, 217. affine 9:130, 134; 26:194, 217. americanum 9:129, 134. an-26:194, 217. americanum 9:129, 134. angulatum 9:130, 134; var. aestuarii 9:134. attenuatum 9:134; 10:183. balticum 9: 128–130, 134. Brebissonii 9:134. decorum 9:129, 134. elongatum 9:129, 134; 26: 193, 194, 217; var. gracile 9:134. eximium 9:134. fasciola 9:134. formosum 9:134. hypocampus 9:134. intermedium 9:130, 134. latum 9:134. littorale 9:134. navigulaceum 9:134. nuhecula 9:134. paragulaceum 9:134. nuhecula 9:134. paragulaceum 9:134. nuhecula 9:134. culaceum 9:134. nubecula 9:134. doxum 9:129, 134. scalproides 9:134. simile 9:134; 10:180. Spencerii 9:134; var. curvulum 9:134. strigile 9:129, 134, 234. strigosum 9:134. subsalinum 9:135; 10: 180. Terryanum 9:134. Wansbeckii 9:134

Pleurostachys 46:102. gracilis 50:132

Pleurostauron acutum 9:134

Pleurotaeniopsis 7:258. Cucumis 7:258. Debaryi 7:258. elegantissimum, var. sim-plicius 7:258. ovale, var. Westii 7:258 Pleurotaenium 7:117; 9:101; 24:219; 26:206.

acutum 9:126. constrictum 7:117, 119, pl. 61; 9:101, 102, 105, 106, pl. 75. coronatum 7:117; 9:102, 106, pl. 75; 24:219; 26:206; var. fluctuatum 7:117; 9:102; 24:219; var. nodulosum 9:102. crenulatum 24:219. Ehrenbergii 7:117; 9:102, 103, 106, pl. 75; var. elongatum 7:117; 9:103; var. undulatum 7:117; 9:103. excelsum 7:117. Georgicum 7:117. indicum 9:104. maximum 9:102, 104. nodosum 7:118; 9: 101, 102, 105, 106, pl. 75; 24:219; 26: 206. rectum 9:104. subgeorgicum 7:117, 119, pl. 61; 9:102, 104, 106, pl. 75. tesselatum 7:118. Trabecula 7:117; 9:102, 103, 106, pl. 75; 24:219; 26:206; f. clavatum 9:104; f. granulatum 7:117; 9:104; var. rectum 7:117; 9:104. trochiscum 7:118; runcatum 9:102, 103, 106, pl. 75; 24: 219. verrucosum 7:118; 9:101, 102, 105, 106, pl. 75. verticillatum 7:119, pl. 61 106, pl. 75. verticillatum 7:119, pl. 61

Pleurotus olearius 1:45. sulphuroides 3:38

Pleurozium Schreberi 30:11

Plocamium 17:94, 96. coccineum 17:93–95; f. compactum 17:93, 94; var. flexuosum 17:95. leptophyllum 17:95; var. flexuosum

17:95

17:95
Pluchea 26:132; 41:459; 42:389. bifrons 6: 176. camphorata 5:133, 204; 10:153; 11: 229; 17:219; 18:243, 244; 19:250; 26:132; 29:92, 108, 111; 32:148, 211, 278; 41:256, 459-461, 519, 520, pl. 569; 44:228; α. pubescens 44:228; β. glabrescens 44:228; var. glabrescens 44:228. foetida 38:377; 20:474 482; 41:450, mgrilandica 41:460. 39:474, 482; 41:459. marilandica 41:460, 461; 42:495; 44:228. petiolata 6:177; 37: 350, 356, 449; 38:380; 39:482; 41:459-461, pl. 569; 44:228, purpurascens 42: 389, 495; 43:513; 44:228; 47:184; 49:90. var. purpurascens 47:184; var. succulenta 44:227, 228, 476; f. obovata 44:476. viscida

38:380; 39:482; 41:459, 460 Plum 4:81. Beach 11:127, 132; 18:94; 25: 69; 29:58. Cherokee 17:49. Chickasaw 14: 198. Moxie 12:183. Wild 15:32 Plumaria elegans 2:51; 4:176; 8:112; 26: 215; 50:267, 268 Plumbaginaceae 4:16; 18:98; 24:232; 25: 10; 31:43; 32:270

Plumboy 13:123; 28:60, 79

Plume, Soldier's 7:95

Pluteolus 5:197, 198. callistus 13:65; 16: 46. coprophilus 5:198. expansus 5:198;

Pluteus 5:198. cervicus 44:172. tomentosulus 3:39

Plymouth Gentian 23:160

Pneumaria 9:55

Pneumaria 9:55
Poa 4:25; 6:106; 7:123, 127, 160; 9:157; 14: 178; 15:144; 17:2, 29; 20:122; 23:133; 28:98, 116, 145, 150, 151; 29:10; 31:16; 35:81; 37:73; 40:393; 41:383; 47:383; 49: 262. § Oreinos 49:17, 18. § vel subgen. Arctophila 18:2. § vel subgen. Atropis 18:2. § vel subgen. Catabrosa 18:2. § vel subgen. Phippsia 18:2. abbreviata 25:112; 38:412. adspersa 18:235. airoides 18:2, 16; 28: 150. algida 18:2; 28:150. alpigena 31: 46; 38:124, 141; 41:180; 42:317; 48:19, 22, 23. alpina 4:25; 5:48; 9:159; 10:201; 11:89; 13:119, 136; 14:87; 18:2, 101; 28: 79, 146; 31:46; 34:244; 35:120, 127, pl. 240; 36:148, 277; 37:66, 73, 206, 418; 38: 118, 141; 41:154, 155, 180; 42:317; 43:

76; 44:115; f. vivipara 43:76; var. Bivonae 28:152; var. brevifolia 28:102, 152, 213; 35:399, pl. 240; 36:277; 38:141; var. frigida 28:79, 97, 152. alsodes 1:165; 6:106, 208; 10:146; 15:98, 144; 20:122; 37:83; 48: 19: 49:241, 262. ambigua 44:258. ampla 4:145. angustata 18:19, 21, 22; 19:120. angustifolia 18:235; 48:19, 22; 49:262; var. costata 23:133. annua 5:135; 6:106; 12:127; 14:177, 178, 181, 183, pl. 97; 15: 145; 17:213, 227; 18:34; 19:219; 21:170; 22:136; 28:74; 29:149, 207; 32:158, 236; 36:277; 43:630, 631; 48:19; 49:2, 4, 262; 50:301; var. aquatica 43:631; var. reptans 76; 44:115; f. vivipara 43:76; var. Bivonae 50:301; var. aquatica 43:631; var. reptans 42:307; 43:631; 49:241. aquatica 16:186. arachnifera, var. glabrata 4:144. arctica 18:2; 38:116, 121, 141; 41:38, 166, 180; 42:317; 45:308. arida 32:200, 202, map 24. aspera, var. laxiuscula 49:12. autumnigatica 4:145. 20:122, 126, 127: 36:38. Borreri alis 4:145; 20:122, 126, 127; 36:38. Borreri 18:9. brachyphylla 4:145. bracteosa 31: 46, 47. brevifolia 4:145. bulbosa 29:88; 43:532. caesia 49:12; var. strictior 49: 7, 11, 12. canadensis 39:154. Canbyi 44: 105. capillaris 29:12. capillata 18:236. capitata 28:114. caroliniana 47:198, 199. Chaixii 40:73, 74, 279; 48:82. Chap-maniana 35:261; 40:372, 373, 386; 43: maniana 35:261; 40:372, 373, 386; 43: 491; 48:19; 49:262. cilianensis 18:235. coerulescens 14:185. compressa 1:201; 2: 209; 12:214; 15:145; 17:221; 40:443; 48: 19; 49:2, 5, 241, 262. conferta 44:258; 49:12. costata 23:133, 139, 164, 231, 300, pl. 130 (map 5); 44:247, fig. 3. crocata 49:9-11. cuspidata 4:145; 40:386; 44:253; 46:75. debilis 1:183; 4:39; 5:34, 197; 20: 122, 125; 49:262. deflexa 18:2. delawarica 18:9. distans 18:2, 12; 28:150, 151. distichophylla 27:71. effusa 18:235. elongata 4:146; 8:211; 14:186. eminens 10:95; 11: 161, 166, 180, 207. Eragrostis 18:235. evagans 36:90. fasciculata 18:9, 10. Ference 18:241. First 18:14:186. eminens 10:95; 11: 7; 13:119, 123; 25:6; 28:54; 31:44, 45, 78; 34:51, 70, 72, 74, map 3; 36:277; 41: 161, 166, 180, 207. Eragrostis 18:235. evagans 36:90. fasciculata 18:9, 10. Ference 18:245. naldiana 44:139; 49:17. fertilis 18:235. flava 6:106; 8:210; 14:185, 186. flexuosa 49:17, 18. gaspensis 31:46, 47, fig. 1; 41:144, 180; 44:113, 139. glauca 6:193; 31:55; 35:83; 36:277; 37:73; 38:114, 116, 118, 121, 124, 141; 41:180; 48:19, 23; 49: 1, 3, 6, 11, 12, 14, 17; × nemoralis 49: 14; subsp. conferta 49:3, 12; var. laxiuscula 49:13, 13; cupp. glaucanthe 40:2, 12; c 49:12, 13; subsp. glaucantha 49:3, 4, 13-49:12, 13; subsp. glaucantha 49:3, 4, 13-16, pl. 1052. glomerata 44:258. glumaris 4:33. hirsuta 41:500. hydrophila 18:235. hypnoides 28:113, 114. interior 37:417; 49:6-10, 21, pl. 1052. labradorica 31: 44-46, 78, fig. 2; 38:126. languida 48: 19, 24; 49:262. laxa 3:170; 9:156, 159, 166; 22:38; 28:124, 152; 29:207; 35:58, 136; 36:148; 41:38; 48:19, 23; 49:17, 18, 136; 36:148; 41:38; 48:19, 23; 49:17, 18, 152; Lockenburg 41:145. language 41:144. 253. Leckenbyi 4:145. leptocoma 41:144, 180. macrocalyx 31:45, 46. malabarica 43: 270. maritima 18:7. megastachya 18:235. Michauxii 27:68. modesta 29:10, 12, 13. multiflora 18:235. nemoralis 1:192; 3:170;

6:106; 15:145; 22:133; 35:317; 36:277; 37:83; 40:74; 48:19, 23, 82; 49:1, 3, 6–12, 14, 262; f. micrantha 49:8; f. Reichenbachii 49:8; f. vulgaris 49:6; var. glaucantha 48:19; var. interior 49:3, 6, 8-10, 14-16, 20, 21, pl. 1052; var. montana 49:3, 9-11; var. strictior 49:11. nervata 16:187; 31: 47. nevadensis 4:145. nitida 4:144; 44: 258. nootkaensis 18:22. nutkaensis 18: 22. Nuttalliana 18:16. Nyaradyana 49: 77. 17. paludigena 20:126, 127. palustris 18:235; 20:127; 26:139; 32:236; 34:51; 36:277; 48:19, 21, 22; 49:3, 5, 11, 241, 262. paradoxa 27:71. Pattersoni 49:17. paucispicula 31:46, 47; 36:306. pelligera 18:2; 28:150. perennans 22:135. phryganados 18:8. partensia 2:200: 2:170: 4.952-2. paucispicula 31:40, 47; 36:306. pelligera 18:2; 28:150. perennans 22:135. phrygandes 18:8. pratensis 2:209; 3:170; 4:25; 6: 106, 208; 12:214; 15:145; 17:153, 213; 18:2, 34, 95, 96; 22:136; 23:133; 25:6; 26:186, 223; 29:207; 32:150, 236; 33:60, 117, 139; 34:51; 36:277, 374; 40:445; 44: 70, 246, 247, figs. 1, 2; 48:19, 22; 49:2, 4, 5, 262; 50:294; f. humilis 49:4; subspectata 23:133; var. angustifolia 6:106; 49:4, 5; var. costata 23:133; var. depauperata costata 23:133; var. angustifolia 6:106; 49:4,5; var. costata 23:133; var. depauperata 23:133; var. domestica 4:25. procumbens 18:11. psilosantha 18:2; 28:151. pungens 4:145. quinquefida 14:185, 186. reflexa 20:126, 127; 38:298. reptans 28:113, 114. rigens 38:141; 41:180; 42:317. riparia 18: 235. rupestris 18:11. saltuensis 20:122, 125; 21:201; 23:231; 31:83; 32:205; 37: 74; 44:139; 47:45; 48:19, 21, 23; 49:2, 5, 262; var. microlepis 20:124, 125; 24: 161: 31:83: 35:136: 44:139: 48:19, 23: 49: 161; 31:83; 35:136; 44:139; 48:19, 23; 49: 5. Sandbergii 9:159; 13:141; 31:55. scopulorum 49:4, 16-20, pl. 1051. serotina 6: 106, 177, 178; 18:235; 32:236; 49:5. seslerioides 14:185, 186. spectabilis 39:154. stenantha 36:10, 307. striata 31: 47. subtrivialis 49:8. sylvestris 20:122, 127; 37:250; 48:20, 81; 49:199; var. palustris 20:127. tenuifolia 6:83; 30:215. tenuis 44: 20:127. tenuifolia 6:83; 30:215. tenuis 44:
258. thalassinae 28:115. × tormentuosa
49:4, 14–16, 21, pl. 1052. Torreyana 4:
146; 8:211; 14:186. triflora 15:145; 16:
90; 17:153, 213; 18:235; 22:136; 32:236;
49:5, 11, 262. Trinii 31:45; 41:180. trivialis 11:89; 15:145; 16:90; 23:231; 28:
78; 29:207; 33:117; 35:83, 136; 37:83; 48:
20, 81, 82; 49:241, 262. uniflora 29:10,
12. Weigeltiana 28:115. Wolfii 47:205;
49:201. Wrightii 41:180, 181 49:201. Wrightii 41:180, 181

Poaceae 34:247

Podalyria 50:200. villosa 50:200

Podanthum 50:47 Podocarpus 44:34

Podocystis adriatica 9:137; 26:194, 218.

americana 9:137; 26:194, 218

Podophyllum 11:44; 17:224; 18:213; 31:12; 40:374; 47:385. Emodi 33:30; 50:18. peltatum 1:171; 18:213; 24:184; 31:17, pl. 178; 33:30, 228, 229; 35:76; 36:44; 37: 416; 50:18; f. aphyllum 33:228, 229, fig. 1; f. Deamii 50:18; f. polycarpum 33:229

Podosaemum glomeratum 45:237. setosum

Podospermum heterophyllum 36:418. Jacquinianum 36:418

Podosira dubia 9:140

Podostemaceae 18:249; 19:217; 31:43; 33:36 Podostemum 11:46; 18:249; 41:525-528; 50: 209, 210. abrotanoides 41:526–528, ceratophyllum 1:186; 2:157; 5:134; 7:107; 9: 220; 13:221; 15:134; 17:68; 18:249; 19: 217, 225; 33:166, 167, pl. 213; 39:274; 41:527, 528; 47:214; 50:209; f. abrotanoides 41:526-528; f. chondroides 41:527, 528

Pogogyne zizyphoroides 40:311
Pogonatum 11:16; 40:359. aloides 8:132. alpinum 1:34, 35; 2:63, 96; 3:180; 4:30, 31; 8:132; 40:360; var. arcticum 8:131-133; 10:72. a r c t i c u m 8:132. brachyphyllum 12:153; 40:360. brevicaule 6: 73; 8:131, 132. capillare 1:35; 3:180; 4: 83, 240, 241; 8:131; 30:2, 12; 40:360. pensilvanicum 50:292. tenue 2:62; 3:179; 12: 153. urnigerum 3:180, 183; 4:30, 31; 8: 131: 30:12

Pogonia 3:86, 87; 5:259; 6:112; 7:49; 8:19, 20, 100; 11:79; 17:150; 19:32, 56; 23:141, 195–197. § Isotria 8:19. affinis 1:165; 4: 19, 22, 216; 6:139; 19:127, 235; 23:195–197; 24:149, pl. 138; 28:31, 34; 31:242, 243; 37:162; 49:135, 136. divaricata 33: 40; 39:29, 196, 197, 485–487, fig. 10 (map). ophioglossoides 1:200; 2:114, 172, 208, 219; 3:86, 87, 189; 4:19, 42; 5:82, 133; 6: 112; 7:49, 187; 8:29, 100; 11:79, 92; 13: 139, 220; 17:149; 18:26; 19:31, 32, 56, 131; 21:119; 22:41, 47; 23:101, 102, 129, 132, 140; 29:128, 211; 32:133, 150, 210, 246; 33:112, 119; 35:5, 85, 241; 37:413; 39:487; 42:279; f. albiflora 37:85; 42:43; f. biflora 34:167; var. brachypogon 23: 39:487; 42:279; f. albiflora 37:85; 42:43; f. biflora 34:167; var. brachypogon 23: 245. pendula 2:211, 212; 4:2, 19, 21, 22, 61; 12:206; 18:25; 24:185. trianthophora 12:206; 18:25, 26; 19:31, 50, 57, 131; 22: 53, fig. 1; 24:185; 31:10; 37:190. verticillata 1:82, 165; 2:219; 3:87; 4:19, 74, 217; 7:49; 8:19, 100, fig., pl. 65; 11:79; 18:252, 253; 19:31, 50; 23:76, 196, 197; 27:202; 28:32-34; 29:241, 246; 42:279; 49: 135

Pogonia, Nodding 22:55. Whorled 23:197 Pogotrichum 40:27. filiforme 2:206, 207; 40:

Pohlia 43:95. Lescuriana 1:54. proligera 39:

Poinsettia 43:109; 46:313. cuphosperma 50:

Poison Ivy 4:43; 12:181; 18:94. Oak 12: 181; 43:598. Sumach 4:43, 130

Poisonous Dogwood 13:57. Ivy, 13:57

Poke 45:378, 379

Polanisia 11:45. graveolens 15:153, 165; 19: 217, 218; 31:167; 32:173; 44:252. tra-chysperma 9:75; 19:217, 218

Polemoniaceae 6:151; 24:98; 25:27; 31:43; 42:155; 45:314

Polemonium 2:77; 25:27; 42:33, 310; 49:

119. acutiflorum 41:151, 163, 281, 282; 42:337; 45:314. boreale 36:164; 45:315. caeruleum 49:119. dubium 46:54. elegans 37:419. humile 41:282. micranthum 30: 36. occidentale 25:27; 40:280; 49:119; subsp. lacustre 49:119; var. lacustre 49: 119. pulcherrimum 41:282; 42:337; 45: 315. reptans 6:151, 155; 19:247; 34:240; 49:118; var. villosum 42:50. Richardsonii 45:315. Van Bruntiae 6:151, 155; 9:75; 21:88. viscosum 39:495

Polianthes tuberosa 28:57

Pollinia 45:389. imberbis, var. genuina 45: 389; var. Willdenowiana 45:389. scoparia 37:144

Polyanthemum 18:56

Polycarpon uniflorum 50:194

Polycodium 45:451, 456. interius 45:456.

Langloisii 38:407. neglectum 10:53

Polyctenium 40:294-296, 303, pl. 496. sulcatum 40:304, 305. Fremontii 40:303–305; var. **bisulcatum** 40:303, **304**, 305, pl. 496; var. typicum 40:303, 304, 305, pl. 496. glabellum 40:304, 305

Polycystis 10:162. elabens 2:42; 7:172; 10:

162. pallida 2:43

Polygala 10:174; 21:81; 36:236; 40:377; 41: 383; 42:460; 43:341; 50:166. subgen. Sexilia 50:166. ambigua 40:439; 41:378–380; 42: 30:100. ambigua 40:439; 41:378-380; 42:460, 461. brevifolia 1:213, 214. cruciata 1:213; 2:168; 7:74; 8:27; 11:230; 14:29; 21:81, 119; 24:57, 88; 32:149, 150, 210, 257; 38:426; 39:479, 481, map 51; 40: 366; 50:163-166, pl. 1099; b. alba 50: 167; var. aquilonia 50:163-166, pl. 1110; f. alba 50:167; var. cuspidata 39:479, 481, map 51; 40:366, 439; 50:164; var. ramosior 40:439; 50:164. Curtissii 38:378, 426; 39: 195, 346, 481. cuspidata 50:163, 164. Harperi 39:346, 347, 435, 467, 477; 40: 439. incarnata 37:431; 38:377; 39:473, 483, 484; 46:136. lutea 6:176; 21:118, 119; 36:46; 38:381; 39:466, 477, 478, map 45, mariana 37:431, missurica 50:166 378, 453; 47:97. verticillata 1:213; 21: 82: 36:220; 37:431; 40:334-338, 357, 377,

439, 440, pl. 501; 41:378-380, 382-384; 42:459-461; 50:166; var. ambigua 1:104, 213; 21:82; 28:47; 35:361; 40:377, 439, 440, 483, pl. 525; 42:460; var. dolichoptera 40:439, 440, 483, pl. 525; var. isocycla 40:334-336, 338, 357, pl. 501; 41:378; 42:459; var. sphenostachya 40:338, 357, pl. 501; 41:379; 50:166. vulgaris 44:9, 10 Polygalaceae 1:213; 21:81; 31:43; 32:257; 36:282:45:444

36:282; 45:444

Polygonaceae 4:203; 6:114; 9:37; 13:89; 16: 199; 17:171, 222; 18:36, 96; 21:170; 25: 8; 26:224; 28:73; 29:212; 31:43, 125; 32: 248; 36:280; 39:18, 361; 40:290; 43:80; 45:310; 49:255; 50:295, 302. subfam. Rumicoideae 9:37

Polygonales 9:37 Polygonastrum 9:53

Polygonastrum 9:53
Polygonatrum 6:111; 7:160, 161, 189; 10:
130; 31:10, 12; 36:59; 46:9, 14. biflorum
6:111; 10:130; 12:128; 15:118; 16:89; 21:
200; 23:242; 31:17, pl. 177; 46:9-12; f.
ramosum 46:12. canaliculatum 46:9-12.
commutatum 46:9; f. ramosum 36:59, 60;
46:12. giganteum 1:170, 230; 2:171; 10:
130; 12:189; 46:9. latifolium 12:189;
multiflorum 35:404:36:59, 60; g. bresteetum multiflorum 35:404; 36:59, 60; γ. bracteatum 35:404; f. bracteatum 35:404; f. ramosum 35:404; var. ramosum 35:404. pubescens 35:403-405; 36:59; 46:9, 10, 12; f. fultius 35:404-406, fig. 1; 36:59, 60; 37:61. race-

36:404-406, ng. 1; 36:59, 60; 37:61. race-mosum 40:405, 406
Polygonella 17:172; 18:70; 31:95; 36:236; 39:361, 405, 418; 42:403, 450. americana 36:220. articulata 1:179; 2:121, 202; 4: 61, 204; 5:131; 6:140; 11:30; 13:180; 14: 21, 79; 17:34, 172; 24:87; 31:106; 32:212; 42:379, 401, 403, 449, map 23; 43:502; f. atrorubens 31:106. brachystachya 39: 406, 490, pl. 478; var. laminigera 39: 406, 490, pl. 478; var. laminigera 39: 406, 490, pl. 478. ciliata 39:418. Croomii 39:406. **Parksii** 39:417. parvifolia 39:405. polygama 39:362, 405, 466, 476, 490, pl. 478; 41:488; var. Croomii 39:406, 490, pl. 478; var. typica 39:406

pl. 478; var. typica 39:406

Polygonum 4:65; 6:114; 12:14; 15:68; 16:
187; 17:172, 233; 19:133; 21:140; 23:165, 168; 26:144; 27:125, 126; 31:125; 32:223; 36:373; 38:121; 39:363; 40:291, 310, 313; 41:78; 43:93, 154, 220, 612; 45:215; 47:105; 48:49-54; 50:64-66, 207, 213, 290. §

Avicularia 4:65, 66; 15:70; 28:145; 40:309; 44:328. § Echinocaulon 32:224. group

Echinocaulon 50:65. subgen Possigario 27. Echinocaulon 50:65. subgen. Persicaria 27:41, 81, 87, 109, 125, 146, 156. subgen. Tovara 27:88. acadiense 16:188; 23:134, 165, 260; 32:13; 50:212. achoreum 19: 232; 37:259; 44:141. acre 4:204; 5:131; 9:119; 17:172; 19:134; 23:146, 260; 25: 20; 26:188, 224; 27:86; 28:29; 29:77, 78, 80, 82, 83; 32:249; 33:80; 44:259; 50:295; var. leptostachyum 1:203; 2:69; 4:204; 17:172, 215; 18:96; 19:129; 23:260; 28: 28. acuminatum 32:224. allocarpum 19: 234, 235; 23:151, 163, 262; 35:13, 265. alpinum, var. alaskanum 41:233; var.

190 Rhodora

lapathifolium 41:159, 167, 219; 42:312, 322. amphibium 4:104, 105, 204; 15: 163; 17:172; 22:137; 26:3; 27:44-46, 82, 83, 85, 86, 89, 109-112, 125-129, 146, 147, 150-152, 157-160, 162, 163, 165, 187; 147, 150-152, 157-160, 162, 163, 165, 187; 48:49-51; β. aquaticum 27:129; ε. Muhlenbergii 27:130; f. Hartwrightii 15:163, 164, 166, 201; 17:172; 26:3; 27:161; f. natans 27:156, 157; f. terrestre 15:164; 16:39; 17:172; 26:3; 27:152, 157, 158, 161; 48:51; var. α. natans 48:49, 50; var. aquaticum 27:128, 129, 159; 48:49, 50; var. coccineum 27:163; var. emersum 27:129, 163; var. Hartwrightii 4:105, 204; 15:164; 27:152, 161; 48:51; var. longispicatum 15:163; 27:163; var. marginatum 27:161; f. Hartwrightii 27:161; f. hirtuosum 27:161; d. 48:49; var. maritimum 27:109-111. 27:161; 48:49; var. maritimum 27:109-111, 147; var. Muhlenbergii 27:127, 146, 163; var. natans 27:109, 110, 126–130, 147, 158, 159; 29:158, 212; 48:50, 52; var. stipulaceum 48:50, 51; f. fluitans 48:49; f. hirtuosum 48:49; f. simile 48:49, 51; var. terrestre 15:164; 27:109–111, 128–130, 146, 147, 159 var. terrestre 15:164; 27:109-111, 128-130, 146, 147, 152, 158, 163; 48:51. arenarium 4:60, 70, 205; 10:152; 17:172. arifolium 4:204; 9:121; 11:7; 14:21; 17:172; 37: 167, 350, 354; 48:53, 54; 49:90; var. lentiforme 37:167; 43:339; 48:53, 54; var. pubescens 48:53. articulatum 29:44; 42: 440, arigulare 2:180, 4:65, 66, 60 **pubescens** 48:53. articulatum 29:44; 42: 449, 450. aviculare 3:189; 4:65, 66, 69, 72, 73, 204, 205, pl. 35; 5:135; 6:84, 114; 15:69; 17:34, 172, 227; 19:232, 235; 21: 170; 22:137; 23:261; 25:8; 26:224; 27: 110; 28:73; 29:212; 32:249; 33:120; 34: 65; 36:280; 42:322; 46:24; 50:302; β. glaueum 15:70; β. latifolium 23:261, 262; ε. buxifolium 23:260, 262; var. angustifolium 17: 172; var. angustissimum 4:70, 73, pl. 35: 172; var. angustissimum 4:70, 73, pl. 35; 172; var. angustissimum 4:70, 73, pl. 35; var. erectum 4:71; var. latifolium 19:234; var. laxum 4:70; var. littorale 4:69, 73, 91, 204, 205, pl. 35; 15:70; 17:173; 18: 36; 27:110; 29:44; 37:86; var. neglectum 4:70; var. vegetum 4:70, 73, pl. 35; 6: 140; 17:146, 173; 22:137; 49:140. barbatum 28:12, 25. Bellardi 4:69, 72, 73, 205, pl. 35; 17:173. bicorne 27:46, 175-177. Bistorta 17:173; 24:173; 27:45, 126; 31:7; 41:147, 158, 160, 219; 42:311, 322; 45: 310. buxifolium 23:260-262. buxiforme 35:362. caespitosum. var. longisetum 34: 35:362. caespitosum, var. longisetum 34: 35:362. caespitosum, var. longisetum 34: 146, 147; 37:392. calophylla 12:15. camporum 4:72. Careyi 1:43, 184; 4:204; 9: 119; 14:28; 17:173; 27:146, 173; 28:13; 29:85; 32:177; 43:154. chinense 25:20. cilinode 1:184; 4:204; 6:114; 13:141, 148; 16:165, 166; 17:152, 153, 173; f. erectum 48:54; var. breve 48:54; var. erectum 48: 54; var. laevigatum 16:166. coarctatum, var. minus 40:313 coecineum 27:45 85. var. minus 40:313. coccineum 27:45, 85-89, 125-130, 146, 147, 149, 152, 159, 162, 163; 28:11; 46:83; 48:330; f. natans 27: 156, 164; f. terrestre 27:157, 162, 165; 46:234; var. aquaticum 27:127, 152, 164; var. pratincola 27:157, 165; var. rigidulum 27:156, 165; 43:554; var. terrestre

27:163. confertiflorum 40:310-316, map 5. Convolvulus 4:204; 6:114; 16:13; 17: 173; 22:137; 26:185, 186, 224; 29:212; 32: 160, 249; 34:147; 36:280; 42:322; 43:80; 49:80; 50:302. corymbosum ε. densiflorum, 25:20; 32:224. cristatum 8:221; 10:31, 25:20; 32:224. cristatum 8:221; 10:31, 32; 38:415. cuspidatum 1:185; 4:204, 205; 10:152; 17:173; 23:262; 32:223-225; 40: 289-291. Davisiae 40:359. densiflorum 25: 20, 21; 27:177; 32:224, 225; 38:415; 39: 365, 481; α. imberbe 25:20; β. ciliatum 25: 20. Douglasii 4:73, 204, 205, pl. 35; 17: 233; 25:210; 37:203, 216, 259; 43:154. dubio-Persicaria 27:82. dubium 27:82. dumetorum 4:204; 10:32; 12:189; 17:173; 19:129; 32:249; 50:112; f. cristatum 10: 31; 17:173; var. scandens 9:119. eciliatum 25:20. emersum 27:125, 127, 147, 148, 164, 165. erectum 4:71-73, 204, pl. 35; 15:164; 17:173; 19:232-234; 23:261; 37: 259. esotericum 40:310-312, 316, 317, fig. 1, map 2. exsertum 4:68, 73, 204, pl. 35; 5:289; 7:140; 10:154; 11:121; 16: 189; 17:173, 215, 221; 50:213. fimbriatum 44:259. fluitans 27:128, 129, 159; 48: 49-52, 202. foliosum 27:84. Fowleri 4: 67, 68, 73, 204, pl. 35; 10:144; 11:13; 12: 107; 13:180; 15:68-70, 72, 73; 16:187, 188; 17:147; 18:29, 36; 19:232, 235; 23: 198, 260-262; 42:116; 46:283. glabrum 25:21. glaucum 4:67; 15:69-72; 16:187; 17:63, 173; 30:204; 32:147, 210, 249; 37: 425; 39:472; 50:213. Hartwrightii 4:104, 105; 10:146; 15:164; 27:89, 146, 147, 151, 161, 162; 48:51. hirsutum 28:12. Hydropiper 2:208; 4:204; 5:131; 6:114; 17:173, 215; 18:36; 19:133; 21:142; 26:188; 28: 16; 29:78-87, 158, 212; 32:158; 36:374; 37:191; 44:259; × mite 27:84, 88; var. projectum 29:85, 86; 32:249; 37:191; 43:80; 44:141. hydropiperoides 1:43, 205; 2:124; 4:204; 9:119; 11:230; 16:128; 17: 32; 38:415. cuspidatum 1:185; 4:204, 205; projectum 29:85, 86; 32:249; 37:191; 43:80; 44:141. hydropiperoides 1:43, 205; 2:124; 4:204; 9:119; 11:230; 16:128; 17: 173; 23:168, 260; 24:173, 174; 27:43, 85-88; 28:11-17, 22-25, 27-29; 29:80, 82, 87; 32:249; 37:191; 42:322, 448; 44:259; 47:105, 138, pl. 885; × robustius 24:173; 27:84, 88; 28:16; Macounii 28:26; opelousanum 28:23, 28; f. leucochranthum 16: 129; 28:17; f. strigosum 28:24, 26; var. asperifolium 28:24, 27; 42:448; var. breviciliatum 42:448, 449; 47:138, pl. 886; var. Bushianum 28:24, 27; 42:448, 449; 47:138, pl. 886; var. digitatum 23:260; 24:173; 28:16, 17, 24, 26; var. euronotorum 47:137, 138, pl. 884; 49: 92; var. macerum 28:24-26; 42:448; var. Macounii 28:15, 16; var. opelousanum 28: Macounii 28:15, 16; var. opelousanum 28: 28; var. **persicarioides** 28:24, **27**; var. psilostachyum 28:16, 24, 26; 42:448; var. **sanibelense** 28:24, **27**; 42:448; var. strigosum 4:204; 17:173; 19:129; 28:15, 16, 26; var. virgatum 28:15. imbricatum 40: 312–314; var. Watsoni 40:314. incanum 23:259. incarnatum 2:208. islandicum 15: 73. japonicum 40:290. Kelloggii 40:309-317, map 4. lapathifolium 1:82, 97; 4:

204; 10:153; 17:174, 215; 22:137; 23:258, 259; 27:83, 84, 87; 28:16; 29:212; 41:540; × Persicaria 27:88; subsp. maculatum 23: 258; var. incanum 4:204; 17:174; 23:259; var. maculatum 23:258; var. nodosum 17: var. maculatum 23:258; var. nodosum 17: 174; 19:129; 23:258; var. pecticale 23: 258; var. prostratum 28:16; var. salicifolium 23:259. laxiflorum 19:133, 134. lilacina 12:15. littorale 4:70; 19:233; 35:362; β. buxifolium 15:72; 23:260, 261. longisetum 34:146. longistylum 27:46, 147, 174, 175, 177, 178; var. omissum 27:178, 183. ludovicianum 27:174. maculatum 23:258. marinum, β. roseum 15:69; var. roseum 4:67. maritimum 4:66-68, 73, 91, 204, pl. 35; 15:68-72; 16:187; 17:63, 173; 23: 260; 30:204; 32:249; 50:213; var. littorale 4:70. mexicanum 27:47, 174, 175, 177, 178, 181, 182, 184. minimum 40:317; 41: 220. minor-Persicaria 27:82, 88. minus 220. minor-Persicaria 27:82, 88. minus 19:133, 134; 21:142; × Hydropiper 27: 83, 88; × Persicaria 27:82, 83, 88; var. subcontiguum 19:134; var. subcontinuum 33, 88; × Persicaria 27:82, 83, 88; var. subcontiguum 19:134; var. subcontinuum 19:134; 47:137. minutissimum 40:313. mississippiense 27:178, 182, 183; var. interius 27:178, 184. mite 19:133; 27:82, 83, 181; 28: 13-15, 25; 29:80; 49:141; × Persicaria 27:82-84, 88; *strictum, b. pusillum 19:134; var. ambiguum 27:84. Muhlenbergii 2:69, 202; 4:204; 13:18; 15:164; 17:174; 23:166, 259; 24:173; 26:3; 27:44, 85, 125, 146-148, 163, 165; 44:234; f. natans 26:3; 27:152, 164, 187. natans 27:45, 85, 86, 88, 89, 110, 125-129, 147, 149, 158, 159; 28:11; 29:158, 212; 41:220; 43:74; 48:49, 50, 52, 202, 203; f. genuinum 27:156, 158; 48:51; f. Hartwrightii 27:89, 157, 158, 160; 29:158, 212; 48:51; 49:247; var. insigne 27:156, 162. neglectum 4:70. Newberryi 40:359; var. glaebrum 40:359. nodosum 23:258, 259; β. incanum 23:259; f. salicifolium 23:259. omissum 27:177. opelousanum 27:88; 28:11, 22-24, 27, 28; 37:316, 425; 39:473, 481; 47:105, 138; var. adenocalyx 28:24, 28; 32:249. orientale 4:204, 205; 10:153; 17:174; 46:83; 48:51. oxyspermum 50:212. pallidum 23:259. pensylvanicum 4:204; 9:121; 10:153; 15:164; 17:174, 215; 19:70-72: 23:259: 24:87: 27:43. 47. 87. 50:212. pallidum 23:259. pensylvanicum 4:204; 9:121; 10:153; 15:164; 17:174, 215; 19:70-72; 23:259; 24:87; 27:43, 47, 87, 173-175, 177, 179-181, 183; 29:85; 32:249; 42:94; 47:100, 137; f. albinum 47:137; var. 23:258; var. durum 27:178, 180; 41:469, 540; var. genuinum 19:72; 24:173; 27:174, 178, 179; var. laevigatum 19: 73; 24:173; 27:173, 175, 178, 180; 32:249; 43:80; f. pallescens 27:178, 180; var. nesophilum 19:73; 27:178, 180, perfoliatum 50:65, 66. Persicaria 3:189; 4:204: 6:114: 9:121: 10:153: sicaria 3:189; 4:204; 6:114; 9:121; 10:153; sicana 3:189; 4:204; 6:114; 9:121; 10:153; 15:164; 16:128; 17:34, 174, 215, 225; 18: 36; 21:140, 142; 22:137; 26:224; 27:83, 84, 86, 173; 28:14, 16; 29:81, 83, 212; 32: 249; 33:120; 34:147; 39:373, 375; 44:170, 174; 45:215; 48:330; 50:302; *tomentosum 23:259; f. albiflora 16:128, 129; var. angusti-

folium 49:140; var. ruderale 49:141. persicarioides 28:12, 14, 15, 27. phytolaccaefolium 41:219. pictum 32:224; 40:290.
plumosum 42:322. polygaloides 40:310,
311, 315, map 1. polygamum 39:405;
42:449. polymorphum, var. lapathifolium
41:219. polystachyum 23:262. portoricense
25:20; 32:224; 38:415. prolificum 4:68,
69, 72, 73, 91, 204, pl. 35; 10:154;
17:173, 174, 215, 221; 37:425; 42:389.
punctatum 9:121; 23:146; 27:86, 88; 28:
12, 23, 26, 28; 29:77-83, 86; 32:158, 210,
249; 44:259; 48:330; 50:290, 295, 299; var.
leptostachyum 19:134; 29:83; var. robustior
23:146, 302. puritanorum 21:141, 143; folium 49:140; var. ruderale 49:141. per-249, 44:259; 48:350; 50:290, 290, 299; Var. robustior 23:146, 302. puritanorum 21:141, 143; 24:173; 26:220; 32:177; 45:215. Raii 4: 33, 67, 68, 88; 15:70, 72; 16:187, 188; 19: 235; 20:104; 23:150, 158, 260; 29:122, 127, 158, 212; 33:111, 120; 34:118; 35: 167; 46:283; 50:212, 213. ramosissimum 1:220; 4:69, 71, 73, 204, pl. 35; 6:140; 13:89; 17:174; 25:210; 38:192; 50:213; f. atlanticum 4:72, 204; 17:174, 215, 221; var. prolificum 4:68. Reynoutria 40:290, 291. rigidulum 27:147, 150, 165; 43: 554. Roberti 4:67, 68, 73, pl. 35; 11:93; 13:138; 15:70, 72. robustius 23:147, 149, 155, 166, 168, 260, 300, pl. 130 (map 13); 24:173, 174; 25:210, 212; 27:85, 87; 32: 213; 41:540; 44:234. rurivagum 4:69; 17: 174. sagittatum 3:189; 4:204; 6:114; 9: 121; 11:7; 13:18, 139; 17:151, 174, 215; 19:134; 22:93; 29:131, 158, 212; 33:32; 35:360, 362; 36:220, 374; 37:191, 350, 354; 44:353, 393; 48:53, 54; f. chloranthum 19:134; var. americanum 44:393; var. 354; 44:353, 393; 48:53, 54; f. chloranthum
19:134; var. americanum 44:393; var.
gracilentum 44:393; 49:90, 141; var.
pubescens 48:53, 54. scabrum 23:258, 259;
27:180; 28:16; 33:120. scandens 4:204;
11:7; 17:174, 233; 32:216, 249. segetum
27:173–175, 177, 178, 180, 181; γ. Lindenii
27:174; var. genuinum 27:174, 181; var.
stamineum 27:174, 181; var. verrucosum
27:178, 181. setaceum 25:210; 28:13, 15;
32:177, 212; 37:425; 39:473, 482; 40:413, 32:171, 212; 37:425; 39:475, 482, 40:435, pl. 515; 44:259; var. interjectum 40:413, 414, 483, pl. 515; 46:83; var. tonsum 40:413, 414, 483, pl. 515; var. typicum 40:413, 482, pl. 515. shastense 40:317. Sieboldii 32:223, 224; 40:290. strictum, 10:124. tanue 4:73. Sieboldii 32:223, 224; 40:290. strictum, var. subcontinuum 19:134. tenue 4:73, 204, pl. 35; 5:128; 6:233; 17:174; 24:185; 36:220; 37:191; 38:192; 39:404; 41:540; 46:83; var. protrusum 44:393. terrestre 27:164. tomentosum 14:55; 17:174; 23: 259; var. incanum 23:259. unifolium 40: 313, 315. virgatum 28:15. virginianum 1:82; 4:199, 204; 17:174, 224; 26:129; 27: 88, 126; 32:76, 104, 135, 176; 34:64; 35: 39:39:341. viviparum 3:173; 4:204: 9:154. 39; 39:341. viviparum 3:173; 4:204; 9:154, 156; 11:93; 25:8, 112; 29:212; 34:237; 35:120; 36:148, 171, 280, pl. 284; 37:207; 38:148; 41:158, 220; 42:311, 322; 45:310; 47:226. Watsonii 40:310-314, 317, map 3; 41:506. Zuccarinii 1:185; 8:66; 32: 224; 40:290, 291

Polyides 13:187. rotundus 2:51; 13:187; 35: 149; 50:266, 267

Polymnia 9:62, 63; 19:46; 47:282. canadensis 2:70; 9:62; 35:255; 41:138; f. radiata 34: 96; var. radiata 34:96. laevigata 44:12. Uvedalia 19:46, 47; 41:138; var. densipilis 19:48; 47:101, 162, 196, 400; var. floridana 19:48; 37:450, 451; 39:477; 47:196, 400; var. genuina 19:47; 37:196, 451; 47:400

Polymniastrum Uvedalia 19:47

Polypodiaceae 6:100; 9:82; 18:31, 95; 19: 172, 177; 21:173, 175; 22:80-82; 25:6; 29: 205; 30:13; 31:43, 91; 32:227; 35:351; 36: 276; 40:149, 151-153, 162, 169-171, 182; 41:144, 171, 182; 10:155 41:144, 171; 42:149; 49:255. subfam. Pteridoidea 43:5. trib. Aspidieae 4:7, 9;

19:171. trib. Asplenieae 19:171

Polypodium 1:219; 4:165, 247; 6:76, 101; 7:160; 9:82; 19:181; 23:69, 149; 24:133; 25:2; 28:131; 30:13, 48; 31:24; 36:373; 37: 383; 46:314; 48:384, 385. aculeatum 19: 181; 21:10; 22:180. alpestre 31:165. australe 24:141. austriacum 28:147. califonium 24:141. austriacum 28:147. fornicum 24:127–131, 134, 136, 140; var. intermedium 24:128, 129, 134, 136, 140; var. Kaulfussii 24:136, 140. cambricum 24:141. connectile 43:219. crispum 37: 24:141. connectile 43:219. crispum 37:376. dilatatum 28:147. disjunctum 43:217. Dryopteris 43:216, 217; \(\gamma\). P. disjunctum 43:217; var. disjunctum 43:217. falcatum 24:127-132, 134, 136, 139. Fauriei 24: 135. Filix-femina 19:179. Filix-mas 19:1191. 21:10. fantamet 48:232. 181; 21:10. fontanum 48:383. fragile 37: 375. fragrans 25:2; 48:385. Glycyrrhiza 24:127, 129, 136, 139. hesperium 24: 127, 129–131, 134, 136–138; 29:35. hexagonopterum 21:179. incanum 24:133. intermedium 21:178; 24:136, 139. japonicum 24:135. lanosum 48:384–386. Leseblii 21: 178. noveboracense 19:181. occidentale 178. noveboracense 19:181. occidentale 24:127, 132, 136, 139. officinarum 37: 383. palustre 31:33. Phegopteris 21:179 polypodioides 6:76; 17:64; 36:226, 227; 37:383, 384; 38:378; 39:481; var. Michauxianum 46:74. pulchellum 43:217. Quercinum 24:131. rhaeticum 19:181, 198, 203; 30:48; 31:166. spinul osum 28:147. Thelynteris 31:33. triangulara 42:217. Thelypteris 31:33. triangulare 43:217. virginianum 24:125–128, 130–133, 135, 136, 141; 28:148; 29:145, 205; 30:13, 136; 32: 227; 33:110, 115; 34:50; 36:217, 219; 37: 383, 384; 40:486; 50:16; f. acuminatum 24:141; 30:13; f. alato-multifidum 24:142; f. bipinnatifidum 24:141, 227; 30: 13; f. brachypteron 24:141; f. chondroides 24:142; f. Churchiae 24:142; f. deltoideum 24:141; 30:13; f. elongatum 24:141; 37: 24:141; 50:13; 1. elongatum 24:141; 37: 80; f. subsimplex 24:141. vulgare 2: 183, 184, 229; 3:190, 225, 236; 4:51, 245; 5:128, 257; 6:101; 9:82; 13:105; 15:225; 17:152; 18:31; 21:201; 22:81, 82, 90, 130, 133; 23:147, 185; 24:125-137, 140, 141; 29:145, 205, 245; 30:13; 31:222; 32:76, 227; 50:16; β. americanum 24:126, 141; γ, occidentale 24:126, 136: f. auritum 24: γ. occidentale 24:126, 136; f. auritum 24:

185; f. brachypteron 24:141; f. deltoideum 24:141; f. elongatum 24:141; f. hastatum 24:141; f. pumilum 24:138; f. rotundatum 24:137, 138, 141; f. variegata 24:130; var. Acutum-Stansfieldii 24:128, 139; var. alatomultifidum 24:142; var. angustatum 24: 141; var. attenuatum 24:111, 139, 141; 30:13; var. auritum 4:247; 24:141; 30:13; var. bifido-multifidum 24:142; var. cambricum 3:225; 4:51, 197, 247; 24:136, 141, 142, 227; 30:13; var. Churchiae 24: 142; var. columbianum 24:137, 138; var. commune 24:137, 139; var. falcatum 24:139; var. hesperium 24:137; var. hibernicum 24:141; var. intermedium 24:139; f. projectum 24:140; var. japonicum 24:135; var. Kaulfussii 24:140; var. occidentale 24:127, 134, 139; var. perpusillum 24:138; var. pygmaeum 24:138; var. rotundatum 24:134, 137, 138; var. semi-lacerum 24:142; var. serratum 24:128, 134, 140, 141; var. sinuatum 24:142; var. transsilvanicum 24:134, 139; var. virginianum 24:126, 141

gmanum 24:126, 141
P o l y p o d y 24:125, 133; 30:13; 42:382.
Common 4:51; 24:132
Polypogon 15:127; 49:272. glomeratus 45:
232, 234, 237, 239, pl. 756. monspeliensis
6:82; 15:127; 37:389; 38:265; 43:524, 534;
49:272. racemosus 45:237. setosus 45:234,
235, 237, 238, pl. 755; 47:198
Polyporaceae 13:64

Polyporites Bowmanii 3:141

Polyporus 2:210; 13:63; 50:287. admirabilis 13:63-65. arcticus 25:217. argentatus 25: 217. atypus 25:216. brachypus 25:216. carneus 25:215-217. confundens 25:216. farinellus 25:164. fatiscens 25:163, 165. Feei 25:215. hirsutus 29:167; 44:172. modestus 25:216. Palliseri 25:216, 217. perennis 41:517. pergamenus 1:136. roseus 25:215. rubidus 25:215–217. semisupinus 41:517. semitinctus 25:163, 165. squamosus 13:64. sulphureus 41:517. tenellus 25:163–165. varius 13:64. versicolor 39:373. volvatus 44:169

Polypremum 45:457. procumbens 23:40; 35: 289; 36:220; 37:437; 39:474; 44:343; 45:

Polypteris 48:85. callosa 36:232. macrolepis 38:408. robusta 38:408

Polyscias 18:153. Balfouriana 18:153. filicifolia 18:153. fruticosa var. plumata 18:153. Guilfoylei 18:153; var. laciniata 18:153. var. monstrosa 18:153; var. Victoriae 18:153

Polysiphonia 1:124; 3:291-293; 5:28, 212; 7: 227; 10:134; 17:95; 26:189, 191; 33:131. affinis 35:148; 50:267. americana 7:232. atrorubens 2:51; 35:148. atrorubescens 50: 267. elongata 2:51; 7:232; 26:215; 43:214; 50:267. fastigiata 2:51; 5:212; 7:232; 16: 4; 26:189, 190, 215; 50:267. ferulacea 21: 204, 206. fibrillosa 2:51; 26:191, 215; 35: 391; 50:267. flexicallis 50:267. formosa 50:267. Harveyi 2:51; 7:232; 10:43; 50:

267; var. airetina 7:232. japonica 21:206. lanosa 50:260, 267. nigra 50:267. nigrescens 2:51; 7:232; 10:116; 26:190, 215; 35: 148; 50:267; var. affinis 2:51; 7:232; var. Durkeei 2:51; 7:232; 26:215; 50:267; var. fucoides 2:51; 7:232; 26:215; 50:267. novaeangliae 50:263, 267. Olneyi 1:70; 2:51; 3:292; 4:178; 7:232; 10:43; 50:267. Schuebelerii 3:291, 292. spinescens, var. sinensis 21:207. subtilissima 2:51:50:267. urceo-21:207. subtilissima 2:51; 50:267. urceo-lata 2:51, 210; 7:233, 242; 21:206; 33:130, 131; 35:148; 50:267; var. formosa 2:51; 7: 233; 26:190, 215; 50:267; var. patens 2:51; 26:215; 50:267; var. roseola 50:267. varie-26:215; 50:267; var. roseola 50:201. validada 2:51; 7:233; 26:191; 50:267. vestita 1:127; 2:51. violacea 2:51; 3:291, 292; 4: 177; 7:233; 26:215; 33:130, 131; 35:148; 50:267; var. flexicaulis 2:51; 26:216; 50:267 Polystichum 4:8, 9, 54, 159, 162–164; 9:83, 174; 21:10; 22:83, 180; 26:89; 31:24, 26, 93.

§ Mohrioides 26:91. acrostichoides 4: 10,

53; 7:103; 9:83; 21:200; 22:81, 83, 90; 23: 185; 30:16, 136; 31:249; 32:104, 136, 176; 35:252; 44:230; f. crispum 30:16; f. incisum 30:16; 37:82; f. orbiculatum 33:168; var. 9:83; 11:35, 36; var. Schweinitzii 9:83; 11:35, 36; 30:16. aculeatum 6:32; 26:91; var. angulare 6:32; var. Braunii 4:10, 54; 30:30. alaskense 30:28. Andersoni 36:10. andinum 26:90. angulare 6: soni 36:10. andinum 26:90. angulare 6:31. Braunii 9:154; 11:86; 13:116, 218, 238; 22:81, 83, 84; 23:136, 185; 28:110; 30:16, 28-30; 32:76; 34:244; 37:244; var. japonicum 30:28; var. kamtschaticum 30:28; var. Purshii 30:30, pl. 159; 32:76, 136; 37:220; 46:303. elegans 26:90. haleakalense 30: 28. Hillebrandii 30:28. Lemmoni 21:124; 26:90-92. Lonchitis 4:8; 9:158, 190; 13: 116, 117; 26:89; 28:102, 125, 147; 34:244; 35:47, 81, 390; 37:73, 199, 205-207, 220, 244, 333, map 3; 38:139; 44:105, 111; 46: 303; var. scopulinum 26:89. mohrioides 21:124; 26:89–94; 35:336; var. elegans 26: 90–92; var. **Lemmoni** 26:9**2**; var. plicatum 26:90-92; var. **scopulinum** 26:**89**, 92, 93, 125; 44:116, 121, pl. 697; 47:319; var. typicum 26:91. Plaschnickianum 5:272. scopulinum 9:158, 167, 174, 188; 21:124; 26:89-91; 34:246. spinulosum 29:145. Thelypteris 31:33

Polystictus 25:217. pergamenus 3:40; 39: 373. versicolor 26:218; 39:373. zonatus

25:217

Polytaenia 21:181; 40:180. Nuttallii 21:181; 36:224; var. texana 21:181, 182

Polytaenium 21:181

Polytoma uvella 50:277

Polytrichaceae 8:131; 11:16; 30:12; 39:45; 40:359, 360

Polytrichadelphus 40:359

Polytrichum 6:43; 9:64; 11:16; 13:91; 23:110, 138, 142, 150, 235, 236, 244, 278, 286; 30:204; 31:222; 39:42; 40:148, 158, 359; 44:122; 45:435. alpinum 8:132; 13:46; 14:52; 30:12; var. silvaticum 30:12; 39:45. Antillarum 36:58. arcticum 8:132.

mune 3:180; 4:30; 7:122; 8:131, 133, 134; 17:210; 26:219; 50:292; var. perigoniale 8: 131, 133; 10:72; 30:12; 44:237; var. uliginosum 8:131, 134. formosum 8:131, 134; 48:3. gracile 1:53; 8:131, 134; 9:64; 10: 72; 30:12; 40:360. Jensenii 8:131, 135; juniperinum 1:34; 3:180; 4:30; 8:131, 26: 219; 30:12; 50:292; var. alpestre 48:3. ohioense 1:53; 3:180; 4:30; 8:131, 134; 30:12. piliferum 1:34, 35; 3:180; 4:30; 8:131; 14:47; 26:219; 30:12; 50:292. Smithiae 8:131. strictum 3:180; 6:43; 8:131; 13:46; 8:131. strictum 3:180; 6:43; 8:131; 13:46; 15:13: 19:69: 30:12: 40:156, 158

Pomaceae 33:88; 47:386 Pomme de terre 12:34, 35

Poncirus trifoliata 41:547; 44:372, 425; 45:358 Pond Lily, White 10:49; Yellow 16:137, 139.

Pine 37:379; 50:183, 185 Pond-spice 47:142 Ponderosa Pines 39:462

Pondweed 6:176; 18:71; 34:244; 38:165; 43: 508; 44:214, 333; 45:329; 49:255. Family 44:214. Horned 44:217

Pongelion 9:54

Pontederia 3:221; 8:27; 12:7; 14:31; 16:18, 19; 23:142; 27:76-79; 47:364. angustifolia 27:80. cordata 1:184; 4:168; 5:132; 7:73, 108; 9:121; 11:129; 12:7; 14:26; 17:214; 19:30; 27:76–80; 32:133, 242; f. angustifolia 27:80, 81; f. brasiliensis 27:80,81; f. latifolia 27:80, 81; f. brasihensis 27:80,81; f. latifolia 27:80; f. taenia 39:274; 41:376; var. angustifolia 19:126; 21:75; 24:114; 27:80; var. lanceolata 27:81; var. lancifolia 9:121. hastata 27:76, 77, 79. lanceolata 27:79–81; 39:480; 40:379; f. brasiliensis 27:80, 81; 40:379, 403; f. trullifolia 27:80, 81. lancifolia 27:80. ovata 27:76, 77

Pontederiaceae 12:7; 31:43; 32:242; 33:36

Ponthieva 39:356, 357; 41:477; 50:191. glandulosa 17:136; 50:126. racemosa 17:136; 24:149; 39:356, 362, 403, 472, 477; 40:383, 408; 41:477, 539; 42:363, 446; 43:520

Poplar(s) 21:48; 22:131, 132; 39:43; 41:150. Balsam 12:178; 48:103-109. Birch 26:182. Black 13:195; 16:206; 48:106. Carolina 16:207, 209. Lombardy 16:206. Necklace 4:133. Silver-leaved 12:178. Virginian Black 13:198. White 12:178; 32:152

Popple 18:35

Poppy 42:326; 44:25. California 18:214

Poppy 42:326; 44:25. California 18:214
Populus 6:113; 12:178; 13:197; 16:106; 21:
190; 29:167-171; 31:88, fig. 1; 45:309; 47:
362; 48:42, 43; 50:236. § Aegirus 50:235.
§ Aigeiros 16:208; 48:106. § Tacamahaca
48:104, 107; 50:235. § Turanga 47:362.
alba 12:9, 175, 178; 14:20; 16:106, 201, 202;
26:224; 31:84; 32:152, 160, 247; 43:79;
50:295; var. Bolleana 13:197; 16:202.
angulata 13:12, 13; 16:207-209, fig.; 21:
101. aurea 16:206. balsamifera 1:39, 167;
2:35: 3:132, 189, 233: 5:49: 6:113: 12:178. 2:35; 3:132, 189, 233; 5:49; 6:113; 12:178; 13:138, 147; 15:163; 16:13, 106; 21:43, 101; 22:134; 32:196, 198, 201, 247; 41:215; 42:320; 46:28; 48:103-105, 107-109; 50:233-235; × deltoides, var. missouriensis 50:235; var. candicans 3:233; 6:113, 139; 21:101; 50:

234, 236; var. Fernaldiana 50:234, 235; var. lanceolata 21:101; var. Michauxii 21:101; 50:233, 234; var. pilosa 43:660. canadensis 13:13, 196, 199. candicans 12: 175, 178; 13:237; 16:106; 21:101; 28:38; 48:104; 50:233-235. canescens 16:201, 202. 48:104; 50:233–235. canescens 16:201, 202. deltoides 4:133; 13:12–14, 195–197, 199; 16:106, 207–209, fig.; 21:101; 26:224; 32: 247; 35:250; 40:383, 408; 44:351; 48:103, 104, 106, 107; 50:295; f. pilosa 43:660; var. missouriensis 50:235; f. pilosa 50:235. Denhardtiorum 47:362. dilatata 8:65; 16: 201, 206. euphratica, subsp. Denhardtiorum 47:362; trans Denhardtiorum 47:362. 201, 200. euphratica, subsp. Denhardtiorum 47:362; var. Denhardtiorum 47:362. × gileadensis 50:235, 236. grandidentata 6:113; 12:128, 178; 13:141, 148; 15:122; 16:15, 106, 201–203; 17:214; 19:220; 22: 134; 28:73; 32:173; 40:160, 242; 43:79; 44: 134; 28:73; 32:173; 40:160, 242; 43:79; 44: 240; α . coelestina 16:204, 205, fig.; β . meridionalis 16:203–205, fig.; γ septentrionalis 16:203, 205, fig. heterophylla 2:126; 14:81; 15:67; 16:201, 205; 21:101; 38:376; 48:106, 107. ilicifolia 47:362. italica 16:206. marilandica 13:196, 199. Michauxi 50:233, 234. monilifera 1:39, 103; 2:35, 126; 13:12, 197, 198; 16:206. nigra 16:207, 208; β . virginiana 13:198; var. italica 13:197; 16:106; 28:38. ontariensis 21:101; 50:236. suaveolens 48:107. Tacamahacca 21:101; 24:184; 29:156, 211; 32: 247; 35:122; 36:279; 37:64; 41:145, 149, 151, 215, 216; 42:314, 320; 45:309; 48:103, 104, 107-109; 50:236; var. candicans 50: 104, 107–109; 50:236; var. candicans 50: 233, 234, 236; var. lanceolata 21:101; 48: 233, 234, 236; var. lanceolata 21:101; 48: 104; var. Michauxii 21:101; 36:279; 50: 233, 234. tremula 12:32; 16:203, 205; 40: 252. tremuloides 1:168; 3:172, 189; 5:129, 258; 6:113; 12:128, 178; 13:117; 16:16, 106, 201, 205, 206; 17:152, 214; 18:35; 19:220; 22:134; 25:8; 28:73; 29:156, 211; 32:172, 196, 201; 34:52, 62; 36:11, 279; 37:203; 40:146, 148, 156, 158, 161, 163, 242; 41: 149, 151, 216; 42:314, 320; 43:79; 44:237; δ. Davisiana 16:206: γ reniformis 16:206: β. Davisiana 16:206; γ reniformis 16:206; var. intermedia 43:339. trepida 16:203. viminea 21:101. virginiana 13:12–14, 195–198, fig.; 15:222; 16:206–208, fig.

Porella 11:16; 18:74, 75, 80, 84, 106, 108, 109, 112. Jackii 18:110. laevigata 18: 109, 112. Jackii 18:110. laevigata 18: 107. Notarisii 18:83. pinnata 5:172; 7: 58; 10:192; 12:204; 15:25; 18:75, 79-82, 106-108, figs. 1-13; 25:197. platyphylla 4:30; 5:172; 15:25; 18:75, 82, 84, 103, 105-112, 114, 116-119, pl. 120; 25:197, 199; 26:12; var. subsquarrosa 18:103. platyphylloidea 18:75, 84, 106, 109, 111-119, figs. 14-40; 25:197, 198; 26:12. rivularis 5:172; 14:18; 15:25; 18:75, 106, 119; 25:199. Sullivantii 18:79. Thuia 18:84 25:199. Sullivantii 18:79. Thuja 18:84

Porellaceae 25:197; 26:12

Poria 50:287. farinella 25:165. fatiscens 25: 163. incerta 25:165. semitincta 25:163. subviolacea 25:163, 165. tenella 25:163. vesiculosa 25:163

Porotrichum alleghaniense 4:183. cobanense 36:56

Porphyra 5:1, 210, 211; 8:195; 26:190. abyssicola 5:212. amplissima 4:177; 5:211, 212. coccine 1:127; 2:51; 5:211. laciniata 2: 51; 5:210–212; 7:231, 243; 26:215; 50: 267; f. epiphytica 5:212; f. umbilicalis 5: 211; var. umbilicalis 5:212. leucosticta 2:51; 5:210–212; 7:231; 50:268. linearis 5:212; 7:243. miniata 2:51; 4:177; 5: 211, 212; 7:242, 243. tenuissima 5:211, 212. umbilicalis 20:143, 144; 50:267, 268. vulgaris 50:268

Porphyropsis coccinea 43:214, 215

Port Orford Cedar 49:228

Porterella 3:193

Porthretria 24:51

Portulaca 6:115; 9:50; 11:44; 18:89. grandi-flora 5:190; 44:354, 394. oleracea 5:188; 6:115; 17:226; 18:89; 26:225; 28:71; 32: 251; 47:139; 50:302. parvula 42:499. pilosa 5:190; 36:220; 42:499. retusa 36:220

Portulacaceae 5:188; 6:115; 9:50; 18:89; 26: 225; 28:71; 29:213; 31:43; 32:251; 39:18; 45:310; 49:255; 50:302

Posidonia 11:150. Caulini 11:150

Post Oak 39:470

Post Oak 39:470

Potamogeton 2:102, 217; 3:69, 220, 221; 6:103; 7:45, 71, 73; 8:27, 28; 10:170; 11: 129, 206; 12:204; 14:26; 15:171, 203; 16: 17; 17:66, 211; 18:121; 19:62, 80; 20:192; 21:191; 29:110; 35:124; 36:350; 38:165, 334, 375; 40:368; 41:144, 175; 42:87, 90, 91, 150; 43:220, 508; 44:175, 213, 214, 406; 45:329, 330, pl. 748; 46:282; 48:70; 50:304. subgen. Coleogeton 33:44; 38: 166, 167; 45:71, 192. § Coleophylli 18: 121, 122. § Connati 45:70. sub-§ Filiformes 45:70. § Convoluti 45:71. sub-§ Pectinati 45:71. sub-§ Vaginati 45:71. sub-§ Pectinati 45:71. sub-§ Vaginati 45:71. sub-§ Adnati 45:71. sub-§ Serrulati 45:71. § Axillares 38:167; 43:633; 45:71. sub-§ Alpini 45:63, 68, 69, 71, 72, 76. sub-§ Amplifolii 45:63, 68, 69, 71, 72, 76. sub-§ Crispi 45:60, 61, 68, 69, 71, 72, 76. sub-§ Hybridi 38:166-168; 45:71. ser. Euhybridi 45:71. sub-§ Javanici 33:40, 42, 58, map 13; 45:71. sub-§ Lucentes 45:60, 61, 63, 64, 68, 69, 71, 72, 76. sub-§ Lucentes 45:60, 61, 63, 64, 68, 69, 71, 72, 76. sub-§ Lucentes 45:60, 61, 63, 64, 68, 69, 71, 72, 76. sub-§ Lucentes 45:60, 61, 63, 64, 68, 69, 71, 72, 76. sub-§ Lucentes 45:60, 61, 63, 64, 68, 69, 71, 72, 76. sub-§ Lucentes 45:60, 61, 63, 64, 68, 69, 71, 72, 76. sub-§ Lucentes 45:60, 61, 63, 64, 68, 69, 71, 72, 76. sub-§ Lucentes 45:60, 61, 63, 64, 68, 69, 71, 72, 76. sub-§ Lucentes 45:60, 61, 63, 64, 68, 69, 71, 72, 76, 132, 152, 150, sub-§ Lucentes 45:60, 61, 63, 64, 68, 69, 71, 72, 76, 132, 152, 150, sub-§ Lucentes 45:60, 61, 63, 64, 68, 69, 71, 72, 76, sub-§ Lucentes 45:60, 61, 63, 64, 68, 69, 71, 72, 76, sub-§ Lucentes 45:60, 61, 63, 64, 68, 69, 71, 72, 76, sub-§ Lucentes 45:60, 61, 63, 64, 68, 69, 71, 72, 76, sub-§ Lucentes 45:60, 61, 63, 64, 68, 69, 71, 72, 76, sub-§ Lucentes 45:60, 61, 63, 64, 68, 69, 71, 72, 76, sub-§ Lucentes 45:60, 61, 63, 64, 68, 69, 71, 72, 76, sub-§ Lucentes 45:60, 61, 63, 64, 68, 69, 71, 72, 76, sub-§ Lucentes 45:60, 61, 63, 64, 68, 69, 71, 72, 76, sub-§ Lucentes 45:60, 61, 63, 64, 68, 69, 71, 72, 76, sub-§ Lucentes 45:60, 61, 63, 64, 68, 69, 7 45:71. sub-§ Javanici 33:40, 42, 58, map 13; 45:71. sub-§ Lucentes 45:60, 61, 63, 64, 68, 69, 71, 73, 76, 133, 158, 159. sub-§ Monticoli 33:44; 45:71. sub-§ Natantes 45:60, 63, 68, 69, 71, 74, 76. sub-§ Nodosi 45:61, 63, 68, 69, 71, 73, 76, 134. sub-§ Nuttalliani 38:166-168; 45:71. sub-§ Oxyphylli 45:71. sub-§ Perfoliati 45:60, 61, 63, 64, 68, 69, 71, 74, 76. sub-§ Praelongi 45:60, 61, 63, 68, 69, 71, 74, 76. sub-§ Pusilli 45:71. ser. Pusilli connati 45:71; subser. Foliosi 45:71; subser. Panormitani 45:71. ser. Pusilli convoluti 45:71; subser. 45:71. ser. Pusilli convoluti 45:71; subser. Acuti 45:71; subser. Obtusi 45:71. alpinus 6:103; 10:168; 17:150; 23:164, 189; 24: 184; 28:245; 32:76-82, pl. 197; 33:209-211; 36:306; 44:7, 216; 45:58, 61, 62, 71, 72, 76, 89, 90, 94-97, 138, 184, 191; × americanus 45:183, 185; × Claytonii 45: 185; \times gramineus 45:183, 190; \times nodosus 45:183; \times pensylvanicus 45:185; f. ovatifolius 32:79; subsp. tenuifolius 45:92; var. angustifolius 32:79; var. Faxoni 45:183, 185; var. subellipticus 45:90-94, 97, 98, 185, var. sthempticus 45:90–94, 97, 98, 195, map 3, pl. 746; var. tenuifolius 45:90, 91, 95, 97, 157, 183, 195, map 2, pl. 746; 50:126. americanus 10:168; 11: 206; 24:112; 44:4, 6, 216; 45:123, 186; × alpinus 45:186; × pensylvanicus 45: 185, 186; var. novaeboracensis 10:168; 15:203; 45:124. amplifolius 6:102; 10:168; 185, 186; var. novaeboracensis 10:168; 15:203; 45:124. amplifolius 6:103; 10:168; 11:206; 14:236, 237; 16:17; 17:142; 22: 136; 23:189; 24:160; 32:78; 44:216; 45: 59-62, 69, 71, 72, 75, 95, 99, 100, 104, 122, 123, 127, 128, 137, 184, 195, 196, map 5, pls. 746, 748; × illinoensis 45:184; × praelongus 45:184; × Richardsonii 45: 184; f. amphibius 45:100, 105, 120, 123; f. homophyllus 45:100; var. amphibius 45:100, 120; var. ovalifolius 45:100, 104, 120, 123. angustifolius 8:224; 10:168, 170; 11:206; 19:107; 23:191; 44:216; 45:157, 158, 187; var. connecticutensis 10:168, 170; 45:154; var. methyensis 45:191. × argutulus 45:185. Berchtoldi 42:246; 44: 6, 215; 45:71, 192, 194, 195; × perfoliatus var. bupleuroides 45:68, 193; var. acuminatus 45:215; var. colpophilus 42:246; natus 45:215; var. colpophilus 42:246; 44:138; var. lacunatus 42:246; 44:216; var. polyphyllus 42:246; 44:215; var. tenuissimus 42:246; 43:508, 528; 44: 6, 7, 215; 45:195; 48:329; × perfoliatus, var. bupleuroides 45:196, pl. 748. bicupulatus 38:165–168; 45:71; 50:304. borealis 18:134, 136; 33:210. bupleuroides 10:46, 168, 170; 11:88, 206; 15:158, 222; 16:17; 17:210; 22:136; 23:163, 191; 24: 86, 98; 25:185; 27:201; 29:65, 66, 128, 148, 206, 228, 230; 32:4, 106, 131, 148, 206, 228, 230; 32:4, 106, 131, 148, 206, 13:142:387; 44:217; 45:177, 178, 180, 194; × gramineus 44:217; × pusillus 45:194. capillaceus 38:166, 167, 340; 39: 336, 380, 381; 40:367, 385; 41:500; 43: 508, 633; 44:216; 45:71, 192; var. atripes 39:380, 475. × champlainii 45:185, 186. Claytoni 38:166; × Zizii 45:188. clystotenuissimus 42:246; 43:508, 528; 44: Claytoni 38:166; × Zizii 45:188. clystocarpus 45:71. coloratus 29:147; var. jamaicensis 45:124. Columbianus 18:124, 129. compressus 36:306. confervoides 5:44, 48; 6:203; 10:168, 170; 17:66; 19:107; 23:145, 149, 191; 24:160, 186; 28:56, 149; 33: 44, 46, 57, 59, map 33, pl. 204; 35:85, 131; 36:249; 39:467; 44:215, 244; 45:71; 49:239. crispus 5:134, 135; 10:168; 11: 206; 13:221; 15:171; 17:210, 211, 221; 25: 206; 29:108, 111; 40:385; 41:565; 44:4, 214; 45:58, 60-62, 64, 71, 72, 75, 76, 86-88, 91, 177, map 1. × deminutus 45:187. dimorphus 10:168; 11:206; 16:17; 17:211; 21:191; 22:136; 23:191; 24:160; 40:181; 44:216. diversifolius 6:104; 18:136; 32: 148, 230; 33:210; 38:168; 39:432; 40:28, 181; 43:633; 45:71, 192; 49:105. epihydrus 10:168, 170; 11:206; 16:17; 17:150, 210; Claytoni 38:166; X Zizii 45:188. clysto-10:168, 170; 11:206; 16:17; 17:150, 210; 18:30, 33, 136; 22:136; 29:147, 164, 206;

32:79; 33:59, 112, 116, 210; 34:50; 36: 306; 38:10, 166–168; 42:409; 43:482; 44: 216, 406; 45:71, 133; 49:256; × angustifolius 45:188; × nodosus 45:186; × pulcher 45:184; var. cayugensis 10:168, 170; 15: 158; 44:216; var. Nuttallii 36:306; 38: 166; 42:400, 407; 43:508, 529; 44:123, 216, 406; 45:138, 142, 385; var. typieus 44: 406. fasciculatus 18:133. × Faxoni 10: 168; 45:183, 185. fibrillosus 45:71. filiformis 10:168, 171; 13:138; 18:122, 132–134, 136; 22:15; 29:65, 67, 109; 33:44, 60; 34:70; 36:306; 37:206; 38:167; 39: 471; 41:159, 175; 44:4, 5; 45:70; var. alpinus 18:133; var. borealis 18:122, 134, 136; 23:191; 29:67; 36:277, 306; 41:159, 175, 176; 44:5; var. Macounii 18:122, 136; 33: 227; 36:277; 44:5; 50:212; var. occidentalis 18:132, 134. flabellatus 18:124, 128, 129. floridanus 45:192. fluitans 32:78; 45:66, 90, 97, 100, 120, 124, 129, 130, 132; subsp. americanus 45:124. foliosus 10:168; 11: 206; 18:136; 25:108; 33:210; 43:482; 44: 215; 45:66, 71; var. genuinus 44:5; 48: 330; var. macellus 44:5, 215; 45:192; var. niagarensis 10:168. Friesii 10:168; 23: 191; 24:184; 25:206; 28:127, 149; 29:65, 67, 109; 33:19:36:306: 44:5, 215; 45:71. gemminiagarensis 10:168. Friesii 10:168; 23: 191; 24:184; 25:206; 28:127, 149; 29:65, 67, 109; 33:19; 36:306; 44:5, 215; 45:71. gemmi-parus 2:68; 10:168, 171; 11:206; 44:215; 45:71. gramineus 23:189-191; 32:4; 33: 59, 209; 37:206; 44:4, 6; 45:71, 73, 75, 97, 132, 142, 143, 145, 147, 150-152, 183, 184, 187, 189, 191, 195, map 10, pl. 746; \times illinoensis 45:145, 149, 151, 158, 187, 190; \times lucens 45:187; \times lucens 45:188, 187; \times natans 45:186; \times nodosus 45: 185; \times perfoliatus 45:151; \times perfoliatus, var. bupleuroides 45:61, 183, 189; \times Richardsonii 45:152, 188, 191, 192; \times Zizii 45: 187; \times sp. 45:191; \times graminifolius 23: 189; \times gramineus 23:189; \times heterophyllus 189; β. gramineus 23:189; f. heterophyllus 45:150; f. jemtlandicus 45:148; f. longi-45:150; f. jemtlandicus 45:148; f. longipedunculatus 45:144; f. terrestris 45:144; f. Wolfgangii 45:148; var. graminifolius 23:189-191; 36:306; 41:162, 176; 44:6, 217; 45:143; var. lacustris 45:144; var. longipedunculatus 45:144; var. maximus 45:132, 143-146, 148, 151-153, 174, 196, map 11, pl. 748; var. minimus 45:150; var. myriophyllus 23:189; 45:143, 145, 147, 150, 151, map 12; var. spathulaeformis 23:190, 191; 35:131; 44:217; 45:151, 187, 189; var. typicus 45:143, 149, 151, 196, pl. 748. graminifolius 23:189, 190. Hagströmii 45:188, 189. heterophyllus 6:103; 8:224; 10:168, 171; 11:206; 15:91, 158; 21:191; 22:136; 23:189, 190; 29:147, 206; 36:306; 41:176; 44:6, 217; 45:132, 143, 148, 150, 157; f. graminifolius 10:168; 11: 206; 45:143; f. longipedunculatus 10:168; 11:14; 45:143; f. maximus 45:150; f. minimus 11:14; 45:143; f. maximus 45:150; f. minimus 45:150; f. myriophyllus 10:169; 11:206; 45:150; f. terrestris 10:169; 45:144; var. graminifolius 6:103; 23:189; 25:6. Hillii 10:169; 19:63; 28:127, 149; 42:95; 44:215, 333; 45:71. hybridus 10:169; 11:207; 12:

196 Rhodora

204: 24:86: 32:230: 44:216: var. multidenticulatus 10:169; 12:204; 44:216. illinoensis 44:216; 45:71, 73, 75, 93, 94, 150, 152–154, 156–159, 185, 188, 191, 192, 195, map 13, pl. 746; × lucens 45:187; × nodosus map 13, pl. 746; × lucens 45:187; × nodosus 45:185; × perfoliatus 45:191; × perfoliatus, var. bupleuroides 45:191; × Richardsoni 45:191; × sp. 45:192; f. homophyllus 45:154; f. rosulatus 45:154. insulanus 45:124, 133. interior 18:132, 134; 44:4. interruptus 10:171; 18:124, 128, 129. juncifolius 18:138. lacunatus 42:246. lateralis 10:169, 171; 11:207; 33:40; 44:216; 45:71. latifolius 18:122, 130; 44:406; 45:70. lonchites 38:383; 45:124, 125, 131, 132, 148; × rufescens 45:185; var. novaeboracensis 45:124, 131. longiligulatus 45:71. lucens 7:99; 10:169; 11:207; 15:92; 17:142; 32:78; 33:210; 36:306; 44:7, 216; boracensis 45:124, 131. longiligulatus 45: 71. lucens 7:99; 10:169; 11:207; 15:92; 17:142; 32:78; 33:210; 36:306; 44:7, 216; 45:90, 92, 97, 154, 157, 158; × natans 45: 129; × nodosus 45:185; var. connecticutensis 9:74; 10:170; 45:154, 155, 158; var. floridanus 45:154, 155; var. fluitans 45:90, 97, 100, 120, 124. marinus 6:176; 18:132, 133, 136; 20:192; var. Macounii 18:136, 138; var. occidentalis 18:132. methyensis 45:191. mexicanus 45:124, 133. microstachys 32:76-80, 83, pl. 197; 33:209, 210; 41:176; 45:90, 94; var. subellipticus 32:82, 83, pl. 197; 33:168, 210, 211; 44:138; 45:94; var. typicus 32:80, 83, pl. 197; 33:211; 45:92. moniliformis 18:122, 130, 132; 20:192; 23:191; 41:176; 44:138. montanense 45:92, 93, 97. montanus 45:124. × mysticus 6:176; 10:169; 11:207; 44:217; 45:194, 196, pl. 748. natans 5:134; 10:169; 11:207; 17:150; 21:75; 22: 136; 23:189; 24:112; 29:147, 206, 245; 32: 178; 42:95; 43:74; 44:216; 45:60-63, 71, 74, 75, 102, 103, 120, 127, 134, 135, 138-140, 142, 192, 193, 195, 196, map 8, pls. 746, 747; 47:41; 48:330; × gramineus 45: 136; × nodosus 45:185; f. submersus 45: 139; var. fluitans 45:124; var. prolixus 45: 139; var. fluitans 45:124; var. prolixus 45: 139; var. typicus 45:139; var. 135, 139, 140; var. terrestris 45:139; var. typicus 45:139; var. vulgaris 45:139. \times nericius 45:183. nerviger 32:79. niaganericius 45:183. nerviger 32:79. niagarensis 19:63. × nitens 10:169; 11:207; 44:217; 45:188, 189; var. subgramineus, f. restrictus 45:189. nodosus 45:59-62, 66, 71, 73, 75, 104, 123, 127, 131-134, 186, 195, 196, map 7, pls. 746, 748; 48:330; × epihydrus 45:125; × natans 45:185; × Nuttallii 45:186; × Richardsonii 45:186. Nuttallii 2:102; 10:170; 11:37; 45:133; var. cayugensis 2:102; 10:170; var. portoricensis 45:124, 133. Oakesianus 1:183: 10:169: **cayugensis** 2:102; 10:170; var. portoricensis 45:124, 133. Oakesianus 1:183; 10:169; 11:207; 13:134, 135, 140, 148, 160; 18:30, 33; 23:146, 148, 163, 189; 24:62, 160; 28: 120, 149; 32:148, 172, 210, 230; 33:59, 113, 116; 34:50; 35:5, 85; 36:249; 37:249, 332; 38:166; 44:216; 45:60–63, 71, 74, 75, 127, 140, 142, 193, 195, map 9, pl. 746; 77:41, 40, 232, about 12, 23:27, 81, 23:210 47:41; 49:239. obrutus 32:77-81; 33:210, 211; 45:90, 93; 50:106, 126. obtusifolius 10:169, 171; 11:207; 28:149; 29:245; 33:

60; 36:306; 44:215; 45:71. occidentalis 45:123, 134. panormitanus 36:312; 40: 181; 42:246; 43:513, 528; 45:192; var. major 36:312; 44:215; 50:154; var. minor 36:306; 44:215; 50:154. pectinatus 10: 169, 171; 11:88; 13:177; 18:121, 122, 124, 128-130, 133, 134; 23:141, 192; 29:60, 63, 65, 66, 71, 72, 109; 32:148, 176, 230; 33: 44, 166, pl. 204; 38:340, 383; 44:214; 45: 71, 192; 49:239; var. latifolius 18:130. pensylvanicus 6:176; 10:170; 42:94; 45:133; var. portoricensis 45:124. perfoliatus 1:201; 10:47, 169, 170; 11:14; 15:91; 21:191; 23: 191; 24:98; 27:201; 29:148, 206; 41:157; 45:58-61, 66, 71, 75, 76, 163, 174-178, 180, 181, 193, 194, map 16; × Richardsonii 45:193; subsp. Richardsonii 45:163; var. 60; 36:306; 44:215; 45:71. occidentalis 45:193; subsp. Richardsonii 45:163; var. bupleuroides 45:171, 174, 175, 177, 178, 181, 182, 189, 190, 193–196, map 17, pls. 746, 748; var. gracilis 41:176; 45:163, 177, 180; var. lanceolatus 45:163; var. Richardsonii 45:163; var. typicus 45:177, 180, 181. × perplexus 45:155, 157, 185. 180, 181. × perplexus 45:155, 157, 185. plantagineus 29:147, 206; var. jamaicensis 45:124, 134. polygonifolius 10:171; 28: 50, 83; 29:127, 132, 147, 206; 34:118; 35: 273; 38:15; 45:58, 59, 71, 72, 75, 91, 98, 195, map 4, pl. 746. Porsildiorum 41: 142, 148, 167, 175, 176; 45:71. Porteri 45:71. praelongus 2:127; 9:63; 10:169; 11:207; 28:149; 32:81; 33:19, 60, fig. 1; 35:14, 131; 36:306; 42:20; 44:6, 217; 45: 58, 60, 61, 63, 71, 74, 75, 122, 159, 160, 162, 174–176, 195, map 14, pl. 746; × Richardsonii 45:193; f. elegans 13:117; 45:162; var. angustifolius 24:112. × pseudo-45:162; var. angustifolius 24:112. × pseudolucens 45:154, 187. × pseudo-Zizii 45:187. pulcher 2:157; 10:140, 169, 171; 11:207; 19:107; 23:164, 189, 300, pl. 130 (map 15); 24:86, 160; 25:148; 32:78, 148, 210, 230; 36:351; 38:383; 44:216; 45:59, 61, 62, 71, 73, 75, 103, 104, 119, 120, 122, 123, 127, 192, 195, map 6, pl. 746; f. amphibius 45: 121. × pulcher 45:385. Purshii 37:313; 38:166; 45:140. pusillus 6:104, 176; 10: 169, 171; 11:207; 15:158; 18:33; 20:192; 22:136; 32:230; 33:19, 59; 37:206; 38: 10; 41:148, 175; 42:246; 43:513, 528; 44:6, 215; 45:71, 192, 194; 50:154; var. dispellus 42:246; 44:138; var. minor 50: 45:162; var. angustifolius 24:112. × pseudo-43:528; var. capitatus 44:215; var. colpophilus 42:246; 44:138; var. minor 50: 154; var. mucronatus 36:306; 44:6, 215; var. polyphyllus 10:169, 171; 11:207; 36: 106; 42:246; var. Sturrockii 10:169, 171; 11:207; var. tenuissimus 10:169; 11:208; 41:176; 42:246; 44:6. × rectifolius 45: 183, 186. Richardsonii 10:169, 170; 15: 158; 21:191; 33:19, 166; 41:158, 176; 44: 217; 45:58-61, 71, 75, 76, 87, 149, 162, 163, 174-176, 191, 193, 195, map 15, pl. 746. Robbinsii 10:169; 11:208; 14:26; 15: 158: 18:122. 123: 19:67: 22:136: 25:107: 158; 18:122, 123; 19:67; 22:136; 25:107; 31:80; 32:176; 35:388; 44:7, 214; 45:71; f. cultellatus 35:389. rotundatus 45:124, 131-133. rufescens 32:76-79, 81; 33:210; 45:90, 92; f. angustifolia 45:90. rutilus

10:169, 171. × scoliophyllus 45:184; f. barensis 45:184. setaceus 18:134; 20:192. × sparganifolius 45:186. × spathaeformis 8:224; 10:169; 11:208; 23:190, 191; 45: 187. spathulaeformis 23:190; 45:157, 187. Spirillus 5:134; 6:103; 33:59; 38:168; 42: 393, 400, 407; 43:529; 44:216, 356, 377; 45:71, 329, 330. strictifolius 10:169; 11: 208; 25:206; 38:9; 44:215; 45:71. Sturrockii 44:215. × subdentatus, α. sessilis 45:191; β. petiolatus 45:188, 189, 191. × subniteas 32:4; 44:217; 45:189, 190. × subobtusus 45:183. × subrufus 45:185, 186. × subsessilis 45:186. subsibiricus 41: 176. tennesseensis 38:167, 168, 236, pl. 412; 45:71; 49:255, 256. tenuifolius 33: 209, 210; 36:306; 41:148, 162, 176; 44: 7, 216; 45:90, 92, 97; 50:126; var. subellipticus 33:211; 44:138; 45:94, 97. Tepperi 45:192. Tuckermani 6:203; 10:170; 24: 186. vaginatus 18:131, 132; 20:191, 192; 23:164, 191; 28:127, 149; 36:306; 41:158, 176; 44:5, 138; 45:71. varians 23:190, 191; 45:187. Vaseyi 10:169, 171; 11:208; 12: 133; 13:71; 25:206; 33:40; 44:216; 45:71, 330. Zizii 32:81; 33:209; 45:97, 154, 158, 187; × gramineus 23:191; f. pulcherrimus 45:187; var. connecticutensis 45:154; var. gracilis 45:154, 187; var. methyensis 45: 191; var. porrectifolius 45:154, 187. zosteraceus 20:192. zosterifolius 10:169; 11: 208; 12:116; 21:191; 33:19; 44:215. zosteriformis 36:306; 44:7, 215; 45:71.

Potamogetonaceae 44:214. Potamogetons 5:238; 38:10; 42:95. Potato(es) 6:83; 28:72; 41:157.

Potato(es) 6:83; 28:72; 41:157.

Potentilla 6:119; 10:17, 195; 11:1, 127, 152, 153; 12:180; 16:5, 6, 8; 17:150; 20:55; 23: 98; 27:90; 30:104; 33:60; 36:164, 174, 176; 40:135; 41:433; 42:313, 330, 331; 43:220; 46:282; 47:144; 50:42. a c a ulis 33:181. alpestris 28:91, 98, 118, 214; 35:121; 36: 148, 173; 38:155. an g u stif olia 16:10. Anserina 2:134; 3:188; 4:33, 89; 5:133; 11: 1–3, 5, 6, 8, 47, 48; 12:112; 13:180; 15: 153; 16:40; 18:38; 20:55; 22:92; 29:65, 70, 122, 215; 32:19, 255; 34:70; 35:250, 251, 273; 36:281; 37:204; α. argentea 35:273; α. discolor 11:8; α. unicolor 35:273; α. vulgaris 11:3; β. concolor 11:8; 35:273; β. grandis 11:9; 41:40; β. holosericea 11:8; 35:273; β. sericea 35:273, 274; var. anserinoides 11: 5, 9, 48; var. Egedii 11:2, 6, 9; var. grandis 11:2, 7, 48; var. groenlandica 11:2, 7, var. hirsuta 11:2, 5; var. maoria 11:2, 5, var. nuda 11:2, 5; var. sericea 11:2, 5, 8, 48; 15:154, 165; 16:40; 23:267; 35:273; var. vulgaris 11:2, 3, 5; 35:273. anserinoides 11:5. argentea 1:184; 3:188; 17:35; 20: 55; 21:106, 170; 26:186, 225; 30:107; 32: 151, 254; 37:164; 40:443; 41:506; 49:249; 50:297. Argentina 11:8. arguta 5:204; 12: 113; 20:55; 34:66. biflora 41:163, 245; 42:313, 330; 45:312. Blaschkeana 37:164,

205, 217. canadensis 4:91; 6:119, 141: 205, 217. canadensis 4:91; 6:119, 141; 7:122; 11:153; 17:35; 20:55; 28:39; 33:180-185, 188, 191; 34:61; 36:54; 37:193, 289; 40:245, 246; 44:336; 50:302; β. sarmentosa 33:186; var. pumila 33:185, 186; var. simplex 12:128; 13:106; 17:154; 20:55; 23:98; 32:255; 33:109, 121, 182, 188, 191, pl. 214; 37:193; var. typica 33:186; 43:80; f. ochroleuca 33:187; var. villogical 23:186, 187; 36:230, capascens 11: sissima 33:186, 187; 36:230. canescens 11: sissima 33:186, 187; 36:230. canescens 11: 47. caroliniana 33:180, 183, 184, 187, 188. chinensis 37:291. Comarum 16:10. concolor 11:8; 35:273. confertiflora 7:142. Crantzii 36:173; var. hirta 36:173; var. vulgaris 36:173. digitata 16:10. diversifolia 45:312. Egedii 11:6, 9; 41:40; var. groenlandica 41:40; 42:331. elegans 33: 56; 41:163, 246; 42:313, 330. emarginata 25:113; 36:173-177, 327; 38:121, 125, 155, 274; 41:246; 44:129; 45:111, 112; c. elatior 45:111; var. elatior 36:176, 177; var. typica 36:176, 177; erecta 35:273. floribunda 16: 36:176, 177; erecta 35:273. floribunda 16: 90. Fragariastrum 35:272. fragarioides 90. Fragariastrum 35:272. fragarioides 10:16. fragiformis 25:113; 36:175–177, 327; b. parviflora 36:175; var. villosa 41:247. frigida 2:109; 3:165, 272. fruticosa 2:37, 124; 3:160, 164, 174; 6:119; 9:12; 12:112, 187; 14:235, 240, 241; 15:135, 141; 16: 90; 19:32, 164; 20:55; 23:101, 267; 29: 215; 32:18; 33:112, 121; 35:122, 126, 399, pl. 240; 36:281; 37:204, 292, 308; 41:146, 147, 160, 246; 42:312, 331; 45:312; f. villosissima 37:292, 340, pl. 367; var. tenuifolia 147, 100, 240; 42:312, 331; 43:312, 1. Vinosissima 37:292, 340, pl. 367; var. tenuifolia 13:129. glaucophylla 41:154, 246. gracilis 40:280; 42:213, 330; var. pulcherrima 42:213; var. rigida 42:213. Hippiana 40: 135; 41:246. Hookeriana 41:246. hyparctica 36:177, 178; 45:112; var. elatior 45:111, 112. inclinata 11:47. intermedia 13:89; 19:227; 20:55; 30:107; 42:377, 453; 44:333. Jaegeri 40:136. labradorica 10: 44:333. Jaegeri 40:136. labradorica 10: 50; 28:213. Langeana 36:173. litoralis 2: 188, 208; 3:188; 11:7; 37:287, 288. maculata 13:127, 137; 36:173; α. vulgaris 36:173; β. hirta 36:173. millegrana 43:510, 567; 47:215. missourica 37:289-292. monspeliensis 6:119; 10:50; 17:154, 216; 18: 38; 20:55; 22:137; 25:9; 26:225; 28:214; 32:254, 261; 34:53; var. labradorica 10: 50; 28:213; var. norvegica 15:165; 16:40; 20:55; 22:137. nana 36:176, 177. niponica 37:291. nivea 9:162; 13:127; 16:132; 17: 159; 18:101; 28:117, 212; 35:51, 81, 121, 126, 298, pl. 240; 36:172; 38:125, 155; 41: 246; 42:310, 330; 44:104; 45:312; 47:225; var. macrophylla 28:125, 212; 31:55; 35: 399, pl. 240; 36:172; var. pallidior 36:172. 399, pl. 240; 36:172; var. pallidior 36:172. norvegica 6:119; 28:214; 41:246; 42:330; var. hirsuta 29:215; 32:254; 33:121; 36: 281; 50:302; f. labradorica 28:213; var. labradorica 28:213; 35:89, 272; 37:74; 38: 155. Nuttallii 11:47; 42:213, 330. opaca 36:173. pacifica 11:7, 8, 47, 48; 17:147, 208, 216, 221; 20:55; 22:92, 110; 25:9; 29:63, 70, 90; 32:149, 214, 255; 33:121; 34:53; 41:40, 229, 246; 42:331; 43:80; 50:

297. palustris 1:184; 2:122; 4:189; 9:162, 189; 10:141; 16:5, 6, 9-11, pl. 106; 19: 30; 20:55; 22:135; 25:9; 29:215, 244; 33: 51; 34:53; 35:251; 36:281, 307; 37:206; 41:158, 159, 247; 42:331; 44:234; f. subsericea 15:165; 16:9, 10; 20:55, 105; 35: 273, 274; var. parvifolia 16:10, 11, pl. 106; var. subsericea 12:111, 140: 15:165; 106; var. subsericea 12:111, 140; 15:165; 16:10; var. villosa 11:48; 12:39, 111, 140; 16:5, 6, 8–11, pl. 106; 17:150; 20:55. pectinata 28:125, 212; 31:143; 35:9, 233, 272; 37:288; 45:312. Pedersenii 36:172, 173; 41: 247. pensylvanica 15:140; 18:38; 37:213, 286-292; 41:247, 433; 42:95, 330; 44:31; β. strigosa 37:290-292; var. strigosa 48: 115. procumbens 23:155, 167; 28:50, 81; 1.15. procumbens 23:155, 167; 28:50, 81; 29:126; 34:118; 35:273. pulchella 28:103, 213; var. Sommerfeltii 28:213. pulcherrima 30:105; 42:213. pumila 11:152, 153; 12:128; 19:116, 220; 20:55; 24:175, 185; 26:225; 28:81, 244; 32:151, 160, 255; 33:180, 181, 184–186, 188–190; 36:54; 46:284; 50:302; f. leucantha 11:152; f. ochroleuca 11:153; 20:56; 33:187. Ranunculus 41:154. recta 1:43, 75, 81; 11:179; 13:89; 16:185; 17:30; 19:66, 227; 20:56; 21:106; 23:267; 32:254; 37:287, 288, 310, 317, 318; 41:546; 42:369; 46:85. reptans 12:189; 20:56; 33:183; 43:525, 567; 44:337. retusa 16:195. Robbinsiana 9:162; 28:244; 33:59; 42:331. rubra 16:10. rubricaulis, var arctica 36:172. sarmentosa 33:180, 183–186, 188, 191, pl. 215. saximontana 22:195. sericea 11:8; 35:273. simplex 3:188; 6:119; 33:180–185, 187, 188, 191, pl. 215; 37:292; 40:245; var. argyrisma 33:180, 37:292; 40:245; var. argyrisma 33:188, 191; var. calvescens 33:188, 189, 191; 40:246; 43:80; var. typica 33:188; 37: 193. Sommerfeltii 28:213. sterilis 35:272, 273. strigosa 37:289-292. subquinata, var. Pedersenii 36:172; 41:247. Tormentilla 35:273. tridentata 1:90, 174, 184; 2:97, 136, 188; 3:174, 188; 4:38; 5:36, 256; 8:102; 9:156, 162, 169; 10:16, 17; 12:180; 13:238; 15:170; 16:194, 195; 17: 148, 154; 18:38; 19:227; 20:56, 105; 22: 38, 48, 137; 23:138; 25:9; 27:214; 28:82; 29:215; 31:221, 222; 32:176, 178; 33:109, 121, 211; 34:53, 64; 35:125; 36:281; 37: 4, 206, 422; 41:40; f. aurora 33:211; 34: 12; f. hirsutifolia 16:195; 23:27. uniflora 41:147, 151, 163, 247; 42:330; 45:312. usticapensis 28:212, 213; 35:275. Vahliana 36:172, 173; 41:247. verna 11: 153. villosa 41:247; var. uniflora 41: 247. virgatula 41:247 Pedersenii 36:172; 41:247. Tor-247. virgatula 41:247 Potentillas 42:310

Poteriodendron petiolatum 50:278

Poterium canadense 1:81; 2:122; 5:289. Sanguisorba 1:47; 6:195. sitchense 48:12

Pottia Heimii 30:5. littoralis 1:80. **Randii** 1:78, 80, pl. 5; 21:35. truncata 17:210; 48:4.

Pottiaceae 30:4; 39:40; 41:112.

Powdery mildew 41:515.

Prairie Willow 12:178. Queen of the 8:202

Prasinocladus 2:111: 23:250, 251. subsalsa 2: 45: 23:250

Prasiola 5:16; 8:106. fluviatilis 24:104, 109; 26:162. Gardneri 8:106. stipitata 18:90, 91, figs. 1, 2; 26:190, 213; 50:257, 259 Prasiolaceae 18:91

Prasium 17:134. incarnatum 17:134. purpureum 17:134; 45:461, 462, pl. 785

Preceae 47:385, pl. 991

Preciae 47:384

Preisselbeere 4:232; 12:23

Preissia 16:63. commutata 4:30; 8:168. quadrata 5:170; 12:204; 15:22; 25:193; 39:

Prêle 1:167

Prenanthes 4:89; 6:134; 12:6; 23:300; 26:132; cenanties 4:59; 0:134; 12:6; 23:300; 26:132; 50:29, 32. alba 1:220; 2:208; 4:89; 5:132, 204; 17:135; 26:132; 29:191, 221; 47:374; var. nana 3:177. altissima 3:189; 6:134; 13:141, 148; 18:45; 26:132; 32:206; 34:64; 41:477, 574; 42:363, 498; 44:478; f. hispidula 23:300; 26:132; var. cinnamomea 10:05; 35:201; var. bissible 10:25 dula 23:300; 26:132; var. cinnamomea 10:95; 35:291; var. hispidula 19:253; 23:300. aspera 35:361. autumnalis 17:135, 137; 39:360, 364, 459, 473, 477; 42:279, 300; × serpentaria 41:574. Boottii 3:177; 9:154, 156, 164, 166; 12:6; 44:99. crepidinea 37:196; 38:300; 49:202. mainensis 13: 218. nana 11:99; 17:154; 24:208; 29:124. racemosa 12:112; 13:148; 16:41; 34:55; 36:284; 50:29, 30; subsp. multiflora 50: 30; subsp. racemosa 50:30. Serpentaria 2:208: 3:296: 5:129, 204: 24:185: 26:132: 30; subsp. racemosa 50:30. Serpentaria 2:208; 3:296; 5:129, 204; 24:185; 26:132; 32:178, 281; 44:478; f. simplicifolia 44: 478; var. nana 3:177. trifoliolata 2:98; 3:189, 296; 4:37, 89, 92; 5:46; 7:154; 11: 99; 15:168; 17:152; 18:45; 23:157; 26:132; 13:1477. 29:191, 221; 32:281; 33:109, 126; 44:478; var. nana 3:177; 6:134; 9:164, 169, 171, 191; 33:126. virgata 17:135, 137

Prenolopis imparis 45:440, 441, 445

Prepinus 11:170

Prickly Ash 4:130; 25:175. Lettuce 7:9; 12: 15; 20:180. Pear(s) 16:101, 104; 41:155; 43:92

Pride of China Plants 17:50

Primrose(s) 28:75; 43:343. Evening 11:199

Primrose-Willow 47:237

Primrose-Willow 47:237
Primula 6:126; 7:160, 161; 22:143; 23:302; 24:233; 28:98; 30:59; 47:259, 290, 379, 384. § Farinosae 30:59, 60, 62-64, 74, 77, 85, 86, 92, 96; 35:335; 36:117. § Minutissimae 30:62. § Nivales 30:63. ajanensis 30:65, 88, 102. americana 9:16; 30:73, 86. arctica 30:63. borealis 30:65, 67, 88, 94-99, 102; 41:276; var. Loczii 30:95, 96; var. parvifalia 30:94, 95. Chamissonis 30: var. parvifolia 30:94, 95. Chamissonis 30: 224; 30:65-68, 96-102; 34:245; 35:280; 36:283; 38:157; 41:150, 151, 276; f. violacea 30:98, 99, 102. erosa 9:47. eximia 30:63; 41:277. farinosa 4:16, 150; 9:15; 19: 92; 25:10; 28:60, 75, 224; 30:60-62, 66-77,

85-87, 99; \(\beta\). americana 30:60, 86, 87; \(\beta\). stricta 30:66; subsp. eufarinosa, var. genuina 9:15; 30:61, 69, 73; subsp. groenlandica 30:99; subsp. mistassinica 30:89; var. americana 9:15; 28:224; 30:61, 69, 71; var. americana 9:15; 28:224; 30:61, 69, 71; var. denudata 30:72; var. genuina 30:69, 73; var. groenlandica 30:66-68, 98; var. incana 9:16; 28:54, 224; 30:73; 34:55; var. macropoda 9:16, 163, 167, 217; 11:97; 13: 138, 216; 15:142; 17:154, 155; 23:139, 286; 24:179; 25:10; 28:224; 30:61, 62, 66, 69, 70, 73; 34:55; 44:144; var. magellanica 30: 74-76; var. mistassinica 30:66, 89. finmarchica 30:100. glabrescens 30:66. groenlandica 30:99. Hornemanniana 30: 66, 89. Hunnewellii 36:117, 118, pl 30:101, 102. intercedens 30:65, 77, 86, 30:101, 102. Intercedens 30:55, 77, 86, 87, 102; 35:388; 37:64, 72. intermedia 30:101. laurentiana 30:64, 68, 70–72, 77, 87, 102, pl. 169; 31:54; 34:55; 35:51, 233; 36:332; 38:157; 44:126, 144; 47:259; f. chlorophylla 30:72, 102. Loczyi 30:94–97. Maccalliana 30:89, 92, 93. Macounii 30:63. macropoda 30:69, 70. magellanica 30:61. 74-76; 35:335. mistassinica 2:136; 4:16; 6: 74-76, 53-535. Instassimea 2.136, 4:10, 6. 97, 126, 192; 9:163, 167, 172; 11:97; 12:112-115; 19:68; 21:148; 22:39, 49; 23:25; 23:75; 30: 60-62, 65-67, 71, 72, 87-95, 98, 99, 102; 33:112, 123, 227; 35:51; 36:283; 37:72; 43:342; 44:120; f. leucantha 21:148; 30: 60, 88, 89, 91, 102; var. noveboracensis 30:88, 89, 91–93, 102; var. typica 30:89. nivalis 30:63; γ. pumila 30:63. norvegica 30:100, 101. officinalis 22:143; 24:118. 30:100, 101. officinalis 22:143; 24:118. parvifolia 30:65, 93, 94, 102. pumila 30:63; var. arctica 30:63; var. Ledebouriana 30:63. pusilla 30:60, 69, 86, 89. rotundifolia 30:101, 102. Rusbyi 30:86. scotica 30:67, 69. sibirica 27:206; 30:65–67, 97, 98, 100–102; 41:161, 277; γ. minor 30:97; var. β. integrifolia 30:101, 102; var. arctica 28:98, 99, 105, 224; 30:99; var. borealis 30:95; var. kashmiriana 30:102; var. mistassinica 30:89; var. rotundifolia 30:102. 30:95; var. kashmiriana 30:102; var. mistassinica 30:89; var. rotundifolia 30:102. specuicola 30:60, 65, 85, 86, 102; 36:117, 118, pl. 282. stricta 30:61, 64, 66-68, 72, 74, 77, 87, 88, 95, 98, 99, 102; 34:245; 38: 157; 41:277; var. groenlandica 30:66-68, 98, 99, 101; var. jacutensis 30:66, 67. tenuis 30:94. Tschuktschorum 30:63; var. arctica 30:63; var. pumila 30:63. veris 22:143; 24:233; 29:125, 184, 218.

Primulaceae 4:16, 213; 6:126; 18:42; 24:232; 25:10; 26:227; 29:218; 30:94; 31:43; 32: 270; 34:206; 36:283; 43:81; 49:255; 50:298

Primularia cashmiriana 9:47

Pringsheimia 5:1; 10:157. scutata 2:45; 10: 157

Prinos 41:427; 47:364. ambiguus 41:425-429. corymbosus 41:428. dubius 41:425, 426, 428. laevigatus 41:427. montanus 41:424. padifolius 2:105, 106. sideroxyloides 41:424. verticillatus 2:105, 106; 29:181, 216; 41:425, 426 Priva 30:54 Privet 39:353

Proboscidea 34:215. fragrans 34:215. louis-

ianica 34:215. violacea 34:215

Proserpinaca 23:117; 41:468. amblyogona 37: 177; 47:218. intermedia 23:117, 166, 277; 32:177, 212; 41:468, 551, 584, fig. 3; 45: 373, 454. palustris 1:184; 5:132; 11:120; 14:31; 23:117, 165, 277; 24:179; 32:19, 148, 210, 267; 37:177; 39:332, 354, 477; 41: 468, 551, 584, fig. 1; 44:173, 174; 47:218; var. amblyogona 11:120; 37:177; 47:218; var. crebra 37:177; 47:218; var. latifolia 37:177. pectinata 5:134; 7:75; 13:8; 14: 31; 23:117, 165, 168, 277; 24:179; 32:212; 39:354, 436, 466; 40:371, 447; 41:468, 551, 584, fig. 2; 44:234. platycarpa 37:177; 39: 477; 47:218

Prosopididae 41:186

Prosopis juliflora 35:225; 37:77. modesta 41: 186

Protococcus membraninus 50:68. miniatus 9:198. ovalis 10:155. rufescens 50:68. viridis 50:70, 274

Protoderma 5:1; 26:189. marinum 2:45; 3: 132, 137; 7:225; 26:213; 43:213; 50:259. viride 50:274

Protosiphon botryoides 26:212; 50:70

Protozoa 39:280; 50:278

Pruche 31:20

Prunella 6:128; 15:179, 181–183; 25:40; 33: 109; 42:244; 50:190. canadensis 50:190. caroliniana 50:190. cinerea 15:182, 183. cordata 15:182. heterophylla 15:182. hirsuta 15:182. hispida 15:183. microphylla 15:182. nova-anglia 50:190. obtusifolia 15:182. pensylvanica 15:180, 183; α. ovata 15:180; β. lanceolata 15:180, 181; var. lanceolata 15:182. petiolaris 15:182. reticulata 15:182. rosea 15:182. sessilifolia 15:182. vullgaris 3:189; 5:50; 6:128; 9:122; 15:179–182; 17:36; 18:42; 22:136; 25:40; 29:185, 219; 32:272; 36:374; 40: 134; 50:190; α. hispida 15:182; β. lanceolata 15:183; β. major 15:181, 183; β. pennsylvanica 15:180, 183; β. vulgaris 15:181, γ. elongata 15:180, 183; f. albiflora 15:182, 183; 25:40; 42:41; var. albiflora 15:182, 183; 25:40; 42:41; var. albiflora 15:182, 183; 40:134; var. aleutica 15:182, 185; var. atropurpurea 15:182, 183; 36:55; var. lanceolata 15:182, 185, 186; var. elongata 15:182, var. hispida 15:182, 183; 36:55; var. lanceolata 15:182, 183; 17:154; 25:41; 29:185, 219; 32:272; 33:124; 35:282; 37:87; 43: 81; 50:190; f. candida 15:182, 184, 186; 25:41; 42:338; f. rhodantha 15:182, 185; var. scaberrima 15:182, 183

Prunus 3:241; 6:120; 12:180; 14:196, 198; 15:32; 18:67, 69, 202, 203; 19:62; 20:56; 21:190; 30:235; 39:371, 373, 375; 41:514, 515, 520; 43:220; 44:237; 45:451; 47:144. alleghaniensis 3:64. americana 1:39; 3: 234; 14:196, 197; 18:202; 20:56; var. mollis 13:31; 19:228. angustifolia 14:197, 198; 18:202; 36:32, 45; var. Watsoni 14:196.

Avium 1:220; 12:128, 176, 181; 20:56. Besseyi 18:202. caroliniana 18:202; 30: Besseyi 18:202. caroliniana 18:202; 30:235; 46:45. Cerasus 12:32; 20:56; 37:86; 43:159; 47:378. cuneata 3:160; 5:128; 12:128; 14:135; 15:98, 153; 16:90; 18:26, 67-69, 201; 20:56; 24:99; 25:69, 71-73; 42:88, 92. demissa 45:355. depressa 16: 90; 25:69-71, 73; 31:84; 33:234. domestica 43:160; 47:378; subsp. institia 18:155; var. insititia 18:155. eximia 45:327. geniculata 18:202. Gravesii 8:80; 11:49. hortulana 23:180; 36:231. insititia 3:234; 18:155; 19:228; 20:56. Mahaleb 1:69; 11:49; 20:56. maritima 5:131; 11:127; 13:91; 14:20; 16:91, 92; 18:97, 202; 20:56; 29:58; 32:151, 210, 211, 255; 39:89, 374, 375; f. flava 16:92; 24:111. melanocarpa 45:355; f. Rydbergii 45:355. Munsoniana 47:215 45:355; f. Rydbergii 45:355. Munsoniana 47:215. nana 30:235. nemoralis 46:45. nigra 3:234; 6:120; 12:128; 13:31; 19:228; 20:56; 31:84. Padus 25:169-171, 177. Parksii 45:326. pensylvanica 3:130, 164, 174; 5:128; 6:120; 12:128, 181; 17:152; 18: 38, 202; 20:57; 21:130, 199; 22:134; 25: 9; 28:82; 29:180, 215; 32:179; 33:122; 34: 53; 36:281; 40:161; 42:95; 44:259; 46:86. Persica 13:91; 20:57; 41:515, 520. pumila 3:160, 234; 4:130; 5:204; 12:113; 13:141; 15:203; 16:12; 18:70, 202; 19:63; 24:99; 25:69-73, 211; yar. cuneata 25:73. salicina. 25:69-73, 211; var. cuneata 25:73. salicina, var. pubipes 18:155. serotina 2:187; 3: 130, 188; 5:129; 6:120; 7:125; 12:180; 18: 140, 141, 202; 20:57; 21:199; 23:272; 25: 170, 171; 26:225; 29:180, 215; 30:235; 32: 151, 152, 161, 255; 39:371, 372, 374, 375; 43:340; 45:327; 47:301; 50:297. sphaero-carpa 18:202. spinosa 12:128. susque-hanae 25:69, 71-73. triflora, var. pubipes 18:155. umbellata 18:202; 36:32, 45; 44: 259. virens 45:325. virginiana 1:168; 3: 130, 164, 174; 5:128; 6:120; 12:181; 16: 13, 16; 18:140, 141; 20:57; 21:199; 25: 169-171; 29:180, 215; 30:234-236; 32:179; 35:274; 40:146; 43:348; 44:72; 45:354, 45:55; 47:207; f. leucocarpa 31:99; 36:89; var. demissa 45:355; var. leucocarpa 15:135; 19:228; 24:117; 31:99; 36:89. Watsoni 14: 196 25:69-73, 211; var. cuneata 25:73. salicina,

Prymnesium parvum 50:272, 276

Psalliota 13:62. arvensis 50:287. campestris 39:373

Psamma Grass 22:70

Psathyra fibrillosa 44:172 Psathyra hormosa 44:172
Psedera 10:24-26; 12:182; 22:72. heptaphylla 10:28. hirsuta 10:26; 41:429. laciniata 10:28. quinquefolia 10:25, 28; 12:182; 14:21; 22:72; 26:226; 32:264; 39:374, 375; 50:298; var. hirsuta 10:26, 28; 19:230; 22:72; 31:146; 41:429; var. minor 10:27; var. murorum 10:27; var. Saint-Paulii 10:27; 25:287 tevana 10:29. tripoulii 10:27; 25:287 Paulii 10:27; 35:287. texana 10:29. tricuspidata 10:29. vitacea 10:27-29; 16: 13; 22:72; f. macrophylla 10:28; var. dubia 10:28; 41:431; var. laciniata 10: 28

Pseudathyrium 30:48. alpestre 30:48 Pseuderanthemum laxiflorum 18:159 Pseudoauliscus radiatus 9:139

Pseudo-Elephantopus 50:280. spicatus 50: 280 - 283

Pseudoëspostoa 44:28

Pseudoeunotia bicapitata 9:138. doliolus 26: 194, 218. flexuosa 9:138. lunaris 9:138

Pseudofumaria 9:54 Pseudohedera 10:24

Pseudoleskea oligoclada 39:3, 4, 10, 11, 13,

43, fig. 3 (map) Pseudotaenidia 26:23, 24. montana 25:168;

Pseudotsuga mucronata 16:95. nobilis 42

Psilocarphus globiferus 40:311

Psilocarphus globiferus 40:311
Psilocarya 3:33; 33:53; 42:515; 49:88. § ii.
Pauci-Nucigerae 46:134. corymbifera 24:
148; 37:155, 187, pl. 344. nitens 10:142;
24:86; 28:88; 37:155, 187, pl. 344; 44:241;
48:37, 58; 49:87, 125. scirpoides 5:130;
10:137, 142; 24:86; 26:180; 29:241; 32:
177, 211; 37:155, 187, pl. 344; 41:111; 44:
241; var. Grimesii 37:154, 155, 187, pl.
344; 39:475; 42:384, 420; 44:343, 364; 49:

Psilocybe elongata 44:172 Psilosanthus 9:55; 48:167

Psithvrus ashtoni 36:28. laboriosus 37:161:

Psoralea 31:96; 45:366; 46:306. argophylla 36:224. canescens 43:503, 506, 518, 571, map 6. caudata 38:406. Dalea 31: 92. digitata 35:361. eglandulosa 39:426, 427; 44:259. esculenta 36:223, 224; 48: 99. floribunda 44:252; 47:215. gracilis 39: 427. humilis 38:405. Jamesii 31:96. melilotoides 39:425, 427; β. gracilis 39:427. Melilotus 39:425. multijuga 44:259. Onobrychis 36:230; 49:80. pedunculata 36: Ondorychis 36:230; 49:80. pedunculata 36: 54, 230; 38:378, 406, 424; 39:325, 425, 427; 44:259. psoralioides 38:406, 424; 39:325, 425, 427, 428, 484; 47:207; var. eglandulosa 39:426, 428; 44:259; 45:366, 452; 47:95, 127, 156, 207, 215; var. gracilis 39:427, 428; var. typica 39:425, 426. Rydbergii 38:405. sericea 39:425. subacaulis 46:306, 308. tenuiflora 47:215; f. alba 41:585; var. floribunda 36:223, 224; 47: 215

Psoralidium floribundum 47:215 Psoroma hypnorum 28:226 Ptarmica sibirica 31:219

Ptelea 7:157, 159, 160; 13:81; 21:49, 50, 81. mollis 13:80–82; var. **cryptoneura** 13:81, 82. trifoliata 1:39, 104; 10:151; 13:80; 21:49, 81; 41:138, 466, 478, 547; 44:240, 346, 425; 46:307; β. pubescens 38:233; f. **pubescens** 38:233; var. mollis 13:80, 81

Pteretis 21:175; 30:18. nodulosa 21:175, 178; 22:81, 83; 23:136, 164, 170, 186; 28:124; 30:18; 32:136; 34:244; 36:276; 40:280; 42: 315; 47:124; f. obtusilobata 37:219; 47:124; f. pubescens 37: 219; 47:124. pensylvanica 47:123; f. foliacea 47:124; f. obtusilobata 47:124; f. pubescens 47:124. Struthiopteris, var. pensylvanica 47:124; subvar. foliacea 47:

pensylvanica 47:124; subvar. foliacea 47: 124; subvar. obtusilobata 47:124; subvar. pubescens 47:124.

Pteridium 21:176, 179; 26:230; 28:143, 144; 30:13; 37:205; 43:1, 5, 7, 9-12, 37, 44, pls. 650-653; 44:163, 164. aquilinum 21:179; 37:247; 43:1, 2, 4, 7, 12, 43, 58; 44:163; f. glabrum 43:43; subsp. capense 43:17; subsp. caudatum 43:6-8, 13, 14, 52, 64, map. 1, pl. 650; yar arachnoideum 43:7 map 1, pl. 650; var. arachnoideum 43:7, 9, 15, 53, 56–59, 62, 66, 67, map 12, pls. 650, lentum 43:61; subsp. typicum 43:6, 7, 9, 12, 14, 15, 64, map 1; var. africanum 43: 9, 13, 39, 50–52, 66, 67, map 6, pls. 650, 552; var. decompositum 43:13, 29, 38, 40, 41, 66, pls. 650, 651; var. Feei 43:9, 13, 20, 29, 37-39, 41, 65, 66, map 7, pls. 650, 651; var. latiusculum 43:1, 4, 6, 9, 13, 18-20, 23, 25, 27-29, 37, 41, 42, 44, 45, 49, 50, 65-67, map 8, pls. 650, 652; var. pseudocaudatum 43:1, 6, 13, 39, 45, 25, 652, 55, 61, 66, 67, rep. 5, pls. 650, 652 48–50, 52, 55, 61, 66, 67, map 5, pls. 650, 652; var. pubescens 43:9, 13, 20, 24, 26–29, 37, 38, 41, 43–45, 65–67, map 3, pls. 650, 37, 38, 41, 43-45, 65-67, map 3, pls. 650, 652; var. typicum 43:9, 13, 15, 19, 20, 23, 29, 38, 39, 45, 52, 66, map 4, pls. 650, 651; var. Wightianum 43:6, 9, 13, 18, 20, 22-25, 44, 45, 64, 66, map 2, pls. 650, 651; var. aequipinnulum 43:61; var. africanum 43:39, 50-52, 66, 67, map 6, pls. 650, 652; var. arachnoideum 43:7, 9, 15, 53, 56-59, 62, 66, 67, map 12, pls. 650, 653; var. brevipes 43:17; var. capense 43:17; var. caudatum 43:3, 9, 15, 53-56, 58, 59, 62, 64, 66, 67, map 11, pls. 650, 653; f. africanum 43:51; f. glabratum 43:54; f. pubescens 43:54; var. crispulatum 43:17; pubescens 43:54; var. crispulatum 43:17; var. decipiens 43:65; var. decompositum 43:13, 29, 38, 40, 41, 66, pls. 650, 651; var. esculentum 43:7, 15, 42, 56, 59, 61-64, 66, 76, map 9, pls. 650, 653; f. arach-64, 66, 76, map 9, pls. 650, 653; f. arachnoideum 43:58; var. Feei 43:9, 13, 20, 29, 37–39, 41, 65, 66, map 7, pls. 650, 651; var. glabrum 43:66; var. japonicum 43:43; var. lanuginosum 37:247, 248; 43:17, 26; f. decipiens 37:248, 338, pl. 358; 43:65; var. latiusculum 32:152, 227; 43:1, 4, 6, 9, 13, 18–20, 23, 25, 27–29, 37, 41, 42, 44, 45, 49, 50, 65–67, map 8, pls. 650, 652; var. osmundaceum 43:17; var. osmundoides 43:23: var. pseudocaudatum osmundoides 43:23; var. pseudocaudatum 32:176, 211; 43:1, 6, 13, 39, 45, 48-50, 52, 55, 61, 66, 67, map 5, pls. 650, 652; var. pubescens 37:247; 43:9, 13, 20, 24, 26-29, 37, 38, 41, 43-45, 65-67, map 3, pls. 650, 652; var. pubescens 37:247; 43:9, 13, 20, 24, 26-29, 37, 38, 41, 43-45, 65-67, map 3, pls. 650, 652; var. 652; var. typicum 43:9, 13, 15, 19, 20, 23, 29, 38, 39, 45, 52, 66, map 4, pls. 650, 651; var. umbrosum 43:17; var. Wightianum 43:6, 9, 13, 18, 20, 22–25, 44, 45,

64, 66, map 2, pls. 650, 651; var. yarrabense 43:6, 7, 9, 15, 42, 62-64, 66, 67, map 10, pls. 650, 653; 44:163. arachnoideum 43: 58. capense 43:17; var. decompositum 43: 40; var. densa 43:23. caudatum 43:54. ceheginense 43:17, 20. centrali-africanum 43:51. esculentum 43:61. Feei 43:37. revolutum 43:23. spinulosum 5:206, 207

Pteridophyta 6:100; 9:36, 152, 157, 187; 34: 247; 40:182, 281; 41:142; 42:315; 44:484;

48:384; 49:206; 50:16, 117

Pteridophytes 44:332; 50:288, 291, 292, 301 Pterigynandrum filiforme 1:54; 12:153; 13:

46; 15:13; 24:123; var. minus 1:54

Pteris 6:101; 7:95, 160; 9:82; 21:176, 177, 179; 28:143; 31:21, 93; 43:6, 7, 11, 12, 16. § Ornithopteris 43:6. abbreviata 43: 16. § Ornithopteris 43:6. abbreviata 43: 17. aquilina 1:219; 2:183, 229; 3:129, 132, 164, 168, 190; 5:47; 6:101; 9:82; 17:153; 18:31; 21:176, 179; 22:133; 29:145, 205; 30:13; 31:21; 32:227; 34:240; 37:248; 43:6, 7, 16, 18, 19, 27, 49, 65, 66; γ. decipiens 37:247, 248; f. caudata 43:61; f. esculenta 43:61; f. lanuginosa 43:17; var. β. 43:6; var. abbreviata 43:17, 20; var. arachnoidea 43:58; var. caudata 43: 7. 54; var. ciliata 43:16; var. crispa 43: 7, 54; var. ciliata 43:16; var. crispa 43:17; var. decipiens 43:65; var. esculenta 43: 17; var. deeplens 43:7, 66; var. integerrima 43:16, 18; var. lanuginosa 37:247; 43:7, 17, 26, 29, 65; var. mexicana 43:54, 64; var. multifida 43:17; var. normalis 43:17, var. 18; var. pseudocaudata 6:138; 21:179; 30:13; 43:48, 50; var. psittacina 43:58; var. pubescens 43:17, 26, 27, 37, 41, 43; var. sinuata 43:16; var. transsilvanica 43:17; var. vera 43:16–18. arachnoidea 43:6, 58. atropurpurea 6:97; 50:154. attenta 43:16. auriculata 43:61. borealis 43:16. brevipes 43:16. campestris 43:58. capensis Forevipes 43:16. campestris 43:58. capensis 43:6, 16. caudata 43:6, 41, 48, 49, 54, 55, 66; var. mexicana 43:54, 64. ciliata 43:41. coriifolia 43:7, 16. cretica 2:88. crispa 37:238, 240, 245. decomposita 43:6, 40. densa 43:22, 23, 25. esculenta 43:6, 61. excelsa 43:22, 66. Feei 43:37. firma 43:22, 66. feemina 43:16. Gardneri 43:58. gracilis 43:17, 20. Heredia 43:17. lanigera 43:22. lanuginasa 37:247:43: 17. lanigera 43:22. lanuginosa 37:247; 43: 66; var. pseudocaudata 43:49. longifolia 21:176. lorigera 43:63, 64. novae-angliae 43:48. nudicaulis 43:16. oreodoxa 43:16. plebia 43:16. polystichoides 43:16. pseudocaudata 43:49. psittacina 43:7, 58. recurvata 43:6, 22, 25, 66; var. Wightiana 43:22. revoluta 43:22. semihastata 43: 6, 63. Sprengelii 43:41. terminalis 43:

22. tremula 17:64. villosa 43:22. Wightiana 43:22

Pterobryaceae 37:228 Pterocarpus 33:32

Pterocaulon 17:135. pycnostachyum 17:135,

Pterolepis 49:52

Pteronia caroliniana 48:394

Pteropsiella 9:68

Pterosiphonia dendroidea 17:95

Pterospora 29:5; 33:140. Andromedea 93; 33:139; 50:212

Ptilidiaceae 25:196; 26:11; 39:36 Ptilidium ciliare 1:34, 35; 3:181; 4:30; 5: 51, 172; 8:43, 44; 15:25; 25:196; 26:11; var. pulcherrimum 8:42.

Ptilimnium 49:157. capillaceum 7:75; 11: 226, 229; 29:71; 32:148, 210, 268; 39:482; 48:162. costatum 44:253; 47:218. vivi-

parum 49:157

Ptilina aquatica 41:377 Ptilium crista-castrensis 30:11 Ptiloria neomexicana 38:408

Ptilota elegans 50:268. pectinata 2:51; 7: 243; 8:112; 10:116; 33:131; f. tenuis 8: 112. serrata 24:3

Ptychomitrium 36:60. Drummondii 42:277.

Gardneri 36:60 Puccinellia 13:216; 15:146; 18:1-5, 181; 19: uccinema 13:216; 15:146; 18:1-5, 181; 19: 120; 24:100; 28:150, 151; 30:77; 36:347, 348; 40:393; 48:22; 49:254, 260. airoides 6:83; 18:6, 16, 17, 23, 181, pl. 115; 29: 106. alaskana 18:18; 36:347. angustata 4:27; 17:147; 18:4, 19, 21, 23, pl. 116; 19: 120. arctica 18:4; 41:181. Borreri 10: 65, 18:4; 19:120: 40:266. 4:27; 17:147; 18:4, 19, 21, 23, pl. 116; 19: 120. arctica 18:4; 41:181. Borreri 10: 65; 18:9; 19:120; 49:260. coarctata 18: 5, 13, 15, 22; 28:118, 150, pl. 115; 44: 138. Cusickii 18:181, 182; 29:106. distans 15:146; 18:2, 5, 11, 22, 181, pl. 114; 19:120; 24:113; 25:208; 28:151; 29:92; 39:150; 40:393; 41:181; 48:20; 49:241, 260; var. angustifolia 48:20; 49:260; var. tenuis 18:5, 12; 25:208; 49:260. fasciculata 18: 5, 9, 22, pl. 114; 19:120; 24:100; 29:92; 31:83; 32:177; 37:389; 48:20, 25; 49:260. laurentiana 18:6, 14, 17, 23, pl. 115; 44: 104, 138. Lemmoni 18:183. lucida 18: 6. 16, 17, 23, 181, 182, pl. 116; 44:104, 139. macra 18:6, 15, 17, 22, 23, pl. 115; 44:127, 138. maritima 5:133; 15:146; 17: 208, 213, 221; 18:2-6, 8, 22, pl. 114; 23: 94, 102, 231; 27:54; 28:151; 32:159, 237; 34:118; 35:167; 39:53, 54; 48:20, 25; 49:260; var. minor 18:18, 21, 23. nutkaensis 18:15, 22, 23, pl. 115. Nuttalliana 18: 16, 181; 35:182; 48:20. paupercula 18: 6, 9, 18, 21, 23, pl. 117; 36:347, 348; var. alaskana 18:6, 9, 17, 18, 21-23, pl. 117; 19:120; 20:97, 116; 23:231; 29:91, 93, 248; 32:148, 159, 213, 237; 33:111, 117; 34:51; 36:347; 41:166, 181; 48:20, 25; 49:260; var. longiglumis 18:6, 20, 21, 23, pl. 117; 20:97. phryganodes 18:3-5, 8, 9, 18, 19, 22, pl. 114; 38:142; 41:166, 181, pumila 20:97. phryganodes 18:3–5, 8, 9, 18, 19, 22, pl. 114; 38:142; 41:166, 181. pumila 36:348; 49:260. rupestris 18:6, 10, 22, pl. 114. tenella 32:60, 61. vaginata 18: 14, 15. Vahliana 18:4; 41:38, 39

Puccinellias 39:127

Puccinia 12:124, 125; 26:218. agropyrina 38: 98. a n d r o p o g o n i s 38:98; 41:517. Anemones-virginianae 34:62. angustata 34: 62; 41:517. antirrhini 39:373. ari-triphylli 62; 41:517. antirrhini 39:373. ari-triphylli 44:174. Asparagi 34:62. Asteris 34:62; 41: 517. Asterum 34:63. bardanae 34:63; 39: 373. Bolleyana 44:172. canaliculata 41: 517. caricis 44:172. Circaeae 34:63. Clematidis 34:63. convolvuli 44:172. coronata 34:63; 41:517, 518; 43:341; 44:172; 50:287. Cyani 34:63. dispersa 34:63. Eriophori 34:63. extensicola 38:98. graminis 34:63; 39:373; 41:517. Grossulariae 34:63. Helianthi 34:63; 41:517. Heutherae 34:63. Hieracii 34:63; 41:517. investita 39:373; 41:517. Iridis 41:517. licherae 34:63. Hieracii 34:63; 41:517. Investita 39:373; 41:517. Iridis 41:517. limosae 38: 98. Lobeliae 34:64. malvacearum 26:218; 34:64; 41:518. menthae 39:373; 41:514. mesomajalis 34:64. obtegens 44:172. Orbicula 34:64. peridermiospora 38:98; 44:172. Phlei-pratensis 26: 218. Pimpinellae 34:64. Polygoni-amphibii 24:64. prosegninagae 44:173. munctata 34: 34:64. proserpinacae 44:173. punctata 34: 64. recedens 34:64. rubigo-vera 38:98; var. Agropyri 41:518; var. Secalis 41: 518. Sambuci 34:64. Seymouriana 34:64; 38:98; 41:518. Sorghi 41:518. suaveolens 34:64. triticina 26:218. Violae 34:64; 44: 173. Waldsteiniae 34:64. xanthii 38:98

Pucciniastrum 10:15-17. Agrimoniae 34:64. americanum 34:64. arcticum 10:13, 15, 16, 218; 34:64; var. americanum 16. Myrtilli 34:64; 38:98; 39:373. tentillae 10:16; 34:64. pustulatum 34:

64; 41:518

Pueraria Thunbergiana 44:352, 421; 49:150

Pulmonaria 33:88

Pulsatilla 41:228. hirsutissima 12:16. ludoviciana 41:228; 42:325. multiceps 41:163, 227, 228

Pumpkin Ash 39:331

Punctaria 2:131, 206; 26:189, 190; 50:256. latifolia 2:47; 7:227; 26:191, 214; 43:214; 50:262. plantaginea 2:47; 7:228; 50:262. tenuissima 50:262

Purdie's Concord Fern 6:33

Purnals 1:167

Purple Agalinis 15:224. Cliff-brake 4:54. Flowering Raspberry 28:71. Gerardia 25: 62. Raspberry 9:5. Saxifrage 28:62. Trillium 46:158. Vervain 41:184–186

Purshia tridentata 36:12 Purslane 17:226; 28:71. Sea 28:63, 100 Pussy Willow 28:73, 95

Pussy Willow 28:73, 95
Putamineae 47:385, pl. 991
Pycnanthemum 3:221; 9:55; 10:86; 25:41; 39:353; 42:390; 47:178, 179. § Brachystemum 50:221, 222. § Tullia 50:220, 221. albescens 36:220, 231; 37:440; 39:482. aristatum 16:89; 39:474, 477; 47:176, 178, 179; 50:221; var. hyssopifolium 39:477; 50:222. Beadlei 39:446. elinopodioides 25:41; 39:445; 47:176, 179, 180, pl. 907. flexuosum 25:41; 32:216, 273; 37:416; 50: 221-223, pl. 1112. hyssopifolium 47:176-178, 180, pl. 905; 50:220-222, pl. 1112.

incanum 10:165; 21:201; 25:41; 36:220; 37:440; 41:35; 47:100; var. Loomisii 37: **440;** 47:100; var. **puberulum** 47:180. lanceolatum 1:82; 10:154, 165; 50:222. leptodon 50:223. linifolium 4:75; 10:164; 50:220-223. Loomisii 37:440. monotrichum 47:176-178, 180, pl. 903. muticum 1:104; 5:204; 10:165; 16:89; 25:41; 32: 216, 273; 37:416; 41:514, 520. pilosum 38:65; β. leptodon 50:223. puberulum 47: 100, 180. pycnanthemoides 10:86; 39: 353, 446; 47:176–178; var. viridifolium 39:445, 446, 475; 45:476; 47:177, 180, pl. 904. setosum 47:177, 180, pl. 905; 50: 221. tenuifolium 50:222, 223. Torrei 13: 32. 47502 223. 32; 43:508, 638; var. leptodon 50:223. Tullia 10:86; 47:176, 177. umbratile 47: 179, pl. 906. verticillatum 25:41; 32:213; 42:390, 478; 45:475. virginianum 15:135, 201; 25:41; 39:446. viridifolium 47:177 Pycreus 44:44, 46. lagunetto 44:86. r stachyus, var. β. laxiflora 41:530; 42:85

Pylaiella 35:63. fulvescens 35:63, 64. littoralis 2:47; 7:226, 242; 10:116; 16:4; 26:214; 33:130; 35:64; 50:261, 262; var. fluviatilis 2:47; var. robusta 2:47; var. varia 2:47.

Pylaisella intricata 1:55. velutina 1:55

Pylaisia 35:146. intricata 4:30. polyantha 3:180. velutina 4:183; 6:73

Pyrameis atalanta 38:91 Pyramidomonas 50:277 Pyrenomycetes 50:285 Pyrenothrix nigra 23:184 Pyrenula nitida 29:98

Pyrethrum 25:16; 47:389. inodorum, β.

nanum 36:192, 193; var. salinum 11:239
Pyrola 6:125; 7:160; 18:71, 185; 22:39, 50, 123; 24:155; 29:1-4; 33:60, 109; 38:92; 39:319; 42:243; 44:35. subgen. Actinocyclus 29:1. subgen. Amelia 29:1. subgen. The-laia 29:1. americana 6:200, 201; 11:96; 13:97, 139, 146; 15:122; 17:152; 22:40, 43. 13.9, 163, 140, 16.122, 17.1162, 22.30, 44, 52, 53, 121, 122, 137, 24:155; 32:269; 37:92, 94. aphylla 29:5. asarifolia 1:93, 193; 3:151; 6:125, 142, 179, 193, 198, 199; 12: 113; 13:115, 141, 148; 16:15; 20:101; 22:39, 44, 45; 32:206; 33:178; 41:272; 50:212, 213; 13:178; 41:272; 50:212, 213; 13:213; 13 44, 45; 32:206; 33:178; 41:272; 50:212, 213; var. incarnata 6:178; 12:117; 13:138, 141; 19:31, 52; 22:40, 42, 44, 45, 121; 28: 75; 36:283; 41:271-273; 42:335; 50:212, 213. borealis 41:272, 273. bracteata 6: 198, 199. canadensis 41:272, 273. chlorantha 1:93; 3:151; 6:125; 11:96; 22:39, 43, 44, 49-53, 194; 23:278; 24:179; 25: 10; 29:217; 32:206; 33:123; 34:54; 36:283; 41:149, 271, 272; 43:167; 48:163; 49:250; f. paucifolia 43:167; var. convoluta 22: f. paucifolia 43:167; var. convoluta 22: 51, 52, 53; 24:155; 43:167; var. occidentalis 22:50; var. paucifolia 22:51-53; 23: 278; 24:179; 43:155, 167; var. saximontana 22:51; 43:167. convoluta 22:49, 50, 52; 43:167. cordata 22:52, 53. dentata 38: 200. elliptica 1:93; 6:125; 13:147; 17: 152; 22:39, 41, 43, 44, 123, 134; 24:155; 32:206; 38:92-94, fig. 2. frutescens 19: 241. Gormanii 41:272, 273. grandiflora

6:197-202; 9:24, 162, 190; 19:142; 25:114; 29:3; 36:182, 283; 38:156, 411; 41:146, 158, 271, 272; 42:334; 44:124; 45:313; var. canadensis 41:149, 272. 273; 42:335; var. Gormanii 41:272, 273; 42:335; var. typica 41:273. groenlandica 6:197, 202; 41:271. incarnata 6:178, 179. intermedia 22:122. japonica 6:199. maculata 29:1. maritima 22:122. maritima 22:122. maritima 22:122. maritima 22:122. maritima 22:123. maritima 22:124. 22:122. Japonica 0:199. Inactitata 29:1.
maritima 22:122. media 6:197, 198. minor
1:93; 3:155, 175; 6:193, 197, 198; 8:168;
9:154; 11:13, 96; 13:138; 25:10; 29:1, 3,
119, 183, 217; 32:205, 206; 33:60; 34:26;
35:277; 36:283; 41:151, 156, 274. novebox racensis 6:200. occidentalis 22:50: 41:271, 272. oxypetala 39:319. paucifolia 43:167. pieta 22:50. pumila 6:197, 202. rotundifolia 1:93; 6:179, 197-202; 15:190; 22:53, 121, 122; 29:1, 3; 35:84; 36:182; 38:93; 41:272; 44:124; var. americana 22:121, 122, 123; 23:278; 24:155; 32:269; 45:377, 455; var. arenaria 6:201; 22:121, 122; 23: 97, 138, 278; 24:179; 29:127, 183, 217; 36:182; var. grandiflora 6:202; var. incarnata 6:178; var. pumila 6:197, 202; 41:271; var. uliginosa 1:94; 3:195; 6:125, 179. secunda 1:94; 3:175; 6:125; 10:20; 13:126; 18:41, 187; 22:39, 42-44, 130, 134; 24: 155; 28:223; 29:1, 2, 5, 217; 32:206; 33: 51, 123, 178; 34:26; 37:206; 41:274; 42: 334; 48:163; f. eucycla 28:223; var. obtusata 272. oxypetala 39:319. paucifolia 43:167. 334; 48:163; f. eucycla 28:223; var. obtusata 10:145; 11:96; 22:40, 42-44; 23:146, 278; 25:10; 28:223; 34:54; 36:283; 38:156; 41:146, 274; 42:334; var. pumila 1:94; 6:125, 205; var. typica 41:274; var. vulgaris 28:223. uliginosa 6:125, 179; 13:221; 22:42; 41:272. umbellata 19:238, 241; 29:1. uniflora 17:28; 21:10; 22:180. virens 43:167; f. paucifolia 43:167; var. convoluta 43:167; var. saximontana 43:167

Pyrolaceae 17:28; 29:1, 2, 4, 5; 45:313 Pyrrhopappus carolinianus 36:52; 38:377.

scaposus 34:6 Pyrularia pubera 46:83

Pyrus 6:120; 7:160; 9:202; 10:195; 12:179; 18:153; 20:57; 21:190; 33:110; 39:204; 44: 35; 45:450, 451; 47:144, 378; 48:132; 49: 230-232. § Malus 40:372. § Sorbus 35:122. 230-232. § Maids 40:372. § Sorbus 35:122. subgen. Aronia 42:153; 47:103. americana 1:167, 183, 191; 3:174; 5:35; 6:120; 8:102; 9:63, 203; 11:94; 12:179; 13:238; 15:121; 17:152, 153; 18:38; 20:57; 21:201; 22:131, 134; 23:166; 27:212; 29:177, 178, 214; 33: 227; 34:53, 61; 35:322; 36:281; 49:248, 249; × arbutifolia 9:202; × arbutifolia, var. atropurpurea 49:249; var. decora 23:266; 45:28. angustifolia 36:45; 47:215; var. puberula 18:154. arbutifolia 1:106; 4:55, 56, 131; 5:45, 49, 131; 6:141; 11:47; 12:179; 20:57; 23:156, 266; 24:174; 29:177, 214; 32: 151, 210, 254; 36:32, 45; 39:374, 375; 40: 274; 42:153; 49:231; var. atropurpurea 10: **33**; 11:94, 231, 232; 13:117, 135, 149; **17**: 152; 18:38, 154; 20:57, 105; 23:156, 266; 29: 177, 178, 214; 32:254; 33:121; 42:153; 49: 249; × dumosa 33:121; var. erythrocarpa 4:91; var. melanocarpa 2:69; 3:188; 4:38,

91; 6:120; 20:105; 29:177. × Arsenii 29: 177, 214; 33:121; 49:248, 249. atropurpurea 18:154. Aucuparia 20:57; 23:266; 28:72; 29:178; × melanocarpa 20:57. baccata 20:57; 49:229. Bartramiana 14:128, 129, 158. betulaefolia 15:451. Botryapium 14:122, 150, 153, 154; 43:561, 562. bracteata 18:154. communis 6:141; 18:38; 20:57; 45:451; × pyrifolia 45:450. coronaria 19: 67; var. dasycalyx 49:232; var. elongata 18:154; var. lancifolia 49:232. decora 45:28; var. groenlandica 49:233. domestica 49:231. **dumosa** 23:**266**; 25:9; 29: 177, 178, 214; 33:112, 121, 227; 49:248, 249. × fallax 49:233. fennica 29:178. flori-bunda 49:231. glabrata 18:154. glaucesbunda 49:231. glabrata 18:154. glaucescens 18:154. Halliana, var. Parkmanii 18:154. intermedia 29:178. ioensis 37:193; var. Bushii 18:154; var. creniserrata 18:154; var. Palmeri 18:154; var. spinosa 18:154; var. texana 18:154. × Jackii 49:232. japonica 37:86. lancifolia 18:154; 49:232. × Lecontei 45:450. Malus 6:120; 12:179; 18:38; 20:57; 22:136; 28:39, 71; 29:214; 34:62; 39:374, 375; 43:160; 44:174; var. Parkmanii 18:154. melano-39, 71; 29:214; 34:62; 39:374, 375; 43:160; 44:174; var. Parkmanii 18:154. melanocarpa 11:94; 12:117, 179; 13:139; 17:150; 20:57; 22:48; 23:266; 29:177, 178, 214; 32: 178; 37:350, 352, 355, 422, fig. 3 (map); 39: 200, 203. micromalus 18:155. × mixta 49:232. Miyabei 49:229, 230. Neumanniana 14:128, 131, 132. nigra 2:69. occidentalis 23:266. ovalis 14:123, 127, 144, 147. platycarpa 18:154; var. Hoopesii 18:154. prunifolia 37:86; var. Rinki 18:154. pulpruniona 37:86; var. Rinki 18:134. purcherrima, var. Arnoldiana 18:155; var. Scheideckeri 18:155. pyrifolia 49:231. sambucifolia 1:167; 2:98; 3:174; 6:120; 23: 266. sanguinea 14:125, 138. Sargenti 49: 233. Scheideckeri 18:155. serotina 40:424; 41:546; 45:451. Sieboldii, var. arborescens 18:155; var. calocarpa 18:155. sitchensis 3:174. 299; 6:120; 11:94; 13:138. 238; 17: 152, 153; 22:130, 131, 134; 23:266. sorbifolia 49:232. spuria 29:178. theifera 18: 155; var. rosea 18:155. transitoria, var. toringoides 18:155. Wangenheimiana 14: 128, 131

Pythiaceae 29:37

Pythium 29:37. subgen. Aphragmium 29:38. gracile 29:37, 38. reptans 29:38. tenue 29: 37

Pyxidanthera 40:374; 41:481, 488; 42:379; 43: 487, 488. barbulata 39:355, 437, 466, 476; 42:474; 44:350

Pyxilla baltica 9:139 Pyxine sorediata 29:104

Quadrigula Chodata 44:67 Quahog 10:44, 45 Quaking Grass 49:262 Quamassia esculenta 10:31. hyacinthina 10: 31; 38:405 Quaternella 22:181 Queen of the Prairie 8:202

Quercus 2:241; 6:113; 12:179; 13:229; 15: 101; 16:43, 79, 112; 19:62; 20:134; 21:189, 190; 25:164, 165; 31:88; 34:234; 40:68, 149–153, 157, 162, 166, 167, 169, 170, 172; 42:152; 43:212; 44:154, 171, 174, 412, fig. 1; 45:108, 43:212; 44:154, 171, 174, 412, fig. 1; 45:108, 109, 452; 46:150; 47:298, 374, 379. acuminata 4:167. alba 3:137, 233; 4:132; 5:129; 7:125; 12:8; 13:217, 219; 15:102; 16:41, 112, 142; 21:199; 31:222; 32:152, 215, 248; 37: 12, 352, fig. 1 (map); 38:54, 58, 63, 376; 39: 473; 41:482, 512; 44:237, 391; 46:44; 47: 298, 367; 48:206; 49:138, 139; × bicolor 16: 113; × Michauxii 49:139; × Prinus 16:113; × stellata 44:301; f latiloha 40:132; 40: 113; × Michauxii 49:139; × Prinus 16:113; × stellata 44:391; f. latiloba 40:132; 49: 138, 139; f. repanda 49:138, 139; var. latiloba 40:132; 49:138; var. repanda 49:138. ambigua 10:49; 18:46, 47. aquatica 24:79; 48:142; β. laurifolia 48:141; β. nana 48:144; var. 48:214, pl. 1035; var. hybrida 48:142; var. laurifolia 24:78; var. nana 48:144. arenicola 24:77; var. integra 24:78. arizonica 29:23. arkansana 25:180. var. zonica 29:23. arkansana 25:180; var. caput-rivuli 31:80. austrina 38:55. X Beadlei 49:139. bicolor 15:122; 16:112; 37: 12: 38:56, 57, 61: 46:82: var. mollis 38:61. 12; 38:50, 57, 61; 46:82; var. moins 38:51.
borealis 10:49; 18:47, 48; 24:173; 35:391; 37:12; 38:60, 62; 40:145, 146; 44:230; var.
maxima 18:48; 24:173; 38:60, 63, fig. 8; 40:382, 412; 44:262, 351; 46:365. Boyntoni 39:342. × Brittonii 36:240. × Bushii 42: 383, 447. × caduca 43:509, 550. × caputiviti 35:170 383, 447. × caduca 43:509, 550. × caputrivuli 25:179. × carolinensis 43:508, 550. Catesbaei 31:80; 38:59; 39:355, 466; 41:522; 42:447. Chapmanii 31:80; 38:55. chinquapina 37:12. cinerea 38:58, 62, 63, 377, 414, fig. 6; 39:467, 480; 40:366, 412; 41:540; 42:362, 365, 403; 43:498, 507-509; 44:240, 349; 46:44, 45; × falcata 42:403, 447; 43:507; × marylandica 43:550; × nigra 43:509, 550. Coccifera 47:297. coccinea 3:137-139; 5:132; 10:49; 13:219; 15:122; 16:112; 17:39; 18:45, 46; 21:201; 24:185; 25:184; 28:244; 30:235; 36:100, 220, 240; 37:12; 38:61, 63; 41:523; 44:262, 265; × ilicifolia 3:139, 140, pl. 24; var. ambigua 10:49; var. tinctoria 5:129. dentata 48:142, 143. depressa 35:296. digitata 17:39; 41:522. discolor 40:452; 41:523; 47:366. Durandii 38:55, 61; 44:12. ellipsoidalis 19:67; 28:244; 55, 61; 44:12. ellipsoidalis 19:67; 28:244; 35:295; 38:61, 63; 40:147, 148, 158–161, 169, 173. falcata 17:39; 18:45, 46; 24:99; 38: 63, 376; 39:481; 41:521–524; 44:262, 265; 46:44; 47:366; × nigra 49:140; × Phellos 43:513, 550; 49:140; f. **triloba** 40:132; var. leucophylla 40:132. × Fernowi 44:391. × garlandensis 49:140. Garryana 16:142. geminata 46:44. georgiana 38:60. × Giffordi 36:240. hemisphaerica 48:138-140. 142-144, 214, pls. 1035, 1036; 49:102, 140; var. nana 48:144. heterophylla 44:264, 265; 47:366. hybrida 24:77, 78; 48:141, 142. ilicifolia 2:36; 3:137–139, 233; 4:38, 133; 5: 128; 9:60, 61; 12:8; 15:139; 16:112; 21:199; 24:58; 30:19; 32:212; 36:239, 240; 37:12; 38:58; 39:374, 375; 42:292; 46:135, 139, 141; 47:366; × velutina 3:138, 140, pl. 24; 16:

113. imbricaria 14:34; 16:112; 38:58, 62, 63, fig. 5; 49:140. incana 46:44, 45. inopina 31:79, 80. laevis 39:355, 466, 477; 40: 366, 412, 448; 42:362, 365, 447; 43:492; 44: 240, 349. lanata 46:45. laurifolia 24:77, 78; 36:43; 38:58, 59; 48:137, 139–144, 214, pls. 36:43; 38:38, 39; 48:137, 139-144, 214, pls. 1031-1036; 49:140; α . acuta 48:141; β . obtusa 48:140, 141, pl. 1031; var. hybrida 48: 139, 141, 142, 214, pl. 1031; var. rhombica 38:59. laurina 48:141. Leana 19:66; 38: 63. lobata 46:44. \times Lowellii 36:240. \times ludoviciana 43:513, 550; 49:140. lyrata 14: 103. 10381; 15:103; 36:376; 38:54, 57, 61; 39:331, 481; 44:392; f. viridis 38:57; 44:391, 392. macrocarpa 1:102; 2:36; 15:203; 16:141; 24:184; 35:249, 295-297; 36:224; 38:56, 57; × bicolor 40:253; var. depressa 35:295-297; var. olivaeformis 35:296; 38:57. mandanensis 35:296, 297. Margaretta 32:177. marilandica 14:83; 21:49; 32:248; 36:43, 220, 240; 38:59; 39:482; 40:427; 42:383; 43:508; 44:262-264, pl. 709; × Phellos 49: 140; × velutina 42:447. maritima 46:45. maxima 44:264. megacarpa 25:180. Michauxii 14:81; 17:40; 37:351; 38:61; 39: Michauxii 14:81; 17:40; 37:351; 38:61; 39: 481; 47:365. microcarpa 38:53. montana 17:40; 37:12; 38:56, 61, 62, fig. 3; 40:382, 412; 41:560; 43:523; 44:351; 47:365, 366. moultonensis 24:78. Muhlenbergii 2:36; 4:190; 17:40; 19:128; 21:44; 38:56, 62, fig. 2; 41:138; 42:152; 46:82. myrtifolia 31: 80; 38:59. nana 3:138; 48:144. nigra 15: 103; 24:77; 38:59, 376; 39:473, 481; 43:513; 44:369, 392; 46:44; 47:297, 298, 366, 367; 48:141-144; × Phellos 44:392; β. 47:298; var. tridentifera 38:59; 44:369, 392. Nuttallii 38:60. obtusa 24:77, 78; 48:140-142, 214, pls. 1031, 1032; var. obovatifolia 24: 214, pls. 1031, 1032; var. **obovatifolia** 24: **78**; 48:140, pl. 1034. obtusiloba 35:295; β. depressa 35:295, 296. pagodaefolia 21:49; 32:213. palustris 2:36; 3:139; 16:112, 141, 144; 18:45; 21:190; 32:98; 37:352, fig. 1 (map); 38:60; 41:523; 42:361, 447; 44: 240, 262, 265, 349, 392; 47:366; × ilicifolia 3:139. Phellos 14:81; 21:49; 24:79; 240, 262, 265, 349, 392, 47.305, × Interfolia 3:139. Phellos 14:81; 21:49; 24:79; 28:244; 36:240; 38:59, 376; 39:196, 204, 473, 481, 486, fig. 7 (map); 43:513, 514; 44:262-265, 369, 392, pl. 709; 47:96, 297; 48:138, 144, 214, pl. 1036; 49:140; × marinal dica 44:262; 265, pl. 709; × maxima 44:265; × Shumardii 24:178; f. intonsa 44:392; 47:96, 131; var. laurifolia 48: 141; 49:140. prinoides 3:137, 233; 4:133; 5:128; 9:60, 61; 12:8; 13:219; 16:112; 24:87; 32:212; 37:12; 38:56; 39:404; 42:152, 292; var. rufescens 9:61; 12:8; 32:177; 38:56. Prinus 9:12; 16:41, 112, 141, figs.; 17:40; 21:44, 199; 37:351; 38:56, 61; 39:481; 40:412; 47:297, 298, 364, 365, 367; 48:206; 49:139. pumila 38:58. × Rehderi 36:240. rhombica 24:78; 39:404, 480; 48: 138-141, 214, pl. 1031-1033; var. acuta 48: 139; var. obovatifolia 24:178; 48:138, 140, 214, pl. 1034. × Robbinsii 36:240. Robur 214, pl. 1034. × Robbinsii 36:240. Robur 7:125; 14:20, 90; 16:42, 112, 141; 38:54, 57; 47:298; subsp. pedunculata, α. vulgaris 43:

160. rubra 3:137, 138, 233; 5:129; 6:113; 10:49; 12:179; 13:141; 16:15, 16, 112, 141, 142; 17:39, 40; 18:45, 46, 48; 20:103; 21: 199; 24:99, 173; 26:185, 224; 28:141; 30: 235; 32:98, 248; 35:391; 36:239, 240; 37:12; 38:58, 63; 41:486, 521-524; 46:44, 83; 47: 297, 298, 364-367; 50:295; ß. 47:298; f. tri-loba 38:58; var. ß. 47:298; var. ambigua 10: 49; 16:190; 19:128; 24:173; 36:240; var. latifolia 18:48; var. leucophylla 40:132; var. maxima 18:47, 48; var. pagodaefolia 38:58; var. runcinata 24:99; var. triloba 36:43. × Rudkini 44:264, pl. 709; 49:140. Sadleriana 12:56. saulii 44:262, 263, 265. Schuettei 12:56. saulii 44:262, 263, 265. Schuettei 40:253. Shumardii 24:79; 38:60, 61, 63; var. Schneckii 38:60, 61, 63. stellata 2:36; 12:8; 32:177, 212; 35:295, 296; 36:220; 38: 57, 62, 63, 376, fig. 4; 39:470, 471; 40:427; 41:482; 44:391; 47:367; γ. depressa 35:295; var. arinosa 38:58; var. Boyntonii 38:55; 39:342, 404, 476; var. Margaretta 38:58, 63; 39:404, 477; var. paludosa 38:57. stellipila 38:405. × subintegra 42:403, 447; 43:507. succulenta 38:53. texana, var. stellipila 38: succulenta 38:53. texana, var. stellipila 38: 405. tinctoria 3:233; 7:125; 14:89, 90; 37: 12; 46:44. triloba 40:132; 47:366. velucina 3:137, 138, 233; 4:132; 12:8; 13:217; 16:112; 17:39; 28:244; 32:127, 152, 215, 248; 36:220, 240; 37:12; 38:58, 60, 62, 63, figs. 7, 9; 39:364; 41:515–517, 520, 522; 42:383; 43:67, 80; 44:170, 174, 237, 262, 265; 47:366; 49:139; f. dilaniata 49:139; f. macrophylla 49:139; f. pagodaeformis 49:139, 140; var. missouriensis 36:231: 39:364, 404, 482; virgissouriensis 49:139; 40:404, 482; virgissouriensis 49:404, 482; virgissouriensis 49:4 missouriensis 36:231; 39:364, 404, 482. virginiana 36:43; 38:57, 62, 63, 377, 381, 414, fig. 1; 39:480; 43:513, 550; 44:240; 46:44; 49:139; f. macrophylla 43:513, 550; var. dentata 38:57, 61; var. geminata 36:43; 38: 57, 58, 61; var. maritima 49:139

Queria 6:51. canadensis 6:50-53; 7:48; 38: 418; var. capillacea 6:52; var. capillaris 6: 52. capillacea 6:52. dichotoma 6:52

Quick-grass 12:27 Quillwort 35:356; 42:357. Family 35:356 Quiniaria 10:25. hederacea 10:25. hirsuta 10:26; 41:429. quinquefolia 10:27 Quisqualis 9:51 Quisqualis 9:51 Quith Grass 49:265

R

Radicula 10:32; 18:220; 27:30, 31, 186; 30: 132; 31:119. aquatica 10:32; 13:229; 27: 186; 40:132. Armoracia 10:32. clavata 41:233. hispida 30:133; 41:234. Nasturtium-aquaticum 32:253. obtusa 41:78; var. sphaerocarpa 10:32, 218. palustris 15:165; 17:216; 22:135; 30:132, 133; 42:267; 46: 283; var. hispida 10:32; 17:216; 30:133; var. microcarpa 42:271. sylvestris 29:231; 32:108

Radiofilum conjunctivum 44:67 Radiola 11:50. linoides 11:50; 43:341 Radiosphaera Nemiahi 50:275, 279, pl. 1118. sol 50:279

Radix 9:51. Senega 41:383

206 Rhodora

Radula 11:16; 18:74. complanata 4:242; 5: 172; 15:25; 25:197; 26:12. dentata 8:41. Lindbergiana 18:74, 75. obconica 4:207, 213; 5:172; 14:18; 15:25; 19:272; 23:284; 25:197; 26:6, 12. tenax 5:172; 6:190; 14: 17, 224; 15:25; 19:263; 25:197

Radulaceae 25:197; 26:12

Raeda Winbaer 12:21 Rafflesia 2:1

Ragged Orchis 28:21, 57. Robin 18:71

Ragweed 17:225; 41:482 Ragwort, Tansy 4:34

Raimannia 15:223. laciniata 15:223 Raisin de mare 12:21. Wild 12:184

Raisin de mare 12:21. Wild 12:1 Raiania 17:130. ovata 17:130

Ralfsia 5:209; 8:158; 10:156, 157, 161, 164; 26:189; 50:263. Borneti 2:12, 47; 3:134; 7: 229; 10:156; 43:214. clavata 2:47; 7:229. deusta 2:47, 209; 7:243. pusilla 2:48. verrucosa 2:12, 48; 7:229; 8:158; 10:161; 26: 191, 214; 50:260, 262

Ramalina calicaris 18:94; 35:150. dilacerata 14:89. farinacea 15:93; 28:230. fasciata 20:40. Montagnei 12:7. pollinariella 28: 230. polymorpha 28:230. pusilla, var. geni-

culata 28:230. rigida 14:89 Ramischia 34:26

Ramischia 34:26 Ramnus Tree 17:50 Ramondia 9:38

Ramularia lanceolata 44:173. Taraxaci 41:

518. Tulasnei 39:373

Ranapalus 37:441 Ranunculaceae 3:262; 6:116; 11:130, 132; 18: 37, 165; 20:182–184; 21:104, 170; 22:80; 25: 8; 26:225; 27:56; 28:70; 29:53, 213; 31:43; 32:252; 36:280, 281; 37:306; 38:2, 15; 39, 45; 44:25; 45:310; 49:255; 50:296, 302

Ranunculi 5:238; 38:1–5, 31, 36, 45, 46
Ranunculus 4:105; 5:86; 6:117; 12:94; 18:
167; 21:208; 23:131; 30:200; 36:11, 164;
38:1 11, 17, 274; 39:52; 41:461; 42:152, 499,
500; 43:220; 46:282; 47:284, 290. § Batrachium 38:1, 2, 4, 5, 8, 11, 17, 28, 31, 36,
45, 47, pl. 406. § Euranunculus 38:177. §
Marsypadenium 38:11. sub-§ Batrachium
38:11. abortivus 1:51, 52; 2:171; 4:88; 5:
132; 6:117; 7:220; 12:128; 13:125; 18:167;
20:183, 185; 21:200; 23:133, 264; 26:128;
30:200; 36:280; 40:374, 416–418; 44:408;
49:247; f. coptidifolius 44:408; var. acrolasius 40:417, 418–420, 483, pl. 519; 44:
141; var. eucyclus 1:52; 2:171; 4:152; 5:
33; 6:208; 15:164; 18:167; 20:183, 193; 21:
200; 40:417, 420, 483, pl. 519; var. Harveyi
7:222; 40:417; var. indivisus 40:417, 418,
483, pl. 518; 45:358, 401; var. micranthus
40:416; var. typicus 40:417–420. acris 1:
167, 227–229; 3:149, 173, 187; 4:32; 5:135;
6:117; 17:35; 18:37, 167; 20:183, 184; 21:
170, 208; 22:136; 25:8; 26:225; 29:213; 32:
151, 160, 252; 33:108, 120; 34:52, 238; 40:
146; 41:515, 520; 47:390; 50:296; sub sp.
Friesianus 9:40; var. Steveni 1:227, 229; 4:
32; 18:167; 22:136. affinis 7:221; 13:223;
19:138; 28:104, 200; 36:93–97, pl. 280; 38:
151; 41:229; var. leiocarpus 7:221, 222; 19:

138; 36:93, 97. alismaefolius 38:174. alle-138; 36:93, 97. alismaetolius 38:174. aliegheniensis 3:296; 4:88, 92; 5:34, 203; 6:140; 12:128; 18:167; 19:224; 20:183, 194, 195; 21:198; 24:116; 26:128; 30:201; 37:316, 422; 40:416, 483, pl. 517. Allenii 7:220–222; 9:161, 167; 13:146, 223; 19:138; 31:47; 36:290; 38:151; 40:416, 483, pl. 517; 44:115, 144:115 141. ambigens 6:194; 38:173-175; 39:409; 40:415; 41:542. amoenus 36:95. apricus 38:178. aquatilis 8:31; 38:2, 23-31, 35, 45; 42:268; α. 38:24, 25, 35; α. capillaceus 38: 26; β . capillaceus 38:26; γ . caespitosus 38:25, 26; γ . saganensis 38:34, 38; δ . stagnalis 38:42, 45; f. heterophyllus 38:29; var. β. 38: 18, 24, 25; var. γ . 38:18, 22, 23; var. 6. 38: 18; var. arcticus 38:13, 15; var. Bakeri 38: 18; var. brachypus 38:18, 27; var. caespitosus 38:26; var. capillaceus 18:167; 20:183, 185; 22:136; 31:84; 36:280; 37:363; 41:230; 185; 22:136; 31:84; 36:280; 37:363; 41:230; var. confervoides 38:34, 39; var. Drouetii 38:18, 27; var. eradicatus 38:33, 37; var. flaccidus 38:25; var. hederaceus 38:15; var. heterophyllus 38:29; var. lispidulus 38:29; var. Lobbii 38:16; var. longirostris 38:42, 45; var. peduncularis 38:18; var. trichophyllus 4:76; 5:134; 6:117; 10:166; 38:42, arcuans 18:190. arvensis 16:161. Aschersonii 38:31. auricomus 41:229. Baudotii 38:27. Boreanus 21:208. Boreauanus 9:39. brachyrhynchus 18:189. brevicaulis 38: 176. bulbosus 2:171; 3:187, 190; 5:135; 12: 104, 128; 18:167; 20:183, 184; 32:252; 40: 443; 42:451; var. dissectus 42:451, 452; var. 443; 42:451; var. dissectus 42:451, 452; var. typicus 42:451; var. valdepubens 42:451, 452. capillaceus 38:18, 25, 26. caricetorum 38:177, 178. carolinianus 41:543, 544; 43: 488, 552. cespitosus 38:25, 26. Chamissonis 41:163, 228. circinatus 20:183; 21:87, 191; 24:184; 34:6; 38:4, 5, 9, 22–27, 41, 42, 44, 45. confervoides 38:2, 5, 33, 35–39. Cooleyae 36:9, 10. Cymbalaria 2:218; 4:33; hebecaulis 16:162; var. alpinus 16:162; var. major 16:161, 162; var. saximontanus var. major 16:161, 162; var. saximontanus 16:162. cymbalistes 41:543. delitescens 41:543. delphinifolius 12:108, 109, 139; 18: 167; 20:183, 196, 197; 24:182; 26:225; 32: 124, 148, 160, 216, 252; 38:171, 173; 40:181; 50:302; f. terrestris 15:164; 38:171, 172; var. terrestris 15:164; 18:167; 38:173. divaricatus 38:18, 23, 24, 32, 39, 44, 45; var. eradicatus 38:34, 38, 39. diversifolius 38: 27. Drouetii 38:2, 23, 25, 27, 38, 39. Eschscholtzii 41:228. fascicularis 2:171; 5:128, 203: 12:128: 15:67: 18:167: 20:183 104 scholtzii 41:228. fascicularis 2:171; 5:128, 203; 12:128; 15:67; 18:167; 20:183, 194, 195; 36:364; 37:260, 299; 38:178; var. apricus 38:178. Fauriei 41:386. Ficaria 18: 167; 20:183, 184. filiformis, var. ovalis 19: 137. flabellaris 38:171, 173, 236, pl. 414; 50: 302; f. riparius 38:171, 236, pl. 414; 42: 415. 451. flabellifolius 36:419; var. b. partitus

36:419. flaccidus 38:18, 24, 25, 39: var. confervoides 38:34, 39. Flammula 16:89, 161; 19:135-137; 23:157, 264; 28:50, 81; 29:127, 175, 213; 34:118; 35:273; 38:174; 41:542; α. major 19:137; β. laxicaulis 38:175; γ. filiformis 19:137; var. intermedius 19:136, 137; var. reptans 3:173, 228; 4:129; 16:12; 18: 167; 19:136; 22:135; 31:167; 32:133, 252; 50:240; var. unalaschcensis 19:136, 137. fluitans 38:25. fluviatilis 38:171. foeniculaceus 38:18, 23. glacialis 36:148; 38:121. Gmelini 33:208; 41:385, 386; var. limosus 41:386; var. prolificus 41:386; 44:141; var. Purshii 41:386. Godronii 38:31. Gormani 29:35. Grayanus 38:29, 31. Grayi 19: mani 29:35. Grayanus 38:29, 31. Grayi 19: 138. Harveyi 13:146; 30:200; 36:220, 231; 40:416, 417, 483, pl. 517; var. pilosus 30: 200. hederaceus 2:137; 28:50, 81, 200; 29: 126; 35:273; 37:380, 426; 38:2–8, 11–17, 25, 29, 377; 42:508, 520; var. hederaefolius 38: 13; var. Lobbii 38:16. Hederaefolius 38: 13. heterophyllus 38:4, 29–31; var. submersus 38:27. hispidus 2:171; 20:183, 193; 22:30; 38:192; 41:543, 544; 44:260; 45:359; var. falsus 22:30: 37:350, 356, hydrocharis var. falsus 22:30; 37:350, 356. hydrocharis 38:1, 2, 17; β. Homoiophyllus, β. Hederaceus 38:13; f. confervoides 38:34; f. Drouetii 38:37; f. hederaefolius 38:13; f. Lobbii 38: 16; f. longirostris 38:42; f. trichophyllus 38:18, 29, 31. hyperboreus 13:122; 25:8; 28:61, 127, 200; 35:120, 125; 38:13, 16; 41: 228; 42:326. kamtschaticus 41:228. lacustris, var. terrestris 15:164; 38:173. Langsdorfi 41:386. lapponicus 25:8; 31:138; 37: 207; 41:151, 228, 461. laxicaulis 10:143; 15: 207; 41:151, 228, 461. laxicaulis 10:143; 15: 139; 16:89, 191; 18:167; 19:137; 20:183, 193; 23:213; 37:316, 350; 38:175; 41:541, 542; 42:499. limosus 38:173; 41:386. Lobbii 38: 1–4, 8, 9, 11, 12, 16, 17, 47, pl. 406. longirostris 20:183, 196, 197; 38:2, 3, 5, 9, 12, 39, 41–47, pl. 406; 42:499. lutulentus 38:33, 37, 38. Macouni 7:5; 13:138; 28:127, 200; 35: 50: 41:149, 228. marinus 38:27 marinus 38:27 59; 41:149, 228. marinus 38:27. mexicanus 38:46. micranthus 6:84; 18:167; 20:183, 194, 195; 40:416, 419, 483, pl. 517; 41:488, 542, 543; 43:488; 49:180; var. cymbalistes 41:543; var. delitescens 41:543. missouriensis 15:164. multifidus 4:105; 5:134, 204; 20:104; 27:152; 41:386; var. limosus 41:386; var. terrestris 4:105; 15:164; 27: 152; 38:172, 173, 236, pl. 415; 41:386. neglectus 39:51. nitidus 40:417. nivalis 38: 124, 150; 41:148, 154, 229; 42:312, 326. tallii 39:51. oblongifolius 38:175; 39:332, 481: 41:541, 542; 42:499; 44:259. obtusius-25; var. dissectus 32:25. orthorhynchus 32: 25; var. dissectus 32:25. orthorynchus 32: 25. ovalis 38:175, 176. Pallasii 41:158, 159, 229. palmatus 36:31, 44; 38:422; 39:482; 41:543, 544; 44:260. pantothrix 38:18; α. capillaceus 38:26; \(\beta\). caespitosus 38:25. parviflorus 40:373; 44:260; 45:360. parvulus 40:420. paucistamineus 38:18, 26, 27, 31, 37; var. borealis 38:33, 37. pedatifidus 7: 220, 221; 13:223; 19:138; 36:94-97, pls. 279, 280: var. cardiophyllus 19:138; 36:96; var.

leiocarpus 19:138; 25:113; 28:104, 123, 129, 200, pl. 153; 35:120, 275; 36:93, pl. 280; 38: 151, 275; 41:229. peltatus 38:29-31. pen-sylvanicus 1:171; 2:122; 13:180; 15:139; 17: 51; 18:167, 189, 190; 20:183, 193; 25:8; 28: 200; 34:52; 35:251; 42:95. Petiveri 38:31. Porteri 38:11, 18, 28. Pseudo-Villarsii 36: 419. pueblensis 38:5, 12, 46, 47, pl. 406. Purshii 7:5; 12:116, 139; 19:135; 20:101, 104, 183, 196, 197; 22:183; 23:131, 133, 164, 170, 264; 36:280; 38:173, 236, pl. 415; 40: 248; 41:157, 229, 385, 386; f. terrestris 38: 173, 236, pl. 415; subsp. yukonensis 41:148, 173, 236, pl. 415; subsp. yukonensis 41:148, 229; 42:313, 324, 326; var. prolificus 19: 135; 38:173, 236, pl. 415; 41:386; 44:141; var. terrestris 38:173, pusillus 36:44; 37: 350, 356; 38:174, 377, 422; 39:481; 41:386, 541, 542; 44:259, pygmaeus 7:220, 221; 9: 161, 167; 19:138; 25:113; 36:148; 38:114, 119, 150; 41:229; 42:312, 326; 44:115; var. Langeana 44:141; var. petiolulatus 19:137, 138; 44:141. radians 38:30. radicans 41: 386, ranunculinus 39:51. recurvatus 4:76. 386. ranunculinus 39:51. recurvatus 4:76, 88; 6:117; 18:168; 20:183, 185; 21:200; 23: 136, 164, 170, 264; 31:163, 164; 32:176, 206; 36:374; f. laevicaulis 31:164; var. adpressipilis 31:164. repens 2:201; 3:187; 4:92; 6:117; 11:93, 130; 13:19; 16:17; 17:35; 18: 168, 240; 19:139; 20:183, 184; 21:169; 29: 175, 213; 41:229; var. erectus 20:183; 21: 169; var. flore-pleno 19:139; var. glabratus 20:183; 21:169; var. linearilobus 20:183; 21: 169; var. pleniflorus 19:138, 139; 20:183; 21:169; 24:116; var. villosus 20:183; 21:169, reptans 19:135–137; 20:183, 193; 24:116; 25:8; 28:83; 29:175; 32:124, 252; 33:51, 108, 25:8; 28:83; 29:175; 32:124, 252; 33:51, 108, 120; 35:251; 37:206; 38:150; 41:56, 153, 230; 45:311; var. filiformis 29:175, 213; var. ovalis 19:137; 20:183, 196, 197; 32:252; var. strigulosus 19:137. rhomboideus 38:175–177. rigidus 38:24, 25. Rionii 38:28, 29. Sardous 40:420; 41:544; 45:401. sceleratus 2:157; 6:140; 10:150; 13:19; 17:209, 216; 18:168; 19:135; 20:184, 193; 23:71; 29:213; 32:178; 37:74; 41:230; 42:326. septentrionalis 3:149; 5:131; 6:117; 16:17; 20:184, 193; 22:31; 23:71; 38:177. 178, 192; 41:543; var. caricetorum 38:177. sibiricus 41:386. sicaefolius 38:177. sicaeformis 38:177. sicaefolius 38:177. sicaeformis 38:177. Steveni 1:228, 229. **subrigidus** 38:2-5, 9, 12, 19, 39-42, 44, 45, pl. 406; 44:141. sulphureus 41:230. sylvaticus 1:229. trachysperma 44:260. trichophyllus 37:206; 38:3, 4, 8-11, 17-19, 21-31, 33, 36, 37, 39, 44-46; var. calvescens 38:3, 11, 12, 19, 25, 26, 32, 33, pl. 406; var. demersus 38:34, 38; var. eradicatus 38:5, 10, 12, 27, 33-39, 150, pl. 406; 41:230; 43:555; var. hispidulus 38:4, 9, 12, 19–21, **29**–32; var. mexicanus 38:46; var. **typicus** 38:12, **18**–29, 32–34, pl. 406; 41:157, 230. tridentatus 16:161; var. major 16:161, 162; var. minor 16:160, 161. tripartitus 38:8, 17, 25, 35. unalaschcensis 19:137. vicinalis 29:35. yukonensis 41:229, 386; 42:

Raphanistrum Raphanistrum 9:51

Raphanus 6:117; 11:45; 18:220; 45:277. albus 40:306. arvensis 40:307. incanus 40: 309. orientalis 40:307. Raphanistrum 6: 117; 17:35; 18:95, 97, 220; 26:225; 29:176, 213; 32:253; 36:407; 40:307, 421; 50:296; f. sulphureus 40:421. rusticanus 26:230, 231. sativus 6:144; 18:220; 26:225; 32:253; 50:

Raphidostegium recurvans 2:63: 4:241

Raphoneis amphiceros 9:137. belgica 9:137; var. intermedia 9:137. gemmifera 9:137.

Surirella 9:138

Rapistrum 18:220; 31:96; 42:201, 202. hispanicum 42:202. perenne 42:202. rugosum 42:201, 202; subsp. Linnaeanum 18:220; subsp. orientale 18:220

Rapunculus 38:243 Rapuntium 38:243, 257 Raspberries 12:119

Raspberry 11:28, 236; 22:112; 28:60, 79; 42: 330. American Black 7:143, 144. Black 6: 224; 8:146, 147; 9:4; 31:99; American 7: 143. Dwarf 16:151. Flowering 9:5. Gar-den 28:71. Purple 9:5; Flowering 28:71. Red 9:4; 21:89. Sow-teat 9:5. White American 7:143, 146. Wild Red 12:180

Ratibida 12:14; 40:353-355. columnaris, f. pulcherrima 40:353; var. pulcherrima 40:353. columnifera 40:353; f. pulcherrima 40:353; var. pulcherrima 40:353. sulcata

Rattlesnake Grass 49:261. Plantain(s) 1:2;

Razoumofskya 9:54. pusilla 1:184; 7:108;

50:120. robusta 2:4

Reboulea 8:137–139, 142. gracilis 8:137, 139, 142, 144, 145. obtusata 8:140, 144. pennsylvanica 8:139, 145; var. major 8:145

Reboulia 16:63. hemisphaerica 5:170; 7:58; 9:73: 15:22: 25:193

Rebouliaceae 25:193; 26:7; 39:5

Red Algae 5:1; 8:232; 9:90; 11:17; 50:263. Ash 15:15; 25:176; 48:61. Azalea 43:31–33. Baneberry 5:77; 18:185. Bay 42:382; 46:313; 47:149; 49:152, 153. Berry 13:123. Birch 37:414. Cedar 4:133; 26:182; 35: 359; 40:427; 43:70; 49:172-174, figs. I, II. Cherry, Wild 12:181; 22:131. Chokeberry 4:55, 131; 12:179. Clover 5:290; 28:71; 45: 331. Currant 9:1; 12:21, 22, 25, 32, 33; 25: 176. Elm 47:204. Maple(s) 7:123; 12:182; 22:131, 132; 26:182, 183; 41:193; 43:67, 70; 49:172. Oak(s) 10:165; 12:179; 16:142, 143; 17:39; 18:45–48; 23:91; 36:239; 41:193, 486; 17:39; 18:43-48; 23:91; 30:239; 41:193, 480; 47:297, 301, 364, 366; 49:172. Pine 11:21; 12:176; 13:139, 161; 22:130; 23:91; 35:357. Raspberry 9:4; 21:89; Wild 12:180. Sassafras 15:14, 15. Spruce 9:109; 12:177; 35: 358; 37:309, 313. Top, Tall 49:264. Whortleberry 12:23, 34, 35

Red-berried Elder 12:184

Redbud(s) 25:204; 34:248; 44:193, 198, 200, 202, 206

Red-root 42:279

Red-seeded Dandelion 5:32

Red-top 28:74

Redwood 49:228

Reed 49:264. Canary Grass 49:277. Meadow Grass 49:261. Sand 12:28, 30, 36; 22:70.

Sea-sand 4:33 Reedgrass 49:270 Rehmiellopsis 44:94 Reigeri 49:50 Reinschia 11:63

Relbunium 18:191. bermudense 18:192. hy-

pocarpum 18:192, 193

Reseda 18:248; 19:218; 47:207. alba 7:25; 18:248; 19:217; 24:209; 29:245; 31:84; 47:214. lutea 1:47, 81; 10:112; 18:248; 19:217. Luteola 18:248; 19:217. odorata 18:248; 19:217, 218

Reseduceae 18:248: 19:217: 31:43: 37:386

Resinocaulon perfoliatum 39:285 Resp 15:32

Reticularia lycoperdon 29:170, 173

Reverchonia arenaria 50:64

Reynoutria 40:289–291. japonica 40:290, 291 Rhabdoderma lineare 29:163

Rhabdonema adriaticum 9:138; 26:193-195, 218. arcuatum 9:138

Rhabdonia tenera 10:43; 24:2

Rhabdoma tehera 10.43, 24.2 Rhabdoweisia 14:46; 40:359 Rhacomitrium 11:16; 36:60. aciculare 3:180; 4:30, 31; 13:43; 24:122. canescens 1:54; 30:5; 32:93; 39:12, 41. fasciculare 3:180; 13:43; 14:48; 30:5. heterostichum 24:123; var. gracilescens 24:122; 30:5. hypnoides 30:5. lanuginosum 30:180; 9:173. microcarpum 24:122, 123; 39:41. patens 39:4. sudeticum 3:180; 4:241; 14:48; 15:13; 24:

Rhadinocladia 2:111; 3:218. cylindrica 3: 218. Farlowii 2:112, pl. 18; 3:218

Rhamnaceae 6:122; 21:128; 28:71; 31:43; 36:

Rhamnus 6:122: 21:128. alnifolia 5:33, 196: 6:122; 9:162, 189; 11:96; 12:103, 117, 140; 19:230; 21:65; 23:274; 36:282; 43:341; 47: 45; 48:163, 205. betulaefolia 38:407. caroliniana 12:79; 36:224; 46:307; var. mollis 12:79; 36:230. cathartica 3:65; 21:128; 28:71; 31:146; 35:363; 40:443. davurica, var. nipponica 42:44. Frangula 12:79; 14: 227; 19:230; 20:205; 21:128; 42:44; 43:341. lanceolata 36:224; 42:349. parvifolia 35: 112; 42:349, 351. Purshiana, var. betulaefolia 38:407

Rhamphidium 41:112

Rhaphidium falcatum 15:91. aciculare 14: 114; 15:91

Rhaphis 47:108 Rhapontica 30:59 Rhaponticoides 30:59

Rhaponticum 9:48; 30:59. subgen. Alfredia 9:48

Rheum 6:114; 17:174. Rhaponticum 6:114, 236; 17:174; 50:295 Rhexia 7:160; 10:166; 13:166; 14:24; 23:114; 33:39; 37:169, 170; 42:91, 146, 154; 47:364, 385. Alifanus 17:132, 137. angustifolia 44: 260. aristosa 37:169–171, 188, pl. 347; 45: 55. ciliosa 37:170; 39:335, 358, 364, 381,

436, 466, 480; 41:472, 550; 42:379; 49:98, 155. glabella 17:132, 137. interior 36:220; 37:169, 171-173, 188, pls. 346, 347. lanceolata 44:260. latifolia 13:167; 37:172. mariana 13:166–168; 32:177, 212; 36:220; 37:169–173, 188, pl. 347; 39:476; 42:87, 88, 91, 92; var. β. rubella 37:171; var. leiosperma 37:171, 172, 188, pl. 346; 47:218; var. purpurea 37:171, 173, 188, pl. 346; 47:218; var. purpurea 37:171, 173, 188, pl. 348; 39: 436, 477; 40:368, 447; 49:98; var. typica 37: 171, 173, pl. 346. Nashii 37:171, 173; 39: 477; 40:368; 49:98. stricta 37:171. ventricosa 37:171, 172, 173, 188, pl. 346; 39:344, 436, 475; 45:366, 454. virginica 1:184; 5: 130; 7:74, 187; 8:27, 219; 9:120; 10:140; 13:167, 168; 14:28; 20:115; 21:74, 119; 23: 114, 149, 167, 168, 276; 24:177; 29:233; 32: 149, 210, 266; 33:39; 37:169–173, 188, 350, 356, 358, fig. 4 (map), pls. 347, 348; 42:87, 88, 91, 92; 47:161; var. septemnervia 47:161 thexophyllum 41:112 mariana 13:166-168; 32:177, 212; 36:220; Rhexophyllum 41:112

Rhinanthus 2:138; 7:37; 9:24, 26; 13:116; 20: 66; 25:65; 41:382. Crista-galli 3:165, 189; 4:108; 5:50; 7:34, 37; 9:23–26; 12:143, 144; 18:43; 25:11, 65; 29:219; 41:382; var. fallax 12:143; 17:148; 25:65; 33:108, 124; var. major 7:37. groenlandicus 33:111, 124; 41: 286. major 7:34, 37. minor 9:23. oblongifolius 9:24, 25, 163, 166, 190; 12:144; 44:144. stenophyllus 10:201. virginicus 20:66, 67, 71, 133

Rhizina undulata 1:60 Rhizocarpon 36:140, 156-158. albidum 36: 157. albopunctatum 36:157. alpicola 36:157. Anseris 36:157. atroalbens 36:157. atroalbum 36:157. atrocaesium atroflavescens 36:157. badioatrum 36:158. 36:157. chioneum 36:157. chionophiloides 36:157. chionophilum 36:157. cinereoflavescens 36:157. cinereonigrum 36:157. confervoides 29:99. Copelandii 36:157. crystalligenum 36:157. decinerascens 36:157. detinens 36: 158. disporum 36:140, 157. distinctum 36: 157. eupetraeoides 36:158. eupetraeum 29: 99. excentricum 36:158. expallescens 36: 157. geminatum 36:140. geographicum 28: 161; 36:140, 157. grande 29:99; 36:157. groenlandicum 36:157. Hochstetteri 36:157. infernulum 36:158. jemtlandicum 36:157. lavatum 36:157. leucopsephum 36:158. melaneimum 36:158. obscuratum 28:160; 36:157. occidentale 36:157. ochrodelum 36:158. petraeum 36:157. phalerosporum 36:157. polycarpum 36:157. postumum 36: 158. praebadium 36:158. pseudospeireum 36:157. Rittokense 36:157. roridulum 36: 157. semotulum 36:158. subalpicolum 36: verrucosum 36: 158. superficiale 36:158. 157. viridiatrum 36:157

Rhizoclonium 3:291-293; 5:27; 6:230; 9:200; 26:190; 41:19-21, 24. capillare 41:23. erectum 3:291, 292. hieroglyphicum 41:22; var. macromeres 7:240; var. tortuosum 41:21. implexum 41:20-23, 25, 26, fig. 1. Kerneri 2:45; 26:213; 41:26; 50:260. lacustre, f. americanum 1:149; 7:240. pachy-

dermum 3:291. rigidum 41:21, 23, 25, 26. riparium 6:230; 7:225; 10:160; 33:129, 130: 41:20, 22, 26; f. implexum 6:230; f. polyrhizum 6:230; var. implexum 2:45; 41:25; var. polyrhizum 2:45; var. validum 41:21, 23. Selkirkii 24:109, figs. a-h. tortuosum 3: 290; 6:230; 7:225; 33:129, 130; 41:20-24, 26; f. polyrhizum 7:225; var. polyrhizum 2:

Rhizoctonia repens 24:41 Rhizogoniaceae 43:95 Rhizogonium 43:95 Rhizophora 22:89

Rhizopogon 26:195. occidentalis 26:195-197. pl. 148. **truncatus 26:196,** 197, pl. **148** Rhizopus 50:287

Rhizosolenia hebetata, f. semispina 26:218; var. semispina 26:193. setigera 26:193, 218. styliformis 9:138

Rhodia radix 49:79

Rhodiola 41:240; 49:80. alaskana 41:239. integrifolia 41:146, 158, 166, 239, 240; 42: 328. intermedia 41:156. Rosea 41:239, 240; 49:80

Rhodobryum 43:95. Beyrichianum 36:56 Rhodochorton membranaceum 2:51; 8:160. parasiticum 2:12, 51. penicilliforme 8:160. Rothii 2:12, 51, 131; 7:172, 234; 16:4 Rhododendron 2:216; 3:156; 4:141; 6:125; 8:

79; 9:187; 12:182; 13:86; 14:97, 98, 101; 18:74; 20:54; 24:155; 40:278; 42:155, 310; 45:451; 46:157, 158, 250. § Azalea 40:372. 43.431, 40.137, 136, 230. § Azatea 40.312.
43.431, 40.137, 40.137, 41.352; 43:
623. atlanticum 23:179; 36:32, 49; 38:439;
39:476; 43:491, 619-622; 44:240; f. confusum 43:620, 622; f. luteo-album 43:620,
622; f. neglectum 43:620, 621; f. tomolobum 43:620, 622, pl. 692; var. luteo-album 43:620, 624; f. special confusion 43:620, 624, 42:31.35 43:622. calendulaceum 20:53, 54; 43:31-35. canadense 9:162, 187, 189; 11:96; 12:129, 182; 13:79; 15:167; 17:148; 19:246; 22:37, 44, 134; 24:155; 26:176; 27:108; 28:223; 29: 218; 32:176; 34:54, 64, 213, pl. 222; 36:26; f. viridifolium 23:145, 278. canescens 1:222; 3:196, 197, 235; 4:100, 131; 20:53; 21:199; 24:155; 36:49; 42:361, 363, 470; 47:168. carolinianum 14:99–101; 23:178; 49:116; var. margarettae 23:177. catawbiense 12: 3; 14:97, 98; 39:198, 200, fig. 16 (map); 46: 138. Chapmanii 14:102. cumberlandense 43:33-35. Cuthberti 14:99-101. ferrugineum 14:97. kamtchaticum, subsp. glandulosum 41:163, 274, 275; var. glandulosum 41:164. lapponicum 1:94; 3:165, 175; 9: 162, 169, 174, 182; 11:97; 13:136; 22:38, 44-46; 25:114; 28:62; 29:162; 33:205, 227; 35: 10, 51, 81, 121; 38:157; 40:278; 41:146, 275; 42:335; 44:115; 45:314; 46:250. Leachia-42:335; 44:115; 45:314; 46:250. Leachianum 33:205; 40:278. luteum 20:54. maximum 1:94; 2:218; 8:79; 9:120, 187; 14:95, 97, 98, 101; 15:142; 16:163; 18:25, 73; 23: 167; 24:118, 155; 28:244; 31:222; 37:4, 12, 416; 40:461; 44:364; β. album 43:336; γ. purpureum 43:336; f. album 43:336; f. purpureum 43:336. minus 14:98–101; 23: 178: f. Harbiconii 14:102. meglestum 23: 178; f. Harbisonii 14:102. neglectum 23:

179. nudiflorum 1:94; 3:196, 197; 4:100; 5:204; 9:122; 20:53, 54; 24:155, 185; 25:116; 26:4; 36:32; 38:439; 43:619; f. glandiferum 43:619; var. glandiferum 40:449; 43:619; var. roseum 26:4; 27:212. Polifolium 5: 71. procumbens 50:103, 126. punctatum 14:97–101. Rhodora 1:94; 2:214; 3:175, 189, 235; 5:35, 133; 6:125; 8:24; 9:187; 13: 220, 221. roseum 26:4; 34:64; 36:100, 220; 37:422; 42:292; 46:138. serrulatum 43:507, 622, 623. Vaseyi 24:155. viscosum 1:94; 2: 214; 11:231; 14:21; 23:179; 24:155; 31:18; 32:150, 151, 269; 39:371, 375; 42:87, 90; 43: 81, 620, 623, 624; f. glaucum 43:623; var. glaucum 1:94; 2:122, 201; 24:155; 32:210, 211, 269; 43:623; var. nitidum 1:94; 3:197; 24:155

Rhododermis 8:160, 161. elegans 8:160. Georgii 8:160, 161; 26:190, 215; 50:268. parasitica 8:160. Van Huerckii 8:161

Rhodoleia 33:91

Rhodomela 7:169, 242; 33:131. floccosa 10: 115. lycopodioides 8:159, 160; f. flagellaris 10:116; f. tenuissima 8:160; 10:116; f. typica, subf. tenera 8:160. Rochei 2:51; 7: 169. subfusca 2:51; 8:159, 160; 21:206; 26: 215; 33:131; 50:268; f. gracilior 7:233; var. gracilior 33:131; var. gracilis 2:51. virgata 2:51

Rhodomonas lens 50:276

Rhodophyceae 10:116; 24:110; 26:166, 190, 214; 35:315; 40:323; 43:73

Rhodophyllis dichotoma 2:52; 4:176 Rhodophyseuma Georgii 8:160

Rhodophyta 50:263

Rhodora 1:183; 2:218; 11:173-177; 12:182; 13:221; 22:44, 131; 23:145; 34:213, 214. canadensis 3:198; 6:125

Rhodoraceae 29:4 Rhodospermeae 5:1

Rhodotypos kerrioides 37:86

Rhodymenia 16:4. corallina 17:93. flabellifolia 17:93. palmata 2:11, 52, 210; 7:231, 243; 8:108, 194; 10:116; 16:3; 26:215; 33: 131; 43:214; 50:264, 268; var. latifolia 2:52; var. sarniensis 2:52; var. sinensis 21:207. Palmetta 17:94. pertusa 14:59. Wilkesii 14:58, 59

Rhoedeae 47:385, pl. 991 Rhoiconeis trinodis 9:134 Rhoicosphaenia curvata 9:136

Rhopalomyces 5:97, 98, 100-102. cucurbitarum 5:98. elegans 5:102; var. cucurbitarum

5:102. strangulatus 5:99 Rhubarb, Monk's 23:107

Rhus 4:97; 6:121; 7:161, 190; 11:163; 12:181; 14:21; 18:39; 21:125; 30:55; 31:120; 36: 373; 40:180; 43:599, 600; 47:144. § Toxicodendron 43:590. aromatica 43:527, 599-603, pls. 686, 687; 46:307; var. arenaria 43: **599**, 602, pl. **686**; var. serotina 43:601–603, pl. 687. Blodgettii 43:591, 592. canadensis 1:213, 214; 35:388; 37:204; 41:138; 43:600; var. illinoensis 10:52; var. serotina 40: 133; 43:600, 602; var. trilobata 35:363. copallina 1:213; 3:188, 190, 234; 4:130; 5:

129; 7:123, 125, 127; 9:121; 12:120; 14:21; 21:125; 32:151, 263; 37:168; 38:377; 39: 476; 41:513, 520; 46:136; f. frondosa 44: 425; var. angustifolia 37:168; var. lanceolata 37:168; var. latifolia 37:168; 43:81; 46: 136; 50:297; var. leucantha 37:168; var. obtusifolia 37:168. Cotinus 1:214; 21:125. divaricata 43:596. glabra 1:213; 3:234; 4: 130; 5:130; 14:21; 21:125; 28:39; 32:263; 33:179; f. laciniata 10:35; 21:125; var. borealis 32:214, 263; var. laciniata 9:115; 10:35. Greenei 43:596. hirta 6:121; 9:115; 28:71; var. laciniata 9:115. leucantha 37:168. littoralis 43:592. obtusifolia 37:168. pubescens 43:597. quercifolia 36:47; 39:482. radicans 6:121; 43:524, 527, 589–593, 596, 599, pl. 683; 46:250; 50:289, 297; f. hypomalaca 43:590, 592; f. malacotrichocarpa 43:590, 592, 593; var. divaricata 43:596; var. laetevirens 43:596; var. microcarpa 43: 591; var. **pubens** 43:**596**; var. Rydbergii 43:590, 594, 596, 599, pl. 683; var. **verrucosa** 43:596, 597; var. vulgaris 43:590, 592, 593, 599, pl. 684; f. intercursa 43:590, 593; f. 599, pl. 684; f. intercursa 43:590, 593; f. Negundo 43:590, 594. Rydbergii 43:594. Toxicodendron 1:213; 3:130, 188; 4:43, 95; 5:128, 132, 134, 274; 6:121; 7:125; 11:162, 163, 226, 230–232; 12:181; 13:57; 14:21; 16:14; 18:98; 21:125, 201; 23:135; 32:18, 159, 216, 263; 35:249; 36:374; 39:357, 372, 375, 482; 43:527, 589, 593, 597–599, pl. 685; 46:250, 314; f. elobata 43:598, 599, pl. 685; laicarrae 43:590; f. malasatrichearrae f. leiocarpa 43:599; f. malacotrichocarpa 11:163; 43:592; f. radicans 43:591; var. α. vulgaris 43:593; var. γ. microcarpa 43:591, 592; var. ? pubens 43:596, 597; var. quercifolia 43:589, 597; var. radicans 21:125; 43: 591; var. Rydbergii 43:594, 595; var. vulgaris 43:593, 599. trilobata 40:427; 43:599-602, pl. 686; var. arenaria 43:599; var. serotina 43:600, 601. typhina 1:213; 5:128, 130; 6:121; 9:115; 12:181; 14:21; 17:217; 18: 39; 21:125, 199; 22:137; 23:105; 26:185, 226; 32:161, 216, 263; 33:140; 35:249; 40: 146; 44:240; 50:297; f. dissecta 9:115; f. laciniata 9:115; var. laciniata 9:115. venenata 1:213; 2:123, 168; 4:43, 95, 105, 130; 5:132, 134; 50:248. Vernix 11:231; 13:57; 14:21; 18:39. 43; 21:119. 125; 32:152, 216, 263; 36:240; 44:240; 46:494; 48:205; 49:24; 50:248. verrucosa 43:596

80:248. Verritosa 43:390
Rhynchosia 39:339; 44:421, 423, 424. difformis 44:424, 425. erecta 38:378, 425; 39:480; 44:422, 425. latifolia 36:220, 231. mollissima 44:255. reniformis 11:50; 44:423. simplicifolia 44:422, 423. tomentosa 38:378; 39:467, 481; 44:421, 422, 424, 425; var. erecta 44:424; var. monophylla 44:424; var. volubilis 44:424

var. volubilis 44:424

Rhynchospora 6:108; 8:130; 9:53; 10:142; 11:40; 13:104; 20:139, 189–191; 21:10; 22: 180; 23:175; 31:38, 97, 122; 38:393; 39:250, 324, 326, 337; 41:474; 42:367, 512; 43:333, 334; 44:35; 45:297, 451; 46:89-96, 101, 102; 47:103, 291; 49:91, 98. § Eriochaeta 46:128. § Microchaeta 46:93, 217. A. Haplostyleae 46:94. ii. Dichostyleae 46:94, 102. ii. Subgen. Eurhynchospora 46:102. III. Pusillae 46:134. V. Glomeratae 46:104, 169, 177, 207, 227, 236, 255. group Capitatae 46:92, 94. group Communes 46:92, 102. group Corymbosae 46:94. group Longirostres 46: 92. ser. B. Diplostyleae 46:95, 102; § 2. Plumosae 46:95, 128; § 3. Albae 46:95, 104; § 4. Fuscae 46:95, 169, 178, 207; § 5. Glaucae 46:95, 211, 224, 236, 255, 272. Divisio 4. Psilocarya, § ii. Pauci-nucigerae 46:134. Divisio 5. Eurhynchospora 46:102; § iii. Fuscae 46:227. subgen. Diplostylis 46:92. 102. subgen. Distylis 46:102; § Eurhynchospora 46:89, 91-93, 95, 101, 102, 168, 195; ser. Albae 46:117-119; ser. Caducae 46:97. 100, 104, **255**; ser. **Cernuae** 46:93, 96, 98, 100, 103, **211**, 220; ser. **Chapmaniae** 46:95, 99, 100, 103, **134**, 159; ser. **Cubenses** 46: 100, 103, **224**; ser. **Fasciculares** 46:103, **177**, 178; ser. Fuscae 46:99, 100, 103, 169; ser. Glaucae 46:100, 104, 272, 273; ser. Globulares 46:100, 104, 236; ser. Glomeratae 42: 427; 46:95, 99, 100, 103, 104; ser. Harveyae 46:99, 100, 104, 227; ser. Plumosae 46:99, 46:99, 100, 104, **227**; ser. Plumosae 46:99, 100, 103, 128; ser. **Rariflorae** 46:100, 103, 2**07**. subgen. Eurhynchospora 46:95. alba 1:43, 205; 2:202, 215; 5:133; 6:108; 7:72; 10:137; 11:90, 231; 13:104; 14:31; 17:148, 151; 18:34; 19:32; 24:159; 28:127, 163; 29: 208; 31:38; 32:149, 239; 33:109, 118; 34: 51; 35:5, 85; 44:244, 371, 384; 46:89, 94, 95, 98, 104, 105; 190, 121, 123, 125, 128, map 9 98, 104, 105, 120, 121, 123-125, 128, map 9, pl. 819; × capitellata 31:38; β. fusca 46:89, 170; f. laeviseta 46:123; var. macra 10: 137; 12:186; 13:104; 46:95, 121, 124, 125; var. meridiana 46:123. axillaris 10:142; 20:26; 37:402-404, 452, pl. 391; 41: 111; 42:422-425, 427, 428; 46:106, 108; var. microcephala 37:404; 46:95, 106. bahamensis 46:223. Baldwinii 46:91, 132, 178, 181, map 33, pl. 825. Berterii 46:214. biceps 42:425. Blauneri 46:164, 165. borinquensis 46:274. brachychaeta 46:94, 95, 103, 132, 159, 164, 165, 168, 185, 187, 188, map 20, pl. 822. brevirostris 46:216. Brittonii 46:237, 239, 241, map 67, pl. 831. cacuminicola 46:239, 272, 275, map 62, pl. 835. caduca 37:380, 405; 38:393; 39:338, 342, 391, 480; 41:467, 530; 42:363; 44:260, 370, 384; 46:90-92, 94, 100, 239, 256, 259, 260, map 76, pl. 833. californica 46:239, 272, map 60, pl. 834. capillacea 6:94, 108; 7:72, 154; 8: 130, 186; 9:159, 189; 10:137, 142; 12:114; 13:30; 19:122; 21:87; 23:25; 35:216, 253; 37:252, 314, 366; 40:254; 46:98, 105, 119, 126-128, 132, 219, map 10, pl. 818; f. leviseta 37: sis 46:223. Baldwinii 46:91, 132, 178, 181, 128, 132, 219, map 10, pl. 818; f. leviseta 37: **252**; 46:119, 127, 128; var. leviseta 1:102, 103; 3:250; 8:130, 186; 10:137, 142; 17:204; 19:68; 23:42; 35:216, 388; 37:252, 402; 46: 119, 128. capitellata 20:27, 72, 190, 191, pl. 125; 23:134, 234; 24:162; 31:38, 83; 32:149, 210, 239; 36:219; 37:399-403; 40:146; 42: 427, 428; 46:89, 91, 95, 105, 115, 117-121, map 1, pl. 819; f. controversa 46:119, 121; f. discutiens 46:99, 116, 117, 119, 121, 127;

var. controversa 20:28, fig. 3; 37:402; 46:119; var. discutiens 20:28, fig. 4; 23:42, 149, 160, 234; 24:162; 32:177, 211; 37:402; 46:119; var. leptocarpa 20:28, fig. 5; 37: 402; 46:115; var. minor 20:28, fig. 2; 37: 402; 46:115. Careyana 20:140. cephalantha 37:402-405, 452, pl. 391; 42:366, 422, 423, 425, 427, 428; 44:374, 384; 46:91, 105, 107-109, 111, 119, 120; var. attenuata 46: 108, 110, 111, 120, map 6, pl. 820; var. microcephala 46:111; var. pleiocephala 42:423, 424, 425; 46:108, 109, 111, 120, map 5, pl. 820; f. controversa 46:110, 121; var. typica 42:423, 425; 46:98, 108, 111, 120, map 7, pl. 818; f. antrorsa 46:109, 121. cephalotes 46:93. cephalotoides 46:93. cernua 46:93, 186, 212, 214, 216, 217, map 46, pl. 826. chalarocephala 42:426-429, figs. 1, 2; 44: 20:138-140; 24:82; 35:202; 37:399; 38:376, 380, 396; 39:330, 353, 481; 41:475, 533; 44: 241; 46:91; 47:100, 117; var. interior 20: 140; 24:82; var. patula 8:165; 20:140. crinipes 46:132, 170, 173, 174, map 28, pl. 823. crispa 46:97, 186, 212, 213–215, map 43, pl. 827. cubensis 46:93, 96, 186, 224-227, map 56, pl. 828; var. stenophylloides 46:226. culixa 46:104, 186, 228, 235, 236, map 55, pl. 828. Curtissii 46:93, 132, 166, 170–172, map 26, pl. 823. cymosa 24:87; 37:405; 38:376, 380, 396; 39:328, 481; 40:398; 42:424; 44:342; 46:77, 95, 113, 242, 245–248; 47:117; var. compressa 46:237; var. 245–248; 47:117; var. compressa 46:237; var. globularis 37:380, 405, 413; 39:391, 480; 40:368, 398; 46:244, 248. **debilis** 46:103, 178, 186, 188, **194**–196, map 38, pl. **826.** decurrens 46:256, 259, 264, map 78, pl. 832. deflexa 46:93, 162, 163, 190, 225. **depressa** 46:186, 212, **217**, 218, map 48, pl. **826.** distans 37:403; 39:356, 390, 391, 466, 476; 42:379, 429; 44:349; 46:89, 95, 162, 177, 191–193, 196, 230, 232, 247; var. β. 46:185; var. β. fascicularis 46:188; var. γ. gracillima 46:187; var. fascicularis 46:192; var. microcarpa 46:176, 177; var. tenuis 46:187. divergens 46:165. dodevar. tenuis 46:187. divergens 46:165. dode-candra 39:328, 381, 389, 476; 42:429; 46:91, 228-230. dommucensis 46:191, 192. Drummondiana 46:183, 184. Earlei 46:233-235. Edisoniana 46:234, 266, 267. Elliottii 20: 26, 27; 46:91, 92, 117, 231, 232, 265. etuberculata 8:162; 46:92. fascicularis 20:27; 37: 405; 38:377, 394; 39:467, 480; 40:398; 42: 425; 44:343; 46:89, 95, 118, 162, 163, 165. 178, 188, 190, 192, 193, 195; var. distans 46: 89, 176, 177, 182, 183, 186, 187, 191, 193, 195, 196, map 40, pl. 825; var. stenophylla 46: 164, 165; var. trichoides 46:194, 196; var. typica 46:103, 162, 186, 188, 191, 193, 196, 225, map 39, pl. 825. Fernaldii 46:103, 132, 178, 182, map 34, pl. 825. fibrillosa 46:

212 Rhodora

216. filifolia 39:390, 489, pl. 475; 43:334; 45:372, 393; 46:91, 99, 132, 170, 172–174, 176, 177, map 35, pl. 822; 48:58; 49:87; var. plei-antha 46:171. foliata 46:92. fusca 2:127; 7:72, 106; 9:119; 10:137; 13:105, 136, 139; 16:86; 19:97, 122; 21:73; 23:234; 24:87, 162; 32:150, 213, 239; 35:5, 85; 37:308; 44:244; 46:89, 96, 132, 169–172, 176, 183, map 24, pl. 824; 49:243. fuscoides 39:390, 489, pl. 475; 46:95, 132, 169, 170, 175-177, map 29, pl. 822. Gageri 46:132, 177, 178, 180, map 31, pl. 824. glauca 20:27; 46:89, 93, 117, 118, 273, 275-278; var. altior 46:276. globularis 46:98, 237, 240, 243, 244, 248, 249; var. pinetorum 46:236, 239, 243, 248, map 71, pl. 831; var. recognita 46:93, 95, 235, 236, pl. 831; var. recognita 46:93, 95, 235, 236, 239, 242, 243, 245, 248, 249, map 72, pl. 831; 47:103, 117; var. typica 46:239, 240, 243, 244, 245, 248, map 70, pl. 831. glomerata 2:215; 7:106; 8:219; 10:137; 13:105; 14:28; 16:16; 20:25-28, 72, 190, fig. 1; 23:134; 32: 239; 37:399-403; 42:427, 428; 46:89, 91, 105, 112, 113, 115, 116, 119, 247; 49:86; β. robustior 37:403; 46:113; var. 42:427; var. angusta 46:113, 114, 120, map 3, pl. 820; var. discutiens 20:27, 28; 37:402; 46:95, 119; var. leptocarpa 20:27, 28; 37:401, 402; 46:115; var. minor 20:27, 28; 37:401-403; 42:426, 427; 46:78, 95, 115, 119; f. controversa 37:401, 402; 46:119; f. discutiens 37: versa 37:401, 402; 46:119; f. discutiens 37: 401, 402; 46:119; var. paniculata 20:25, 26, 72; 37:399-401; 46:113; var. robustior 20: 26; 37:400, 401; var. typica 37:401; 46: 113–115, 120, map 2, pl. 819. gracilenta 37:379, 399, 452, pl. 390; 39:389, 390, 477; 42:88, 91; 46:91, 95, 177–179, 183–186, 269, map 36, pl. 826; var. diversifolia 37:399, 452, pl. 390; 39:389, 390; 46: 183, 185. gracilis 46:93, 179, 245, 266, 276; 50:132. gracilcilis 46:93, 179, 245, 266, 276; 50:132. gracillima 46:164, 185, 187. Grayana 46:125, 126, 128. Grayii 43:539; 46:91, 92, 117, 118, 126, 186, 228, 230, 232. map 54, pl. 829. Harperi 46:99, 132, 170, 173, map 27, pl. 823. Harveyana 46:245. Harveyi 39:328, 391, 482; 40:398; 44:384; 46:186, 228, 232–236, 245, map 59, pl. 829. Hunnewellii 50:132. inexpansa 37:405; 38:376, 381, 396; 39:480; 46:89, 96, 239, 255, 256, map 75, pl. 833. intermedia 46:128, 130–132, map 13, pl. 820. inundata 20:139, 140; 25:148; 30:136; 32:211. involuta 46:266. joveroensis 46:132, 178, 180, map 32, pl. 824. jubata 46:259. 178, 180, map 32, pl. 824. jubata 46:259, 274. Knieskernii 46:100, 105, 125, 132, map 11, pl. 819. leptocarpa 37:401, 402; 46:115. leptorhyncha 46:94, 95, 98, 132, 173, 177-179, map 30, pl. 824; var. laevirostris 46:179. Lindeniana 46:93, 95, 212, 217–219, 222, 223; var. bahamensis 46:186, 218, 222, 223, 224, map 53, pl. 827; var. depressa 46:217; var. typica 46:186, 218, 222-224, map 52, pl. 827. lingulata 46:215. longifrons 46:181; var. 3. reducta 46:180; var. reducta 46:180. longiseta 46:92. lunata 46:95. luquillensis 46: 121, 123. macra 46:98, 105, 121, 124, 125, 132, map 12, pl. 820. macrostachya 2:127; 8:165; 9:119; 10:137, 142; 13:105; 14:29,

30; 15:19; 18:72; 20:138-140; 24:57, 87, 114; 32:211; 35:202; 39:482, 483; 41:475, 533; 42:276, 386, 393, 401, 422, 429; 44:364, 384; 46:91; var. colpophila 42:421, 422, 441, 510, 514; 44:369, 372, 384; var. inundata 8:164; 10:137, 142; 13:105; 18:72; 20: 115, 138, 139; var. patula 8:165; 20:140. Marisculus 46:239, 259, 272–275, map 61, pl. 835. megalocarpa 46:91, 92, 96, 100, 186, 227–230, 235, map 58, pl. 829. micrantha 46: 269. microcarpa 46:91, 104, 234, 241, 255, 256, 259, 266, 268, 271, map 82, pl. 832; var. achaeta 46:270, 271. microcephala 37:379, 405, 452, pl. 391; 38:396; 39:326, 391, 480; 42:366, 422, 423, 426–428, figs. 3, 4; 44:384; 46:95, 105, 111, 115, 120, map 4, pl. 818. microseta 46:92. miliacea 44:385; 46:89, 91, 93, 96, 97, 104, 239, 255, 257, 263, map 74, pl. 833. mixta 46:256, 259, 262–264, map 77, pl. 832. monostachya 39:248; 41:109; 46: pl. 832. monostachya 39:248; 41:109; 46: 92. multiflora 46:91, 265. nipensis 46:186, 211, 212, 215, map 45, pl. 826. nuda 46:99, 100, 102, 132, 159, 167, 168, map 23, pl. 821. obliterata 46:237, 239, 242, 243, map 68, pl. 830. odorata 46:93, 98, 179, 239, 255, 258, 274, 275, map 73, pl. 833. oligantha 39:29; 60:1331. 46:91, 128, 130; var. breviseta 46:129, 132, map 14, pl. 821; var. typica 46:129, 132, map 15, pl. 821. pallida 42:378, 381, 429, map 14; 44:241, 349; 46:93, 95–98, 132, 159, 161, 162, 164–166, 187, 188, map 18, pl. 821. paniculata 20:26, 28; 37:401; 46:91, 113. patula 20:139; 46:91, 261, 262, 266. penniseta 46:93, 131. perplexa 40:381, 398, 399; 41:533; 42:382, 429; 45:372; 46:99, 255, 256, 259, 266, 270, 272, map 81, pl. 832; 49:98, 101, 126, 193, pl. 1060; var. virginiana 49: 125, 193, pl. 1060. pineticola 46:130. pinetorum 46:248, 249. Plankii 46:233. pleiantha 46:132, 170, 171, 172, map 25, pl. 823. plumosa 44:260; 46:90, 91, 93-95, 97, 128, 131, 132, map 16, pl. 820; var. intermedia 46:130. prolifera 46:262, 263. pruinosa 46:93, 97, 186, 211, 212, 221, map 42, pl. 826. punctata 46:90, 236, 238, 239, map 65, pl. 830. pungens 46:276-278. pusilla 46:214, 215. pyenocarpa 46:91, 92, 228-230. Randii 46:220, 221. Rappiana 46:160, 161. rariflora 37:380, 405, 412; 39:326, 390, 391, 480; 46:90, 93, 103, 186, 207, 210, 211, map 49, pl. 828; 49:98, 125. rugosa 46:93, 239, 272, 273, 275, 277, map 63, pl. 835. saxicola 46:236, 238-240, map 66, pl. 830. scabrata 46:93, 97, 186, 212, 213, 220, 221, map 50, pl. 827; var. laevifolia 46:186, 221, 222, map 51; var. typica 46:220, 222, pl. 827. 823. plumosa 44:260; 46:90, 91, 93-95, 97, map 51; var. **typica** 46:**220**, 222, pl. 827, schoenoides 20:26; 44:260; 46:90, 99, 256, 259, 265, 268, map 79, pl. 834. semiplumosa 269, 269, 269, Map 78, ph. 364. Semprumber 46:91, 131, 134. setacea 45:297; 46:93, 126, 208, 219. Shaferi 46:186, 212, 215, map 44, pl. 827. Smallii 19:97; 37:402; 46:119. sola 46:132, 159, 162–164, map 21, pl. 820. solitaria 46:96, 132, 134, 159, 161-164, map 22, pl. 822. sparsa 46:89, 91, 96, 257. stenophylla 46:165, 186, 207, 210, 211, 219, 220, map 41, pl. 828; var. albescens 46:219.

stenophylloidea 46:96, 186, 224-226, map 57, pl. 828. stipitata 46:259. sulcata 46: 100, 236, 239, **240**–242, map 69, pl. **831.** tenuifolia 46:93, 99, 100, 186, 210, 212, 218– 220, map 47, pl. 827. tenuis 46:185. tenuiseta 46:274. tetrandra 46:179. Torreyana 10:137, 142, 143; 13:151; 22:103; 31:97; 32: 177, 211; 34:112, 113; 39:326, 391, 467, 476, 478, map 32; 40:399; 41:533; 42:278; 44: 127, 241; 46:91, 234, 245, 256, 259, 268, 269, map 80, pl. 834; var. 46:268; var. microrhyncha 46:266, 268. trichodes 46:194, 196. trichophylla 39:389–391, 475, 489, pl. 475; 46:183, 185. Wrightiana 37:380, 405, 413; 38:394; 39: 344, 390, 391, 467, 476, 489, pl. 475; 40:398; 46:163, 165, 178, 185–188, 195, 196 196, map 37, pl. 825

Rhynchosporae 43:333

Rhynchosporas 39:334; 41:474; 42:382 Rhynchostegium rusciforme 2:63; 4:241. ser-

rulatum 4:183, 6:73

Rhyncodexia rufipennis 41:186

Rhytidiaceae 30:11

Rhytidiadelphus 35:146. loreus 30:11. squarrosus 13:46; 15:13; 30:11. triquetrus 30:11

Rhytidiopsis 35:146

Rhytidium 35:146. rugosum 15:13; 30:11; 39:13. 45

Rhytiglossa ciliata 50:225. ovata 50:225 Rhytisma andromedae-ligustrinae 39:373. concavum 39:373. Curtisii 41:518. vaccinii

Ribbon Grass 49:277

Ribes 6:119; 12:20, 21, 179; 15:29, 32; 18:251; 37:72; 42:153; 46:282; 47:144, 363; 49:217, 219. subgen. Ribesium 42:153. albinervium 6:119; 9:3, 4; 49:217. alpinum 12:21. americanum 11:46; 12:34; 14:241; 18:245, americanum 11:46; 12:34; 14:241; 18:245, 251; 49:217. aureum 11:46, 47; 18:251. curvatum 37:317. Cynosbati 1:171; 3:233; 6:119, 208; 7:155; 8:168; 18:245; 21:199; 34:61; 35:249; 37:262, 339, pl. 362; var. atrox 37:261, 262, 339, pl. 362; var. glabratum 7:156. floridum 6:119; 11:46, 47; 12:34; 18:251. glandulosum 32:61; 33:109, 121; 35:122; 36:281; 49:217, 218. gracile 18:245, 247; 39:377. Grossularia 18:245, 29:214. hirtellum 13:73-76; 18:245; 29:176, 14:39:254. 33:121; 34:53:36:281; var. 214; 32:254; 33:121; 34:53; 36:281; var. calcicola 13:76; 18:37, 245, 247; 23:266; 36:281; 44:142; var. saxosum 13:76, 138; 35:272. hudsonianum 49:217–219. inerme 13:74-76. lacustre 1:184, 193; 3:174; 6: 119; 9:63; 10:205; 11:94; 12:33, 38; 13:138; 15:140; 18:245; 23:266; 32:206; 34:53, 61; 36:281; 37:317; 41:244; 49:218. missouriense 39:377; var. **ozarkanum** 39:**377.** nigrum 12:22, 32, 176, 179; 18:245, 251; 19: 226; 29:214; 49:219. odoratum 11:46, 47; 18:245, 251; 36:224. oxyacanthoides 1:221; 3:188, 233; 6:119; 7:153-155; 9:63, 181; 11: 94, 130, 231; 12:128, 179; 13:74, 75; 17:152; 18:251; 29:176, 214; 44:172, 174; 49:217; var. calcicola 7:155; 9:2; 13:74-76; 44:142; var. saxosum 13:75, 76. prostratum 1:184,

191, 193; 3:174, 188; 6:119; 10:205; 11:94; 12:33, 38, 128, 179; 13:138, 216, pl. 88 (map 6); 17:152; 18:245; 22:129, 130, 134; 25:9; 29:214; 32:206; 34:53, 61, 63. recurvatum 49:217. rigens 49:217–219, pl. 1087. rotundifolium 18:245, 247; 21:87. rubrum 6: 119; 9:1, 3; 12:21–33; 28:244; 29:214; 41: 244; var estimum 0.2: 244; var. sativum 9:3; var. subglandulosum 1:106, 221; 3:174; 6:119; 9:3. saximontanum 22:195. saxosum 13:75, 76. trifidum 49:217, 218. triste 9:3; 10:205; 11:94; 12: 33, 38; 13:125, 138; 18:245; 28:244; 32:206; 34:61; 41:244; 42:329; 49:217; var. albinervium 9:4; 10:205; 18:245; 19:226; 23: 266; 24:116, 184; 36:281. vulgare 9:1, 3; 12:21, 32, 33; 18:245, 251

Ribs 12:21; 15:32

Riccardia 19:266. latifrons 5:170; 9:66; 15: 22; 23:67; 25:193, 198; 26:7. multifida 5: 170; 7:58; 14:17; 15:22; 16:76; 25:193, 198; 26:7. palmata 5:170; 7:58; 9:73; 14:18; 15:22; 16:76; 25:193; 26:7. pinguis 5:170; 10:37, 192; 14:18; 15:22; 21:169; 23:67; 25:193; 26:7. sinuata 5:170; 9:73; 11:118; 15:22; 25:193

Riccardiaceae 25:193; 26:7; 39:33

Riccia 9:56; 14:1, 6; 19:265; 25:74, 199. americana 14:4-6. arvensis 5:170; 14:1-4, 8, 9, 11; 15:22; 17:120; 19:263; 25:98, 193; var. hirta 14:8. Austini 14:1, 4-7, 10, 224; 15:22, 26; 25:193. Beckeriana 19:264. Beyrichiana 19:264; 25:193. bifurca 14:3, 4. Bischoffii 19:265. canaliculata 9:56. crystallina 4:207; 5:170; 15:27; 25:74, 193. dictyospora 14:1, 6, 7; 15:22, 26; 25:193. epicarpa 12:193. fluitans 5:135, 170; 7:58; 9:56; 15:27; 24:214; 25:74, 193; var. Sullivantii 9:56. Frostii 19:263–265; 25:193, 198. glauca 14:4. glaucescens 14:10. hirta 14: 14:4. lanigera 12:196. Lescuriana 14:1, 4, 8, 10, 11; 15:22, 26; 18:119; 19:264; var. cruciata 14:10; var. trichotoma 14:10. Lindenbergiana 12:193. membranacea 12:196, 197; 25:74, 193. Michelii 14:11. minima 12:193, 195, 196. natans 2:161; 5:135. nigrella 12:195, 196; 14:7. Raddiana 12:193. sorocarpa 12:193-196; 14:1, 4, 6, 7, 10; 15: 22, 26; 18:119; 25:193. Sullivantii 5:170; 6:190; 9:56; 15:27; 25:74, 193; 26:7. tenuis 12:196. trichocarpa 14:8, 9. Watsoni 19:

Ricciaceae 5:170; 12:193; 15:22; 25:193; 26:7 Ricciella 9:56, 57; 11:16; 12:197; 15:27; 19: 265; 25:74. crystallina 9:57; 12:197; 15:22; 17:120; 19:263; 25:199. fluitans 9:57; 10: 192; 12:204; 15:22; 25:199. membranacea 12:196; 15:22, 26; 25:199. Sullivantii 9: 56, 57; 10:192; 15:22; 25:199

Ricciocarpus natans 5:170; 15:22; 25:193 Rice, American Wild 12:25. Wild 12:17, 26, 37, 38; 15:29, 32; 33:230; 49:277; Cutgrass

Richardia 42:383; 43:511. brasiliensis 43:511,

515, 645, 646. scabra 42:382, 383, 481; 43: 511, 645

Richweed 43:557

Ricinophyllum 26:124. horridum 26:124 Ricinus 21:83; 45:439, 444, 445. communis 2: 205; 6:86, 88; 21:83; 29:38; 45:444

Ridan 47:402 Riella 17:109

Rinodina 36:140. confragosa 29:104. oreina 29:104, 105. sophodes 29:104; var. confragosa 29:104. turfacea 28:231

River Beauty 42:334. Birch 39:331. Maple 4:130; 16:13; 47:158. Rose 4:130 Rivularia 15:91. atra 2:43; 7:224; 21:205; 26:212; 50:256, 257. Beccariana 1:11. Biasolettiana 2:43. Bornetiana 2:43. compacta 1:10, 11. incrustata 14:236. indica 28:2, 4. laurentiana 15:90. minutula 1: 10, 11. natans 14:114. nitida 2:43; 7:224. pisum 14:114, 236. Polyotis 3:136

Robert's Plantain 38:235 Robin, Ragged 18:71

Robinia 6:120; 7:28; 12:181; 20:171; 21:190; 25:180; 31:120. albicans 36:46. Boyntonii 25:183; 36:46; 39:430. Elliottii 39:430. 25:183; 36:46; 39:430. Efficitii 39:430. fertilis 25:182. grandiflora 25:180-182. hispida 2:90; 4:198; 20:171; 25:180, 183. longiloba 25:183. nana 36:32, 46. pallida 25:182. pedunculata 25:183. Pseudo-Acacia 2:90; 7:125; 11:128; 12:181; 14:80; 20:171; 28:39; 30:203; 31:222; 32:152, 256; 36:46, 230; 46:313. speciosa 25:181, 182. puelca 25:182, priscora 2:00:6:120; 7:28. unakae 25:180. viscosa 2:90; 6:120; 7:28; 12:181; 20:171; 46:494

Robinsonella 20:120 Rock Brake 30:14. Cranberry 4:231; 12:23, 25, 34, 35, 183. Maple 12:182; 18:31

Rockberry 35:12 Rocket, Sea 28:63 Rockweeds 26:190 Röda Vínbär 12:21, 32 Roestelia 9:195

Roman Wormwood 28:72 Romanzoffia sitchensis 37:419

Rophalon 21:185

Rorippa 12:14; 18:220; 27:31, 186; 30:132; 31: 119; 47:217; 50:132. americana 10:32; 27: 186. amphibia 33:192, 193; 35:262; 39:332, 353, 409. aquatica 40:132. Armoracia 6: 118; 10:32; 18:220. barbareaefolia 41:167, 232, 233, 238, 300; 42:270, 273, 274, 327, pt. 605. curvisiliqua 42:327. globosa 18:220. hispida 10:32; 30:131, 133; 42:26, 272, 274; var. glabrata 30:133; 32:62; 42:25, 26, 28, 268, 272, pl. 588. indica 18:155. islandica 30:131, 132; 31:17, 18, 119; 42:25, 27, 29, 31, 32, 267, 268, 270, 272, 274, pl. 605; 46:283; 47:217; 50:100; f. microcarpa 42:271; 50:100; var. Fernaldiana 42:28-31, 268, 270-272, 274, pl. 605; 50:100; f. reptabunda 50: 132; var. glabrata 42:28, 30–32, 270, 272–274, pl. 605; var. hispida 42:26, 27, 29–31, 268, 270, 272–274, pl. 605; 46:217; var. microcarpa 42:271, 272, 274, pl. 605; 50: 100; f. reptabunda 50:35, 100, 132; var. occidentalis 42:27, 30, 274. Nasturtium 6:

118. Nasturtium-aquaticum 18:220; 32:253. obtusa 47:214; var. **sphaerocarpa** 38:**406.** occidentalis 42:27, 267, 271. pacifica 42:27. palustris 6:118; 18:221; 30:131-133; 31:17, 18; 36:281; 41:234; 42:25, 26; 46:283; 47: 217; β. microcarpa 42:271; 50:100; var. glabrata 41:234; 42:25, 28, 268; var. hispida 18:221; 30:131-133; 41:234; f. inundata 42: 272; var. pacifica 42:27. sessiliflora 42:452; 49:201. sphaerocarpa 10:32. sylvestris 18: 221; 30:131. tanacetifolia 39:82. Walteri 44:261. Williamsii 41:234

Rosa 6:120; 7:157, 161, 190; 9:37; 12:180; 20: 57, 91; 29:180; 30:109; 33:60; 37:72; 40: 156; 42:153, 312, 332; 47:275; 50:145. § Carolinae-Cinnamomeae 30:111. acicularis 1:222; 20:94, 96; 24:99, 181; 36:281; 41:165, 249; 45:312; var. Bourgeauiana 11:14; 12: 120; 13:180; 34:231. arkansana 30:116; 48: 100, 116. Beatricis 9:39. blanda 1:48; 2: 124; 3:234; 4:130; 6:97, 120, 148; 8:79; 10: 112; 20:91–96; 21:201; 22:134; 30:110–112, 114, 117; 32:18; 33:234; 41:249; 48:100; 50: 147; f. alba 50:146; var. alba 50:146; var. Hermani 30:113; var. nuda 30:110; var. subgeminata 30:110. Bushii 30:110, 117. canina 1:106, 223; 13:31; 19:228; 20:57. carolina 2:112, 113; 3:188, 234; 4:131; 7:74; 8:27; 20:57, 91; 26:225; 28:39; 29:129, 180, 215, 236; 30:110, 111, 113, 117, 119, 121; 32:255; 36:374; 37:350; 40:436; 50: 145, 146; × palustris 30:113; f. glandulosa 1:222; 20:94, 96; 24:99, 181; 36:281; 41:165, 24:176; × palustris 30:113; f. glandulosa 50:145; var. aculeata 30:110; var. glandulosa 40:380, 436, 441; var. litoralis 30:119; var. Lyonii 40:133; var. sabulosa 30:118; var. sepalorelevata 30:110; var. setigera 2: 113; 6:120; 24:176. cinnamomea 6:148; 12: 180; 15:166; 20:57. conjuncta 30:110. dasistema 40:133. Deamii 30:120. gallica 6: 141; 20:57. glutinosa, var. leioclada 9:40. Housei 30:111, 117. humilis 1:106; 2:112; 3:234; 12:180; 18:38, 94, 97; 20:58, 91; 29: 215; 32:255; 34:62; 40:436; 50:146. johannensis 20:94, 96; 50:147; f. albina 20:95. Jundzillii, var. leioclada 9:40. lucida 3:188, 234; 4:189; 5:132; 20:92; var. 4:34. Lunellii 37:164, 205. Lyoni 30:121; 40:133. michiganensis 30:111; 46:254. multiflora 43:571; 47:156. nanella 32:255; 50:145. nitida 2:113; 3:234; 6:196; 13:31; 17:150; 19:228; 20:58, 91; 21:73; 28:57; 29:180, 215; 33:112, 122; × palustris 24:176; × virginiana 24:176. obovata 24:176; 30:121. palustriformis 30:110. palustris 20:91; 23: 104, 145, 147; 28:39; 30:110–114; 32:149, 161, 210, 255; 37:350; 38:377; 50:302; var. aculeata 30:110; var. dasistema 40:133; var. sepalorelevata 30:110. parviflora, var. β. glandulosa 50:145; var. glandulosa 50:146. pimpinellifolia 29:179, 180, 215. polyanthema 30:110. pratincola 30:116. ratonensis 30:115, 116. relicta 30:116, 117. Rousseauiorum 50:146. rubifolia 34: 175. rubiginosa 12:180; 20:58; 32:255; var. micrantha 20:58. rudiuscula 30:110. ru-

gosa 13:71; 17:216; 18:97; 20:58; 23:272; 26:225; 31:84; 32:159, 255; 50:297. Schuetteana 30:112. serrulata 50:146; var. rotundifolia 50:146. setigera 8:222; 15:226; 37:86, 353, 361; f. inermis 50:45; var. serena 50:145; var. tomentosa 50:145; f. inermis 35:286; f. serena 50:145. Solandri 20:92, 93. spinosissima 12:176, 180; 16:40; 19:228, spithamaea, var. solitaria 33:204; var. sonomensis 33:205. suffulta 30:110, 111, 115-118; 37:86; f. alba 42:100; var. valida 30:114, 116. villosa 9:50. virginiana 11: 95; 12:180; 13:139, 146, 149; 17:35, 37, 146–148, 150, 153, 221; 18:97; 20:58, 91–96; 29: 128; 32:151, 173, 255; 34:62; 39:370, 372, 375; 44:172, 174; 50:145; f. nanella 50:145. Williamsii 20:95, 96; 44:143; 50:147. Woodsii 30:16; 48:100

Rosaceae 3:283; 6:119; 8:204; 9:37, 38; 10: 195; 12:179; 13:106, 229; 17:37; 18:38, 95, 97; 20:15; 21:170, 190; 25:9; 26:225; 28:71; 29:214; 31:43; 32:254; 36:172, 281; 39:19; 41:423; 43:80; 44:37; 45:312; 48:129; 49: 255; 50:297, 302. subfam. Pomoideae 48:

130

Rose(s) 5:93-95; 42:332; 48:100. Cinnamon 12:180. Family 45:27. Glossy 12:180. Japanese 18:97. Low 12:180. Mallow 39: 337. Pasture 12:180. River 4:130. Scotch 12:180. Smooth 4:130. Swamp 4:131. Wild 5:260

Rose-Root 28:63 Rosea 49:79, 80. radix 49:79 Rosebay 49:152. Lapland 28:62 Rosellinia subiculata 50:287 Rosemary, Bog 5:67. Wild 5:68; 18:100 Roseroot 49:79

Rotaceae 47:385, pl. 991

Rotala 23:114; 33:53. ramosior 5:204; 10: 143; 11:83; 13:8; 23:114; 24:88; 37:168, 169, 187; 39:432; 46:50; var. interior 37: 169, 188, pl. 345; 43:662; 46:50; var. typica 37:169, 43:662

Rotantha 36:237

Round-leaved Dogwood 4:131. Sida 50:99

Roundwood 18:38. Tree 18:38 Roya 7:114; 24:216. obtusa 7:114; 24:216 Royal Fern 22:132; 35:352; 42:278; 45:396 Rubacer 15:222; 37:59, 273. carolinianum 47: 217. parviflorum 37:277; 42:275. tomento-

sum 37:273, 277; 42:276. velutinus 37:277 Rubi 8:146, 169, 212; 9:4

Rubia 9:52

Rubiaceae 6:129; 18:43; 21:69; 24:43, 44; 25: 11; 26:13, 228; 29:220; 31:43; 32:275; 34: 152; 36:284; 39:359; 43:82; 45:315; 49:

152; 36:284; 39:359; 43:82; 45:315; 49: 255; 50:16, 299 Rubus 3:221, 295; 4:64, 91, 97; 6:119; 7:157, 219; 8:10, 95, 216; 9:52; 10:14, 117, 119; 11:27; 12:110, 180; 13:216; 14:120, 121, 133, 191; 15:222; 16:28; 17:86, 153; 18:38; 20: 58; 21:89, 90; 22:112, 186, 188, 189, 191; 23: 97, 101, 167, 270; 31:18, 120; 33:60, 62, 102, 145; 35:359; 36:254, 255, 373, 422; 37:190, 273; 39:204; 40:145, 156, 161, 378, 435; 41: 55, 89, 197; 42:153; 44:154, 170, 171, 174,

345, 346; 45:374, 384; 47:93, 96, 98, 144, 209; 48:129; 49:92, 95, 144; 50:65, 73. § Abbreviantes 42:289. § Alleghenienses 42:293. § Anoplobatus 37:59. § Arguti 40:435; 42: 294, 454; 49:147; sub-§ Anormi 44:346, 403, 404; sub-§ Frondosi 44:402. § Cuneifolii 40:435; 47:94; 49:147. § Eubatus 37:274. § Flagellares 49:145, 146; 50:75, 77-79. § Hispidi 42:292; 43:569; ser. Jacentes 42: 282. § Jacentes 42:282. § Persistentes 42: 276. § Procumbentes 42:454; 43:567, 568. § Setosi 42:282; 50:77. § **Tholiformes** 42: **282**–284, 287–290, 292, 293, 454; 47:98; 49: 146. § Triviales 42:276. subgen. Batidaea 21:89. subgen. Eubatus 42:153; 50:73. abactus 35:363. abbrevians 22:187-189; 23: 271; 24:176; 33:208; 42:287-289. acalyphaceus 21:98. acaulis 28:60, 79; 29:129, 131, 215; 35:238; 36:281; 38:154; 40:276; 41:146, 147, 165, 245; 42:330; 44:108. aculiferus 42:284, **287**, 288, pls. **610**, **611**. adenocaulis 42:284, **288**–290, pls. **612–615**. adjacens 42:282, **290**–292, pls. **616–618.** Akermani 47:**152**, 153, 155, pls. **890**, **891**; alter 50:77. alumnus 50:214. amabilis 8: 173; 10:120; 13:56. ambigens 43:569, 570. americanus 6:119; 11:236. amicalis 23:269; 24:175; 32:178. Andrewsianus 8: 17, 218; 9:6, 10; 20:58; 22:185; 23:101, 269; 24:181; 27:55; 32:151, 210, 255. arcticology. 28:79; 29:132, 215; 31:138; 36:281; 41:506; 42:330. arcuans 23:272; 24:176; 25:147; 32:179; 42:289, 290. arenicola 8:151, 216; 22:186; 23:138, 270; 27:202; 50:214. argutus 2:26, 28; 3:188; 4:91; 6:224; 10:152; 22:191; 23:269; 42:294; var. Randii 2:26; 6:144. arizonicus 21:98. Arundelanus 8: 176, 178, 216. ascendens 9:9. audax 40: 435. Baileyanus 9:6; 22:186; 43:567; 50: 77, 79; × frondosus 22:186. Bartonianus 36:267, 268. biformispinus 8:178; 23: 270, 272; 24:175; 42:289. Boyntoni 42:293. bracteoliferus 42:293, pls. 619, 620. Brainerdii 22:190. caesius 42:276. canadensis 1:223; 2:26-28; 3:174, 188; 5:130; 6: 119, 196; 8:98, 146, 148, 174, 218; 9:6, 10; 10:117–120, 206; 12:103, 180; 13:55, 194; 15: 224; 17:153; 19:228; 22:185, 187, 189; 23: 269, 270; 24:99; 28:80; 29:179, 215; 34:61; 36:374; 42:286; \times procumbens 23:270; \times setosus 42:285, 286; var. pergratus 50:302;var. roribaccus 50:76; var. septemfoliolatus 13:193. carolinianus 21:94, 97. castoris 9: 162. cathartium 47:153-155, pls. 892, 893. celer 49:95, 145, 146. centralis 42: 455; 43:493, 568. Chamaemorus 3:165; 4: 97, 189; 5:36; 9:150–152, 157, 162, 166, 177, 216 Rhodora

180, 181, 218, 219; 10:141; 11:94, 164; 12: 180, 181, 218, 219; 10:141; 11:94, 164; 12: 106, 109; 13:95, 99, 114, 123; 15:141; 16: 184; 17:149; 22:48, 189; 23:99, 148, 165, 169, 268; 25:9, 99; 29:132, 215; 33:121; 34:53; 35:5; 36:281; 38:154; 41:146, 147, 157, 158, 166, 245; 42:311, 330; 44:123; 45:313. connixus 47:152. cordifrons 50:79; f. pleniflorus 50:80. cubitans 42:282. cuneatus 39:469. cuneifolius 2:27, 28; 6:49; 9:5; 22: 185, 189; 40:378, 435; 43:570; 49:95; var. subellipticus 43:570. cupressorum 49: 147, 148, 103; pls 1072, 1074. defectionis 147, 148, 193, pls. 1072-1074. defectionis 44:402, 403, pl. 722. deliciosus 36:268; 37: 60. depavitus 50:80. dissitiflorus 44:403, 404, pl. 723. eflagellaris 50:75. Egglestonii 21:95, 97; 33:238. elegantulus 8:95; 22: 187–189; 23:269, 270; 25:211; 33:102, 103. Enslenii 2:27, 29; 24:185; 32:177; 37:193; 39:475; 42:454, 455; 46:86; 50:77, 79. experimental control of the control sularis 47:154. felix 50:75. flagellaris 22: 187; 23:271; 32:255; 39:371, 373. 375; 43: 568; 47:154; 49:92, 145; 50:74, 75, 297; \times setosus 23:271. floricomus 9:6. floridus 43:490,491,571; 44:402. frondisentis 22:186– 490, 491, 571; 44:402. frondisentis 22:186–189, 191; 42:283. frondosus 8:217; 9:6; 20:58; 22:185–188, 190, 191; 25:211; 26:225; 37:193; 40:435; 50:297; × setosus 22:188. fruticosus 2:23; 15:222. geniculatus 42:453. geophilus 8:148, 157, 216. glandicaulis 8:172, 174; 10:118; 22:186, 191; 23:268; 24:175; 25:210; 42:293; 50:214; var. neoscoticus 23:268. Grimesii 42:453; 43:512, 104:568:50:75, 79. Grinutianus 33:102, 104. 568; 50:75, 79. Groutianus 33:102–104. harmonicus 50:77. heterophyllus 44:402. hispidus 2:25, 27–29; 5:131; 8:146, 148, 212, 215, 216; 9:10; 12:180; 17:150; 20:58; 22: 185, 187; 23:272; 28:39; 32:150, 255; 37: 350, 352, 355, fig. 3 (map); 39:199, 200, 203, fig. 23 (map); 42:281, 282, 292; 50:77, 214; × biformispinus 8:216; × procumbens 23: 270; × semierectus 8:216; × setosus 8:216; 23:272; 42:291, 292; var. major 8:213; 23: 272; 25:211; 42:281, 291; var. obovalis 42: **281**, 282, 292; 50:77. Humei 49:95, 147. **hypolasius** 49:145, 146, 193, pls. **1064**– **1066.** idaeus 2:195–200; 7:143; 11:179, 236; 21:89–92, 94–97; 23:268; 25:9; 28:39, 71; 29:179, 215; 33:60, 238; 37:274; \(\beta\). canadensis 21:93; f. inermis 21:91, 96; subsp. melanolasius 21:92, 96; subsp. melanotrachys 21:97; subsp. sachalinensis 21:93, 97; subsp. strigosus 21:96; subsp. vulgaris 21:91; subsp. vulgatus 21:97; var. 39:370, 373, 375; var. acalyphaceus 21:98; var. aculeatissimus 11:236; 12:180; 17:153; 18: 38; 20:58; 21:92, 95, 96, 170; 22:136; 34: 64, 168; f. albus 10:50; 21:96; var. angustifolius 21:95; var. anomalus 2:195, 197–200, pl. 20; 14:205; 21:95, 97; 33:237, 238; var. arizonicus 21:98; var. canadensis 11:236; 21:93–97; 22:112; 23:268; 29:131, 179, 215; 33:121, 237; 34:53; 36:281; 41:245; 42:312, 330; f. caudatus 21:97; f. Warei 22:112; var. denudatus 21:90; var. Egglestonii 21: var. denudatus 21:90; var. Egglestonii 21: 95, 27: 23:232 95-97; 33:238; var. eucyclus 33:237, 238; 44:143; var. heterolasius 21:96, 97, 98; 34:

167, 168; var. melanotrachys 21:90, 97; 167, 168; var. melanotrachys 21:99, 97; var. peramoenus 21:98; var. strigosus 2:198; 3:174, 188; 6:119; 21:93, 95, 96; 23:268; 29:179; 32:178; 33:238; 36:281; f. albus 21:96; 22:112; f. tonsus 21:96; 44:143. illecebrosus 24:175. immanis 49:147. imperiorum 50:75, 78, 79, pls. 1095, 1096. inferior 40:435. invisus 2:23, 27, 29; 9:6; 43:568. jacens 23:272; 24:176; 25:211; 27:55: 42:282, 291, 292. jactus 50:74. Jans-43:303. Jacens 23:212, 24:170, 25:211, 27: 55; 42:282, 291, 292. jactus 50:74. Janssonii 42:361, 454; 43:569; 44:402. Jeckylanus 8:177, 217; 22:191. jugosus 49:148. junceus 8:215; 23:270. Kennedyanus 33: **208**, 209, pl. **216**. laciniatus 26:225; 32: 159, 255; 50:297. **laevior** 42:**295**. laudatus 37:193. Leersii 2:195, 196; 33:237. leucodermis 7:145. leviculus 50:77, 78. Longii 40:434, 435, 483, pls. 521, 522; 43:512, 570. longipes 50:77, 78, pls. 1093, 1094. lucidus 44:404. maniseesensis 50:75. Matsumuranus 21:93, 96. melanolasius 21:92, 96. melanotrachys 21:97. Millspaughii 2:26; 3: 174; 6:119; 10:120; 15:224. multiformis 8:179; 22:186; 23:269; 24:175; 42:285, 286; 50:214; var. delicatior 8:180. multispinus 25:147; 32:177; 40:435. neglectus 1:184; 3:233; 9:5; 10:14; 19:227; 20:58; 24:116. nigricans 6:141; 7:109; 8:146, 213; 9:8; 17: 152, 153; 23:271. nigrobaccus 2:24-26, 28; 3:295; 4:91; 6:223, 225; 8:96-98, 146, 169-171, 173, 217, 218; 9:5; 10:51, 121; 22:190; 37:193; × villosus 2:27, 28; var. albinus 1: 205, 206; 2:25; 10:51; var. calycosus 3: 234; 10:51; var. Gravesii 3:295; 9:6; 10:51; var. sativus 2:26; 22:190. novanglicus 42:282. nutkanus 37:273, 275, 276; 42:275; f. lacerus 37:281; var. bifarius 42:275; var. heteradenius 42:275; var. hypomalacus 42:275; var. Nuttallii 37:277; 42:275; var. parviflorus 37:277; 42:275; var. 50:214; var. delicatior 8:180. multispinus parviflorus 37:277; 42:275; var. parvifolius 37:284; 42:276; var. scopulorum 37:283; 42:276; var. velutinus 37:277; 42:275. obovalis 8:212; 42:281, obovatus 8:212, obtusifolius 33:237. obvius 50:76. occidentalis 3:233; 5:130; 6:97, 119, 141; 7:143, 144; 9:4, 5; 10:13; 20:58; 21:90; 32:255; 35:250; 40:434; 41:194, 219; × strigosus 9: 5; f. pallidus 11:48; 31:99; var. flavobaccus 7:146; var. leucodermis 7:145; var. pallidus 7:144, 146; 11:48. odoratus 2:122; 6: 97, 119; 9:5; 20:58; 21:200; 24:175; 28:71, 224; 32:18; 35:249; 37:59, 60, 273, 275; var. malachophyllus 24:175. oklahomus 44: 404. orarius 8:169, 171; 23:268; 25:147; 32:178. ostryifolius 35:363; 37:193; 43:80. 32:178. ostryifolius 35:363; 37:193; 43:80. paludivagus 42:293, 294, pls. 621, 622. particeps 50:75, 80. particularis 50:77, 78. parviflorus 33:226; 37:59-61, 199, 213, 216, 218, 272-277, 281, 339, map 14, pls. 326, 363; 42:275, 281; f. pedatifidus 37:61, 281, pl. 326; var. bifarius 37:276, 280, 281, 339, 340, map 19; 42:275; f. Fraserianus 47: 281; f. lacerus 37:281; f. pedatifidus 37:281; var. Fraserianus 37:281; var. genuinus 37:275-277, 339, map 15, pl. 364; 42:275; var. grandiflorus 37:276, 281, 282, 340, map

20, pl. 365; 42:275; subvar. velutinus 37: 277; var. heteradenius 37:276, 279, 339, map 18, pl. **364**; 42:275; var. hypomalacus 37:276, **277**–279, 339, map 17, pl. **364**; 42: 275; var. parvifolius 37:274, 276, **284**, 340, 275; var. parvifolius 37:274, 276, 284, 340, map 22, pl. 365; 42:276; var. scopulorum 37:274, 276, 283, 340, map 21, pl. 365; var. velutinus 37:274-277, 279, 339, map 16, pl. 364; 42:275. parvifolius 42:281. pauxillus 42:454; 44:348, 403. peculiaris 8:174; 23: 271. pensilvanicus 21:96. peracaulis 44: 108. peramoenus 21:91, 98. pergratus 8: 96, 98, 218; 9:10; 10:121; 18:38; 20:58; 22: 188, 190, 191; 23:271; 25:211; 32:161, 255; 33:209; 50:302; y procumbens 23:270; y 33:209; 50:302; × procumbens 23:270; × setosus 22:180, 188; var. terrae-novae 33: **208**, 209, pl. **217**. permixtus 22:187; 42: 282, 292, 295; var. laevior 42:295. **perna gaeus** 42:454, 455, pls. 633, 634; 43:570. philadelphicus 22:188. phoenicolasius 19: 228; 40:434; 41:546; 46:85. plexus 43:567, 568. plicatifolius 8:149, 157, 216; 23:270. probabilis 40:435; 43:571. procerus 43:567. procumbens 8:146, 147; 9:6, 8; 18:38, 94, 97; 20:59; 22:185, 187; 23:270; 26:185, 225; 32:255; 50:297. pubescens 11:236, 237; 32:255; 50:297. pubescens 11:236, 237; 16: 151; 20:58; 29:215; 32:206; 33:121; 48:163; var. pilosifolius 16:152, 191; 20:58. pudens 50:76, 214. Randii 6:224; 19:228; 23: 270. recurvans 6:224; 8:146, 152, 155, 157; 9:6, 8; 13:194; 20:58; 22:185, 186, 188; 23: 270; 24:175; 25:211; 33:103; 44:348, 402; var. subrecurvans 8:152. recurvicaulis 8; 152, 212: 29:168, 188; 23: 270; 24:176: 28: 153, 216; 22:168, 186; 23:270; 24:176; 28: 84; 29:129, 179, 215; 32:178; 33:112, 121; 50:214; var. armatus 22:168; var. inarmatus 8:155. redundans 50:80. rhodinsulanus 27:202. roribaccus 2:23; 50:76. rosaefolius 19:228. Rossbergianus 9:7. sachalinensis 21:93, 97. sativus 2:23, 26, 28; 22: 189-191. saxatilis 10:15: var. canadensis 11: 237. scambens 50:77, 78. sejunctus 47:94, 152. semierectus 8:156, 216. semisetosus 9:8, 10; 22:185. sempervirens 8:212. setosus 2:27-29, 201; 6:119; 8:146, 213-216; 9: 8, 9; 10:117; 18:38; 20:58; 22:185–189, 191; 23:271, 272; 42:286, 287. severus 33:102–104; 42:282; 43:568. Sewardianus 47:154–156, pls. 894, 895. spiculosus 42:284–156, pls. 894, 895. 286, pls. 608, 609. stellatus 10:15; 41:245. strigosus 1:184; 2:197, 198, 200; 6:97, 119; 9:4, 5; 10:14, 119; 11:236; 21:89, 91–94, 96; 28:71; 29:179, 215; var. albus 10:50; 21:96; var. borealis 21:96; var. caudatus 21:95, 97. subarcticus 21:94, 97. subinnoxius 49:146, 193, pls. 1067–1069. subuniflorus 9:6. suus 49:147. tallahasseanus 44:404. tardatus 8:214; 17:152, 153; 22:168, 187; 23:156, 271; 24:176; 32:177; 42:282, 292; 50:214. tennesseanus 37:309, 318. tholiformis 42: 283–286, pls. 606, 607. triflorus 1:184; 2: 87, 208; 3:188; 6:97, 119; 9:5, 162, 169, 190; 10:15, 120; 11:236; 12:128; 16:151; 17:152; 20:58; 21:201; 22:134; 25:9; 29:215; 33: 191; 34:64; 36:281. trifrons 42:292; 50: 76, 77, 214; var. pudens 50:76, 77, 214. tri-

phyllus 10:152; 20:58. trivialis 8:148; 22: 185; 36:375; 39:481; 43:493, 567. uliginosus 49:147, 193, pls. 1070, 1071. univocus 50:214. velutinus 37:273, 377; 42:275. vermontanus 22:185, 187–189; 23:271; 24:176; 25:211; 33:208; 50:214; var. viridifolius 33: 102, 104. vigil 42:282; 43:569, 570; 50:76. villosus 1:205; 2:25, 29; 3:188; 6:224; 7: 123, 125; 8:146, 148, 217, 218; 12:120; 20: 59; 26:225; 32:255; 34:61; 39:375; var. albinus 1:205; 10:51; var. frondosus 2:26; var. humifusus 2:27; 10:152; 11:130. vixargutus 49:147, 148

Rudbeckia 6:132; 11:130; 13:18; 14:164; 26: 149; 27:131; 36:373; 37:307; 40:353; 42: 156, 375; 47:398; 48:79. alismaefolia 47: 401. ampla 50:171. atrorubens 38:197, 199. Beadlei 39:458. columnaris 40:354–356; 45:512. columnifera 40:354–356. **Deamii** 19:113; 47:400. digitata 50:171. digitatis 50: 171. flava 50:174, 175. fulgida 35:364; 36: 225, 231; 37:196; 41:475, 573; 43:656, 657; 46:141; 47:400; 48:75; var. fulgida 47:400; var. missouriensis 47:401; var. Sullivantii var. missouriensis 47:401; var. Sullivantii 47:400; var. umbrosa 47:400. grandiflora 47:401; var. alismaefolia 47:401; var. grandiflora 47:401. Heliopsidis 42:375, 378, 382, 496, map 10; α. 42:496; f. villipes 42:496; var. α. 42:375; var. β. 42:375, 496. heterophylla 50:172. hirta 2:84; 6:132; 14:23; 17:36; 18:212; 19:116; 21:170; 26:149, 186, 228; 27:131; 32:151, 160, 279; 37:196; 39:371, 375, 457, 458, 491, pl. 487; 43:663; 44:236; 50:172-176. 303. pl. 1102: f. flaves-44:236; 50:172-176, 303, pl. 1102; f. flavescens 43:663; f. homochroma 40:179; 50: 176; f. pleniflora 50:176; f. viridiflora 33: 170; 37:88; 50:176; var. annulata 50:176; var. Brittonii 39:457, 458; 40:472; var. corymbifera 39:457, 458, 475, 491, pl. 487; 50:175; var. monticola 39:457, 458; 40: 472; 46:141; 50:173; var. pulcherrima 50: 175; var. rubra 50:175; var. sericea 39:457, 458, 491, pl. 487; 44:236; 46:141; 50:175; var. tubuliformis 26:149, 232; 50:175. laciniata 23:298; 24:205; 26:149; 35:320; 47: 101; 50:171; var. digitata 50:171; var. gaspereauensis 24:205; 43:343; var. heterophylla 50:172; var. humilis 24:152; 39: 482; 50:171, 172; var. laciniata 47:401. lanceolata 50:175. missouriensis 47:400, 401. monticola 50:173. pallida 2:85, 86. palustris 47:400. pinnata 40:353. purpurea $\hat{2}:85$. sericea $50:\hat{1}75$. serotina $50:\hat{1}73-\hat{1}75$, pl. 1103; f. annulata 50:176; f. homochroma 50:176; f. pleniflora 50:176; f. pulcherrima 50:175; f. rubra 50:175; f. tubuliformis 50:175; f. viridiflora 50:176; var. corymbifera 50:175; var. lanceolata 50:175; var. sericea 50:175. spathulata 43:656, 657; 47:400. speciosa 19:113, 115; 26:149; 47:400; var. Sullivantii 10:68; 19: 113; 47:400. subtomentosa 14:164; 35:360, 364; 37:196; f. Craigii 39:458; var. Craigii 14:164; 39:458. Sullivantii 10:68; 47:400. triloba 41:138, 573; 43:657; 47:401; var.

218 Rhodora

Beadlei 39:**458**; var. **triloba** 47:**401**. umbrosa 43:656, 657; 47:400

Rudbeckias 47:400 Rue, Meadow 11:199

Ruellia 40:376; 44:349; 45:370; 47:302. acaulis 47:10. angustifolia 47:8, 10, 11. biflora 47:14. **Brittoniana** 47:5, 7–9, 11–13, 87, pl. 47:14. Brittoniana 47:5, 7–9, 11–13, 87, pl. 839. caroliniensis 17:134, 137; 34:206; 47: 2–4, 7, 28, 30–33, 35, 52–57, 59, 61, 69, 75, 84–86, 181; f. alba 41:585; 47:54; var. cheloniformis 47:25, 70, 74, 80, 84–86, 90, 182, map 18, pls. 871, 872; f. candida 47:182; var. dentata 47:25, 69, 71, 73, 74, 82, 84–86, 90, 182, map 20, pls. 874, 875; var. membranacea 47:25, 70, 74, 75, 78–81, 84–86, 89, 181, map 16, pls. 865, 366; f. breviberbis 47:70, 78, 89, pl. 867; f. laevior 47:70, 79, 80, 89, 181, pl. 867; f. laevior 47:70, 79, 80, 89, 181, pl. 868; var. nanella 47:25, 70, 74, 77, 79, 80, 84, 89, 181, map 17, pls. 869, 870; f. eciliata 47:70, 79, 89, 182, pl. 870; var. parviflora 17:134, 137; 47:28, 29, 71, 86; var. salicina 47:25, 70, 74, 81, 84, 85, 90, map 19, pl. 873; var. semicalva 47:25 90, map 19, pl. **873**; var. semicalva 47:25, 69, **73**, 82, 84, 85, 89, 181, map 16, pl. **864**; f. detonsa 47:69, **74**; var. typica 47:25, 69, f. detonsa 47:69, 74; var. typica 47:25, 69, 71, 73, 84–86, 89, map 14, pls. 861–863. ciliosa 17:134, 137; 47:3, 6, 23, 25, 28, 29, 31–38, 47, 51–54, 56, 58–62, 71–75, 79, 81–83, 85, 88, 181, map 6, pls. 849, 850; var. 47:32; var. ambigua 17:134; 47:16, 28–30, 72, 74, 82; var. cinerascens 47:78; var. humilis 47:51, 53; var. hybrida 47:27, 29, 52, 71, 72, 82; var. longiflora 47:36, 51, 56–60; var. parviflora 17:134, 137; 47:52. Drummondiana 47:2, 30. foliosa 47:14. geminiflora 47:9; var. humilis 47:10. heteromorpha 47:6, 25, 32–35, 87, map 5, pls. 847, 848. hirsuta 47:51, 59, 62. humilis 47:2, 3, 7, 28, 31, 33–38, 48, 50–54, 56, 58, lis 47:2, 3, 7, 28, 31, 33–38, 48, 50–54, 56, 58, 60–62, 72, 77, 80, 82, 85, 181, pl. 854; var. calvescens 47:25, 51, 52, 60, 63, 89, 181, map 13, pl. 860; var. expansa 47:25, 51, 58, 62, 89, map 12, pl. 859; var. frondosa 47:25, 51, 54, 82, 88, 181, map 10, pl. 857; var. longiflora 47:25, 37, 51, 56, 60, 62, 63, 88, map 11, pl. 858; var. typica 47:25, 51, 49, 50, 57, 62, 63, 88, map 8, pls. 852, 853. nudiflora 47:2. oblongifolia 47:14, 55. nudiflora 47:2. oblongifolia 47:14, 55. Parryi 47:2. parviflora 47:2, 26-29, 31-33, 35, 37, 49, 52-54, 60, 61, 72-75, 80-82, 86, 181. pedunculata 36:232; 47:3, 5, 21, 22, 24-28, 30, 31, 82, 85, 87, map 2, pl. 843. pinetorum 47:5, 24-27, 87, map 3, pl. 844. Purshiana 47:5, 25, 27, 29-32, 75, 85, 87, 181, map 4, pls. 845, 846; f. claustroflora 47:7, 29, 87, 181, pl. 846. scabrosa 20:68. spectabilis 47:8, 10-12. strepens 41:570; 47:2, 3, 5, 13, 15, 19-22, 25-30, 32, 36, 52, 55, 58, 60, 61, 71-83, 85, 87, map 1, pl. 841; 49:180; f. cleistantha 42:480; 47:6, 17, 20, 21, 87, pl. 842; var. 47:52; var. cleistantha 47:17, 20, 29. succulenta 47:3, 6, 25, 48, 49 88, map 7, pl. 851. tubiflora 47:49, 50, 88 pl. 853. Tweediana 47:8–13, 87, pl. 840. Tweedyi 47:11. vincaeflora 47:14

Tweedyi 47:11. vincaeflora 47:14
Rumex 3:132; 6:114; 7:161; 9:37; 10:17, 207; 12:138; 14:204; 17:73, 75, 79, 175, 226; 26: 187; 45:105, 510; 47:134. Acetosa 4:204; 17:175; 23:95, 107, 258; 24:115; 28:84; 29: 212; 33:165; 37:85; 41:219; 42:321. Acetosella 1:192; 3:17, 130, 132, 173, 189; 4:204; 6:114; 17:175, 215, 226; 18:36, 96; 21:66; 22:137; 25:8; 26:185, 186, 224; 28:73; 29: 132, 212; 31:10; 32:151, 249; 33:108, 120; 34:52; 36:220, 280; 50:290, 295; var. integrifolius 42:277, 448; var. pyrengeus 49:140. folius 42:377, 448; var. pyrenaeus 49:140. alpinus 23:107, 257. altissimus 1:47; 3:64; 4:204; 13:89; 17:175; 19:128; 43:493, 551; 47:135–137; 50:106, 127. aquaticus 47:134. arcticus 41:219, 245; 42:321. Britannica 1: 205; 4:204; 5:132; 12:104. 138; 17:151. 175; 32:248; 47:134–136, pl. 883; 49:247. Claytonii 47:135-137. conglomeratus 4:205. crispatulus 17:77. crispus 3:189; 4:204; 5: Crispatulus 17:77. Crispus 3:183, 12.24, 0: 135; 6:114; 17:175, 215; 18:36; 21:170; 26: 184, 186, 224; 29:212; 32:248; 33:120; 36: 374; 44:342; 50:295. fenestratus 41:219; 49:246. fueginus 17:76, 81; 46:283. graminifolius 41:219. hastatulus 4:204, 205; 13: nifolius 41:219. hastatulus 4:204, 205; 13: 151; 17:175; 36:43, 220. Hydrolapathum 47:133, 136; var. americanum 47:137. limosus 17:80. maritimus 4:205; 5:119; 17: 73, 75-77, 80, 83, pl. 113; 29:44, 106; 46:283; 50:290; var. athrix 17:79, 80, 82; 47:283; var. fueginus 17:76, 77, 79-81, 83, 175, pl. 113; 23:158, 258; 24:62; 26:224; 29:64, 106; 30:108; 32:105, 107, 148, 161, 214, 249; 46: 283; 50:295. mexicanus 10:17, 20; 11:179; 13:89; 15:164; 16:39, 96; 17:30, 175; 19: 128; 24:182; 29:106, 123, 129, 157, 212; 36: 280: 42:321. montanus 6:144. obtusifolius 280; 42:321. montanus 6:144. obtusifolius 4:204; 6:114; 17:77, 175; 22:137; 28:73; 29: 212; 32:248; 33:120; 36:374; 47:134–136, pl. 883; 50:302; var. sylvestris 23:258. occidentalis 10:95; 11:164; 12:107; 13:123; 25: 8; 28:54, 63, 118, 199; 34:52; 36:280; 49: 246. orbicularis 47:135. orbiculatus 47: 134-137; 49:247. pallidus 10:19, 154; 11: 13; 17:146, 175; 18:36; 23:155, 257; 29:89; 41:219. Patientia 1:221; 3:64; 4:204; 10: 112; 12:104, 138; 17:146, 151, 175; 28:63; 29:212; 35:251; 44:342. Persicaria 44:342. persicarioides 4:205; 10:20; 13:179; 17:73-77, 80, 81, 83, 175, pl. 113; 19:258; 20:103; 24:62; 32:249; 37:85; 44:342; 46:283; 50: 213. salicifolius 4:205; 6:140; 10:17-19; 17:79; 29:106, 157, 212. sanguineus 1:165; 4:205. verticillatus 1:43, 205; 4:205; 17: 175; 32:124, 209-211, 249; 35:251; 36:43; 47:134-137

Running Cedar 18:32. Swamp Blackberry 12:180

Ruppia 7:172, 223, 224, 226, 227, 230, 231; 8: 190; 11:208; 12:12; 16:119, 124, 125; 25: 107; 29:112; 41:177, 257; 44:217. brachypa 16:120, 121, 124; 50:212. curvicarpa

16:124. drepanensis 16:120. intermedia 16:124. drepanensis 16:120. intermedia 16:124; var. curvicarpa 16:127. maritima 1:198; 5:135; 10:169; 11:208; 16:119-125, 127, pl. 110; 22:15; 29:43, 44, 63, 92, 106, 111, 139; 32:158, 230; 35:91; 42:20; 50:212, 291, 293; subsp. brachypus 16:124; subsp. brevirostris 16:124; subsp. rostellata 16:125; subsp. spiralis 16:121, 123; var. brachypus 16:124; var. brevirostris 16:123, 124, 127, pl. 110:35:91, 131:50:212; var. spraigery 16: 110; 35:91, 131; 50:212; var. curvicarpa 16: 123, 124, pl. 110; var. exigua 16:123, 127, pl. **110**; var. intermedia 16:123, 124, 127, pl. 110; 35:91, 131; 44:104; var. longipes 16: 122-127, pl. 110; 23:141, 192; 27:54; 32:131, 148, 230; 38:383; 44:217; f. aculeata 16:125; f. pectinata 16:125; var. minor 16:125; var. obliqua 16:123-125, 127, pl. 110; 24:182; 29: 123, 148, 206; 35:91, 131; var. onondagensis 16:123, 126, 127, pl. 110; 29:111, 112; var. recta 16:124; var. rostrata 16:121-127, pl. 110; 19:107; 23:192; 32:231; 35:131; 44: 217; var. spiralis 16:123; var. subcapitata 16:123, 126, 127, pl. 110; 19:107; 23:199; 29:112; 32:148, 213, 231; 44:217. obliqua 16:123. occidentalis 16:121. pectinata 16: 123, 124. rostellata 16:120–122, 125, 127, pl. 110; 29:148, 206. spiralis 16:120, 122, 123, 125; 41:176. transsilvanica 16:123 Ruprechtia 46:346, 375

Rush(es) 8:233; 11:132; 26:187; 40:180; 42: 148, 150, 151; 44:43; 47:206, 207. Bog 18: 74. Flowering 32:19. Scouring 47:206. Small 28:74

Russian Thistle 12:15 Russula 1:187; 3:142; 13:57, 62. abietina 13: 62, 65. aeruginea 44:173. delica 44:171, 173, 174. emetica 2:71, 72; 3:141, 143; 41: 518. foetans 2:193; 44:173. fragilis 2:72; 44:173. furcata 2:193. Mairei 44:173. obscura 13:59, 60. palustris 13:59, 60, 65. parazurea 44:173

Rusts 38:97 Rusty Cinerea 38:428. Winter Grape 38:428

Rutaceae 7:28; 21:81; 31:43 Rye 49:265

Ryegrass 49:267

Rynchobodo nasuta 50:278

Rytiphloea capensis 21:207. sinensis 21:206

Sabal exul 18:155. Palmetto 36:30, 41, fig. 1 Sabatia 1:169; 11:54; 14:30; 17:54-56, 129; 18:145, 149; 23:158, 160, 165; 24:100, 234; 42:22, 91, 155; 44:352, 360; 45:105; 49:159. § Eusabatia 17:55, 56. § Pseudochironia 17: 56, 57. subgen. Eusabatia 17:56; § Pentapetala 17:56; sub-§ Angulares 17:56; sub-§ Campanulatae 17:56; sub-§ Campestres 17:56. § Pleienta 17:56; 41:312. subgen. Plurimaria 17:56, 57. subgen. Pseudochironia 17:56. amoena 34:26, 27; 42: 389, 474; 43:629; f. albiflora 34:26. angularis 17:56; 18:147; 24:234; 37:438; 38:377; 50:98; f. cleistantha 42:474. arenicola 17: 56. Boykinii 17:54, 55. brachiata 17:56; 37:381, 437; 39:339, 443, 467, 481; 44:260,

343; 50:127; f. candida 39:443. calycina 17:56; 39:340, 443, 480; 43:525, 630. calycosa 40:355. campanulata 17:52, 56, 57, pl. cosa 40:355. campanulata 17:52, 56, 57, pt. 112; 18:145-147, 151, 254; 24:235; 32:177, 212; 34:27; 37:438; 38:393; 39:337, 443, 444, 475, 487; 44:360, 431; f. albina 18:151; var. gracilis 39:444; 44:360, 431; var. grandiflora 17:52, 56. campestris 9:207; 17:56; 18:147; 36:232; 47:209; 50:98, 127; f. albiflora 50:98. capitata 17:54, 55, 57. carnosa 17:56. chloroides 1:170; 4:103, 107; 12:45, 147, 23: 7:38; 9:14, 119; 13:150; 18:145, 147; 23: 286. concinna 50:106, 127. corymbosa 17: 50; 44:260. decandra 17:56; 18:150, 152, pl. 121; 22:102; 23:160, 300, pl. 130 (map 12). difformis 17:50, 51, 56, 57, pl. 112; 39:477; 40:365; 44:260; 48:58; 49:86, 95, 159. dodecandra 7:75; 11:129; 13:150, 159, 161; 14:29, 32; 17:54-56; 18:70, 145, 147-150, 152 pl. 121; 24:100, 235; 39:473, 477; 44:30z, 370, 431. Elliottii 17:51, 56; 39:477. foliosa 17:53, 54, 56. gentianoides 17:55, 57; 44: 260. gracilis 1:224; 14:30, 32; 17:52; 18: 145; 24:235; 34:27; 37:380, 438; 38:378; 39: 443, 444; 42:87, 91; 44:431; var. grandiflora 17:52. grandiflora 17:52. Harperi 17:53, 54. Kennedyana 18:150, 152, pl. 121; 20: 115: 21:25: 29:109: 93:158, 160, 165, 167 pl. 121; 24:100, 235; 39:473, 477; 44:352, 56. paniculata 17:51, 56; 39:339, 442, 443, 477; α. latifolia 17:51; β. angustifolia 17:51. Purpusii 17:56. simulata 17:56. stellaris 4: 107; 8:80; 10:43; 17:52, 56; 18:145–147, 152; 24:234, 235; 25:48; 34:27, 28; 42:389; 43: 522, 629, 630; 44:343, 354; f. albiflora 18: 152; 34:26; 43:630; 44:431

Sabina 43:346. Grisebachii 43:345. multiova

43:347. silicicola 43:347

Sabulina 21:11, 12; 50:196. biflora 21:11, 13; 50:196. laricifolia 21:11. patula 43:328. sphagnoides 21:6. striata 21:16. stricta 21: 11. tenuifolia 21:11. texana 37:191. uniflora 50:195, 197. verna 21:11

Saccaron 24:55, 56

Saccharodendron floridanum 40:380

Saccharum 24:55, 56; 45:248

Sacchoriza dermatodea 2:48; 33:130

Sacciolepis 44:355. gibba 44:355, 381, 382. striata 38:377, 394; 39:472, 477; 40:390; 41: 467; 42:393; 44:241, 257, 355, 381, 382; f.

gibba 44:381, 382 Saccogyna 11:16. viticulosa 7:55

Sacred Datura 46:317

Saelania glaucescens 39:13, 39 Sage Brush 38:66; 43:439, 456

Sagenia 4:162

Sagina 18:87; 27:130; 34:165. apetala 5:190. caespitosa 41:222. crassicaulis 41:391, 392; var. littorea 41:392. decumbens 5:189, 190; 13:8, 151; 18:87; 19:130; 36:43; 39:474; 40:372; 41:490. fontinalis 45:277. inter-

media 41:161, 222, japonica 41:391, Linnaei, α. micrantha 27:130; var. maxima 41: 392. litoralis 41:391, 392. maxima 41:391, 392; f. littorea 41:392; var. crassicaulis 41: **392.** micrantha 27:130; 41:222. nivalis 38:113, 119, 150. nodosa 2:188; 4:24; 5: 189; 11:13, 93; 12:106, 107; 23:150, 158, 198; 29:122, 132, 161, 174, 212; 31:143; 34:52, 244; 37:207; var. glandulosa 11:13; 17:154; 18:37, 87; var. pubescens 4:24, 26; 5:189, 18:37, 87; var. pubescens 4:24, 26; 5:189, 236; 23:264. occidentalis 13:219. procumbens 1:103; 3:188; 4:150; 5:189, 190; 11: 93; 17:148; 18:87; 21:201; 26:225; 29:212; 32:214, 251; 33:111, 120; 41:79, 391; 50:296; var. compacta 44:127. saginoides 9:161, 167; 27:130; 36:411, 422; 44:113; var. hesperia 27:131. sinensis 41:391. virginica 24:165. 49:292

34:165; 48:328 Sagittaria 2:153-155, 215; 4:2, 168; 5:86; 6: 104; 10:207; 11:37; 12:4, 116; 39:29, 274; 42:387, 524; 44:212, 218, 365, 369; 45:53; 47:385; 49:107. ambigua 37:387, 388, 451, pl. 386; 48:330. arifolia 6:104; 12:116; 13: 141; 14:158, 200; 16:15, 38; 21:191; 22:137; 23:131, 137, 192; 39:186; 44:218. australis 39:353; 46:75. calycina 24:71; var. depauperata 38:73; var. fluitans 40:177; var. grandis 38:73; var. maxima 10:31; 38:73; var. spongiosa 20:102; 24:71, 73. cristata 77:199. cuneata 12:116; 23:131, 137, 192; 24:184; 29:248-250; 36:277; 39:186; 44:8, 218; f. equiloba 38:74; f. hemicycla 38: 74; 44:138. cycloptera 37:387, 388, 451, pl. 386. Eatoni 44:356, 368, 378. Edwardsiana 386. Eatoni 44:356, 368, 378. Edwardsiana 39:30, 31, pl. 454. Engelmanniana 1:97, 105; 3:64; 9:121; 10:43; 12:4; 13:247; 14:30; 19:107; 21:73; 26:180; 29:248-251; 32:176, 211; 43:79; 44:218, 365, 378; f. dilatata 38:74; 44:218, 365, 378. falcata 37:387-389, 451, pl. 836; 38:377; 39:477; 41:475, 533; 42:391, 509. gracilis 10:31. graminea 1:82; 2:120; 6:104; 7:71, 110; 8:27; 12:4; 14:44; 21:191; 23:146, 192; 25:185; 28:86; 29:248, 26:04; 31:160:32:211:36:104, 380:37:387

250; 31:169; 32:211; 36:194, 389; 37:387, 388, 451, pl. 386; 39:30, 274, pl. 454; 40:371, 385; 44:219; 47:343; 48:330. hastata 10:64. heterophylla 2:126; 3:64; 5:132; 12:4; 15: 158; 19:91; 29:65, 67, 71, 72, 109, 248, 249, 252; 35:361; f. elliptica 15:159; 29:248, 252; f. fluitans 15:159; 16:38; 29:248, 252; 44:218; f. rigida 15:159; 29:248, 252; var. angustifolia 15:159; 24:98; 44:218; var. elliptica 15:159; 38:74; 44:219; var. fluitans 15:159; 38:73; var. rigida 12:4; 15:159; 44: 218. isoetifolia 22:102. Kurziana 44:211-

213, figs. 1, 2. lancifolia 6:176; 36:35; 37: 387, 388, 451, pl. 386. latifolia 6:104; 9:121; 12:4; 13:18, 141; 14:26, 31, 103; 16:15; 17: 209, 211; 24:98, 186; 27:186; 29:248-250; 32: 209, 211; 24:95, 180; 27:180; 29:248–250; 52: 149, 153, 216, 231; 39:52; 44:218; 46:75; 48:330; 49:106, 107; f. diversifolia 10:31; 22:136; 29:248; 44:218; f. gracilis 10:31; 15:159; 17:211; 29:248; 32:133; 44:218; f. hastata 10:64; 17:211; 29:248; 32:231; 44: 218; f. obtusa 10:31; 17:211; 27:186; 29:

248; 44:218; var. obtusa 27:186; 49:106,

39:476; 46:75. longirostra 8:80; 29:249; 46:75. lorata 42:409; 44:212, fig. 3. montevidensis 2:154, 155, pl. 19. natans 7:72; tevidensis 2:154, 155, pl. 19. natans 7:72; 42:408; 44:212; var. gracillima 1:224; 42:408; var. lorata 42:408, 409. obtusa 10:31; 27:186. planipes 49:106, 107, 192, pl. 1056. pusilla 5:84, 85; 42:408. radicans 49:107. rigida 4:39; 15:159; 28:244; 40:28; 44:218; 48:330; f. elliptica 38:74; 44:219; f. fluitans 38:73; 44:218; var. Engelmanni 15:159. sagittifolia 24:186, 187.

manni 15:159. sagittifolia 24:186, 187. stagnorum 44:211, 212, fig. 4. subulata 3: 64; 29:248, 251; 39:30, 472; 42:386, 399, 407-409, 510, 513; 44:212, 219, 378, 438, fig. 5; 47:343; var. gracillima 11:82; 12:4; 29:248, 250; 42:408; 44:219; var. lorata 42:409; var. natans 42:387, 407, 408; var. typica 42:408. teres 1:224; 5:134; 12:4; 14:31; 17:142; 18:147; 22:102; 23:135; 29:243, 248, 250; 32:176, 211; 39:30, pl. 454; 44:219. variabilis 5:132; var. angustifolia 24:98; var. diversifolia 10:31; var. gracilis 1:105: 10:31: 27:186.

107, 192, pl. 1056; var. pubescens 38:384;

1:105; 10:31; var. obtusa 10:31; 27:186. virginiana 49:108. Weatherbiana 37:387–389, 451, pls. 385, 386; 39:327, 331, 381, 476,

map 5; 42:359, 400, 409, 498; 44:241, 377; 45:367 St. Johnsworts, Marsh 38:433

Saintpauliopsis 44:28 Salacia 31:94

Salazaria 26:62 Salicaceae 6:113; 9:37; 12:177; 13:196; 16: 106, 198, 199, 201; 18:35; 25:8; 26:224; 28: 73; 29:211; 31:43; 32:246; 36:279; 43:79; 45:309; 49:255; 50:295, 301
Salices 36:250; 42:312, 315; 47:281; 48:42

Salicineae 32:95

Salicornia 7:233; 9:200, 204; 16:199; 17:178; 29:174; 41:256; 49:254. ambigua 2:126; 5: 131, 204; 11:127, 229; 14:19; 17:178; 18:94, 97; 26:175; 32:148, 250; 38:415; 41:560; 50: 162, 163. annua 9:204. europaea 9:204–206; 11:127, 229; 14:19; 17:147, 178, 215, 221; 18:94, 97, 243, 244; 25:107; 29:89, 90, 92, 93, 108, 112, 139; 32:148, 158, 250; 38: 415; 39:54; 49:23; 50:302; var. fruticosa 9: 204; var. herbacea 9:204; var. pachystachya 9:206; 17:178; 18:243, 244; 49:23; var. prostrata 9:206; 11:93; 18:243, 244; 28: 86, 199; 49:247; var. simplex 49:23. fruticosa 9:205. gracillima 16:200. herbacea 5: 133; 9:204-206; 29:43, 44, 106; 32:158; 39: 54; 50:163; β. pachystachya 9:205, 206; 49: 23; β. simplex 49:23; β. virginica 50:162, 163; var. pachystachya 49:23; var. prostrata 9:206. mucronata 11:127, 229; 14:19; 15: 76; 17:178; 18:94, 96; 32:250; 38:415. prostrata 9:205, 206. pusilla 16:199, 200. rubra 9:206; 15:222. sempervirens 9:204. virginica 50:162, 163

Salicornieto-Suaedetum 39:56 Salicornietum 39:53, 54

Salix 1:167; 3:219, 220; 6:7, 113; 7:142, 161, 185; 9:37, 157; 11:158; 12:177; 13:147; 14: 79, 163; 16:106, 109, 169; 19:62, 220; 21:

190; 23:172; 28:94, 98; 29:156; 30:137; 32: 111, 199; 33:22, 60, 62, 145, fig. 1; 34:247; 35:52, 122; 36:250, 254, 373; 38:109; 40:145, 148–153, 155, 156, 159, 160, 162, 163, 167, 169– 171; 41:144, 514, 520; 42:151; 43:212; 44: 173, 174; 45:109; 47:259, 320; 48:13, 16; 50: 287, 288. § Adenophyllae 48:15, 34, 37, 38. §Argenteae 49:45-47. § Argyrocarpae 48: **44**; 49:37, 44. § Bonplandianae 48:43. § Capreae 49:45, 47. § Chrysanthae 35:243, 244. \$ Cordatae 48:15, 34, 37, 38; 49:41. \$ Diandrae 9:221; 49:43, 44. \$ Glaucae 32: 112. § Griseae 49:47. § Herbaceae 48:44: 49:38, 39, 44. § Lanatae 35:244. § Lucidae 49:41. \$Myrtosalix 49:38. \$ Nigrae 48:43. \$ Ovalifoliae 49:38. \$ Pentandrae 6:6; 48: 43. \$ Phylicifoliae 49:45-47. \$ Repentes 49:45. \$ Retusae 49:38. \$ Reticulatae 48: 41-43; 49:38. \$ Roseae 32:112. \$ Sitchenses 49:43, 45. \$ Uva-ursi 48:44; 49:37-39, 42-44. \$ Virentes 49:45. adenophylla 9:225, 226; 25:209; 36:279; 37:72; 48:14, 28, 31-38, 48, pls. 997-1001. alaxensis 32: 200, 202, map 15; 33:244; 35:245; 41:146, 151, 162, 216; 45:309; var. longistylis 42: 321. alba 12:104; 15:163; 16:106; 32:152, 160, 246; × fragilis 16:108; 26:224; 32:246; 50:295; × lucida 48:38; var. caerulea 6: 139; 16:106; var. pameachiana 48:38; var. 49:41. §Myrtosalix 49:38. § Nigrae 48:43. 139; 16:106; var. pameachiana 48:38; var. vitellina 12:128, 175, 177; 14:79; 15:67; 16: 13, 106; × fragilis 48:38. alpina 17:136, 137. amoena 28:189; 35:247. amplifolia 9:222; 35:245. amygdaloides 1:229; 6:3-5, 9:222; 35:245. amyguatolides 1:229; 0:3-3; 7; 24:99; 25:209; 26:137; 32:246; 40:276. anamesa 28:186. ancorifera 35:245-247, fig. 1. anglorum 7:185; 25:8, 112; 28:100, 177, 178, 186; 38:119, 147; 44:114; var. antiplasta 44:140; 48:44; var. araioclada 38:124, 147; 44:140; var. kophophylla 28:178; 29: 56; 35:10, 83; 38:147, 274; 44:140. angustata 48:38. arbuscula 49:46; α. erecta, f. angustifolia 17:136. arbusculoides 34:245; stata 48:38. arbuscula 49:46; α. erecta, f. angustifolia 17:136. arbusculoides 34:245; 41:151; 42:321; 45:309; 49:46, 47. arbutifolia 41:216. arctica 7:185; 34:237; 42:320; 45:309; × cuneata 41:216; γ. groenlandica, var. lejocarpa 28:178; var. antiplasta 48: 44; var. subcordata 34:237. arctophila 28: 53, 62, 118, 178, 188, 189; 32:260; 35:55, 120; 38:147; 44:123; × glauca 38:121; f. lejocarpa 28:178; var. lejocarpa 28:178. argyrocarpa 3:172; 8:21, 22; 9:24, 154, 160, 166, 169; 34:245; 38:148; 44:123; 48:44; 49:44-48. athabascensis 32:111-113, pl. 202. atra 28:182, 184. aurita 16:106; × caprea 9:41; × cinerea × repens 9:42. babylonica 16:106; 17:214; 24:209. balsamifera 3:155, 173, 277; 5:37; 6:113; 9:156, 160, 189; 12:103; 13:138; 14:69, 70, 79; 16:116; 17:152, 153; 22:134; 23:176, 245; 47:144; var. lanceolata 16:116. Barclayi 9:160, 190, 221; 13:138; 16:175; 35:48, 246; 41:216; 42:321; *S. latiuscula 28:126, 127; 35:246; β. latiuscula 35:246; subsp. latiuscula 35:48. Barrattiana 9:226; 41:216; 45:309. Bebbiana 6:113; 16:177; 26:122, 123, 137, 143; 28: 190; 32:173; 36:279; 41:149, 216; 42:321;

47:144; 48:43; f. luxurians 26:122; var. capreifolia 26:123; 44:111, 140; var. luxucaprenona 26:123; 44:111, 140; var. luxurians 26:122, 123; 44:140; var. perrostrata 26:123; 28:95, 189, 190; 29:56; var. projecta 35:12. bella 49:45, 47. Bonplandiana 48: 43. brachycarpa 26:125; 33:243, 244; 37: 417, 418; 38:299; 42:321; 44:114; var. alticola 36:195; var. antimima 33:243; 44: 140. brachypoda 36:279. calcicola 13: **251**–253; 16:169; 25:112; 28:62, 93, 99, 146, 178, 190; 35:55, 244; 38:148; 44:124. californica 16:173. callicarpaea 28:181, 182, 184. candida 5:32; 6:3, 8, 191; 7:107, 154; 9:179; 12:117, 187; 13:114, 123, 138; 14:77, 199; 16:106, 173; 19:32, 52; 20:101; 21:88, 202; 26:135, 142, 143; 28:75, 95; 29:162; 32:111; 33:168; 35:55; 36:279; 48:28; 49:246; var. denudata 26:142; 33:168; 36:279. caprea 16:178; 49:45; × daphnoides, var. pulchra 9:42. × capreola 9:41. caroliniana 48:28-31; 49:22. cascadensis 36:196; 49: 38-41, 43, 44. caudata 49:41. Chamissonis 38-41, 43, 44. caudata 49:41. Chamissonis 41:164, 216. chlorolepis 7:186; 9:160, 167; 16:169; 31:47; 33:243; 35:247; 44:114, 140; 47:320; var. antimima 33:243; 44:140. chlorophylla 49:46. cinerea 49:45; × cordata 16:108. coactilis 8:22; 9:203, 204; 12: 110; 15:222; 23:26; 49:47; × cordata 9:203. commutata, var. denudata 36:307; 37: 363. comifore 48:14. cordata 6:113: 0:203 203. commutata, var. denudata 50:507, 57.
363. conifera 48:14. cordata 6:113; 9:203,
204, 224, 226; 11:9, 10; 12:177; 16:12, 13,
106; 19:219; 20:132; 22:134; 23:245; 26:
135, 137, 139, 140; 28:126; 34:62; 35:91, 242,
251; 36:279; 48:14, 27, 28, 30–38, 48, pls.
996–1000; 49:41; × lucida 16:108; × pedicellaris, var. hypoglauca 16:108; × petiolaris 16:108; × rostrata 16:108; × sericea cellaris, var. hypogiauca 16:108; × petio-laris 16:108; × rostrata 16:108; β. angustata 48:38; f. mollis 48:38; var. abrasa 48:34; var. angustata 16:106; var. myricoides 16: 107; var. parvifolia 34:237. cordifolia 13: 123; 18:52; 28:59, 99, 181-184, 186, 189; 32: 112; 35:55; 44:115; f. atra 28:184; f. hypo-prionata 28:182, 184, 185; var. callicarpaea 28:182, 184, 188; 33:111, 119, 120; 35:89, 242; 36:279; 38:147; 49:246; var. eucycla 28:182, 186; 38:147; 49:246; var. eucycla 28:182, 186; 38:147; 44:140. var. Macounii 28:182, 186, 187; 35:10, 83; 38:148. var. tonsa 28:182, 187; 44:140. var. typica 28: 182, 185; 38:147; Coulteri 49:43. crassa 23:176. crassijulis 41:216; 42:320. crypto-donta 16:172; 28:95, 119, 190. cuneata 41: 161, 163, 216. curtifiora 16:170, 171. Cut-leri 49:38-40, 42, 43. decipiens 48:38. de-sertorum 7:185, 186; 9:155, 160, 167; 16: 169; 33:242-244, pl. 218; var. stricta 9:160. discolor 3:277; 5:131; 6:118; 12:128, 177; discolor 3:277; 5:131; 6:118; 12:128, 177; 13:139; 14:79; 16:107, 108; 17:64, 152; 18: 35; 19:219; 20:132; 22:131, 134; 23:180; 26: 135, 136, 138; 27:108; 28:73, 95, 188–190; 32:159, 247; 34:62; 35:48, 245–247, 251; 36: 770, 27:250, 262 279; 37:350, 352, 355, fig. 3 (map); 43:79; 44:240; 48:27, 43; 49:45; 50:301; × humilis 16:108; × rostrata 16:108; var. eriocephala 15:163; 16:107; 17:152; 48:27; var. overi

222 Rhodora

26:137; var. prinoides 16:107. Dodgeana 34:28; 36:196; 49:38-40, 44; f. subrariflora 34:28. Drummondiana 23:176; 49:45-47. eriocephala 48:27, 28, 31. Farrae 49:41. eriocephala 48:27, 28, 31. Farrae 49:41. fluviatilis 26:135. fragilis 12:104, 128; 16: 107; 28:38; 48:38. fulcrata 49:45. fusca 17:136; 34:245. fuscescens 9:221, 224; 11: 159; 16:169; 26:123; 32:113; 41:161; var. hebecarpa 9:224; 26:123; 32:113; 44:140. Geyeriana 38:299; 49:46. glacialis 41:216; 49:38. glauca 7:185, 186; 9:160, 172, 190; 28:181, 184, 185; 32:112; 33:60, 241-244, pl. 218; 42:321; var. 45:309; var. acutifolia 33: 242, 244; 42:321; 45:309; var. glabrescens 33:242, glaucaphylla 6:102: 0:222 224:12: 33:242. glaucophylla 6:193; 9:222, 224; 12: 111; 13:138; 16:175; 48:45; var. albovestita 48:45. glaucophylloides 16:173, 175; 35: 91, 243; 36:279; 44:141; 47:259; 48:45; f. lasioclada 48:45; var. albovestita 48:45; var. glaucophylla 48:45. glaucops 34:67; × petrophila 34:67. gracilis 48:46-48; 49:45, 46; var. textoris 48:46, 47. groenlandica, f. lejocarpa 28:178. hebecarpa 26:123:31: 47; 32:111, 113; 44:115, 140; 47:320. herbacea 3:156, 173; 7:185; 9:160, 166; 19:221, bacea 3:156, 173; 7:185; 9:160, 166; 19:221, 222; 28:124, 177; 29:156; 31:138; 35:58, 242; 36:148; 38:113, 118, 121, 122, 147; 44: 115; 47:224; 48:44; 49:37-44. Hookeriana 23:176; 35:245; 44:119. Humboldtiana 48: 43. humilis 6:113; 12:128, 178; 13:117, 139, 146; 15:153; 16:107, 108; 17:152; 19:219; 20: 101; 22:134; 28:82; 31:222; 34:52; 37:203; 46:303; 48:43; 49:45-47; × discolor 22:134; × petiolaris 16:108; × rostrata 16:108; × sericea 16:108; × tristis 16:109; var. hyporhysa 48:45; var. keweenawensis 23:257; 36:279; var. longifolia, f. rigidiuscula 48:45; 36:279; var. longifolia, f. rigidiuscula 48:45; var. microphylla 48:46; f. curtifolia 48: 46; f. festiva 48:46; f. tortifolia 48:46; var. rigidiuscula 48:45; var. tristis 48:46. humillima 49:46. incana 10:56; 24:182; 48: 28. interior 26:135, 137; 48:39; f. Wheeleri 48:39; var. exterior 48:38, 39. jejuna 28: 177, 178; 48:41, 43, 49, pl. 1006. × Jesupi 48:38. labradorica 28:182, 183, 185, 186. lanata 13:127, 252, 253; 17:136; 35:54, 55, 243, 245; var. Macouniana 13:251, 252. lapponica 31:138. lasiandra 5:34; 6:2, 4, 5; 32:200, 203, map 22; 49:41. latiuscula 16: 169, 175; 28:190; 35:246, 247. laurentiana 9:**221**, 222; 16:169; 33:232; 35:244, 245; 44: 119, 140. leiolepis 16:178; 17:159; 28:50; 35:247; 48:41, 43, 49, pl. 1005. ligulifolia 49:41. longifolia 3:233; 4:99; 6:48; 15: 49:41. longifolia 5.255; 4:99; 6:48; 15: 153; 24:99; 29:156; 36:279; 48:39. longipes 48:29-31; var. venulosa 39:404; 41:539; var. Wardi 36:43, 230; 39:481; 47:213; 48: 29. longirostris 48:28. lucida 3:277; 5:33, 34; 6:1-7, 44, 113; 12:177; 14:79, 80; 16:12, 13, 107; 17:150; 22:134, 135; 25:8; 26:144; 28:126, 177; 29:156, 211; 32:173, 178; 34:53; 35:91, 251; 46:81, 82; 48:43; 49:41; var. 6:5-7; var. angustifolia 15:163; 36:279; var. intonsa 6:2; 9:222; 12:110; 13:116; 25:8; 35:91, 242; var. macrophylla 3:277; 6:2; var. serissima 6:6, 7. lutea 26:137, 140; 32:

200-203, map 28; 36:279; 49:41; var. desolata 36:196; var. ligulifolia 36:196. mackenziana 49:41. Macounii 13:252; 28: 186. macrocarpa 49:46. missouriensis 26: 135, 137-141; 47:214; 48:27, 28. monochroma 36:307; 49:41. monticola, var. neomexicana 39:151. myrsinites 16:170, 171; 17:136; 28:183; 49:38; β. jacquiniana 17: 136. myrtillifolia 16:170–172; 28:95, 190; 136. myrtillitolia 10:170–172; 20:39, 190; 33:19; 36:279; 41:149, 216; 44:108; 49:41; var. brachypoda 16:172; 28:50, 122, 190; 49:41. myrtilloides 1:97; 5:289; 9:224; 11: 157–159, 161; 31:138; 32:112; β. pedicellaris 11:160–162; subsp. S. pedicellaris 11:161; var. pedicellaris 1:97; 11:158, 160. nigra 8: 29:110, 175, 177, 14:70; 15:163; 16:107. 72; 12:110, 175, 177; 14:79; 15:163; 16:107; 35:250; 36:42, 374; 42:99; 48:28-31, 43; var. falcata 6:113; 15:163; 16:107; 35:252; var. Wardi 48:30. nigricans 16:107. niphoelada 41:216; 42:320, 321; 45:309. nivalis 34:237, 245; 36:196; 48:43; × Dodgeana 36:196. novae-angliae 16:170, 171; a. pseudo-myrsinites 16:171; β. pseudocordata 16:171; γ. myrtillifolia 16:171. obovata 28: 184. obtusata 9:223; 16:169; 31:47; 35: 247; 44:120, 141. occidentalis 48:30. ovalifolia 41:216; 49:38, 40. pameachiana 23: 176; 48:38. paraleuca 16:175, 176; 34: 120; 44:107, 140. Peasei 19:223. pedicellaris 9:160, 189, 224; 11:157–162; 15:163; 26:123; 29:156, 211; 32:111, 113; 44:233; var. hypoglauca 11:161; 13:116; 15:163; Var. hypogiatea 11:101; 13:116; 13:163; 16:107; 36:279; 44:233; 49:41; var. tenuescens 11:162; 16:107. pedunculata 28:188, 189; 35:55, 243, 247. pellita 6:191, 193; 9: 222, 224; 11:14; 12:110, 111; 13:179; 22: 132, 135; 26:143, 144; 28:190; 34:52, 53; 35: 91; 46:254; 49:45–48, 246. pennata 28:189. pensylvanica 11:160. pentandra 3:277; 6: 5, 49; 14:79; 16:107; 19:128; 23:68; 24:181; 26:224; 32:160, 246; 48:28, 29, 43; 50:295. perrostrata 16:177. petiolaris 6:113; 11:10, 11; 13:111; 16:107; 18:35; 22:135; 26:135, 141, 143, 144; 28:244; 32:201, 203, map 33; $33:168; 35:252; 48:46-48; 49:45-48; \times ro$ strata 16:109; \times sericea 16:109; \times subsericea 16:109; \times tristis 16:109; α . subsericea 11:11, 12; ε. subsericea 11:11, 12; var. angustifolia 12:137; 48:46; var. rosmarinoides 48:46; var. sericea 11:11; var. subsericea 11:11, 12. petrophila 34:67; f. graminifolia 39:150; var. cespitosa 34:237. phlebophylla 36:196; 41:148, 160, 163, 164, 217, 276; 42:313, 320; 49:38-40, 42-44; f. nana 41:217. phylicifolia 3:155, 172; 9:153, 154, 156, 160, 166, 190; 16:176, 177; 82:95, 189; 35:48, 246; 49:45. phylicoides 49:46. Piperi 35:245. Pitcheriana 48:31. planifolia 25:8; 28:95, 184, 188–190; 33:19; 36: 279; 38:148; 44:115; 49:45, 246. polaris 49:38-44; var. selwynensis 45:309. pseudocordata 16:171; 49:41. pseudolapponum, var. **subincurva** 36:**195**; 38:300. pseudomyrsinites 9:160, 189, 190, 221; 12:117; 13: 119, 123; 16:170, 171. pseudopolaris 41:147, 217; 42:320, pulchra 41:217; 42:321; 49;

46. purpurea 6:113; 16:107; 20:132; 23: 95, 173, 199, 257; 29:156; 31:84; 46:82; 49: 43. pyrifolia 16:116; 23:245; 47:144; var. lanceolata 16:116. pyrolaefolia 9:223, 224. repens 26:122; 29:156; 49:45. reticulata 13: 110, 127; 16:169, 179; 25:112; 28:53, 59, 62, 79, 118, 177; 32:200, 202, map 10; 35:55, 120; 38:146; 41:147, 217, 288; 42:320; 45: 309; 48:39, 41-43, 49, pls. 1003, 1004; 49:38, 42; var. orbicularis 41:217; 42:320; var. semicalva 48:39, 41-43, 49, pls. 1003, 1004. retusa 7:186; 49:38, 42. Richardsonii 13:252; 28:62; 35:244, 245; 41:217; 45: 309; var. Macouniana 9:221; 13:251, 252. rigida 48:32-34, 38, 43, 48, pls. 995, 996; f. mollis 48:38; var. angustata 48:38. romollis 48:38; var. angustata 48:38. rostrata 3:172; 5:131; 6:113; 9:222; 11:231; 12:128, 178; 14:79; 16:13, 107, 177, 178; 17:52; 19:219; 20:132; 22:131, 134; 23:257; 26:122; 34:62; 35:251; 42:321; 47:144; f. latifolia 16:177; var. capreifolia 16:177, 178; 19:128; 26:123; 44:140; var. luxurians 9:223; 16:177; 26:122; 44:140; var. perrostrata 16:177; var. projecta 16:178. rotundifolia 41:164, 217; 42:320; 49:38-40, 44. Rydbergii 28:186. saximontana 22: 44. Rydbergii 28:186. saximontana 22: 195; 39:495. Scouleriana 23:176; 49:45 195; 39:495. Scottleriana 23:176; 49:45. Seemannii 41:161, 216, 217; 42:321. sericea 8:21, 22; 11:9-12; 15:201; 16:13, 107, 176; 19:220; 20:132; 22:134. 135; 23:257; 27: 108; 32:177; 36:374; 37:423; 49:45-48; × petiolaris 11:11, 12; 22:135. serisima 6: 6-8, 205; 14:72, 80; 19:128; 21:143, 202; 24: 124, 25:67, 20:22; 23:182, 27:202; 40:41 184; 25:67; 29:32; 33:168; 37:203; 49:41. Setchelliana 49:37. simulans 32:112, 113, pl. 203; 34:120. sitchensis 41:217; 49:43, 45, 46. Smithiana 12:104, 137; 23:257. × Solheimii 36:196. speciosa 9:226; 38:413. squamata 17:64. stenocarpa 16:176; 44: 141. stolonifera 42:320. × Straehleri 9:42 subcaerulea 6:191; 49:45–47. subsericea 11: 9, 11, 12, 43; 16:107; 19:128; 49:45-47. syrticola 9:225, 226; 25:209; 37:72; 48:14, 31, 34-37, 48, pls. 1001, 1002. tenera 49:38, 31, 34–37, 48, pls. 1001, 1002. tenera 49:38, 43. Torreyana 23:176. triandra 48:29, 30. tristis 5:204; 16:107; 17:136, 137; 19:219; 36:195; 48:14, 28, 46; 49:45–47; f. curtifolia 36:195; 48:46; f. festiva 36:195; 48:46; var. monadelphia 23:173, 176. Tweedyi 35:245. Uva-ursi 3:173; 9:154, 156, 160, 166; 11:93; 13:123, 136; 18:52; 19:222; 22: 38, 48; 29:156, 211; 33:111, 119; 35:5, 55, 125; 38:113, 118, 147; 48:44; 49:37–44, 246; f. lasiophylla 18:52; f. phyllolepis 35:242. vacciniformis 28:186. vagans 16:177. vacciniformis 28:186. vagans 16:177. vestita 9:24, 160, 172, 190; 11:92; 13:117, 123. 129; 14:87; 16:169, 179; 18:101; 28:75, 79, 117, 146, 177; 35:50, 55, 81, 89, 238; 38:118, 146; 44:111, 128, pl. 699; 48:40-43; f. mensalis 48:42; var. psilophylla 44:140; 48:41. viminalis 12:104; 14:79; 16:107; 24:167; 35: 48, 247. vitellina 48:38. Waghornei 28:184, 186, 188. Wardi 48:29-31. Wiegandii 35: 243-245, 247, 401, pl. 254 Salmon Berry 37:60, 273

Salpingoeca minuta 50:278

Salsola 17:178; 18:29; 40:135. collina 40:135. lsola 17:178; 18:29; 40:155. comma 40:155, 136. Kali 2:204; 4:33; 5:131; 11:93, 121; 4:20; 17:178; 18:36, 97; 19:66; 29:45, 106, 122, 174, 212; 32:147, 158, 250; 43:551; 50: 296; var. caroliniana 17:178; 32:250; 35: 265; 43:80; var. tenuifolia 11:30; 13:89; 31:352; 31:3 14:20; 15:164; 16:39; 17:178; 30:158; 31: 243; var. Tragus 2:204; 10:152. linearis 9: 142, 143, 145, 146; 44:260. maritima 9:144, 146. pestifer 12:15. salsa 9:142, 143, 146; var. americana 9:143, 144, 146. Tragus 1: 47; 3:18 Saltwort 9:204

Salvia 14:163: 25:41. Claytoni 44:260. lanceifolia 38:366. lanceolata 40:276. lyrata 36:50; 39:474, 482. officinalis 19:248. oxyodon 9:42. patens 42:46. Sclarea 24:119; 25:41; 50:127. sylvestris 19:39. texana, var. canescens 38:407. tiliaefolia 25:41. verbenacea 44:260. verticillata 14:163; 19: 248; 25:41

Salviastrum 32:89. dolichanthum 32:90. texanum 32:90; var. canescens 38:407

Salvinia rotundifolia 43:556 Salviniaceae 23:210; 35:354 Samarpses triptera 50:188

Sambucus 6:129; 12:184; 26:16; 33:110; 43: 94. canadensis 3:131, 188; 6:54, 129; 7:28 29; 12:184; 13:141; 14:206; 17:218; 18:43; 26:16, 185, 228; 32:161, 216, 276; 36:374; 37:354; 44:172, 174; 50:65, 290, 300; f. chlorocarpa 42:46. nigra 33:170; 43:511, 652. pubens 6:57, 129; 35:310; 42:101, 102; 47:144; β. leucocarpa 35:310; f. calva 35: 310; 44:145; f. dissecta 35:310; f. leucocarpa 35:310; f. xanthocarpa 35:310. racemosa 1:171, 191, 193; 2:37; 3:176; 6:54, 57, 129; 7:28; 11:98; 12:184; 17:152; 21:130, 199; 22:134; 26:16; 27:212; 33:125; 34:55; 35:310; 36:374; 47:144; f. chrysocarpa 18:239; 19:249; 35:310; f. leucocarpa 35:310; f. xanthocarpa 35:310; var. pubens 6:57; var. xanthocarpa 35:310

Samolus 18:227; 24:233. ebracteatus 37:407. floribundus 12:120, 143; 13:182; 15:76; 19: 30, 391; 20:102, 106; 23:105, 142, 286; 24: 179, 233; 27:203; 29:65, 70, 108, 111; 32: 149, 210, 270; 37:416; 38:453. parviflorus 36:50; 44:234. Valerandi, var. americanus 4:16; 20:106

Samphire 9:204

Sand Cherries 25:69. Cherry 4:130; 18:70; 25:70. Grass 49:265. Meal-grass 12:27. Oat 12:27, 29. Plum 14:196. Reed 12:28, 30, 36; 22:70. Roir 12:30. Wheat 12:36

Sandhavre 12:27, 28 Sandmelgras 12:27 Sandweizen 12:36 Sandwort 43:325

Sanguinaria 6:117; 18:214; 31:12; 37:349; 40: 374; 47:385. canadensis 5:132; 6:117; 10: 165; 12:128; 16:15; 18:214; 19:220; 35:249, 250; 38:422; 42:196, 279; 44:14; 45:444, 445; f. Colbyorum 35:45; var. rotundifolia 36: 44; 38:422, 423; 39:430, 482; 40:421. rotundifolia 36:44

Sanguisorba 20:59. annua 37:86. canadensis 14:241; 15:203; 20:59; 25:9; 27:212; 28:62; 29:215; 34:53; 35:238; 41:248; 46:50; 47: 45; β. latifolia 48:12; var. latifolia 33:109, 121. latifolia 48:12. Menziesii 42:331. microcephala 41:248; 42:331. minor 20:59; 37:310, 318; 42:390, 455. officinalis 41:167, 248; 42:331; 48:12. sitchensis 41:154, 248; 42:331; 48:12. stipulata 48:12

Sanicle 21:191 Sanicula 6:124; 13:18; 24:94; 29:182; 40:366. arctopoides 10:13, bipinnatifida 10:13. canadensis 1:8, 9, 159; 2:168; 3:210; 10:13; 32:152, 210, 211, 267; 36:218; 42:467-470; 47:374; var. floridana 39:354, 437, 480; 41: 552; 42:468; var. genuina 42:467; var. grandis 42:467; var. typica 42:467. europaea 42:469. floridana 39:354; 42:468. gregaria 1:8, 9, 26, 159; 3:211; 4:89, 91; 5:204; 10:13; 12:192; 13:218; 19:245; 23:137, 170, 277; 24:94; 31:147; 39:437; 40:382, 448; 50: 92. marilandica 1:8, 26, 159; 4:88; 6:124; 10:12, 13; 13:149; 21:200; 23:277; 24:94; 28:107, 220; 40:448; 42:468-470; 43:507, 518, 617; var. borealis 28:220; 29:182, 518, 617; Var. Boreans 25.220; 25.162, 2217; 36:282; 44:143; var. petiolulata 40: 448, 475, 484, pl. 527. Menziesii 10:12, 13. Smallii 40:365, 378, 448; 41:552; 43:489; 47: 97, 162, 163; 49:96, 156. trifoliata 1:8, 9, 26. 159, 222; 3:211; 15:166, 201; 19:245; 21: 191; 24:118, 184; 34:33

Saniculas 1:7

Santalaceae 4:18; 17:171; 25:8; 30:21, 23; 21; 43; 36:280

Santolina 26:149. Chamaecyparissias 26:149

Sapin 31:20

Sapindaceae 1:213; 21:127; 28:71; 31:43; 32:

Sapindus 7:161, 189. Drummondii 36:224, 231 Sapium 49:58

Sapodilla 49:289-292

Saponaria 6:115; 8:99; 18:87; 43:525; 50:198. § Vaccaria 9:48. officinalis 5:189; 6:115; 11:127; 17:35; 18:87; 39:372, 375; 50:198, pl. 1105. Vaccaria 1:47; 5:189; 6:84, 115, 235; 8:99; 18:87

Sapota 49:290. Achras 49:290; y. depressa

49:292

Sapotaceae 11:54; 43:92; 48:163; 49:289, 292 Sapote 49:290-292

Saprophytes 5:136 Sapsuckbush 37:309 Sarazina venosa 38:233

Sarcoscyphus adustus 4:208. aquaticus 6:167; 10:186. Ehrharti 4:207; 6:167; var. aquaticus 6:167; 10:186; var. erythrorhizus 6:167; 9:57; var. robustus 6:167; 10:186; 15:27. pygmaeus 4:208. sparsiflorus 7:52. sphacelatus, var. erythrorhizus 6:167; var. medius 6:167; 9:57. Sprucei 4:208. Sullivantii 6:

167; 9:57. ustulatus 4:208 Sargassum 6:181; 7:228; 13:187; 19:78–80, 82-84; 21:204, 205; 50:261. bacciferum 2: 48; 19:78, 81, 83; f. angustatum 19:81; f. angustum 8:110. Filipendula 2:48; 7:230; 19:78; 26:191; 50:262; f. subedentatum 2;

48; 7:230; var. Montagnei 50:262. fluitans 19:78, 79, 81, 84; 43:73. Hystrix 19:81, 84; var. buxifolium 43:73; var. fluitans 19:78. lendigerum 19:80–82. linifolium 19:81, 82. Montagnei 50:262. natans 19:78, 79, 81, 82, 84; 43:73. vulgare 13:187; 19:78, 79; 24:2; 50:262

Sarmentaceae 47:385

Sarothra 47:282

Sarracenia 8:27; 13:114, 221; 18:26, 248; 33: 39; 37:310, 316; 41:472; 42:279, 379, 389; 39; 37:310, 310, 41:472, 42:213, 319, 389, 44:358; 47:385. alata 50:112, 127. × Catesbaei 39:338, 409; 41:472, 545; 44:260. Drummondii 50:127. flava 27:214; 36:34, 45; 39:325, 326, 328, 334, 335, 338, 361, 363, 387, 398, 409, 472, 477; 40:367, 368, 423; 42:359, 362, 374, 389; 47:103, 360; 49:94; 50. 127; × purpurea 44:260. Gronovii 50:127; 127; × purpurea 44:260. Gronovii 50:127; var. alata 50:127; var. Drummondii 50:127; var. flava 50:127; var. rubra 50:127. heterophylla 24:174; 48:202, 203. purpurea 1:229; 2:172; 4:106; 5:49, 133, 190; 6:3; 7:74; 9: 120; 13:78, 220; 17:65; 18:248; 19:164, 217, 218; 22:41, 48; 23:148; 25:9; 26:175; 28: 62; 29:131, 214; 32:133; 33:121; 34:53; 35: 5; 36:45; 37:307, 316; 38:233; 39:471; 40: 145; 42:279; 44:115, 358; 50:127; f. heterophylla 24:174; 35:90, 271; subsp. venosa 39:409; var. heterophylla 18:248; 19:217, 218; 24:174; var. venosa 38:233; 39:335. 218; 24:174; var. venosa 38:233; 39:335, 338, 356, 409, 477; 40:367, 423. rubra 36:45; 50:127. Sledgei 50:127

Sarraceniaceae 5:190; 18:248; 19:217; 25:9; 29:214; 31:43; 37:306; 43:92; 49:255

Sarraceniales 37:306 Sarracenias 7:78: 38:256 Sartwellia Flaveriae 47:331

Sassafras 7:122; 12:165; 15:14-18; 18:214; 20:99; 31:120; 33:30; 38:178; 41:484; 42: 292; 44:32. albidum 8:199; 15:16; 38:179; 42: 292, 452; var. glaucum 38:179; var. molle 38:179. Laurus 38:179. officinale 3: 233; 4:132; 5:129; 6:85; 8:198, 199; 15:15; 20:99; 32:12, 152, 215, 253; 38:178, 179; var. albidum 20:99; 32:253; 38:179. officinarum 8:199; 38:179. rubrum 15:16; 38:179. Sassafras 8:198, 199; 20:99; 21:189; 38:179. Thunbergii 20:99. triloba 38:179; var. mollis 38:179. variifolium 8:199; 12:165; 14:83; 15:14; 18:214; 19:224; 20:99; 32: 253; 37:416; 38:179; 41:517, 520; 44:170, 171, 174; var. albidum 15:16; 18:214; 19: 224; 20:99; 38:179

Sassafras, Nuttall's White 15:14. Red 15:14. 15. Swamp 18:206. Tree 8:198. White 15:

14, 15

Satureja 10:85; 25:41; 26:80. § Calomelissa 26:81. sub-§ Coccineae 26:81. Acinos 25: 41; 33:169. arkansana 10:85; 42:8. Ashei 26:80, 81. Calamintha 44:361; var. nepetoides 44:361, 434. caroliniana 26:81. Clinopodium, y. diminuta 25:213. coccinea 26:81. dentata 26:81. glabella 36:224, 231; 42:6-8, 525, pl. 586; 46:307; var. angustifolia 42:7, 8, pl. 586. glabra 10:85; 37: 204; 42:7. hortensis 25:41; 29:219. Nepeta 44:361. Thymus Virginicus 50:221. virginiana 50:220, 221, 223. vulgaris 21:200; 23: 165, 170; 25:41; 32:18; 46:388; 49:251; var. diminuta 25:213; var. neogaea 46:388

Satyrium 9:48; 30:54. bracteale 28:174. bracteatum 28:174. repens 1:5, 6; β. 1:6. viride 28:170-172

Sauce-alone 46:315

Saule 1:167

Sauroglossum 7:120. cranichoides 23:84 Saururaceae 6:85

Saururus 36:373. cernuus 6:77, 78, 85, 86: 13: 151; 19:30; 34:35; 38:376; 39:473

Saussurea alpina 36:148; 42:343. angustifolia 41:166, 300; 42:342, 343. densa 42:312, 343; 45:316. monticola 42:342. remotifiora 42: 343. subsinuata 41:160, 163, 300

Sauteria 16:63, 64. hyalina 16:62

Sauteriaceae 25:193

Savanna Pine 50:183

Savastana 9:53; 19:153. Nashii 19:153. odorata 49:276

Savastania 19:153

Savia 9:54

Savin 35:359

Saw-grass 42:513; 44:370, 371; 49:90

Saxifraga 3:219; 6:118; 7:23; 13:18; 18:247, 251; 23:70; 29:139; 30:77; 36:139; 42:329; 43:220; 44:25, 124; 46:282. § Euaizoonia 46:61. adscendens 35:271; 37:419; 42:328. aestivalis 41:242. aizoides 6:97, 118; 9:154, 161, 167, 172; 11;94; 13:117; 18:245, 247; 21:192; 22:39, 49; 28:62, 90; 35:7, 121; 37: 207; 38:125, 154; 44:107; 46:62. Aizoon 6: 118; 9:154, 161, 166, 172; 12:111; 13:117, 238; 18:245, 247; 21:192; 22:39, 49; 24:227; 26:168; 28:90, 117; 29:15, 139, 161; 31:54; 35:121, 233; 36:291, 292; 37:207; 38:154; 44:117, 118, 336; 46:61, 62, 67; β. recta 46:63; subsp. cartilaginea 46:61; [subsp.] * Laestadii 46:61; subsp. Laestadii 46:65; var. montana 46:65, 68, pl. 817; subvar. recta 46: 63; subvar. subaffinis 46:63, 64; var. neo-gaea 46:65-67, 69, pl. 817; f. frigida 46: 66, 67, 69, pl. 817; var. recta 46:64, 65, 68. pl. 817; var. typica, subvar. brevifolia 46: 64. aspera, subsp. aspera 9:47. autumnalis 9:154. bracteata 41:240. bronchialis 31: 9:134. bracteau 41:240. brothains 51: 138; subsp. Funstonii 41:163, 240; 42:312, 329; 45:311. cernua 25:113; 31:133; 33: 235; 34:245; 35:298; 36:148, 162, 166; 38: 116, 120, 125, 153; 41:155, 240; 44:125, 128; 47:226; f. bulbillosa 33:235; var. latibrac**teata** 33:**234**, 235; 44:142. cespitosa 7:31; 9:162, 183; 13:119, 216; 14:87; 25:113; 28: 60, 90, 146; 35:121, 126, 399, pl. 239; 38: 117, 120, 125, 153; 41:240; 44:104; 45:312: 47:225. Cotyledon 46:61. densa 18:160. diversifolia, f. foliata 18:160; var. foliata 18:160. Eschscholtzii 41:163, 240; 42:311, 329. exilis 41:242. Fergusonii 18:160. flagellaris 36:139; 41:160, 163, 240; 42:329; 45:312. foliolosa 41:240; 42:312, 328. Forbesii 49:202. galacifolia 41:243. gaspensis 19:141, 142; 29:56; 31:47; 36:327; 44:124, 128, 142. Geum 13:140; 28:51, 53,

55; 29:127. Gormani 29:36. granulata 7: 16; 44:25. groenlandica 36:148. hieracifolia 41:147, 160, 240; 42:328. Hirculus 25: 113; 41:147, 158, 241; 42:312, 329; 45:312; var. alpina 41:151, 241; var. propinqua 41: 241. incompta 36:267. integrifolia 41: 241. leucanthemifolia 39:198, 200, 205, fig. 21 (map). Lyallii 37:418; 41:243. micranthidifolia 23:71. moschata, var. densa 18: 160; var. Fergusonii 18:160. muscoides. var. densa 18:160. nivalis 9:161; 14:88; 19:141-143; 25:113; 31:138; 36:148; 38:117, 120, 125, 153; 41:165, 241, 242; 44:124; 3. tenuis 19:142; var. labradorica 19:142, 143. nudicaulis 41:241. Nuttallii 36:267. opnudicaulis 41:241. Nuttallii 36:267. oppositifolia 6:97, 118; 9:154, 161, 166, 172, 183, 185; 13:117; 18:101, 245, 247; 21:192; 22:39, 49; 25:113; 28:62, 90, 146; 29:161; 32:18; 35:78, 81, 93, 121, 126, 399, map 1, pl. 239; 36:148; 38:120, 121, 125, 134, 154, 410; 41:151, 155, 163, 165, 241; 42:329; 44:109; 45:312; 46:62; f. albiflora 38:233; where according the content of the c subsp. euoppositifolia, var. typica, subvar. albiflora 38:233; var. albiflora 38:154, 233; var. Smalliana 41:241. pensylvanica 5:131; 18:246, 251; 19:144; 35:286; 36:225; 42:95; f. **fultior** 19:**144**; var. Forbesii 35:286; 36: 220, 221, 225, 227. petraea 35:271. pulvinata 41:241. punctata 41:147, 242; 42:312, 329; subsp. insularis 41:242; 42:329. radiata 41:163, 242. radulina 41:242. Reevesii 39:418. reflexa 41:161, 163, 241, 242; 42: 328. rivularis 3:165; 9:154, 155, 161; 18: 246, 247; 28:116, 121, 210; 31:138; 36:148; 38:114, 116, 117, 120, 121, 125, 153; 41:242; 42:312, 328; 44:128; 45:312; 46:62. robusta 46:68, pl. 817. saximontana 22:195. Schmidtii 18:160. serpyllifolia 41:163, 242; 45:312. spicata 28:51; 41:160, 243. stel-43:32. spicata 28:31, 41:100, 245. stellaris 38:153; 41:243; var. comosa 3:148, 159, 164, 165, 167, 174; 5:46; 7:8; 9:155, 161; 18:246, 247; 26:168; 28:117, 210; 38:125, 153; 41:240; 42:328; 44:101. Stracheyi, var. Schmidtii 18:160. texana 36:231; 39:419. thysanodes 18:160. tricuspidata 25:113; 35: 271: 27:207: 38:125, 154: 41:146, 243: 42: thysanodes 18:160. tricuspidata 25:113; 35: 271; 37:207; 38:125, 154; 41:146, 243; 42: 311, 329; 45:312. unalaschkensis 41:243. virginiensis 5:128; 6:118, 208; 7:15, 16, 23; 12:128; 18:246, 251; 19:143; 21:200; 23: 71; 36:220; 39:419; 40:375, 423; 41:546; f. chlorantha 19:143; f. glomerulata 19:143; f. pentadecandra 19:144; f. plena 33:169; var chlorentha 19:142; var posta 33:169; var. chlorantha 19:143; var. pentadecandra 7:16; 19:144. yukonensis 41:242; 42:328

Saxifragaceae 6:118; 8:91; 11:130, 132; 12: 179; 18:37, 245, 246, 250; 25:9; 29:214; 31: 43, 93; 32:254; 36:281; 38:182; 41:423; 44: 37, 39; 45:26, 311; 49:25, 28, 255

Saxifragae 7:16; 36:164, 166

Saxifragas 42:310

Saxifrage(s) 7:27; 9:153, 154; 28:51, 116; 41: 147, 156; 42:329. Golden 49:26. Purple 28:62

Scabiosa 26:17. australis 1:230; 4:106, 107. Columbaris 26:17; 45:220, 221. Olgae 9:39

Scabious 18:40 Scabridae 47:386, pl. 991 Scaevola 38:243, 257

Scalia 19:267, 268. Hookeri 19:264, 266, 267; 25:194, 198

Scandalida 9:54

Scandix 11:53. Anthriscus 40:291. Pecten 9:

39. Pecten-veneris 1:47; 9:39 Scapania 4:212; 8:41; 16:72, 73; 18:74, 76, 77; 19:263; 23:281, 282, 284; 25:95; 38:77, 80, 81, 83, 90. group Plicaticalyx 16:73. subgen. Euscapania 38:78-81; § Apiculatae 38: 79, 83, 84; \$ Curtae 38:79, 81, 84, 88; sub-\$ Immarginatae 38:84, 87, 88; sub-\$ Marginatae 38:84. subgen. Kaalaasia 38:78-81. apiculata 9:71; 11:194; 14:224; 15:25, 27; 25:196; 38:77, 79, 82. Austinii 25:95, 96. Bolanderi 8:42. convexula 5:172; 6:165, 189, 190; 15:25; 25:196. crassiretis 23:283. mod. pachyderma 38:85; mod. parvifolia-laxifolia 38:88; mod. parvifolia-leptodermalaxifolia 38:88; mod. parvifolia-leptoderma-laxifolia 38:85. cuspiduligera 39:3, 13, 36, 37. dentata 8:41, 42; 10:192; 12:204; 15: 25, 27; 18:74, 76, 77, 219; 19:263, 272; 25: 98, 197; 26:12; \(\epsilon\) Cakesii 18:75; var. ambigua 13:42. exsecta 6:171, 172. ferruginea 16:73. glaucocephala 6:173; 9:72; 11:194; 15:25, 27; 19:263; 25:98, 197. gracilis 8:42; 11:195; 15:25, 27; 18:75, 119; 25:199. gymnostomophila 16:71; 38:77–83. hyperborea 23:281–284; 25:197, 198. irrigua 5:172; 6: 190; 10:192; 15:12, 25; 18:74, 78; 23:283; 25:197; 26:12; 38:85; var. alpina 23:282, 283. Joergensenii 25:95, 96. lingulata 38: 283. Joergensenii 25:95, 96, lingulata 38: 77, 79, 84, 85, 88, 89. mucronata 38:77, 79, 84-89; mod. leptoderma 38:87; mod. mesoderma 38:86; mod. pachyderma 38:86. nemorosa 1:34, 35; 2:63; 4:242; 5:172; 8:41, 42; 15:25; 18:75, 76; 25:75, 95–97, 197, 199; 26:12; f. purpureolimbata 25:97. Oakesii 8: 41; 18:74-77; 25:197, 198. paludicola 18: 74, 77, 78; 23:283; 25:197, 198; 26:12; var. Kaalaai 23:283. paludosa 5:172; 6:189, 190; 15:25; 18:78; 23:284; 25:197; 26:6, 12. 190; 15:25; 18:78; 23:284; 25:197; 26:6, 12. Peckii 11:194. purpurascens 8:41. recurvifolia 25:95–97. remota 23:283. resupinata 8:42. rosacea 38:83. scandica 38:87, 88. spitzbergensis 25:97. subalpina 5:172; 14: 224; 15:25; 18:77; 25:197. umbrosa 3:181; 5:173; 9:71; 15:25; 25:197; 26:12. undulata 3:181; 4:30, 31; 5:52, 173; 6:190; 8:41, 42; 15:25; 18:76–78; 25:197; 26:12; 38:79; mod_lentoderms_38:79; var_paludosa_6: mod. leptoderma 38:79; var. paludosa 6: 189; var. purpurea 4:31; 18:76

Scapaniaceae 25:196, 197; 26:11; 38:77; 39:36 Scapaniae 38:78, 82

Scapaniella 38:77, 83. glaucocephala 38:77, 83. vexata 38:83

Scaphosphora Kingii 1:127; 2:48

Scarlet Runner 45:169, 170

Scasacralb 1:168

Scenedesmus 50:271. abundans 26:165; 50:

274: var. asymmetrica 50:274: var. brevicauda 23:66; 50:274; var. longicauda 50: 274. acuminatus 44:67. acutiformis 50:274. acutus 24:51. arcuatus 26:165; var. capitatus 50:274. armatus 50:70. bijuga 14: 115, 237; 15:91; 24:110; 26:165; 50:274. brasiliensis 26:212; 50:274. denticulatus 29: 164. dimorphus 23:66; 50:70, 274. longus 50:274. obliquus 15:91; 24:110. quadricauda 14:237; 15:91; 26:165; 50:274. serratus 50:274

Scent Bottle 28:75

Schedonnardus 48:114. paniculatus 48:114. texanus 48:114

Schedonorus ciliatus 41:182

Scheuchzeria 2:70; 5:49; 11:208; 12:156; 17: 149; 44:218. americana 47:207. palustris 1:183, 222; 2:126; 4:189; 5:48; 7:110; 9: 207; 10:141, 169; 11:82, 208; 12:156; 13: 116; 15:158; 17:148; 19:31, 34, 107; 25:177 179; 33:60; 47:207, 218; var. americana 25 178; 32:172; 34:50; 35:90, 132; 44:138, 218 231

Scheuchzeriaceae 6:24

Schiedeella 23:73

Schisandra coccinea 18:227

Schistotega 4:182. osmundacea 1:54; 4:182

Schistotegaceae 38:240

Schizachne 49:264. purpurascens 44:336; 48: 20; 49:264; f. albicans 44:139; 48:20 Schizachyrium littorale 19:103; 37:145, 146.

neo-mexicanum 37:145. scoparium 19:101; 37:144. villosissimum 19:101; 37:144

Schizaea 14:95; 17:67; 23:91, 97, 134, 135, 149, 153, 161; 33:33, 34, 39, 42, 53, map 9; 35:13, 106; 40:273; 44:230. australis 17:68. filifolia 13:110; 17:68. pusilla 11:86; 13: 172; 33:33, 34, 39, 44, 46, map 9; 35:6, 85. 86, 105, map 7; 38:7; 39:467; 40:274; 43: 507: 44:244

Schizaeaceae 21:173; 22:80, 82; 29:205; 31:

43; 33:42; 35:106, 352; 49:255 Schizochlamys delicatula 26:165

Schizocodon 45:334, 335. ilicifolius 45:334. soldanelloides 45:334

Schizogonium laetevirens 2:45

Schizonema 7:97. crucigerum 9:135. viridulum 9:135

Schizoneura quercifolia, f. linearis 8:111

Schizonotus 9:54 Schizophyceae 1:99

Schizophyllum 3:142

Schizophynum 3:142
Schizophynum 3:142
Schizophynum 1:99; 50:255
Schizothrix 26:161, 164; 40:224, 225. subgen.
Chromosiphon 40:226. subgen. Hypheothrix 40:225. subgen. Symplocastrum 40: 225. arenaria 40:225, 226, 273, fig. 1. coriacea 7:236. Friesii 1:10, 11; 40:226; 50:70.
Heufleri 50:70. lacustris 50:70; var. caespites 1:11. hydrogen 7:236. Myselleri 6:220. tosa 1:11. lardacea 7:236. Muelleri 6:230. Purcellii 40:226. purpurascens 40:226, 227;

var. cruenta 1:10, 11; 40:227. Simmonsiae 8:105. Stricklandii 50:70. tinctoria 8:105

Schkuhria Wrightii 31:243

Schmaltzia 11:163; 43:602. arenaria 43:599, 600. illinoensis 10:52. lasiocarpa 43:600, 601. obtusifolia 37:168. pulchella 43:602. quercifolia 43:602. serotina 40:133; 43:600, 601. tridophylloides 43:602. trilobata 43:599, 600; var. arenaria 43:599

599, 600; var. arenama 43:8 Schoberia maritima 9:144 Schoenocaulon 50:128 Schoenolirion croceum 50:128 Schoenoliriums 46:306

Schoenoplectus 31:124 Schoenoxiphium 5:249

Schoenus 20:27; 25:49; 46:89, 90, 246, 247, 257; 47:385. albus 46:121. axillaris 37:402-404, 452, pl. 391; 42:422, 423; 46:108. capillaris 25:52. capitatus 46:90. capitellatus 20:26, 27; 37:402, 403; 46:115-119. capitulatus 20:27. ciliaris 46:90, 131, 160. Cladium 25:50, 51. cymosus 46:90, 92, 113, 245-248. distans 20:27; 46:191-193, 231, 232. effusus 25:50, 51. fascicularis 20:27; 46:118, 188, 192, 193. fuscus 21:10; 22:180, 181; 46:170, 231, 232. glomeratus 20:25, 27; 37:401; 46:113. inexpansus 46:256. jamaicensis 25:50. Mariscus 25:49-51; 32:183; 44:43, 44; β. effusus 25:51. miliaceus 46:91, 257, 258. mucronatus 32:183. rariflorus 46: 90, 208. rugosus 46:89, 276, 277. setaceus 45:297; 46:90, 126. sparsus 46:257, 258. tenuis 25:52. umbellatus 46:248

Schoepfia 21:69 Schrankia 31:93, 96. aculeata 31:93. microphylla 39:473, 480. quadrivalvis 31:93

Schrebera 9:50

Schwalbea 25:66; 39:203; 40:379; 41:485. americana 5:40; 7:34; 25:66; 32:213; 37: 323; 39:349, 352, 356, 447, 448, 467, 473, 480, 486, map 23; 40:378; 456; 41:469; 47:364. australis 39:197; 349, 448, 486, map 23

Schweinitzia 41:480, 481

Schwetschkeopsis denticulata 14:52 Sciadophyllum heterotrichum 9:43

Scilla 10:129. § Adenoscilla 9:37. bifolia 31: 137. esculenta 10:31. sibirica 10:129
Scinaia furcellata 2:52; 3:135; 8:110; 35:149;

43:74; 50:268; f. complanata 8:110 Scirpidium 31:124; 39:222, 239. aciculare 31: 184. grande 41:74. nigrescens 39:224. sul-

184. grande 41:74. migrescens 39:224. sulcatum 39:266; 41:77
Scirpus 2:19, 21; 3:221; 6:71, 107; 7:81, 130–133; 8:130, 161; 9:220; 11:200; 13:4, 5, 7, 8, 21, 82, 83, 133; 15:99, 222; 23:24, 42; 26: 186; 27:38; 29:110; 31:123–125, 127, 131, 173, 174, 227; 33:19, 21, 22, fig. 1; 36:382; 37:401; 39:212; 40:376, 377, 381; 41:1, 57, 63, 255; 44:33, 479; 46:90, 119; 47:385; 49: 82; 50:129. § Actaeogeton 44:479; 49:52. § Androcoma 49:50. § Baeothryon 45:279; 49:51. § Eleogiton 49:51. § Eu-Scirpus 49: 52; sub-§ Lacustres 49:52; sub-§ Littorales 49:52; sub-§ Mucronatae 49:52. § Holoschoenus 49:52. § Isolepis 49:51, 52. § Lacustres 45:283, 285. § Monocephales 49:49,

50. § Monostachyae 49:50. § Nemocharis 49:50. § Oxycaryum 49:49. § Phylloscirpus 49:50. § Phyllothryon 49:50. § Pterolepis 49:52. § Reigera 49:50. § Schoeno-plectus 45:390; 49:52; sub-§ Actaeogeton 49:52. § Trichophorum 49:50, 51. subgen. Euscirpus 49:50; § Cladanthei 49:50; § Phyllantheli 49:50. subgen. Isolepis 49:51. subgen. Nemocharis 49:50. ablepharus 46: 346. acicularis 21:10; 22:180; 31:184, 188; 32:183; β. comosus 31:187; β. longicaulis 31:187; β. submersus 31:188; γ. natans 31:187; f. filiformis 31:186; f. fluitans 31:186; f. rigidulus 31:187; f. submersus 31:186, 188; f. triangularis 31:187; var. natans 31:187; var. rigidulus 31:187; var. submersus 31:186. acuminatus 32:32; 34:216, 217. acutangulus 31:133, 153. acutus 22:55, 56; 23:101, 110, 131, 234; 29:65, 69, 91, 106; 32:20, 57; 33: 113, 117; 35:216; 38:364; 42:21; 43:553; 45: 284, 285; 50:215; f. congestus 23:131. afflatus 41:101. albibracteatus 31:178. alboflatus 41:101. albibracteatus 31:178. alboater 31:237. albomarginatus 31:133; 37:
393. alpinus 7:131, 132; 8:161; 29:141; 31:
124; 32:13; 33:23; 45:279, 280. americanus
10:137, 204, 205; 11:229, 230; 13:83; 14:26,
30, 236; 15:153; 16:39; 17:147, 213, 221; 26:
223; 29:63, 65, 69, 72, 91, 123, 149, 208; 31:
12, 124; 32:149, 157, 239; 34:70; 35:90, 216,
251; 36:278, 374; 42:318; 43:658; 45:392;
47:148; 49:52; 50:294. andinus 31:172, 181;
41:61. angulatus 41:4. anisochaetus 31:
235, 236. annuus 31:212; 46:144. atratus
2:18: 3:31-33. atrocinctus 1:138, 203; 2: 2:18; 3:31-33. atrocinctus 1:138, 203; 2: 17, 21, 69; 3:32, 33; 6:107; 7:110; 10:137; 11:89; 13:4-7, 83, 138; 15:99, 221, 222; 16: 14; 17:151; 22:135; 24:99; 32:178; 33:109, 117; 34:62; 45:55; 49:242; f. brachypodus 15:161, 200; var. brachypodus 1:138; 2:17, 21; 6:107; 7:109; 10:137; 11:89; 13:83; 15: 99, 161; 25:7; 43:162; var. grandis 2:17, 21; 13:7. atropurpureus 31:199, 227, 228; 39:251. atrovirens 2:19; 5:131; 6:107; 7: 130; 8:163; 10:137; 13:83; 15:221; 19:122; 23:134; 29:150, 208; 35:251, 252; 38:366; 40:396; 46:336; f. proliferus 40:77; f. sychnocephalus 15:161; 16:39; 29:230; var. flaccidifolius 40:396; 42:359, 420; var. georgianus 23:134, 234; 29:230; 32:211, 260; 35:252; 40:77, 376, 396; 49:242; f. angustispicatus 45:296; f. cephalanthus 45:296; f. viviparus 47:390; var. pallidus 8:163; var. pycnocephalus 8:163; 10:137; 5.163, var. pychocephatus 3.103; 10.137, 15:161. attenuatus 41:101, 102. autumnalis 20:24; 37:398. Baeothryon 31:171, 172; α. major 31:171; β. minor 31:171. bahiensis 41:47, 109. Baldwinianus 46:144. bernardinus 31:174; 36:381. bracteatus 23:24; 31: 227, 228. Brownii 41:51. caducus 41:51. californicus 6:66, 71; 22:55; 42:21. campestris 2:240, 241; 8:162; 29:106, 110; 31: 171, 172; 45:291; var. **Fernaldi** 8:**163**; 10: 137; 13:83; 20:102; 23:234; 45:290; var. novae-angliae 8:163; 10:137; 13:83, 178: 20:103; 24:114, 162, 182; 25:107; 32:177, 239; 45:288, 290; var. paludosus 8:162;

228 Rhodora

10:137: 11:229: 13:83: 17:208, 213, 221: 20: 102; 29:43, 92, 106, 111; 32:148, 157, 172, 213, 239; 42:24, 98. camptotrichus 39:221. Canbyi 8:162. capillaceus 31:168, 170, 206, 235; 39:218, 240. capillaris 32:183; 40:394, 395, 482, pl. 510. capitatus 20:23, 24; 23: 106; 30:237; 31:212, 214, 225, 228; 32:180-184; 34:195-197, 199; 41:50-52; 47:301. caribaeus 20:24; 31:225; 39:262; 41:51; 47: 300. caricis 31:124. carinatus 31:124; 35: 285; 36:219; 44:479. carniolicus 41:99. carolinianus 42:246, 247. cernuus 41:104; 46:145, 146; 47:148; 50:129; var. californi-β. nemorosus 23:23; B. austriacus 23:23, 24; B. germanicus 23:23; var. austriacus 23:24; var. callosus 23:24, 25, 99, 148, 199, 233; 24: 181; 25:7; 29:149, 208; 31:227; 33:109, 112, 117; 34:51; 35:5, 8, 87, 88, 121, 240, map 10; 36:278; 38:143; 41:200; 47:208; var. delicatulus 23:25; 35:216; var. nemorosus 23: 23. Chaeta 31:184. Chaetarius 39:251. chilensis 45:391, 392. ciliatifolius 40:391; 44:260. Clintonii 1:48; 7:132; 10:137, 143; 12:112; 23:25; 29:230; 31:124; 37:252; 40: 275. coarctatus 40:392; 44:260. colorado-ensis 31:177; 36:387, 388. comosus 31:187. compactus 41:9. complanatus 20:25. com-pressus 31:212; 50:284. confervoides 41:106, 109. Congdoni, var. minor 32:21. con-strictus 39:260. costulatus 31:205. crassus 31:61. crinalis 41:69. cubensis 46:146; 49: 49; var. gracilis 46:146. cylindricus 8:162. cyperinus 2:15, 16; 3:33; 7:130, 131; 8:164; 10:137; 13:7. 21, 83; 14:21; 15:221, 222; 16:190; 18:34, 94, 96; 22:132, 136; 23:234; 24:99; 26:144; 31:124; 32:149, 216, 239; 41: 517, 520; 45:168; 46:146; 47:124; 49:51; f. cephaloideus 46:146; var. Andrewsii 2:16, 21; 10:137; 13:84; 14:21; 38:454; var. condensatus 2:16, 21; 10:137; 13:84; 15:162; 43:162; var. pelius 8:164; 10:137; 12:110; 13:84; 15:162; 16:15; 22:135; 23:234; 24: 114; 29:230; 32:239; 35:251; f. condensatus 15:162; 16:39. debilis 1:201; 2:127; 3: 249–252; 8:130; 10:137, 144, 204; 11:220; 12:155; 13:84; 16:14; 17:63; 20:43–47; 32: 106, 176; 42:390, 420, 442; 44:479–482; var. Williamsii 3:252; 8:130; 10:137; 11:220; 13:84; 28:88; 38:363; 44:479. depressus 39: 259. Desvauxi 31:239. dictyospermus 31: 152. distichus 50:284. divaricatus 36:38; 152. distictus 50:284. divaricatus 50.36; 39:327, 330, 353, 389, 482, map 4; 40:376; 41:533; 42:400, 420; 44:241, 260; 47:101, 116. elegans 39:259. elegantulus 31:214. 215. Elliottii 46:144. ellipticus 34:197, 199; 41:65. emergens 45:281, 283, pl. 763. 41:65. emergens 45:281, 283, pl. 763. equisetoides 31:132; 44:260. Eriophorum 1:137, 203; 2:15–18; 3:32; 10:137; 13:7; 15: 202, 222; 24:86, 99; 32:177, 211; 44:384; 47: 124, 213; 49:202; f. praelongus 44:383,

384; 47:124; var. Andrewsii 1:138; 2:16, 21; var. condensatus 1:138, 203; 2:16, 21; 15: 162; var. cyperinus 1:138, 203; 2:16, 21. erraticus 31:228. etuberculatus 8:162; 45: 392; 49:90. eupaluster 31:60; 49:62. exiguus 31:206; 39:219; 41:15. expansus 45: 293–295, pl. 767; f. Bissellii 45:294, 295; f. globulosus 45:294. Fernaldi 8:163; 15: 222; 45:289, 290. filiculmis 39:266, 268; 41: 76, 92. filiformis 31:187; 34:196, 197, 199; 41:50. fistulosus 31:153; 41:4; 44:480. flaccidus 31:235, 237; 41:48. flavescens 31:235 237; 41:45. haveseens 31:235-237; 41:47. floridanus 39:247. fluitans 31:168, 170; 32:183. fluviatilis 10:137; 12:111, 120, 135, 186; 13:84, 178; 15:153; 19:91; 25:208; 29:65, 69, 71, 107. fontinalis 40:376, 381, 382, 396; 41:471, 492, 493, 532, 533, map 15; var. **virginianus** 41:**532**; 42:386, 421. Gaudichaudianus 31:237; 41:47, 109. geniculatus 23:106; 31:131, 132; 32:32; 39:259, 261, 262; 41:50-52; 47:274, 300; var. minor 41:51. georgianus 8:163; 10:137; 13:84, 139; 15:221; 16:15; 17:151; 23:134; 32:133; 40:396. glaucescens 31:61, 68, 70, 74; 32: 30, 31; 41:57. glaucus 31:68. Glehni 41:65. gracilis 41:99. hakonensis 41:100, 109. Halleri 31:171. Hallii 3:250, 251; 7:72; 10: Halleri 31:171. Hallin 3:250, 251; 7:72; 10: 43. 137, 143; 11:220; 13:84, 151, 155; 22: 102; 44:483, 484; 47:208, 213. heterocarpus 39:212. heterochaetus 6:66, 70, 71, 139, 231, 232, pl. 53; 10:137, 143; 12:186; 13:84; 15:153. 200; 21:191; 22:55; 25:208; 29:65, 69; 32:57; 43:553, 658; 45:286, 287, pl. 766; 47:213. heteromorphus 39:259; 41:61. hexatrichus 31:178. Holoschoenus 31:124. hudsonianus 8:161-10:20, 137, 146: 11. hudsonianus 8:161; 10:20, 137, 146; 11:89; 12:118; 13:84, 138; 19:31, 36; 21:65; 23:131, 233; 29:132, 208; 31:124; 33:112, 117; 36:278; 41:505; 44:72. humilis 31:169, 170. interceptus 31:159. intermedius 39: 262, 264; 41:67. interstinctus 31:131. intricatus 44:56. japonicus 7:130; 41:101; var. thermalis 41:101. kamtschaticus 31: 75, 76. koilolepis 44:479. lacustris 4:102; 6:65-67, 69, 71, 107, pl. 52; 22:55, 56; 32: 239; 41:56; 49:50, 52; var. condensatus 45: 285; var. occidentalis 6:68, 69; 22:56. lappaceus 44:56. lateralis 44:483. laxiflorus 31:157, 158, lenticularis 2:18, 19, leptolepis 8:162; 46:92. leptos 31:176. Lereschii 21:228. limosus 41:97. lineatus 2:18; 6: 139, 203; 7:131; 10:137; 11:200; 24:184; 38: 452; 43:504, 538; 47:213; 49:50; f. elongatus 33:168. Longii 13:6-8, 84, 151; 15: 202, 221, 222; 18:147; 19:122; 44:232, 233; 45:55, 56. lupulinus 47:198. maculosus 31: 229. malheurensis 32:20. mamillatus 31: 58, 66; 49:62. margaritaceus 36:386. marginatus 31:133; 37:393. maritimus 2:239-241; 5:133; 26:223; 29:43, 44, 106; 45:289-291; 49:50; var. cylindricus 8:162; var. digynus 45:291; var. Fernaldi 45:289-292, 393; f. **agonus** 45:**288**, 289, 291, 393; var. macrostachyus 2:239, 241. Martii 25:54. medius 31:153. melanocarpus 39:269. melanocephalus 31:178. melanostachys 41:60, 61.

microcarpus 2:18–21, 106; 45:295; var. Bissellii 45:294. microlepis 39:224, 225; 41:109. mitratus 31:75, 162; 41:12, 63. montanus 34:223; 41:72, 73. mucronatus 20:41– 48; 49:52. mucronulatus 20:25; 37:398. multicaulis 31:212; 41:96. mutatus 27:37; 31:133, 134. nanus 10:137, 143; 11:84, 89; 13:84; 23:233; 29:90, 92, 111; 31:128, 168–170, 188, 199; 35:90, 215; 37:308; var. anachaetus 31:176; 36:387. natans 39:237; 41: 54. nigrescens 39:225. nodulosus 39:256. novae-angliae 8:163; 15:222; 41:467, 471, 532, map 2; 45:289–291, 393. nudipes 41: 74. nudissimus 41:57, 109. nutans 31:212. obtusus 23:24; 31:132, 214; 34:195, 196, 199. occidentalis 6:66, 68, 69, 71, 231, 232, pl. 53; 8:168; 10:137, 143; 11:89; 13:85; 15: 162, 203; 16:19, 20, 87; 18:30, 34; 19:122; 21: 191; 22:55, 56, 92; 23:234; 31:167; var. con-191; 22:55, 56, 92; 23:234; 31:167; var. congestus 23:131. ocreatus 31:229, 235. olivaceus 31:231. Olneyi 3:34, 88; 9:220; 10:137; 13:85; 23:103, 110, 142, 233; 24:162; 29:45; 32:106, 147, 210, 239; 37:399; 45:390–392; 49:52, 95, 127, 185; f. australis 45:392; var. contortus 9:220; 10:137; 11:39. Onaci 41:100, 109. orgyalis 45:285. ovatus 31:212, 214; 34:195, 196; var. Heuseri 31:214. pachystylus 39:269. pallidus 8:163; 48:330. palmaris 41:51. paludosus 2:240, 241; 8:162; 26:187, 223; 40:275; 45:291, 292; var. atlanticus 45:291, 292; 50:294. palustris 24:160; 31:58, 60, 67, 74, 228; 32:31; 41:57; a. typicus 31:60; f. Casparyi 31; 41:57; a. typicus 31:60; f. Casparyi 31:61; subsp. uniglumis 31:71; var. major 31:61; var. uniglumis 31:71. paracicularis 39:226, 227. parvulus 31:168–170, 176; f. submersus 31:171. pauciflorus 6:94, 107; 7: 132; 9:159, 189; 10:137, 143; 12:114; 13: 138, 221; 21:65; 23:164, 233; 29:208; 31: 124, 171, 174, 175, 187; 33:23; 36:379; 45: 280. Peckii 2:21; 3:31, 32; 6:107; 7:130; 10:137; 14:204; 15:98, 99; 17:64; 19:122; 24:184; 32:133; 45:168, 518. pedicellatus 2:16, 17; 6:194; 7:109; 10:138; 12:110; 13: 7, 85; 15:162, 222; 16:14, 190; 17:154; 22: 135; 23:234; 29:230; 35:251, 262; 45:56; var. pullus 2:17, 21; 10:138; 13:85; 19:122 pileatus 41:63. planifolius 1:201; 10:138, 143; 12:112; 13:85; 14:176; 21:199, 200; 31: 124; 41:1, 48; 45:279; 50:284. plantagineus 31:131, 159. plantaginoides 31:159. plicarhachis 31:158. pollicaris 31:168, 169. polygamus 31:131. polyphyllus 2:157; 3:32; 7: 130; 10:138; 44:353, 383; 46:246–248; 47: 116; f. macrostachys 45:296; var. macrostachys 2:21; 3:31; 10:138; 45:296. polycial and control of the control o 31:61; subsp. uniglumis 31:71; var. major stachys 2:21; 3:31; 10:138; 45:296. polytrichoides 31:227. puberulus 42:246, 247. pumilio 41:19. pumilus 33:23; 41:1; 45: 279–282, pl. 762. punctatus 39:238. pungens 1:202; 4:33; 5:133; 26:223; 32:157; 37:407. **Purshianus** 44:479, 481–483; f. Williamsii 44:479, 483. pusillus 31:168, 170; 39:247. pygmaeus 39:251. quadrang-ulatus 27:37, 38; 31:133, 152; 34:197, 199; 37:392, 393. quinqueflorus 31:171. radicans 31:199; 41:15, 54, 55. repens 31:237;

41:54. retroflexus 39:222, 236. retrofractus 8:128; 47:111-113, pl. 878. riparius 46:145; 49:52. robustus 2:240, 241; 8:162; 10:138; 13:85; 17:213, 221; 31:14; 32:210, 239; 42: 370, 504; 45:290, 392, 393; f. protrusus 45: 392; var. campestris 2:241; 8:162; var. novae-angliae 45:290; var. paludosus 2: 241; 8:162. Rollandii 45:282, pl. 764; 48:271. rostellatus 31:175. rubricosus 47: 124, 213; 49:202; f. praelongus 47:124. rubrotinetus 2:20, 21, 106; 3:33, 185; 6: 107; 7:106; 10:138; 11:89; 13:85; 16:14; 17: 151; 25:7; 29:149, 208; 33:109, 117; 34:51; 36:278; 45:295; f. radiosus 45:**295**; var. confertus 2:21; 5:289; 10:138; 13:55; 17: 151; 19:122; 29:230. rufus 10:95, 143, 144, 201; 11:89; 23:103, 233; 29:106; 31:124; 34: 70, 73, 74, map 6; 35:55; 36:278; 45:283, 287, 288, pl. 763; 50:215; var. neogaeus 45: 283, 287, 288, pl. 763. sachalinensis 31: 75, 76; 41:65. saximontanus 3:251. schoenoides 44:260; 46:91, 265. Sellowianus 31: 234. sepium 31:171. setaceus 46:145. simplex 31:236; 39:246, 247; 44:260. Smithii 3:249, 250, 252; 10:138, 144, 205; 11:220; 12:155, 156; 13:30, 85; 15:162; 17:63; 20:45; 23:41, 42; 24:86; 26:38, 223; 44:480–482; 50:178; f. levisetus 44:479, 483; f. setosus 44:479; var. levisetus 23:42; 34: 39; 44:479; var. setosus 3:252; 10:138, 144; 12:155; 13:30, 178; 14:55; 15:76; 19:91, 122; 23:41, 42; 32:17; 38:363; 44:479; var. Williamsii 44:479, 480. soloniensis 31:212. sphacelatus 31:160. spiralis 31:135; 39:246; 41:109. Steinmetzii 45:286, 287, pl. 766. stenophyllus 40:391, 393; 44:260. submersus 31:205; 39:223, 254. subterminalis 1: 184; 7:106; 10:138; 11:89; 13:85, 128, 135; 184; 7:106; 10:138; 11:89; 13:85, 128, 135; 21:75; 22:136; 23:148, 233; 24:114; 25:208, 213; 29:149, 208; 32:172; 33:113, 117; 39:29; 40:251; 41:255, 505; 42:87, 90; 43:554; 44:244; 45:390; f. terrestris 45:288; var. terrestris 2:202; 7:106; 45:288. sulcatus 39:266, 268; 41:77; 44:261; 46:144, 145. supinus 3:249-252; 20:47; 44:483, 484; 49:52; 3.3:252; v. digynus 44:483; var. Hallii 3:251; 44:483; var. uninodis 44:483. sylvaticus 2:18-21, 106, 121; 6:233; 7:130; 10:138, 144; 13:85; 15:202; 28:245; 29:150; 45:293-295, pl. 767; 49:50; f. Bissellii 45:294; f. cephaloideus 46:146; var. atrovirens 15:161; var. Bissellii 2:21; 10:138; 36:7; 37:83, var. **Bissellii** 2:**21**; 10:138; 36:7; 37:83, 84; 45:294; var. digynus 1:165; 2:18, 19, 21; var. sychnocephalus 15:161. Tabernaemontani 6:65. tener 41:96. tenuiculus 39:268. tenuis 31:74; 34:195-197, 199, 218; 39:242; 41:50, 65. tétraquetrus 31:162. thyrsiflorus 47:124. Torreyi 1:184; 3:64; 6:40; 10:138, 140; 13:85; 15:162; 16:14; 19:122; 20:47; 43:658. tortilis 39:246. translucens 31: 169. trichodes 31:184, 206. Trichophorum 7:132; 8:161. tuberculatus 31:228; 39:247, 248. tuberculosus 31:172; 39:247, 248; var. β. 39:247. tuberosus 31:159. tumidus 31: 159. turgidus 31:212. uniglumis 31:58, 71, 72, 74; 49:62. uninodis 44:483, 484; var.

Hallii 44:484. validus 6:65–69, 71, 107, 231, pl. 52; 10:138; 13:21, 85; 14:26; 16:20, 87; 17:150; 21:191; 22:55, 56; 23:131, 233; 26: 223; 29:65, 69; 31:123; 32:57, 148, 149, 161, 239; 33:19, 22; 36:278; 38:366; 40:28; 43: 553; 45:284–287, pl. 765; 50:215, 294; var. creber 45:283, 284, 287, pl. 765; 49:242; f. megastachyus 45:283, 285, 287, 392, pl. 765; variogatus, 31:156; varcenadus, 50: 765. variegatus 31:156. verecundus 50: 284. Wolfii 31:202. yokoscensis 41:18, 109 Scitamineae 25:158; 47:385

Scleranthus 17:203. annuus 1:216; 5:190; 17:

35, 203; 42:135

Scleria 10:144; 13:105; 39:326, 337; 41:474; 42:146; 43:511; 45:296, 297. Brittonii 45: 297. ciliata 36:219; 39:392, 480; 44:261; var. Elliottii 39:392, 466, 481. elata 26: 159, 160; var. decolorans 26:160; var. latior 26:160. Elliottii 38:393; 39:392. flaceida 38:397; 43:512, 539-541; 45:461. georgiana 45:297. gracilis 38:398; 44:261. hirtella, var. strigosa 44:261. laxa 45:296. minor 38:397, 398, 450, pl. 444; 39:387, 475; 41:533; 42:381; 43:512, 539, 540; 49:94, 126. Muhlenbergii 45:296, 297; 49:87. nitida 38:397, 398, 450, pl. 444; 39:477; 42:365; 43: 512, 539-541. oligantha 39:479, 482, map 512, 339-341. Oligandia 39.479, 425, 118-53; 40:399, 440; 43:489; 45:366; 46:307. pauciflora 3:144; 8:165; 31:15; 35:202; 36: 219; 38:378; 39:392; 47:96, 117; & Elliottii 219; 38:378; 39:392; 47:96, 117; & Elliottii 39:392; var. caroliniana 8:165; 10:138; 35: 202; 39:392, 476; var. kansana 8:165. retining 10:42; 13:165. 202; 39:392, 476; var. kansana 8:105. Fett-cularis 10:43, 138, 143; 13:105, 151; 14:29, 32; 24:87; 26:180; 29:241; 32:212; 45:296; 49:87; var. pubescens 10:138; 24:87; 42:88, 93. setacea 37:405; 38:377, 399; 39:363, 393, 482; 41:533; 43:512, 539; 45:297. terrestris 26:159; var. decolorans 26:160; var. latior 26:160. Torreyana 45:296. triglomerata 2:157; 10:138; 13:105; 32:213; 38:397, 398, 450, pl. 444; 43:512, 539-541; 46:78; var. gracilis 37:156; 38:398; var. minor 38:398. verticillata 7:73; 10:138; 13:30: 37:71

Sclerochloa 18:1. arenaria. var. fasciculata 18: 10; var. maritima 18:7. Borreri 18:10. distans 18:12. procumbens 18:11. rupestris

18:11

Scleroderma lycoperdoides 44:173. vulgare

Sclerolepis 14:23, 24; 31:98. uniflora 10:143; 12:13; 13:152; 14:23, 175; 21:143; 22:103; 27:57, 64, 65. verticillata 7:186, 187; 8:29; 31:97; 34:112

Scleropoa 15:147; 49:260. rigida 15:147; 48:

20: 49:260

Sclerotinia fruticola 39:374. sclerotiorum 1:

Scodellina leporina 41:518

Scoliopleura 9:126, 128, 130. latestriata 9: 135; 26:194, 218; var. Amphora 9:135. tumida 9:135

Scolochloa 8:85; 31:92, 96. festucacea 31:92 Scolopendrium 2:11; 19:171; 21:177, 179. Lindeni 37:221. pinnatifidum 50:117. vulgare 12:115; 21:179; 37:73, 201, 312

Scoparia 23:1

Scoria 9:53

Scorpidium scorpioides 30:10

Scorpiurus 20:171. subvillosus 2:92; 20:171

Scorzonera 26:126, 127

Scotch Broom 32:129, 155; 47:335. Fir 35: 357. Larches 7:124. Ling 10:178. Pine(s) 7:124-127, 129; 28:44; 32:229; 35:357; 47: 335. Rose 12:180

Scouleria 36:60

Scouring Rush 47:206

Scouring Rush 47:206
Scrophularia 13:115; 25:66. lanceolata 25:66; 32:176; 39:235; 40:182, 381, 456; 43:506, 518. leporella 7:34, 119; 8:73; 9:14; 12: 113, 217; 13:218; 25:66; 40:182. marilandica 4:89, 94; 7:34; 9:14; 12:192; 25:66; 39:342, 447; 44:363, 434; 49:180. nodosa 11:98; 13:115; 25:66; 31:10; 35:16. 277, 282
Scrophulariaceae 3:283; 6:128; 7:33; 8:221; 18:43, 99; 23:1-3; 25:11, 62; 26:227; 29: 219; 31:43, 93; 32:273; 36:6, 283; 39:18, 19; 40:292; 41:381, 382, 448; 42:156; 44: 355, 378; 45:315; 49:255; 50:299, 303. trib. Agalineae 20:67. trib. Buchnereae 23:3. trib. Digitaleae 23:1. trib. Gerardieae 20: 67. trib. Gratioleae 23:1, 3 67. trib. Gratioleae 23:1, 3

Scrub Black Oak 4:133. Oak(s) 9:60; 12:8;

18:67. Pine 21:50, 51 Scuppernong 46:48, 49

Scurvy Grass 11:140; 13:119, 124; 28:63

Scutellaria 4:137; 6:127; 25:42; 26:61-63; 36: 6; 38:373; 39:379; 47:201; 49:99; 50:299. § Scutellariopsis 26:64. trib. Scutellarioideae 26:62. trib. Stachyoideae 26:62; subtrib. Scutellarieae 26:62. altamaha 26:74. altissima 25:42. ambigua 3:199, 201; 26: 69; 37:194; 47:172, 173, 175. angustifolia 26:64, 70, 79, diagr. 1, pl. 140; var. canescens 26:71. antirrhinoides 26:65, 68, 71, 79, diagr. 1, pl. 140. arenicola 26:75. arguta 26:79. Austinae 26:70. Bolanderi 26:66, 68, diagr. 1; var. californica 26:68. brevifolia 26: 72, 73. Brittonii 26:66, 71, diagr. 1. Bushii 26:66, 76, 79, diagr. 1, pl. 141; 36:224, 232. californica 26:68. campestris 3:200, 201; californica 20:68. campestris 3:200, 201; 26:69; 37:194. canescens 26:66, 76, 79, diagr. 1, pl. 141; var. punctata 26:77. cardiophylla 26:66, 73, diagr. 1. caroliniana 17:132, 133; 26:74; 44:432. Churchilliana 4:138, pl. 38; 8:73; 12:113; 26:67, diagr. 1; 36:6. cordifolia 26:78; var. pilosissima 26:78. Drummondii 26:66, 73, 79, diagr. 1, pl. 141. elliptica 47:174, 200-202; var. hirota 47:201; 49:179, applebiifolia 23:35 pl. 141. elliptica 47:174, 200-202, val. Intsuta 47:201; 49:179. epilobiifolia 23:85, 86; 25:42; 26:64-67, 79, 186, 187, 227, diagr. 1, pl. 140; 28:79; 29:185, 219; 32:157, 272; 35:252; 36:283, 308; 41:156, 283; 42:338; 47:172; 50:299; f. albiffora 23:86; 26:67; 61-27; 190; 26:76 rosea 23:86; 26:67. floridana 26:76. Footean 26:72. galericulata 4:137, 138, pl. 38; 6:127; 11:98; 13:146; 17:151; 18:42; 22:135; 23:85, 86; 25:42; 26:61, 64-66, 227; 29:185, 219; 32:149, 157, 216, 272; 36:308; 41:283; 47:172; 50:299; f. albiflora 23:86;

26:67; f. rosea 23:86; 26:67. glabriuscula 26:76. gracilis 26:70; 47:174. Helleri 26: 73. hirsuta 26:74; 44:349, 433; 47:201. hyssopifolia 26:75, 76; 47:202, 203. incana 26:76; 47:199, 200. integrifolia 17:133; 25: 48; 26:66, 73, 75, 79, diagr. 1, pl. 141; 39: 482; 47:174, 201–203; 49:177; β. hyssopi-folia 47:203; f. **rhodantha** 40:455; subsp. hispida 49:177; var. brevifolia 26:72; var. floridana 26:76; var. glabriuscula 26:76; var. hispida 26:73, 75, 76; 49:94, 177; var. var. hispitua 26:75; var. multiglandulosa 26:76; 49:99, 101, 177. laevigata 26:77. lateriflora 3:131; 4:137, 138, pl. 38; 6:127; 9:122; 11: 98; 22:134, 135; 23:86; 25:42; 26:63-67, 79, diagr. l, pl. 140; 31:147; 32:272; 35:252; f. albiflora 23:86; 26:68; f. rhodantha 23: 86:98; 68: 44:144; var. albiflora 23:26:26: 36; 26:68; 44:144; var. albiflora 23:86; 26:68. Leonardi 46:139; 47:172. linearifolia 26:70. Mellichampii 26:77. minor 3:199. Mociniana 26:62. montana 26:77. multiglandulosa 49:99, 177. nana 26:65, 72, 79, diagr. 1, pl. 140. nemorosa 47:201. nervosa 26:61, 64, 65, 69–71, 73, 79, diagr. 1, pl. 140; 35:289; 39:431; 43:490, 638; 46: 306; 47:172–174, 404; f. ternata 26:170; var. ambigua 47:175; var. calvifolia 47: 174; var. typica 47:174, 175. nevadensis 26:71. ovalifolia 17:133; 26:74; 37:439; 38:377; 44:349; 47:200, 201; subsp. hirsuta 47:202; subsp. mollis 47:200, 201; var. hirsuta 44:433; 47:202. ovata 17:132, 133, 137; 39:431; 44:432, 433; subsp. rugosa 47:144; var. bracteata 17:134, 137; 44:432, 433; var. rugosa 47:144; var. versicolor 44:432; 46:139. parviflora 47:174. parvula 3:199-201; 9:75; 26:61, 64, 65, 69, 71. 73, 79, diagr. 1, pl. 140; 36:55; 37:194; 39: 378; 42:6; 47:172, 173, 272; 48:116; var. ambigua 3:201; 19:247; 26:69; 37:194; 39: 378, 379; 43:507, 638; 46:139; 47:172, 175; var. australis 39:378, 379; var. Leonardi 47:172; var. mollis 3:199-201; 26:69; 39: 378, 379. pilosa 17:132, 133; 26:66, 74. diagr. 1; 37:439; 47:200, 201; var. hirsuta 26:74; 44:433; 47:201; var. ovalifolia 47: 201. polymorpha 26:75. pubescens 47:200. punctata 44:434. resinosa 26:66, 72, 73, 79, suta 44:433; 47:202. ovata 17:132, 133, punctata 44:434. resinosa 26:66, 72, 73, 79, pl. 140; 34:6; 42:500; var. brevifolia 26:72, 73. rugosa 26:78, 79; 47:144; 50:106. 128. sanhedrensis 26:71. saxatilis 26:66. 78, 79, diagr. 1; 46:139; var. arguta 26:79. serrata 26:66, 74, 76, 77, 79, diagr. 1, pl. 141; 45:380, 459; var. montana 26:77. serrulata 44:434. siphocampyloides 26:71. teucrifolia 47:174, 201, 202. tuberosa 26:66.68, 79, diagr. 1, pl. 141. versicolor 17:132, 133, 137; 26:66, 78, 79, diagr. 1, pl. 140; 40:382. 383, 455; 44:432, 433; 50:128; β. bracteata 44:432; var. bracteata 17:134, 137; 26:78; 44:433; var. minor 26:78; 35:289. viarum 26:68. Wrightii 26:72; f. alba 50:98

Scuticaria 2:31 Scyphophorus didymus 34:125

Scytonema 26:161; 40:224, 235. cincinnatum 40:75. crispum 7:237; 14:114; 40:75. figuratum 7:237; 50:70. guyanense 50:70. Hofmanni 7:237; 50:70. mirabile 24:107; 26:162. Myochrous 7:237; 15:90; 24:103, 107; 26:162, 164; 29:161-163; 50:70. ocel-

latum 6:230; 7:237; 50:70 Scytosiphon 7:228; 26:189; 33:129; 35:257. attenuatus 50:262. hippuroides 2:166. lomentarius 2:48, 163, 165; 7:228; 26:191, 214; 33:130; 50:262; f. complanatus 7:228; var. complanatus 2:48

Sea Grass 12:30. Lavender 18:53, 55; 32:270. Lungwort 23:102. Lyme-grass 12:27. Purslane 28:63, 100. Rocket 28:63. Sand Reed 4:33

Seaside Alder 47:341. Goldenrod 4:89. Spurge 29:58

Seaweed(s) 1:12, 69; 2:130; 3:90; 5:135; 9: 91; 47:63, 64

Sebacina 37:121, 126. cinerella 37:126. globospora 37:121, 126, 127, pl. 331 Sebastiania fruticosa 46:45. ligustrina 46:

45, 46

Sebastiano-Schaueria 9:51

Secale 6:107; 15:149; 49:265. cereale 1:107; 6:107; 15:149; 17:221; 34:63; 41:518, 520; 48:21; 49:265

Sedge(s) 5:245, 247, 248; 6:194; 7:100; 8:168; 11:132; 12:132; 21:191, 192; 26:186; 28:74; 40:159, 180; 41:129, 134, 155, 159, 160, 491; 42:91, 93, 143, 148, 150, 381, 383; 43:518; 44: 370; 45:167; 47:206; 49:299. Dewey's 18:

Sedum 6:118; 8:99; 14:227, 228; 18:249; 38: 117; 41:408; 44:10-13, 75; 47:385; 49:80, 197, 198. acre 4:199; 6:118; 7:40; 8:99; 14:228; 18:249; 19:217; 23:265; 49:248. alboroseum 42:453; var. variegatum 18:1.60. anophyllum 14:228; 19:217, 218. Beyrich innum 48:450, 451. erythrostietum var. ianum 46:450, 451. erythrostictum, var. variegatum 18:160. Fabaria 11:46. frigidum 41:239. integrifolium 45:311. japonicum, var. variegatum 18:160. Nevii 36: 230; 40:364, 423; 41:138; 44:10-13, 74, figs. 1-7; 46:450, 451. Nuttallianum 36:220, 231. pulchellum 36:230; 44:10, 73-76; 46:306, 450. purpureum 11:46; 18:249; 19:218; 37: 192. reflexum 18:249; 19:217, 218. Rhodiola 3:193; 4:189; 41:239. Rosea 11:13; 12:106; 13:216, 237; 15:140; 17:154; 19: 218, 219; 23:163, 265; 25:9; 28:63; 29:122, 132, 214; 31:143; 33:111, 121; 34:53; 35:121, 127; 36:148; 37:317; 49:53, 79, 80, 197; var. integrifolium 42:328; var. Leedyi 49:198, pl. 1086. stoloniferum 6:195; 19:218, 219; 23:94, 265. telephioides 11:199; 19:219; 25: 210. Telephium 6:118; 11:46; 37:192; 41: 79; var. purpureum 11:46. ternatum 18: 250; 19:218; 40:375, 382, 423; 43:553; 44: 12; 45:360; 46:450, 451; 49:180. triphyllum 11:46; 18:249; 19:218, 219; 37:192. villosum 34:120

Seigle de mer 12:36

Seirospora Griffithsiana 2:52; 7:234; 8:123;

26:215; 30:195; 50:265, 268 Selaginella 4:55; 6:32; 10:61; 17:68; 28:18; 35:356; 37:342; 44:34; 49:254. apoda 17:

68; 23:212, 218; 25:188; 35:356; 37:343. 344, pls. 380, 381; 38:383; 41:34; 50:17. apus 10:61, 140; 17:68; 35:188; 50:17. densa 37:343–345, pls. 380, 381. rupestris 1: 192; 3:186; 5:128; 10:61; 23:212, 220; 24: 160; 31:222; 35:356; 36:219; 37:342–345, pls. 380, 381; 41:174; 46:74. Schmidtii 41: 174. schemidia 2:145, 170, 174, 161, 161. 174. selaginoides 9:158, 170, 174, 189, 190; 11:87; 12:116; 13:115; 21:65; 23:212, 218; 25:184; 28:75; 33:112, 115; 36:276, 422; 37:64, 73, 206, 244, 248, 343, pls. 380, 381; 38: 139; 40:153, 168, 169, 171; 41:150, 163, 164, 174; 49:238. sibirica 41:150, 163, 174; 42: 316. Standleyi 41:174

Selaginellaceae 10:61; 23:212; 25:188; 31:43; 35:356; 36:276; 49:254, 255

Selaginoides 44:34

Selenia 33:142, 143. aurea 33:142; 36:220, 231. dissecta 33:142; 40:184, 459; 41:189.

grandis 40:183. Jonesii 33:142

Selenipedium 2:31

Selenophomopsis juncea 44:173

Self-heal 44:337

Seligeria 3:179. Doniana 30:3; 39:39

Seligeriaceae 30:3; 39:39, 100 Selinocarpus lanceolatus 47:331

Selinum 24:94; 41:267, 268. Benthami 28: 221, 222; 41:268, 269. Carvifolia 24:94. cnidiifolium 41:165, 269. Gmelini 28:221; 41:269

Sematophyllaceae 30:11

Sematophyllum 35:146. tenuirostre 15:13 Sempervivum 18:250, tectorum 18:250; 19:

218

Senebiera pinnatifida 6:82 Seneca Snakeroot 4:133

Senecio 6:133; 7:152, 161; 10:68, 195; 13:116, 131; 19:155; 21:117, 118; 26:149; 30:224; 36:284; 37:306, 349; 42:157; 44:124; 45: 164; 46:142. § Aurei 47:302. alabamensis 48:330. anonymus 50:128. antennariifolius 37:233; 46:71, 141. atropurpureus 41:298; 42:342. aureus 3:3–5; 10:68, 69; 11:99; 21: 118, 199; 23:97; 24:208; 26:117–119, 149; 30:225; 38:450; 39:399; 40:374, 422; 43: 521; 44:337; 45:361, 495-500, 506, 508, pls. 800, 801; 49:253; × Balsamitae 10:69; 44: 146; 45:500; \times tomentosus 45:497; γ . borealis 26:119; δ . discoideus 26:117-120; ϵ . Balsamitae 23:299; var. aquilonius 45:497, 500–502, 509, pl. 803; f. ecoronatus 45: **502**; var. Ashei 45:497–499; var. aurantiacus 45:499; var. Balsamitae 1:186; 3:5, 6; var. gracilis 45:496, 498, 500; var. intercursus 45:496, 498, 499, 502, 508, pl. 802; var. lanceolatus 3:5; 6:96; var. obovatus 3:5; var. Robbinsii 3:5; var. semicordatus 45:496, 500, 502. Balsamitae 1:186; 3:3, 5, 6, 177; 9:164; 10:68, 69; 11:99; 12:112; 15: 154; 21:117; 23:299; 26:149; 32:18; 45:504, pl. 805; var. Crawfordii 10:69; var. firmifolius 7:244; 9:164; 44:146; 45:504, 505; var. pauperculus 3:6; 11:99; 26:149; var. **praelongus** 3:**6**; 6:143; 15:67; 26:149. Burkei 26:118, 120, 121; 30:225. canus, var. Purshianus 38:299. ciliatus 15:207, 208. congestus 47:256, 257, pls. 959, 960; var. laceratus 47:256, 257; var. palustris 47: 256, 257, pl. 959; var. tonsus 47:256, 257, pl. 960. conterminus 41:299; 42:342. Crawfordii 10:69; 21:117-119; 43:521, 657; 45:361, 497, 498, 505, 506. discoideus 7:154; 9:164, 191; 13:115; 26:117-121. Elliottii 45:507. Elmeri 37:418. elongatus 30:225. Fernaldii 19:155; 26:114, 115, 122, pl. 144; 30:225; f. lingulatus 19:155. flavovirens 23:299. Fremontii 39:495. frigidus 41:166, 299; 42:342. gaspensis 23:299; 44:146; 45: 502, 504, 505; f. verecundus 45:**505**; var. firmifolius 45:505. glabellus 36:51. gracilis 45:500. hieracifolius 19:25, 27. hyperborealis, var. columbiensis 30:225. idahoensis 26:118, 120, 121. indecorus 26:116–122, pl. 144; 44:104; f. **Burkei** 30:**225.** integrifolius 41:298; 42:342; var. Lindstroemii 41: 298. Jacobaea 4:34; 6:235; 7:152; 26:149; 49:253. **Kjellmanii** 41:**299**; 42:312, 342. lanceolatus 3:5. Lemberti 26:119. longilobus 45:165. lugens 41:153, 299; 42:312, 342; 45:316. lyratus 26:113. MacDougalii 26:149. Millefolium 46:307, 308. Muhlenbergii 40:356. obovatus 3:3, 5; 5:33; 12: 187; 14:73; 21:198; 26:117, 149; 27:212; 34: 231; 37:64, 66, 71; 41:31, 36, 466, 574; 44: 345, 478; 45:506, 507; f. elongatus 30:225; 34:231; var. diversifolius 45:507; var. Elliottii 45:507; var. elongatus 24:226; 30: 225; var. rotundus 45:507; var. umbratilis 23:299; 45:506. palustris 25:11; 36:284; 38: 160; 41:158, 159, 166, 233, 300; 42:342; 47: 256, 257; γ. laceratus 47:256; var. congestus 41:300; 47:257. pauciflorus 9:164, 191; 13: 1124; 19:142; 26:116-119, 121, 122, pl. 144; 28:121, 123, 125, 240; 38:126, 131, 160; 44: 124; f. fallax 30:225; var. fallax 30:225, pauperculus 3:6; 21:117; 23:299; 26:117, 118, 149; 30:226; 32:12; 35:126, pl. 239; 36: 284; 37:74; 42:342; 45:503-505, 509, pl. 804; f. inornatus 45:502; f. verecundus 30:225; 32:12; 45:502, 505; var. **Balsamitae 23**: **299**; 31:55; 37:74; 45:502–505, 509, pl. 805; f. inchoatus 30:226; 31:55; var. firmifolius 28:118; 35:399, pl. 239; 44:109, 146; 45:504, 505; var. neoscoticus 45:502, 503, 509, pl. 806; var. praelongus 45:503. plattensis 36: 221; 45:503, 505, 507, 508. pseudaureus 30: 225; 45:496, 500; f. ecoronatus 30:225; 44: 146; 45:502. Pseudo-Arnica 3:3; 13:123; 25:11; 29:89, 123, 129, 221; 32:12; 34:55; 35:233; 41:162, 300; 42:116; 44:117, 337; 47:257; f. Rollandii 47:257; var. Rollandii 47:257. pseudo-tomentosus 45:507, 508. pyroglossus 42:342. resedifolius 26:113-118. 122, pl. 144; 27:206; 36:327; 41:160, 163, 164, 299, 300; 42:342; 44:128; 45:316; f. columbiensis 30:225; var. columbiensis 26: 115, 116; 30:225; 41:300; var. lyratus 26: 115; var. multicaulis 26:116. Riddellii 45: 165, 166; var. Parksii 45:164. Robbinsii 3:4; 4:189; 6:96, 133, 235; 10:145; 12:103; 13:183, 221; 17:154; 22:137; 23:97; 26:117; 34:63, 64; 44:337; f. invenustus 30:225.

Rollandii 32:12; 47:257. Rugelia 35:320. saxosus 38:299. semicordatus 45:500. Smallii 3:6; 21:117, 118; 36:54; 41:489; 45: 503-505; f. tristis 47:302. sylvaticus 3:7; 4:34; 12:106; 13:183; 17:148; 18:44; 23: 299. tomentosus 39:474, 480; 41:299; 45: 361, 497–499, 506–508, pl. 800; 48:331; 50: 128; f. alabamensis 48:330. tubicaulis 47: 256, 257. viscosus 3:6; 10:145, 153; 24:120; 26:149. vulgaris 1:216; 3:7; 10:153; 11: 99; 12:106; 16:86; 17:36, 37; 26:149; 28: 72; 29:221; 41:300; 42:342

Senellier 1:168

Senna riparia 39:413

Sensitive Fern 30:18; 45:396 Senticosae 47:386, pl. 991

Sepedonium chrysospermum 44:173

Sepiariae 47:386, pl. 991

Septoria 41:519. atropurpurea 39:373. Ligustici 41:519. oenotherae 26:219; 39:373. Plucheae 41:518. polygonorum 39:373; 44:170. rubi 39:373

Sequoia 5:271; 37:207, 212; 44:32, 34. gantea 37:211. sempervirens 38:200; 49:228

Sequoias 21:31

Serapias 22:181; 43:632. Helleborine 19:30, 31, 51; 33:140; 41:129; 43:632; 44:456. repens 1:5, 6

Serapis 47:385

Serenoa serrulata 36:31 Sericea Lespedeza 50:27

Sericocarpus 7:158; 26:150; 28:209. asteroides 26:150; 30:136; 32:151, 278; f. roseus 30: 136. bifoliatus 28:209, 210; 46:316; var. Collinsii 28:210. Collinsii 28:210. conyzoides 5:129. linifolius 26:150; 29:244; 32: 177, 278; 39:474. solidagineus 5:204. tortifolius 28:209, 210; 46:316; var. Collinsii 28: 210

Serinia oppositifolia 39:432; 40:377, 477; 42:

498; 44:253

Serpicula occidentalis 22:21, 22, 27. verticil-

lata, B. angustifolia 22:22, 28

Serratula 48:242, 284. glauca 43:653. pilosa 37:183; 48:250, 257. scariosa 48:294, 298, 300, 312. speciosa 48:340. spicata 48:178, 220, 221, 250, 256. squarrosa 48:298, 394 Sertularia 8:160; 35:293; 47:281. pumila 2:

Service-berries 12:180

Service-berry 12:180; 48:127 Sesban exaltatus 38:406

Sesbania Drummondii 38:406. exaltata 38: 406. macrocarpa 35:286

Seseli falcaria 25:12 Sesleria 21:66

Sesuvium maritimum 37:426; 42:369, 387,

450; 44:261. pentandrum 44:261
Setaria 6:104; 13:174-176; 15:122; 26:222; 28: 143; 31:109, 110; 34:243; 44:35; 48:392. corrugata 44:257. Faberi 46:57, 58; 47: 109; 48:391. geniculata 31:110, 112, 113, 118; 32:210, 234. glauca 6:104; 12:134; 14: 180; 15:192, 17:212, 18:22, 222, 23:137. 180; 15:122; 17:212; 18:33, 232; 22:137; 31:109, 110, 112; 32:234; 46:57, 58. imberbis 19:108; var. perennis 8:210. italica

6:104; 13:176; 14:168; 15:122; 18:232; 22: 137; 31:113; 46:57, 58; subsp. stramineo-fructa 18:232; 31:112; f. breviseta 18:232; subvar. germanica 18:233; 31:112; f. mitis 18:233; var. brunneoseta, subvar. densior 18:233; var. Hostii 18:233; 31:113; subvar. Metzgeri 18:233; 31:113; var. germanica 6: 104; 18:232. lutescens 18:232; 29:148, 207; 44:70. magna 38:394; 40:372, 390; 44: 382; 46:57, 58. perennis 8:210. pilosa 14: 171. versicolor 8:223. verticillata 10:150; 13:88; 14:180, 183, pl. 98; 15:122; 31:113; 45:387. viridis 6:104; 12:133, 134; 15:122; 43:357. Viridis 6:104; 12:133, 134; 13:122; 17:226; 18:232; 22:137; 31:113; 32:234; 44:70; 46:57, 58; 50:301; var. breviseta 8: 210; 12:134; 18:232; var. Weinmanni 12:133, 134; 20:102; 18:232; 23:229; 31:113; 42:413. Weinmanni 12:134

Setiscapella cleistogama 23:108, 291, subulata

23:108

Seutera 31:95; 36:236; 50:128

Seymeria 17:134; 20:68, 136. cassioides 17: 134, 137; 39:349, 352, 355, 447, 466, 480, map 24; 41:485, 569; 42:379, 445. macrophylla 20:68. tenuifolia 17:134, 137 Shadbush 11:27; 12:180; 22:131, 132; 23:130, 198; 26:182; 46:157. Dwarf 50:49

Shagbark 4:132; 26:182; 50:62. Hickory 43:

67: 47:47

Shamrock 18:38

Sheep Laurel 12:183; 39:354 Sheep-teat Blackberry 10:121

Shepherdia 9:54, 179; 48: pl. 1026. argentea 6:88; 48: pl. 1025. canadensis 6:86, 88; 9: 162, 167, 172, 179; 11:96; 13:138; 19:63; 23: 164, 170, 276; 24:177; 28:59, 76; 34:66; 35: 50; 36:282; 37:204; 41:150, 263; 42:333; 45: 313

Shepherd's Purse 28:70

Sherardia 26:15; 30:54. arvensis 6:144: 19: 248; 24:119, 152; 26:15; 37:323; 41:570

Sherwoodia 45:333. sinensis 45:335 Shield-Fern 30:16. Marginal 4:51

Shining Willow 12:177 Shinleaf 38:92, 94

Shooting Star 42:336; 46:158

Shore Berry 18:38

Shortia 33:29; 45:333-335; 49:160, 161. § Exappendiculata 45:334. Davidi 45:335. dentata 48:208. exappendiculata 45:334. galacifolia 45:333, 334; 49:159, 160; 50:111. ilicifolia 45:334. ritoensis 45:334. sinensis 45:333-335. soldanelloides 45:334; β . ilicifolia 45:334. subcordata 45:334. thibetica 45:335. transalpina 45:334. uniflora 45:334

Shortiopsis 45:334 Short-leaf Pine 21:49

Short-tongued Bees 41:186

Showy Lady's Slipper 27:107-109 Sibara 43:291-293, 297, 479. filifolia 43:479. mexicana 43:480. pectinata 43:480. runcinata 43:481. Viereckii 43:481; var. Endlichii 43:479. virginica 43:481, 491 Sibbaldia 4:98; 41:40. erecta, β. Nuttallii 37: 284. procumbens 3:165; 9:154, 162, 177,

178; 28:124, 212; 34:245; 36:148; 41:40, 247: 44:115

Sibbaldiopsis tridentata 27:214; 31:221 Sibthorpia 23:41. europaea 28:51

Sicyos 26:18. angulatus 26:18; 32:109
Sida 22:74; 49:97, 98; 50:97, 99. Elliottii 42:
382, 383, 464, 465, pl. 639; 44:261; β. texana
42:465. gracilis 42:464; 44:261. hermaphrodita 22:74. hastata 50:99. hederacea
50:99. hispida 41:436. inflexa 42:463-465, pls. 638, 639; 43:489; 44:367, 429; 49: 97, 98. lepidota, var. sagittaefolia 38:407. Lindheimeri 42:465, pl. 639. Napaea 10: 152. neo-mexicana 42:465, pl. 639. physocalyx 50:99. procumbens 50:93, 97, 99. rhombifolia 41:469, 548; 43:607. rubromarginata 42:464, 465, pl. 639. sagittaefolia 38:407. spinosa 19:132; 22:74; 36:374; 50:97, 99

Sida, Round-leaved 50:99 Sideranthus annuus 38:407 Sideritis montana 13:89

Sideroxylon laeve 38:440. lycioides 38:439,

441

Sidopsis 41:436. hispida 41:436 Siebera 21:11. cherlerioides 21:11 Siegesbeckia orientalis 19:74,

Sieglingia 23:151; 49:254. Chapmani 37:133. decumbens 23:95, 143, 231; 28:50, 81, 85; 29:126; 34:118; 38:15; 47:267; 49:240. ses-

lerioides 1:67; var. intermedia 37:134 Sieversia 30:207. ciliata 30:207. Peckii 22: 48. Rossii 36:12; 42:331. turbinata 39:494 Silene 6:115; 18:87; 23:119; 40:213, 214; 42: 152, 310, 357; 43:220, 661; 44:2; 50:197. § Viscago 34:25. acaulis 3:165; 5:189; 9:161, 169; 23:119, 120; 29:175, 213; 35:8; 36:148, 164; 38:121, 122; 41:155, 160; δ. parviflora 23:120; f. subacaulescens 23:120; var. exscapa 23:119, 120; 25:8, 112; 27:52; 28:59; 29:132, 175, 181, 213; 33:111, 120; 35:7, 81, 93, 94, 120, 266; 38:119, 134, 148; 41:224; 42: 312, 324; 45:310; f. caulescens 35:94, 266; var. subacaulescens 23:120; 42:324. antirrhina 5:189; 6:84; 12:129, 130; 17:96, 97; 18:87, 144; 31:84; 36:44; 37:71; f. Deane-ana 17:96; 18:87; 19:130; 43:551; var. confinis 17:97; var. depauperata 17:97; var. divaricata 5:189, 235; 17:97; 18:87, 88; 31: 84; 42:43; var. laevigata 12:130; 17:97; var. vaccarifolia 17:97. apetala 5:235; 18:87. Armeria 1:47, 81; 4:85; 5:189; 18:88. Baldwynii 44:261; 50:198, pl. 1105. caroliniana 36:53; 38:421; 40:415; 41:575, 576, 578-580, 583, 584, pl. 584; subsp. pensylvanica 41:577, 578, 580, 582, 583, map 1, pl. 584; 42:260; subsp. typica 41:577, 578, 580, map 1; subsp. Wherryi 41:577, 578, 582, 583, map 1, pl. 584; 42:260; var. pensylvanica 42:**260**; var. **Wherryi** 42:**260**. conica 7: 110. Cserei 36:351, 352; 43:555. Cucubalus 2:133; 5:189; 6:83, 115, 146; 37:307; 43; 505, 551; 46:84. dichotoma 1:97, 104; 3: 65; 5:189; 6:83, 144, 146; 18:88; 35:254; 46:84. exscapa 23:120. fimbriata 44:261. furcata 34:22, 25. gallica 5:189; 18:88; 23:

94, 264; 35:285; var. quinquevulnera 19:130. Hallii 32:25. insectivora 32:24. latifolia 13:21; 18:88; 32:28; 36:352; 40:214; 43:505; 46:84. Menziesii 40:212-215. montana 32:25; var. viscida 32:25. nivea 5: 189, 235. noctiflora 1:97; 5:189; 6:83, 115; 14:204; 18:88; 42:152, 451. nutans 5:189. obovata 40:214. ovata 50:198. pendula 5:189. pensylvanica 1:76; 5:128, 189, 203; 18:88; 21:199, 200; 24:185; 36:53; 41:575, 576, 580; 42:95, 260. polypetala 50:198, pl. 1105. polytrichoides 23:120. regia 46: 45. repens 41:224; 42:311, 324. rotundifolia 44:2. scabra 46:45. Scouleri 32:25. stellata 5:189; 6:140; 40:415; 42:99; var. scabrella 42:99; 43:661. virginica 40:380, 415, 441; 41:576, 579, 580, 583; 43:489; 47: 142. vulgaris 6:115. Wherryi 41:575, 576, 579, 582; 42:260. Williamsii 40:214; 41: 224; 42:324

Siliquastrum occidentale 44:196 Siliquosae 47:384, 386, pl. 991 Silkgrass 46:8

Silky Cornel 25:204

Silphium 26:150; 39:281. albiflorum 39:285, 296. angustum 39:293. asperrimum 39: 282, 286, 288. Asteriscus 35:291; 36:231; 39:284, 292, 293; var. angustatum 39:293. atropurpureum 38:449; 39:284, 290, 399, 475, 478, 487, map 42; 40:382, 422, 472; f. hirticale 41:573. brachiatum 39:196, 283, 289. chicamaugense 39:294. collinum 39:294. compositum 39:284, 294, 295, 329, 330, 456, 477; 42:512; 43:656; a. Michauxii 39:294; v. ovatifolium 39:296: f. orae 39:284. 295: var. ovatifolium 39:296; var. reniforme 39: 285, 295; 40:369, 472; 46:141. confertifolium 39:284, 291. connatum 39:282, 285. dentatum 39:284, 292, 293; f. nodum 39: 284, **293**; var. angustatum 39:284, **293**. Elliottii 39:293. Gatesii 39:283, 288, 289, 292; f. truncatum 39:283, 289. glabrum 39:291. gracile 39:283, 288. helianthoides 39:292. incisum 39:293. integrifolium 36: 222, 224; 39:282, 283, 286, 287; 47:401; B. laeve 39:286; var. Deamii 39:283, 287; var. Gattingeri 39:283, 287; var. integrifolium 47:401; var. mesochorum 34:10; 39:286; var. ternatum 39:286. laciniatum 1:171; 36:222, 224; 39:285, 294, 296; var. Robinsonii 39:285, 297. laevigatum 39:291; var. laeve 34:11. lanceolatum 39:293. lapsuum 39:294, 295; 43:656. Mohrii 39: 283, 289. nodum 39:293. nudicaulis 39:294. orae 39:295. ovatifolium 39:285, 296. perfoliatum 6:143; 10:153; 24:120; 26:150; 39:282, 285. pinnatifidum 39:294. radula 39:286. reniforme 39:295; 40:369. Reverchoni 39:283, 288. rumicifolium 39:284, 294. scaberrimum 39:292, 293. scabrum 39:285, 292. Simpsonii 39:283, 288; var. Wrightii 39:283, 288. sinuatum 39:294. solidaginoides 39:456. speciosum 34:11; 39:282, 286. terebinthinaceum 1:171; 19: 164: 36:224; 39:284, 294, 295; var. pinnatifidum 39:284, 294; var. sinuatum 39:294,

329. ternatum 39:290. ternifolium 39:290. trifoliatum 37:451; 39:284, 290; 47:401; f. praecisum 39:284, 291; var. latifolium 39:284, 291; var. trifoliatum 47:401. venosum 39:285, 296

Silver Bell 25:175. Birch 13:207. Fern 22: 113. Fir 17:165. Maple 4:130; 25:175

Silver-king Artemisia 47:255

Silver-leaved Alder 47:340. Poplar 12:178

Silverweeds 11:1, 48

Silvery Spleenwort 30:15 Silvia 20:136

Silybum 9:55; 26:150; 37:306. marianum 1: 81; 19:252; 26:150 Simaruba 9:45. amara, var. opaca 9:45.

laevis 9:45 Simarubaceae 9:45; 21:81, 191; 31:43; 32:257

Simarubeae 32:95; 33:91 Sinapis 40:306, 307, 309. alba 40:306. arvensis 40:306-308; 41:232; a. integrifolia 40: 308; β. pinnatifida 40:308; β. Schkuhriana 24:36; 40:308; var. brevirostris 40:308. flexuosa 40:307. geniculata 40:309. hispida 40:307. incana 40:308, 309. kaber 40:306. laevigata 40:307. nigra 40:306, 307, 309. orientalis 40:307. polymorpha 40:307. retrohirsuta 40:308. Schkuhriana 24:36; 40: 308. taurica 40:308. torosa 40:307. villosa 40:308

Siphonella longiflora 40:211. Nuttallii 40:208

Siphonocladus 9:200

Siphoptychium Casparyi 1:128

Sirobasidium 37:127

Sison trifoliatum 42:298, pl. 623

Sison trifoliatum 42:298, pl. 623
Sisymbrium 6:117; 7:25; 13:11; 17:138; 18:
221; 20:202; 27:28–32, 66; 28:88, 143; 42:
244; 43:291, 292, 294. § Arabidopsis 20:202.
altissimum 1:81; 2:205; 6:83, 146; 8:72;
9:227; 10:146, 152; 11:22, 130; 13:10; 17:
30, 35; 18:221; 24:19; 26:225; 27:29, 30;
31:84; 32:160, 253; 36:44; 50:296. amphibium 30:132; α. palustre 27:29; 30:132; β. aquaticum 27:29; δ. sylvestre 27:29; δ. terrestre 30:132, aquaticum 27:31. arabid. restre 30:132. aquaticum 27:31. arabidoides 39:93, 94. arenosum 27:29. asperum 27:29; 39:83. auriculatum 39:418. Barbarea 11:138. brachycarpon 17:138-140; 37:74, 192, 261; 42:266; var. filipes 17:140, 141; var. intermedium 17:140, 141. canescens 6:84, 140; 17:138-140; 37:192; var. brachycarpon 17:138, 140; 37:192; 42:266. dentatum 39:168; 48:208. Erucastrum 13: 11. gallicum 13:11. hirtum 13:11. hispidum 30:133. hortense 27:31. humifusum 39:76, 77, 79. humile 6:117; 20:201; 41: 239; 50:3. incisum 15:139; 17:30, 139, 140; 18:221; var. filipes 17:139, 141; var. Hartwegianum 19:225. indicum 18:155. integrifolium 27:29. Irio 27:29, 31, 60. islandicum 30:132; 31:17, 18; 42:25, 267; 46:283. leiocarpum 7:102. Loeselii 13:89; 18:221. ludovicianum 39:81. monense 27:29, 31. murale 27:29, 31. Nasturtium 27:29. Nasturtium-aquaticum 27:29. niagarense 3:16, 17. officinale 3:16, 17, 187; 6:117; 7: 101, 102; 12:189; 14:190-192; 15:165; 16:

191; 18:37, 221; 19:225; 20:105; 23:140, 265; 26:225; 29:176, 214; 50:286; var. leiocarpum 7:102, 103; 11:131; 14:190, 191; 17: 35; 18:221; 23:140, 265; 32:253; 50:296. orientale 35:145. palustre 30:132; 42:25. pannonicum 18:221. pauciflorum 43:441. pinnatum 17:140; var. brachycarpum 42: 266. polyceratium 27:29, 66. pygmaeum 27:171. Richardsoni 42:266. Richardsonianum 42:266. simplicissimum 39:107. Sophia 6:84, 235; 13:89; 14:56; 16:86; 17: 140; 18:221; 19:225; 27:29, 31, 66; 35:145. strictissimum 27:29, 31. supinum 27:29. sylvestre 27:29, 31; 42:25. tanacetifolium 27:29; 44:261. terrestre 30:132. **texanum** 39:418. Thalianum 1:47; 2:125; 18:221; 26:199, 232; 39:169. vimineum 27:29. Walteri 44:261

Sisyrinchia 36:237

Sisyrinchium 6:111; 11:76; 23:95; 30:55; 37: 72; 40:294, 381; 42:151; 46:26, 42; 48:152, 153, 156. albidum 6:48; 46:43. anceps 29: 155, 210; 48:152, 153, 157, 158, 215, pl. 1042. angustifolium 1:106; 3:189; 4:91; 6:111; 7: 123; 10:113; 11:76, 92, 131; 17:153; 18:35; 22:136; 23:95, 96, 147; 25:7; 26:223; 29: 154, 210; 32:151, 157, 172, 213, 245; 33:109, 119, 179; 37:75, 308; 48:152-158, 215, pls. 1042, 1043; 50:295, 301. apiculatum 24:87. arenicola 23:96, 138, 244; 39:340, 402, 477; 32:245; 40:252; 42:88, 93; 44:174; 50:301. Bermudiana 4:91; 26:223; 29:155, 210; 32: 157; 48:152-154, 156, 158; var. a. 48:155, 156; var. anceps 48:152; var. mucronatum 48:152. Bicknellianum 46:43. campestre, f. flaviflorum 43:660; f. kansanum 43:660; var. kansanum 43:660. capillare 40:381, 407; 48:156; 49:94, 134. carolinianum 39:340. Farwellii 24:87. fibrosum 39:340. 402; 46:43. flaviflorum 36:231; 43:660. flexuosum 46:42, 43. floridanum 46:42, 43. gramineum 11:76, 179; 12:216; 23:95, 96, 134, 147, 244; 24:184; 31:83; 32:245; 48: 152, 153, 155, 156, 158, 215, pl. 1042. graminoides 32:161, 210, 245; 46:26; 48:155, 157, 158, 215, pl. 1043. hastile 37:72. intermedium 6:48; 24:167. Langloisii 46:43. littorale 29:35. minus 46:42, 43; 48:157. montanum 7:249; 25:388; 44:102, 106; 48: 152, 157, 158, 215, pl. 1044; 50:301; var. crebrum 48:159, 215, pls. 1043, 1044. mu-cronatum 6:204; 14:55; 24:115; 37:71, 75; 40:407, 462; 42:445; 48:152, 155, 156, 215, pl. 1042. Nashii 46:43. niveum 46:42, 43. septentrionale 48:158. tenuifolium 46:42, 43

Sium 7:161; 24:94; 31:9; 45:367; 47:386; 50: 119. angustifolium 44:189, 190; 50:119. Berula 17:131. Carsonii 1:159; 2:69; 3: 211; 10:166; 18:239; 23:113. cicutaefolium 1:160; 3:211; 5:132; 9:122; 13:146; 14:31; 16:12; 17:131, 137, 150, 217; 22:135; 24:94; 32:268; 45:367, 455; var. Carsonii 18:239; 19:245; 23:113. erectum 44:189, 190. fal-

caria 25:12. floridanum 45:368, 454, 455; 50:217. incisum 44:189. lineare, β . intermedium 50:217. longifolium 10:35. novaemexicae 44:189. pusillum 44:189, 190. rigidius 50:126. suave 17:131, 132, 137; 23: 112, 113; 24:94; 28:86; 32:149, 153, 216, 268; 35:251; 36:282; 43:81; 45:367, 454, 455; 46:138; 50:217; f. Carsonii 23:113; 24:94; 45:455; f. fasciculatum 23:111, 112, figs. 1, 2; 26:48; 45:455. tricuspidatum 44:

Skeleton Geranium 8:226

Skullcap 4:137; 23:85. Purple 46:306 Skunk Cabbage 5:197; 11:63, 64; 18:30; 47: 363. Currant 12:33, 179; 13:138; 18:37.

Spruce 9:76; 18:32 Slash Pine 50:183, 184, 247 Sleepy Catchfly 12:129; 18:144

Slender Neottia 48:6 Slime Moulds 2:75 Slink Weed 18:32

Slippery Elm 14:80; 25:172; 47:132, 204 Sloanea 49:292. emarginata 48:164; 49:292,

Small Cranberry 4:235; 12:183. Rush 28:74

Smell Bottle 28:105

Smelowskia 40:294-297, 303, pl. 496. americana 37:364; 40:298, 299. calycina 39:495; 40:295–297, 299–303; 41:163; prol. americana 40:297; f. integrifolia 40:300; var. integrifolia 40:297, 300, 303; 41:161, 164, 237; var. typica 40:297, 303, pl. 496; 41: 237. Fremonti 40:295, 304; var. bisulcata 40:304; var. glabella 40:304. lineariloba 40:298-300; f. virescens 40:298, 300. lobata 37:363; 40:298, 300. ovalis 37:418, 419; 40: 297, 301-303; var. congesta 40:297, 302, pl. 496; var. typica 40:297, 301-303, pl.

Smilaceae 33:49

Smilacina 6:110; 9:53; 10:130; 12:14; 16:89; 31:12. bifolia 16:210. borealis 29:210. canadensis 16:210. ciliata 40:406. race-mosa 1:167; 3:164, 172; 6:110; 10:130; 16: 15; 21:200; 23:242; 33:179; 40:404-407, 482, pl. 512; f. foliosa 40:407; var. cylindrata 40:406, pl. 513; 46:80; var. typica 40:407, pl. 512; 46:80. stellata 4:34, 76; 6:110; 10: 130; 11:91, 131; 13:216; 16:14; 22:42, 49; 23:159; 33:110, 119; 34:51; 36:279; 44:172, 175; var. crassa 50:213. steptopoides 37: 110. trifolia 1:181, 184; 5:37, 48, 133; 6: 110, 148; 9:218; 10:130; 11:91; 13:78; 16: 164; 17:149; 19:31, 49; 21:74; 22:41, 48; 23:96; 24:115; 25:7; 28:75, 90; 29:210; 34: 52; 36:279; 38:146; 47:213; 50:128 Smilax 10:131; 23:97, 144, 145; 33:44; 36:32,

34, 247; 37:380, 426; 40:180, 365; 42:151; 43:510, 511, 513; 44:12; 46:33, 34, 36, 40, 158. aspera 46:32, 33. auriculata 50:128. Beyrichii 50:128. Bona-nox 11:42; 17:64; 36:42, 375; 37:350; 38:376; 39:481; 43: 510; 46:32, 36–38, 41; β. 46:37; var. exauriculata 46:16, 36, 37, pl. 811; 47:131; var. hastata 46:37; var. hederaefolia 46:36-38. celastroides 46:34. China 46:32. cinnamomifolia 46:42. elliptica 46:36. glauca 10:131; 14:21; 20:78, 79; 36:220; 37:352, 358, fig. 4 (map); 39:473, 482; 46:32, 37; var. genuina 20:79; 46:81; var. leurophylla 20:80: 32:245; 43:79; 46:81. hastata 46: 37: var. lanceolata 46:37. hederaefolia 46: 36, 37. herbacea 10:131; 17:63; 18:240; 21:199: 22:134, 135: 27:202: 31:12: 32:176. 245; 46:34-36; var. lasioneuron 39:399, 482; 40:422. hispida 39:365, 399; 40:382; 43:510, 524, 549; 46:39. Hugeri 46:36. inermis 46: 35. lanceolata 39:473; 46:32, 37, 39-42. laurifolia 36:34, 42; 37:437; 39:480; 42: 379; 44:240, 371; 46:40, 41; 49:90; var. 379; 44:240, 371; 46:40, 41; 49:90; var. bupleurifolia 36:42. maritima 50:128. ovata 46:41; 50:128. pandurata 46:39. pedunculata 46:35. Pseudo-China 46:32–35, 38, 40, 389, pl. 812. pulverulenta 17: 63; 40:382, 407; 42:445; 46:35. rotundifolia 2:157; 5:128; 10:131; 11:131; 13:179; 14: 21; 23:97, 109, 144, 145, 147, 242; 24:185; 26: 223; 28:38; 32:161, 210, 244; 36:42; 38: 376; 39:473; 41:514, 519, 520; 43:507; 44: 232: 46:32, 33: 50:301; var anadrangularis 232; 46:32, 33; 50:301; var. quadrangularis 11:43; 23:144, 147, 243. Smallii 46:41, 42. tamnifolia 31:12; 37:409; 39:365, 477; 46: 32-35, 38, 39. tamnoides 46:33, 34, 38, 39; var. hispida 46:39. Walteri 36:33, 42; 38: 376; 39:480; 44:240, 371; 46:33, 40

Smooth Gooseberry 12:179. Lipfern 41:137.

Rose 4:130. Sumach 4:130

Smyrnium atropurpurum 20:52; 41:442. aureum 20:52. cordatum 36:24; 41:442; 43:

Snake Fern 30:13. Spruce 9:110; 28:44 Snakeroot 4:88. Seneca 4:133. White 43:

Sneezeweed 14:164

Snowberry 7:164; 16:117; 18:41, 185; 39:461, 462; 46:254. Creeping 12:183

Snowdrop 18:41

Snowflake 4:218. Summer 45:359 Soap-berry 28:76; 42:333 Soft Maple 28:234

Soild 1:167

Solanaceae 6:128; 18:42; 25:60; 26:227; 28: 72; 31:43; 32:273; 42:156; 43:81; 46:320; 49:58, 288; 50:299, 303

Solanum 4:13; 12:40; 25:62; 36:373. carolinense 4:13; 6:142; 13:89; 25:62; 34:176; 43:556. citrullifolium 25:62. Dulcamara 4:91; 17:217; 25:62; 28:72; 32:273; 40:443; β. tomentosum 24:202; γ. marinum 24:202; f. albiflorum 31:147; var. villosissimum 12: 40; 24:202; 25:62. elaeagnifolium 34:176; f. albiflorum 35:110; f. Benkei 34:176; 35: 110. littorale 24:202. Lycopersicum 4:28. nigrum 1:82; 2:124; 18:42; 25:62; 26:186, 227; 32:147, 273; 44:261, 342; 50:299; var. Dillenii 25.62; var. villosum 35:145; var. virginicum 44:261. Pseudo-Capsicum 25: 62. pycnanthemum 50:128. rostratum 2: 205; 3:276; 4:14, 151; 5:119; 6:142, 146; 8:226; 17:30; 22:137; 25:62; 32:273; 40:459; 50:303. sisymbriifolium 25:62. Torreyi 36:375. triflorum 24:119; 32:180, 273.

tuberosum 25:62; 28:72; 41:512, 520. verbascifolium 50:111. virginianum 44:261 Soldier's Plume 7:95

Solenostoma cordifolium 6:170. crenuliforme

Solenostoma cordifolium 6:170. crenuliforme 10:186. hyalinum 21:149
Solidago 1:187; 2:57; 3:131, 221, 241; 4:89, 92; 6:131, 182; 9:157; 10:194; 11:130; 12: 126; 13:19, 106; 16:15, 52; 18:26; 21:69, 70; 23:99, 172; 26:150, 187; 27:56; 29:9, 19, 29; 33:140, 159; 36:372, 373; 37:72, 307; 38:164, 201-229, 235; 40:148, 156, 158, 159, 276, 370, 470; 41:191, 192; 42:157, 339; 43: 484; 44:1-3, 235, 464; 45:369, 377; 47:102, 249; 49:70, 71, 89. § Argutae 38:210, 212. § Euthamia 13:106; 45:413; 46:329; 48:65. § Vernae 38:211, 212. § Virgaurea 29:143: § Vernae 38:211, 212. § Virgaurea 29:143; 38:204, 208. group Flexicaules 44:1. ser. Uliginosae 40:470. aestivalis 38:219-222. albopilosa 44:2, 3. alleghaniensis 38:204. alpestris 10:87. alpina 10:87. altissima 2: 57; 4:92; 10:91, 92; 12:114; 17:10, 12, 218; 23:174; 26:150; 27:57, 62; 29:72–75; 32: 277; 35:252; 37:196; 38:216-219, 222; 39:474; 41:515, 520; α. vulgaris 38:222; β. recurvata 38:222; γ. virginiana 38:222; var. α. 38:218; var. β. 38:218, 219; var. γ. 38:218; var. δ. 38:218; var. ε. 38:218, 219, 223; var. **procera** 10:92; 11:57; var. rugosa 38: 222; 49:78; var. villosa 38:222. ambigua 9: 164. amplexicaulis 38:224. angustifolia 17: 27; 37:448; 44:261. anticostensis 29:142, 143. arguta 4:89; 26:150; 27:57, 60; 35: 202; 38:209-211; 40:366, 469; 41:459; 44: 345, 475; 49:71; 40:300, 409; 41:439; 44: 345, 475; 49:71; \(\gamma\) scabrella 38:208; f. tomo-phylla 38:208, 209; var. Boottii 40:133; var. caroliniana 49:79. aspera 17:7; 27:56; 32:277; 38:216, 219, 220, 223; 49:78; var. axillaris 38:223. aspericaulis 16:53, 54, 55. × asperula 2:58, 59; 4:89, 92; 6:235; 10: 154; 19:249; 26:150, 176; 27:57, 64; 33:160; 39:22–27, figs. 3, 4, pl. 453; 49:295. auriculata 38:224. austrina 38:206, 237, pl. 419; 39:476; 40:469, 470, 484, pl. 532. azorica 17:27. **Bartramiana** 17:**10**, 11. bicolor 5: 129; 6:131; 13:19; 16:15; 17:36; 18:44; 19: 20; 23:292; 24:204; 26:150; 27:57, 62, 64; 29:75; 32:277; 33:110, 125, 160; 34:33, 61; 49:295; × nemoralis 34:33; var. concolor 6:131; 7:68; 9:164; var. lanata 10:87; var. ovalis 41:571; 44:475. Bigelovii 10:87. Boottii 24:97, 98, 100; 38:209-211, 446; 40: 133; 49:79; var. ϵ . 38:209, 210; var. **Boottii** 49:79; var. caroliniana 49:79; var. ludoviciana 38:209, 210. bracteata 38:228; 46: 330. caesia 17:36; 21:200; 26:150; 27:58, 62; 30:223; 35:250, 290; 36:221; 41:458; 49:295; var. axillaris 26:150; 34:61; var. paniculata 26:150. calcicola 10:87; 14:54, 55. 27:58, 63: 20:105. 157:25. 20:211. 55; 27:58, 63; 30:105, 157; 35:88, 311. californica, var. aperta 32:28. camporum, var. tricostata 46:330. canadensis 2:57, 59; 5: 130; 6:49; 10:90-92; 12:144; 13:32; 16:15; 17:8-12, 36, 218; 19:249; 21:170; 22:78, 136; 23:143, 151, 172, 293; 26:150, 228; 27:58, 60; 28:72; 29:72, 74, 75, 190, 221; 32:160. 216, 277; 33:160; 34:61; 35:94, 311; 38:216,

217; 41:459; 44:237; 47:390; 49:295; 50: 303; × uniligulata 24:205; var. gilvocanescens 17:9, 12; 25:16; 27:58; 37:196; var. glabrata 6:49, 131; 10:91; var. Hargeri 17: 11; 19:249; 26:150; 27:58, 63; 36:408; var. procera 1:220; 4:92; 10:92; var. scabra 10: 92. caroliniana 39:477; 45:413; 46:326, 328, 329. celtidifolia 38:219, 220, 223, 238, pl. 430. Chandonnetii 49:77. Chapmanii 16: 52-55. chlorolepis 17:3; 29:144; 31:47; 44:114, 145; 47:320. chrysolepis 44:145; 49:294-297. cinerascens 38:227. conferta 29:17-19; 38:207, 208, 237, pl. 420. confertiflora 49:75, 76. confinis 17:27. corymbosa 6:97; 38:229. Curtisii, ß.? monticola 38: 204. Cutleri 10:37, 88; 13:238; 18:71; 27: 52, 58, 61; 29:143; 38:209. Deamii 38:204, 303; × uniligulata 24:205; var. gilvocane-52, 58, 61; 29:143; 38:209. **Deamii** 38:**204**, 205, 237, pl. 418. decemflora 38:224–226. decumbens 9:155, 164, 167; 17:4; 24:100; 38:202, 203; 42:312; 49:73–76; var. oreophila 38:202, 203; 42:339; 45:316; 49:74– 76. diffusa 38:224-226. dilatata 36:308. discolor 29:75. Drummondii 29:203; 36: 224, 232. Edisoniana 38:215, 216. Elliottii 1:191; 2:59; 4:38; 6:184; 10:166; 13:78; 14:19, 21; 17:7; 23:144, 151, 157, 169, 292, 302; 26:150, 176; 27:58, 63; 32:177, 211, 277; 38:213–215, 221; 41:473, 478, 572; 42: 277; 38:213-215, 221; 41:473, 478, 572; 42: 482; 44:476; × rugosa 24:204; var. ascendens 38:215, 237, pl. 424; var. divaricata 17:7; 27:58, 63; 38:215; var. Edisoniana 38:216; var. pedicellata 38:215, 216, 238, 447, pl. 425; 39:475; var. typica 38:215, 237, pl. 423. elliptica 38:213-215. elongata 17:8, 9. erecta 17:2; 21:202; 27:58, 62, 63; 32:177, 212; 37:447; 39:482; 44:343. × Farwellii 49:296. Fisheri 49:77. fistulosa 16:52, 53, 55; 39:455, 467, 477; 42:482; 44: 476; 49:98, 189; f. epilis 49:189. flavovirens 40:469, 470. flexicaulis 6:131; 30: 223, 224; 35:391; 44:235; 49:295. floribunda 10:93; 13:107; 17:12. fragrans 41: 458. galetorum 45:413; 50:215. Gattingeri 458. galetorum 45:413; 50:215. Gattingeri 35:290; 36:224, 227, 231. gigantea 41:458; 43:509; var. leiophylla 41:457, 458; 43:509, 653. glaberrima 37:196; var. moritura 40:133. glabra 41:458. glutinosa 49:76; 76; var. nana 49:76; var. glutinosa 49:76; var. nana 49:76; subsp. Randii 49:76, 77; var. Gillmani 49:76, 77; var. racemosa 49:76, 77; var. Randii 49:76, 77. gramini-49:76, 77; var. Randii 49:76, 77. graminifolia 10:92; 16:15; 17:12, 151, 218; 18:26; 23:157, 293; 26:150; 27:58, 64, 65; 29:124; 32:151, 277; 34:55, 61, 63; 36:284; 39:370, 375; 46:329, 330; var. camporum 17:12; var. major 46:330; var. media 45:413; var. Nuttallii 10:92, 93; 13:107; 17:13; 23: 293; 26:150; 27:58, 60, 65; 28:236; 33:161; 38:364; 41:572; 48:66, 81, pl. 1012; 49:189; 50:300; vmicrocephala 48:65; var. polycephala 17:12; 39:361, 455, 475; 40:368, 471: 42:87, 91: var. remota 45:413: var. 471; 42:87, 91; var. remota 45:413; var. septentrionalis 17:12; 44:106, 145; 45:413; 46:330; var. tricostata 45:413; 46:329, 330. Guiradonis 17:5. gymnospermoides 10: 93; 37:196; 39:456, 484, 488; var. callosa 238 Rhodora

45:413. Harrisii 38:210, 211. hirsutissima 29:75. hirtella 38:364, 365. × hirtipes 48:65, 66, 81, pl. 1011; 49:89, 189. hispida 6: 131; 11:98; 12:114; 16:15; 17:1; 21:202; 24:184; 27:58, 63, 64; 36:221; 38:209; var. arnoglossa 17:2, 3; 35:7, 311; var. disjuncta 17:2; 35:311; 44:145; var. fallax 17: 3; var. lanata 10:87; 17:1; 35:311; var. tonsa 17:2; 29:144; 35:83; 43:633, 635. humilis 1:103; 6:131; 10:88-91; 17:6; 23: 292; 26:150; 27:56, 58, 63, 64; 28:208; 29: 143; 38:203, 204; 49:73, 75, 294; var. Gillmani 10:91; 49:77; var. nana 38:203; 49: 76; var. **peracuta** 17:6; 49:73, 296. humilior 10:90; 17:6; 28:208; 49:294. Jackmillor 10:90; 17:6; 28:208; 49:294. Jacksonii 38:229. jejunifolia 49:77. juncea 2:57; 6:184; 13:148; 16:15; 17:36; 21:170; 23:292; 26:151, 228; 27:58, 60; 32:160, 216, 277; 33:160; 34:61; 37:448, 449; 38:208–210, 212, 213, 221, 237, pl. 422; 41:571; 49:93, 188; 50:304; f. ramosa 38:208; f. scabrella 38:208; var. neobohemica 49:188; var. ramosa 38:208; var. scabrella 6:143; 27:56; 38:208, 213. Klughii 17:5. laeta 38:228, 238, pl. 432. lanata 10:87. lanceolata 5: 131; 6:97, 131; 16:52, 53; 28:72; 46:330; α. major 46:330; β. minor 46:326, 329, 330; var. minor 10:93. lateriflora 30:172, 176, 224. latifolia 5:132; 6:131; 13:148; 16:15; 21:200; 23:164, 170, 292; 24:204; 26:151; 27:58, 60; 30:223, 224; 33:160; 34:61, 63; 35:250, 391; 44:3. leiocarpa 8:228. lepida 35:250, 391; 44:3. leiocarpa 8:228. lepida 17:8-11; 25:11; 28:124, 236; 36:284; var. elongata 17:9, 10; 34:55; 35:91, 311; 41: 291; 42:339; 44:120; var. fallax 17:9, 11; 22:78; 27:58, 61, 62; 44:145; var. molina 17:9; 25:16; 27:58, 61; 44:109, 145. leptocephala 10:94; 36:221. linearia 49:69, 70. Lindheimeriana 36:232. linoides 49:72, 296. longipetiolata 38:224-226, 238, pl. 431; 40: 133. ludoviciana 38:209-213, 237, 381, 446, pl. 422; 39:330, 481. macrophylla 1:191, 192; 2:98; 3:177; 5:36, 46; 6:131, 209; 7: 108; 8:227, 228; 9:218; 10:87; 11:98; 12: 105, 107; 13:125, 138; 14:55, 73; 17:152, 153; 22:138; 25:11; 27:58, 61; 29:190; 30: 105, 157; 32:14, 206; 33:109, 126, 160; 34: 55; 35:126, pl. 239; 36:284; var. thyroidea 55; 35:126, pl. 239; 36:284; var. thyrsoidea 8:**228**; 9:164; 10:87; 11:99; 13:71; 25:11; 27:58, 61; 32:61; 34:55; 35:399, pl. 239; 38: 159. mensalis 17:4; 30:157; 31:47; 44: 124, 145. mexicana 37:447, 448. Michauxii 46:329. microcephala 46:330; 48:65, 66, 81, pl. 1012; 49:189. microphylla 46:329. Milleriana 38:201, 202. minor 10:**93**; 27: 58, 63; 32:209, 211, 278; 45:413; 46:326–330. missouriensis 37:196, 448, 449; 38: 212; 47:249; 49:71. mollis 38:225; 49:71. monticola 36:408; 38:204. moritura 40:133. Moseleyi 10:93; 24:88; 45:413. multiradiata 9:28, 164, 191; 13:119; 17:4, 5; 28: 125; 33:111, 126; 35:51, 81, 89; 38:125, 126, 159, 202, 209, 237, 275, pl. 417; 41:291; 42: 312, 339; 44:114; 45:316; var. arctica 17:4; 41:291; 45:316; var. neo-mexicana 49:76; var. parviceps 38:202, 237, pl. 417; 44:145.

neglecta 6:184; 12:9; 23:292; 27:56; 47: 249; 49:70-72, 294, 295, 297; var. linoides 49:70, 73, 296; var. simulans 49:296; var. uniligulata 49:296. nemoralis 3:188: 5:129; 6:131; 11:130; 16:15; 17:36; 18:44; 21:170; 23:292; 24:97, 100; 26:151, 229; 27:58, 62; 28:208; 29:74; 32:151, 160, 277; 33:160; 34: 33, 61; 36:24, 221; 38:224–228, 238, pl. 431; 44:237; 50:304; γ. 38:227; f. pallens 34: 12; var. arenicola 27:58; var. decemflora 38:226, 238, pl. 431; var. Haleana 38:227, 238, 446, pl. 431; 39:482; 49:98, 188; var. 238, 446, pl. 431; 39:482; 49:98, 188; var. longipetiolata 40:133. neomexicana 49: 76. neurolepis 38:212, 213, 237, pls. 421, 422. notabilis 38:224. obtusifolia 49:69, 70. odora 2:157; 5:129; 6:143, 184; 9:122; 11:130; 14:21; 16:52-55; 21:70; 23:92; 26: 151; 27:56; 29:74, 75; 32:277; 34:61; 38: 221, 446; 39:474; 49:70. ohiensis 19:164. oreophila 38:202-204; 49:76. patula 1:220; 27:58, 64; 28:30, 31, 138, 139; 29:31, 244; 35:202; 38:196; 45:377, 478. perglabra 45: 413. perlonga 40:469, 470, 475, 484, pl. 532; 44:373, 476; 45:365, 366. petiolaris 532; 44:373, 476; 45:365, 366. petiolaris 10:87; 36:231; 38:201, 202; 50:129; var. squarrulosa 50:129; var. Wardii 10:87; 36: 221; 37:189, 196. petiolata 37:448; 44:261; 49:69, 70. pilosa 16:53; 38:219, 221; 49:98, 189. pinetorum 37:448, 449; 38:377, 380, 446; 39:467, 476; 41:467, 474, 571. Pitcheri 446; 39:467, 476; 41:467, 474, 571. Pitcheri 41:458, 459. polycephala 10:93; 13:106, 107; 17:12; 39:361. procera 10:92. puberula 9:122; 12:9; 13:19; 16:15; 23:157; 26:151; 27:58, 62, 64; 32:14, 177, 212; 33:126, 160; 37:447; 38:209; var. monticola 10:88; var. pulverulenta 37:447; 38:446; 39:476. pulcherrima 38:224-226, 238, pl. 431. pulverulenta 37:447; 45:413. puncticulata 21:70. Purshii 6:131; 10:88, 90, 91. racemosa 10:90, 91; 12:114; 13:183; 17:6, 204; 23:292; 24:100; 27:58, 63, 64; 29:143; 39:200; 49:73-75, 77; f. leucantha 20:172; 27:58; 44:235; var. Gillmani 10:91; 24:100; 38:226, 228, 238, pl. 432; var. laeta 38:228, 238, pl. 432; var. stenolepis 38:228, 229, 238, pl. 432; var. stenolepis 38:228, 229, 238, pl. 432. Randii 10:88; 13:238; 17: 148; 27:58, 61; 29:143, 144; 36:407; 38:204, 205, 209, 237, pl. 418; 49:73–75; var. monticola 10:88; 27:56. recurvata 38:222. remota 37:196. resinosa 13:146. retrorsa 16: 52, 53; 21:70. Riddellii 40:254. rigida 1: 97; 6:206; 8:223; 26:151; 27:58, 64; 28:29—31, 138—141, 144; 29:30, 31; 33:226; 36:223, 224, 236; 37:196; 38:195, 196; 44:3; var. glabrata 44:3. roanensis 38:204; var. monticola 38:204. rugosa 2:57, 59; 5: 130; 6:131, 183, 184; 10:91, 154; 12:126; 13: 139, 183; 17:7, 12, 36, 152, 154; 18:44; 19: 249; 23:157; 26:151, 186, 229; 27:56, 58, 60; 29:72–75, 129; 32:160, 277; 33:160; 34: 33, 61; 35:8; 36:374, 375; 37:350, 354; 38: 215-221; 39:22-28, 370, 375, figs. 1, 4 (maps), pl. 453; 44:237; 47:390; 49:78, 79, 295; 50: 300; × sempervirens 39:370, 375; subsp. aspera 49:78; subsp. rugosa 49:78; var. rugosa 49:78; var. aspera 17:7, 218; 26: 151; 27:56, 58, 62; 32:277; 35:290; 38:222, 223, 238, pl. 429; 39:28; 40:254; var. celtidifolia 38:223, 238, pl. 430; 39:28, 482; 47: 103, 195; var. glabrata 38:222; var. laevicaulis 38:222; var. sphagnophila 6:183; 23:151, 293; 26:151, 176; 27:58, 63; 33:126; 38:215, 29-22, 238, pl. 428; var. typica 38: 215, 221-223, 238, pl. 426; 49:78; var. vilosa 10:91; 13:131; 14:226; 17:7, 8, 72; 18:44; 23:292; 26:151; 27:58, 61; 29:190, 221; 33:160; 38:219, 222, 238, pl. 427. salicina 45:377, 478; 47:102. scopulorum 36: 308. sempervirens 1:107, 216; 2:57, 59; 3: 188; 4:89, 92; 5:131, 133; 9:15; 10:154; 11: 127, 130; 17:26, 27, 36, 147, 208, 218, 221; 18:44, 94, 99; 19:20, 249; 23:157; 26:151, 185, 186, 229; 27:58, 64; 28:37; 29:89, 124; 32:147, 160, 277; 33:111, 126, 160; 34:61; 37:447, 448; 38:98; 39:22-28, 370, 375, figs. 2, 4 (maps), pl. 453; 47:249; 49:295; 50: rugosa 49:78; var. aspera 17:7, 218; 26: 2, 4 (maps), pl. 453; 47:249; 49:295; 50: 300; f. ochroleuca 44:235; var. azorica 17: **27**; var. **mexicana** 37:447, 448; 39:28; var. **typica** 37:448. serotina 5:132; 6:184; 16:15; 17:8-10; 23:170, 293; 26:151; 27:58 60; 29:75; 33:161; 37:350; 41:457-459; 43: 509; var. gigantea 23:293; 24:205; 26:151; 27:59, 62, 63; var. salebrosa 17:9. Shortii 43:484. **simulans** 38:**205**, 206, 237, pl. **419**; 49:296. speciosa 5:204; 24:185; 26: 151, 176; 27:59, 62; 29:19; 35:364; 38:205, 207, 208, 237, pl. 420; 41:571; 49:77; var. jejunifolia 49:77, 78; var. pallida 49:77; var. rigidiuscula 49:77, 78. squarrosa 1: 171; 8:222; 13:141, 148, 161; 16:15; 19:249; 21:202; 26:151; 27:59, 61; 29:190, 220; 41:574, 50:120, atricts 10:202; 26:151; 27:59, 61; 29:190, 220; 41:202; 41:2 574; 50:129. stricta 10:89; 17:26; 24:100; 37:448; 38:203, 204; 49:69-71; var. angustifolia 17:26. strigosa 38:210, 212, 213. suaveolens 21:70; 26:151, 176; 27:56, 59, 62; 32:151, 277; × rugosa 26:152. tarda 38:211, 212. tenuifolia 1:104, 171, 181; 2:226; 5: 130, 204; 10:93; 11:130; 14:19, 21, 29; 18: 26; 23:99, 144, 160, 169, 170, 293, 294; 24: 88, 205; 26:37, 38, 151; 27:59, 63; 32:151, 160, 211, 277; 39:370, 375, 474; 42:87, 91; 46:325-329; 50:215, 300; var. pycnocephala 23:**293**, 294; 37:267; 44:235; 45:413; 50: 215. terrae-novae 23:292; 29:190, 221; 49: 297. thyrsoidea 8:227, 228. tortifolia 16: 52–55; 24:100; 37:448; 38:381, 446; 39:480. trinervata 45:116. uliginosa 4:38; 6:131; 9: 122; 10:89, 90; 11:99; 17:6; 23:292; 26:150; 27:56, 64; 28:208; 29:124, 221; 32:277; 36: 284; 38:205, 206, 208, 237, pl. 419; 49:70–73, 294–296; var. levipes 49:295, 296, 297; var. linoides 49:295-297; var. peracuta 49:73, 296; var. terrae-novae 49:295, 297; var. 296; var. terrae-novae 49:295, 297; var. uliginosa 49:73, 295–297. ulmifolia 2:59; 5:132; 6:183, 184; 11:130; 13:183; 26:151; 27:59, 62; 32:176; 35:39; 42:482; 49:78, 79; var. Palmeri 49:78; var. ulmifolia 49:78. uniligulata 10:90, 91; 11:99; 13:135; 17:6, 7, 149; 19:32; 23:157, 292; 26:151; 27:56, 59, 64, 65; 28:82; 29:190; 31:114; 32:173; 33:160; 35:5; 47:249; 49:71–73, 294–297;

var. levipes 17:7; 49:296, 297; var. neglecta 23:292; 24:204; 26:151; 27:56, 59, 62, 64; 33:110, 112, 126; 49:295; var. terraenovae 23:292; 49:297. verna 38:211; 49: 93. Victorinii 29:143, 144; 48:271. vil-93. Victorinii 29:143, 144; 48:271. villosa 10:91; 38:219, 222; 49:98, 189. Virgaaurea 1:187, 191; 3:177; 6:131; 9:154; 10:87, 88; 29:143; 38:208; 41:291; 50:45; μ. arctica 17:4; var. alpina 2:97; 3:177; 9:156, 164, 166; 10:87; 29:143; var. calcicola 1: 190; 10:87; var. Deanei 10:88; var. Gillmani 10:91; var. monticola 6:131; 10:88; 49:77; var. Randii 6:131; 49:77; var. Redelii 6:131. virginiana 38:221. Wardii 10:87; vadkinensis 38:210-212, 378, 446: 39: 87. yadkinensis 38:210-212, 378, 446; 39: 330, 476; 40:469; 49:79 Solomon's Seal 22:130. Dwarf 18:185

Solorina 36:140. bispora 36:142, 153. crocea 11:101; 28:227; 36:142. octospora 36:142. saccata 28:227; 36:142, 153; var. spongiosa 28:227. spongiosa 28:227; 36:142

Somerauera 21:11. quadrifaria 21:11 Sonchus 6:134; 26:166; 27:55; 42:301; 50:32. acuminatus 50:31. alpinus 42:302. arvensis 2:135; 6:134; 17:220; 19:253; 20:98; 21: 211; 22:193; 26:166, 186, 229; 29:191, 221; 30:19; 31:86; 32:160, 280; 44:168, 175; 50: 304; var. glabrescens 12:145; 20:107; 26: 166; 30:19; 33:170; var. laevipes 30:19. asper 4:92; 6:134; 17:36; 18:45; 26:166, 229; 29:191, 221; 32:160, 281; 44:478; 50: 300; f. inermis 44:478; var. pungens 24:121. biennis 42:300–302. floridanus 40:479; 50: 31. leucophaeus 42:300. multiflorus 42:301. oleraceus 17:36, 220; 26:166, 184, 229; 27: 54; 29:191, 221; 32:147, 160, 281; 50:300; f. lacerus 26:166; 44:478. pallidus 22:10; 42:301. racemosus 42:300, 301. spicatus 42:300, 301. uliginosus 47:210

Sophia 27:31. andrenarum 38:406. brachy-carpa 6:140; 17:138. canescens 17:138. intermedia 17:139-141; 37:261. magna 17:138. millefolia 38:404. ochroleuca 41:189. pinnata 17:138; 37:261

Sophora 31:94. biflora 47:381. sericea 34:6. tetraptera 46:250. tinctoria 39:414. villosa 50:200, 201, pl. 1106

Sopubia 20:136 Sorastrum spinulosum 14:115

Sorbaria 9:54; 12:179; 20:59. sorbifolia 12: 176, 179; 20:59; 31:84; 46:27

Sorbaronia 45:451; 49:232. fallax 49:233. Jackii 49:232, 249. sorbifolia 49:232

Sorbier des oiseaux 1:167

 \times Sorbopyrus 45:451; 49:232 Sorbus 23:266; 33:60; 44:35; 45:451; 49:229– 232. § Aria 49:230. alaskana 47:220. alnifolia 49:230, 231. americana 6:120; var. groenlandica 49:233. **Andersoni** 47:**220.** Aria 45:451; 49:230. Arsenii 29:178. Aucuparia 49:213; β. 23:266. decora 23:266; 29:177; 45:28; var. groenlandica 49:233. domestica 49:231. dumosa 23:266. pumila 23:266. sambucifolia 6:120. Sargenti 49: 233. scopulina 23:266. sitchensis 23:266. sorbifolia 49:232. subvestita 23:266

Sorghastrum 15:55; 47:108. Elliottii 39:477; 40:391, 429; 45:253-255, 376, 390, pl. 761. Linnaeanum 45:252, 253. nutans 15:55; 19: 164; 31:110, 114-116; 36:219; 39:195; 44: 253; 45:252-255; 50:92

Sorghum 15:55; 18:231; 28:143; 31:113; 47: 108. caffrorum 31:11. halepense 15:55; 18: 231; 31:111; 37:82; 44:70. longiberbe 37: 142. nutans 45:253; subsp. Linnaeanum 45: 253. scoparium 37:144. vulgare 15:55; 44:

Sorocarpus 35:347. uvaeformis 1:127; 2:48; 35:347; var. balticus 35:347

Sorrel 4:81; 9:154; 17:226. Field 28:73. French 28:84. Wood 20:76, 78; 22:130, 143; 31:140. Yellow Wood 28:71

Sour Cherry 25:175

Sour-top Blueberry 12:183

Southbya biformis 21:150. hyalina 21:150. obovata 21:162

Sow-teat Blackberry 10:121. Raspberry 9:5

Sov Bean 42:396 Spadiciflores 34:119

Spanish Chestnuts 17:49. Moss 43:526

Sparassis 1:59

Sparassis 1:59
Sparganiaceae 6:103; 9:86; 10:56; 11:204; 18: 32; 25:6; 29:206, 247; 31:43; 32:230; 36: 277; 44:214; 49:255
Sparganium 2:215; 6:103; 7:161; 10:56, 167; 11:204; 23:145; 24:26, 27, 29–31; 33:19, 60; 35:124; 38:375; 41:376; 44:214; 47:343. acaule 24:29, 33. affine 9:89; 24:29, 30, 33; 27:190, 191; 43:84; × minimum 24:29. americanum 9:86, 87, 121; 10:166; 11:204; 15:157, 203: 16:15, 38: 18:32: 19:107: 23; 15:157, 203; 16:15, 38; 18:32; 19:107; 23: 142, 189; 24:27, 28, 32, 33, 98; 28:86; 29: 206; 32:149, 153, 216, 230; 33:141; 38:383; 39:188, 189; 44:214; 49:239; var. andro**cladum** 9:86, **87**; 10:113; 11:204; 14:26, 31; 15:157; 23:189; 24:27, 33; 32:230; 44: 214; var. Nuttallii 9:87; var. rigidum 39: 189; 44:214; var. typicum 39:189. androcladum 1:105; 9:87; 24:27, 28, 31-33; 29:61, 228; 32:230; 33:141; 38:383; 44:214; var. fluctuans 7:60. angustifolium 7:110; 9:86, 87, 89; 11:88, 204; 15:138; 17:154; 18:30–32; 24:30–33; 25:6; 27:190–192; 29:147, 162, 206; 32:259; 33:112, 116; 34:50; 36:277; 37: 206; 43:84; 44:214; 47:210, 343. chloro-carpum 24:29, 32, 33; 27:191, 192; 39:188, 189; 44:214; var. acaule 24:29, 33; 33:116; 39:189, 190; 42:42; 44:214; 49:239; var. typicum 39:189, 190. diversifolium 9:86-89; 11:205; 13:148; 15:157; 16:38; 23:189; 90; 11:205; 17:150; 22:136; 23:145, 189; 24: 30, 32, 33, 184; 43:83, 84; 44:214. fluitans 7:68, 109; 43:83, 84. glomeratum 24:29; 34:120; 43:83, 84. hyperboreum 11:88; 13: 134, 160; 24:32, 34; 28:120; 34:245; 35:85; 38:139; 41:156, 158, 159, 175; 43:507; 49:

239. lucidum 9:86, 87, 90; 10:43; 11:205, 220; 14:30; 15:157; 18:147; 19:107; 24:27, 220; 14:30; 15:157; 18:147; 19:107; 24:27, 28:32; 29:61; 32:230; 33:141; 38:383; 44: 214. minimum 9:86, 90; 11:205; 17:65; 23: 189; 24:29-32, 34; 25:185; 33:60; 36:305; 41:157, 175; 44:214; 47:343. multipedunculatum 9:89; 27:190-192; 35:131; 41:157, 175; 49:239. nanum 9:88. natans 29:147, 206; 47:343. Nuttallii 9:87. ramosum 9:87; 24:28. simplex 5:132; 6:103; 9:86-90; 11:13; 28:24:28; 20:33; 98:27:190-192; 28: 11:13, 88; 24:28, 29, 33, 98; 27:190-192; 28: 244; 41:175; 44:214; × minimum 24:29; var. acaule 9:88; 24:29; var. americanum 9:87; var. androcladum 1:105; 24:27, 28, 33; var. angustifolium 6:103; 9:89; var. fluitans 7:60; 43:84; var. multipedunculatum 9:89; 27:190-192; var. Nuttallii 9:87; 24:27, 28

Spartina 1:197; 5:24, 25; 7:223-228, 233; 8: 110; 13:21; 14:178; 15:130; 17:212; 18:30, 177; 26:187, 190; 31:100; 37:135, 372; 39: 365; 40:229, 230, 236, 268; 41:256; 48:21; 49:275. alterniflora 18:178, 180; 23:110; 26: 187, 223; 29:43, 89; 39:53–55; 41:27, 28; 48:17, 25; 49:276; var. **glabra** 18:**178**; 19: 48:17, 25; 49:276; var. glabra 18:178; 19: 27; 41:503; 43:522, 535; 44:172, 175; var. pilosa 18:179; 23:231; 24:161; 29:92, 111; 32:147, 157, 210, 235; 41:513, 520; 42:411; 44:173, 175; 48:17, 25; 49:276; 50:294. caespitosa 4:27; 8:210; 48:17, 25; 49:276. cynosuroides 1:201; 13:21, 22; 18:179; 29: 149, 207; 31:99, 100; 32:177, 211; 35:258; 37:390; 42:370, 411, 504; 48:17, 25; 49:90, 113, 275; var. polystachys. 40:113, 275 37:390; 42:370, 411, 304; 48:17, 25; 49:390, 113, 275; var. polystachya 49:113, 275. Duriaei 18:180. essexiana 18:180. glabra 11:225, 226; 18:177, 178; var. alterniflora 11:89, 237; 13:128; 14:176; 15:130; 17:147, 209, 212, 221; 18:177, 178; 39:53; 49:276; var. pilosa 11:229; 15:130; 17:212, 221; 18: 40, 40, 51, 177, 170; 32:235, gracilis 22:200 94, 95, 177, 179; 32:235. gracilis 32:200, 203, map 25. juncea 4:27; 5:133; 8:210; 18:180; 26:223; 39:54; 49:114, 115. maritima 18:180. Michauxiana 11:89, 230; 15: 130, 153; 17:146, 212; 18:33, 180; 19:119; 29:63, 65, 68, 90, 149, 207; 32:17, 149, 213, 235; 33:117; 34:64; 35:251, 258, 259; 36: 223; 41:518, 520; 49:275; var. Suttiei 35: 260. patens 11:225, 226, 229; 15:130; 17: 38, 147, 212, 214, 221; 18:34, 94, 96, 97; 26. 186, 223; 29:138, 139; 32:147, 235, 236; 35: 186, 223; 29:138, 139; 32:144, 235, 236; 35: 292; 37:407; 39:53-56; 48:17, 25; 49:114, 115, 276; 50:294; var. caespitosa 8:210; 15:130; 32:236; 49:276; var. juncea 8:210; 15:130; 17:213, 221; 18:180; 32:235; 37: 134; 42:396, 411; 48:17, 25; 49:114, 276; var. monogyna 49:114, 276, pectinata 35: 215, 258-260; 44:168, 175; 48:18, 25, 26; 49: 275; var. Suttici 35:260; 48:18, 40:275 275; var. Suttiei 35:260; 48:18; 49:275. polystachya 35:258. stricta 18:177-180; 29: 43; 32:157; var. alterniflora 18:178; 26:223; var. glabra 5:133; 18:179; 39:53. versicolor 18:180

Spartinetum 39:53, 54. alterniflorae 39:54, 56. patentis 39:55, 56 Spartium biflorum 9:51 Spathaceae 47:385, pl. 991

Spathularia 1:60, 61, 64. clavata 1:64, 67, pl. 4. flavida 1:64. rugosa 1:64. velutipes 1: 64, 67, pl. 4

Spathyema 9:53

Spattlyella 9.35
Spattlyella 9.35
Spattlyella 9.36
Spattlyella 9.36
Spear-grass 49:262. Low 28:74
Spearmint 26:19, 171
Speckled Alder 12:178; 47:349, 350
Specularia 17:233; 26:19, 230; 41:302; 48:
209-214; 50:38-41, 43-48. § Dysmicodon
50:47. § Triodallus 50:48. biffora 41:490, 570. coloradoensis 48:216, pl. 1050. falcata 48:211; 50:45. Holzingeri 48:214. hybrida 48:210, 212, 213, 216, pl. 1049; 50:39. lamprosperma 48:214. leptocarpa 35:364. perfoliata 4:15; 6:84, 233; 16:185; 17:30, 233; 26:19; 32:276; 36:51; 50:300. Speculum 48:210; β. libanensis 48:213; var. racemosa 48:211; 50:45. Speculum-Veneris 48: 210, 211, 213, 215, pl. 1049; 50:39, 45. texana 48:214

Speculum-Veneris 26:230, 231 Speedwell 4:107; 13:124 Spergella japonica 41:391

Spergula 6:115; 7:151; 11:132; 12:159, 160; 18:88; 42:119. arvensis 5:189; 6:78, 115; 7:151, 152; 11:93; 17:35; 18:37, 88; 29:174, 212, 231, 233; 32:251; 42:210; 46:88: 50: 302; var. sativa 40:373, 414; 46:88. campestris 42:107. canadensis 42:112. Cerviana 42:169. grandis 42:175, 184–186, 191, 192, 203, 204. japonica 41:391. laevis 42:192. leiosperma 12:162; 42:126. marina 42:124. maxima 42:106. media 42:119. micrantha 27:130. pentandra 46:88. race-mosa 42:174, 185. ramosa 42:185. rubra 42:106, 125; α. 42:106; β. 42:106, 125; γ. 42: 106, 119. rupestris 42:207. salina 42:125. sativa 7:151, 152. semidecandra 27:130. stricta 21:11. villosa 42:173, 174, 177, 186. vulgaris 7:151, 152

Spergularia 9:54; 12:14, 157-160, 162; 18:88; 21:8; 29:106; 42:57, 58, 63, 65, 135, 159, 184, 193, 210; 47:214. aberrans 42:59, 60, 67, 164-166, 212, map 18, pl. 594. alata 22:15; 29:92, 108; 42:120, 123. andina 42:59, 60, 65, 81, 160, 212, map 14, pl. 593. angolensis 42:181, 182. aprica 42:175. araucana 42: 210. arbuscula 42:59-61, 65, 81, 141, 211, map 12, pl. 590. arvensis 9:121; 42:210. atheniensis 42:83, 111. atrosperma 42:59, 63, **80**–82, 140, 211, map 5, pl. **589.** Bocconi 42:59, 64, 69, 83, 107, 110, 111, 211, pl. 589. bonariensis 42:192. Borchersi 42:167. 589. bonariensis 42:192. Borchersi 42:167. borealis 4:33; 5:189; 12:161; 42:113. bracteata 42:83. campestris 42:106, 107, 111. 174; 2. forma 42:172. canadensis 10:144; 11:229; 12:157, 160, 161; 17:147; 18:88; 19: 129; 20:97; 24:115; 29:174, 212; 32:177; 42: 59-61, 64, 81, 106, 112, 113, 115, 117, 119, 124-126, 133, 166, 211, map 6, pl. 589; 49: 247; var. occidentalis 42:64, 81, 116, 117, 123, 126, map 6. cerastiodes 42:210. Cerviana 42:60, 67, 69, 164, 169, 212, map 21, pl. ana 42:60, 67, 69, 164, 169, 212, map 21, pl. 594. Clevelandi 42:175, 177. collina 42: 59–61, 68, 81, 179, 213, map 11, pl. 595.

colombiana 42:68, 118, 180, 213, map 27, pl. 596. confertiflora 42:61, 69, 164, 171, 172, 212, map 24, pl. 594; var. polyphylla 42: 172. congestifolia 42:60, 61, 65, 81, 140, 211, map 11, pl. 590. coquimbensis 42:170. cremnophila 42:59, 66, 67, 163, 164, 166, 212, map 17, pl. 593. denticulata 42:59, 66, 164, 166–168, 212, map 20, pl. 594. depauperata 42:60, 66, 81, 161, 162, 166, 212, map 15, pl. 169. floribunda 42:59, 60, 67, 164, 166, 169, 170, 212, map 22, pl. 594. fruticosa 42:142, 143. gracilis 42:181. grandiflora 42:161, 162. grandis 42:59, 60, 66, 164, 174, 185, 190, 192, 193, 203-205, 213, map 32, pl. 596, heterosperma 42:126. laciniata 42:158-160. Larrañagae 42:166, 167. leiosperma 12:160-163; 18:88, 94, 97; 19:129; 20:97, 116; 22: 163; 18:88, 94, 97; 19:129; 20:97, 116; 22: 15, 16; 23:264; 32:148, 157, 251; 33:120; 42:127, 134; 50:302. leptophylla 42:210. levis 42:59, 60, 67, 164, 186, 190–192, 204, 205, 213, map 31, pl. 596. Liebmanniana 42:174. lignosa 42:142. macrocarpa 42:119, 124, 185, 189, 203, 204. macrotheca 42:59–61, 63, 70–72, 74–76, 79, 81, 105, 119, 122, 211, map 1, pl. 589; var. glabra 42:76, 78; var. leucantha 42:63, 73, 76, 79, 81, 211, map 2, pl. 589; var. longistyla 42:63, 78, 79, 81, 211, map 3, pl. 589; var. scenics 42:71, 79 211, map 3, pl. **589**; var. scariosa 42:71, 72, 74; var. Talinum 42:71. marginata 12:160, 161; 22:15, 16; 29:92, 108, 111; 42:119, 123, 136. marina 12:157, 159, 162; 26:185, 225; 32:251; 42:59, 65, 68, 69, 79, 81, 83, 105, 106, 110, 112, 113, 115, 117–119, 122–126, 129, 133, 136–139, 166, 174, 176, 177, 207, 209–212, 389, maps 7, 8, pls. 590–592; 47: 214; 50:289; var. tenuis 42:65, 81, 126, 137, 138, 139, map 9. maritima 42:120. media 12:158-161; 29:174, 212; 42:59, 64, 66, 68, 70, 73, 105, 106, 113, 115, 117-126, 136, 158, 173, 174, 210, 211, pl. 590; 49:247; 2, 42:174, pazensis 42:59, 60, 66, 67, 164, 173, 175, 189, 205–207, 213, map 33, pl. 596. Pissisi 42:60, 66, 162, 164, 166, 212, map 16, pl. 593. platensis 42:59–61, 64, 67, 133, 164, 166, 181, 183, 213, map 28, pl. 595; var. Balansae 42:69, 181, 183, 213, pl. 595; var. septentrionalis 42:182. platycaulis 42:204. polyantha 42:169. polyphylla 42:172. pycnantha 42:59, 60, 70, 133, 164, 170, 212, map 23, pl. 594, racemoss, 42:185, ramoss, 42:59, 60. **594.** racemosa 42:185. ramosa 42:59, 60, 66, 118, 119, 125, 133, 164, 173, 174, 185, 186, 187, 189, 190, 192, 193, 203-208, 212, map 29. pl. 595; var. **diffusa** 42:60, 66, 164, 175, 186, **190**, 191, 204, 213, map 30, pl. **595**. remotifiora 42:173, 174, 176. Rengifoli 42: 161, 162. rubra 3:188; 5:189; 11:93; 12:

242 Rhodora

157; 13:135, 140; 17:35, 227; 18:36, 88; 26: 225; 32:151, 210, 250; 42:59, 61, 64, 68, 70, 73, 74, 105–109, 111, 112, 119, 125, 126, 172, 174, 175, 211, 323, pl. 589; 43:555; 49:247; 50:296; α. campestris 42:107; β. atheniensis 42:111; var. campestris 42:107; var. echinosperma 42:140; var. marina 42:125; var. perennans 18:36; 42:107–109. rupestris 42:59, 60, 68, 119, 124, 125, 164, 166, 173–175, 177, 185, 192, 207, 208, 213, map 34, pl. 596. rupicola 42:125, 207, 208, 213, map 34, pl. 596. rupicola 42:125, 207, 208, 213, map 34, pl. 596. rupicola 42:125, 207, 208, 213, map 34, pl. 596. rupicola 42:125, 207, 208, 213, 21:15, 221; 18:88; 19:129; 20:116; 22:15, 16; 23:264; 26:225; 29:91–93, 122, 174, 212; 32:157, 251; 42:113, 124, 125, 129, 177; 49:247; var. involucrata 42:138; var. leiosperma 12:163; 42:127; var. minor 12:163; 42:127; var. sordida 42: 111, 127; var. tenuis 42:138. salsuginea 42: 82; var. bracteata 42:83, 127, 140. segetalis 21:9; 42:57. sparsiflora 42:127. Spruceana 42:69, 164, 180, 213, map 26, pl. 595. squarrosa 42:211. stenocarpa 42:59, 60, 66, 164, 166–168, 212, map 19, pl. 594. Stuebelii 42:158, 160. tenella 42:161, 162. tenuis 42: 132, 138; var. involucrata 42:138. teretifolia 42:142. texana 42:182. villosa 42:59–61, 63, 68, 69, 107, 118, 125, 133, 164, 172–175, 185, 186, 191, 203–205, 207–209, 212, map 25, pl. 594; var. α. genuina 42:185, 189, 208; var. α. rupestris 42:208; var. β. Berteroana 42:174, 177

Spergulastrum lanceolatum 16:146, 148, 151; 42:257. lanuginosum 50:194

Spermacoce diodina 39:306, 307 Spermatochnus australis 21:207

Spermatophyta 9:152, 157, 187; 11:82; 42: 317; 50:118

Spermatophytes 44:332; 50:288, 291, 293, 301

Spermolepis divaricata 36:48. echinata 36: 220. patens 10:34 Spermothamnion roseolum 30:196. Turneri

2:52; 3:292; 26:215; 30:197; 35:150; 50:

265, 268; var. variabile 3:292

Sphacelaria 2:207; 7:97; 26:190; 50:266. californica 35:152. cirrhosa 2:48; 6:182; 7:227, 230; 10:157, 158; 26:214; 50:263; f. meridionalis 43:214. fusca 10:157, 158. plumigera 35:151–153, pl. 274. plumosa 35:151, 152. racemosa, var. arctica 2:48. radicans 2:48; 7:172, 225, 227, 230

Sphaeralcea 22:74; 34:142, 143; 41:436. acerifolia 10:52; 34:143, 145; 48:89. angusta 41:435, 436. coccinea 48:99. Fendleri 20: 20; 22:74. Murroana 18:143; 22:74. remota 10:52; 19:62; 34:145, 208; 48:90

Sphaeranthus 47:386

Sphaerella 50:271. lacustris 26:212; 50:71

Sphaerocarpos 17:109

Sphaerococcus Torreyi 7:136, 137

Sphaerophoraceae 28:159

Sphaerophoria cylindrica 41:186

Sphaerophorus coralloides 28:159. fragilis 11: 101; 28:159; 36:142, 154. globiferus 28:159. globosus 28:159; 36:142, 153

Sphaeropsis 44:94. Ellisii 41:519. malorum

39:374. quercina 39:374. Smilacis 41:514, 519. viscosa 39:374

Sphaerotrichia 50:258, 263. divaricata 50:261–

Sphaerozosma 5:252; 7:264; 24:240; 26:204, 210. excavatum, f. granulata 7:264; f. laevis 7:264; var. subquadratum 26:210. filiforme 5:80. moniliforme 7:265. pulchrum 5:80; 24:240; var. inflatum 7:265; var. planum 5:80. spinulosum 7:264; 24:240; var. 5:252

Sphagna 43:83

Sphagnaceae 8:62; 30:2

Sphagnales 11:16

Sphagnoecetis communis 14:13

Sphagnum 2:65, 66, 110; 4:42, 74, 75, 212, 238; phagnum 2:65, 66, 110; 4:42, 74, 75, 212, 238; 5:36, 133, 134, 274; 6:44; 7:77; 8:20, 64, 136; 9:120, 183; 10:37, 189; 11:225, 230, 234; 12:106, 136; 13:96, 220, 221; 14:13, 29, 30; 15:3-6, 12; 18:94; 20:43, 142, 143; 23: 129; 29:243; 37:114; 39:335, 354; 40:148-156, 158, 160-163, 167, 169-172; 41:127, 133, 155, 157, 288, 289, 478; 46:71, 78, 151, 494; 49:87, 89, 99, 155. acutifolium 2:63; 3:180; 4:30, 242; 6:44; 8:62; var. purpureum 2: 63; var. rubrum 2:63; 11:231; var. subtile 15:4. amblyphyllum 15:4; var. parvifolium, f. tenue, subf. capitatum 11:231. folium, f. tenue, subf. capitatum 11:231. Ångstroemii 8:64. angustilimbatum 10:42. annulatum 8:65. auriculatum 8:62. balticum 8:65. bavaricum 15:5. capillaceum 30:2. centrale 8:64. compactum 8:62; 15: 4, 13; var. squarrosum 8:62. contortum 8: 62; 15:5. crassicladum 8:65. cuspidatum 4:241; 8:62, 64; 10:42, 113; 15:4, 5; var. falcatum 8:62; 10:114; f. mollis 15:4; var. miquelonense 8:62; var. plumosum 8:62; 10:41, 114; var. submersum 10:114; 15:4; var. Torreyanum 8:62. cymbifolium 4:30; 6:44; 8:62, 64; 15:5; var. squarrulosum 8: 62; var. virescens 11:231. dasyphyllum 8: 62; 11:230. Dusenii 8:62. fallax 8:65. Faxonii 10:41, 113, 114. fimbriatum 8:62; var. squarrulosum 8:62. flavicomans 11: 232; 15:4. Franconiae 15:4; var. robustum 15:4. fuscum 8:62. Garberi 8:62; 15:4. Girgensohnii 8:62; var. coryphaeum 8:62; var. molle 8:62. hypnoides 8:65. imbricavar. mone 8.62. hypnoides 8.63. Imbrida-tum 8.62, 64; 30:2; var. affine 8.62; 11:232; var. cristatum 8.64; f. fuscescens 11:231, 232; var. sublaeve 8.62. intermedium 4: 242; 8.64. inundatum 8.62; 15:5. Lind-bergii 8.63; 30:2. macrophyllum 8.63; 15: 5, 6; 24:121. magellanicum 15:5. medium 4:242; 8:63; 15:5; var. purpurascens 11:232. molle 8:63. molluscum 8:63. monocladon 8:65. Nicholsii 15:5. obesum 8:63; 11: 230; 15:13. obtusum 8:65. palustre 15:5; 30:2. papillosum 30:180; 8:63, 64; var. intermedium 15:5. parvifolium 8:64. platyphyllum 8:63; 15:5. plicatum 8:63. pseudosquarrosum 15:5; var. bicolor 15:5; var. heterophyllum 15:5. pulchricomum, var. pulcherrimum, f. sphaerocephalum 11:232. pulchrum 8:63; 30:2. Pylaesii 8:63; 24: 121, 122; 29:163; 30:2. quinquefarium 8: 63. recurvum 4:242; 8:63, 64; 15:4; var. amblyphyllum 8:63; 15:4; var. mucronatum 8:64; var. parvifolium 8:63; 10:113. rigidum 3:180; 4:242. riparium 8:63. rubellum 8:63; 15:4. rufescens 8:63; 15:4, 5. ruppinense 15:4. Russowii 8:63; 26: 9. Schultzii 8:65. squarrosum 3:180; 4: 30; 8:63. subbicolor 8:64; 15:5. subnitens 8:63; 15:4; var. flavicomans 8:63; 15:4. subsecundum 8:63; 15:5; 30:2; var. macrophyllum 15:5. subtile 8:65; 15:4. tenellum 30:2. tenerum 4:242; 8:63. teres 8: 63; 10:37; var. squarrulosum 8:63. Torreyanum 8:64; 15:6; var. miquelonense 8:64. trinitense 8:65. turgidulum 8:65; 15:5. virginianum 15:4. Warnstorfii 8:63; 30:2. Wulfianum 8:63

Sphecoidea 41:186
Sphenolobus 7:53; 11:16; 16:72, 73; 19:263.
ascendens 19:263. exsectaeformis 5:173; 6:
171, 172; 15:25; 19:272; 25:195; 26:9. exsectus 5:173; 6:171, 172; 7:58; 9:71; 11:
118; 14:17; 15:25; 25:195; 26:9. gymnostomophilus 16:72. Hellerianus 6:172, 173; 10:192; 11:195; 14:18, 224; 15:26, 27; 16:
72; 18:119; 25:195; 26:10; 39:36. Kunzeanus 7:52. Michauxii 5:173; 7:53, 58; 11:
118, 195; 15:26; 25:195; 26:10. minutus 5:
173; 9:73; 15:26; 18:119; 25:195; 26:10. ovatus 16:72. Peckii 11:195. scitulus 6:172

nus 7:52. Michauxii 5:173; 7:53, 58; 11: 118, 195; 15:26; 25:195; 26:10. minutus 5: 173; 9:73; 15:26; 18:119; 25:195; 26:10. ovatus 16:72. Peckii 11:195. scitulus 6:172 Sphenopholis 8:141, 142; 15:128; 21:216; 36:36, 37; 49:267. aristata 36:36. filiformis 8:141, 143, 144; 39:429; 43:220, 490, 534; 44:349. Hallii 8:141, 143, 146. intermedia 36:36, 37; 42:357; 43:494; 44:335; 49:268. interrupta 8:141, 143, 145; subsp. californica 8:141, 143, 146. nitida 8:141, 143, 144; 11:83; 15:128; 36:36; 38:266, 270; 44:70; 47:198; 49:268; subsp. glabra 8:141, 143, 1445; 10:65; var. glabra 10:65. obtusata 8:141-144; 15:128; 24:113; 36:36; 37; 38:266, 270; 43:493, 532, 533; 44:70; 49:267; 50:94; subsp. lobata 8:141, 143, 144; 10:65; subsp. pubescens 8:141, 143, 144; 10:65; var. lobata 10:65; 38:266; 43: 533, 534; 49:268; 50:93, 94; f. purpurascens 50:93; var. pubescens 10:65; 38:266; 43: 493, 533; 50:94. pallens 8:141, 143, 145; 15:128; 23:136, 164, 170, 230; 24:161; 32: 18; 35:81, 203, 250; 36:36, 37; 38:266, 268; 42:356, 357; 43:494, 534; 44:335; 47:198; 49:97, 268; subsp. longiflora 8:141, 145; subsp. major 8:141, 143, 145; 10:65; var. major 10:65; 15:128; 38:266; 49:268, palustris 8:143, 145; 15:128; 18:234; 49:268; subsp. flexuosa 10:65; 18:234; pensylvanica 18: 234: 38:266, 270; var. flexuosa 18:234:

234; 38:266, 270; var. flexuosa 18:234 Sphenosciadium 21:182 Spice Bush 4:132; 8:196, 198; 25:170, 172 Spiderwort 14:163. Virginia 21:49

Spiderwort 14:163. Virginia 21:49
Spiesia 9:54. arctica 30:144. Belli 30:150.
campestris 1:86, 88; 30:146, 148. inflata
30:154. podocarpa 30:154

30:154. podocarpa 30:154 Spigelia marilandica 24:83 Spike Grass 49:264 Spilanthes americana 47:209 Spina 9:51 Spinacia 17:64, 178. oleracea 1:47; 17:178;

19:129

Spinach 19:129. Wild 28:63

Spindle Tree 25:177
Spinoclosterium 44:180, 181, 187. curvatum

44:180, 186, fig. 2; var. spinosum 44:180 Spiraea 6:119; 8:203; 12:179; 13:18; 20:59; 28:71; 33:109; 39:204; 41:244. acuminata 38:181. alba 2:103; 35:251; 37:350, 352, 355, fig. 3 (map). americana 38:182. Aruncus 33:88; 38:180–182; 41:423, 424; 46:283; β. americana 38:182; β. hermaphrodita 38: 182; var. americana 38:182; var. hermaphrodita 38: 182; var. hermaphro dita 38:182. Beauverdiana 41:149, 158, 160, 244; 42:330. betulifolia 41:244; 42:330; 46:250. cinerascens 36:11. corymbosa 29: 177, 214; 46:250. ferruginea 14:189. Filipendula 8:204. glomerata 14:189. Hendersoni 36:11. hypericifolia 33:169. japonica 4:28; 37:86; 44:37. latifolia 6:119; 7:109; 11:129, 175, 176; 12:179; 13:18, 139, 146; 16:96; 17:150, 153; 18:38; 19:254, 255; 20: 59; 22:132, 134, 135; 37:350; 48:112; var. septentrionalis 19:255; 29:177, 214; 34:53; 48:112; var. typica 19:255. lobata 6: 49; 8:203, 204. lucida 41:244. obovata 44: 252. palmata 8:204. parvifolia 14:189. pectinata 41:245. prunifolia 4:28; 19:226; pectinata 41:245. prunifolia 4:28; 19:226; 20:59; 37:86. rosea 14:189, 190. salicifolia 1:182; 2:103; 3:188; 5:131; 6:119; 14:189; 16:40, 96; 29:177, 214; 35:251; 41:244; γ. latifolia 19:255; var. latifolia 2:103; 3:174; 29:177. sorbifolia 7:40. Stevenii 41:244; 42:330. Thunbergii 42:43. tomentosa 1: 223; 5:131; 6:119; 7:110; 11:129; 12:179; 14:188–190; 17:143, 153; 18:38, 94, 97; 20:59; 32:149, 216, 254; 37:350, 352, 355, 358, 426 figs 3, 4 (maps): 39:199, 200, 203, fig. 426, figs. 3, 4 (maps); 39:199, 200, 203, fig. 24 (map); 44:237; f. albiflora 17:143; 20: 59; var. rosea 14:190; 24:87; 33:227; 37: 426; 39:199, fig. 24 (map). trifoliata 17: 130. Ulmaria 8:204. ulmifolia 3:65. Vanhouttei 28:71; 42:43. virginiana 46:250 Spiraea, Mountain Ash 12:179

Spiranthes 5:262; 6:112; 7:120; 8:15, 16; 9: 53; 11:79; 12:14; 19:57; 20:111, 114; 23: 73, 75-77, 81-83; 42:147, 151; 44:34; 48:6. aestivalis 23:83; 48:191. Amesiana 23:82, 83. autumnalis 23:81. Beckii 11:79; 13: 8; 23:77; 32:246; 42:87, 91; 48:6, 9, 10, 189-191; 49:136; × gracilis 18:239; 19:127. cernua 1:110, 199; 2:172, 179, 227; 3:61, 63, 86, 189, 202, figs.; 4:19, 76; 5:82, 131; 6: 28, 30, 112; 7:50, 120, fig.; 8:16; 11:79, 200; 14:91; 17:34; 18:30, 35; 19:57; 23:74-82, 84, 127-129, 157, 167, 245, figs. 1-4, pl. 127; 24:44; 25:44; 29:155, 211; 32:246; 37:366; 42:394; 48:91; × gracilis 23:80, 81, 84, pl. 128; 34:98; var. latifolia 23:83; var. ochroleuca 6:28, 30; 11:79; 19:57; 23:74, 77-79, 81, 84, 128, 129, 167, 245, fig. 4, pl. 127; 24:167; var. odorata 42:359, 394, 401, 446, 498; 44:391; var. parviflora 8:16; 23:83; 48:5. cranichoides 23:73. decipiens 1:7; 48:11.

eriophora 23:73. floridana 38:405. cilis 1:199; 2:179; 4:19; 5:82, 129, 261–264, pl. 47; 6:28, 30, 112; 7:106, 110; 9:121; 11: 79; 14:91; 19:57; 20:112–114; 23:75, 76, 79–81, 85, pl. 129; 24:44; 25:44; 32:151, 246; 36:42, 220; 37:191; 44:343; 48:6–9, 13, 190, 191, pl. 994; 49:136; × praecox 5:261; var. secunda 48: pl. 993. graminea 1:97; 37: 407; var. Walteri 1:97; 6:28; 11:80. Grayi 6:44; 48:6, 189, 192. × intermedia 5: 262–264, 285, pl. 47; 11:79; 20:113, 114; 23:81. lacera 48:5–9, 13, 190, 191, pl. 993; 49:136. latifolia 1:26; 2:126, 179; 4:19; 5: 197, 204; 8:16; 23:83; 47:213. lucayana 23: cilis 1:199; 2:179; 4:19; 5:82, 129, 261-264, 197, 204; 8:16; 23:83; 47:213. lucayana 23: 84. lucida 11:79; 12:170, 187; 14:240; 19: 30, 127; 23:83; 47:213. michuacana 41:138. montana 48:5, 9. **neglecta** 6:27**-30**, 31, fig., pl. **51**; 20:112, 114. odorata 23:74, 128, 129; pl. 51; 20:112, 114. odorata 23:74, 128, 129; 42:359, 446. ovalis 8:15, 16; 23:83; 35:285; 39:379, 403, 482; 40:366, 377, 408; 41:481, 486, 492, 539; 44:374, 391; 48:5, 9. parviflora 8:16; 23:83; 48:5. plantaginea 7:106; 23:83; 48:6. praecox 1:97; 4:19, 20; 5: 261-264, pl. 47; 6:27-29, 31, fig.; 20:112, 113; 48:190, 191. Reverchonii 38:405. Romanzoffiana 1:199; 2:115, 172; 3:86; 4: 19, 22; 6:112; 8:16; 9:207; 10:146; 11:92; 12:117; 13:138; 15:98; 17:153, 154; 19:57; 20:101; 22:137; 23:74; 24:99; 25:8; 29:155, 211; 34:52; 37:85; 41:149, 215; 42:314, 320. simplex 4:19; 5:128; 6:44; 14:91; 48:6, 10, 189, 192. Smallii 23:83; 48:6. Storeri 23: 84. tortilis 23:82, 83. tuberosa 48:6, 10, 84. tortilis 23:82, 83. tuberosa 48:6, 10, 189, 191, 192; 49:136; var. Grayi 48:189, 192; 49:136. vernalis 11:80; 20:111-114: 23:74, 79-81; 34:98; 36:42; 48:191

Spirillus amplifolius 45:100. heterophyllus 45:144. lonchites 45:124. lucens 45:154. perfoliatus 45:177; var. Richardsonii 45:163. pulcher 45:121. Zizii 45:154, 187

Spirodela 12:5. polyrhiza 1:42, 204; 5:135; 12:5; 32:106, 107; 37:357, 406; 43:339; 46:

Spirogyra 1:99; 5:233; 7:171, 238; 12:9; 15: phrogyra 1:99; 5:255; 7:171, 238; 12:9; 15: 88; 24:103, 110; 26:212; 29:161, 163; 44:34; 50:70, 271. bellis 7:238. crassa 2:33; 14: 114; 29:37, 38. decimina 5:233; var. trip-licata 5:233. heeriana 29:38. majuscula 5:274. nitida 7:238; 29:38. porticalis 29: 39; 50:71; f. minor 8:105. varians 7:238;

39; 30:71; 1. Millor 8:1103. Varians 7:238; 29:161; 50:71. Weberi 14:236 Spirotaenia 7:112; 24:215; 26:204. condensata 5:80; 7:112; 24:215; 26:204 Spirulina 7:172; 9:131; 10:162; 40:225, 271. densa 40:272. Gomontiana 40:271. laxa 39:280. laxissima 39:280. major 28:1; 39: 278; 40:271, 272; 50:276. Meneghiniana 2: 43; 3:289, 292; 10:162; 40:271. Nordstedtii 2:43. **stagnicola** 39:**279**, 280, fig. **3**; 40: 271, 272. subsalsa 2:43; 3:289; 7:172; 10: 162; 40:76, 271, 272; 50:276; f. genuina 40: 272; f. oceanica 40:272. subtilissima, var. brevis 50:275, 279, pl. 1118. tenerrima 40:271; 50:275. tenuissima 26:215; 40:76, 272. Thuretii 40:272. versicolor 2:43 Splachnaceae 30:6; 38:240

Splachnum ampullaceum 5:169; 8:168; 30:6. pedunculatum 30:6. roseum 5:44, 169

Spleenwort 8:114; 30:14, 15; 35:351. Ebony 3:1; 4:54; 8:113; 10:165; 30:14. Green 4: 54. Maiden-hair 8:113. Mountain 4:54. Narrow 7:100. Silvery 30:15

Spogopsis 18:229 Sponcopsis 18:229 Spondiaceae 11:163

Spondylosium 7:265; 24:240; 26:210. moniliforme 7:265. papillosum 24:240; 26:210. planum 24:240. pulchrum, var. inflatum 7: 265. pygmaeum 24:240; 26:210

Spongomorpha 4:113-115, 119; 11:19; 33:131; 50:260. arcta 33:130, 131; 50:258, 260. Hystrix 4:116, 117. lanosa 50:258, 260; var. uncialis 26:213; 43:214; 50:260. Sonderi 4: 116, 117. spinescens 4:117; 43:214

Spongopsis mediterranea 41:23

Spondopsis mediterranea 41:25 Sporobolus 6:105; 9:23; 15:126; 18:233; 29: 10, 13; 35:108, 182; 38:267; 47:272; 49:273. aristatus 4:48. asper 8:23; 14:20; 15:126; 26:175; 35:109, 362; 36:417; 38:265, 270, 363; 42:400, 411; 47:272; 49:273; var. pilo-sus 36:231. aspericaulis 4:46. asperifolius 14:227; 17:160; 29:13. brevifolius 4:46, 47, 49; 18:233. canovirens 35:284; 36:230; 47: 211. clandestinus 38:265, 271; 47:198, 211. compressus 29:13. confusus 29:13. crypt-andrus 6:82; 15:126; 36:375, 417; 38:265, 270; 39:150; 49:273; var. strictus 6:82. cuspidatus 4:47; 18:233. depauperatus 4: 45, 46; 18:233; var. filiformis 4:46. Drummondii 36:219, 231. ejuncidus 4:48, 49. filiformis 4:47, 48. gracilis 4:48, 49. gracillimus 4:47. heterolepis 19:164; 38:265. indicus 8:89. interruptus 6:82; 38:265, 267. junceus 4:48, 49. longifolius 1:105. Neallleyi 36:347; 47:331. neglectus 8:23; 19: 110; 35:109; 36:417; 37:82; 38:265, 271; 49: 273. ozarkanus 35:109. pilosus 35:109. Poiretii 37:389; 44:70. pyramidatus 50:94. Richardsonii 4:45, 46, 47; 12:112; 17:204; 18:233; 29:10. serotinus 1:42, 104; 7:110; 29:10, 13. simplex 4:47, 48; 38:298; var. thermale 4:48. Torreyanus 29:13. uniflorus 15:126; 19:97, 110; 23:229; 24:82; 29:10; 40:274; 49:272. vaginiflorus 6:105; 15:126; 35:108, 109; 38:265, 270; 49:273; var. inaequalis 35:109; 38:265, 271; 49:273. virginicus 39:477

Sporodinia 8:67 Spotted Knotweed 49:84 Spragueola americana 1:66 Sprangletop 49:275 Spring-beauty 42:279 Spring-cress 45:515

Spruce(s) 4:93; 5:45, 202; 7:125; 12:117; 13: 57; 17:65; 18:188; 21:31, 108, 109; 22:130; 23:91; 35:358; 37:414; 38:112; 39:206; 40: 143, 165, 276; 41:129, 146, 147, 150, 151, 167, 174; 42:339; 44:230; 49:228. American Red 34:211. Bastard 21:46. Black 4:35; 6:41, 42, 149; 9:26, 208; 11:175, 201; 12:177; 13:114; 18:188; 21:50, 51; 31:19; 32:60; 33:101; 34:189; 35:358; 44:410, 413; 45:

106; 49:83. Blue 18:32. Bog 35:358; 45: 106. Cat 9:76; 12:177; 18:32; 34:188; 35: 358. Common 18:32. European 20:187. Hemlock 17:59-61, 164-168; 20:187; 21:109. Norway 7:124, 126; 21:106; 28:44; 33:163; 35:358. Red 9:109; 12:177; 35:358; 37:309, 212: 1218; 1 313. Skunk 9:76; 18:32; 34:188. Snake 9: 110; 28:44. Swamp 9:75. White 4:35; 9: 75, 76, 208; 11:201; 12:177; 13:114; 17:61, 167, 168; 18:32; 20:186; 21:41, 50, 108, 109; 23:109; 31:19; 34:188, 189; 35:358; 44:410, 413; 46:154; Newfoundland 20:187. Yellow 18:32

Spumaria alba 1:128

Spurge, Cypress 12:58. Leafy 32:100-102; 39: 49. Seaside 29:58

Spyridia filamentosa 2:52; 7:235; 26:215; 50:

268; var. refracta 50:268 Squamaria hypnorum 28:226 Square Blackberry 10:121 Squash 41:82. Berry 43:483 Squaw, Buckleberry 12:168 Squirrel corn 5:168

Stachydeoma ciliata 38:405

Stachys 6:128; 7:161; 25:42; 44:349, 360; 45: 369, 473. § Stachyotypus 9:37, 41. agraria 35:45; f. albiflora 35:45. ambigua 11:83; 12:191; 13:151; 25:42; 45:467, 469, 471–473, 475, pls. 791, 793. annua 1:48; 8:72. arenicola 45:471, 474, 475, pl. 793. arvensis 25: 42. aspera 10:85; 45:469, 470; var. glabra 10:85; 45:466. Betonica 25:42. cincinnatensis 45:466. Clingmanii 45:464. cordata 24:100; 35:200. germanica 1:48; 22:128. glabra 45:466. Grayana 45:471. hispida 45:465, 466, 469-473. homotricha 45:474. hyssopifolia 5:130; 14:29, 32; 24:88; 25:42; 32:177, 212; 38:380, 443; 39:475; 42:88, 92; 45:467, 471-473, 475, map 6, pl. 788; 48:37; var. ambigua 45:471. italica 1:48. lanata 22:128. Nuttallii 40:382, 455; 43:520, 521, 638; 45:465. palustris 2:205; 4:85, 103; 6: 128; 8:73; 10:85; 12:110; 23:289; 25:42; 45:466, 471–473, 475, pl. 792; subsp. pilosa 42:337; 45:473; var. arenicola 45:474; var. homotricha 10:85; 23:289; 24:184; 25:42; 41:283; 45:467, 471, 472, 474, 475, map 5, pl. 793; var. macrocalyx 45:474; var. nipigonensis 45:474; var. phaneropoda 45:474, 475, pl. 794; var. pilosa 45:474. pilosa 45:474; subsp. pilosa 45:474. pustulosa 45: 474. Schweinitzii 45:474. scopulorum 42: 337; 45:474. sylvatica 45:472. tenuifolia 10:85; 38:443; 45:465–467, 470, 473, 475, pl. 787; var. aspera 10:85; 12:142; 25:42; 35: 201, 252; 36:374; 45:460, map 1, pl. 787; var. hispida 45:466, 467, 469–472, 475, map 4, pl. **790**; var. **perlonga** 45:466, 467, 475, map 2, pl. **788**; var. **platyphylla** 45:466-468, 470-472, 475, map 3, pl. **789**. velutina 45:471, 474

Stachytarpheta 30:54 Staehelina elegans 48:340

Staghorn Sumach 12:181; 23:105; 28:71 Staphylea 7:28; 9:49; 20:127, 128; 21:127; 41:552; 43:492. **Brighamii** 20:129. Bumalda 7:28. pinnata 7:28. trifolia 1:180, 213; 4:130; 7:28; 20:129; 21:127; 40:382, 440; 41:478; 43:603 Staphyleaceae 7:28; 21:127; 31:43

Staphylis 9:49

Star-flower 11:236; 18:185; 22:130; 42:279 Star of Bethlehem 25:173

Statice 13:134, 216; 18:54–56, 156; 19:1–3; 28:76; 36:184; 47:320. § Barbatae Truncatae 19:2. § Calvae 19:2. § Macrocentron 19:2. § Mastrucatae 19:2; Rostellatae 19: 2; Truncatae 19:2. § Plagiobasis 19:2; § 1. Holotrichae 19:2; § 2. Pleurotrichae 19: 2; sub-§ Holotrichae 19:3; sub-§ Pleurotrichae 19:3. § Pleurotrichae 19:3. andina 19:5. angustata 18:55, 59; 25:56. arctica 19:6, 8; var. californica 19:6, 8, 9, fig. 3; var. genuina 19: 6, 9. Armeria 19:1, 3, 6, 9; var. alba 18:156; var. grandiflora 18: 157; var. Laucheana 18:157; var. purpurea 18:157; var. rubra 18:157; var. splendens 18:157; var. variegata 18:157. Besseriana 18:158, 159. brasiliensis 18:53-55, 58, 59; var. angustata 18:54, 59; 25:56. californica 18:54, 55, 60, 64, 65. caroliniana 18:53–55, 58, 59, 61–63; 25:56; 39:54. chilensis 18:56. collina 18:158. Endlichiana 18:55, 61. eximia, var. alba 18:158; var. flore-alba 18:158; var. superba 18:158. implicated 18:158; implicated 18:158. bricata 18:158. incana 18:159; var. coccinea 18:159; var. hybrida 18:159. juncea 18: 157. labradorica 19:6, 9; 25:10, 114; 28: 54, 74; 29:162; 35:83; 38:157; var. genuina 19:6, 8, fig. 2; 28:54; 36:185; var. submutica 19: 6, 7; 28:224; 35:121; 36:185; 44:114, 144; f. glabriscapa 19:6, 7, 8, fig. 1; 36:185, 186; f. pubiscapa 19:6, 7; 36: 185, 186; g. pubiscapa 19:6, 7; 36: 185; p. pub 185. latifolia, var. alba 18:158; var. rosea 18:158. Lefroyi 18:54. leucocephala 18: 157. limbata 18:55, 65. Limonium 3:18; 18:53, 54, 62, 64; 32:159; var. alba 18:159; var. californica 18:54, 64, 65; var. caroliniana 4:16; 5:131, 133; 18:54, 58, 61, 62; 20: 106; var. macroclada 18:159. longifolia 18: 159. majellensis 18:157. maritima 19:7: 189. majellensis 18:157. maritima 19:7; var. sibirica 36:184. mauritanica 18:157. montana, var. alba 18:157. Nashii 18:55, 58, 61. Perezii 18:158. plantaginea, var. alba 18:157; var. gigantea 18:157; var. grandiflora 18:157; var. leucantha 18:157; var. rosea 18:158; var. rubra 18:158; var. splendens 18:158. profusa 18:158. pseudoarmeria, var. alba 18:158; var. grandiflora 18:158. grandiflora 18:158; var. rubra 18:158; var. splendens 18:158. puberulum × macrophylla 18:158. purpurata 18:158; var. longifolia 18:159. sibirica 9:155, 163, 167, 174, 186; 13:118. sinuata, var. candidissima 18:159. superba 18:159; var. flore-albo 18: 159. Suworowii, var. alba 18:159; × leptostachya 18:159. tatarica, var. angustifolia 18:159; var. nana 18:159. Tracyi 25:57. Welwitschii 18:158

Staticetum 39:53, 54

Staurastrum 5:221; 7:261; 24:236; 26:204, 209, 212; 37:115; 44:176, 187. aciculiferum 246 Rhodora

24:236: 26:209. alternans 26:209. anatinum 5:81. anchora 7:261. Arachne 7:261. Arctiscon 7:261; 24:236; 26:209; 44:176; var. glabrum 44:68; var. truncatum 44:176, 186, fig. 4. arcuatum, f. aciculifera 7:261. aristiferum, var. parallelum 7:263. aspinosum 24:237. avicula 24:237; 26:209. bi-cornatum 26:237. bidentatum 7:263. Biennianum, var. ellipticum 24:237. botro-philum 7:262. brasiliense 7:262. Brebis-sonii 24:237. brevispinum 24:237; f. majus 26:209. Cerastes 7:262; 26:209. claviferum 7:262. concinnum 7:262; 34:237; 37:115, 121, pl. 330. cornigerum 7:262. coronulatum 24:237; 26:209. crenulatum 5:81; 24: 237; 26:209. crescentum 7:262. cuspidatum 24:237; 26:209. cyrtocerum 24:237; 26:209. dejectum 5:222; 24:237; 26:209; var. convergens 24:237; var. mucronatum 5: 253. Dickiei 24:237; var. circulare 26:209. dilatatum 24:237; 26:209. echinatum 5: 224, 253; 7:262. elegantissimum 24:237. elongatum 37:115, 121, pl. 330. erasum 24: 237. eustephanum 24:238; 26:209. forficulatum 7:262; var. enoplon 7:262. furcatum 37:115, 121, pl. 330. furcigerum 24:238; 26: 209. glabrum 37:116, 120, pl. 329. gladiosum 26:209. gracile 7:262; 24:238; 26:209; var. bilbosum 26:209; var. cyathiforme 26: 209. grande 7:262; 24:238; 26:209; var. parvum 24:238. granulosum 24:238. hexacerum 50:274; var. aversum 24:238. hirsutum 5:222, 224; 24:238. incisum 24:238. inflexum 24:238. iotanum 24:238. irregulare 24:238. Johnsonii 7:262. laconiense 7: 262; 26:209. lacustre 44:68. leptacanthum 7:262. leptocladum 5:81; 7:263; 24:238; 26:209; var. cornutum 24:238. Lewisii 7: 263. longiradiatum, f. major 7:263. longispinum 44:177; var. bidentatum 7:263, 266, pl. 64. lunatum 7:263. maamense 26: 209. macrocerum 5:81; 7:263. margaritaceum 24:238. megacanthum 7:263; 24: 238. megalonotum 7:263; f. obtusum 7: 263. Meriani 24:238. minutissimum, f. constrictum 7:263. minutum 7:261. monticulosum 26:239. mucronatum 5:224; 50: 274. muricatum 24:239. muticum 5:81; 7: 263; 24:239; 26:209; var. minor 5:224, 254, 255. odontatum 24:239. Ophiura 24:239; 26:209; var. tetracerum 7:264. orbiculare 5:81, 223; 26:209; var. Ralfsii 24:239. orni-13.3, 223, 20.203, var. Rahsh 24.239. billisthopodium 37:115. paradoxum 7:264; 24:239. pentacladum 7:264. pilosum 26:209. polymorphum 5:81; 24:239. polytrichum 24:239. proboscideum 24:239. pseudosebaldi 5:224. pseudotetracerum 26:209. pulcherrimum 7:264, 266, pl. 64. punctulatum 5:81, 254; 24:239; 26:209; var. pygmaeum 50:274. pygmaeum 5:222; 24: 239. Ravenelii 24:239. saltans, var. forcipigerum 7:264, 266, pl. 64. saxonicum 5: 222. Sebaldi 24:239; 26:209. setigerum 24: 230: 44:239 239; 44:68. spongiosum 7:264; 24:239; 26: 210; var. depauperatum 7:264. striolatum 7:264; 37:116, 121, pl. 330; f. brasiliense 7:

264. subarcuatum 5:222, 254. sublaevispinum 7:264. tetracerum 24:239; 26:210. tumidum 24:239; 26:210. vestitum 37:115, 116, 121, pl. 330; var. subanatinum 37:116;

var. tortum 24:239

Stauroneis 9:125, 126, 131. acuta 9:126, 128, 134; 10:184; var. gracilis 10:184. anceps 10: 181, 183; var. amphicephala 10:183; var. capitata 10:183; var. linearis 10:181, 183. gracilis 9:134; 10:181, 184. Gregoryi 9:134. lanceolata 10:184. legumen 10:181. nova, var. britannica 9:126, 134. Phoenicentron 9:134; 10:184. Pteroidea 10:184. salina 9: 134. spicula 9:134. Stodderi 9:134. Terryi 9:126, 134

Staurothele fusco-cuprea 36:139

Steeple-bush 5:260

Stegania onocleoides 37:245

Steganosporium acerinum 41:519. piriforme 50:288

Stegonia latifolia 30:1, 5

Steinbeere 12:23

Steinchisma 13:174. hians 13:67

Steinhauera 44:34

Steironema 6:126; 24:233; 39:341, 438; 46: 20. ciliatum 4:16, 88; 5:131; 6:126; 13: 141, 148; 16:15; 21:201; 23:286; 24:233; 35:251; 36:308; 39:442; 44:234. floridum 39:439. heterophyllum 39:439. hybridum 38:192. lanceolatum 2:190; 4:16; 19:246; 24:233; 38:192; 39:438-440; var. angustifolium 39:439, 440; var. hybridum 38:192; 39: 439-441. pumilum 39:442. quadriflorum 36:220; 50:17. radicans 2:190; 38:192; 39: 438, 441; 42:366

Stellandria glabra 18:227

Stellaria 6:62, 115; 12:14; 16:146; 18:88; 21: 8; 22:38; 26:169, 171; 34:247; 40:213; 42: 120; 44:124; 50:195. alpestris 16:148–151; var. alifora 16:148; var. paniculata 16:148. alpina 22:171. apetala 18:88. aquatica 5: 189, 190; 10:206; 18:89; 19:130; 24:116; 29:213; 37:12; 40:280; 43:554; 46:84. Are-29:23, 37:12, 40:230, 43:307, 40:25. The raria 21:5. biflora 21:11, 13. borealis 1: 81, 184, 185; 2:125, 208; 3:173; 5:189; 6: 115; 9:63; 11:93; 13:78; 16:144-151; 17: 151; 18:37; 22:38, 48; 25:8; 29:213; 33:51; 34:247; 36:280; 37:206; 42:254-258, pl. 602; α. apetala 16:149; β. corollina 16:148, 149; var. alpestris 16:144, 151; var. Bongardiana 16:150, **151**; 42:254, 255; var. calycantha 16:146, 148, 150; var. corollina 16:144, 148, 149, 151; var. floribunda 16:150, 151; 18: 89; 19:130; 33:120; 42:255; var. isophylla 16:150; 18:89; 19:130; 21:119; 24:116; 42: 255; var. Simcoei 16:150; 42:255; var. sitchana 16:150, 151; 42:255. brachypetala 16:149, 151. calycantha 16:145-147, 150; 41:221; 42:254–259, pl. 602; 45:310; var. Bongardiana 42:255, 256, 258, pl. 602; var. floribunda 42:254, 255, 257, 258, 322, pl. 603; 47:44; var. isophylla 42:254, 255, 256, 258, 322, pls. **602**, **603**; 47:44; var. laurentiana 42:254, 257, 258, pl. **602**; 44: 141; var. Simcoei 42:255, 258; var. sitchana 42:255-258, pls. 602, 603. cerasti-

oides 6:62. crassifolia 13:122: 25:8: 28:54: 34:247; 35:265; 36:280; 38:149; 41:167, 221; 42:322; 44:106; 47:214. dicranoides 41:224. florida 28:123, 199. fontinalis 39:460, 461; 45:277. Friesiana 16:148. glauca 6:90, 91. graminea 1:202; 5:189, 190, 235; 6:83, 90, 115; 17:151; 18:89; 23:264; 26:185, 225; 29: 175, 213, 231, 233; 32:151, 160, 251; 33:108, 120; 34:52; 50:296; var. lanceolata 5:190; var. latifolia 19:130. groenlandica 21:20. Holostea 5:189. humifusa 5:189; 11:13, 93, 110, 164; 12:107; 17:147; 25:8; 29:64; 35: 121; 38:149; 41:161, 166, 221; 49:247. laeta 34:247. lanceolata 16:146, 151. laricifolia 21:16. longifolia 1:202; 5:189; 6:90; 16:16, 149–151; 18:89; 23:264; 29:213; 36:280, 307; 37:350; 42:323; 46:84. longipes 5:190, 235; 6:90; 28:59; 34:247; 37:207; 38:149, 299; 41:146, 158, 166, 221; 42:323; var. Edwardsii 25:112; var. laeta 25:8; 36:280; 42: 323. macropetala 43:333. media 1:216; 5: 323. macropetata 43:335. media 1:216; 3: 135, 190; 6:115; 11:112; 12:128; 13:91; 17: 35; 18:37, 89, 240; 19:220; 21:8, 170; 22: 137; 25:8; 26:225; 29:213; 32:251; 33:120; 34:247; 36:280; 42:57, 240, 323; 50:296; subsp. eumedia 42:240; subsp. neglecta 42: 240; var. macropetala 42:240; var. pubescens 42:240; subsp. pallida 42:240; var. glaberrima 42:451; 45:360, 400; var. procera 11:44. muscorum 39:460, 461. paludi**cola** 50:197, pl. 1104. prostrata 41:489, 540; 42:451. pubera 23:71; 24:99; 26:169–171; 33:88; 39:187; 40:375, 414; 43:489; 45:358; 49:180; subsp. homotricha 26:171; subsp. silvatica 26:170, 171; var. silvatica 26:171. sitchana 16:149, 151; 42:256-259; var. Bongardiana 42:255, 256. stricta 34: 247. uliginosa 1:81; 5:190; 12:128; 13:237; 14:149; 16:148; 18:89; 23:264; 28:83; 29: 213; 37:12. uniflora 36:31, 43; 50:195–197, pl. 1103

Stellatae 47:384, 386, pl. 991 Stemonitis 2:79, 81. ferruginea 1:128; 29: 168. fusca 1:128, 130; 29:169; var. nigre-scens 29:169; var. rufescens 29:167, 169. herbatica 29:169. hyperopta 29:169. max-ima 2:79. Smithii 1:128. splendens 1:128; 29:169; var. flaccida 29:169

Stenandrium 20:68. droseroides 20:68. punctatum 20:68. rupestre 20:68. scabro-

sum 20:68 Stenanthium 48:148. angustifolium 48:149, 151. gramineum 43:499, 548; 47:206; 48: 148-151, 214, pls. 1037, 1038; f. robustum 40:131; var. micranthum 48:148, 150-152, 215, pl. 1041; 49:132; var. robustum 48: 148, 151, 152, 214, 215, pls. 1039, 1040; var. typicum 48:151, pls. 1037, 1038. robustum 36:230; 40:131; 48:148-150, 152, 214, pl. 1039

Stenophragma 20:202. Thaliana 39:118; 40:

Stenophyllus 13:73; 33:39; 40:391–393. antillanus 40:392. caespitosus 40:391, 393. capillaris 10:138, 139; 13:73; 19:153, 154; 32:183: 40:395; 50:129; var. cryptostachys

19:**154**; 40:395, 482, pl. 510. ciliatifolius 40:366, 391. coarctatus 40:392. floridanus 40:392. nesioticus 40:392. portoricensis 40:392. stenophyllus 40:392

Stenorrhynchus 23:84

Stenosiphon 7:160. linifolius 34:7; 36:224 Stenostachys 14:187

Stenotaphrum dimidiatum 14:167

Stephanina 11:16

Stephanodiscus astraea 10:184. niagarae 9:

Stephanomeria neomexicana 38:408

Stephanopyxis appendiculata, var. intermedia 9:139. corona 9:139. ferox 9:139. turris

9:139; var. intermedia 9:139

Stereocaulon 23:183; 36:155; 39:152. alpinum 11:216; 36:142, 153. condensatum 11: 216; 28:225. coralloides 11:216. denudatum 11:216; 28:225; 36:143, 153; var. caespitosulum 29:101. fastigiatum 36:143. nanodes 11:216. paschale 11:216; 28:225; 41:164; var. conglomeratum 29:101. pileatum 11:216. rivulorum 36:142, 154. tomentosum 11:216; 28:225; 32:93 Stereodon fertilis 15:13. Richardsonii 5:200

Stereophyllum 35:146

Stereum fasciatum 50:287. ochraceo-flavum 44:173

Sterrocolax decipiens 2:52; 3:134; 7:231

Steuartia 38:429, 430 Stevia sphacelata 48:86

Stewartia 11:51; 33:29; 38:429, 430; 41:198, 481; 46:46; 49:151. Malachodendron 38: 428, 429; 39:472, 477; 42:372, 466; 45:461; 49:151. montana 46:50, 390. ovata 41:198; var. grandiflora 41:198. pentagyna 24:150; 39:198, 200, 476, 486, fig. 18 (map);

41:198, 480; var. grandiflora 41:198 Stichococcus bacillaris 26:212. flaccidus 7: 239; 26:212. marinus 7:225. subtilis 50:71 Sticta amplissima 28:227. crocata 28:227. pulmonaria 2:67; 14:90; 28:227. scrobiculata 28:227

Stictaceae 28:227

Stictyosiphon 1:198. Griffithsianus 2:48. subsimplex 1:198, pl. 9; 2:48; 7:169, 228. tortilis 16:105

Stigeoclonium 5:73, 210; 6:181; 24:51. fasciculare 7:239. flagelliferum 7:239. lubricum 7:239: 50:71. nanum 50:274. tenue 7:239 Stigonema 6:230; 15:194-199. subgen. Fischerella 15:197, 199. subgen. Hapalosiphon 15:197, 199. subgen. Sirosiphon 15:197, 199. anomalum 15:194, 195, 197, 199, pl. 105. hormoides 6:230. informe 24:103, 107; 26:164. mamillosum 6:230; 7:237, 243; 24:103, 107, 110. medium 15:196, 199, 200, pl. **105.** minutum 6:230; 7:237. ocellatum 6:230; 15:194, 195; 24:103, 107; 26: 164; 29:161-163. panniforme 7:237; 24: 107; 29:161

Stigonemaceae 15:192

Stillingia 42:362; 50:95. angustifolia 50:95. fruticosa 46:45, 46. ligustrina 46:45, 46. linearifolia 50:95. sylvatica 39:357, 435, 481; 40:366, 380, 440, 448; 42:362; 43:498,

588; 50:96; var. linearifolia 50:95, 96; var. salicifolia 50:96. texana 50:95, 96; var. latifolia 50:95, 96; var. typica 50:96 Stilophora rhizodes 2:48; 7:229; f. contorta

7:229

Stinking Clover 43:92. Elder 18:43. May-

weed 18:44. Willie 4:34; 46:158

Stipa 9:44; 15:124; 49:274. avenacea 15:124; 32:210, 234; 36:32, 36; 38:265, 270; 44:70, 243; 46:75; 47:211; 49:274. canadensis 4: 142, 143; 13:133; 18:233; 23:132, 229; 35: 215; 36:223; 37:249; 49:274. columbiana 36:306; 38:298. comáta 1:105; 32:200, 202, map 17; 38:265, 267. expansa 4:143. juncea 4:142, 143. leucotricha 50:94. spartea 29:253; 37:250; 48:116

Stipularia marina 42:124. media 42:118. ru-

bra 42:106

Stipulicida setacea 36:52; 42:449

Stobaea membranifolia 18:159. Radula 18: 159

Stock 7:27

Stoebae 30:59

Stomoisia 33:39. virgatula 39:449; 48:60

Stonecrop 46:306

Strand Oat 12:28. Wheat 12:27, 29, 36, 37;

13:122, 123; 15:33 Strandhvede 12:27, 28 Strawberries 12:19; 44:120 Strawberry 4:81, 128; 28:71; 42:330. Wild

Streblocladia camptoclada 17:95. spicata 17:

Streblonema Chordariae 2:48. fasciculatum 2:48. oligosporum 8:125; 10:134. parasiticum 8:125. reptans 2:48

Strepsithalia investiens 8:107 Streptanthella longirostris 43:480

Streptanthus 45:258. angustifolius 5:230; 39: 137: 43:370, 371. arcuatus 43:402. brazoensis 43:478. Cutleri 45:259. heterophyllus 9:45. petiolaris 43:478. platycarpus 45:260. validus 38:406. virgatus 43:

441, 443, 450

Streptopus 6:110; 8:70; 9:106; 10:130; 33:109; 36:236; 37:88-113; 42:146, 151. ajanensis 37:110; var. japonicus 37:111; var. Koreanus 37:111. amplexicaulis 8:70. amplexifolius 1:172, 184; 3:172; 5:34, 36; 6:110; 8:69, 70; 9:106, 107; 11:91; 13:125, 237; 17:154; 22: 48; 23:242; 24:115; 25:7; 27:212; 28:168; 29:76, 132, 210; 32:14, 61, 205; 33:51, 119; 35:277; 36:279; 37:89, 90, 92, 94, 95, 99, 101–103, 108, 112, fig. 3; 41:155; var. americanus 8:70; 37:92, 97–102, 111–113, map 1, pl. 328; 41:214; var. chalazatus 37:92, 97, 99, 112, 113, map 1, pl. 328; var. denticulatus 37:92, 98, 99, 101, 102, 112, 113, map 2, 4, pl. 328; var. genuinus 37:92, 97, 101, map 4; var. grandiflorus 37:92, 98, 99, 112, map 2; var. oreopolus 37:92, 98, 99, 101– 37:110; var. japonicus 37:111; var. Koreanus map 2; var. **oreopolus** 37:92, 98, **99**, 101–103, 111, 113, maps 2, 4, pl. **328**; 44:115, 140; var. papillatus 37:92, 98, 99, 101, 112, map 4. brevipes 8:69-71; 37:110, 111. candida 37:93. ciliatus 37:109. curvipes 8: 69; 37:95, 103-106, 108, 110. distortus 8:70.

japonicus 37:111; var. atrocarpus 37:111. koreanus 37:93, 111. longipes 8:71; 13: 237; 37:72, 91, 103-108, 110. Mairei 37:94. obtusatus 37:92, 102, 113, pl. 328. oreoobtusatus 37:92, 102, 113, pl. 328. oreopolus 8:70; 9:106, 107; 28:104, 116, 124, 167; 29:76; 31:142; 32:13; 35:58, 237; 37:89, 95, 99-102; 44:140. paniculatus 37:91. parviflorus 37:89-92, 94, fig. 2. roseus 1:39, 184; 2:126; 3:172, 189; 6:110; 8:69-71; 9:106, 107; 10:130; 11:91; 13:237; 17:152; 19:127; 22:38, 48, 137; 24:115; 28:168; 29:76, 210; 32:205; 33:119; 34:52; 35:322; 36:279; 37:72, 91, 93, 94, 101-110, 113; 42:151; 50:251; f. simpley 50:251; var. curvipes 37: 50:251; f. simplex 50:251; var. **curvipes** 37: 93, 100, **110**–113, map 3, pl. **328**; var. **longipes** 37:93, 100, **110**–113, map 3, pl. 328; var. perspectus 37:93, 100, 109, 112, 113, map 3, pl. **328**; 39:201; 50:251; f. **giganteus** 37:93, **110**, 112; var. **typicus** 37:93, 100, 101, **109**, 112, 113, map 3, pl. 328. simplex 37:89–94, fig. 1. streptopoides 37:93, 110, 111; var. atrocarpus 37:93, 111; var. brevipes 37:93, 111-113, pl. 328; var. japonicus 37:93, 111; var. verus 37:93, 110

Striaria attenuata 2:48, 163 Striatella unipunctata 26:193, 218 Striped Maple 12:182

Strobilomyces strobilaceus 3:227; 41:519; 44:

173, 175

Strobus Weymouthiana 34:246

Strophostyles 2:168; 20:171; 42:213–215; 43: 513; 44:368. angulosa 2:90; 5:203; 26:176. helvola 20:171; 24:58, 99; 27:202; 32:212; 35:287; 40:276; 44:372, 421; 47:216; var. missouriensis 44:372, 421; 47:216. missouriensis 47:216. peduncularis 47:216. umbellata 39:481; 44:368, 420; 47:209, 216; f. ochroleuca 42:458; var. paludigena 44: 420

Struthiopteris 3:223; 17:161; 19:197; 21:175. cinnamomea 32:75. crispa 37:245. germanica 3:224; 7:103; 17:161, 162; f. obtusilobata 37:219; 47:124; f. pubescens 37:219; 47:124; var. pensylvanica 17:162-164; 47: 123; var. pubescens 37:219. nodulosa 17: 162, 164; 47:123. pensylvanica 17:162, 164; 47:123, 124; f. pubescens 37:219; 47:124. pubescens 37:219; 47:124. Struthiopteris, var. pensylvanica 47:124

Stygiaria 22:181 Stylidium 50:124

Stylisma tenellus 50:106

Stylophorum 37:349. diphyllum 46:307, 308 Stylopanthes biflora 37:427; 39:350; 46:135; var. hispidissima 39:350, 433, 482; 40:438; 47:216; 49:150. hispida, var. α. nudiuscula 39:350; var. β. hispidissima 39:350. riparia 37:427; 40:438; 46:135; 47:216; 49:150; f. ochroleuca 40:438; var. setifera 40:438 Styrax 37:358; 46:46. americana 14:81; 24:

83; 36:33, 50, 53; 39:481; 41:478, 554; 42: 377, 397; 44:357, 431; 45:372, 457; f. glabra 36:50; f. typica 36:50. grandifolia 39:431,

Suaeda 4:33; 7:158; 9:54, 140, 143, 144, 146;

11:120, 121; 12:14; 13:18; 17:178; 20:104; 29:174. **americana** 9:146; 20:104; 23:155; 40:182. Fernaldii 50:211. linearis 5:133; 9:141–146; 13:18, 180; 14:19; 15:203; 17: 178, 215, 221; 18:94, 97; 20:116; 28:37; 32: 148, 250; 40:182; 44:260; var. ramosa 9: 143, 144, 146. maritima 9:140-145; 13:18; 14:19; 17:84, 146, 147, 178; 20:104; 28:38; 32:158, 173, 250; 35:167; 39:54; 50:302; var. vulgaris 9:144. microsperma 9:145. Moquinii 12:16. Richii 9:145, 219; 17: 178; 28:86, 199

Subularia 1:155, 156; 5:84; 10:204; 17:155; 50:72. aquatica 1:155; 2:88; 4:129; 6:228; 9:161; 10:52, 204; 23:142, 143, 151, 156, 265; 24:174; 25:185; 26:38; 31:98; 33:165, 207; 36:93, 194; 37:7; 41:153, 167, 232; 44:121,

123: 50:72 Succisa 26:17. pratensis 14:174; 26:17; 43:

Succulentae 47:385, pl. 991

Sucrier 24:55, 56 Sugar Maple 10:165; 12:182; 23:91; 28:179, 233; 36:238; 40:431, 433; 43:67; 46:445, 448; 47:156, 158, 159; 49:172; 50:248; Black 47:156; Northern 47:158; Southern 47:156, 159. Pear 12:109. Plum 18:41 Sugartree(s) 44:360; 47:156

Sullivantia renifolia 33:227; 35:286; 36:220,

221, 227

Sumach 9:109; 26:182. Dwarf 4:130. Fragrant 46:307. Margined 4:130. Poison 4: 43. 130. Smooth 4:130. Staghorn 12:181; 23:105; 28:71. Swamp 46:314

Summer Farewell 18:44. Grape 4:130. Snowflake 45:359

Summit 7:146

Sumnera 46:346, 347, 360. clavata 46:363 Sundews 5:265, 267; 7:14 Sunflower(s) 6:147; 23:198; 28:120; 41:82, 130; 42:157. Bastard 45:486

130; 42:157. Bastard 45:486 Suprago 48:167. sphaerocephala 48:313 Surirella 9:127, 131; 10:179. angusta 9:137. biseriata 9:136. cardinalis 9:127, 137; 10: 184. constricta 9:137. elegans 9:127, 131, 136; var. norvegica 9:136. fastuosa 9:127, 137; var. lata 9:137. Febigerii 9:128, 137. gemma 9:137. gracilis 9:127, 137. guate-malensis 10:184. Kittoni, var. elliptica 10: 184. linearis 9:136; 10:184; var. constricta 10:184. Moelleriana 9:137; 26:194, 218. nobilis 9:131. ovalis 9:137; var. angusta 9: 137; 10:179. pseudo-cruciata 10:184. recedens 9:137; 26:194, 218. robusta 9:136. saxonica 9:127; 10:181. splendida 9:127, 136; 10:181, 184. striatula 9:127-130, 137; var. triplicata 9:137. tenera 9:127, 136; 10: 184; var. nervosa 10:184; var. splendidula 10:181, 184. Terryi 9:127, 137; 10:179–181. valida 10:184

Svarte Vinbaer 12:21, 22 Svarte Vinbär 12:32. Wünbaer 12:21

Svida 34:29

Swallow-wort 34:66; 44:25

Swamp Alder 47:103, 333, 334, 337. Birch 48: 61. Blackberry, Running 12:180. Blueberry 12:183; 36:233. Chestnut Oak 47:365. Laurel 18:206. Magnolia 21:119. Maple 12:182; 13:86. Pine 50:182, 183, 185, 243. Pink 4:131. Rose 4:131. Sassafras 18:206. Spruce 9:75

Swartzia montana 8:168

Sweet Bay 18:205, 213. Birch 13:206. Blueberry, Early 12:183; Low 12:183. Cherry 12:181; 25:174. Cicely 25:110. Clover 23: 25. Coltsfoot 4:128. Fern 4:40; 12:178; 18:67. Flag 40:183. Gale 12:178; 16:167; 22:132; 28:82. Grass 18:33. Gum 21:49. Hurts 28:80. Pignut 47:47. Vernalgrass 49:276

Sweetbrier 12:180 Sweet-gum Tree 8:223

Sweet-scented Bedstraw 18:185

Swertia 21:193; 41:248, 281; 45:26. carinthiaca 21:193, 197. difformis 17:50, 51. perennis 41:154, 281; var. obtusa 41:281; 42:337. pusilla 14:230; 21:195; 49:154. rotata 21:193–195, 197. sulcata 21:194

Swimming Knotweed 48:52

Sword Grass 12:132

Sycamore(s) 7:124. Maple 7:125, 126; 25:

Syena fluviatilis 49:130 Symblepharis 40:359 Sympetalae 42:155

Symphoria albus 16:118, 119. elongata 16: 118. glomerata 39:450. heterophylla 16: 118. leucocarpa 16:118. racemosa 7:165.

167; 16:118 Symphoricarpos 6:130; 26:16. albus 16:118, 119; 39:461; 46:254; 48:133; var. laevigatus 16:119; 39:401; 40:204; 48:133; Var. laevigatus 16:119; 26:16; var. pauciflorus 16:119. mollis 7:167. orbiculatus 6:55, 57; 26:16; 39:450, 484. pauciflorus 7:166, 167; 16:119. racemosus 1:47; 6:55, 130; 7:164–167; 16:117–119; 34:66; 36:373; 39:461; var. laevigatus 7:167; 16:119; 26:16; 28:39; var. pauciflorus 6:55, 206; 7:165–167; 16:119. vulgaris 4:106; 6:57

vulgaris 4:106; 6:57 Symphyandra 50:40-42

Symphyocladia gracilis 21:203, 204, 206

Symphytum 11:55; 18:23; 25:31. asperrimum 1:82; 3:214; 4:84; 6:142; 18:23; 19:247; 23:288. asperum 18:23; 19:247; 23:288; 25:31. officinale 1:171; 3:214; 25:31; 46: 139

Symploca 40:224, 238. atlantica 40:238-240. fasciculata 40:240. funicularis 40:239. hydnoides 2:43; 7:222; 40:239, 240; var. fasciculata 40:239, 240; var. genuina 40:239, 240. muralis 40:239, 240, 261. Muscorum 40:224, 239, 240; 50:71; f. genuina 40:241; f. inundata 40:241

Symplocarpus 9:53; 12:5; 33:29; 34:119; 50: 128. foetidus 1:216; 2:216; 5:134; 12:5, 128; 16:88; 18:34; 19:219; 23:238; 31:13; 32:216, 242; 33:32; 37:369; 40:382, 402; 43:79, 486, 547; 45:358

Symplocastrum 40:225. Brittoniae 40:226 Symplocos tinetoria 36:50; 38:377; 39:474, 480; 43:519, 635; var. Ashei 43:635; var. pygmaea 43:635; 49:158

Synandra 7:158 Syncephalis nodosa 8:67 Synchytrium 10:12, 13. aureum 44:173. pluriannulatum 10:12

Syndendrium diadema 9:139

Synechoblastus nigrescens 28:226. rupestris

Synechococcus aeruginosus 6:230; 24:107; 26:

162, 164

Synedra affinis 9:137. capitata 10:181. danica 9:137. Gaillonii, var. macilenta 26: 194, 218. Hennedeyana 26:193, 218. pulchella 9:137; var. Smithii 9:137. splendens 10:184. superba 9:137. ulna 10:181, 183, 184: var. danica 9:137: var. lanceolata, f. brevis 10:184; var. vitraea 10:183. undulata 10:184

Syngenesia 41:383; 47:275

Syngonanthus flavidulus 37:379; 49:86, 128,

Syntherisma 3:94; 17:130; 29:114. argillacea 22:104. argyrostachya 22:103. badia 22: 104. Bakeri 22:102. curvinervis 22:103. distans 22:103. filiformis 3:98; 22:101. glabra 3:100. gracillima 22:101. humifusa 3:100; 18:231. Ischaemum 18:231. leucocoma 22:104. linearis 3:100; 6:104; 18:231. marginatum 22:103. paniceum 22:103. praecox 3:99. sanguinale 3:99; 28:74; 30: 50, 51. Simpsoni 22:103, villosa 17:130; 36:19

Synthyris 23:40. major 23:41. reniformis major 23:41. rotundifolia, var. Sweetseri

32:27. schizantha 36:10

Syntrichia intermedia 39:4. montana 39:4 Syringa 6:126; 12:184; 24:234. alba 50:112, 129. persica 24:234. vulgaris 4:17, 20; 6: 126; 12:184; 24:234; 39:372, 375; var. alba 50:129

Syringa, Common 17:121 Syrphidae 41:186 Syrphus 41:186 Syrrhopodon 40:359

T

Tabellaria fenestrata 9:138: 10:183, 184: 26: 194, 218. flocculosa 9:138; 10:183, 184; var. ventricosa 10:183, 184

Tacamahaca foliis crenatis 48:107

Taccaceae 25:158

Tachinidae 41:186, 187

Tacsonia Jamesonii 18:156. mollissima 18: 156. Parritae 18:156

Taenia 47:281

Taenidia 26:23. integerrima 3:211; 19:245; 21:88; 26:23; 36:224; 44:359, 430; 50:92 Tagetes minuta 35:145; 39:362, 366, 459; 44:

362. patula 40:355 Tai Tan Hoa 33:199

Talinum calycinum 35:285; 36:220, 223, 231: 47:209. parviflorum 36:220. polyandrum 41:67. rugospermum 30:205, 206; 33:227; 35:202; 40:116. teretifolium 30:205, 206; 33:227; 35:205; 40:181; 46:306

Tall Red Top 49:264

Tamala Borbonia 47:149. palustris 44:400; 47:149. pubescens 47:149 Tamarack 5:202; 12:177; 13:57; 21:46; 35:

358; 45:106; 48:61. American 45:107 Tamaricaceae 22:75; 31:43

Tamarix 22:75; 36:375. gallica 22:75; 35: 288; 36:46, 375. parviflora 22:75. pentandra 37:162

Tamonea 30:54 Tamus 9:49 Tan Bay 49:151

Tanacetum 6:133; 25:15, 16; 26:166; 37:306; 40:220. atratum 25:16. Balsamita 25:15. bipinnatum 25:14, 15; 41:296. huronense 2: 134; 6:192; 12:110, 113; 13:127, 138, 218; 25:14, 15; 36:284; 37:333, 334; var. bifarium 37:334, 341, pl. 377; var. johannense 37:334, 341, pl. 378; var. terrae-novae 25: 14; 28:54, 80, 100, 239; 35:55; 37:333, 334, 334, 341, pl. 378; var. typicum 37:333, 334, 341, pl. 377. indicum 25:16. Leucanthemum 5: 178. Parthenium 25:15. vulgare 3:131; 4: 92; 6:133; 11:127; 17:36, 219; 21:170; 26: 166; 39:221; 32:160, 280; 38:235; 50:304; β. crispum 38:235; 43:159; f. crispum 38: 235; var. crispum 6:133; 7:40; 11:127; 15: 168; 26:166

Tanoak 50:38

Tansy 4:32; 11:127; 25:13; 38:235, 236. Dwarf 4:32. Ragwort 4:34. Wild 28:60

Tape Grass 20:108; 44:220 Tapeianthus 9:43, 50

Taphrina deformans 41:515 Taraxaca 42:315

Taraxaconoides 27:48, 49 Taraxaconoles 27:48, 49
Taraxacon 3:282; 6:134; 9:55; 17:227; 19:
111, 221; 26:166, 218; 27:48; 28:63, 94, 96,
100, 103–105, 119, 143, 145, 213, 240; 30:77,
137; 33:233; 35:13, 50–53, 60, 121, 274, 369–
386; 36:171, pl. 284; 38:109, 126, 160; 41:
144, 147, 301; 44:124; 45:337; 47:242, 244;
50:32. § Taraxaca antartica 35:373. group Ceratophora 42:343; 45:342, 343. group Erythrosperma 45:340. group Glabra 42:343. group Vulgaria 42:343. alaskanum 45:338, 339. ambigens 35:372, 376, 377, 403, pl. 271; 44:146; var. fultius 35:376, 403, 406, pl. 271; 44:146. ammophilum 28: 119. antarcticum 35:373. arctogenum 35: 378. ceratophorum 9:164, 191; 13:117; 19: 112, 221; 25:11; 28:76, 240; 35:370, 371, 373-379, 384–386, 403, pl. 271; 41:41, 42; 47:243. cochleatum 36:148. cornutum 36:148. croceum 35:122, 383; 36:148; 45:343. cyg-norum 35:373. Dens-leonis 4:155; 26:229; 35:380, 382; var. officinale 35:380. denti-35:380, 382; var. officinale 35:380. dentifolium 45:339, 343. dumetorum 28:240; 35:374-376, 379, 403, pl. 272; 47:243. erythrospermum 2:171, 208; 3:189, 190; 4:92, 155-157; 5:32, 292; 7:39; 10:145; 12:129; 13:18; 19:220; 26:167; 35:379. groenlandicum 35:374, 378, 384; 45:339. Hjeltii 35: 375. hyparcticum 35:373; 45:338, 339. hyperboreum 45:339. kamtchaticum 42:343. kiellmanii 42:343. lacarum 38:60 343. Kjellmanii 42:343. lacerum 28:60, 240; 35:370, 378, 379; 38:120, 125, 126, 160; 41:41; 45:338, 339. laevigatum 26:167; 35: 372, 379. lapponicum 28:60, 240; 35:122, 370, 372, 377, 383, 386, 403, pl. 271; 38:125, 160; 44:115; 45:339, 343. lateritium 41:166, 301. latilobum 28:80, 240; 35:372, 376-378, 403, pl. 273. laurentianum 35:371, 375, 403, pl. 272; 36:329; 47:243. Longii 35: 372, 379, 403, pl. 273; 44:102, 146; 47:243. lyratum 25:114; 35:370, 372, 373, 403, pl. 272. macroceras 35:379. magellanicum 35: Malteanum 45:339, melanocarpum 35:373. mutilum 35:378; 42:343. norvegi-35:375. multilin 35:375; 42:345. multilin 35:375; 45:341, 343. officinale 1:168, 216; 3:132, 189, 190; 4:155–157; 5:32, 135; 6:134; 7:39; 12:129; 17:36, 209, 220; 18:45; 19:220; 21:170; 22:137; 25:12; 26:167, 229; 29:221; 32:280; 33:126; 34:55, 63; 35:377, 380, 382; 40:146; 41:517, 518, 520; 47:243; 50:216, 304:4, polystre 35:380; var polystre 50:216, 304; β. palustre 35:380; var. palustre 4:155, 157; 5:32; 6:143; 12:129; 26:167. officinarum δ. palustre 35:380. palustre 4:155–157; 35:372, 380–383; 47:243; var. vulgare 35:377, 380, 383. paludosum 35:381, 382. phymatocarpum 25:114; 35:121, 122, 370–372, 403, map 12, pl. 272; 45:338, 339; 47:243. pseudonorvegicum 45:339, 340. pumilum 35:373; 45:339. russeolum 45: 339, 341. Taraxacum 28:72; 35:380. torngatense 35:373, 385, 386, 403, pl. 273; 38: 126. umbrinum 45:339, 341, 342. vulgare 26:167; 35:377, 380-383; 50:216; var. ceratophorum 35:373

Taxaceae 6:24, 103; 10:62; 12:176; 28:43; 29:

206; 31:43; 35:357; 49:255

Taxanthema 18:56 Taxithelium 35:146 Taxodineae 11:168

Taxodium 38:392; 41:484; 42:406, 498; 47: 207; 49:95. ascendens 39:476; 42:406. distichum 14:81; 15:103, 106; 24:83; 36:35; 38:376; 39:330, 470, 481; 44:240; var. im-

bricarium 42:406, 407 Taxoxylon 11:168

Taxus 6:103; 10:62; 11:168; 12:176; 25:164; 35:357. baccata 25:165; var. canadensis 46: 313. brevifolia 46:313. canadensis 1:104, 191; 2:202; 3:129, 169; 5:196; 6:103; 10:62; 11:87; 12:176; 13:215; 17:152; 21:199; 22:130, 133; 23:185; 28:43, 45; 29:206; 31: 20; 32:205; 33:110, 116; 35:277, 357; 39: 200; 40:73, 170; 46:313. minor 6:103 Tayloria serrata 3:183; var. tenuis 3:183.

splachnoides 30:6. tenuis 3:180, 183

Tea, Labrador 4:131; 12:182; 17:149. Jersey 4:130; 32:161 Tea-berry 12:183; 18:43

Tea-plant 21:70

Tear-thumb 44:353

Tecoma 7:158; 36:373; 39:482

Tectaria 4:164

Teesdalia 36:413. Lepidium 36:413. caulis 36:412, 413; 37:418; 40:373, 421; 45:

Telamonia 3:141

Tellamia contorta 50:260 Tellima grandiflora 37:364 Telochistes chrysophthalmus 14:89. flavicans

Temnoma 5:292. setiforme 5:51, 173; 15:26; 25:196

Tephrosia 9:54; 20:208; 42:456; 45:369. gracilis 50:129. hispidula 42:457; 50:129. holosericea 45:452; 47:215. leucosericea 38:406. spicata 37:427; 38:377; 39:325, 480; 42:398, 456, 457; var. semitonsa 42: 456, 457; 43:514. texana 38:406. virginiana 1:81; 2:90; 5:129; 20:208; 24:58; 32: 212; 45:369, 452; 47:216; var. glabra 45: 369, 452; 47:102, 156; var. holosericea 45: 452; 47:215, 216

Terebinth 21:67

Terellia canadensis 35:191. glaucifolia 35:192 Terena tremellina 10:11

Terpsinoe americana 9:138. musica 9:138 Tetmemorus 7:118; 24:219; 26:206. Brebissonii 5:81; 7:118; 24:219; 26:206. granulatus 7:118. laevis 24:219

Tetradymia squamata 40:321; var. Breweri _ 40:321; var. Palmeri 40:322

Tetraedriella acuta 50:275

Tetraedron enorme 14:115. hastatum 44:67. minimum 14:114, 237; 24:110; 50:274. regulare 14:115, 237; 15:91

Tetragona expansa 3:88; 5:235

Tetragonanthus 9:55

Tetragonolobus 9:48, 54. Scandalida 9:48. siliquosus 9:48

Tetragonotheca 42:362; 49:97. helianthoides 39:473, 477; 42:356, 367, 495, map 1; 43: 489; 49:97

Tetranema 5:3. percursum 5:26

Tetraneuris herbacea 10:68

Tetranthera albida 8:199; 15:15, 16; 38:179. geniculata 47:140

Tetraphidaceae 39:100

Tetraphis ovata 3:184. pellucida 3:180; 4:30 Tetraplodon angustatus 3:180, 183; 30:6. australis 12:156. bryoides 30:6; var. cavifolius 30:6; var. paradoxus 30:6

Tetrapoma 42:27. barbareaefolium 41:232, 233. Crusianum 41:233. Kruhsianum 41:

232, 233. pyriforme 41:233; 42:273

Tetraspora 4:175. bullosa 7:239; f. cylindrica 7:239. gelatinosa 50:71; f. uniformis 8: 105. lubrica 23:66; 24:110; var. lacunosa 7:239

Tetrodontium Brownianum 1:53; 21:207; var. repandum 3:184; var. rigidum 3:180, 184;

102, 106; 23:142, 289; 24:202; 25:42; 26: 227; 32:210, 272; 35:200, 393, 395; 50:299; var. virginicum 35:395; 40:382, 455. littorale 10:84; 35:393-395; 39:476. occidentale 10:85; 25:42; 35:200; var. boreale 10:85; 11:148; 25:42; var. viscidum 10:85. sibiricum 35:394. virginicum 35:395

Thalassia testudium 42:21

252 Rhodora

Thalesia minuta 28:236. purpurea 28:236. uniflora 6:129

Thalictraceae 46:347 Thalictrum 2:230, 232; 6:117; 11:130; 13:18; 15:95: 18:168; 42:152; 46:337-339, 341, 342, 346, 347. Clavata 46:360. Compressicarpum 46:360. § Camptogastrum 46:348, 399; b. Macrocarpa 46:391; c. Platycarpa 46:485; d. Podocarpa 46:411; e. Dioica 46:435; f. Flexuosa 46:350. § Camptonotum 46:485; c. Petaloidea 46:485. § Euthalictrum 46: 349. § Omalophysa 46:368. § Physocarpum 46:360. § Thalictrum 46:349; sub-§ Genuina 46:360; 1. Heterogama 46:432. § Tripetrium 46:375; subgen. Lecoyerium 46:341, 348, 391. § Camptogastrum 46:348, 399; sub-\$ Gibbosa 46:348, 411; sub-\$ Simplicia 46:348, 404; sub-\$ Venturiana 46:348, 422. \$ Cincinneria 46:341, 348, 391, 395, 397. \$ Heterogamia 46:341, 349, 432; sub-\$ Clavocarpa 46:349, 443; sub-432; sub-\$ Clavocarpa 46:349, 443; sub-\$ Compressa 46:349, 453; sub-\$ Debilia 46:349, 432, 484; sub-\$ Dioica 46:349, 435; sub-\$ Incurvata 46:349, 457; sub-\$ Laminaria 46:349, 354, 457; sub-\$ Sinuosa 46:349, 433. \$ Leucocoma 46:342, 349, 469. \$ Pelteria 46:348, 423; sub-\$ Eupeltata 46:348, 426, 427; sub-\$ Subpeltata 46:348, 423. subgen. vel \$ Leucocoma 46:469. subgen. Physocarpidium 46:360. subgen. Thalictrum 46:348, 349. \$ Errythrandra 46:348, 360. \$ Genuing 46: Erythrandra 46:348, 360. § Genuina 46: 348, 349, 360. § Homothalictrum 46:348. 350. § Leptostigma 46:348, 360. § Omalophysa 46:348, 349, 368. § Physocarpum 46:342, 348, 360, 361. § Tripetrium 46:348, 375. subgen. Tripetrium 46:375. acaule 46: 358. acteaefolium 46:367. acutifolium 46: 362, **364**, 485, fig. **14**. aduncum 46:392, **393**, 486, fig. **30**. albens 46:480. alpinum 7:5; 9:161; 10:201; 13:117, 129, 136, 223; 28:60; 35:120, 125, 266; 41:154, 158, 230; 44:111; 46:337, 341, 350, 352, 353, 375, 376; var. elatum 46:358, 359; var. gaspense 46: 353, 354; var. hebetum 46:356; var. microphyllum 46:358; var. microspermum 46: 353, 355; var. nesioticum 46:353, 354; var. pallidum 46:353, 355; var. pudicum 46:353, 355; var. stipitatum 46:358, 485, fig. 5; var. **typicum** 46:353, 485, fig. 3. altissimum 46:475, 479. amabile 46:471, 473. ametrum 40:319, 320; 46:463, 464. amphibolum 46:482. anemonoides 24:185. angustifolium 46:350. aquilegifolium 46:347, 375-377, 486, fig. 29; var. typicum, f. Cornuti 46:375. aristatum 46:471. arkansanum 46:432, 433, 487, fig. 86. Arsenii 46:426, 430, 487, fig. 80. baicalense 46:361, 362, 485, fig. 8; var. megalostigma 46:361, 363, 485, fig. 9. bernardinum 46:463. Bissellii 46:475, 476. bracteifilum 46:358. caesium 46:463, 464. calabricum 46:360. campestre 46:439. campylopodum 46:463, 464. canadense 46:337, 375-377, 469; var. hebecarpum 46:478. carolinianum 46:484; var. subpube-

scens 46:484. caulophylloides 46:444, 445.

Chapinii 46:392, **395**, 486, fig. **33**. cheil-anthoides 46:356, 357. Chiaonis 46:362, 368, 485, fig. **21**. chymocarpum 46:393, 394. cincinnatum 46:391, 392, 398, 486, fig. 38. clavatum 23:71; 35:266; 42:51; 46:342, 361–365, 369, 370, 372, 485, fig. 12; var. acutifolium 46:364. columbianum 46: 442, 443. confertum 46:375, 377. confine 2:**232**, 233, pl. **21**; 11:199; 12:110, 113; 13:147; 20:184, 194; 35:250; 36:280; 37: 260; 46:341, 375, 376, 439–441, 454, 487, fig. 93; var. columbianum 46:439, 442, 485; var. Greeneanum 46:439, 442. contortum 46:369. Conzattii 46:402, 417, 486, fig. 61. cordifolium 46:421. coreanum 46:361, 368. coreospermum 46:463, 464. coriaceum 46:442-444, 487, fig. 97. Cornuti 46:337, 375-377; var. β. 46:480; var. brevifolium 46:471, 473, 474; var. macrostylum 46:471, 473; var. monostyla 46:485; var. stipitum 46:475, 477. corynellum 46:376, 475, 478. crenatum 46:359. cuernavacanum 46:426, 431, 487, fig. 82; var. supraglabrescens 46:426, 432. Dalzelli 46:360. dasycarpum 15:95; 18:168; 19:224; 20:184, 196, 197; 31:42; 35:360, 362; 40:178; 46:375, 376, 408, 470, 480, 484, 487, fig. 113; f. hypoglaucum 40:178; 46: 482; var. hypoglaucum 46:470, 471, 482, 483, 487, fig. 114. Deamii 46:401, 408, 486, fig. 47. debile 46:341, 432, 433, 462, 487, fig. 85; var. texanum 46:432. decipiens 46:401, 403, 405, 486, fig. 43. declinatum 46:362, **364**, 485, fig. **13**. densiflorum 46: 359, 360. dioicum 2:230-232; 12:128; 13: 111, 146, 147, 218; 18:168; 20:184, 193; 21: 200; 23:71; 29:127, 175, 213; 33:179; 35: 249; 46:337, 340, 375, 376, 391, 432, 435, 436, 442, 465, 466, 476; 49:247; × polygamum 46:442; × purpurascens 2:233; 46:440–442, 445; β. stipitatum 46:444, 454; var. α. purpurascens 46:484; var. adiantinum 46:435, 438; var. coriaceum 46:444; var. genuinum '46:435; var. huronense 46:435; var. Langfordii 46:435; var. oxycarpum 46:454; var. stipitatum 46:377, 444, 454. divergens 46:475, 478. domingense 46:483. duriusculum 46:356, 357. elegantulum 46:356, 357. Esquirolli 46:350, 359. Falconeri 46:360. Fendleri 2:232; 40:318, 319; 46:340, 454, 457, 459, 461, 462, 465, 466, 484, 485, 487, fig. 102; var. hesperium 46:458; var. platycar-102; var. hesperium 46:458; var. platycarpum 46:457–461; var. ? polycarpum 40:318, 319; 46:459, 463–466, 468, 469; var. quadrinervatum 46:457, 463, 487, fig. 105; var. sinuosum 46:457, 462, 487, fig. 104; var. Wrightii 46:457, 461, 466, 487, fig. 103. filamentosum 46:362, 363, 485, fig. 11. filipes 46:363. fissum 46:424, 443, 459. flavum 46:247, 350; 8 speciosum 46:250, footidum 46:247, 350; β. speciosum 46:359. foetidum 46:347, 350, 360, 375. Fortunei 46:360. Galeottii 46:400, 404, 486, fig. 41. galioides 46:350. gibbosum 46:399, 402, 403, 410, 411, 418, 419, 486, fig. 65. glaucodeum 46:456, 475, 476. glaucum 46:338, 359, 360. grandiflorum 46:408, 418, 419. grandifolium 46: 341, 401, 408, 418, 419, 486, fig. 48. graveo-

lens 46:471. guatemalense 46:423-426, 486. fig. 74. Gueguenii 46:362, 366, 485, fig. 17. Hayatanum 46:368. hepaticum 46:475. Hernandezii 46:401, 403, 405, 410, 416, 486, fig. 49. hesperium 46:457. heterophyllum 46:455, 456. Hintonii 46:401, 405, 486, fig. **42.** hirsutum 46:475. hondurense 46:424, 426. **Hultenii** 46:340, **352**, 485, fig. **2.** hypoglaucum 40:178; 46:342, 482. ichangense poglaucum 40:178; 46:342, 482. ichangense 46:361, 368, 485, fig. 23. impexum 46:391, 392, 395, 486, fig. 34. imitens 46:391, 392, 394, 395, 397, 486, fig. 32. integrilobum 46:362, 368. inuncans 46:339, 400, 404, 422, 486, fig. 40. isopyroides 46:350. jalapense 46:414. jaliscanum 46:426, 431, 487, fig. 81. javanicum 46:360. Johnstonii 46:348, 401, 412, 486, fig. 52. kemense 46:350, 352. labradoricum 46:478. laeteviride 46:402, 415, 486, fig. 57. laevigatum 46:338 402, 415, 486; fig. 57. laevigatum 46:338, 435, 436. lanatum 46:402, 412, 413, 415, 486, fig. 53. Lankesteri 46:423, 486, fig. 72. lasiostylum 46:403, 415, 416, 486, fig. 58. latiusculum 46:463. leiocarpum 46:463. leiophyllum 46:356. lentiginosum 46:463. leucocrinum 46:478, 479. leucostemon 46: 360. leucostylum 46:475. longepeduncula-474, 487, fig. 108. madrense 46:341, 433, 434, 487, fig. 88. magarum 46:463, 464. majus 46:352, 399. Mannii 46:391, 393, 394, 399. marginatum 46:358. megacarpum 37: 365; 46:484. mendocinum 46:463. microgynum 46:362, 365, 485, fig. 15. microphyllum 46:358. minus 46:350, 351; var. elatum 46:358; var. kemense 46:352. mirabile 46:362, 365, 366, 485, fig. 18. monoense 46: 356, 357. Mortoni 46:456, 475, 477. Moseleyi 46:480, 481. multiflorum 40:319; 46: 464, 465. Nelsonii 46:403, 410, 421, 486, fig. 69. nigromontanum 46:453. nippono-alpinum 46:358. Nortoni 46:480, 481. nudicaule 46:363, 364. obliquum 46:418, 419. occidentale 2:232, 233; 12:113; 46: 453, 454; var. columbianum 46:442; var. Macounii 46:453, 454; var. megacarpum 46:485; var. palousense (as var. palouense) 46:341, 453, 455, 456, 485, 487, fig. 101; var. typicum 46:453, 454, 485, 487, fig. 99. omissum 46:458. pachucense 46:400, 411, 486, fig. 50. panamense 46:402, 407, 486, fig. 486, fig. 50. panamense 46:402, 407, 486, fig. 45. papillosum 46:414. papyraceum 46:463, 464. parvifructum 46:400, 401, 403, 413, 486, fig. 55. pauciflorum 46:435, 438. peltatum 46:338, 423, 426, 427, 430, 486, fig. 76; var. β. hirsutum 46:424, 425. peninsulare 46:402, 418, 486, fig. 64. Pennellii 46:402, 413, 486, fig. 54. perelegans 46:475, 478, 479. perpensum 46:475, 477. petaloideum 46:360. philippinense 46:361, 363, 485. fig. 10. pinnatum 46:341, 433, 434. 485, fig. 10. pinnatum 46:341, 433, 434, 487, fig. 89; var. subternatum 46:433, 435. platycarpum 46:457. podocarpum 46:401,

402, 421, 486, fig. 70. podolicum 46:360. polycarpum 40:318, 319; 46:342, 454, 457, 463-466, 468, 469, 487, fig. 106; var. caesium 46:463; var. hesperium 46:458. polygamum 2:232; 3:173, 187; 6:117; 12:55; 13:147; 17:151; 18:37, 168; 20:184, 185; 22:134; 25: 17:151; 18:37, 168; 20:184, 185; 22:134; 25: 8; 29:131, 213; 31:42; 33:112, 120; 34:52, 63; 36:280; 38:98; 41:545; 46:338, 375–377, 408, 442, 469–472, 475, 477, 478, 484, 487, fig. 110; var. hebecarpum 10:49; 11:93, 179; 17:151; 18:168; 44:142; 46:341, 470, 471, 478, 487, fig. 111; var. intermedium 46: 470, 471, 479, 480, 487, fig. 112; var. macrostylum 46:473; var. pubescens 46:484, praealtum 46:475. Pringlei 46:426–428, 486, fig. 77; var. reticulatum 46:426, 428, praealtum 46:476, praeatum 46:476, fig. 77; var. reticulatum 46:426, 428. propinquum 46:455, 456. Przewalskii 46:369. puberulum 46:410. pubescens 46:473, 475, 477, 478, 484. pubigerum 46:403, 416, 417, 486, fig. 60. **pudicum** 46:433, **434**, 487, fig. **87.** pulchellum 46:435. punduanum 46: 350. purpurascens 2:231, 232; 5:203; 13: 146, 147; 32:252; 46:337, 440, 442, 473, 478, 484, 485; β. monoicum 46:440; var. ceriferum 46:471, 472; 50:240; var. dasycarpum 46:480; var. rugosum 46:359. purpureum 46:485; var. rugosum 46:359. purpureum 46:485, rainierense 46:455, 456. refractum 46:401, 417, 486, fig. 63. revolutum 18: 168; 20:184, 193; 32:107, 176, 252; 40:382, 420; 41:66, 544; 45:365; 46:375, 376, 408, 469–471, 473, 474, 484, 487, fig. 107; f. glabrum 46:471, 472; var. β. subglabrum 46:471. rhynchocarpum 46:339, 392–394, 396, 397, 200, 406, 61-21. 399, 486, fig. 31. Richardsonii 46:370, 372. Rochebrunianum 46:360. **Roseanum** 46:426, 427, **430**, 487, fig. **79**. rotundifolium 46:360. rugosum 46:338, 350, 359, 360; \(\beta\). umbelliferum 46:359. rutidocarpum 46:403, 420, 486, fig. 67. sachalinense 46:360. Sandbergii 46:480, 481. saniculaeforme 46:360. scopulorum 46:356. sessilifolium 46:403, 417, 486, fig. 62. setulosum 46:475. simplex 46:350. sparsiflorum 41:157, 230; 42:326; 46:340, 341, 369, 372; var. nevadense 46:373, 486, fig. 28; var. Richardsonii 46:369, 486, fig. 26; var. saximontanum 46:372, 486, fig. 27; var. typicum 46:369, 485, fig. 25. speciosum 46:359, 360. squarrosum 46:350. Standleyi 46:339, 400, 411, 486, fig. 51. Steeleanum 46:339, 400, 411, 486, fig. 51. Steeleanum 46:443, 487, fig. 96. Steinbachii 46:391, 392, 397, 399, 486, fig. 36. Steyermarkii 46:392, 397, 486, fig. 37. stipitatum 46:418, 419, 458. Stolzii 46:392, 396, 397. strigillosum 46:403, 410, 414, 415, 486, fig. 56. subpubescens 46:402, 416, 486, fig. 59. subrotundum 46:470, 474, 487, fig. 109. suspensum 46:356, 357. tenerum 46:365. terraenovae 46:478. texanum 46:341, 432, 487, fig. 84. thibeticum 46:360. thyrsoideum fig. 84. thibeticum 46:360. thyrsoideum 46:439, 440. tomentellum 46:416. **Torresii** 46:423, **424**, 486, fig. **73.** tortuosum 46: 456, 475, 476. **Treleasii** 46:426, 427, 486, fig. **75.** tuberiferum 46:362, 367, 485, fig. 19. tuberosum 46:360. **unguiculatum** 46:362, **365**, 485, fig. **16.** utahense 46:372.

vegetum 46:480, 481. Venturii 46:400, 404, 422, 486, fig. 71. venulosum 36:280; 37: 260; 46:341, 439, 440, 442, 454, 460, 487, fig. 92. vesiculosum 46:402, 420, 486, fig. 68; var. peninsulare 46:418. virgatum 46:360. virginicum 46:480. viride 46:479, 480. viridulum 46:401, 406, 486, fig. 44. Watanabei 46:362, 367, 368, 485, fig. 20. Wightianum 46:480. Wrightii 46:461, 462, 484. zibellinum 46:478, 479

Thalassochelys caretta 23:225 Thamnolia 2:155. vermicularis 2:155; 11: 216; 36:143, 153; var. subuliformis 2:155

Thamnos 9:49

Thambos 9:49
Thapsia trifoliata 20:52; 42:442; 48:162
Thaspium 3:212; 20:52; 41:442, 443; 42:298.
atropurpureum 1:160; 3:212. aureum 3:
211, 212; 16:89; 19:67, 164; 20:52, 73; var.
atropurpureum 3:212; 20:52, 73. barbinode
1:160; 40:375, 382, 449; 43:520, 619; 44: 240. pinnatifidum 47:218. trifoliatum 20: 52, 73; 28:244; 40:253; 41:442, 443, 552; 42:298; 43:490, 507, 618; 48:162; var. apterum 41:441, 442, 444; var. atropurpureum 41:442; var. flavum 20:53, 73; 41:443; 43: 490, 618

Thatch 18:33 Thea sinensis 47:143

Theaceae 41:198; 49:151 Thelaia 6:200; 29:1. grandiflora 6:202. intermedia 22:122. rotundifolia 6:201

Thelephoraceae 50:285 Thelephorae 5:120

Thelesperma gracile 36:225. trifidum 36:225

Thelia asprella 4:182 Theliaceae 30:9; 39:43 Thelocactus bicolor 35:225 Theloschistaceae 28:231

Theloschistes parietinus 28:231. polycarpus 28:231. vermicularis 28:231

Thelypodium 7:160; 43:294. elegans 39:108.

micranthum 39:181; 43:463 Thelypteris 21:174–177; 22:91; 25:1; 26:230; 31:21–26, 29, 93, pl. 179. \$ Lastrea 37:248. Boottii 21:177; 22:81, 89; 23:104, 186; 24: 159; 26:177; 30:17, 18. cristata 21:177; 22: 81, 82, 89; 29:205; 30:17; 35:59, 128; 37: 311; × marginalis 26:50; var. Clintoniana 21:177; 22:81, 84, 85; 30:17; 32:135. Dryopteris 21:179; 22:81, 83; 25:6; 30:16; 32: 135, 204, 205; 35:277; 36:276; 37:206; 42: 316. Filix-mas 21:177; 22:81, 86, 88; 23: 316. Filix-mas 21:177; 22:81, 86, 88; 23: 165, 170, 186; 28:110, 147; 37:73, 206. fragrans 21:176, 177; 22:81, 86–88; 25:1, 2, 112; 37:206, 244; 42:315; var. Hookeriana 25:3; 32:134. 135; 33:75; 34:66; 37:219; 44:138. Goldiana 21:177; 22:81, 87, 88; 30: 17. hexagonoptera 21:179; 22:81, 84, 85; 25:184; 29:145, 205; 30:16; 35:361; 37:190, 281, 382, 415, 427, marginalis 21:178; 22: 381, 382, 415, 437. marginalis 21:178; 22: 81–83; 23:186; 29:244; 30:17; 32:135; 36: 219; 37:248; f. **Davenportii** 30:17; f. elegans 30:17. noveboracensis 21:176, 178; 22: 81, 82; 29:205; 30:16; 32:135, 152, 228; 33: 115; 35:84, 128; 37:382. palustris 21:178; 22:81-83; 23:164; 28:85; 30:16; 31:27, 29,

30, 32, 33, 36, pl. 180; f. Pufferae 30:16: f. suaveolens 23:165, 186; var. Haleana 31:34-36, pl. 180; var. pubescens 31:34-36, pl. 180; 32:135, 149, 150, 161, 228; 35: 200; 36:219, 221, 227; 37:311, 382; 49:238; var. squamigera 31:33-36, pl. 180; 35:277; var. typica 31:33, 35, 36, pl. 180. Phegopvar. typica 31:33, 35, 36, pl. 180. Phegopteris 21:179; 22:81, 83; 25:6; 29:145, 205, 245; 30:16, 136; 32:104, 135, 176, 205; 33:109, 115; 34:50; 35:277; 37:206, 244, 311; 42:316. Robertiana 21:179; 35:47, 51, 81, 128; 37:219. simulata 21:178; 22:81, 84, 85; 23:104, 154, 156, 158, 186; 24:111, 159; 26:50, 177; 30:16; 31:29; 32:176, 210, 211, 228. spinulosa 21:178; 22:82, 83; 25:6; 28:146, 147; 30:17; 32:205, 228; 33:109; 36:227, 276; var. americana 21:178; 22:82–84; 28:147; 20:145, 205, 20:17, 20: 32:76, 135: 33:115 Var. americana 21:176; 22:82–84; 28:147; 29:145, 205; 30:17, 29; 32:76, 135; 33:115, 160; 34:50; 35:320, 322; 36:276; var. concordiana 21:178; 22:82, 89; 28:147; 30:17; var. dilatata 28:147; 30:29; 32:76; var. fructuosa 28:146; 30:17; var. intermedia 21:178; 22:82, 89; 28:146; 30:17; 32:135; 33:115; 36:100, 219, 227; 37:164. Thelypteris 31:33; 38:164

Thermopsis caroliniana 50:201, pl. 1106. gracilis 32:26. mollis 39:430; 47:91. rhombifolia 48:102. subglabra 32:26. villosa 50:

201, pl. 1106

Therorhodion 45:451. glandulosum 41:274 Thesium 46:490. corymbulosum 7:48. Linophyllon 46:490. umbellatum 7:48

Thibaudia 33:197 Thimbleberry 37:60, 61, 273 Thismia americana 33:58

Thistle(s) 12:211; 13:116. Blessed 9:28; 46: 158. Canada 11:130. Russian 12:15 Thladiantha dubia 50:176, 179, 180

Thlaspi 18:221; 42:244. arvense 6:83, 193, 235; 13:89; 14:56; 17:30; 18:221; 24:19, 150; 25:9; 29:213; 32:28; 33:121; 35:363; 36:414; 42:327. glaucum, var. pedunculatum 36:10. perfoliatum 32:28; 35:285; 36: 414: 46:85

Thoracomonas phacotoides 50:277

Thorea 8:78

Thorn(s) 5:137; 12:119. Glastonbury 5:167. Washington 25:173

Three-leaved, Marsh, American Pine 50:181 Three-toothed Cinquefoil 12:180

Thrift 28:74 Thrips 42:354

Thuiaecarpus 43:345. juniperinus 43:345

Thuidiaceae 30:9

Thuidium 35:146. abietinum 14:49, 52; 23: 68. delicatulum 2:63; 4:30; 30:9. microphyllum 4:181. paludosum 4:182; 6:74. plicatum, var. brevifolium 36:132. recogni-

tum 1:34; 2:63. scitum 4:242

Thuja 6:103; 10:63, 201; 11:37; 12:177; 13: 221; 21:54, 55, 57-64; 22:41; 23:101, 102, 247-249; 24:160; 26:12, 13; 35:250, 359; 37: 258; 39:35, 38, 41. gigantea 47:317. occidentalis 1:171; 3:169, 232; 4:37; 6:93, 97, 103; 10:63, 191; 12:177; 13:115, 142, 161, 237, pl. 91 (map 12); 15:121; 16:38; 17:

152; 21:43-45, 51, 54, 55, 58-60, 62-64, 189, map; 22:33, 40, 41, 49, 133, 134; 23:100, 102, 188, 247; 34:98, 160; 27:214; 28:43–45, 244, 245; 31:97, 150; 33:140; 34:7; 35:249, 359; 36:277; 37:64, 259, 313; 40:145, 161; 46:75; 48:197; 49:143. plicata 49:228

Thunberg's Barberry 15:225

Thuspeinanta 9:43, 50 Thuya (see: Thuja)

Thylax 11:63

Thymbra caroliniana 17:132

Thyme, Creeping 32:109 Thymelaeaceae 6:86, 123; 23:113; 31:43

Thymophylla gracilis 38:408

Thymus 7:161, 190; 25:43. ovatus 25:43. Serpyllum 1:25; 6:146; 10:167; 25:43; 32: 17, 109; 40:443; 43:155, 343; var. angustifolius 9:40; var. prostratus 38:412. virginicus 50:222, 223. vulgaris, var. verticillatus 25:43

Thyronectria denigrata 41:519

Thyrsanthema semiflosculare 17:136

Thysanella fimbriata 44:259

Thysanoptera 42:354

Thysbe 38:91

Tiarella 5:197; 6:118; 8:90, 91; 13:193; 18: 251; 21:201; 42:153; 45:379, 380. biternata 38:182. cordifolia 1:39, 170, 219; 6:118; 8: 90, 91; 12:170; 13:141, 192; 15:121; 18:246, 247, 251; 19:132, 226; 21:130, 200; 24:116; 32:206; 33:179; 34:63; 43:340; 45:380, 446-449; f. parviflora 19:132; 45:448; subsp. collina 45:445; var. austrina 45:446; var. collina 45:445–448; var. typica 45:446–448. unifoliata 37:362. Wherryi 45:445–449; 46:

Tick-trefoils 44:22

Tidestromia lanuginosa, var. carnosa 38:405 Tiedemannia rigida, var. ambigua 10:35. tere-

tifolia 49:156

Tilia 6:122; 16:16; 21:190; 22:72; 40:73, 149–151, 157, 172; 43:604; 44:412, fig. 1; 45:108; 46:150; 47:281. americana 5:132; 6:122; 14:80; 16:13, 15; 21:199; 22:72; 37:207; 40:146, 154, 156; 43:605-607; 44:412. cordata 13:181. floridana 43:604, 605; 47:209. glabra 43:606. heterophylla 40:375, 382, 441; 43:523, 605, 607; 44:346, 351; var. Michauxii 36:230; 43:605. Michauxii 40: 375, 441; 43:604, 606. monticola 43:605. neglecta 43:605–607. pubescens 6:196 Tiliaceae 6:122; 22:72; 31:43

Tillaea 4:35; 9:49; 14:201, 202; 16:158; 18: 250. aquatica 4:35; 14:201; 18:250; 19:91, 218, 219; 20:105; 21:10; 22:180; 23:150, 265; 28:86, 210; 29:128; 33:73; 34:39; 37:301, 416; 48:116. simplex 4:35, 36; 14:201, 202. Vaillantii 4:35, 36; 14:201; 19:219 Tillaeastrum 21:10; 22:180

Tillandsia 43:526; 44:30. Bartramii 44:261. tenuifolia 44:261. usneoides 2:65; 38:400; 39:480; 41:548; 42:369; 43:526, 548

Tillia 9:49

Tilmadoche polycephala 2:76. viridis 2:81, pl. 16

Tilopteridaceae 35:151

Tilopteris 43:73. Mertensii 35:151, 153, pl. 274: 43:73

Timmia austriaca 39:2, 3, 11, 14, 42, fig. 1 (map). megapolitana 39:42

Timmiaceae 38:240: 39:42

Timmiella 41:112

Timothy 44:344; 46:386; 49:272. Grass 28: 74

Tiniaria 43:612

Tipularia 31:15. discolor 2:172; 4:19, 21, 22;

6:177; 32:114-117, 124, 209-211, 246; 37: 350, 356, 358, fig. 4 (map); 38:376. uniflora 32:114. unifolia 32:114, 116; 39:470
Tissa 9:54; 21:8; 42:57, 58. alsinella 42:210. argillosa 42:175, 178. Borchersi 42:167. bracteata 42:83, 140. campestris 42:107. canadensis 12:161; 42:113. Clevelandi 42: 107, 175, 177, 178. denticulata 42:168. depauperata 42:161; var. tenella 42:161. diandra 42:80, 83, 126, 140. fasciculata 42: 158. floribunda 42:170. glandulosa 42:175. gracilis 42:181, 183. grandis 42:175, 177, 191, 204. leiosperma 42:127. leucantha 42: 76, 77; var. glabra 42:76, 77. lignosa 42: 142. luteola 42:111. macrotheca 42:71; var. leucantha 42:76; var. scariosa 42:71-73. marginata 42:120. marina 12:157, 162; 42:119, 126. media, var. Berteroana 42:175. mexicana 42:80. pallida 42:71, 73, 75. pazensis 42:205. Pissisi 42:163. platensis 42: 181; subsp. septentrionalis 42:181; var. septentrionalis 42:181. polyphylla 42:172. rubra 42:107, 175; var. perennans 42:107. salina 12:161; 42:113, 126; var. involucrata 42:138; var. Sanfordii 42:127, 137; var. sordida 42:126, 136; var. tenuis 42:138. Sanfordii 42:129, sparsifora fordii 42:129. sordida 42:129. sparsiflora 42:127, 131, 137. Stuebelii 42:158–160. Talinum 42:71, 75, 76. tenuis 42:126, 132, 138. teretifolia 42:142. valida 42:71, 72, 75. villosa 42:174, 177, 205, 206

Tithymalopsis 13:164; 34:25; 43:110. Ipeca-

cuanhae, f. linearis 50:148

Tithymalus 13:164; 43:110, 171. \$ Anisophyllon 43:111. Chamaesyce 43:265. lucidus 39:150. maculatus 43:143. mancus 39: 496. Peplis 43:272. prostratus 43:266

Toadflax 18:71

Toadstools 2:191; 4:78

Tobacco 41:82. Leaf 28:62. Wild 14:206;

29:52
Tofieldia 7:73; 8:27; 47:206; 50:193. coccinea 41:151, 160, 212, 213; 42:319. glutinosa 1:103; 6:40, 192; 7:142, 154; 9:160, 172, 189; 11:91; 12:112, 115, 117-119, 206; 13:115, 138; 17:204; 18:71; 19:164; 23:25; 28:75; 29:110, 210; 35:91; 36:276; 37:204, 299; 44:336. minima 28:75; 35:89, 120; 37: 206; 38:124, 146; 42:319. nutans 41:148, 163, 213. palustris 9:160; 11:91; 13:117, 129, 136; 18:101; 36:307; 38:146; 41:151, 213; 42:319; 44:124. racemosa 21:119; 39: 326, 347, 398, 467, 472, 480; 42:381, 442; 43: 548; 44:241; 49:93
Tolguacha 46:317, 320, 322
Toloachi 46:320

Toloachi 46:320

Tolyposporium 3:81. bullatum 3:80. Erio-

cauli 3:82, fig.

Tolypothrix 40:224. byssoidea 24:107. Chungii 28:4. distorta 15:90. lanata 7: 237; 24:103, 107; 26:162, 164; 28:4. penicillata 15:90; 26:164; 29:161. tenella 28: 4. tenuis 14:114; 15:90

Tomato 3:295; 28:72

Tomenthypnum nitens 30:10

Tomostima caroliniana 36:368. hispidula 36: 368

Tordylium 40:291. Anthriscus 40:291 Torilis 24:95; 40:291. Anthriscus 40:291. japonica 40:291; 42:470; 44:344, 430. leptophylla 24:95

Torresia 9:53

Torreya 34:166, 167

Tortella 41:112. caespitosa 19:69. tortuosa

Tortipes 37:91. amplexifolius 37:91

Tortula 14:47, 52. fragilis 39:40. intermedia 39:4. montana 14:47, 52; 39:4. mucronifolia 14:47. muralis 14:47, 52; 39:12, 41. norvegica 30:5. papillosa 14:47; 24:123. ruralis 14:47, 48; 30:5

Torularia humilis 41:239; 50:3, 7

Torulinium 44:44

Toumeya fluviatilis 7:241

Tovara virginiana 33:32; 39:341, 405; 49:202; var. glaberrima 39:404, 475

Tovaria 9:53; 47:289

Townsendia grandiflora 34:6

Toxicodendron 30:55; 43:590, 598. aboriginum 43:592. arizonicum 43:596. Blodgettii 43:591. compactum 43:598. coriaceum 43: 594, 595. divaricatum 43:596. glabrum 43: 591. laetevirens 43:596. macrocarpum 43: 594, 595. Negundo 43:594. phaseoloides 43:596. pubescens 43:591, 597. pumilum 43:594-596. punctatum 43:594, 595. quercifolium 43:597, 598. radicans 43:591; var. divaricata 43:596; var. littoralis 43:592; var. microcarpum 43:591; var. verrucosa 43:596. Rydbergii 43:594. verrucosum 43: 596. volubile 43:591. vulgare 43:591, 593

Toxylon 9:54. aurantiacum 9:91. Maclura 9:91. pomiferum 9:91; 21:190

Tracaulon 43:612

Trachelium, Americanum flore ruberrimo 38:

276

Trachelomonas crebea 44:69. hispida 50:278. horrida 44:69. obovata 50:278. punctata 50:278. rugosa 50:278. urceolata 44:69; var. serrato-glabra 44:69. volvocina 44:69; 50:278

Trachylospermum difforme 39:444, 482

Trachynotia juncea 8:210; 49:114, 115. polystachya 49:113

Tracyanthus 41:470. angustifolius 41:536; 42:

254; 49:132

Tradescantia 12:7; 21:49, 50; 34:57; 36:32; 40: 180; 42:150, 386; 43:495, 497, 659; 46:310. canaliculata 42:98; 43:499, 547, 649; 46:310, 311; × ozarkana 42:98. discolor 46:311. Edwardsiana 34:57, 58, fig. 1. Ernestiana 40:180. hirsutiflora 46:311. humilis 34:57.

occidentalis, var. typica 37:455. ohiensis 46:310, 311. ozarkana 39:46-48; 40:180; 42:98. pinetorum 37:455. reflexa 14:163; 19:126; 34:57; f. Lesteri 32:32; f. Mariae 32:32. rosea 36:41, 52; 40:181; var. graminea 40:366, 380, 403, 448; 42:379, 397, 442; 44:349. subaspera 39:46; 40:354. Tharpii 40:180; 43:659; × canaliculata 43:659. virginiana 12:7; 15:66; 21:49; 39:46; 43:497, 547; 46:310, 311; var. villosa 19:66. Wrightii 37:454

Tragia cordata 36:220; 47:216. macrocarpa 47:216, 217. nepetaefolia 35:287. urens, var. lanceolata 39:476. urticaefolia 35:287

Tragopogon 6:134; 26:126, 127. Dandelion 26:126. dubius 45:413, 414. lanatum 26: 126. majus 45:117, 414. porrifolius 8:66; 23:198; 26:167; 45:117. pratense 6:134; 8: 66; 11:179; 26:167; 38:299; 42:501; 45:117. 413, 414. virginicum 26:126

Tragus 9:53; 15:55; 49:275. Berteronianus 49:275. racemosus 6:82; 15:55; 31:111, 113 Trailiella intricata 30:196, 197, fig. 5; 35:149,

150; 43:73; 50:268

Trailing Arbutus 4:140; 50:251. Yew 18:32

Tramella lutescens 44:173

Trametes 3:39, 143; 25:217. arcticus 25:217. carnea 25:214. cingulata 25:216, 217. Feei 25:219. picta 25:216. Sagreeana 25:219. suaveolens 44:173. subrosea 25:217-219

Tranzschelia pruni-spinosae 39:374

Trapa 23:116; 38:440; 49:171. natans 1:81; 23:116; 49:170

Trautvetteria 46:347. caroliniensis 36:224, 227, 230; 39:195 Trebouxia Cladoniae 50:71

Tree of Heaven 32:156. Spindle 25:177 Trèfle 1:168

Tremble 1:168

Tremella 47:386. fuciformis 10:10-12. mycetophila 3:65. **reticulata** 10:9, **12** Tremellinaceae 10:10, 11

Trentepohlia aurea 6:230; 7:240; 24:106; 26: 165; 50:71. Daviesii 8:194. Iolithus 7:240. virgatula 8:193; var. secundata 8:194

Trepomonas agilis 50:278

Treubaria triappendiculata 44:67

Triadenum 31:17. longifolium 38:434-436;

39:358, 436. petiolatum 38:436; 47:217. virginicum 6:123; 8:29; 21:119

Tribonema 5:72; 29:161; 30:194. bombycinum 26:211; 29:162-164; 41:135; 50:71; var. tenue 26:166; 29:164. Gayanum 50: 275. minus 50:275. utriculosum 26:211

Tribulus terrestris 35:363

Triceratium 9:130. alternans 9:139. flavum 9:139

Trichachne 47:108

Trichelostylis capillaris 50:129. leptalea 50:

Trichia 29:172. affinis 29:170, 171. contorta 1:128; 29:170; var. inconspicua 29:170. decipiens 2:79; 29:170. fallax 1:128, 130. favoginea 1:128; 29:171. floriformis 29:171. persimilis 1:128; 29:167, 170, 171, 173. scabra 1:128; 29:171. varia 1:128; 2:79; 29:171

Trichilia alata 9:50. pterophylla 9:50 Trichochloa 9:17, 18. § Acroxis 9:17, 18. § Stenocladium 9:17. calycina 45:237. expansa 4:143. foliosa 9:19. glomerata 9:22; 45:237. longiseta 9:18. mexicana 9:18. sobolifera 9:18

Trichocolea tomentella 2:63; 4:243; 5:173; 7:

58; 15:26; 25:196; 26:11 Trichoderma lignorum 50:288

Trichodesmium erythraeum 1:100

Trichodium altissimum 49:109. concinnum 35:204, 205. elatum 23:229; 49:109, 110, 113. laxiflorum 35:209. montanum 35:209

Trichoglossum Farlowi 41:519

Tricholoma 3:142; 4:77; 13:63; 16:50. § Limacina 1:58. albobrunneum 16:50. aurantium 3:40. equestre 1:57; 2:244; 16:50. flavobrunneum 16:50. fumidellum 16:50. nudum 44:173. personatum 4:199; 14:53; 41:519. portentosum 2:243-246; 4:77; 16:50. rutilans 41:519. sordidum 1:83. terraeolens 16:50. terreum 2:245, 246; 16:50. ustale 13:63, 65, 66
Trichomanes Boschianum 44:3. Petersii 37:

311. ramosum 35:47

Trichoon 24:55, 56 Trichophorum 7:131-133; 49:50, 51. alpinum 7:132; 8:161; 49:50. atrichum 7:132. austriacum 23:23, 24. cespitosum 7:132. cyperinum 49:50, 51. emergens 45:281. germanicum 23:23. lineatum 49:50. pauci-

florum 7:132

Trichophyllum 21:10; 22:180; 31:124, 171: 47:373. arenicola 34:220. atropurpureum 31:228. Engelmannii 31:208. lanceolatum 31:208. maculosum 31:239. monticola 31:209. ochreatum 31:236. olivaceum 31: 231. ovatum 31:212. palustre 31:60; var. calvum 31:68; var. vigens 31:61. pauciflorum 31:124. tenue 34:200. thermale 31:

Trichostema 25:43; 47:364. dichotomum 25: 43; 32:151, 272; 36:220; 37:350; 39:445; 40: 366; var. **puberulum** 39:445, 476; 40:366, 455. lineare 39:357, 445, 466, 476; 40:292; 42:397, 478. setaceum 40:292; 42:397, 478 Trichostomum 41:112. oblongifolium 36:132.

spirale 41:112

Tricoccae 9:37; 47:384, 386, pl. 991

Tricuspis 14:185, 186; 15:131. elongatus 36: 219. flava 14:186; 15:131. novaeboracensis 14:185, 186. seslerioides 14:185, 186; var. pallida 37:134. stricta 14:186; 35:284 Tricyrtis hirta, var. nigra 42:43

Tridens 14:185, 186; 17:72. **flavus** 8:**210**; 12:205; 14:185, 186; 15:131; 16:82; 26:220; 32:211; 49:264. quinquefida 14:186. stric-

tus 14:186; 35:284

Trientalis 3:216, 217; 6:126; 24:233; 29:1; 31: 243; 33:109. americana 1:192, 193; 3:176, 216, pl. 34; 4:16; 6:126; 11:97, 236; 12:129; 15:190; 17:152; 21:200; 22:38, 48, 134; 24: 233; 29:218; 32:208, 271; 33:178; 36:283; 42:279. arctica 32:200, 203, map 23. borealis 11:236; 24:181, 186, 233; 25:10; 29:218; 32:61, 125, 153, 204, 206, 215, 216, 271; 33: 123; 34:55; 46:82, 139. europaea 11:236; 24:186; 41:150; subsp. arctica 41:277; var. americana 11:236; var. arctica 42:336

Triepeolus donatus 41:186

Trifoliastrum 30:59

Trifolium 1:168; 2:149, 150; 6:120; 15:172; 17:32; 20:208; 30:59; 33:109; 42:154; 45: 277; 47:275. § Trifoliastrum 9:37. subdiv. Lagopoda 30:59. subdiv. Lotoidea 30:59. subdiv. Lupulina 30:59. subdiv. Meliloti 30:59. subdiv. Vesicaria 30:59. agrarium 2:90; 6:120; 12:104; 20:208; 22:136; 25: 2:90; 6:120; 12:104; 20:208; 22:136; 25: 9; 26:186, 226; 27:108; 32:256; 34:53; 49: 249; 50:302. arvense 2:90; 7:127; 17:38; 20:208; 26:186, 226; 32:151, 256; 50:302. biflorum 39:350. carolinianum 36:46. dal-maticum 20:208. dubium 2:90; 8:72; 11: 131; 13:34; 19:228; 20:208; 23:101, 273; 24: 176; 37:193; 45:277. echinatum 17:32; 20: 208. erectum 44:422. fistulosum 45:331. 208. erectum 44:422. fistulosum 45:331. hybridum 2:70, 90; 5:36; 6:120; 9:121; 17: 35, 216; 20:208; 22:136; 28:71; 29:180, 215; 32:256; 34:65; 41:153, 250; 42:154, 332; 44:172, 175; 45:331; 50:297; var. elegans 45:331; 50:214. incarnatum 1:106; 2:90; 6:120; 7:110; 20:208. Macraei 20:208. finedium 2:90; 12:189; 20:208. mivale 23: 05. protops 2:90; 3:188; 5:200; 6:120; 7: 95. pratense 2:90; 3:188; 5:290; 6:120; 7: 122; 11:49; 17:35, 216; 18:38; 20:208; 21: 170; 22:136; 23:95; 25:9; 26:186, 226; 28:71; 29:215; 32:160, 256; 33:122; 34:65; 36: 282, 374; 39:371, 374, 375; 42:332; 45:331; 50:214, 297; γ. nivale 23:95; f. leucochraceum 42:44; 43:571; 45:331; f. pilosum 42: 456; 45:331; var. frigidum 23:95; var. satiyum 45:331; 50:214; f. flavicans 45:331. procumbens 2:90; 3:18; 11:199; 12:104; 13:34; 18:38; 20:208; var. minus 2:90. psoralioides 38:406; 39:425-427. purpureum psoralioides 38:406; 39:425-427. purpureum 15:172; 20:208. reflexum 25:168; 43:501-503, 571, map 5; 44:240; 45:277; var. glabrum 43:501. repens 2:90; 3:188; 5:49; 6:120; 17:35; 18:38; 20:208; 21:170; 22:136; 25:9; 26:186, 226; 28:71; 29:132, 215; 32:256; 33:122; 34:53, 65; 36:282; 39:374, 375; 42:154; 50:297. resupinatum 20:208; 47:215. simplicifolium 44:422, 423. stolonicarum 2:20:45:277 temperatum 20:200 ferum 2:92; 45:277. tomentosum 20:209. virginicum 25:168; 37:233

Triglochin 11:209; 18:30; 44:218; 46:206. maritima 4:89; 5:133, 174, 175, 248; 10:112, 144, 169, 172; 11:209, 226, 229; 12:113, 117–119; 17:147, 208, 211, 221; 18:33; 19:32, 35; 21:65; 23:101; 25:6, 107; 27:97; 29:43, 44, 65, 67, 87–89, 106–112, 123, 206; 32:172, 213, 231; 33:60, 116; 34:70, 108; 36:277; 44:218; 46:206. palustris 5:174, 248; 10:169, 172; 12:107, 112; 13:138; 17:64; 18:142; 19:31, 33, 35; 21:65, 87; 22:110; 23:26, 192; 24: 98; 27:54, 97; 29:44, 60, 63, 65, 67, 111, 112, 247; 31:82; 33:60, 112, 116; 34:70; 35:292; 36:277; 37:206; 38:139; 41:177; 42:317; 49: 239. striata 38:377, 384; 42:387, 388, 407,

506-508, map 19

Trigonanthus dentatus 14:223 Trigonella 20:209. Cassia 2:92. laciniata 20: Nocana 2:92: 20:209. ramosa 20:209 Trigonium alternans 26:194, 218

Trihalatae 47:385, pl. 991 Trilisa 7:158; 46:148; 48:176. odoratissima Trilisa 7:158; 46:148; 48:176. odoratissima 46:148; 48:410. paniculata 46:148; 48:410 Trillium 2:218; 4:128; 6:111; 10:21, 23, 24, 131, 215, 216; 12:165; 13:189-191; 22:78, 152; 33:177; 36:8, 119-126; 37:349; 40:485; 42:194-196; 43:206, 207; 44:14, 15, 333; 45: 364, 365, 396, 439, 440, 445, 517; 49:254. § Erecta 40:485, subgen. Anthopium 46:17. subgen. Delostylium 36:127. subgen. Sessilium 46:17, 18. acuminatum 36:126. Balduinianum 46:17. camtschaticum 31:41. Catesbaei 25:190; 34:22; 36:121, 127, 128; 44:261; 46:14-16, pl. 810. cernuum 5:132; 9:121; 10:131, 165; 12:128; 13:139; 23:242; 25:189-191; 32:176, 205; 35:90, 237; 36:121, 127: 43:340: 46:14, 15: 49:246: var. declinatum 25:190; f. Billingtonii 25:191; f. Waltum 25:190; f. Billingtonii 25:191; f. Walpolei 25:191; 46:17; var. macranthum 25:190, 191; 32:204, 205; 36:128. Cleavelandicum 45:517. cuneatum 46:18, 19. declinatum 34:21, 22; 36:128; 38:192; 46:16, 17. decumbens 36:121. discolor 36:121, 122, 126. erectum 6:111; 10:131; 12:128, 165; 13:141; 21:200; 22:134; 23:71, 140, 242; 25:190; 28:132; 31:141; 36:121, 126, 127; 38:192; 40:486; 46:19, 158; 47:369; f. albiflorum 37:85; var. album 36:120, 121, 126; 40:485, 486, pl. 536; 46:81; var. blandum 40:485, 486, pl. 536; var. declinatum 25:190; 34:21; 36:128; 46:16. erythrocarpum 1:184; 3:172; 4:106; 6:111; 7:40; 10:21, 23; 36:128; β. Cleavelandicum 45:517; var. 23; 36:128; β. Cleavelandicum 45:517; var. Cleavelandicum 45:517. flavum 36:126. flexipes 46:16, 17, 19; f. Walpolei 46:17. glaucum 36:127. Gleasoni 34:21; 36:121, 128; 38:192; 46:16, 17, 19. grandiflorum 1: 171; 4:198; 10:128; 13:191; 23:71; 27:214; 28:244; 29:15, 223; 30:105; 33:178; 35:249; 36:121, 127, 376; 42:194, 196; 43:206, 207; 44:13-15, 333, 408; 45:443, 445, 517; 47:369; 44:13-15, 333, 408; 45:443, 445, 517; 47:509; var. lirioides 36:127. hamosum 36:127. Hugeri 36:120, 121, 123-125; 46:18-20; f. flavum 36:124. isanthum 36:122. lanceolatum 22:78, 79; 36:121, 123, 126; 42:375, 378, 445, map 11; 45:364, 396-398, pl. 773; 46: 17-19; var. rectistamineum 22:78, 79; 36: 122. lancifolium 46:17-19. latifolium 36: 127. longiflorum 36:120, 121. ludovicianum 36: 120, 121. ludovicianum 36: 121. ludo 120, 121. luteum 36:120-122, 124; var. latipetalum 36:124. maculatum 36:121-124: 46:18.19. medium 36:127. membranaceum 36:122. nervosum 36:127; 44:261; 46:14–17, pls. 810, 811. nivale 1:171; 36:121. nutans 36:126. ovatum 13:189, 191, pl. 92, petiolatum 36:8. pusillum 36:121; 39:476, 486; 45:364, 396, 397, pl. 772; var. virginianum 45:397, 398, pl. 773. rectistamineum 22:79; 36:122. recurvatum 13:191, 216; 35:362; 36:121, 125, 126; 39:429; 46: 17; f. luteum 36:125; var. lanceolatum 36: 126; 46:17. rhomboideum 36:126; β. album

36:126; y. grandiflorum 36:127. rotundifolium 36:122; 46:19; var. flexicaule 46:19; var. maculatum 46:19; var. orbiculatum 46: 19; var. pallidum 46:19; var. rubricaule 46: 19; var. undulatum 46:19. Rugelii 36:128; 46:16. sessile 1:172; 10:22; 13:191; 29:223; 36:121–123; 45:384, 396; 46:15, 20; var. discolor 36:125; var. luteum 36:122, 124; var. Nuttallii 36:125; var. praecox 36:122; var. viridiflorum 36:122. stamineum 36:121, 126. stylosum 36:127; 46:15, 16. tinctorium 36:122. Underwoodii 22:79; 36:122, 124; 46:18–20; var. luteum 36:124. undulatum 1:184; 3:172; 6:111; 9:121; 10:21, 23, 24, 131, 214, 216; 12:163; 13:141; 17:152; 22:134; 23:242; 29:15, 223; 32:205; 36:121, 128; 39:200, 202, fig. 30 (map); 45: 517; f. Cleavelandicum 45:517; f. polymerum 45:517. unguiculatum 36:125. Vaseyi 36:121, 126; f. album 36:127. viride 22:79; 36:120, 121, 124, 125, 230. viride-scens 36:120, 125

Trillium, Large White 45:438. Painted 10:21, 22, 214; 12:163; 45:517. Purple 46:158

Trilliums 42:375

Trimorpha angulosa 41:389. elongata 41:390 Triodanis 48:209–213; 50:38, 39, 41–44, 46, 47, 49. biflora 48:212. coloradoensis 48:209– 213, 216, pl. 1050; 50:44, 46. falcata 48:213. Holzingeri 48:212–214; 50:48. lamprosperma 48:212-214. perfoliata 48:209, 213; 50:300. scabra 50:47. texana 48:212, 214 Triodia 8:85; 14:185, 186; 36:347; 49:264.

ambigua 44:258. avenacea 36:347. Chapmani 37:133; 42:378, 383, 410, 411, map 15; 44:343. cuprea 1:67; 2:127; 8:211; 14:185, 186; var. intermedia 37:134. decumbens 2: 137. elongata 50:92, 93, 95. flava 37:134; 38:64; 39:473; 40:243, 244; 41:34; 42:384, 410, 411; 44:70; 48:20, 24; 49:264; var. aristata 37:134; var. Chapmani 37:133, 134; 38:385; 39:360, 476; 42:410. Langloisii 44: 258. Nealleyi 36:347. **oklahomensis** 40: **243.** pilosa 50:92, 93, 95. purpurea 5:131. repens 36:347. seslerioides 8:210; var. aristata 37:134; var. Chapmani 37:133. stricta

14:186; 39:481; 44:71 Triodon 9:53; 46:101. albus 46:121; var. macer 46:124. capillaceus 46:126. glomeratus 46:113

Triorchis Beckii 48:6. Grayi 48:6. ovalis 48:6

Triosteum 20:116; 25:199; 26:16; 33:29. anrioscetili 20:116, 25:199, 20:10, 35:29. angustifolium 6:55; 8:80; 25:201–203; 36:231; 39:482; var. **Eamesii** 25:201, **202.** aurantiacum 4:88, 92; 6:55, 57, 179, 180; 12:113; 13:218; 20:116; 25:199, 200, 202; 26:16; 35: 364; var. glaucescens 20:116; 25:202; var. illinoense 40:133. illinoense 40:133. majus 25:201. minus 25:202. perfoliatum 4:75, 92, 195; 6:55, 57, 179, 180; 25:199-201, 203; 26:16, 176; 32:176, 211, 216, 276; 44:259; var. aurantiacum 25:201, 202, 203; 35:364; 43:343; var. glaucescens 25:199-202; var. illinoense 25:201, 202; 40:133

Tripetaloideae 47:385

Triphora 42:55. surinamense 42:55. trianthophora 42:55, 56; 43:520, 549; var. Schaffneri 42:55, 56 Triphylloides 30:59

Triphylloides 30:59
Triplasis 14:186; 15:132; 49:265. purpurea 15:132; 32:147, 236; 36:375; 37:372, 389; 40:366, 386; 48:20, 25; 49:101, 108, 265
Triploceras 7:118; 24:219; 26:206. gracile 7: 118; 24:219; 26:206; var. bidentatum 44:68; var. montana 7:118, 119, pl. 61. verticillatum 7:118; 24:219; var. turgidum 7:118
Tripsacum 29:115; 31:16; 47:99. dactyloides 2:127; 30:51; 31:12, 17, 110, 118, pl. 177; 32:185; 37:391; 38:376; 39:473; 44:71; var. occidentale 47:99, 109
Tripterocladium 35:146

Tripterocladium 35:146

Triquetrella 41:112

Trisetum 5:289; 6:106; 8:81-84, 86, 89, 137-139, 141, 142; 15:129; 21:76, 130; 30:209, 210, 237, 241, 242; 38:267; 42:94; 43:220; 49:254, 268. \$ Scolobanthus 8:137, 139, 142. § Koeleria 8:83. subgen. Heterolytrum 30: 211, 212; § Anaulacoa 30:211, 212; sub-§ Deschampsioidea 30:211, 242, 243; sub-§ Eutriseta 30:211, 212; sub-§ Graphephorum 30:211, 240; sub-§ Koeleriformia 30:211, 241; sub-§ Sphenopholidea 30:211, 240; § Aulacoa 30:211, 243. sub-gen. Isolytrum 30:211, 244; 46:285. airoides 30:238. alaskanum 30:221, 239. alpestre 8:89. altijugum 8:89; 30:241. dicola 30:244. andinum 30:238, 239. antarcticum 30:240. araeanthum 30:242. argenteum 30:213. bambusiforme 30:212. barbatum 30:243; var. majus 30:243. barbinode 30:240; var. hirtiflorum 30:240. biflorum 30:239. Bongardii 30:220. brachyatherum 30:242. Brandegei 30:241. brasiliense 30:242. Brittonii 30:239. Buchtienii 30:238. californicum 8:143, 146; 30:240. canescens 30:214–216, 218; f. tonsum 30:216; f. velutinum 30:216. caudulatum 30:240. cernuum 30:213-217, 219; var. luxurians 30:213; f. pubescens 30: 213; var. Sandbergii 30:214. chromostachyum 30:240. chiloënse 30:240. Congdoni 30:219, 239, 240. depauperatum 30: dom 30:219, 239, 240. depauperatum 30:242. deyeuxioides 30:244. disjunctum 30:218. elatum 30:215-217. elongatum 8:145. erectum 30:240. evolutum 30:245. filifolium 8:86; 30:217; var. aristatum 30:217. flavescens 8:89; 30:212, 216; 38:266, 267; 41:179; 44:335; 49:268. floribundum 30:243; var. Weberbaueri 30:244. Fournieranum 30:239. fraudulentum 30:212. groenlandicum 30:238. Hallii 8:141, 146; 30: 240. heteronymum 30:217. hirsutum 30: 239. hirtiflorum 30:240. hirtum 30:217. humile 30:244. interruptum 8:141, 145; 30:218, 240; var. californicum 30:240. irazuense 30:212. Jungensii 30:243. labra-doricum 30:238. lasiolepis 30:238. laxiflorum 30:242. laxum 30:242. litorale 30: 243. lobatum 8:139, 143, 144; 10:65; 43: 534. longiglume 30:244. ludovicianum 8: 145; 18:234. Macbridei 30:245. Maidenii

18:196. malacophyllum 30:212, 218. melicoides 8:86, 89; 9:159; 12:113; 13:132, 138; 23:25; 28:152; 30:240; 38:266, 268; var. majus 10:65; 38:266. micrantherum 8:83; 30:242. minutiflorum 8:83. mollifolium 30:218. montanum 8:86, 89; 30:212; var. pilosum 30:212; var. Shearii 30:213. monticola 30:240. muticum 8:86, 88; 30:241. nemorosum 30:242. nitidum 8:82. 241. hemorosum 30:242. htthum 8:82. nivosum 30:239. ochrostachyum 30:240. oreophilum 30:221, 223; var. Johnstonii 30:237. Palmeri 30:242. palustre 1:104, 181; 5:289; 8:82, 84, 140, 141, 145; 18:234. paniculatum 30:212. paradoxum 30:240. pensylvanicum 8:139, 144; 18:234; 30:240; 36:35; 49:268. Preslii 30:238; var. Buchinii 30:238; var. 3226. tienii 30:238; var. lasiantha 30:238. Pringlei 30:241. **projectum** 30:**217.** purpurascens 7:244; 21:76, 77. Rosei 30:223, 239; f. **tenerum** 30:**239**; var. tenerum 30: 239. Sandbergii 30:214. sesquiflorum 30: 219, 220, 239, 240. Shearii 8:89; 30:213. sibiricum 41:160, 163, 179. spicatum 13: 177; 15:129; 16:16; 17:65; 18:196, 197; 21: 128-131; 29:55; 30:219, 223, 238, 239; 31: 194, 195, 255; 32:261, 262; 35:250; 36:148; 37:206; 38:141; 42:317; 49:268; var. alaskanum 30:239; var. andinum 30:239; var. Brittonii 30:239; var. dianthemum 30: 239; var. fuegianum 30:239; var. hirsutum 30:239; var. laxius 30:239; var. Maidenii 18:196, 197; 29:55; 30:239; 38: 118, 124, 141; 41:179; var. majus 30:239; var. molle 8:88; 18:196, 197; 21:131, 132; 30:239; 34:51; 37:66; 38:266, 268; 41:180; 44:335; 49:268; var. nivosum 30:239; var. historia 20:239; var. 1107 phleoides 30:239; var. pilosiglume 18:195, 197; 29:55; 30:239; 38:124, 141, 266, 269; 44:139, 335; 49:240; var. villosissimum 30: **239.** splendidulum 30:212. subaristatum 8:83. subspicatum 3:170; 4:150; 8:82; 30: 238; 31:194; f. Maidenii 18:196; var. breviglume 30:238; var. compactum 30:239; var. fuegianum 30:239; var. glabrifolium 30:238; var. laxius 30:239; var. molle 1:181; 5:35, 289; 6:106; var. muticum 8:88; 30:241; var. villosissimum 30:239. tolucense 30:238. Trinii 30:243; var. effusum 30:243; var. litorale 30:243; var. majus 30:243; var. manicatum 30:243; var. micrantherum 30:243; var. pallidiflorum 30:243; var. strictum 30:243. variabile 30:240; var. chiloense 30:240; var. flavescens 30:240; var. intonsum 30:240; var. Vidali 30:240; var. virescens 30:240. Vidali 30:240. viride 30:244. Virletii 30:212. Weberbaueri 30:244. **Williamsii** 30:**221.** Wolfii 8:83, 87, 88; 30:240; var. Brandegei 30:241; f. muticum 30:241; var. muticum 8:88; 30: 241

Tristegis 9:50

Triticum 12:26, 27, 61, 66; 15:149; 36:421; 47:280; 49:265. aestivum 15:149; 44:71; 48:21; 49:265. biflorum 12:62, 65, 66, 74; β. Hornemanni 12:64, 66, 74; 35:164, 171, 174. caninum 12:26, 27, 62, 63, 70, 205; var.

Gmelini 12:61, 66, 75; var. pauciflorum 36: 419; var. typicum 12:70. junceum × repens 35:167. pauciflorum 35:163, 168, 169, 171; 36:417, 418. pungens 12:26. repens 12:62, 74; 26:222; 32:157; 35:184; A. virescens 12:65; B. Hornemanni 12:65; var. β. pubescens 35:184; var. aristatum 35:184. Richardsoni 12:67, 76. sativum 1:107; 18: 95:96:37:83; var. muticum 1:107; var. val. 95, 96; 37:83; var. muticum 1:107; var. vulgare 1:107. sepium 12:63, 70. subsecundum 35:162, 180. subulatum 35:184. tenerum 12:26. trachycaulum 35:162, 169; 36: 417, 418, 420. Vaillantianum 35:184. violaceum 12:26, 27, 64, 67, 74; 35:164. vulgare 12:26, 27

Tritomaria exsectiformis 39:35. quinqueden-

tata 39:13, 14, 36 Trochilidae 41:185 Trochilus colubris 41:185 Trochisia reticularis 50:274

Trollius 5:35; 47:385. laxus 1:184; 5:34; 13: 31; 20:184, 196; 21:87; 23:219

Tropaeolum Lobbianum, var. fimbriatum 18: 160; var. hederifolium 18:160; var. miniatum 18:160; var. Reginae 18:160. majus 1:47; 19:115. peltophorum, var. fimbriatum 18:160; var. hederifolium 18:160; var. miniatum 18:160; var. Reginae 18: 160

Tropidocarpum gracile 18:221

Tropidoneis Lepidoptera 26:193, 195, 218. seriata 9:135. zebra 9:135

Tropidoscyphus 50:272, 278. octocostatus 50:

278

Troximon 7:161; 26:126, 127; 50:33. aurantiacum 50:33; var. purpureum 50:32, 33. ciliatum 26:127. cuspidatum 50:33, 34. Dandelion 26:126. glaucum 26:126, 127. gracilens 26:125; 50:31. lanatum 26:126, 127. virginicum 26:126, 127

Truffles 8:232 Trumpet Honeysuckle 4:40; 12:184

Trypethelium virens 29:98

Tryphane 21:11, 12. verna 21:11 Tsuga 6:103; 10:63; 11:167, 168; 12:177; 21: 41; 25:164; 29:169; 33:30; 35:358; 37:267; 44: fig. 1; 45:108; 47:207; 49:83; 50:36, 37. americana 17:59, 168; 20:185, 187; 21:108. canadensis 5:130; 6:103; 10:63; 12:177; 15: 105; 17:59, 60; 19:273; 20:185, 186, 188; 21: 41, 108, 199; 28:43, 45; 29:147; 31:20; 32: 12; 34:188; 35:358; 37:307; 44:412; 46:83. caroliniana 17:165; 46:74. mertensiana 45: 108; 46:152

Tuber 9:51; 50:135. cibarium 9:51; 31:119 Tuberaria 9:46; 28:143; 40:38; 43:609-611, 614. globularifolia 43:611, 615, pl. 689.

guttata 43:610, 614, pls. 689, 690

Tubercularia 50:288

Tuberose 28:57

Tubifera ferruginosa 29:170

Tubiflora acuminata 38:407. caroliniensis an-

gustifolia 17:131 Tubiflorae 9:37; 20:151

Tubulina fragiformis 1:128, 129

Tulip(s) 23:195; 47:379

Tulipa 47:385. Gesneriana 42:43 Tulip-tree 18:211; 49:83

Tullia 47:178. pycnanthemoides 10:86; 39:

Tumble-weed(s) 3:18, 34 Tundra Rose 42:331

Tunica Saxifraga 37:86; 43:155

Tupelo 7:126; 20:205; 23:109; 37:435

Turanga ilicifolia 47:362 Turkey-buzzards 47:98 Turkey-Oak 44:349, 351

Turnera 44:271

Turpinia occidentalis 7:28

Turraea 18:234

Turritella 5:209; 10:125

Turritisa 3.209, 10.123

Turritisa 27:66; 39:64-66; 43:306, 316. brachycarpa 5:226, 228, 230, 231; 39:130; 43:375.

Drummondi 39:137; 43:370. glabra 5:226; 39:64, 107, 109, 111, 138; 43:293, 315; \$\beta\$. 5:230; var. \$\beta\$. 5:226; 39:137; var. lilacina 43: 316. Grahamii 43:480. hirsuta 39:119, 120. hispidula 43:480. laevigata 13:38; 39:65, 161, 164. lyrata 39:161, 165. macrocarpa 39:107, 111; 43:316. mollis 39:127, 128; 43:480. oblongata 39:120; 43:318. ovata 39:119, 120, 178; 43:318, 324. patula 5:229; 39:131, 134; 43:479, 480; var. β. 39:171. perfoliata 39:107. retrofracta 5:228; 39: 132, 180, 181; 43:441. spathulata 43:319. stricta 5:226, 228-230; 39:137-139, 141, 146, 148; 43:370. verna 39:85

Turtlehead 42:103

Tussaca oblongifolia 48:11. reticulata 1:5.

secunda 1:6

Tussilago 6:133; 19:220; 21:201; 26:167; 37: 307. corymbosa 48:123, 124. Farfara 2: 137; 6:133; 12:129; 14:75; 15:154; 18:44; 26:167; 31:86. frigida 48:124. palmata 48:

Twayblade 18:71

Twin-flower 18:71; 22:130; 24:210

Twisted Stalks 8:69

Typha 6:103; 11:204; 13:242; 26:186; 33:21, 22, fig. 1; 35:90, 155; 40:152, 183; 42:374; 43:90, 91; 44:33; 45:113; 46:314; 49:89. angustifolia 1:221; 5:133; 11:179, 204; 12: 120; 13:241-243; 14:26; 15:76, 138, 157; 16: 186; 21:148; 23:199; 26:1; 29:60–62, 65, 66, 71, 106, 107, 111, 248, 249, 251; 32:147, 230; 35:252, 391; 37:385–387; 42:24; 43:85, 86, 88–91, 338, 513, 553, fig. 1; 44:213; 45:113, 114; 49:116; subsp. australis 37:386; var. elongata 26:1; 37:385; var. longispicata 25:206, 208; 26:1; var. virginica 13:242; 25:206; 26:1; 37:385. capensis 37:386. domingensis 37:385, 386. gigantea 37:385. glauca 13:243. latifolia 3:129, 189; 5:132; glatica 13:243. latifolia 3:129, 189; 5:132; 6:103; 7:154; 11:175, 204, 230; 13:241-243; 14:26, 206; 17:150, 209, 210; 18:32, 95; 21: 148; 26:187, 219; 29:63, 66, 248-250; 32: 149. 161, 229; 33:19, 22; 35:90, 131, 252; 36:277; 37:357, 386; 43:85-87, 91, 338, 553, fig. 1; 44:171, 175, 213; 48:330; 50:293; *domingensis 37:385; f. ambigua 29:248, 249, 251; 44:213; proles Hildebrendtii 37:386; 251; 44:213; proles Hildebrandtii 37:386; var. elongata 26:1. maxima 37:385. truxil-

lensis 37:385, 386; 38:377; 39:477; 42:374, 376, 407, 505, map 8; 44:370, 377; 45:113, 114 Typhaceae 5:246; 6:103; 11:204; 18:32, 95; 26:219; 29:248; 31:43; 32:229; 36:277; 37: 306; 40:183; 44:213; 50:293

Tytebaer 12:23 Tyteling 12:23 Tyttebaer 4:232

U

Ubochea 9:38 Udora canadensis 22:18, 24, 29. verticillata minor 22:22, 28 Udotea 3:91

Ulex europaeus 32:256 Ulmaceae 21:190

Ulmaria 8:203, 204. lobata 8:204. rubra 8: 203, 204

Ulmus 6:114; 12:179; 17:170; 21:42; 29:171; 31:88; 44:27; 45:109; 46:150. alata 36:230; 38:378; 39:330, 479, 482, map 54; 46:82. 473; 40:146, 154; 41:514, 520; 44:169, 170, 175, 412; 47:132, 203, 204, 272; α. glabra 47:133; β. alba 47:133; β. scabra 47:133; γ. pendula 47:133; f. alba 47:133; f. intercedens 47:133; f. laevior 47:133; f. pendula 47:133; var. alba 47:133; var. pendula 47:133. campestris 12:128; 17:170, fulva 3:233; 6:114; 14:80, 83; 17:170; 21:199; 35: 249; 36:374; 37:11; 40:375, 413; 41:31; 43: 550; 44:239, 351; 47:132, 204. mollifolia 47:203. montana 21:42. procera 45:358, 398. racemosa 7:140. rubra 47:132, 203, 204. scabra 17:170. serotina 47:124. Thomasi 7:140

Ulota americana 24:123; 30:9. crispa 3:179, 180; 4:30; 24:123. crispula 3:179, 180; 4:30; 30:9. Funstoni 38:240. Hutchinsiae 4:30. Ludwigii 1:34; 3:179, 180; 4:30; 24:123; 30:2, 9. phyllantha 4:24; 30:2, 9. Ulothrichaeeae 5:72, 210; 24:53

Ulothrix 6:182; 10:155, 163; 24:51, 103, 110. collabens 1:127; 2:45. flacca 2:45; 7:225; 50:257, 260. implexa 2:45; 7:225; 43:214. variabilis 29:162; var. marina 2:12, 45; 7: 225. zonata 7:239; 15:91; 50:71

Ulotrichales 44:67

Ulva 5:3, 7, 18, 24; 11:23; 17:91; 23:70; 26: 190; 44:397. aureola 5:30. californica 5: 8, 9. clathrata 5:29, 30; var. erecta 5:28; var. prostrata 5:29; var. ramulosa 5:29; var. Rothiana, f. prostrata 5:29; var. uncinata 5:29. compressa 5:30; var. racemosa 5:25. 5:29. compressa 5:30; var. racemosa 5:25. enteromorpha, var. compressa 5:25, 30; var. intestinalis 5:23, 30; var. lanceolata 5:24. fasciata 5:8, 10; 6:182; 11:24; f. caespitosa 5:10; f. lobata 5:10; f. taeniata 5:10. Grevillei 11:23. Hopkirkii 5:28, 31. intestinalis 5:31. Lactuca 2:45; 5:3, 8, 10, 13, 15, 31; 10:116; 11:23; 21:205; 26:213; 50:257, 260; var. Lactuca 5:8, 31; var. latissima 5:9, 31; 43:214; 50:257, 260; var. mesenteriformis 2:45; 5:9; 7:224; var. rigida 2:45; 5:8, 31, pl. 41; 7:224. latissima 5:8, 9, 31; 50:260; var. Linza 5:24. Linza 5:24. marginata 5:25. merismopedioides 5:17. mesenteriformis 5:9. percursa 5:26. rigida 5:

Ulvaceae 5:1, 2, 4, 7; 11:23, 25; 18:91; 24:53

Ulvella 50:259

Umbellatae 47:384, 386, pl. 991 Umbelliferae 3:69, 209, 220; 6:9, 124; 9:37; 10:207; 18:40, 98; 21:170, 181; 23:110; 24: 92; 25:10, 104; 26:93, 227; 28:72; 29:217; 31:43; 32:267; 35:79; 36:282; 40:180, 291; 42:371; 43:81; 45:300; 47:283, 386; 48:162; 49:255; 50:298, 303. trib. Peucedaneae 21: 182

Umbellifers 41:472

Umbilicaria erosa 28:226. hyperborea 28:226. Muhlenbergii 10:36. polyphylla 28:226. proboscidea 28:226; var. arctica 28:226. pustulata, var. papillosa 29:101. vellea 28:

Umbilicus 31:14, 222 Umbrella-weed 14:90

Uncinia 5:249; 28:61; 35:139; 45:366

Uncinula necator 39:374

Uncinula necator 39:374
Unifolium 9:53. canadense 6:110; 16:210
Uniola 7:161; 27:70, 71; 31:148; 39:203. distichophylla 27:68, 71; 47:148. flexuosa 27:69. gracilis 31:12, 148. latifolia 38:378; 44:71. laxa 31:148, 149; 38:376; 39:196; 44:71. longifolia 24:148; 31:148, 149; 38:384. multiflora 27:69. Palmeri 27:70, 71. paniculata 36:31; 38:377, 381, 384; 44:342. sessiliflora 38:384; 39:361, 477; 40:422; 44:71. spicata 27:68, 69. stricta 27:69; 46:203. uniflora 31:148, 149
Unisema 27:76, 77. acutifolia 27:81. cordata

Unisema 27:76, 77. acutifolia 27:81. cordata 27:76, 80; f. latifolia 27:80. heterophylla

27:81. Purshiana 27:80

Urachne brevicaudata 4:142, 143. canadensis 4:142

Uralepis cuprea 14:185

Uraspermum aristatum, 3. longistyle 25:110

Uredinaceae 10:12, 218

Uredinales 12:125; 38:97 Uredinales 3:262, 281

Uredinopsis mirabilis 34:65; 38:98. Osmundae 34:65

Uredo Agrimoniae 10:17

Uria lomvia 36:171, pl. 285

Urochloa 13:174. panicoides 13:174. uniseta

Urococcus Foslieanus 10:162. Hookerianus 50:71. insignis 50:71 Uroglena 1:101

Uromyces 10:13; 12:124-126. acuminatus 41: 513; 44:173. appendiculatus 34:65. aritriphylli 44:174. Caladii 34:65; 44:174. caricina 12:126. Dactylidis 34:65. Fabae 9:39; 34:65; 44:174. fallens 39:374. hedysari-paniculati 39:374. Holwayi 38:98. houstoniatus 34:65; 44:174. hybridi 34:65. hyperici 39:374; 44:174. Hyperici-frondosi 34:65. Lespedezae 2:186. Lespedezae-procumbentis 34:65. Limonii 39:374. minutus 12:126. perigynius 12:126. phaseoli, var. typica 39:374. pluriannulatus 10:12. Poly-

goni 34:65. solidaginis-caricis 12:126, 127. trifolii 26:219; 34:65; 39:374. Trifolii-repentis 34:65. **uniporulus** 12:125, 126, fig. valens 12:125, 126, fig.

Uropedium 9:50

Urophlyctis 10:13. Kriegeriana 10:12, 13. pluriannulatus 10:13

Urospora 5:73; 10:155. penicilliformis 2:45; 5:18; 7:225; 50:259, 260 Urtica 13:18, 123; 17:171; 28:63, 117; 36:373. angustifolia 28:197, 199. aquatica 28:199. Breweri 28:191, 192, 197, 198. californica 28:192, 198. cardiophylla 28:193. chamaedryoides 39:429. dioica 2:157; 8:72; 10: 154; 17:171; 23:257; 28:191, 197; 29:212; β. angustifolia 28:199; ι. procera 28:195; var. occidentalis 28:199. gracilenta 28:198. gracilis 2:208; 3:189; 17:171; 28:191–193, 195, 196; 36:280; 37:191; 41:218. holosericea 28:192. longifolia 28:195. Lyallii 17: 64, 171; 18:36; 28:191–193, 197, 198. mexicana 28:199. procera 28:193, 195, 198; 37: 191. pumila 38:169. serra 28:199. urens 17:171; 29:212; 32:248. viridis 28:193, 196,

Urticaceae 6:114; 9:37; 12:179; 17:169; 18: 36; 21:170, 190; 28:73; 29:212; 31:43; 32: 248; 36:280; 49:255; 50:295

Urticales 9:37

Urticastrum 9:54. divaricatum 6:114

Urvillea 9:38, 52

Usnea 2:66. § Neuropogon 36:146. barbata 2:66, 67; 28:230; f. hirtella 28:230; var. filipendula 28:230; var. stricta 28:230. cavernosa 28:230. florida 14:89; 18:94. longis-sima 28:230. melaxantha 36:146. plicata 20:40; 28:230. sulphurea 36:143, 145, 146, 151, 154, 160. trichodea 13:91; 28:230

Usneaceae 14:89; 15:93; 28:230

Ustilagineae 3:281

Ustilago 3:81; 40:214. antherarum 1:90.

avenae 39:374. Eriocauli 3:82, fig.

avenae 39:374. Eriocauli 3:82, ftg.
Utricularia 2:70; 4:42, 102, 103; 5:197; 6:129;
7:111, 236; 8:27; 15:135; 19:38; 21:68; 23:
143; 25:185; 30:35; 33:39; 35:124; 36:350;
41:116, 117; 42:52, 384; 44:175; 45:381; 47:
104; 48:211, 212; 50:46, 191. § Stomoisa
33:39. biflora 4:27; 6:152, 158; 8:80; 9:
119; 14:31; 25:185; 32:177, 274; 35:289;
41:114, 115, 120, 124–127, ftg. 2; 42:387, 480;
45:373; 48:330. Bramii 41:117, 120, alangements 45:373; 48:330. Bremii 41:117, 120. clandestina 6:129, 142, 152, 160; 9:119; 13:78, 116, 135, 140; 19:248; 23:142, 290; 24:88; 25:185; 28:56; 29:242; 32:274; 35:85; 37: 332; 41:122; 42:87, 90. cleistogama 6:152, 160; 23:108, 291; 42:384. cornuta 1:184; 2:126; 4:76, 102; 5:130, 133; 6:129, 152; 7: 76, 107, 187; 9:119; 11:98; 12:117; 13:220; 14:30, 204; 16:90; 23:132, 144, 148; 24:203; 25:185; 29:163, 220; 32:133, 274; 33:39; 34: 55; 35:5; 38:365; 41:126, 472; 45:215. fibrosa 6:159; 19:38, fig. 1; 41:114, 115, 120, 124–126, 128, fig. 4; 42:88, 91, 403, 480, geminiscapa 23:142, 161, 290; 24:203; 25: 185; 28:56, 235; 29:163, 242, 243; 30:121; 32:148, 169, 274; 33:113, 124; 35:85, map 6;

37:249, 332, 442; 40:456; 41:113, 115, 120, 37:249, 332, 442; 40:456; 41:113, 115, 120, 122, 123, 127, 128, fig. 5; 42:87, 90; 43:645. gibba 1:82, 224; 6:152, 158, 159; 9:119; 15: 135; 21:73; 23:143, 291; 24:57, 88, 203; 25: 186, 213; 32:210, 274; 36:350; 39:336; 41: 114, 115, 120, 123–127, fig. 3; 42:52, 53, 87, 90; 50:224, 304, pl. 1113. inflata 4:76, 102; 5:135; 6:152; 7:76; 9:119; 25:186; 32:212; 36:54; 41:113, 115, 120–122, 128, fig. 7; 44: 235, 45:476: 47:235, var. minor 41:113, 115 235; 45:476; 47:235; var. minor 41:113, 115, 120-122, 128, fig. 8; 43:642; 44:235; 45:371, 372, 476; 47:235. intermedia 1:82; 2:126; 6:129, 152, 160, 192; 7:107; 9:119; 11:98; 19:32; 23:141, 291; 25:186; 29:220; 32:173; 33:51, 124, 125; 36:93; 37:206, 308; 41:114, 115, 117, 119, 120, 127, 128, 167, 288, fig. 10; 43:644; B. Robbinsii 50:130. juncea 23: 144; 39:477; 41:472, 485, 502, 569, 570; 42: 384, 480; 48:60; f. minima 48:60; f. virga-384, 480; 48:60; f. minima 48:60; f. virgatula 48:60. macrorhiza 41:288; 43:642–644; 50:129, 130. minor 4:2, 42, 102, 103; 5:197; 6:152, 160; 7:107; 23:141, 291; 24: 184, 203; 25:186; 29:187, 220; 33:19, 112, 124; 36:350; 41:114, 115, 117–120, 126–128, fig. 9; 42:52, 53; 43:644; f. platyloba 33: 110, 124. myriocysta 41:121. neglecta 41: 117, 118. occidentalis 41:117–119. ochocyca 33:113, 144, 125; 41:144, 117, 119, 120. leuca 33:113, 124, 125; 41:114, 117, 119, 120, 128, fig. 11. oligosperma 41:125. purpurea 1:184; 2:123, 126, 215; 3:33; 4:76, 102; 5: 135; 6:152, 159, 160; 7:76; 14:31; 15:135; 21:75; 23:145, 161, 291; 24:88, 119, 121, 203; 25:186; 36:351; 38:340, 453; 41:113–115, 120, 121, 123, 127, fig. 1; 42:24, 52; 45:371, 476. quinqueradiata 41:122. radiata 41:121; 42: 87, 90, 91; 43:642. resupinata 1:224; 2: 123; 4:27; 5:130; 6:152; 7:76, 107; 9:119; 13:247; 18:26, 147; 19:248; 23:163, 291; 24: 82, 88, 119; 25:186; 26:180; 32:133, 177; 41:126. Robbinsii 50:129. stellaris 41:122 striata 6:159. subulata 6:152, 160; 7:76; 9: 119; 21:119; 23:100, 108, 142, 143, 169, 291, 300, pl. 130 (map 4); 30:35; 32:177, 212; 36:51; 37:442; 39:480; 42:88, 93, 384; 44: 235, 343; 48:60; f. cleistogama 23:291; 30:35; 42:384; 48:60; var. cleistogama 23: 291. virgatula 38:381, 444; 39:449, 477; 41: 471, 485, 502, 570, map 12; 42:384, 480; 45: 371, 476; 48:60. vulgaris 4:76, 102; 5:135; 6:152; 7:107; 15:135; 24:100; 29:187, 219; 33:19; 36:350; 41:113, 115, 117–120, 126, 33:19; 36:330; 41:113, 115, 117-120, 126, 128, fig. 6; 43:642-644, pl. 694; 50:129; var. americana 11:98; 14:31; 21:75; 22:136; 24: 100; 25:186; 29:187, 219; 36:284; 38:299; 41:117, 118, 156, 157, 159, 288, 289; 43:642, 644; 50:130; var. neglecta 41:118
Utricularias 7:78; 41:120, 123, 125-127
Uva Ursi 16:25, 26, 28; 26:231
Uvadlia 47:106

Uvedalia 47:196

Uvularia 10:128; 12:127; 39:319; 41:537. plexifolia 8:70; 37:97. floridana 47:142. grandiflora 1:26, 172, 221; 19:127; 33:179; 36:218; 37:58, 64, map. nitida 37:408, 409; 41:536. perfoliata 4:88; 5:204; 10:128, 165; 12:128; 21:199; 31:13; 32:124, 244; 37:58, 350, map; 47:374. puberula 37:408, 409, 452, pl. 392; 38:378; 41:536, 537; var. nitida 37:407-409, 453, pl. 392; 41:537. pudica 41:536, 537; var. nitida 41:536, 537; 44: 390. rosea 8:71. sessilifolia 4:88; 6:110; V

Vaccaria Vaccaria 6:115 Vaccinia 12:24

Vacciniaceae 33:193; 36:237 Vaccinium 1:168; 3:266; 4:14, 232; 6:126; 7: 161; 9:187; 11:157; 12:168, 183; 13:216, 235; 14:135; 16:25, 28; 27:8; 29:49; 31:18; 32:127; 34:246; 36:236; 38:121; 39:149, 161; 40:148, 154; 41:166; 42:95, 155, 379; 43:69, 220; 45:451; 49:22. \$ Cyanococcus 27:8; 29:49; 33:62, 193. subgen. Euvaccinium 29: 49. album 16:117-119; 39:461. alto-montanum 33:196. augustifolium 10:147: var. laevifolium 46:138; var. myrtilloides 36:283. arboreum 1:95; 36:32, 49, 230; 39:331, 481; 42:363; 44:430; 47:260; var. glaucescens 35: 288; 36:100, 220. arkansanum 33:195. atrococcum 9:119; 12:129; 16:192; 21:119; 23:285; 24:156; 32:151, 152, 270; 33:195, 196; 36:50; 50:298; f. leucococcum 24:156, 196; 36:50; 50:298; f. leucococcum 24:156, 228; var. Longianum 33:196. brachyocerum 33:197. buxifolium 4:233, 234. caesium 36:54; 45:456. canadense 1:94, 183; 2:189; 3:176, 265, 266; 5:45; 6:126; 9:75, 156, 163, 169, 189; 10:147; 12:183; 15:167; 16:117; 17:153; 20:101; 21:199; 22:37, 40, 41, 43, 44, 130, 134; 27:108; 34:61; 36:283; f. chiococcum 3:266; 31:85. cespitosum 1: 94, 186, 192; 2:88, 98, 137, 187-190; 3:156, 163, 190; 10: 54: 13:218: 21:192: 22:37, 44, 46: 27:212: 54; 13:218; 21:192; 22:37, 44, 46; 27:212; 35:280, 402, pl. 260; 36:283; 41:276; 42:19; 44:115, 187, 188, fig. corymbosum 1:94; 2: 82; 3:197, 235, 263–265; 5:131; 11:232; 12: 129, 183; 13:54; 14:21; 21:119; 23:97; 24: 156, 179; 29:184, 218, 243, 244; 32:151, 152, 270; 33:195, 196; 36:233, 234, pl. 289; 39: 60, 371, 375; 43:68; var. amoenum 1:94; 18: 41; 23:285; 24:156, 179; var. atrococcum 1: 94; 3:197, 235, 263-265; f. leucococcum 3: 265; 24:156, 228; var. pallidum 1:94; 19: 246; 23:286; 24:156, 179. crassifolium 36: 49, 236; 42:378, 379, 474, map 12: 43:488; 44:240, 350. dialypetalum 36:233. dumosum 13:96-98; 33:197. Elliottii 36:50; 39: 331, 437, 467, 480; 45:370, 456. erythrocar-331, 437, 467, 480; 45:370, 456. erythrocarpum 46:138. formosum 2:224; 33:197. frondosum 13:96, 99; 33:197. fuscatum 33:197; var. pullum 33:196. gaultherioides 25:24. globulare 37:210, 325, map 7. hirtellum 13:96, 97; 33:197. Langloisii 38:407. ligustrinum 43:625. macrocarpon 1:94; 4:42, 234–237, pl. 40; 5:82, 133; 11:97, 230, 231; 12:183; 13:54, 117, 135, 139, 149, 217, 220; 17:148; 18:41, 94, 98; 22:135; 23:166; 24:156; 27:53; 29:218; 32:150, 214, 270; 37:320, 437; 38:378; 39:368; 40:146; 44:370; 46:315, 494. macrophyllum 37:325. 44:370; 46:315, 494. macrophyllum 37:325. Margaretta 33:193, 194, 196. marianum 33: 195; 44:342. melanocarpum 36:230. membranaceum 10:54; 37:205, 210, 211, 216, 218,

325, map 7; 49:207; var. rigidum 37:325. missouriense 33:193. myrtilloides 10:147, 148; 29:184; 37:325; β. macrophyllum 37: 325; γ. rigidum 37:3. Myrtillus 21:66; 29: 184, 218; 44:188. **neglectum** 10:**53**; 36:49, 184, 218; 44:188. neglectum 10:53; 36:49, 230. nubigenum 10:53; 28:116, 124, 224; 31:47; 35:58, 279, 280, 402, map 23, pl. 260; 36:327; 44:115, 144. occidentale 25:24. ovalifolium 9:163, 177, 178, 188, 190, 191; 10:54; 11:97; 13:116; 28:107, 116, 124, 224; 32:206; 34:244; 35:58, 280, 402, pl. 260; 37: 205, 216; 38:274; 44:115. Oxycoccus 1:94, 183, 192; 2:208; 3:176, 189, 197; 4:106, 235–237, pl. 40; 5:36, 133; 9:163, 190, 218; 11:97, 240; 12:35, 183; 13:220; 17:148; 18:30, 41; 22:37, 41, 43, 44, 23:96, 98, 24:156, 159, 25. 22:37, 41, 43, 44; 23:96, 98; 24:156, 159; 25: 10; 29:71, 218, 222; 32:143, 179, 261; 33:51, 96, 99, map 4; 34:55; 36:283; 37:206; 44: 115; 46:250; var. intermedium 4:236, 237, pl. 40; 6:126, 142; 7:109; 8:29; 11:54; 22: pl. 40; 6:126, 142; 7:109; 8:29; 11:54; 22: 41, 44; 33:123; var. ovalifolium 11:54. pallidum 9:119; 33:196; 45:457. pensilvanicum 1:94, 192; 2:82, 224, 225; 3:65, 176, 189, 263, 264; 5:128; 9:181, 187; 10:147, 148; 11:97; 12:129, 176, 183; 15:190; 17: 153; 18:41; 20:101; 22:134; 23:105, 135, 138, 247, 285; 24:156; 28:80; 29:184, 218, 237; 32:173; 33:123; 34:54, 64; 36:233; 37:422; 39:60, 61, 63, 373, 375, fig. 1, pl. 456; 40: 145; 42:95; f. leucocarpum 3:264; var. ansuficilium 1:94: 3:65, 176, 197: 5:36: 7: gustifolium 1:94; 3:65, 176, 197; 5:36; 7: 108; 9:156, 163; 10:54, 145, 147, 148; 11:97; 12:106, 141; 13:96; 18:41; 21:192; 22:37, 43, 44; 25:10; 29:184, 218, 237; var. myrtilloides 10:148; 11:54; 13:235; 15:167; 18: 41; 22:137; 24:156; 25:10; 32:179; var. ni-grum 1:94; 3:198, 263; 10:145; 12:176, 183; 17:153; 20:101; 22:137; 23:138, 247; 24: 156; 39:63. pubescens 25:24, 25; 36:184. resinosum 10:53; 33:197. salicinum 25:24. serum 33:194; var. pubifolium 33:195. stamineum 1:94; 4:246; 12:168, 169; 16: 117; 19:246; 21:199; 24:185; 32:177; 36: 220; 37:350, 352, 358, fig. 4 (map); 38:377; 39:474; 43:68; 45:456; var. interius 45:456; 39:474; 45:08; 45:496; var. interius 45:496; var. neglectum 45:456. tenellum 47:171, 209. tomentosum 33:198. Torreyanum 45: 457. uliginosum 1:94, 172, 192; 2:88, 97, 98, 138, 187, 189, 190; 3:156, 176; 5:36, 45, 49; 9:154, 156, 163, 169, 174, 177, 182, 190; 10:54; 11:97, 157; 13:123; 15:201; 21:192; 22:37, 44; 25:10, 23, 24; 28:80; 29:184, 218; 20:71, 23:250, 34:54, 244, 36:183, 184, 232 30:71; 32:259; 34:54, 244; 36:183, 184, 233, 283; 41:146, 148, 157; 42:311, 335; 44:187, 188; β. pubescens 25:24; γ. mucronatum 25:24; subsp. microphyllum 25:25; 36:184; var. alpinum 25:24, 114; 29:184, 218; 33: 110, 123; 34:54; 35:5, 121, 239; 36:183, 184; 41:158, 160, 164, 276; 42:335; var. Langeanum 36:184; var. pubescens 15:201; 36: 184; var. typicum 36:184. ursinum 33: 198. vacillans 1:94; 3:235, 265, 266; 4:131; 5:129, 130; 10:146; 13:235; 16:117; 18:68; 19:66; 21:199; 23:166, 285; 24:156; 25:116; 33:193, 194; 35:363; 37:350, 352; 39:373, 375; 45:457; var. columbianum 33:195; f.

mollifolium 33:195; var. crinitum 13: 236; 19:246; 25:116; 35:363; 36:220; 45: 456; var. missouriense 33:193. virgatum 36: 32, 50; 45:456; var. tenellum 36:32, 50, 220; 38:378; 39:481. Vitis-Idaea 1:94, 171, 192; 2:97, 98, 138; 3:156, 176; 4:34, 189, 232–234, 237, pl. 40; 5:37, 49; 9:154, 181; 12:23–25, 30–36, 38; 15:29; 27:214; 28:131; 29:184, 218; 34:64; 41:146, 147, 158, 276; 42:352; var. 4:233, 234; var. major 4:233, 237; var. microphyllum 4:234; var. minus 4:233, 234, 237, pl. 40; 6:126; 9:156, 163, 169, 170, 177 237, pl. 40; 6:126; 9:130, 163, 169, 170, 171, 189, 191; 11:177; 12:34, 183; 13:123, 136, 182, 216, pl. 88 (map 5); 17:148; 18:41; 21: 92; 22:37, 44; 24:156; 25:10, 114; 29:131, 184, 218; 32:259; 33:109, 123; 34:54; 36: 283; 38:113, 116, 120, 157; 40:163; 42:311, 335; 44:118, 188, 230; var. pumilum 4:234; 12:34

Vachellia densiflora 38:406

Vagnera 9:53; 22:49. racemosa 6:110. stellata 6:110. trifolia 1:184; 6:110; 22:48

Valantia hypocarpa 18:192

Valentinia 9:53 Valerian 6:91

Valeriana 6:8; 17:66; 19:33; 26:17; 40:187. capitata 41:164, 290; 42:339; 45:316. edulis 34:97, 99. Locusta a. olitoria 40:190, 191; ε. radiata 40:204, 206. officinalis 1:81; 23: 292; 26:17; 41:79. septentrionalis 13:221; 44:102. sylvatica 6:8; 9:163, 190; 13:116 uliginosa 9:163; 10:172; 12:116-118; 13: 115, 116; 16:198; 17:66; 19:31, 33, 53; 20: 101; 21:65, 88; 23:248

Valerianaceae 26:17; 31:43; 43:92; 45:316 Valerianella 4:195, 196; 7:158; 40:186–189, 192, 196, 199, 212, 466; 41:80; 42:156. \$ Platycoelae 40:188. \$ Siphonella 40:186— 188, 209, 211. amarella 40:185, 186, 189, 196, 204, 212, 466, pls. 492, 493. **Bushii** 40: 186, 188, 190, 204, 208-**210**-212, pl. **494**. capitata 40:192. carinata 40:190, 199, 212, 466, 467, pl. 493. chenopodifolia 40:186, 189, 195, 203, 204, 212, pl. 493; 48:96. costata 40:192. gibbosa 40:192. intermedia 40:186, 190, **202**, 203, 212, pls. **492**, **494**. Locusta 40:190, 191, 199. longiflora 35:289; 36:221, 232; 40:186, 190, 204, 208, 211, 212, pl. 494; var. stenocarpa 36:232. Nuttallii 40:186, 190, 204, 208, 212, pls. 492, 494, olitoria 6: 92; 40:187, 189, 190, 192, 212, 467, pl. 493; 41:80. ozarkana 40:185, 186, 190, 192, 204, **208**, 212, pls. **492**, **494**. **Palmeri** 40:190, **201**, 202, 212, pl. **494**. patellaria 40:189, 193-195, 212, pl. 493. praecox 40:199. radiata 4:195, 196; 40:186-188, 190, 193-195, 200–204, 212, pls. 492–494; var. **Fernaldii** 40:190, **207**, 212, pls. **492**, **494**; var. leiocarpa 4:196; var. missouriensis 40:190, 206. 212, pl. 494; var. patellaria 40:193; var. umbilicata 40:194. stenocarpa 40:188, 190, 199, 200, 202, 212, pl. 493; var. parviflora 40:186, 190, 201, 204, 212, pl. 493. texana 40:185, 189, 198, 212, 465, 466, pl. 493. umbilicata 40:189, 193–195, 212, pl. 493. Woodsiana 40:187-189, 192-195, 200, 204,

212, pl. 493; var. patellaria 40:193, 194; var. umbilicata 40:194

Valerianellas 40:186, 188, 465

Vallaris Ipecacuanha, var. linearifolia 50:148 Vallisneria 6:104; 12:4; 13:215; 16:120; 29: 249: 44:175, 220, americana 20:108-110; 24:112; 27:201; 29:249, 250; 32:148, 231; 33:166; 38:384; 42:387, 409, 507; 44:220. spiralis 5:134; 6:104; 12:4; 13:111, 215; 15:91; 20:108-110; 21:53; 24:112; 32:231; 44:220; β. americana 20:108; var. americana 20:110

Vallisneriaceae 6:104 Valoniaceae 11:20

Valota 36:68

Vanda 2:31. falcata 27:107

VanHuerckia rhomboides 10:184: var. amphipleuroides 10:181, 184. vulgaris 10:183, 184 Vanilla 40:458. Grass 23:164; 49:276

Vargasia caracasana 22:99; 24:35 Vaucheria 5:107; 9:200; 29:38; 40:229; 44: 34; 50:260. aversa 7:240; 29:38. **Gardneri** 9:**201**, 202, pl. **76**; f. **tenuis** 9:**201**. geminata 7:240; 9:201, 202; 50:71; var. racemosa 7:240. intermedia 5:107. litorea 2:45; 7: 226. longipes 9:201, 202, pl. 76; 26:165. murina 50:260. piloboloides 2:13, 45; 7: 226; var. compacta 2:13, 45. pusilla 3: 290. sessilis 7:241; 26:212; 50:71. terrestris 50:71. Thuretii 2:13, 45; 40:273

Vauthiera australis 25:54 Veined-birch 12:30 Velvet Bells 28:105. Grass 49:269 Velvet-leaf Blueberry 12:183 Ventenata 8:81–83 Venturia inaequalis 44:174

Venus-hair Fern 45:268 Venus's Fly Trap 33:56 Veratrum 6:110; 10:128. album, subsp. oxy-sepalum 41:163, 164, 214. angustifolium 48: 149, 151. luteum 42:254; 47:374. viride 1: 167; 4:74, 76; 5:132, 134; 6:110; 10:128, 145; 13:141, 148; 16:13; 34:51; 36:376; 42: 278. Woodii 35:285; 50:106

Verbascum 6:128; 25:66. Blattaria 7:34; 15: 201; 25:66. Lychnitis 7:34, 36; 25:66; 43: 505, 639. nigrum 7:38; 25:66. Phlomoides 7:34, 36, 37; 25:66; 26:39; 31:85; 48:97; 49: 67, 68, pl. 1055. thapsiforme 26:39; 49:68. Thapsus 3:189; 6:128; 7:34; 18:99; 25:66;

26:39, 186, 227; 32:273; 48:97; 49:68, pl. 1055: 50:299

Verbena 4:246: 6:88: 7:158: 23:172: 25:31: 30:54. angustifolia 6:142, 205; 7:34; 15:67; 19:247; 40:182. bracteata 38:272. bracteosa 2:205; 5:119; 7:34, 36; 25:31; 38:271, 272; 42:46. brasiliensis 40:371, 455. densis 38:443; 39:482. Halei 40:181. hastata 4:93, 246; 6:88; 7:34; 9:122; 11:130; 17:217; 23:289; 25:31; 31:85; 32:216, 272; 37:350; 41:184, 514, 520, fig. 1; × urticifolia 6:142; f. rosea 4:245; 37:87. hispida 25:31. lasiostachys 38:272. officinalis 7:38; 25:31; 30:54; 35:44; 41:185; 42:478; 45: 476; f. roseiflora 35:45. prostrata 38:271, 272. scabra 38:442, 443; 39:365, 445, 480;

42:371, 478; 43:513, 523; 49:90. simplex 40:182; 47:272; 48:115, 116; 49:24. stricta 6:88; 7:34; 13:89; 25:31; 28:47; 34:10; 38:65; 40:244, 245; f. albiflora 34:19; 40:244; f. roseiflora 34:10; 40:245. urticifolia 7:34; 25:31; 28:73; 38:442, 451, pl. 450; 40:450

Verbenaceae 7:34; 25:31; 28:73; 31:43; 32: 272; 36:6; 42:34

Verbenas 46:306

Verbesina 7:158; 26:167; 47:398, 401, 402. alata 47:401. alba 47:196, 197, 398. alternifolia 47:402. encelioides 6:82; var. exauriculata 26:167; 35:145. nana 34:6. occidentalis 36:374; 38:377. prostrata 47:196, 197, 398. virginica 36:231

Vernalgrass, Sweet 49:276

Vernix 30:55

Vernonia 9:55; 12:171; 26:167; 35:201, 359; 36:373; 38:192; 40:220, 357; 44:12, 34. acaulis 17:135, 137. altissima 19:168; 35: 202; 38:193; var. pubescens 19:168; var. taeniotricha 19:167. angustifolia 12:171; 48:411. Baldwini 8:226; 35:201, 290; 38: 370, 371; × crinita 35:290; interior 38:371; var. interior 38:370–372. chrysopappa 38: 193. corymbosa 40:220. crinita 35:290; 36: 232. fasciculata 26:167; 35:201, 202; 38: 65, 193; 40:220; var. corymbosa 40:220. georgiana 12:171, 172. gigantea pubescens 19:168. glauca 19:168; 35:201; 37:381, 446; 39:476; 43:652, 653; 46:140; f. longiaristata 43:652, 653. hirsutiflora 48:395. illinoensis 34:8; 35:201. interior 38:370, 371; var. Baldwini 38:371. missurica 34:8; 35:201, 202; f. carnea 32:33. noveboracensis 9: 122; 10:167; 12:171; 26:167; 27:57, 62; 35: 199, 201; 37:350; 38:98, 370; 42:41; 43:653; var. latifolia 35:201. oligophylla 12:171, 172; 17:135, 137. pulchella 38:369, 370. scaberrima 38:369, 370; var. pulchella 38:369

Veronica 4:108, 192, 193; 6:129; 7:159; 13:18; 16:73; 23:1-3, 5, 7, 29, 41; 25:66; 28:81; 34:149-151; 41:382, 565, 566. subgen. Euveronica 23:3-5, 29. subgen. Veronicella 23:3-5, 7. acinifolia 23:18. acutifolia 41: 568. agrestis 7:38; 23:10, 19, 20; 24:203; 25:66; 29:186, 219; 40:464. Allenii 23:13. alpina 3:176; 4:194; 7:34; 9:25, 154; 23: 4, 8, 13-15; 31:138; 34:150; 41:447, 448, 450-456; α. lapponica 41:449 var. alterniflora 41:449, 455, pl. 567; var. australis 41:451, 452, pl. 563; var. cascadensis 41: 449, 455, 456, 457, pl. 563; var. geminiflora 41:449, 454-456, pl. 566; var. lasiocarpa 23:14; 41:451-453, pl. 563; var. terraenovae 41:449, 453, 454, pl. 565; var. typica 41:448, 449, 450, pl. 563; var. unalaschcensis 9:24, 163, 166, 190; 28:124, 234; 38:157; 41:283, 448-453, 455, pl. 564; 42:338; 44:115; var. villosa 41:448, 450, 451; var. Wormskioldii 41:450. amabilis 23:39. americana 4:192, 193; 6:129; 7:34, 38; 10:20; 16: 89; 18:43; 21:65, 202; 23:30, 34, 35; 25:

66; 36:283; 41:283. Anagallis 4:192; 6: 205; 7:34, 38; 9:39; 41:564, 567; var. anagalloides 41:567; var. glandulifera 41:568; var. glandulosa 41:567. Anagallis-aquatica 9:39; 12:187; 13:32; 19:60, 248; 23:5, 31, 35-37; 25:67; 41:564-569, pl. 581; f. anagalliformis 41:564, 565, 569, pls. 580, 581; var. glandulosa 41:566, 568. anagalloides 23:37. aphylla 23:33. aquatica 41:566-569, pl. 583; f. glandulifera 41:568; f. laevipes 41:568, 569, pl. 582. arvensis 2: 137, 156; 6:84; 7:34; 12:129; 16:90; 23:5, 137, 130, 0.34, 7.34; 12.129; 10.39; 25.35, 9, 19, 22; 25.66; 29:186, 219; 32:274; 40: 443, 445; 41:565. Beccabunga 4:81, 191–193; 16:89; 23:30, 34, 35; 41:567. biloba 23:10, 21, 22. Brittonii 23:36. Buxbaumii pl. 582; subsp. glandulosa 41:569, pl. 583. Chamaedrys 4:107, 108, 152; 6:142, 235; 7:34, 36; 16:96; 23:29, 32; 24:182; 25:66; 41:130. chillensis 23:19. cinerea 23:40. connata 23:38; 41:564, 566, 568; subsp. glaberrima 41:525; var. glaberrima 41:525-Copelandii 23:4, 8, 12. crenatifolia 23:35. crenulata 23:20, 21. Cusickii 23:8, 12, 13, 17; f. Allenii 23:13. decussata 23:40. di-dyma 23:20; 41:569; 44:248; 50:17. diffusa 23:21. elliptica 23:39. filiformis 21:102; 23:21. fluminensis 23:40. Fonkii 23:39. fontana 23:17. frutescens 23:14. fruticans 23:8, 13. fruticulosa 23:13. funesta 23:17. glandifera 23:31, 36, 37; 25:67; 34:151; 41: 564, 565, 569, pls. 580, 581. grandiflora 23: 30, 33. hederaefolia 7:38; 23:7, 10, 22; 43: 486, 639; 46:139. humifusa 4:194; 13:124; 486, 639; 40:139. humitusa 4:194; 13:124; 23:16; 28:234; 35:58; 36:283; 41:456; 44: 115. intermedia 4:192. javanica 23:30, 33. kamtchatica 23:33. latifolia 23:4, 29, 32; 25:67. lepida 23:35. litoralis 23:40. longifolia 6:129; 7:34; 23:10, 11, 95, 290; 25:67. marilandica 23:40. maritima 23:4, 7, 10-132. 25:67. marijandica 23:40. 12; 25:67. mexicana 23:4, 7, 12. micromera 23:36. missurica 23:40. mollis 23:15. neglecta 23:16. nutans 23:15; 41:450. officinalis 7:34; 17:152; 21:200; 23:5, 19, 29, 30, 33; 25:67; 28:81, 85; 29:127, 186, 219; 35:282; 41:382; var. Tournefortii 35: 282, 283. oxycarpa 23:37. oxylobula 23: 34. peregrina 6:82, 84; 7:34; 17:218; 23:5, 9. 18, 19; 25:67; 32:274; 34:150, 151; 37: 308; 40:445; 42:338; var. xalapensis 23:5, 18; 25:67; 32:274. perfoliata 23:36. persica 21:101, 102; 23:5, 10, 20, 21; 25:67; 40: 372. polita 23:10, 20; 50:17. praecox 23: 20, 21. pumila 23:13, 14; 41:447, 448, 451–453, pl. 563. Purshii 23:40. quinquefolia 23:6; f. alba 23:6; f. incarnata 23:6. reniformis 23:22, 40, 41. romana 23:18. rotundifolia 23:21, 41. ruderalis 23:17. salicifolia 23:39. salina 23:37; 41:568, 569, pl. 583; f. laevipes 41:568, 569, pls. 582, 583. saxatilis 23:13, 14. scutellata 5:132; 7:34; 16:90; 22:135; 23:31, 38; 25:11, 67; 29:132,

186, 219; 32:62; 36:283; 37:331; 41:566; f. villosa 23:38: 37:331; var. pubescens 37: 332: var. villosa 37:331, 332. serpyllifolia 4:193, 194; 7:34; 12:129; 16:90; 22:136; 23:5, 9, 16, 17; 25:67; 29:132, 186, 219; 32: 274; 33:124; 38:299; 40:443; 41:456; var. alpina 4:194; var. borealis 4:194; 6:129, aipina 4:194; var. borealis 4:194; 6:129, 142, 193; 7:34; var. humifusa 4:194, 195. Simpsonii 23:40. sparsiflora 23:41. spicata 7:38; 23:7, 12; 25:67. spuria 23:11, 12. Stelleri 23:8, 14, 15. tenerrima 41:567, 568. Teucrium 7:34, 36; 19:248; 23:32; 25:67. Tournefortii 19:248; 21:102; 23:21; 25:67; 41:130. uliginosa 23:38. undulata 23:31, 37. urticaefolia 23:32. versicolor 23:20. villosa 23:15: 41:450. virginiga 6:285, 7. villosa 23:15; 41:450. virginica 6:205; 7: 34; 23:6; 24:184; 42:46. Wormskioldii 23: 4, 9, 15, 16; 34:244; 38:157; 41:154, 163, 283, 447, 448, 450-453, pl. 564; 42:338. xalapensis 23:19

Veronicastrum 23:2, 3, 5, 6. album 23:6. virginicum 23:6, 7; 41:569; f. villosum 23:6, 7 Verrucaria epigaea 28:159. muralis 28:159.

mutabilis 28:159

Verrucariaceae 28:159 Verticillatae 47:386, pl. 991

Vervain, White 28:73

Vesicaria 30:59. § Physaria 41:397, 398. arctica 13:223; 35:269. didymocarpa 41: 397, 406. Geyeri 41:397, 401. monteviden-

sis 35:270. Shortii 45:278 Vesicularia 35:146. amphibola 36:56 Vetch, Kidney 13:240. Milk 14:56 Vetiveria 47:108

Vibrissea 1:60, 61, 64. circinans 1:64, 67, pl. 4. lutea 1:64, 91. truncorum 1:60, 64 Viburnum 4:89, 108; 6:61, 130; 12:184; 19: 22; 20:11, 14; 21:103, 191; 24:77; 26:16; 33:110; 42:1; 50:170, 171. § Opulus 43:481. acerifolium 6:55, 58; 13:111, 216; 21:199; 26:16; 32:109, 176, 276; 40:382, 458; f. Collinsii 47:264. affine 20:13-15; 24:184; 37:332; 42:2; var. affine 20:14; var. hypomalacum 20:14; 37:332; 41:474, 570; 46: 140. alnifolium 6:55, 57, 130; 12:129, 184; 13:141, 161; 14:75; 21:199; 23:134, 136, 291; 24:204; 26:16; 46:82, 140. americanum 6: 57; 20:14; 21:102, 103; 49:252. Ashei 42: 5. asiaticum 6:60. bracteatum 6:59. Bushii 35:364. carolinianum 42:5. cassinoides 1:191; 2:37, 125; 3:176; 5:36; 6:55, 57, 130; 9:122; 11:98, 232; 12:184; 13:111, 139, 146, 216; 17:152; 18:30, 43; 21:119; 22: 134, 135; 26:16; 28:51; 29:189, 220; 33:125; 44:230; 50:169, 170. Demetrionis 6:58, 59; 20:13. densiflorum 24:77. dentatum 2: 187; 4:89; 5:131; 6:55, 58, 60, 61; 7:125; 9: 122; 12:108; 15:167; 20:11, 12; 22:95, 132, 134, 135; 26:16; 32:151, 276; 36:51; 42:1-6, pl. 585; 43:647, 648, 651, 652; 47:367; aglabellum 43:651; a. lucidum 20:11, 12; 42: 2; 43:647, 651; β. pubescens 20:11, 12: 42: 5. asiaticum 6:60. bracteatum 6:59. 2; 43:647, 651; β. pubescens 20:11, 12; 42: 2; 43:648-650, fig.; β. ? scabrellum 6:59; 42:4; 43:648; β. semitomentosum 6:59; 43: 647; y. sessile 20:12; 42:2; var. a. glabellum 42:4; var. β. semitomentosum 42:4; var.

15; 43:648; var. lucidum 42:5, 6; var. pubescens 20:11; 42:4-6; 43:648-650, fig.; var. semitomentosum 6:58, 60; 42:5, 6; var. sessile 42:2. edule 43:481-483; 49:252. eradiatum 43:481, 483. glabratum 43:651. glabrum 43:651. Hanceanum 6:60. laevigatum 6:61; 50:169. Lantana 19:249. lantanoides 1:183; 2:37; 6:130. Lentago 6:55; 13:111, 216; 17:152; 26:17; 37:350, 352, 355, fig. 3 (map); var. sphaerocarpum 10:86. longifolium 6:61; 20:15; 43:647. lucidum 43:647, 651. molle 6:58-60; 20:13; var. ? tomentosum 6:59; 42:4, 6. nepalense 6:60. nudum 6:55, 57; 21:119; 29:189; 38:377; 39:474, 482; 42:87, 90; 43:652; var. angustifolium 43:652: 49:93, 182, obovatum 50: 169, 170. Opulus 1:168; 2:37; 3:131; 4:131; 6:8, 55, 57, 58, 130; 19:249; 20:14; 26:17; 43:481, 482; β. roseum 43:159; var. α. europaeum 43:482; var. β. Pimina 43:482; var. γ. edule 43:481, 482; var. americanum 6:57; y. edule 43:481, 482; var. americanum 6:57; 20:14, 15; 21:102, 199; 23:137, 291; 26:17; var. edule 43:482; var. eradiatum 43:481 pauciflorum 3:155, 176; 6:55; 9:154, 163, 169, 190; 11:98; 13:138, 216; 25:11; 32:61, 206; 34:55; 35:122; 36:284, 308; 41:151, 290; 42:339; 43:481-483; 49:252. prunifolium 6:55, 57; 38:445; var. globosum 6:58. pubescens 4:190; 6:55, 58, 60; 20:11-15; 32:212, 276; 39:372, 375; 42:2, 4, 6; 43:647-650, fig.; var. affine 20:14; var. Canbyi 20:15; 42:2, 5; 43:648; var. Deamii 42:5; 43:649; var. indianense 37:350, 353, 360; 42:5; 43:648, 649; var. longifolium 360; 42:5; 43:648, 649; var. longifolium 20:15; 43:648; var. petiolum 20:13. Rafinesquianum 20:12, 13; 44:373, 458; 45: 365; 46:140. recognitum 43:647, 648, 651, 652. rufidulum 14:83; 36:51, 224, 231; 39: 331, 482; 40:448; 42:363; 46:307, scabrellum 6:58, 59; 20:13; 37:446; 39:480; 42:3, 6; 43:647, 648, 651. semitomentosum 6: **59**; 42:5, 6; 43:647. trilobum 43:481, 482; 49:252; y. edule 43:482. venosum 6:55, 58-61; 13:151; 20:11-13, 15; 32:276; 39:372, 375; 42:2, 3, 6; 43:647–649, 651; var. Canbyi 6:60; 20:15; 42:3, 5; 43:647, 649; var. longifolium 6:61; 20:15; 43:648, 649. villosum 20:12, 13 Vicia 13:18; 20:209; 43:208; 44:262. americana 36:282. angustifolia 11:49; 20:209; 23: 273; 40:443; 50:297; var. segetalis 17:148; 20:209; 23:68; 24:186; 29:180, 215; 33:122;

Deamii 43:649; var. longifolium 6:61; 20:

36:46; var. uncinata 12:140; 20:209; 23:95. caroliniana 2:90; 36:54; 40:438; 45:365, 453. Cracca 2:90; 3:188, 231; 6:192; 11:95, 178; 13:34, 89; 16:14; 20:209; 22:137; 25:9; 26: 226; 32:256; 34:53, 65; 35:248, 363; 36:282; 38:187-189, fig. 1; 49:250; 50:302; f. albida 38:189; f. sericea 38:189; var. sericea 35: 276. dasycarpa 38:188, 189; 42:100. exigua 34:6. Faba 6:144. grandiflora 43:490, 518, 587. hirsuta 1:48; 2:90; 13:34; 19:229; 20: 209; 29:180, 215; 31:84; 43:340. lathyroides 43:207, 208. sativa 1:47; 2:90, 225; 20:209; 24:186, 187; 41:516, 520; 44:174, 175; var.

angustifolia 2:90; var. linearis 49:150. sepium 2:225; 24:176; 49:288; 50:144. sparsifolia 34:6. stipulacea 19:159-163; 36:310, 311. tenuifolia 38:189. tetrasperma 1:81; 2:90; 6:195; 8:72; 10:172; 13:33; 19:229; 20:209; 26:226; 29:180, 215; 32:256; 43: 340; 45:480; villosa 13:34; 19:229; 20:209; 31:84; 32:257; 35:363; 37:87; 38:188, 189, fig. 1; f. albiflora 38:189

Victoria regia 49:58

Vigna 7:28. glabra 50:130. hirsuta 50:130. luteola 50:130. repens 50:130

Viinbaer 12:21

Vild Hvede 12:27, 28 Vilfa 4:49; 29:10; 45:227. arundinacea 41: 178. cuspidata 4:47. depauperata 4:45, 46; 18:233; var. filiformis 4:47, 48. gracilis 4: 47-49. gracillima 4:47. juncea 4:49. Richardsonis 4:46; 18:233. serotina 29:10. squarrosa 4:45, 46; 18:233. subsetacea 4: 48, 49. tenera 29:10

Villarsia 40:340. aquatica 40:339, 340. cordata 40:338, 340; 42:298. lacunosa 10:54;

40:338–340. trachysperma 40:340

Vínbaer 12:21, 24, 32, 36; 15:31. Svarte 12:

Vínbär 12:32; 15:29. Röda 12:21, 32. Svarte 12:32

Vinber 12:18, 20, 25, 32, 34-38; 15:29-32 Vinca 6:127; 24:235. major 44:372, 431; 45: 358. minor 4:17; 6:127; 7:40; 24:235; 46:

Vincetoxicum 9:49; 17:130; 40:281-283. acanthocarpos 40:282, 285. Baldwinianum 36: 230; 40:286. carolinense 36:230; 40:285, 286. gonocarpos 40:282-284. nigrum 4:17, 84. nivale 9:43; 39:309. obliquum 40:287. scoparium 50:130. Shortii 40:287. suberosum 40:284

Vindrue 15:32

Vindrufva 12:20: 15:32

Viola 2:235; 4:64; 6:9, 10, 14, 123, 213, 214, 223; 7:3, 110, 161; 8:6-10; 9:93, 151; 10:73, 195; 13:110, 182; 15:106, 108-110; 17:71, 202; 22:124, 186; 31:12, 13; 34:64, 247; 36:69; 37:307; 38:100; 39:203; 40:375, 443-445; 42:154, 199; 43:573, 612; 44:27, 103; 45:440, 442, 443, 445; 48:212; 50:46. achyrophora 41:263. adunca 13:147; 15: 108-111, 153, pl. 104; 16:95; 17:71; 22:124; 34:231; var. glabra 15:109; 31:55; 33:227; 41:142; var. glabra 15:109; 31:55; 33:227; 34:241; var. glabra 15:1109; 31:55; 33:227; 44:143; var. longipes 15:110. affinis 6:123, 142, 214, 215, 219-222, 226; 7:3, 4, 7; 8:49, 50, 55, 61, 118, 119; 9:93, 94; 12:39; 15:112, 166; 22:124; 25:212; 36:47; 37:433; 38:48, 49; 39:341; × cucullata 8:49; × nephrophylla 8:50; × papilionacea 8:119; × sagittata 8:55, 119; × septentrionalis 6:215, 219; 8:8, 40; × septentrionalis 6:215, 219; 8:8, 49; × sororia 6:221; 8:8, 49; × villosa 8:56, 119; var. chalcosperma 38:49; 39: 341, 436, 482; 40:442; var. Langloisii 38: 49, 437. alpestris 4:230. alsophila 7:248. amoena 6:123; 7:245, 246, 248. arenaria 9: 13; 10:146; 13:147; 15:106–108; 22:124. arvensis 5:155, 156; 6:78, 83; 22:124; 29:

216; 32:28; 37:87; 40:444-446; 43:486; 45; 444. asarifolia 9:95, 96. atlantica 8:56. Bernardi 8:59. bicolor 40:443, 444. biflora 16:95; 41:154, 163, 262, 263; 42:310, 333. blanda 2:208; 3:175, 188; 5:45, 131, 132; 6: blanda 2:208; 3:175, 188; 5:45, 131, 132; 6: 14, 123; 7:245-248; 8:118; 9:93; 10:165; 16:94; 21:200; 22:124, 134; 28:244; 29:181, 216; 32:266; 39:431; 44:173, 175; 45:444; var. palustriformis 6:123; 7:248; var. renifolia 31:85. Brainerdii 7:248; 8:168; 14: 87. Brittoniana 6:16; 8:118; 11:14, 15, 107; 116; 13:182; 16:76; 22:124, 125; 37:433; 39: 475; × cucullata 8:52, 119; × emarginata 8: 120, 122, pl. 71; × fimbriatula 22:126; × lanceolata 11:15, 115; 22:126; × pectinata 22:126; × sagittata 8:120; 22:127. canadensis 1:171: 6:95, 123: 15:112, 113: 21: densis 1:171; 6:95, 123; 15:112, 113; 21: 200; 22:126; 23:276; 33:179; 35:250. canina 3:175; 4:183; 10:39; 15:108, 110, 111; 29:182, 216; var. Muhlenbergii 2:223; 3: 175; 6:123; 9:151, 162; 15:108; var. puberula 15:108, 109. carolina 9:96, 97. chalcosperma 38:48, 49. chinensis 10:38–40; 22: 125. clandestina 6:14. cognata 7:4, 6. conjugens 8:61, 121. conspersa 6:123; 8: 119; 9:151, 162; 12:129; 15:110, 112; 22: 125; 23:276; 24:177; 35:250; 39:188; 41:35; 350, 354, 358, fig. 4 (map); 42:199, 200; 45: 358, 440, 444, 445, 453; × emarginata 8:52, 120; × fimbriatula 8:8, 49; 15:166; 22:127; × nephrophylla 8:50; × palmata 8:56; 15: 115; × papilionacea 8:56; 22:127; × primulifolia 11:115; × sagittata 8:52; × septemloba 8:52, 59, 119; × septentrionalis 8:49; 22:127; × sororia 8:49, 56; 22:127; × triloba 15:115; 22:127; f. albiflora 17: 180; 42:45; f. prionosepala 15:112; 23: 274; 33:122; var. microtitis 15:112; 23: 274; 44:143; var. palmata 15:114. cuneata 15:111. cuspidata 6:15; 9:96; 17:70. Denscanis 44:27. dentata 6:218. Dicksonii 6: 15; 9:96. digitata 36:53. domestica 6:10, 15. drepanophora 15:110. Egglestonii 15: 113. emarginata 6:226; 7:1, 6, 7; 8:51-53, 58, 61, 118, 120, 122; 11:115; 16:76; 19:231; 32:177, 212; 36:230; 39:480; × fimbriatula 32:177, 212; 36:230; 39:480; × fimbriatula 8:57, 120; × papilionacea 8:120; × sagit-tata 8:58, 120; × septemloba 8:53, 120; × villosa 8:120; var. acutiloba 40:442; 42:466; var. simulata 8:119. epipsila 41:163, 263; 42:333. eriocarpa 21:200; 22:125; 23:275, 276; 35:250; 43:509, 616, 617; 49:199; var. leiocarpa 23:275, 276; 43:342, 617. esculenta 38:436; 39:476; 40:375, 442; 42:400, 466; 44:262. falcata 15:114. filicetorum 8: 118; var. parthenica 8:119. filipes 15:111. fimbriatula 6:12, 16, 17, 214-218, pls. 50, 58; 7:2, 3, 7; 8:9, 51, 52, 54, 57, 58, 60, 61, 118, 120, pls. 67, 70; 9:96; 11:131; 12:129; 15:

268 Rhodora

114; 16:76; 19:220; 22:125; 23:138, 275; 26:226; 29:246; 32:151, 157, 266; 45:444; 50:303; × cucullata 6:217; × palmata 8: 53, 60, pl. 70; 15:114; × papilionacea 8:54, 120, 122; 22:127; × sagittata 8:57, 60, 120, pl. 68; 22:127; × septemloba 8:51, 60, pl. 67; × septentrionalis 6:218, pl. 58; 8:49; 67; × septentrionans 6:218, pl. 58; 8:49; 22:127; × sororia 8:49; 22:127; × triloba 15:114; 22:127; × villosa 8:121; f. albescens 42:45; var. aberrans 6:218; 8:120. fontana 8:119. hirsutula 9:98, 211–213, 215, fig.; 40:364; × papilionacea 9:98, 211, 213, 214, figs. hirta 9:41; 10:39; × odorata × collina 8:60. Howellii 15:110, 111. inconstitution 7:249, 10:145; 11:06, 15:112, 17. cognita 7:248; 10:145; 11:96; 15:112; 17: 151, 152, 154; 22:137; 23:275; 31:85; 32: 206; 33:110, 122; 34:53; 45:444; var. Forbesii 15:112; 22:125, 134; 23:275; 32:177. indivisa 8:59. inornata 8:118. insignis 36:47. Kitaibeliana 40:445, 446, 483, pl. 526; var. Rafinesquii 40:443, 446, 483, pl. 526. labradorica 3:175; 6:193; 8:119; 9:162; 11: labradorica 3:175; 6:193; 8:119; 9:162; 11:14, 96; 12:114; 13:147; 15:112; 17;154; 24:177; 25:9; 28:90, 244; 29:182, 216; 35:5; 36:282; 38:156. laetecaerulea 8:58, 119; 9:96. lanceolata 2:208; 3:188; 5:130, 131; 7:74, 108, 245, 247; 8:27, 118; 11:14, 15, 116; 12:129; 17:151, 217; 22:125; 32:149, 150, 266; 35:288; 36:47, 48; 37:350, 354; 38:364; 40:443; 45:444, 454; 49:250; × primulifolia 42:45; var. vittata 36:48; 39:337, 436, 480; 40:443; 41:490, 549; 45:373, 454. lancifolia 10:39. Langloisii 38:48, 49; var. pedatiloba 38:48; 40:375, 442. Langsdorffii 15:111; 41: 38:48; 40:375, 442. Langsdorffii 15:111; 41: 154, 263. latiuscula 6:11, 14, 15, 141, pl. 50; 7:7; 24:184; 43:499, 616. lavandulacea 8: 52, 61; 11:115, 116. LeConteana 7:245, 246, 248; 8:118. leptosepala 6:13. longipes 15: 110. Lovelliana 36:231. macrotis 6:13; 8: 118. maculata 15:108, 110. mamillata 15: 110. melissaefolia 6:215, 220; 8:61. mirabilis 15:111. missouriensis 35:363. Muhlenbergii 8:119; 29:182, 216. Mulfordae 8:51, bergn 8:119; 29:182, 216. Mulfordae 8:51, 61, pl. 67. nephrophylla 7:4, 5, 7; 8:49, 50, 61; 9:162, 189, 216; 12:112, 115; 13:138; 15: 111. 112; 16:95; 17:71; 18:101; 23:25; 24: 184; 28:90, 216; 31:85; 36:282; 37:64, 204. nodosa 6:15; 9:96. notabilis 8:52, 61, 119. novae-angliae 6:226, pl. 59; 7:1-3, 6, 7; 8:115; 11:14; 15:113; 37:301; 43:156; 44: 103. Nuttallii 16:95. obliqua 6:214; 8:118; 9:93, 94. odontophora 10:39; 15:110. odorata 8:118; 22:125; 28:108; 45:444. ornithodes 8:118. ovata 1:107: 4:39: 5:198 nithodes 8:118. ovata 1:107; 4:39; 5:128, 129. oxyceras 15:110. pallens 7:247; 8: 129. 0xyceras 13:110. panens 1:211, 0. 168; 11:96, 164; 12:129; 15:112; 17:151, 152; 18:40; 22:125; 29:181, 216; 32:61, 206, 216, 266; 33:122; 34:53, 64; 35:288; 36:100, 220, 221, 225, 227, 282; 37:350, 354; 38:156; 41:79; 43:81; 45:444; 46:82; f. alba 11:164. palmata 6:8, 12, 13, 15; 7:7; 8:10, 53-56, 58-61, 118, pl. 70; 11:107; 15:114, 115; 19: 66; 22:125; 45:444; \times sagittata 8:54, 59; 15:115; \times septemloba 8:55; \times villosa 8:56, 121; var. cucullata 3:188; 6:8; var. dilatata 6:13; 8:54, 56, 58; 9:96; \times sagittata 15:115.

palustris 2:98; 3:156, 175; 9:162; 16:95; 17: 71; 28:108, 217; 29:182, 216; 35:58, 278; 38: 156; 42:333; 44:115. papilionacea 6:12, 14, 15, 142, 218, 221, 222; 7:7; 8:54, 55, 58, 60, 61, 118, 119, 121; 9:93, 94, 96, 98, 211-213, 215, fig.; 12:128; 22:125; 31:12, 13; 32:216, 266; 36:374; 37:59; 42:199, 200; × sagittata 8:54, 121; × villosa 8:121; 9:98; var. aberrans 8:54, 61. pectinata 8:59, 60, 80, 118, pl. 69; 22:125; 37:433; 38:377, 394; 39: 475. pedata 2:157, 216; 5:128, 129, 203; 6: 11; 7:7; 8:118; 9:121; 13:172; 15:19; 17: 35, 37; 24:151; 27:51; 31:13; 36:53, 220; 38:303; 45:444; f. alba 13:172; 17:180; 22: 125: f. rosea 13:172; 14:22: 19:117: 22: 71; 28:108, 217; 29:182, 216; 35:58, 278; 38: 125; f. rosea 13:172; 14:22; 19:117; 22: 125; 27:131; var. bicolor 2:206; 46:306; var. concolor 24:151; var. inornata 8:118; var. lineariloba 8:118; 12:128; 13:172; 15:18; 19:220; 22:125; 38:303; var. ranunculifolia 36:53; var. velutina 2:216. pedatifida 7:8; 8:59; 16:95. pensylvanica 43:509, 616, 617; 45:359; var. leiocarpa 43:617. perpensa 8:234. Porteriana 6:215, 217; 8:61. primulifolia 7:245, 247; 8:58, 118; 11:115, 116; 13:218; 17:151, 154; 18:40; 19:231; 22:126; 23:150, 275; 28:132; 31:13; 32:212; 38:49, 50; 39:197, 198, fig. 13 (map); 44:234; f. subcordata 38:50; var. australis 38:50; var. villosa 38:49, 50; 41:550. prionosepala 6: 12; 15:112. pubescens 4:76, 88; 5:132; 6: 123; 8:119; 15:112; 20:200; 22:126; 43:616; 45:444. punctata 15:110. Rafinesquii 5: 156, 8:119; 36:362; 37:87; 39:52; 40: 443-446. ranunculifolia 36:53. renifolia 6: 14, 123; 7:245, 247, 248; 13:125; 14:86, 87; 17:71; 22:137; 28:120, 217; 32:206; 37:309, 19:220; 22:125; 38:303; var. ranunculifolia 17:71; 22:137; 28:120, 217; 32:206; 37:309, 319; 45:444; var. Brainerdii 14:88; 15:112; 16:95; 23:275; 28:217; 31:85. reptabunda 38:50. rostrata 1:171; 13:146, 147; 15:110; 17:180; 19:231; 21:198; 22:126; 34:231; 35: 250; 46:137; f. **Phelpsiae** 17:1**80.** rotundifolia 1:170; 2:122; 4:183, 184, 230; 5:236; 6:14, 123; 9:93; 12:129; 15:112; 22:92, 126; 37:421; 39:200, 202, fig. 29 (map); 46:82; β. pallens 7:246, 247. rubella 15:108. ru-B. pallens 7:246, 247. rubella 15:108. rugosa 38:49, 50. rugulosa 15:113; 16:95; 43:156. rupestris 15:106, 107, 109; var. arenaria 15:107, 109, 111, pl. 104. Rydbergii 15:113. sagittata 1:107; 6:12, 17; 7:7; 8:9, 51, 52, 54, 55, 57, 59–61, 80, 118, 121, pl. 66; 9:13; 10:40; 12:129; 15:114; 16:76; 22:126; 26:226; 32:157, 266; 35:363; 36:220; 37:350; 38:437; × septemloba 8:51, 60, 120, pl. 66; × triloba 15:115; var. ovata 29:246. scabriuscula 5:168: 6:123: 8:119: 12:129. pl. 06; x triloba 15:115; var. 6vata 29:246.
scabriuscula 5:168; 6:123; 8:119; 12:129;
15:66; 16:15; 22:125; 23:275; 27:51; 31:13.
Selkirkii 1:184; 2:124; 3:151, 164, 175; 6:
123; 11:96; 12:113; 13:125, 126; 15:225; 16:
94, 95; 17:71; 18:187; 19:231; 24:184; 28:
217; 29:232; 32:14; 33:51; 37:206; 43:342. senecionis 38:50. septemloba 6:12, 16; 7:8; 8:52, 55, 56, 59-61, 80, 118, pls. 66, 67, 69; 15:114; 36:32, 47; 43:489, 616. septentrionalis 6:12, 15-17, 142, 214-217, 219-221, pls. 50, 58; 7:2, 3, 7; 8:61; 9:95; 12:129; 13: 141; 15:112; 17:70, 154; 18:40; 22:126, 134;

23:275; 37:301; \times cucullata 6:220; \times fimbriatula 6:215; 7:2; \times sororia 8:49; 22:127; var. **grisea** 37:301, 341, pl. 375. Sheldoni 36:12. sororia 5:236; 6:12, 14–17, 142, 214, 215, 218, 221–223, pl. 50; 7:7; 8:54, 58, 60, 61, 118; 9:94, 95, 98; 12:129; 15:112; 17:70; 22:126; 35:250; 37:165, 433; × cucullata 6: 22:126; 35:250; 37:165, 433; × cucullata 6: 222; × fimbriatula 6:218; × septentrionalis 6:221; f. Beckwithii 33:169. Stoneana 8: 118, 121; 38:436; 39:475; 41:549; 47:160; × villosa 8:121, 122, pl. 72. striata 1:171; 8:119; 15:110; 22:126; 31:13; 37:87; 39: 187; 41:35; 42:382, 467; 43:488; 45:272, 383; 454. subviscosa 6:16. tenella 5:155; 40: 443. tricolor 5:156; 6:123; 17:35, 38; 22: 126; 29:216; 45:444; var. arvensis 5:155; 40:444; var. hirta 9:41. triloba 15:114; 22: 126: 36:47; var. dilatata 42:363, 466. triloba 15:114; 22: 126; 36:47; var. dilatata 42:363, 466. tri-partita 44:262. uncinulata 15:110. unguiculata 15:110. vagula 7:4–6. venustula 6: 11, 13, 15, 17, 123, 142, 214, pl. 50; 7:6. vespertilionis 8:118. viarum 15:114. vicinalis 36:47. villosa 7:6, 7; 8:56, 61, 118, 120, 121; 9:95–98; 24:151; 39:484; var. cordata 9:98; var. cordifolia 8:57, 61; 9:95, 98. vittata 36:48; 39:337

Violaceae 6:123; 18:40; 22:124; 25:9; 26:226; 29:216; 31:43; 32:266; 36:282; 37:306; 39: 18, 19; 43:81; 45:444; 49:255; 50:303 Violales 37:306, 386

Violas 42:333

Violas 42:355 Violet(s) 4:230; 5:120; 6:8, 9, 11-13, 15, 213, 220, 221, 226; 7:1, 245; 8:10, 117; 9:93; 11: 14, 115, 131; 15:112; 18:204; 22:130; 23: 135; 27:51; 38:48; 42:154, 200; 44:27; 45: 272, 440; 46:306. Dog's-tooth 46:314. Great-spurred 18:185. White 4:128. Yellow

4:88; 43:342 Violon 31:20 Viorne 1:168 Virea 27:49

Virginia Creeper 3:239; 4:141; 12:182. Pine 42:308. Spiderwort 21:49

Virginian Black Poplar 13:198

Virsoides 44:34

Viscaria 36:421. alpina, f. \(\beta \). albiflora 42:259 Viscum album 2:1. terrestre 34:206

Viscum album 2:1. terrestre 34:206
Vitaceae 6:122; 12:182; 22:72; 26:226; 28:
71; 31:43; 32:264; 43:81; 50:298
Vitis 3:220; 6:122; 11:51; 12:19-21, 23, 25;
22:72; 28:71; 37:190; 40:180; 41:434; 42:
154; 43:524; 45:374. aestivalis 3:235; 4:
92; 12:19; 22:72; 24:185; 32:216, 264; 37:
193; 38:426-428; 41:432-434; 43:524; 49:
151; var. argentifolia 38:428; 43:524, 604; var. bicolor 38:428. araneosa 41:434, 435; 49:150. argentifolia 38:428. austrina 38:
496; Bailevana 37:318: 43:524, 604: 44:348 426. Baileyana 37:318; 43:524, 604; 44:348. 366, 428. bicolor 4:130; 7:19; 19:230; 22: 72; 38:428; 43:524. campestris 46:48, 49. 72; 35:425; 45:524. Campestris 40:45, 45: cinerea 35:202; 37:193; 38:427, 428; 40:377, 441; 43:604; 47:101, 160; var. floridana 38: 426-428; 39:473, 480; 40:377, 441; 44:429. Coignetiae 46:250. cordifolia 6:97; 15:98; 24:99; 32:212; 36:374; 41:432-434, 548; 43: 524; 44:367, 428; var. riparia 41:431. he-

deracea, var. texana 10:28. Labrusca 2:124; 3:235; 4:130; 11:129; 12:17, 19, 120; 14:21; 35.203, 4.130, 11.123, 12.11, 13, 120, 14.21, 19:67, 144, 145, 147; 22:72, 183; 32:216, 264; 35:202; 37:350, 352, 355, fig. 3 (map); 41: 36, 432, 434; 42:390, 463, pl. 636; 43:81; 46: 250; × vinifera 24:177; × vulpina 19:144; f. alba 41:431; var. alba 22:184; 41:431; var. subedentata 42:462, 463, pl. 637. labruscana 43:604. Linsecumii 37:193. novae-angliae 19:146, 147; 22:72, 92. palmata 36:376; 37:193. quinquefolia 10: 25; var. macrophylla 10:28. riparia 1:48; 25; var. macrophylla 10:28. riparia 1:48; 3:235; 41:431-434; var. syrticola 41:431. rotundifolia 36:220; 38:377; 39:473; 41:431, 432, 548; 46:48, 49; 49:22. rufotomentosa 41:435; 49:150, 151. rupestris 36:230; f. dissecta 41:431; var. dissecta 41:431. Simpsoni 38:426-428; 40:377, 481. Treleasei 19:146. vinifera 41:431, 432, 516, 520; 49:150. vulpina 1:48; 3:235; 6:122; 12:19, 114; 15:98; 16:13, 15; 19:144-147; 22:72; 35:250; 40:375, 441; 41:431-434, 548, pl. 560; 43:524, 525; 44:367, 428; var. syrticola 25: 212: 41:431 212; 41:431

Vitis-idaea 12:23; 16:25; 26:231; 29:49. Vitis-

Idaea 4:234; 28:243 Volvaria 4:3, 5-7. bombycina 4:6. Loveiana 4:7. speciosa 4:6. volvacea 4:4, 5, 7

Volvocales 44:66

Volvulus 9:55. inflatus 41:420. sepium 41: 419; var. americanus 41:420, 421; var. biangulo-sagittata 41:421, 422; var. pubescens 41:421. spithamaeus 41:416, 418; var. stans 41:416. spithamineus 41:416

Vorticella 24:51 Vorticellas 7:45

Vulpia 34:246; 47:107, 108; 48:21; 49:259. dertonensis 49:259. Elliotea 47:106. megalura 48:20. myurus 48:20; 49:259. octo-flora 47:210; var. **glauca 47:107**; var. tenella 47:107, 210; 48:20, 24; 49:259. sciurea 47:106

Wafer-ash 13:80

Wahlenbergella affinis 34:22

Wahlenbergia 9:48. § Edraiantha 50:47

Wake Robin, Smiling 29:15

Waldsteinia 12:170; 37:422. Doniana 37:285. fragarioides 12:170; 13:218; 14:75; 15:98; 20:59; 24:124, 184; 27:28; 34:64; 35:322; 37:285, 286, 317; var. parviflora 37:285. parviflora 37:285, 286

Walking-fern 2:14; 5:196, 272; 46:158 Walking-leaf 4:55; 8:113; 30:15

Wall Barley 19:121

Wallrothiella Arceuthobii 33:101

Walnut 7:122; 44:25. Black 24:185. Black oblong fruited 50:147

Washington Thorn 25:173

Washingtonia 4:153; 12:14; 15:17, 18. Claytoni 6:124. longistylis 25:110. obtusa 4: 153, 154

Water Ash 39:330, 331; 49:91; 50:168. Beetles 41:148. Carpet 49:26. Chestnut 49:171. Cress 4:81, 191; 27:29-32; 41:565; European 41:565. Crowfoot 12:108. Dock 47:133.

270 Rhodora

Hair-grass 35:139. Hickory 39:331. Hyacinth 38:401; 49:202. Lobelia 36:128. Oak 48:143. Pimpernel 21:191. Plantain 44: 219. Weed 44:219

Waterberry 12:109 Waterleaf 7:100. Canadian 7:99, 100 Waterlilies 21:183; 39:407; 42:360

Waterlily 13:191; 18:161, 163, 164; 49:94, 171. White 10:49; 21:75; 29:235–237, 239. Yellow 21:71; 29:235–237

Waterwort 21:191

Webera 6:72. annotina 6:74. commutata 30:6. cruda 6:74; 30:6. elongata 3:180; 4:30. gracilescens 36:132. nutans 1:34, 35; 3:180; 4:30; 30:6. proligera 3:91, 92; 6:74; 30:6. sessilis 2:63, 96

Weberaceae 11:16 Wedgegrass 49:267

Weeds 41:152. Horse 28:72. King Devil 4: 61, 151. Mormon 9:26. Pickerel 16:18, 19. Pine Apple 5:288. White 5:177

Weigela 10:132. rosea 10:131 Weigelas 9:147

Weinbeere 15:30, 32 Weintraube 15:32

Weisia 41:112. microstoma 48:3, 4. viridula 48:3

Weldenia 25:157 Welwitschia 44:34

Western Juniper 49:228. Red Cedar 49:228 Wheat 12:18, 25–28, 36; 15:29, 33; 49:265. Blue 12:27. Cur 12:27. Dog 12:27. Grass 12:27, 29; 15:33. Strand 12:27, 29, 36, 37; 13:122, 123. Wild 12:27, 29; 15:33 White Adder's Mouth 35:242. Alder 18:39;

13:122, 123. Wild 12:27, 29; 15:33
White Adder's Mouth 35:242. Alder 18:39;
47:337, 349. American Raspberry 7:143,
146. Ash 12:184; 23:91; 45:274; 49:172;
50:168, 169. Aster 28:72. Birch 4:83; 12:
37, 178; 15:29, 33, 34; 21:199; 22:129, 132;
28:73; 47:303, 405. Blackberry 1:205. Cap
7:146; American 7:144. Cedar 11:175; 21:
44, 58; 23:100, 188; 31:150; 35:358, 359; 40:
276. Cinquefoil 28:82. Clover 28:71.
Daisy 5:177. Elm 48:61. Fox 22:184.
Hickery 49:195. Lady's Slipper 50:231.
Laurel 18:206. Mulberry 25:176. Mustard
14:164. Newfoundland Spruce 20:187.
Oak(s) 4:132; 9:61; 16:142; 23:195; 38:55;
41:193; 43:67, 69, 70; 46:44; 48:206; 49:
172. Pine 4:93; 7:124–126; 11:21; 12:176;
19:67; 21:50; 22:130; 23:91; 27:27; 35:357;
39:193; 43:70; 44:230; 49:161, 172, 173.
Pond Lily 10:49. Poplar 12:178. Sassafras
15:14, 15. Spruce 4:35; 9:75, 76, 208; 11:
201; 12:177; 13:114; 17:61, 167, 168; 18:
32; 20:186; 21:41, 50, 108, 109; 23:109; 31:
19; 35:358; 41:148–150, 152, 154, 161, 174,
216; 46:154. Top 28:82. Vervain 28:73.
Violet 4:128. Water Crowfoot 21:191.
Waterlily 10:49; 21:75. Weed 5:177; 25:
16; 28:72; American 5:177; 12:15. Willow

White-fringed Orchis 23:90, 110

Whitlow-wort 44:25

Whorled Pogonia 23:197

Whortes 12:23

Whortle Berries 12:23

Whortle-berry 13:98, 123. Red 12:23, 34, 35

Wickopy 4:152 Wickstroemia 9:49 Wicopy 44:29 Widdy 35:126

Wierzbickia 21:11. striata 21:16

Wilcoxia Poselgeri 35:225

Wild Azalea 41:482. Black Cherry 12:180. Carrot 11:128; 18:95. Celery 42:507. Cherry 15:32. Crocus 42:325. Currants 15:29. Dilly 48:164; 49:289, 290, 292. Garlic 46:59. Grape 12:17. Hyacinth 28:90. Oats 18:34. Parsnip 4:188; 18:41; 28:84. Pear 18:38. Pepper Grass 18:37. Pink(s) 41:575-577, 583. Plum 15:32. Raisin 12:184. Red Cherry 12:181; Raspberry 12:180. Rhubarb 42:322. Rice 12:17, 26, 37, 38; 15:29, 32; 49:277; American 12:25. Rosemary 5:68; 18:100. Roses 5:260. Spinach 28:63. Stock 42:328. Strawberry 41:245. Tansy 28:60. Tobacco 14:206; 26:39; 29:52. Wheat 12:27, 29; 15:33

Wild-rve 49:266

Willow(s) 6:1, 3, 4, 6, 126; 9:221; 10:56; 11: 9; 13:86; 19:23, 24; 22:131; 23:199; 26:187; 41:146, 147, 149, 154, 164, 167, 216, 217; 42: 151, 311, 320, 321; 44:114, 116, 119, 120, 124; 45:307, 309; 46:314; 48:14, 29, 42, 47; 49: 38, 39, 44, 46-48; 50:285, 290. Basket 49: 43. Black 12:177. Crack 25:174. Felt-leaf 42:321. Glaucous 12:177. Heart-leaved 12:177. Hoary 28:82. Oak 21:49; 47:96. Prairie 12:178. Pussy 28:73, 95. Shining 12:177. White 12:177

Willow-herb 11:141. European 50:178

Willugbaeya 9:55 Wiinbaer, Svarte 12:21 Wina-maria 12:21 Winbaer, Raeda 12:21 Wînberi 15:30

Windsoria 14:186. poaeformis 14:185. stricta 14:186

Wineberries 12:19, 23

Wine-berry 12:18, 20-25, 32, 34-36

Winter Cress, Early 11:140. Grape, Rusty 38:428

Winterberry 12:181

Wintergreen 19:237; 46:158. Creeping 12:183 Wire-bent Grass 21:23

Wire-stem Muhly 45:223

Wisanck 34:66

Wissadula 22:74. callimorpha, var. Friesii 20: 20; 22:74

Wisteria 11:49; 36:89; 40:372; 44:34. floribunda 40:436. frutescens 33:169; 36:34, 46; 38:424; 39:477, 478, map 44; 45:461. sinensis 40:436

Witch-grass 12:27; 17:225; 28:74; 48:22. Hobble 12:184

Witch Hazel 21:42; 44:230

Withe-rod 12:184 Woad Waxen 32:156

Wolffia 5:287; 8:79; 41:42. columbiana 5: 287, 288; 15:68; 21:87; 36:240; 41:42. pa-

pulifera 36:231. punctata 38:381, 395, 400, 444; 39:365, 482; 43:547

Wolffiella floridana 38:395, 400; 39:365, 481;

40:76; 41:43. lingulata 35:226

Wood Anemone 5:155. Mosurr 12:18, 25, 30, 32. Sorrel 20:76, 78; 22:130, 143; 31:140; Yellow 28:71

Woodbine 12:182

Wood-fern(s) 8:113; 30:16; 41:146

Woodreed 49:271

Woods Cranberry 18:41 Woodsia 1:219; 6:100; 8:113; 9:85; 22:38, 90; 30:18; 35:390. alpina 6:100; 9:154, 158, 30; 30:18; 35:390. alpina 0:100; 9:134, 136, 166, 172; 12:114, 206; 21:192; 22:49, 82, 87; 28:124, 125, 145; 30:18; 32:135, 136; 34: 244; 35:89, 128; 37:219; 41:163, 171; 42:311, 315; 44:101, 104; 46:303; 47:145-148. Belli 47:147, 148. Cathcartiana 10:30; 35:389; 47:147, 148. Catheartiana 10:30; 35:389; 37:72. glabella 5:286; 6:97, 100; 9:154, 158, 166, 172; 12:206; 13:129, 218, 238; 21:192; 22:39, 49, 82, 87; 28:124, 146; 32:18, 135, 136; 34:244; 35:47, 81, 120, 128; 38:124, 134, 139; 41:160, 163, 171; 42:315; 46:205; 47:147, 225; 49:53; β. Belli 47:147. hyperborea 6:100; 13:218, 219; 22:49; 41:171; 47:145-147. ilvensis 2:184, 211; 3:42, 186, 236; 4:247; 5:128, 257; 6:100; 7:103; 9:85; 12:168; 21:129, 201; 22:82-84; 24:159; 30:18; 32:135, 136, 259; 33:51; 34:50, 244; 35:88, 89: 135, 136, 259; 33:51; 34:50, 244; 35:88, 89; 37:206, 312; 38:124, 138; 41:163, 171; 42: 315; 43:338; 47:145–147. laetevirens, var. 47:147. mexicana 35:389, obtusa 2:184;

47:147. mexicana 35:389. obtusa 2:184; 3:42, 236; 4:157; 5:204; 9:85; 10:165; 11: 86; 13:101; 22:82, 84, 85; 30:18; 40:247, 381, 384; 42:383. oregana 7:31; 9:158; 20:96; 34:244; 35:389; 37:72, 205, 213, 218, 219; 44:104. scopulina 9:158; 10:30, 31; 13:219; 33:232; 34:244; 37:312; 40:247; 44:117 Woodwardia 9:82; 10:196; 23:149; 30:14. angustifolia 2:127; 3:43; 4:36; 5:204; 6: 176; 8:80, 219; 9:82. areolata 8:219; 9:82, 83; 14:19; 17:162; 22:82, 86; 23:149, 166, 170, 185; 24:111, 159; 26:177; 30:14; 32: 150, 228; 33:55, 56, map 30; 37:311; 39:473, 480, 481, 488; 44:230. virginica 1:42, 102. 480, 481, 488; 44:230. virginica 1:42, 102, 184; 2:124, 202; 3:43, 236; 7:71; 8:219; 9: 82, 124; 10:196; 11:28, 128; 14:79; 15:76; 19:32; 22:82, 86; 23:92, 109, 147, 150, 166, 170, 185; 24:86, 159; 25:185, 213; 26:177; 30:14; 32:210, 228; 37:311; 42:87, 90 Wool Grasses 7:130, 131

Wormia 9:47 Wormwood 12:191. Roman 28:72

Wych Elm 8:135 Wyneberry 12:24, 36

Xamesike 43:11. subgen. Aplarina 43:111. subgen. Xamesike 43:111. subgen. Xamobala 43:111. deltifolia 43:272. depressa 43:254. glauca 43:272. gracilis 43:273. hypericifolia, var. parviflora 43:273; var. sanguinolenta 43:273. littoralis 43:254. maculata 43:144. micranthes 43:273. microphylla 43:273. polygonifolia 43:117. prostrata 43:273. supina 43:111, 254. vermiculata 43:150

Xanthidium 7:259; 24:224; 26:208; 37:114; 44:187. antilopaeum 7:259; 24:224; 26:208; f. callosum 7:260, 266, pl. 64; f. curvispinum 7:260, 266, pl. 64; var. hebridarium 24:224; var. Johnsoni 7:259; var. minneapoliense 7:259; 24:224; 26:208; var. polymazum 5:81; 7:259, 260; 24:224; 26:208; var. truncatum 7:260. armatum 7:259; var. cervicornis 7:259. aseptum 24:224. bengalicum 7:260, 266, pl. 64. controversum 7:260. cristatum 7:259; 24:224; 26:208; f. angulatum 7:259; var. uncinatum 7:259; 24:224; 37:114, 120, pl. 329. fasciculatum 24:224. Johnsonii 24:224. subhastiferum, var. Mur-

rayi 24:224. tetracentrotum 7:260, 266, pl. 64. Tylerianum 7:260; 24:224

Xanthium 14:239; 26:167, 229; 47:402, 403.

§ Acanthoxanthium 48:73. § Euxanthium 48:73. ambrosioides 26:167; 48:74. cana-48:73. ambrosioides 26:167; 48:74. canadense 2:204, 205; 5:135; 6:82; 8:226; 11: 220; 15:98, 154; 26:167; 32:279; 36:374; 37: 196; 38:98; 47:403; 48:72; var. echinatum 5:131. Chasei 48:66-70, 72, 73, 81, pls. 1013, 1014. chinense 26:167; 37:196; 47: 1015, 1015, 1015, 1015, 1015, 1015 402; 48:67, 68, 70, 72, 81, pl. 1015. commune 6:143; 24:120; 26:167; 32:173. curvescens 48:68, 69, 81, pl. 1016. echinatum 14: 19; 17:219; 18:99; 26:167; 32:147, 279; 47: 402, 403; 48:67, 69, 71, 73, 81, pl. 1018; 50: 304. globosum 48:66, 67, 72, 81, pl. 1015. inaequilaterum 48:73. indicum 48:73. indicum 48:73. inaequilaterum 48:73. indicum 48:73. inflexum 48:68, 81, pl. 1015. italicum 26:167; 43:82; 47:402; 48:67, 70, 81, pl. 1015. leptocarpum 48:68, 69, 81, pl. 1016. longirostre 28:66. macrocarpum 48:81, pl. 1017; var. glabratum 47:403. orientale 48:68–70, 81, pl. 1017. oviforme 48:67. pensylvanicum 6:143; 26:167; 37:196; 47:402; 48:70, 72. Roxburghii 48:73. speciosum 6:143; 48:70, 73. spinosum 2:205: 6:82: 8:226: 13:89: 73. spinosum 2:205; 6:82; 8:226; 13:89; 26:168; 28:66; 47:402; 48:71–74. strumar-20.105, 20.00, 47.402, 40.71-74. Stuffmarium 2:204; 6:82; 14:239; 26:168; 47:402, 403; 48:66, 67, 70, 71, 73, 74, 81, pl. 1013; var. canadense 47:403; var. glabratum 47: 403. varians 48:69, 81, pl. 1019. Wootoni 26:168; 48:70

Xanthophyceae 50:271, 274

Xanthorhiza 18:168; 43:508. apiifolia 1:170; 18:168; 20:184; 39:194, 195, fig. 3 (map); 43:495. simplicissima 43:495, 552; 47:140;

Xanthoria candelaria 36:143, 153. lychnea 29:104. parietina 28:231; 29:104; 35:150; 50:292. polycarpa 28:231

Xanthosiphonia Halliae 8:107

Xanthosoma 50:59. sagittaefolium 12:48; 50:

58. sagittifolium 50:59, 125

Xanthoxalis 11:119; 40:180. Brittoniae 27: 133. Bushii 15:222; 27:135. californica 27: 118. colorea 27:133. corniculata 27:120. cymosa 27:135. filipes 27:124. grandis 27: 136: 28:245. hirsuticaulis 27:138. interior 27:135. Langloisii 27:121. macrantha 27: 138. pilosa 27:120. Priceae 27:138. recurva 27:137. rufa 15:222. stricta 27:122. Suksdorfii 27:137. texana 27:138

Xanthoxylum (see: Zanthoxylum)

Xenococcus Kerneri 5:234. Schousboei 2:43; 5:234; 7:172

Xeralsine 21:12

Xerophyllum 33:39; 36:34; 39:485. asphodeloides 1:185; 33:39; 46:78. gramineum

Ximenia americana 50:110

Xiphium 30:55

Xolisma 29:49: 31:92, 95. foliosiflora 10:53: 43:628. ligustrina 37:159, 160, fig. 2; 43: 625; var. pubescens 43:628. lucida 36:49

Xylaria 1:56, 60 Xylariaceae 50:135

Xylographa opegraphella 28:159
Xylographa canadense 27:7. ciliatum, β. album 16:118. Solonis 12:210; 27:2, 6, 7; 48:202, 203. villosum 12:210; 27:1, 2, 5, 6;

Xyridaceae 12:6; 31:43; 32:242; 33:33, 35, 53,

map 12; 35:106; 37:386; 38:7; 49:254, 255

Xyris 4:76; 7:73, 161; 8:27; 12:6; 23:99, 149;
33:39, 42, 53; 35:5, 13; 37:135, 386; 39:335,
345, 354, 355, 396; 41:470, 473; 44:343; 45: 371; 47:364; 48:58; 49:88, 129, 254. § Brevi-71; 47:304; 48:38; 49:38; 129, 204. 8 Brevifoliae 48:56, 57; 49:88, 129. albiflora 46:4. ambigua 39:335, 354, 387, 396, 398, 467, 480; 40:368, 403; 42:432; 44:241; 48:58; 49:86. arenicola 39:356, 396, 466, 480; 40:181; 41: 472, 535; 42:379, 434; 44:241; 49:99, 129. Bayardi 48:56-58, 80, pl. 1007; 49:88, 129. Baldwinna 46:44, bayardicila 48:56-58, 20 Bayardi 48:56-58, 80, pl. 1007; 49:88, 129. Baldwiniana 46:4. brevifolia 48:56, 57, 80, pl. 1008. bulbosa 7:95; 23:92, 239. caroliniana 4:76; 6:176; 7:94, 187; 9:119, 120; 10:140; 11:129; 12:6, 108; 13:54; 14:28; 16:90; 21:119; 23:99, 104, 134, 157, 161, 239; 24:87; 26:37; 29:222; 31:83; 32:149, 150, 210, 242; 36:194; 38:364, 376; 39:459, 460; 42:88, 91, 396, 399, 433, 434; 44:364, 390; 48:58; 49:86; f. flaccida 42:433, 434; 44:389; f. phyllolepis 36:194. Congdoni 39:396. Curtissii 39:336, 379, 396, 467, 477; 41:470, 473, 481, 502, 535; 44:241; 49:88. cylindrica 46:4. difformis 38:376; 39:354, 396. 480: 42:369, 433, 434; 44:364, 390. 396, 480; 42:369, 433, 434; 44:364, 390. Drummondii 48:57. elata 39:396. fimbriata 44:241, 364, 389; 46:4. fistulosa 46:4. flabelliformis 48:57, 80, pl. 1008. flexuosa 7:73, 95; 9:120, 121; 10:166; 12:6; 14:29; 19:126; 23:239; 24:87, 99; 26:180; 32:242; 37:315; 39:345, 356, 396, 466, 480; 40:181; 41:472, 502, 535; 42:87, 90, 92, 379, 434; 44: 241; 46:4; 49:99, 129; var. pusilla 1:183. juncea 46:4. Jupicai 12:6; 16:90. montana 1:183; 7:73, 94, 95; 11:86, 91; 13:159; 17: 65; 23:99, 148–150, 161, 199, 239; 24:99, 164; 65; 23:99, 148–150, 161, 199, 239; 24:99, 164; 29:222; 33:39, 101; 35:5; 38:453; 39:336; 460; 49:239, 245; f. bracteosa 7:94. neglecta 39:336, 396. pallescens 46:4. papillosa 39:459, 460; var. exserta 39:459, 460. platylepis 39:324, 396, 480; 41:470, 473, 478, 502, 535; 44:241, 374. retusa 46:4. Smalliana 12:6; 13:247; 14:31; 19:126; 30:35; 32:212; 35:227; 38:453; 39:396. spiralis 46: 4. torta 23:92; 24:87, 99; 32:242; 33:36, 56, 57, map 31; 37:315; 39:345, 395, 396, 459,

460, 482, 488; 40:146, 181; 42:87, 88, 90, 92, 93; 46:4; var. macropoda 39:395, 396, 475; 40:368, 402

Yae-vamabuki 33:199 Yam 43:510

Yarrow 4:81: 10:127

Yellow Birch 13:206, 207; 18:31; 21:42; 22: 131; 24:169, 170; 43:67. Cap 7:144-146. Erythronium 4:128. Gerardia 25:63. Honeysuckle 43:31. Jasmine 18:226. Lady's Slipper 28:95. Oak 4:132. Pond Lily 16: 137, 139. Rattles 7:37. Rocket 13:123. Spruce 18:32. Violet 4:88. Waterlily 21: 75; 41:225. Wood 40:487. Wood-Sorrel 28:71

Yellow-root 18:37

Yew 35:357. American 12:176; 35:357; 46: 313. Family 35:357. Pacific 46:313. Trailing 18:32. Tree 12:23

Ygramela 20:162. maritima 20:162, 164 Youngia 38:367. elegans 41:301. nana 41:

301; 42:343. pygmaea 41:301 Yucca 7:16, 158; 35:225; 44:342; 45:105. angustifolia 46:8. arkansana 36:231. concava 46:5-8. filamentosa 39:370, 375; 46: 5-9, pl. 808; f. genuina 46:5, 6; subf. angustifolia 46:5, 6, 8; subf. latifolia 46:5, 6; var. concava 46:6; var. Y. concava 46:6. flaccida 46:9. glauca 36:224. Smalliana 46:8, 9, pl. 809

Zamia 44:34; 47:386

Zannichellia 2:217; 7:45; 11:208; 12:12; 25: 107; 34:90, 94; 38:334; 44:8, 217. inter-107; 54:90, 94; 38:334; 44:8, 217. Intermedia 23:110. major 23:110. palustris 5: 135; 10:169; 11:208; 12:12; 23:110; 29:60, 65, 71, 106; 34:94; 41:167, 176; race Z. dentata, β. major 23:110; var. major 23:110, 192; 28:127, 150; 34:70, 71, 74, 81, map 2; 35:91; 36:277; 42:24; 44:217, 361, 377; var. pedunculata 10:169; 11:208; 18:71

Zannichelliaceae 40:183

Zanthoxylum 21:81; 38:440. americanum 2: 201; 3:234; 4:130; 7:28; 21:81; 25:175; 40: 463; 41:138; 42:292; 49:24. carolinianum 7:28. Clava-Herculis 36:31; 38:377, 381, 425; 39:472, 480; 43:523, 588; 44:240 Zatarhendi 9:44

Zea 15:54; 47:383. Mays 1:107; 15:54; 28: 74; 31:110, 113; 41:82, 518, 520; 49:80 Zeia pseudorepens 35:171. tenera 35:170

Zenobia 42:385, 397, 403, 472. cassinefolia 42: 403, 471, 473. pulverulenta 42:378, 385, 397, 471, 473, map 16; 43:502; 44:240, 350; f. nitida 42:471; f. nuda 42:471; var. nuda 42:471

Zephyranthes 31:91, 94; 36:32. Atamasco 31: 91; 36:42; 39:477; 44:241

Zerna 34:246

Zigadenus 1:230; 9:193; 11:42; 37:257; 41: 470; 42:381; 46:79, 80; 47:206. angustifolius 41:470, 471, 491, 502, 536, map 6; 42:254. chloranthus 6:40; 9:160, 170; 13: 138; 35:285; 36:224, 227; 37:256, 257; 41: 213; 46:78. densus 42:254, pl. 601; 44:

349; 49:93, 132. elegans 37:256–258, 339, pl. 361; 40:251; 41:147, 160, 163, 213; 42:319; 45:308; 46:79. glaberrimus 39:347, 356, 361, 399, 466, 477; 41:536; 42:374, 381, 442; 44: 241; 49:93. glaucus 37:257, 258, 339, pl. 361; 44:104, 109; 46:78-80; 49:199. leimanthoides 1:185; 33:39. venenosus 24:209

Zingiber officinale 29:38 Zingiberaceae 49:288

Zinnia 28:40-42; 44:34. elegans 39:371, 375.

pauciflora 28:42. peruviana 28:42 Zizania 5:48; 12:12, 17, 25, 26, 134; 15:29, 33, 230; 35:251; 37:302; 38:264, 271; 44:170, 175, 357; 49:277; var. angustifolia 8:210; 26:156, 157; 29:228, 229; 35:251; 38:264, 271; 43:338; 49:277; var. brevis 26:156, 157; 29:28, 209; 35:251; 38:264, 271; 43:338; 49:277; var. brevis 26:156, 157; 49:277; var. brevis 26:156, 157; 49:277; var. brevis 26:156, 157; 49:156 157; 44:139; 49:277; var. interior 26:156. 158; 29:228, 229; var. latifolia 26:159. aristata 26:159. bonariensis 26:159. ciliata 26: 159. clavulosa 26:156. dahurica 26:158. effusa 26:156. fluitans 26:159. latifolia 26: 156, 158, 159. lenticularis 26:159. microstachya 26:159. miliacea 26:159. natans 26:159. nutans 26:159. palustris 15:123; 17:212; 19:108; 26:153-159; 29:229; 49:277. Retzii 26:159. subtilis 26:159. terrestris 26:159

Zizaniopsis 42:363, 513; 43:495. bonariensis 26:159. microstachya 26:159. miliacea 26:

159; 36:34, 36; 42:510; 43:535

Zizia 3:212; 6:124; 16:89; 20:52; 24:95; 41: 442, 443; 42:298. aptera 41:441-444; 43: 490, 499, 618; 45:273; var. occidentalis 41: **444.** aurea 1:160; 2:225; 3:212; 5:204; 6: 124; 19:67; 20:52; 21:170, 199; 24:95; 35: 46; 36:224; 41:552; 44:345, 430; 50:92; f. obtusifolia 41:444; 44:345, 430; var. Bebbii 42:298; var. obtusifolia 2:225; 3:213; 4: 37; 41:444. Bebbii 35:46; 41:443; 42:298, pl. 623; 45:378, 454; 47:162. cordata 1:160; 21:88; 35:45, 46; 36:24; 41:441-443; 43:490; 45:273. sylvatica 35:45, 46; 41:443. trifoliata 42:298, pl. 623; 45:378, 454; 47:

97, 162 Zizyphus obtusifolia 37:78 Zoochlorella parasitica 23:66

Zornia bracteata 39:354, 433, 466, 480; 43:516,

Zostera 2:206, 217; 3:218, 291; 7:224, 226-232, 234, 235; 8:161, 190, 194; 11:150, 208, 225; 24:207: 34:90; 35:153, 186, 257, 392; 37:270, 271; 40:26, 229, 236, 238; 41:260; 42:20; 44: 217; 50:264, 268. marina 2:208; 3:291; 5: 217, 50.204, 203.

135, 8:108, 194; 10:169; 11:121, 208; 13:
111, 215; 17:147; 18:33, 95; 21:53; 26:219;
29:132; 32:147, 231; 33:116; 34:70, 74, 77,
90–92, 94, map 10; 35:92, 152; 36:261; 41: 41, 176, 259, 260; 42:20; 43:79; 50:286, 293; var. angustifolia 29:123, 148, 206; 34:50; var. pacifica 35:92; var. stenophylla 23:192; 35:92, 186; 44:217. pacifica 35:92. stenophylla 35:92

Zygnema 1:99; 6:230; 15:88; 24:103, 110; 26: 161, 212; 29:161, 162; 35:63. cylindricum 24:104, 110. pectinatum 14:114; var. anomalum 7:238

Zygnematales 44:67 Zygomycetes 5:102 Zygophyllaceae 31:93, 95 Zygophyllidium 43:110

AUTHORS AND TITLES

ABBE, ERNST C.

Botanical results of the Grenfell-Forbes northern Labrador expedition, 1931, 38: 102-161, pls. 408-411. (Contrib. Gray Herb. no. CXI) (Butters, F. K. and —), The American

varieties of Rorippa islandica, 42:25-32,

(Butters, F. K. and —), A new Oxytrope of the Minnesota-Ontario border, 45: 1-4, pl. 745.

(BUTTERS, F. K. and -), The genus Poa in Cook County, Minnesota, 49:1-21, pls. 1051, 1052.

Braya in boreal eastern America, 50:1-15,

pls. 1088-1090.

Frederic King Butters, 1878–1945 (with portrait), [obituary], 50:133–144. Abies balsamea, A new variety of, 11:201.

Abies nobilis Lindl., Abies procera, a new name for, 42:522.

Abies procera, a new name for A. nobilis Lindl., 42:522. ABRAMS, LEROY

[Illustrated Flora of the Pacific States], Review of, 46:282-284.

Acadians, Some plant-names of the Madawaska 1:166

Acalypha virginica in eastern North America, The group of, 29:193.

Acalypha virginica L., The typification of,

39:14.

Acalypha virginica, Rafinesque types in the group of, 42:96.

Acanthaceae, An untenable generic name in, 47:261.

Acanthospermum australe at Lawrence, Massachusetts, 9:26.

Accentual marks in Gray's Manual, The use

of, 7:189. Accentuation of certain generic names, Notes

on the, 7:157. Acer barbatum, The identity of Michaux's, 47:156.

Acer grandidentatum in Oklahoma, 46:445. Acer saccharum Marsh., 28:111.

Acerates floridana? Why, 46:488.

Achillea sibirica in eastern America, 31:219. Achillea tomentosa at Westford, Massachusetts, 10:127.

Acnida altissima, Varieties of, 43:288.

Acorns of Quercus Prinus, Plurality of seeds in, 16:41.

Acorns, Plural seeds in, 16:141.

Acorus Calamus in America, 37:367.

Acrochaetium and Chantransia in North America, 8:189.

Acrochaetium, Two new species of, 10:133. Actaea alba versus Actaea pachypoda, 46:

Actaea alba? What is, 42:260.

Actaea pachypoda, Actaea alba versus, 46:

Actidesmium, Notes on New England Algae, -I. Cyclonexis and, 41:133.

Actinella odorata in Maine, 7:80.

Adams, J. W.

A double-flowered form of Gillenia trifoliata, 45:215.

Adiantum, An alpine, 7:190.

Adventina Raf., The identity of the genus,

Adventitious flora of Quebec, Six additions to

the, 50:176. Adventitious plants in Concord, Massachu-

setts, Some, 38:64.

Adventitious plants of Drosera, 1:206. Agalinis, a correction, The flower of, 20:199.

Agarics, Unusual variations of two common, 2:32.

Agaricus illudens, Poisoning by, 1:43.

Agaricus (Psalliota) of the Champlain Valley, Notes on the species of, 1:161

Agrimonia mollis in Berkshire County, Massachusetts, Lygodium palmatum and, 28:179. Agrimonies, The nomenclature of the New England, 2:235.

Agropyron caninum and its North American allies, 12:61.

Agropyron from Cape Breton, A new, 19:15. Agropyron § Goularda in eastern North America, 35:161.

Agropyron, Notes on, 12:205.

Agropyron repens, The American variations of, 35:182.

Agropyron trachycaulum versus A. pauci-

florum, 36:417. Agrostis borealis, The variations of, 35:203. Aira spicata L., 31:194.

Aira spicata Linn, and the application of the International Rules, 32:261

Ajuga genevensis in New England, 5:154.

Alabama, Carex corrugata from, 44:76. Alaska, A list of plants from interior, 42:309. Alaska, A new Arenaria from, 37:225.

Alaska, Contributions to the flora of, 41:141, 199, 262

Alaska, Western Canada and the northwestern

States, Lady Ferns of, 19:197. Alaskan Mountain-Ash, Sorbus Andersoni, a new name for an, 47:220.

Alberta, Lilaea scilloides in southeastern, 46: 205.

Alberta, The formation of peat ridges on the shores of muskeg lakes in northern, 33:18. Albino forms of Echinacea from Missouri,

Two, 44:150. Albino forms of the Beach Pea, 42:157.

Albino fruit of Vacciniums in New England,

Albino Iris versicolor, 38:52.

Albino Kalmia angustifolia, An, 15:151.

Albino Lupine, Our, 45:356.

Albino of Epilobium latifolium, The, 46:251.

Albino Raspberry, A new, 22:112. Albino Viola rostrata, An, 17:180.

Alchemilla pratensis in Erie County, New York, 45:27.

Alchemilla alpina and A. vulgaris in North America, 14:229.

Alchemilla pratensis found at Westford, Massachusetts, 9:92.

Alchemilla vulgaris in North America, Alchemilla alpina and, 14:229.

Alcohol in plant collecting, The use of, 49:207. ALCOTT, W. P.—[Herbarium of], 23:47.

Alder, A cut-leaved, 16:56.
Alders of New England, The green, 5:162.
ALEXANDER, E. J.—Two plants newly adventive in North America, 44:18-19. Alfileria (Filaree) "Seed," 39:233.

Alga, Stictyosiphon tortilis, The discovery of the long-sought, 16:105.

Algae, A sailor's collection of, 6:181.

Algae, Causes of variation in color of some red. 9:90.

Algae, Chinese marine, 21:203.

Algae, Drifting, 16:1.

Algae from Bridgeport, Connecticut, Two new species of marine, 1:197.

Algae from British Columbia, Notes on some, 24:101.

Algae from Hudson Bay, Some, 10:114. Algae from New Brunswick, A list of fresh-

water, 50:67. Algae from New England, Notes on some

fresh-water, 44:64. Algae from New Hampshire, Additional record of marine, 43:213

Algae from Newfoundland, Notes on some

freshwater, 29:160. Algae from Penikese Island, The David Starr

Jordan, 35:147

Algae from the Chincha Islands, Some, 17:89. Algae, Further notes on British Columbia, 26:160

Algae, New forms of green, 1:149 Algae, New records of marine, 35:151.

Algae, Notes on, —I, 1:9; —II, 2:11; —III, 3:132; —IV, 3:289; —V, 5:204; —VI, 5:231; —VII, 8:122; —VIII, 8:157; —IX, 10:155; —X, 13:184

Algae, Notes on New England. —I. Cyclonexis and Actidesmium, 41:133; -II. Some

interesting New Hampshire Algae, 44:175. Algae of a marshy pond, The, 14:113. Algae of Georgian Bay, Notes on the, 15:88. Algae of Penikese, Fresh and brackish, 26: 211, 215; 50:269.

Algae of Penikese, Marine, 26:189, 212; 50: 253.

Algae of St. Paul Island, Nova Scotia, The, 33:127.

Algae of the Flume, 6:229.

Algae of the Monterey Peninsula, Marine, [Review], 47:63.

Algae of the Rideau, Ontario, Notes on the, 14:236.

Algae of Vineyard Sound, Notes on two rare,

Algae, Reappearance of rare New England marine, 43:72.

Algae, Rhadinocladia, a new genus of brown, 2:111.

Algae, Some interesting New Hampshire, 44: 175.

Algae, Some new green, 9:197.

Algae, Taylor's Marine, [Review], 40:323.

Algae, The basis of nomenclature for, 9:11. Algae, The pollution of water-supplies by, 1: The basis of nomenclature for, 9:77.

Algal complexities, Some, 41:19.

Algal or boghead coals, On the nature of socalled, 11:61.

Algal vegetation, Changes in the Woods Hole, 35:150.

Algological prophecy fulfilled, An, 11:196.

Algologist's vacation in eastern Maine, An, 4:174.

Alisma cordifolia, The identity of the Linnaean, 49:107.

Alisma Plantago, Extreme variations of, 3:

Alisma Plantago-aquatica, The North American representatives of, 48:86.

Alismaceae, Some forms in the, 38:73.

ALLARD, H. A.

A supposed hybrid between the Oak species Quercus rubra and ilicifolia, 36: 239-240.

A globose form of Pitch Pine (Pinus rigida) in Virginia, 42:308.

The hybrid Oak, XQuercus Rudkini, at Arlington, Virginia, 44:262–266, pl. 709. The probable relationship of Phaseolus polystachios to other species, 45:169-

ALLEN, ARTHUR F .- Some Cladonieae from the valley of the Cap Chat River and vicinity, Gaspé Peninsula, Quebec, 32:91-94, pl. 199.

ALLEN, CHARLES E.—(— and GILBERT, E. M.), [Textbook of Botany], Review of, 20:100.

ALLEN, JOHN ALPHEUS-[Herbarium of] 3:219 ALLEN, MARION E.—The supposed generic character of Naumbergia, 22:193-194, 4

ALLEN, OSCAR D .- [Herbarium of], 3:219. Allium tricoccum in Kalamazoo County, Michigan, Some Observations on two ecological races of, 48:61.

Alnus crispa (Ait.) Pursh, var. mollis (Fernald), n. comb., 15:44.

Alnus glutinosa in eastern Massachusetts, A colony of, 2:157.

Alnus incana, Eastern North American representatives of, 47:333

Alopecurus aequalis, The arctic variety of, 27:196.

Alopecurus aequalis, The identity of, 32:221. Alopecurus new to North America, An, 46:386. Alopecurus, Remarks on several North American species of, 19:165.

Alpine Adiantum, An, 7:190.

Alpine and subalpine plants, The soil preferences of certain, 9:149.

Alpine Bearberries and the generic status of Arctous, The, 16:21

Alpine Rhinanthus of Quebec and New Hampshire, The, 9:23.

Alpine station for Hieracium aurantiacum. An, 32:113.

Alpine variety of Houstonia caerulea, An, 9:

Alpine variety of Solidago macrophylla, An,

Alpine Willow, An anomalous, 7:185.

Alpine Willow from the White Mountains, A new, 19:221.

Alsine, The type of the genus, 21:7. Alsinopsis, The earlier names for, 21:9.

Alstead, New Hampshire, Boleti collected at, 2:173; —Additional notes, 3:226.

Alstead, New Hampshire, The Ferns of, 2:181. Alstead School of Natural History, [Herbarium of], 3:68.

Amaranthus Powellii and Digitalis lanata in New England, 20:203.

Ambrosia artemisiaefolia and its variations in temperate eastern North America, 37: 184.

Amelanchier, A monograph of, [Review], 48: 129.

Amelanchier, Additional notes on, 22:146. Amelanchier amabilis, a new name, 23:48.

Amelanchier amabilis, An extended range for, 23:71

Amelanchier Bartramiana, Flowering dates for. 26:178.

Amelanchier in eastern North America, The genus, 14:117.

Amelanchier in southeastern Virginia, 43:559. Amelanchier, Notes on, 14:239.

Amelanchier spicata, not an American species, 48:125

Amelanchier, Staminody of the petals in, 18: 48.

America, Acorus Calamus in, 37:367.

America, Arrhenatherum elatius β. tuberosum in, 13:207.

America, Calamagrostis epigejos var. georgica in. 35:64

America, Centaurea nervosa in, 45:331.

America, Chlorochytrium Lemnae in, 7:97. America, Early records of Leontodon in, 4:39. America, Erucastrum Pollichii adventive in, 13:10.

America, Galium erectum and Asperula galioides in, 5:173.

America, Juneus acutiflorus rediscovered in, 46:311.

America, Naturalized occurrence of Prunus Padus in, 25:169.

America, Peculiarities of Botrychium lanceolatum in, 8:229.

America, Primula § Farinosae in, 30:59, 85. America, Rubus idaeus and its variety anomalus in, 2:195.

America, Some belated corrections to my revision of Veronica in, 34:149.

America, Some variations of Cardamine pratensis in, 22:11.

America, Spergula pentandra in, 46:88.
America, Taraxacum palustre in, 4:155.
America, The genus Trisetum in, 30:209, 237.
America, The occurrence of Botrychium virustration. ginianum var. europaeum in, 17:233.

America, The occurrence of Poa Chaixii in, 40:73.

America, The representatives of Scirpus maritimus in, 2:239.

America, The representatives of Trisetum spicatum in, 18:195.

America. The variations of Arenaria peploides in. 11:109.

America, The variations of Glaux in, 4:213. America, The variations of Luzula campes-

tris in, 15:38. America, Two varieties of Sisymbrium offici-

nale in, 7:101. America, Vicia tetrasperma var. tenuissima in,

45:480.

America with a consideration of the status of Delphinium Ajacis, Delphinium Consolida in, 18:169.

American¹ allies, Bidens connata and some of its, 10:197.

¹ See also entries under North American.

American Ammophila, The, 22:70. American amphibious Persicarias, The, 27: 125, 146, 156.

American and eastern Asiatic Beckmannia, The, 30:24.

American Anemones, Some color forms of, 19:139.

American Cardamine parviflora, The, 29:191. American Cranberries, The variations and distribution of, 4:231.

American Crataegi in the Species Plantarum of Linnaeus, 11:181

American Diervillas, Flower color of the, 9:

American Epilobiums of the section Lysimachion, Some, 20:29

"American Fern Book" or "Our Ferns in their Haunts," [Review], 3:238. American forms of the Lady-fern, Some

trivial, 48:389.

American Gentians, Some forms of, 19:149. American Horticulture, Cyclopedia of, [Review], 4:108.

American Lespedezas, Notes on, 26:25.

American Lotus at West Peabody, Massachusetts, The, 33:230.

American Lotus, The name of the, 36:23.

American occurrence of Crepis biennis, Notes on the, 21:209. American occurrence of the European Cen-

taurea diffusa, 4:249.

American Oscillatoriaceae, Three, 39:277. American Ostrich Fern, The, 17:161.

American Pacific coast, The Eelgrass situation on the, 41:257.

American Parnassia palustris, 39:310.

American plants, Reprint of a rare book on, [Review], 18:203.

American range of Botrychium lanceolatum. The, 20:19.

American record of Scirpus mucronatus, History of the, 20:41.

American representative, Elymus arenarius and its, 17:98.

American representative, Juneus triglumis and its, 26:201.

American representative of Calamagnostis epigejos, An, 30:202.

American representative of Scirpus pumilus, The, 45:279.

American representative, True Lycopodium complanatum and its common, 3:278.

American representatives of Arenaria sajanensis, The, 21:12.

American representatives of Arenaria verna.

Some, 8:31. American representatives of Asplenium Rutamuraria, The, 30:37.

American representatives of Equisetum syl-

vaticum, The, 20:129. American representatives of Lonicera caeru-

lea, The, 27:1. American representatives of Luzula vernalis.

The, 5:193. American representatives of Pyrola rotundi-

folia, The, 6:197. American species, Amelanchier spicata, not an, 48:125.

American species and varieties of Rosa, Ten new, 30:109.

American species and varieties of Scirpus, Some, 45:287.

American species? Is Erigeron carolinianus. a valid, 46:323.

American species of Elymus, Types of some, 35:187.

American species of Hypoxis, Revision of the, 25:120, 151.

American station for Illecebrum verticillatum, An, 14:207.

American Thalictra and their Old World allies, 46:337, 391, 453.

American types in British herbaria, Studies of, 50:149, 181, 217.

American variations of Agropyron repens, The, 35:182

American variations of Arenaria verna, The, 21:21.

American variations of Epilobium, section Chamaenerion, 20:1.

American variations of Linnaea borealis, The, 24:210.

American variations of Lycopodium annotinum, The, 17:123.

American variations of Potentilla palustris. The, 16:5.

American variations of Silene acaulis, The, 23:119.

American variations of Stellaria borealis, The, 16:144.

American varieties, Botrychium virginianum and its, 19:207.

American varieties of Pyrola chlorantha, The, 22:49.

American varieties of Rorippa islandica, The,

American variety, Athyrium alpestre and its, 19:203.

American variety of Saxifraga Aizoon. The. 46:61.

American variety of Scheuchzeria palustris, The. 25:177.

American variety of Vaccinium Vitis-Idaea. The, 4:231.

American White Weed, Chrysanthemum Leucanthemum and the, 5:177.

AMES, OAKES

An easy method of propagating Drosera filiformis, 1:172, pl, 8.

[Herbarium of], 3:68.

Lobelia inflata × cardinalis, 3:296-298. Natural hybrids in Spiranthes and Haben-

aria, 5:261-264, pl. 47. Lobelia × syphilitico-cardinalis, 5:284-286, pl. 49.

Spiranthes neglecta, 6:27-31, pl. 51.

Spiranthes Grayi, 6:44.
[Illustrations and studies of the family Orchidaceae], Review of, 7:119-120. Habenaria orbiculata and H. macrophylla,

8:1-4, 2 figs.

Spiranthes ovalis, 8:15–16. Notes on Habenaria, 10:70-71.

Recent nomenclatorial changes in the genus Corallorrhiza, 11:102–106.

Notes on New England Orchids,-Spiranthes, 23:73–85, pls. 127–129; —II. The mycorrhiza of Goodyera pubescens, 24:37-46, pls. 135, 136.

Amesbury, Massachusetts, does it occur farther north? Hottonia inflata in, 3:216. Amesbury, Massachusetts, Webera proligera

in, 3:91

Amherst College Herbarium, Notes from the, 34:34.

Amherst College, [Herbarium of], 3:68. Amherst, Massachusetts, Additions to the flora of, 1:164.

Amherst region, Further additions to the flora of the, 2:68.

Amherst, Weeds growing in, 17:29.

Ammidown, Lucius E.

Saleratus as a protection against Rhuspoisoning, 4:105-106.

Blumenbachia insignis, a casual plant at Southbridge, Massachusetts, 8:225–226.

Ammophila, The American, 22:70. Among the Mushrooms, [Review], 3:140.

Amphicarpa, Strophostyles, Galactia and Apios by vegetative characters, Determina-

tion of, 42:213. Amphicarpaea Pitcheri in New England, 1:

Amsinckia in New England, 21:38.

Amsinckia in the northeastern United States, 18:27.

Amsonia from the Ozarks of Arkansas, A new, 45:328.

Anabaena spiroides, var. crassa, 13:252. Anacharis densa on Long Island, 34:151. Anagallis arvensis and caerulea in Vermont, 4:185.

Anaphalis margaritacea again, 40:218.

Anaphalis margaritacea and its var. occidentalis, 13:25.

Anaphalis margaritacea var. occidentalis in eastern America, 7:156.

Anaphalis, Some boreal species and varieties of Antennaria and, 13:23.

Anchusa in New England, 18:50.

Andean plants in the northern Hemisphere, Polystichum mohrioides and some other subantartic or, 26:89.

Anderson, C. L.—[Algae of], 3:242. Anderson, Edgar

Color variation in a Missouri colony of Hepatica acutiloba, 35:66-67, 1 fig.

The distribution of Iris versicolor in relation to the post-glacial Great Lakes, 35:154-160, 3 figs.
(Palmer, E. J. and ——), Uvularia perfoliata in Louisiana, 37:58-59.

Color variation in eastern North American flowers as exemplified by Hepatica acutiloba, 38:301-304.

ANDERSON, W. A.

Holosteum umbellatum in Rhode Island, 33:211.

A neglected variety of Helianthus atrorubens L., 34:1-4.

A new species of Glyceria from the Great Smoky Mountains, 35:320-321, 2 figs. Notes on the flora of Tennessee: the

genus Trillium, 36:119-128;-Dioscorea, 36:344-346.

A little-known collection from Missouri.

Verbascum phlomoides in Iowa, 49:67-68,

Andover, Massachusetts, Cuphea procumbens

Andover, Massachusetts, Hieracium praealtum at, 4:197

Andover, Massachusetts, The genus Trisetum in, 5:289.

Andover, New Hampshire, Subularia at East, 6:228.

ANDREWS, A. LEROY

On some variations of Spiranthes cernua, 1:110.

The Orchidaceae of a series of swamps in

southern Vermont, 2:114-115. Orchids of Mt. Greylock, Massachusetts, 2:179-180.

Ferns of a deep ravine in Thetford, Vermont, 2:229-230.

Some observations on orchid fragrance, 3:84-87.

A natural hybrid between Habenaria lacera and H. psychodes, 3:245-248.

Several uncommon fern-allies from northwestern Massachusetts, 3:252-253

A list of Bryophytes from the Mt. Greylock region, 4:29-31.

A note upon recent treatment of Habenaria hyperborea and its allies, 4:79-81. Bryophytes of the Mt. Greylock region, -II., 4:238-243.

Some interesting mosses from a southern

Vermont peat-bog, 6:43-44.

Bryophytes of the Mt. Greylock region, _III., 6:72-75.

Preliminary lists of New England plants, -XVIII. Sphagnaceae, 8:62-65.

Bryophytes of the Mt. Greylock region, _IV., 11:116–118.

Philological aspects of the "Plants of Wineland the Good," 15:28–35.

Dicranoweisia crispula in the White Mountains, 21:207-208.

Andrews, Florence M.—Notes on a species of Cyathus common in lawns at Middlebury, Vermont, 2:99-101, pl. 17. Andrews, Luman

Soil-preferences of some less usual vascular plants in central Connecticut, 1:

103-104

[List of Flowering Plants and Higher Cryptogams growing upon the summit of Meriden Mountain, Connecticut], Review of, 2:132.

Aster concinnus in New England, 2:166-167.

[Herbarium of], 3:68.

Gleditschia triacanthos established in Connecticut, 4:103–104.

(BISSELL, C. H. and —), [Flora of the Town of Southington, Connecticut and

its Vicinityl, Review of, 4:200-201.
(Graves, C. B., Eames, E. H., Bissell, C. H., —, Harger, E. B. and Weatherby, C. A.), [Catalogue of the Flowering Plants and Ferns of Connecticut growing without cultivation], Review of, 12: 131-132

(HARGER, E. B., GRAVES, C. B., EAMES, E. H., BISSELL, C. H., — and WEATHERBY, C. A.), Additions to the flora of Connecticut, 19:105-110, 119-130, 224-232. 245-253.

[Catalogue of the Flowering Plants and Ferns of Springfield, Massachusettsl. Review of, 26:179–180.

Andromeda glaucophylla, A calciphile variety of, 18:100.

Andromeda glaucophylla, Andromeda Polifolia and, 5:67.

Andromeda Polifolia and Andromeda glaucophylla, 5:67.

Andropogon Gerardi? Why not, 45:255.

Andropogon glomeratus, A review of Andropogon virginicus and, 37:139.

Andropogon glomeratus in Rhode Island, 31: 198

Andropogon provincialis, Variations of, 37: 146.

Andropogon scoparius in the United States and Canada, 19:100.

Andropogon scoparius, The variations of, 37: 143.

Andropogon virginicus and A. glomeratus, A review of, 37:139.

Anemone, Etymology of, 1:41.

Anemone § Anemonanthea, The North American species of, 30:180.

Anemone riparia, Red-flowered, 5:154.

Anemonella thalictroides, Chloranthy in, 3:

Anemones, Some color forms of American, 19:139.

Angelica lucida, The identity of, 21:144. Angelica triquinata? What is, 45:298.

Androscoggin County, Maine, Roripa amphibia in, 35:262.

Annotated Catalog of Spermatophytes of Kentucky, An, [Review], 45:277.

Annotations on herbarium sheets, 35:41.

Antennaria, A note on species differentiation in. 38:367.

Antennaria alpina and A. carpathica, 22:138. Antennaria alpina from Newfoundland and the Labrador Peninsula, Some allies of, 18:

Antennaria and Anaphalis, Some boreal

species and varieties of, 13:23. Antennaria canadensis in Pennsylvania, 17:

Antennaria carpathica, Antennaria alpina and,

Antennaria from the Appalachian region, A new species of, 37:229.

Antennaria in Newfoundland, The genus, 13: 23; 35:327.

Antennaria, Memoranda on, 38:229.

Antennaria of arctic America, 36:101.

Antennaria of the "Manual Range," Key to, 47:221, 239.

Antennaria, On the papillose achenes in the genus, 33:213

Antennaria Parlinii, The staminate plant of, 1:156; 4:152.

Antennaria, Parthenogenesis in, 7:105.

Antennaria plantaginifolia with rosy involucres, 36:376.

Antennaria, Southerly range extensions in. 15:117.

Antennarias from Greenland, Three, 33:222. Antennarias, Further notes on New England,

Antennarias of northeastern America, Some, 16:129.

Antennarias of northeastern America, The dwarf, 26:95.

Antennarias of northern New England, Some, 1:71.

Antennarias, Two Newfoundland, 16:196.

Anthyllis Vulneraria at Cromwell, Connecticut. 13:240

Anulocaulis from southwestern Texas and adjacent New Mexico, A new species of, 47: 329.

Anychia canadensis in Hampshire County, Massachusetts, 36:58.

Anychia dichotoma, The identity of, 6:50. Apetalous form of Arenaria groenlandica, An,

Apetalous form of Arenaria groenlandica on Mt. Mansfield, The, 8:114.

Apgar, Austin Craig-[Ornamental Shrubs of the United States], Review of, 12: 207.

Aphanocapsa, A new species of, 29:39.

Apios americana Med., 36:88.

Apios by vegetative characters, Determination of Amphicarpa, Strophostyles, Galactia and, 42:213.

Apocynum androsaemifolium L., The identity and nomenclature of, 34:30.

Apocynum sibiricum var. cordigerum in New England, 44:331.

Appalachian plants, A new station for three local, 25:168.

Appalachian region, A new species of Antennaria from the, 37:229.

Application of old botanical names, On Soli-

dago rigida L. and the, 28:138.

Application of the international rules, Aira spicata Linn. and the, 32:261.

Application of the name Euphorbia maculata L., 48:197.

Application of the term "Rhizome," The, 31:6. Aquatic and marsh vegetation, A handy guide to, [Review], 47:395.

Aquatic and prairie vegetation in southwestern Minnesota, Notes on, 48:113.

Aquatic plants, Extensions of ranges of, 36: 349.

Aquatic plants, Range extensions of marsh and, 42:20.

Aquatic Utricularias, 41:113.

Aquatic Utricularias in Quebec, Distributional notes on certain, 42:52.

Aquatic varieties of Poa annua, 43:630. Aquatics from southern Maine, Three, 39:273. Aquatics, Notes from the Herbarium of the University of Wisconsin,-XVII. Elatine

and, 41:367. Aquilegia canadensis f. Phippenii in Worces-

ter County, Massachusetts, 31:36. Aquilegia canadensis var. flaviflora in Maine, 4:169.

Arabis, A new, 13:37.

Arabis canadensis in Oklahoma, 45:114.

Arabis Drummondi and its eastern relatives, 5:225.

Arabis from Rimouski County, Quebec, A new, 7:31.

Arabis glabra (L.) Bernh.—a correction, 40:

Arabis in eastern and central North America, 39:63, 106, 155.

Arabis in western North America, A monographic study of, 43:289, 348, 425.

Arabis laevigata and Asplenium Trichomanes in Maine, Further notes on, 7:13.

Arabis viridis, an invalid name, 45:269. Arabis viridis in Oklahoma and Wisconsin, 40:431

Arabis viridis var. heterophylla, 41:80.

Aralia hispida, A teratological specimen of, 22:152.

Araucarian wood, Paracedroxylon, a new type of, 11:165.

Arbor-Vitae, Gray Pine and, 23:247.

RHODORA 280

Arceuthobium at Concord, Massachusetts, The waning of, 37:413.

Arceuthobium in the Rangeley region, 9:28. Arceuthobium pusillum at Mt. Desert, 9:75. Arceuthobium pusillum, Further notes upon

the distribution and host plants of, 2:9. Arceuthobium pusillum in Massachusetts, 2:6. Arceuthobium pusillum in the St. John and

St. Lawrence valleys, 2:10.

Arceuthobium pusillum, Notes on, 2:2.

Arceuthobium pusillum on a new host in Vermont, 2:8.

Arceuthobium pusillum, The peculiar aspects of the New England distribution of, 33:92. Arceuthobium pusillum, The Pennsylvania stations of, 33:191.

Arceuthobium, Two new stations for, 4:249. Arctic America, Antennaria of, 36:101.

Arctic America, Critical notes on plants of, 36:172.

Arctic by Dr. Potter in 1937, Notes on some plants collected in the Canadian eastern, 41:37

Arctic Canada, A new species of Carex and some notes on this genus in, 43:413.

Arctic Canada (east of 100° W.), Taraxacum in. 45:337.

Arctic Canada, Vascular plants of eastern, [Review], 42:417.

Arctic Lichens, Some general results of recent Norwegian research work on, 36:133. Arctic North America, Notes on the occurrence of Zostera and Zannichellia in, 34:90.

Arctic variety of Alopecurus aequalis, The, 27:196.

Arctium in North America, A synopsis of the species of, 12:43.

Arctostaphylos from the Rocky Mountains.

Two new species of, 39:462. Arctostaphylos Uva-ursi. The North Ameri-

can variations of, 16:211.

Arctostaphylos Uva-ursi var. coactilis, Heterochromism in, 35:348.

Arctous, The alpine Bearberries and the gene-

ric status of, 16:21.

Arenaria caroliniana in Rhode Island, 15:115. Arenaria ciliata, The North American representative of, 16:43.

Arenaria from Alaska, A new, 37:225.

Arenaria glabra, The specific identity of Arenaria groenlandica and, 21:17.

Arenaria groenlandica, An apetalous form of, 1:90.

Arenaria groenlandica and A. glabra, The specific identity of, 21:17.

Arenaria groenlandica on Mt. Mansfield, The apetalous form of, 8:114.

Arenaria lateriflora and its varieties in North America, 19:259.

Arenaria lateriflora dioecious? Is, 16:55. Arenaria lateriflora, Forms of, 16:179

Arenaria lateriflora, On variation in, 15:209.

Arenaria macrophylla, A second Vermont station for, 7:156.

Arenaria macrophylla in Connecticut, 7:20. Arenaria patula, A study of, 43:325.

Arenaria peploides in America, The variations of, 11:109.

Arenaria sajanensis. The American representatives of, 21:12.

Arenaria stricta in New Hampshire, The status of, 11:184.

Arenaria stricta in the White Mountains, 17:

Arenaria verna, Some American representatives or, 8:31

Arenaria verna, The American variations of,

Arenaria. The Unity of the genus. 21:1.

Arisaema triphyllum, A notable monstrosity of, 18:222.

Arisaema triphyllum, An interesting specimen of, 6:163

Arisaema triphyllum? What is, 42:247. Aristida basiramea in Maine, 31:78.

Aristida longespica in Connecticut, 35:386.

Aristolochia Sipho, Foliar outgrowths from the surface of the leaf of, 5:38.

Aristolochia Sipho, Regeneration in the leaf of, 8:223.

Arizona, A flora of, [Review], 45:26.

Arizona, Spiranthes michuacana in, 41:138. Arkansas, A new Amsonia from the Ozarks of. 45:328.

Arkansas and vicinity, Grasses of Hot Springs National Park, 44:70. Arkansas Flora, The publication-date of Nut-

tall's, 46:156.

Arkansas, Grass Studies,—IV. Additional species new to, 43:219.

Arkansas, Grass Studies,-II. Additions to the flora of, 39:423.

Arkansas Ozarks, Delphinium newtonianum. a new species from the, 41:193.

Arkansas, Two undescribed plants from, 40:71.

Arkansas, Vegetation of artificial lakes in northwestern, 48:329. Arnica alpina, The eastern American repre-

sentatives of, 26:103.

Arnica from Newfoundland, Another, 27:90. Arnica in northeastern America, The genus, 7:146.

Arnold Arboretum, [Herbarium of the]. 3:241.

Aroostook County, Maine, Lobelia Dortmanna in, 36:128.

Aroostook County, Maine, Ranunculus lapponicus in, 41:461. Aroostook County, Maine, Some mosses

from, 10:37.

Aroostook valley, A new Kobresia in the. 5:247.

Arrhenatherum elatius 3. tuberosum in America, 13:207.

ARSÈNE, BRO. LOUIS

Contribution to the flora of the islands of St. Pierre et Miguelon, 29:117-133. 144–158, 173–191, 204–221.

Plants new to the flora of the islands of Saint-Pierre et Miguelon, 49:237-255. Artemisia borealis, Some varieties of, 29:93. Artemisia Stelleriana a native of New England? Is, 2:38. Artemisia, Transfers in and animadversions

on, 47:247.

Arthraxon hispidus, var. cryptatherus (Hack.) Honda in Pennsylvania, 39:100.

Arthraxon hispidus, var. cryptatherus in New York, 42:199.

ARTHUR, J. C.

New station for the Dwarf Mistletoe, 2:221-223.

Peridermium pyriforme and its probable alternate host, 9:194-195.

ARTZ, LENA-A white-flowered Desmodium from Virginia, 49:299-300

Aruncus, Memoranda on, 38:179.

Asclepias syriaca, A smooth-fruited form of,

Asclepias syriaca, White-flowered form of, 46:387.

Ascyrum Hypericoides, The varieties of, 38: 430.

Ash, A purple-fruited, 14:192. Ashe, W. W.

Notes on Betula, 20:63-64.

Notes on Rhododendron, 23:177-179.

Notes on trees and shrubs of southeastern North America, 24:77-79.

Notes on trees and shrubs of the southeastern United States, 25:179-183. A new Oak from Florida, 31:79-80.

Notes on Vacciniaceae, 33:193-198.

Asia, Some notes on the botanical relation between North America and eastern, 41: 385. Asia, The Hepatica transsilvanica group of

eastern Europe and, 29:53.

Asiatic allies of Ranunculus pensylvanicus,

Two, 18:189. Asiatic Beckmannia, The American and east-

ern, 30:24.

Asiatic Circaea quadrisulcata, The identity of Circaea latifolia and the, 17:222.

Asparagopsis hamifera (Hariot) Okam, 30:

Asperella Hystrix, The northern variety of, 24:229.

Asperula galioides in America, Galium erectum and, 5:173.

Aspideae, Subdivision of the New England,

Aspidium simulatum in New Hampshire,

Asplenium ebeneum proliferum, 5:272; 6:210. Asplenium ebeneum Hortonae, A new station for, 5:257.

Asplenium ebeneum var. Hortonae, New stations for, 3:224.

Asplenium ebenoides, A new station for, 8:68.

Asplenium ebenoides, A third New England station for, 3:248.

Asplenium ebenoides in Massachusetts, A station for, 8:113.

Asplenium new to the flora of Vermont, A hybrid, 8:12.

Asplenium montanum in south-central Massachusetts, 50:20.

Asplenium pinnatifidum, A new station for,

Asplenium platvneuron (L.) Oakes, var. bacculum-rubrum (Featherman) comb. nov.. 38:304.

Asplenium Ruta-muraria, The American representatives of, 30:37.

Asplenium Trichomanes in Maine, Further notes on Arabis laevigata and, 7:13.

Asquam Lake, Further notes on the Orchids of the region of, 19:131.

Asquam Lake, Orchids found in the region of. 19:56.

Asquam region, Further notes on the Orchids of the, 29:235.

Aster, A study of the Rocky Mountain species of the Multiflori section of, 35:323.

Aster acadiensis, nom. nov., 46:31.

Aster amethystinus, A new form of, 32:3. Aster amethystinus, A white-flowered form of, 33:63.

Aster amethystinus, an obvious hybrid, 32:1. Aster amethystinus, Aster multiflorus complex, The Aster novae-angliae, 41:190.

Aster amethystinus, Note on, 32:185 Aster and Solidago, Some undescribed and little known varieties of, 1:187.

Aster concinnus in New England, 2:166.

Aster concolor, A glabrous variety of, 32:144. Aster dumosus, A pubescent variety of, 11:31. Aster ericoides and A. multiflorus, The names, 32:136.

Aster ericoides L., 28:65.

Aster ericoides var. platyphyllus in Maryland, 30:106.

Aster foliaceus in New England, The variations of, 34:13.

Aster Herveyi, Variants of, 18:183. Aster in Nova Scotia, The genus, 45:344. Aster in Washington County, Maine, Solidago and, 33:159.

Aster Kumlieni, a correction, 42:197.

Aster lateriflorus and some of its relatives. 30:161.

Aster linariifolius, A northern variety of, 16:192.

Aster longulus Sheldon, The status of, 44:338. Aster multiflorus complex, The Aster novaeangliae, Aster amethystinus, 41:190.

Aster multiflorus, Rayless, 29:95.

Aster multiflorus, Some Illinois Asters and a new variety of, 30:77.

Aster multiflorus, The names Aster ericoides and, 32:136.

Aster, Notes on, 30:226.

Aster novae-angliae, Aster amethystinus, Aster multiflorus complex, The, 41:190.

Aster novi-belgii, Rayless, 28:112.

Aster paniculatus and some of its relatives, 35:16.

Aster patens Ait., forma rosea, f. nova, 37:263. Aster ptarmicoides in Connecticut, Scirpus occidentalis and, 16:19.

Aster puniceus L., var. firmus (Nees) T. & G., forma rufescens, n.f., 27:187.

Aster salsuginosus Richardson, The identity of, 45:262

Aster tardiflorus a hybrid? Is, 19:88.

Aster Tradescanti, The identity of, 35:312. Aster undulatus × novi-belgii, 4:186.

superbus (Cienk.) Scherf. Asterococcus

23:252.

Astereae. Notes on the Compositae of the northeastern United States, VI. Cichorieae, Eupatorieae and, 50:28.

Asters and a new variety of Aster multiflorus,

Some Illinois, 30:77.

Asters of the Maritime Provinces, Some annual halophytic, 16:57.

Astragalus caryocarpus fruits, Size, shape and

number in, 48:111.

Astragalus contortuplicatus on wool-waste,

14:56. Astrophytum asterias in Texas, The habitat

of, 35:224. Astrophytum asterias in the United States,

34:227. Athabasca-Great Slave Lake region, Salix

glauca and its allies in the, 33:241.

Athabasca-Great Slave Lake region, The distribution and affinities of the vegetation of the, 32:187.

Athabasca-Great Slave Lake region, The

genus Geum in the, 33:172.

Athyrium alpestre and its American variety, 19:203.

Athyrium alpestre, The author of, 31:165. Athyrium alpestre, The eastern American oc-

currence of, 30:44.

Athyrium and the North American ferns allied to Athyrium Filix-femina, The genus,

Athyrium Filix-femina (L.) Roth, 19:179. Athyrium Filix-femina, The genus Athyrium and the North American ferns allied to, 19:170.

Athyrium Filix-foemina, The indusium of,

3:268.

Athyrium, The genus, 19:170.

ATKINSON, GEORGE FRANCIS - [Studies of American Fungil, Review of, 3:37-40.

Atmospheric moisture, The relation of certain plants to, 2:29, 63.

Attean Pond, Flora of Birch Island in, 22:129. Atriplex new to North America, An, 17:83.

ATWOOD, ALICE C .- (BLAKE, S. F., and ---), [Geographical guide to the floras of the World], Review of, 45:56.

ATWOOD, C. E.—Prunus virginiana forma leu-

cocarpa in New Brunswick, 36:89.

Aulacomnium heterostichum in Maine, 4:169. Aureolaria, A plea for, 20:133.

Austin collection from the Labrador coast,

The, 32:59. Author-citations, Some inconvenient upheav-

als of familiar names and, 47:197. Avena fatua in eastern Massachusetts, 16:183. Avena striata, A pale form of, 7:244.

BABCOCK, ERNEST BROWN On citing Richardson's Botanical Appendix to Franklin's First Journey, 26: 199-200.

Stations for some of the rarer plants of

The distribution of certain trees and

Axyris amarantoides in eastern America,

Azalea of the Cumberlands, The red, 43:31.

shrubs in western Connecticut, 2:34-38.

[The Genus Crepis], Review of, 49: 297-299.

BABEL, WILLIAM K.

AVERILL, CHARLES K.

29:233.

Connecticut, 1:39-40.

The variations of Brachvelytrum erectum. 45:260-262.

Baccharis glomeruliflora, presumably not Virginian, 49:189.

Back Numbers needed, [Notice], 46:317.

BACON, ALICE E.

Some Orchids of eastern Vermont, 2:171-172. The Dwarf Mistletoe at Bradford, Ver-

mont, 4:28.

Some cases of poisoning by Cypripedium spectabile in Vermont, 4:94-97.

Anagallis arvensis and caerulea in Vermont, 4:185-186.

An experiment with the fruit of Red Baneberry, 5:77-79.
Bacon, Walter L.—The discovery of Crypto-

gramma Stelleri in Maine, 10:35.

BAEHNI, CHARLES-Ipomoea heptaphylla in Georgia and Mexico, 38:164.

Baffin Land plants collected by the MacMillan expedition, 1922, 25:111.

BAILEY, L. H.

[Cyclopedia of American Horticulture]. Review of, 4:108.

Nomenclatorial transfers, 18:152-160. George Lincoln Goodale, 25:117-120 (with portrait).

A strange Rubus, 41:197-198, pl. 550.

BAILEY, WM. WHITMAN

Commelina virginica established in New England, 2:200.

The old-time flora Providence. of 2:213-220.

Solidago tenuifolia, a weed in Rhode Island, 2:226.

The Fig as a hardy plant in New England, 2:234.

Notes on the flora of Rhode Island, 3:33-34.

[Herbarium of], 3:69, 207.

Some notable plant stations in Rhode Island, 4:198-199. [Biographical sketch of], 16:97-101.

BAKER, L. H.—Noteworthy plants at Exeter. Maine, 1:75.

Bakewell, Anderson — Botanical collections of the Wood Yukon expedition of 1939-1941, 45: 305-316.

BALCH, W. E .- (WILCOX, A. W., HOWE, I. A.,

SHIELDS, W. E. and ——), The field meeting of the Vermont Botanical and Bird Clubs, 17:143-144.

BALDWIN, J. T., Jr.

Chromosomes of Kalmiopsis, 40:278-279. 1 fig.

Chromosomes of Proserpinaca, 41:584, 3

figs.

Cytological basis for specific segregation in the Sedum Nevii complex, 44:10-13, 7 figs.

Affinities of Sedum Nevii, 46:450-451. Spiraea latifolia var. septentrionalis in Virginia, 48:112.

BALL, CARLETON R.

Extensions of range and a new variety in Salix, 26:135-144.

Studying willows or making new sections in the genus Salix, 49:37-49.

BALLARD, S. J.

A second Vermont station for Arenaria macrophylla, 7:156.

Balls of vegetable matter from sandy shores,

On, 7:41; 11:149.

Baneberry, An experiment with the fruit of Red, 5:77.

Bangor, Maine, Notes on some plants of, 8:72.

Baptisia, A new species of, 46:29. Baptisia australis in Vermont, 2:172.

Baptisia bracteata (Muhl.) Ell., 23:255. Baptisia tinctoria as a tumble-weed, 3:34.

Baptisia tinctoria, The type of, 39:414. Baptisia tinctoria var. projecta, A note on, 46:281.

Barbarea praecox, A correction regarding, 3:145.

Barbarea, The North American species of, 11:134.

Barbarea vulgaris, Our varieties of, 45:304. Barberry found at Sherborn, Massachusetts,

A seedless, 14:207.
Barnes, C. R.—(Coulter, J. R., — Cowles, H. C.), [A Textbook of Botany for Colleges and Universities], Review of, 13:16.

BARNHART, JOHN HENDLEY-The so-called generic names of Ehrhart's Phytophyla-

cium, 22:180-182.

Barnstable County, Massachusetts, Orontium in. 16:18.

Barnstable, Massachusetts, Cynanchum nigrum in, 13:70.

BARRATT, JOSEPH

[Herbarium of], 3:286.

[Biographical sketch of], 13:121-125, 171-177.

Barratt, Torrey and Schweinitz; a correction and a discrepancy, 23:300.

BARRY. PHILLIPS

Goodyera pubescens in central New Hampshire, 1:193.

Habenaria Hookeriana oblongifolia in West Campton, New Hampshire, 3:237. BARTLETT, GEORGE H.

Arenaria macrophylla in Connecticut. 7:20.

Senecio obovatus var. elongatus in Connecticut, 24:226.

BARTLETT, HARLEY HARRIS

A new Juncus of the group Poiophylli, 7:50-51.

Polygonum exsertum in Massachusetts, 7:140.

The salt-marsh Iva of New England. 8:25-26.

Juneus compressus in the Province of Quebec, 8:233.

The retrograde color varieties of Gratiola aurea, 9:122-124.

Flower color of the American Diervillas, 9:147-148.

The type locality of Sphagnum Faxonii. 10:113-114.

Nolina in the south Atlantic States, 11: 80-82.

Note on Oxalis stricta var. viridiflora. 11:118-119.

The geographic ranges of certain Junci

Poiophylli, 11:155–157.
Rupture of the exoperidium in Calostoma Ravenelii, 11:197–198.
The submarine Chamaecyparis bog at Woods Hole, Massachusetts, 11:221–235, pl. 82.

Vernonia georgiana, a new species related

to V. oligophylla, 12:171-172. The North American species of Panicum, [Review], 12:218-220.

Populus virginiana and P. angulata, 13: 12-14.

[The source of the drug Dioscorea, with a consideration of the Dioscoreae of the United States], Review of, 13: 34 - 36.

Ptelea mollis, var. cryptoneura, a waferash of the Georgia Sand Hills, 13:80.

Euphorbia arundelana, an ally of Euphorbia Ipecacuanhae, 13:163-165, 2

On gynodioecism in Plantago lanceolata, 13:199-206, 3 figs.

Systematic studies on Oenothera,—I. Oenothera Tracyi, sp. nov., 13:209-211, Oenothera Tracyı, sp. nov., 13:209-211, pl. 93; —II. The delimitation of Oenothera biennis L., 15:48-53, pls. 102, 103; —III. New Species from Ithaca, New York, 15:81-85; —IV. Oe. franciscana and Oe. venusta, spp. nov. 16:33-37, pls. 107, 108; —V. Oe. Robinsonii and Oe. cleistantha, spp. nov., 17:44, 44, pl. 111 17:41-44, pl. 111.

A flora of the New Jersey Pine Barrens, [Review], 14:94-96.

Inheritance of sex forms in Plantago lanceolata, 15:173-178.

A second edition of Britton & Brown's Illustrated Flora, [Review], 15:220-

Color types of Corallorrhiza maculata Raf., 24:145-148.

The varieties of Corallorrhiza maculata, 27:11-14.

Bartonia, a comedy of errors, 34:164.

Bartonia iodandra, a species new to the United States, 2:55.

Bartonia verna grow in Virginia? Does, 48:327.

BARTRAM, EDWIN B.

An interesting addition to the flora of New Jersey, 11:121.

Teucrium new to Massachusetts,

11:148.

Some Nova Scotia Mosses, 24:121-124. Newfoundland mosses collected by Mr. Bayard Long in 1924-26, 30:1-12, pl. 158.

Mosses of southern British Honduras and Guatemala, 36:55–58, 1 fig. [Manual of Hawaian Mosses], Review

of. 36:132.

Bartram's "Travels," Legitimacy of names in, 46:389.

Bash-Bish Falls, An excursion to Mt. Washington, Massachusets and, 21:198.

Batchelder, Charles Foster — Two grasses new to New Hampshire, 14:175.

BATCHELDER, FREDERICK WILLIAM

[A Flora of Manchester, New Hampshire], Review of, 2:157-158.

Notes from Manchester, New Hampshire, 10:204-205.

Scirpus lineatus in New Hampshire, 11:200.

[Biographical sketch of], 14:41-45.

Bates College, [Herbarium of], 3:69. Bayberry wax, A method of obtaining, 1:193. Beach Pea, Albino forms of the, 42:157. BEAL, W. J.

[Seed Dispersal], Review of, 1:30. Tumble-weeds, 3:18.

Seed-throwing of Viola, 4:230.

Weeds growing in Amherst, 17:29-30. Beals, A. T.—Extension of range of Calamagrostis epigejos, 39:31-32.

BEAN, RALPH C.

Some Maine plants, 15:134–135.
(FERNALD, M. L., — and KNOWLTON, C. H.), Plans for 1919 Spring field trip of the New England Botanical Club, 21:86-88; Field trips of the New Eng-

land Botanical Club, 1919, 21:143.
(Weatherby, C. A., Knowlton, C. H. and ——), Fifth report of Committee and —), Fifth report of Committee on Floral Areas, 28:43-46; —Sixth report of the Comittee on Floral Areas, 29:247-253; —Seventh report of the Committee on Floral Areas, 31:106-118. - Eighth report of the Committee on Plant Distribution, 38:263-271.

Two rare weeds, 39:208-209.

Carex typhina in Maine, 44:20.

Arthur Herbert Norton, [obituary], 45: 217 - 220.

Gentiana quinquefolia in Maine, 47:143. Betula papyrifera, var. commutata in western Maine, 47:405.

-, Knowlton, C. H. and Hill, A. F.), Ninth report of the Committee on Plant Distribution, 48:17-27.

—, GOODALE, A. S., GRIGG, F. W., HAR-RIS, S. K., KNOWLTON, C. H., POTTER, D., SANFORD, S. N. F., SEYMOUR, F. C. and SMITH, L. B.), Reports on the Flora of Massachusetts,-IV., 49:257-

John Crawford Parlin [obituary], 50:

130-131.

Bearberries and the generic status of Arctous, The alpine, 16:21.

BEATTIE, FREDERICK S.

Remarks on Rhode Island plants, 7:

Bebb Herbarium of the University of Oklahoma,—II., Notes from the, 45:265.

Bebb. Robert

The — — Herbarium 1, 45:265–267. Beckmannia, The American and eastern Asiatic, 30:24.

Beech, Partial reversion in leaves of the Fernleaved, 6:45.

Beetle, A. A.

Three neglected names in Scirpus, 46: 145-146.

The authorship of Scirpus atrovirens, 46:336. Distichlis spicata in Australia, 47:148.

Bemis, Earl W.

Aquilegia canadensis forma Phippenii in Worcester County, Massachusetts,

A new form of Aster amethystinus, 32:3. A white-flowered form of Aster amethystinus, 33:63.

New records for Worcester County, Massachusetts, 36:7-8.

BENKE, HERMAN C.

Some Illinois Asters and a new variety of Aster multiflorus, 30:77-79.

Two new varieties of early Spring plants -a Ranunculus from Missouri and a Heterotheca from Texas. 30:200-201.

Notes on fall-flowering plants of the central Mississippi valley, 31:145-151 Aster amethystinus, an obvious hybrid,

32:1-3, pl. 192.

Some field notes: a new variety and some forms of plants from the Middle West, also two forms from Massachusetts. 34:4-12.

New species and forms from the central and southern United States, 35:44-46. [Obituary of], 49:142–143.

BENNETT, JAMES LAWRENCE [Herbarium of], 3:207.

[Notice of death], 6:146-147. Berberis amplectans (Eastw.) comb. nov., 39:376.

Berberis and Sagittaria, Reversions in, 2:149. Berberis Thunbergii naturalized in New Hampshire, 15:225.

Bergen, J. Y.
[The Teaching Botanist], Review of, 2:52.

[The Foundations of Botany], Review of, 3:66.

(— and Davis, B. M.), [Principles of Botany], Review of, 8:230-232.

Weed growth and unusual rainfall, 17: 224–227.

BERGMAN, H. F.

Abnormal flower structure in Oxalis stricta L., 19:41–44, pl. 122.

Double flowers in the wild Swamp Blueberry, Vaccinium corymbosum, 36: 233–235, pl. 289.

Berkshire County, Massachusetts, Equisetum

pratense in, 29:32.

Berkshire County, Massachusetts, Hoffmann's

Flora of, [Review], 24:183.

Berkshire County, Massachusetts, Lygodium palmatum and Agrimonia mollis in, 28:179. Berkshire County, Massachusetts, Notes on the flora of, 6:202.

Berkshire County, Massachusetts, Potamoge-

ton Hillii in, 42:95.

Berkshire County, Massachusetts, Some recent additions to the flora of, 41:128.

Berkshire County, Massachusetts, Three plants of, 1:229.

Berkshire County, Massachusetts, Viola primulifolia in, 28:132.

Berkshire plants, More, 44:332.

Berneuxia, On the Sino-Himalayan species of Shortia and, 45:333.

Berula pusilla (Nutt.) comb. nov., 44:189. Bessey, Charles E.—Baptisia tinctoria as a tumble-weed, 3:34-35.

Betula glandulosa at a low altitude in New

Hampshire, 48:183.

Betula in eastern North America, Notes on, 47:303.

Betula glandulosa Michx., var. sibirica (Ledeb.) n. comb., 17:87.

Betula, Notes on, 20:63.

Betula papyrifera var. commutata in western Maine, 47:405.

Betula populifolia in Virginia and its variety laciniata in Massachusetts, 44:236.

Betula Sandbergi, Evidence of the hybrid nature of, 30:125.

(Betulaceae), Some North American Corylaceae, —I. Notes on Betula in eastern North America, 47:303; —II. Eastern North American representatives of Alnus incana, 47:333.

Bibliography of Canadian botany, A, [Review], 47:236.

BICKNELL, EUGENE P.

Juncus aristulatus in New England, 6:174-175.

The Heather, Calluna vulgaris, on Martha's Vineyard, 15:189-192.

Viola emarginata in Massachusetts, 16:76-77.

Some grasses noteworthy in Massachusetts, 16:81–83.

Pinus Banksiana on Nantucket, 18: 241-242.

Bidens, A key to the northeastern American species of, 27:184.

Bidens colpophila, The specific identity of Bidens hyperborea and, 20:146.

Bidens connata and its varieties in Wisconsin, 30:31.

Bidens connata and some of its American

allies, 10:197.
Bidens connata Muhl., var. gracilipes, n. var., 21:103.

Bidens connata petiolata, 17:234.

Bidens coronata, The varieties of, 40:348. Bidens Eatoni, A new variety of, 31:100.

Bidens Eatoni and its varieties, 27:142. Bidens from Chesapeake Bay, A new estua-

rine, 31:87.
Bidens from the Merrimac Valley, A new,

5:90. Bidens frondosa var. anomala, Records of,

Bidens frondosa var. anomala, Records of 27:34.

Bidens heterodoxa, A new variety of, 26:177. Bidens heterodoxa, Another localized variety of, 34:116.

Bidens hyperborea and B. colpophila, The specific identity of, 20:146.

Bidens hyperborea and its varieties, 27:166.

Bidens hyperborea var. typica, 48:82.

Bidens in Connecticut, A remarkable colony of, 19:257.

Bidens in eastern North America, Some anomalous species and varieties of, 17:20.

Bidens of the Miramichi, The estuarine, 25:43.

Bidens, Some noteworthy varieties of. 15:74.
BIGELOW, MAURICE A. — (LLOYD F. E. and
——), [The Teaching of Biology in the Secondary School], Review of, 7:187–188.

Bilberries in New England, The distribution of the 2:187.

Bill, J. Penteado—Carex Knieskernii Dewey, 32:162–166.

BILLINGTON, CECIL

Coronilla varia in Michigan, 33:163-164. [The Vegetation of Cranbrook Lake Region], Review of, 40:324.

[Shrubs of Michigan]. Review of, 46:254. BINGHAM, MARJORIE T.—[The Flora of Oakland County, Michigan], Review of, 47:260. Biology of Wood's Hole, An important publication on the, [Review], 15:152.

Birch, A cut-leaved Cherry, 4:83.

Birch, A peculiar variety of the Canoe, 15:168.

Birch Island in Attean Pond, Flora of, 22:129. Birch to be restricted, The range of the Black, 13:206.

BIRRELL, WILLIAM — Thermopsis mollis in eastern Massachusetts, 47:91.

BISHOP, HARLOW—The Austin collection from the Labrador coast, 32:59-62.

BISHOP, JAMES NATHANIEL—[Herbarium of], 3:69.

Bissell, C. H.

Goodyera repens var. ophioides in Connecticut, 1:40.

Hydrastis canadensis L., a New England plant, 1:157.

Eragrostis Frankii in Connecticut, 2:87. Plantago elongata in New England, 2:156.

Abnormal flowers in Leonurus Cardiaca, 2:223-224.

A new variety of Zizia aurea, 2:225.

[Herbarium of], 3:70. Rediscovery of Phaseolus perennis in New England, 4:13.

Some noteworthy plants of Connecticut,

4:98-100.

Biological relation of Polygonum Hartwrightii to P. amphibium, 4:104-105. and Andrews, L.), [Flora of the town of Southington, Connecticut and vicinity], Review of, 4:202-203.

Newly introduced species of Crepis and

Leontodon, 4:249-250.

A botanical trip to Salisbury, Connecticut, 5:32-35.

Lycopodium clavatum and its variety, 5:39-40. Ajuga genevensis in New England, 5:154.

A new station for Dentaria maxima,

5:168-169. Galium erectum and Asperula galioides

in America, 5:173-174.

A new station for Asplenium pinnatifi-

dum, 8:230.

(FERNALD, M. L. and ---), The North

American variations of Lycopodium clavatum, 12:50-55.

(Graves, C. B., Eames, E. H., —, Andrews, L., Harger, E. B. and Weatherry, C. A.), [Catalogue of the Flowering Plants and Ferns of Connecticut growing without cultivation], Review of, 12:131-132.

Notes on Connecticut plants, 13:30-33. A day at Congamond Lakes, 13:53-55.

and Fernald, M. L.), A new variety of Lespedeza capitata, 14:91-92. (HARGER, E. B., GRAVES, C. B., EAMES, E. H., ——, ANDREWS, L. and WEATH-ERBY, C. A.), Additions to the flora of Connecticut, 19:105-110, 119-130, 224-232, 245-253.

(HARGER, E. B., GRAVES, C. B., EAMES, E. H., — and Weatherby, C. A.), Additions to the flora of Connecticut,

Series 2, 24:111-121.

Blackberries, A small gathering of, 50:73. Blackberries of New England, Brainerd & Peitersen's, [Review], 22:185.

Blackberries of New England, The, 2:23. Blackberries of the Kennebunks and Wells, Some Maine Rubi. — The, 8:146; II., 8:169; III., 8:212.

Blackberry, A new species of, 6:223.

Blackberry, An unarmed Connecticut, 3:295. Blackberry from New Hampshire, A new, 33:102.

Blackberry, The white, 1:205.

Bladdernut, A new species of, 20:127.

BLAKE, CHARLES H .- Wolffiella floridana in Massachusetts, 40:76.

BLAKE, JOSEPH-[Herbarium of], 3:285.

BLAKE, SIDNEY F.

Botrychium obliquum var. oneidense in eastern Massachusetts, 12:80.

Note on Juniperus horizontalis and J. vir-

giniana, 12:218. A Scirpus new to New Hampshire, 13:55. Pteridophyte notes from eastern Massachusetts, 13:101–103.

The forms of Peltandra virginica, 14:

102-106, pl. 94.

(KNOWLTON, C. H., —, CUSHMAN, J. A. and DEANE, W.), Reports on the flora of the Boston district,—XV., 14: 107-113.

Sisymbrium officinale in three States, 14:

190 - 192.

A second local record for Rynchospora

macrostachya Torr., 15:19.

(KNOWLTON, C. H., —, CUSHMAN, J. A. and DEANE, W.), Reports on the flora of the Boston district,-XVI., 15:54-59.

Forms of Ophioglossum vulgatum in eastern North America, 15:86–88, 1 fig. Two records of Panicum calliphyllum,

15:99-100.

(Knowlton, C. H., — and Deane, W.), Reports on the flora of the Boston district,-XVII., 15:122-132; -XVIII., 15:144-151.

Six weeks' botanizing in Vermont,-I., 15:153-168; —II., 15:200-201; —III.,

16:38-41.

The earliest name of the Snowberry, 16: 117-119

A new Cochlearia from Newfoundland. 16:135-136.

Moneses uniflora var. reticulata. 17:

Notes on the genus Sabatia, 17:50-57.

An Atriplex new to North America, 17:83-86.

Betula glandulosa Michx., var. sibirica (Ledeb.), n. comb., 17:87. Some neglected names in Walter's Flora

Caroliniana, 17:129-137.

A new form of Polygala polygama, 17: 201-202.

Limonium in North America and Mexico. 18:53-66, pls. 118, 119.

(Weatherby, C. A. and — —). Galium pilosum and its varieties, 18:190-195. Statice in North America, 19:1-9, 3 figs.

Utricularia fibrosa in Massachusetts, 19: 38, 1 fig.

Polymnia Uvedalia and its varieties, 19: 46-48.

Oenothera pumila L., var. rectipilis, var. nov., 19:110-111.

A new Rudbeckia from Indiana, 19: 113-115.

Vernonia altissima Nutt., var. taeniotricha, var. nov., 19:167-168.

Two new Polygonums from New England, 19:232-235.

The varieties of Chimaphila umbellata. 19:237-244.

On the names of some species of Viburnum, 20:11-15.

Notes on the Clayton herbarium, 20:

21-28, 48-54, 65-73, 8 figs.

Lycopodium sabinaefolium Willd., var. sharonense (Blake) comb. nov., 20:60. A variety of Smilax glauca, 20:78-80.

Note on the proper name for Sassafras, 20:98-99.

Notes on the flora of New Brunswick, 20:101-107.

The identity of the genus Adventina Raf., 24:34-36.

Oenothera perennis L., var. rectipilis (Blake) comb. nov., 25:47.

Notes on the North American species of Limonium, 25:55-60.

The forms of Osmorhiza longistylis, 25:110-111.

Notes on two Ericaceae of the Boston district flora, 25:116.

Erucastrum Pollichii in West Virginia,

Notes on American Lespedezas, 26:25-34,

The name of the Spearmint, 26:171-175. A yellow-fruited form of Ilex myrtifolia, 26:231.

Records of Bidens frondosa var. anomala Porter, 27:34-35.

Zinnia vs. Crassina, 28:40-42.

Sericocarpus bifoliatus, an invalid name, 28:209-210.

Aster ericoides var. platyphyllus in Maryland, 30:106.

Potentilla intermedia in the Boston district, 30:107-108.

Notes on Aster, 30:226-228.

Cladonia floridana in New Jersey, 31:56. A new estuarine Bidens from Chesapeake Bay, 31:87-90, 1 fig. A new variety of Bidens Eatoni, 31:100.

Two Cyperaceae new to the Boston district. 31:191-192.

The names Aster ericoides and A. multiflorus, 32:136-140.

glabrous variety of Aster concolor, 32:144-145.

The typification of Scirpus capitatus L., 32:182-185.

Carex Bebbii in eastern Massachusetts, 33:63-64.

[Cladonias collected by --- in the western United States], 33:135-139, pl. 209. (ROBBINS, C. A. and ——), Cladonia in

the District of Columbia and vicinity, 33:145-159, pls. 210-212. Polygonum caespitosum var. longisetum

in the United States, 34:146-147. Charles Albert Robbins, 1874-1930, 35:

140-145. Wolffiella lingulata in Louisiana, 35:226. Carex divisa, Teesdalia nudicaulis and Thlaspi perfoliatum in Maryland, 36: 412-414.

Two introduced grasses new to Virginia, 36:420.

Better herbarium specimens, 37:19.

(Weatherby, C. A. and ____), On certain plant records from Hillsboro, New Hampshire, 41:34-36.

A new variety of Iva ciliata from the Indian rock-shelters in south-central United States, 41:81-86, 1 fig.

Note on the name Eupatorium rugosum,

43:557-558.

- and Atwood, A. C.), [Geographical guide to the floras of the world, Review of, 45:56.

Cotype, syntype and other terms referring to type material, 45:481-485.

Pseudo-elephantopus spicatus, a weed of potential importance in Florida, 50: 280-283.

BLAKESLEE, A. F.—(—— and JARVIS, C. D.), [New England Trees in Winter], Review

of, 14:79-80.
Blanc Sablon, The old stumps at, 18:185.
BLANCHARD, A.—[Herbarium of], 3:222.
BLANCHARD, FRANK N.—Two new species of Stigonema, 15:192-200, pl. 105.
BLANCHARD, FRIEDA COBB—The plant contents

of two mouse store-houses, 37:165-166. Blanchard, Wm. H.

The elusive character of Pogonia pendula, 4:2-3.

Our Chokeberries, 4:55-57.

Some Vermont and New Hampshire plants in the middle Connecticut valley,-I, 4:129-133.

A new species of Blackberry, 6:223-225. The yellow-fruited variety of the Black Raspberry, 7:143-146.

A new Rubus from Connecticut, 8:17-18. Two new species of Rubus from Vermont and New Hampshire, 8:95-98

Some Maine Rubi.—The Blackberries of the Kennebunks and Wells,-I., 8:146-157; —II., 8:169–180; —III., 8:212–218. Connecticut Rubi. 9:4–10.

On the identity of Rubus canadensis, 10:

117-121. Some points of nomenclature in Trienta-

lis and Rubus, 11:236-237.

A necessary change of name, 13:55-56. Lycopodium flabelliforme, 13:168-171.

A new variety of Rubus canadensis, 13: 193-195.

The range of the Black Birch to be restricted, 13:206-207.

Lycopodium complanatum near Hartland, Vermont, 13:211-212.

BLANKINSHIP, J. W.—The plant-formations of eastern Massachusetts. 5:124-137.

Blephilia ciliata (L.) Benth., 50:53.

BLEWITT, ARTHUR E.

Some introduced plants of Connecticut, 13:88-90.

288 RHODORA

Introduced plants new to Connecticut. 14:163-164.

Notes on Euphorbia Cyparissias L., 15:43.

Scirpus Peckii in Connecticut, 15:98-99. [Flora of Waterbury, Connecticut], Review of, 29:240.

Notes on the flora of Swanton, Vermont,

31:166-167.

Edgar Burton Harger, 48:263-264.

BLOMBERG, CARL

[Herbarium of], 3:288.

Some plants recently found in and around North Easton, Massachusetts, 4:13-14.

Utricularia minor in Vinnicunnet, Mas-

sachusetts, 4:102-103.

Bloodroot, Sanguinaria canadensis, The dissemination by ants of the seeds of, 44:13. Blue Hills, Carex aestivalis in the, 24:144.

Blue Hills Reservation, A few plants of the, 4:74

Blue Hills. Two additions to the lichen flora of the, 10:35.

Blue Ridge, The Great Smokies and the, [Review], 46:157.
Blueberry, Vaccinium corymbosum, Double

flowers in the wild Swamp, 36:233.

Blumenbachia insignis, a casual plant at Southbridge, Massachusetts, 8:225.

Boeckeler's Cyperaceae, Dates of, 41:313. Boehmeria cylindrica var. Drummondiana. Note on, 12:10.

Bog at Woods Hole, Massachusetts, The submarine Chamaecyparis, 11:221.

Boghead coals, On the nature of so-called

algal or, 11:61.

Bogs of Augusta County, Virginia, Further notes on coastal plain elements in the.

Bogs, Some interesting Rhode Island, 6:149. BOIVIN, BERNARD

The "Coûdres" of the "Ysles es Coul-

dres," 45:29-31. American Thalictra and their Old World

allies. 46:337-377. 391-445. 453-487. 114 figs. (Contrib. Gray Herb. no. CLII). Boleti collected at Alstead, New Hampshire, 2:173; —Additional notes, 3:226

Boletus, A form of the Bitter, 4:187.

Boletus poisoning, A case of, 1:21.

Boletus Russelii Frost., 1:16.
Bolles. William P.—[Herbarium of], 3:257. Boltonia, A synopsis of, 42:482.

BOOHER, L. E.—(— and TRYON, R. M.), A study of Elymus in Minnesota. 50:80-91. BOOTH, W. E .- A new species of Deschampsia. 45:414.

Boothbay, Maine, Notes on the flora of, 27:53; —II., 29:14; —III., 34:167.

BOOTT, WILLIAM-[Herbarium of], 3:244 Boreal America, Some willows of, 16:169. Boreal American Cerastiums of the section

Orthodon, Studies of some, 22:169. Boreal and subalnine variety of Spiraea lati-

folia, The, 19:254.

Boreal eastern America, Braya in, 50:1.

Boreal plants in southeastern Minnesota, Relict, 48:163.

Boreal species and varieties of Antennaria and Anaphalis, Some, 13:23.

Boreal variety of Fragaria virginiana, A, 13:106.

Boreal variety of Galium, The affinities of a certain, 12:228

Börgesen. F.—Regarding an unauthorized publication on the vegetation of the Virgin Islands, 28:66-67.

Boston, Dalibarda repens near, 6:227.

Boston district flora, Notes on two Ericaceae of the, 25:116.

Boston district, Index to the flora of the, 31:41.

Boston district, Potentilla intermedia in the. 30:107

Boston district, Reports on the flora of the, (see: Flora of the Boston district, Reports on the)

Boston district, Rynchospora macrostachya within the, 18:72.

Boston district, Two Cyperaceae new to the, 31:191.

Boston Lactarius, A, 1:14. Boston Mycological Club, The, 1:19; 2:93. [Herbarium of], 3:70.

Boston, Notes on fleshy Fungi found near, 1:13.

Boston Society of Natural History, [Herbarium of], 3:70.

Botanical Congress, Consideration of nomenclature at the fifth International, 31:90. Botanical Congress, Fifth International, 30:

Botanical Congress, Seventh International, 42:54. Botanical exhibition at the meeting of the

Natural History Societies of New England,

Botanical illustrating, Amateur, 13:93.

Botanical journals, Two new, [Review], 37:

Botanical lectures at the Lowell Institute, 13:253

Botanical names, On Solidago rigida L. and the application of old, 28:138.

Botanical Nomenclature adopted by the Vienna Congress, On the rules of, 9:29.

Botanical Nomenclature, Necessary changes in the. 21:101.

Botanical Nomenclature, Proposed amendments to the International Rules of, 31:91.

The proposed Botanical Nomenclature. changes in Article 58. International Rules of. 50:249.

Botanical notes, 36:309

Botanical scrapbook, A, 38:409. Botanical specimens, The use of DDT in the preparation of. 49:286.

Botanical Symposium, Annual, 8:115: 10:95. Botany, A new textbook of, Review. 13:16.

Botrychium angustisegmentum (Pease & Moore), n. comb., 17:87.

Botrychium from Tennessee, Notes on, 13:14.

Botrychium lanceolatum, 20:19.

Botrychium lanceolatum in America, Peculiarities of, 8:229.

Botrychium lanceolatum in the Yellowstone, 17:143.

Botrvchium lanceolatum, The American range of, 20:19.

Botrychium matricariaefolium in Connecticut. 3:36.

Botrychium matricariaefolium in Connecticut, Further stations for, 6:80.

Botrychium matricariaefolium on Mt. Toby, Massachusetts, 3:144.

Botrychium obliquum var. oneidense in eastern Massachusetts, 12:80.

Botrychium tenebrosum, Additional notes on,

Botrychium virginianum, An extreme form of. 8:47.

Botrychium virginianum and its American varieties, 19:207.

Botrychium virginianum, var. europaeum in America, The occurrence of, 17:233. Bowdoin College, [Herbarium of], 3:71.

BOWMAN, ISAIAH — [Forest Physiography], Review of, 14:70.

BOWMAN, PAUL W.—Notes on the flora of the Matamek River District, North Shore, Quebec, Canada, 34:48-55.

Brace, John Pierce

[Herbarium of], 3:287.

[Biographical sketch of], 16:83-90. Brachyelytrum erectum, The variations of, 45:260.

Brackett, Amelia Ellen

Revision of the American species of Hvpoxis, 25:120–147, 151–155, figs. 1–13. (Contrib. Gray Herb. no. LXIX-I).

Some genera closely related to Hypoxis, 25:155–163, figs. 14–17. (Contrib. Gray Herb. no. LXIX-II).

[Obituary notice], 31:57.

(FERNALD, M. L. and ——), The representatives of Eleocharis palustris in North America, 31:57-77, pls. 181-184. (Contrib. Gray Herb. no. LXXXIII-IV).

Bradford, Vermont, The Dwarf Mistletoe at,

Bradley, Leonard J.—Rorippa amphibia in Fairfield County, Connecticut, 33:192-193. Brainerd, Ezra

The Saniculas of western Vermont, 1:7-9. Hydrastis canadensis L. in Vermont. 1:200.

Typical Goodyera repens in New England, 2:22.

The Blackberries of New England, 2:

Scirpus atratus, a synonym of Scirpus Peckii, 3:31-33.

—, Jones, L. R. and Eggleston, W. W. [Flora of Vermont], Review of, 3:40.

[Herbarium of], 3:206.

Two more rare plants from Lake St. John, Quebec, 4:128–129. Notes on New England Violets, 6:8–17,

pl. 50.

(Eggleston, W. W., revised by — Addenda to the flora of Vermont, 6: 137-144.

, CHITTENDEN, M. D. and ORMSBEE, C. W.), Notice of annual field meeting of the Vermont Botanical Club, 6:164. Hybridism in the genus Viola, 6:213-223,

Scirpus validus and allies in the Champlain Valley, 6:231-232.

Notes on New England Violets,—II, 7: 1-8

The use of accentual marks in Gray's Manual, 7:189-190.

Notes on New England Violets,—III, 7: 245-248.

Hybridism in the genus Viola,—II, 8: 6-10.

Nephrodium Filix-mas in Vermont, 8: 22 - 23.

Hybridism in the genus Viola,—III, 8: 49-61, pls. 66-70.

The older types of North American Vio-

lets,—I, 9: 93–98.

Mendel's law of dominance in the hybrids of Viola, 9:211–216, 2 figs.

Viola chinensis in the eastern United States, 10: 38-40. Another hybrid between a white and a

blue Violet, 11:115–116. Cyrus Guernsey Pringle, [obituary], 13:

225-232. (With portrait.)

Is Viola arenaria DC. indigenous to North America? 15:106-111, pl. 104.

Notes on new or rare Violets of northeastern America, 15:112-115.

Viola septentrionalis in British Columbia, 17:70-71.

- and Peitersen, A. K.), [Blackberries of New England], Review of, 22: 185-191.

Brassica arvensis (L.) Kuntze, var. Schkuhriana (Reichenb.), n. comb., 24:36.

Brassica, The names of three species of, 40: 306.

BRAUN, E. LUCY

Affinities of the Illinoian Till Plain of southwestern Ohio, 37:349-361, 5 figs. Some relationships of the flora of the Cumberland Plateau and Cumberland

Mountains in Kentucky, 39:193-208, 30 New plants from Kentucky, 42:47-51.

Satureja glabella in Kentucky, 42:525. The Red Azalea of the Cumberlands, 43:

A new locality for Solidago Shortii, 43:

A new species and a new variety of Soli-

dago from Kentucky, 44:1-4 [An annotated catalog of Spermato-phytes of Kentucky], Review of, 45:

277-278.

290 RHODORA

Brauneria atrorubens and B. paradoxa, 38:197. Braya humilis (C. A. Meyer) Robinson, var. leiocarpa (Trautv.) comb. nov., 39:276.

Braya humilis, Some North American representatives of, 20:201.

Braya in boreal eastern America, 50:1.

Brazilian species, New names for two, 50:132. BREWER, WILLIAM HENRY-[Herbarium of], 3:207.

Brewster, William

Euphorbia corollata at Concord, Massachusetts, 3:253.

Occurrence of the Skunk Cabbage in an unusual place, 11:63-64.

Viola Brittoniana at Concord, Massachusetts, 11:107-108

Exotic plants established in Middlesex County, Massachusetts, 20:204-205.

BRICKELL, JOHN-[The Doctors -18:225-231

Bridgeport, Connecticut, Two new species of marine Algae from, 1:197.

Bridgewater, Massachusetts, List of Desmids

found in Carver's Pond, 5:79.

BRIERLY, WILLIAM B .- The relation of Pinus rigida to physiographic features and soil types in central Massachusetts, 40:72-73. British Columbia Algae, Further notes on,

26:160.

British Columbia, Notes on some Algae from. 24:101.

British Columbia, Viola septentrionalis in, 17:70.

British Herbaria, Studies of American types in, 50:149, 181, 217.

British Honduras, A new species of Neuro-

laena from, 37:61. British Honduras and Guatemala, Mosses of

southern, 36:55.

British Museum, Three of Clayton's Oaks in the, 17:39.

British Seaweeds, A handbook of the, [Re-

view], 34:113.

BRITTON, B. MADELINE-A New England station for Buxbaumia indusiata Bridel, 5: 257 - 258.

Britton, E. G.-A new Grimmia from Mt.

Washington, 1:148-149, pl. 7.

Britton, Nathaniel Lord — (——— and Brown, A.), [An illustrated flora of the northern United States, Canada and the British possessions], Review of, 15:220–224.

Bromelica (Thurber): a new genus of Grasses, 21:76.

Bromelica (Thurber) Farwell, The new genus,

Bromus ciliatus L., var. denudatus (Wiegand) n. comb., 28:20

Bromus ciliatus, The complex, 32:63. Bromus inermis, A new form of, 43:76.

Bromus. Notes on some East-American spe-

cies of, 24:89. Brooklin, Maine. Woody plants of, 12:173. Brooklyn, New York, Pinellia ternata in,

44:16. Brooks, F. T.—Consideration of nomenclature at the Fifth International Botanical Congress, 31:90-91.

Brooks, H. (--- and DAME, L. L.) [Handbook of the Trees of New Englandl, Review of, 4:40.

Broom-rape upon Tomato, Branched, 3:295. Brown, Addison-(Britton, N. L. and -

[An illustrated flora of the northern United States, Canada and the British possessions], Review of, 15:220-224.

Brown Algae, Rhadinocladia, a new genus of, 2:111.

Brown, C. A. — (— and Correll, D. S.). [The Ferns and Fern Allies of Louisiana]. Review of, 44:484-485. Brown, J. P.—Napaea dioica in New Eng-

land, 43:94-95.

Brown University, [Herbarium of], 3:207. Brown, Walter V.—A note on Sagittaria Kurziana, 44:211-213, 5 figs.

Brownell, Dr.—[Herbarium of], 3:207. Bruce Peninsula, Ontario, Some observations

on the flora of the, 37:63. Brunswick, Maine, The occurrence of Eleo-

charis diandra at, 4:1.

Brunswick region, Some notable plants of the, 13:177.

Bryophyta of Penikese, 26:219.

Bryophyte flora of Maine, Notes on the, 1:33. Bryophytes of Connecticut, The [Review], 11:15.

Bryophytes from the Keweenaw Peninsula,

Michigan, Critical, 39:1, 33. Bryophytes from the Mt. Greylock region,

A list of, 4:29.

Bryophytes, Mt. Kineo, 1:34. Bryophytes, Mt. Saddleback, 1:35.

Bryophytes of Maine,-II. Katahdin Mosses, Notes on the, 3:181.

Bryophytes of Mount Katahdin, 3:177.

Bryophytes of the Mt. Greylock region,-II, 4:238; —III, 6:72; —IV, 11:116. Bryopsis hypnoides Lamx., 23:253.

BUELL, MURRAY F.—Acorus Calamus

America, 37:367-369.

Buhl, Carl A.—The nomenclature of some species of Cornus, 37:222-223

Bulbochaete in the vicinity of Woods Hole, Massachusetts, Notes on Oedogonium and, 38:67.

Bulbostylis capillaris, The varieties of, 40:394. Bumstead, F. H.—[Herbarium of], 3:287.

BURGIN, CAROLINE A. — (—— and DALLAS, E. L.), [Among the Mushrooms], Review of, 3:140-142.

Burgrass, The common northern, 45:387.

Burlington, Additional notes on plants near, 15:200.

Burlington region, Notes on the plants of the, 15:153.

Burnham, Stewart H. — A Ribes new to Massachusetts, 10:205-206.

BURNS, GEO. P .- The annual field meeting of the Vermont Botanical and Bird Clubs. 21:144.

Burser's Herbarium, The French apothecary's plants in, 33:177.

BURT, E. A.

A list of Vermont Helvelleae, with descriptive notes, 1:59-67, pl. 4.

[Dr. Burt's note on Russula emetica],

Correction in regard to Vibrissea circinans (Pers.) Massee, 1:91.

Russula emetica in Vermont, 2:71-72.

[Herbarium of], 3:207.

Bush, B. F.

The Missouri Rhexias, 13:166-168.

The geographic origin of Crataegus viridis L., 14:81-86.

Butomus umbellatus at Lake Champlain, 32:18.

Butomus umbellatus in the Lake Champlain Basin, 32:19.

Butomus umbellatus on the St. Lawrence

River, 25:220.

Butternut and Hickory in Wisconsin, Fossil evidence of wider post-Pleistocene range of, 44:409; —A note on, 45:107; —A reply, 46:149.

BUTTERS, FREDERICK KING

(— and St. John, H.), Studies in certain North American species of Lathy-

rus, 19:156-163.

Taxonomic and geographic studies in North American Ferns,—I. The genus Athyrium and the North American Ferns allied to Athyrium Filix-femina, 19:169–207, pl. 123. (Contrib. Gray Herb. no. LI-I).

Taxonomic and geographic studies in North American Ferns .- II. Botrychium virginianum and its American varieties, 19:207-216. (Contrib. Gray

Herb. no. LI-II.)

Notes on the range of Maianthemum canadense and its variety interius, 28:

(ROSENDAHL, C. O., — and LAKELA, O.). Identity of Heuchera hispida Pursh, 35:111-118.

(ROSENDAHL, C. O. and ----), The genus Najas in Minnesota, 37:345-348, pl.

382.

— and ABBE, E. C.), The American varieties of Rorippa islandica, 42:25-**32**, pl. 588.

and Abbe, E. C.), A new Oxytrope of the Minnesota-Ontario border, 45: 1-4, pl. 745.

The American variety of Saxifraga

Aizoon, 46:61-69, pl. 817.

(— and ABBE, E. C.), The genus Poa in Cook County, Minnesota, 49:1-21, pls. 1051, 1052.

[Obituary of], 50:133-144 (with por-

trait).

Button-bush, Further notes on the, 10:203. Button-bush, Remarkable persistence of the, 4:243.

Buxbaumia indusiata Bridel, A New England station for, 5:257.

Byington, E. H.—Epigaea repens forma plena in Connecticut, 38:408.

CAIN, STANLEY A .-- A note on "Fossil evidence of wider post-Pleistocene range for Butternut and Hickory in Wisconsin," 45: 107-109.

Cakile edentula, Some variations of, 24:21. Calamagrostis, A revision of some North American species of, 32:35.

Calamagrostis canadensis and some related species, 24:142. Calamagrostis epigejos, An American repre-

sentative of, 30:202. Calamagrostis epigejos, Extension of the range of, 39:31.

Calamagrostis epigejos var. georgica in America, 35:64.

Calamagrostis of eastern North America, The Ancylatheran, 46:285.

Calamagrostis Pickeringii Gray, var. debilis (Kearney) n. comb., 15:135.

California, A new Iris from, 38:199.

California, the Basin region and the southern Rocky Mountains, Lady Fern of, 19:201. California Shrubs, [Review], 43:212.

Californian Convolvulus, Concerning 33:76.

Callitriche anceps in New England, 35:185. Callitriche Austini in southwestern Connecticut, 3:89.

Callitriche new to Massachusetts, A. 32:15. Callitriche stagnalis in eastern United States.

Callitriche stagnalis on the lower St. Lawrence, 34:39.

Calluna, A new station for, 33:162.

Calluna vulgaris, Another Massachusetts station for, 35:294.

Calluna vulgaris in southern New Hampshire, 4:200.

Calluna vulgaris on Martha's Vineyard, The Heather, 15:189. Calopogon pulchellus from Oklahoma, 36:420.

Calostoma, Notes on, 1:30. Calostoma Ravenelii, Rupture of the exoperi-

dium in, 11:197.

Caltha natans in Canada, 45:214.

Caltha natans in Minnesota, Rediscovery of, 45:53.

Cambridge British Flora, The, [Review], 16: 198.

Cambridge, Massachusets, Four introduced

plants at, 10:167. CAMP, W. H.—A new variety of Triphora, 42:55-56.

Campanula from Minnesota, A new form of, 47:391.

Campanula rapunculoides in Indiana, 47:404. Camptosorus rhizophyllus and Helenium autumnale, Status of two introductions by Minot Pratt at Concord, Massachusetts:, 34:172.

Campylium Halleri in New Brunswick, 50:52.

Canada, A Grass new to eastern, 10:205.

Canada, A new Luzula from eastern, 19:38. Canada, A new species of Carex and some notes on this genus in arctic, 43:413.

Canada, A new species of Euphrasia from

northwestern, 36:87.

Canada. A revision of the perennial species of Geranium of the United States and, 45:5,

Canada and New England, Recently recognized species of Crataegus in eastern, -

5:52; —II. 5:108; —III. 5:137; —IV, 5: 159; —V, 5:182; —VI, 7:162, 174, 192. Canada and Newfoundland, Three Lupines

naturalized in eastern, 16:92.

Canada and the northwestern States, Lady Ferns of Alaska, Western, 19:197.

Canada and the United States exclusive of southern Florida, Euphorbia subgenus Chamaesyce in, 43:95, 168, 223.

Canada, Andropogon scoparius in the United

States and, 19:100.

Canada, Caltha natans in, 45:214. Canada? Did Symphoricarpos albus origi-

nally come from, 39:461.

Canada (east of 100° W.), Taraxacum in arctic, 45:337.

Canada, Notes on the flora of the Matamek River District, North Shore, Quebec, 34:48. Canada, Rosa blanda and its allies of north-

ern Maine and adjacent, 20:90. Canada, Scirpus Peckii in, 45:168.

Canada, Silene Menziesii and allies in western. 40:212.

Canada. The Lady Ferns of the eastern

United States and, 19:181.

Canada, The Crataegi of the northeastern United States and adjacent, 10:73.

Canada, The spores of the genus Lycopodium in the United States and, 36:13.

Canada, the United States and the West Indies, Rhynchospora, section Eurhynchospora in 46:89, 159, 207, 255.

Canada, Utricularia inflata var. minor in, 47: 235.

Canada, Vascular plants of eastern arctic, [Review], 42:417.

Canada, Vicia sepium L. in, 50:144.

Canadian Botany, A Bibliography of, [Review], 47:236.

Canadian Eastern Arctic by Dr. Potter in 1937, Notes on some plants collected in the.

Canby, Wm. M.—Coreopsis involucrata on the Atlantic coast, 2:34.

Canoe Birch, A peculiar variety of the, 15:

Cap Chat River and vicinity, Gaspé Peninsula, Quebec, Some Cladoniae from the valley of the, 32:91.

Cape Ann, Some historical data regarding the Sweet Bay and its station on, 18:205.

Cape Breton, A hybrid Cornus from, 43:411. Cape Breton, A new Agropyron from, 19:15. Cape Breton, Linum catharticum on, 5:119.

Cape Breton, Nichols's Vegetation of northern, [Review], 21:171.

Cape Cod, A new Juneus from, 19:17. Cape Cod, Additions to the flora of, 30:135. Cape Cod and the Elizabeth Islands, Desmids from, 37:113.

Cape Cod Ceanothus, The, 32:161.

Cape Cod, Chenopodium carinatum on, 15: 220.

Cape Cod, Cycloloma on, 3:18.

Cape Cod, Flora of lower, -Notes on the, 11:125; —Supplementary note, -Third note, 13:17.

Cape Cod, Habenaria dilatata on, 31:80.

Cape Cod in its relation to the marine flora of New England, 24:1.

Cape Cod, Opuntia vulgaris on, 16:101. Cape Cod, The pond flora of, 14:25. Cape Cod, Two species new to, 16:78.

Capsella in January, 2:84.

Cardamine bellidifolia in Cumberland County, Maine, 3:185.

Cardamine from southern Maine, A new,

Cardamine from the Uinta Mountains, Utah,

A new, 36:409. Cardamine oligosperma and its near allies, 20:197.

Cardamine oligosperma, The varieties of, 17:156.

Cardamine parviflora, The American, 29:191. Cardamine pratensis in America, Some variations of, 22:11.

Carex aestivalis in the Blue Hills, 24:144. Carex albicans in Willdenow's Herbarium, Carex foenea, C. straminea and, 40:325. Carex alpina in North America, 35:220.

Carex and some notes on this genus in arctic Canada, A new species of, 43:413.

Carex annectens, Variations of, 24:73. Carex anthericoides, Carex macrocephala and,

32:9.

Carex aurea in Connecticut, 4:168. Carex Bayardi, nom. nov., 44:71.

Carex Bebbii in eastern Massachusetts, 33:63. Carex caryophyllea, a valid name, 44:286.

Carex corrugata from Alabama, 44:76.

Carex, Critical notes on, 44:281. Carex cristatella in New Hampshire, 47:38. Carex Deweyana, A northeastern variety of 15:92

Carex disticha in North America, 44:282. Carex divisa, Teesdalia nudicaulis Thlaspi perfoliatum in Maryland, 36:412.

Carex Dutillyi O'Neill and Duman, sp. nov., 43:413.

Carex Drummondiana Dewey, Status of, 43:

Carex, Extensions of range and a new species in. 39:491.

Carex, Extensions of range and other species of Cyperus and, 44:87.

Carex flava var. gaspensis in Vermont, 21:40. Carex flexuosa in Minnesota, 45:167.

Carex foenea, C. straminea and C. albicans in Willdenow's Herbarium, 40:325.

Carex from Newfoundland, A new, 17:158. Carex glareosa, Two variations of, 8:45. Carex Grayana, Carex livida and, 28:5. Carex Grayii var. hispidula, 44:322. Carex gynandra Schwein., The identity of, 25:115.

Carex gynocrates in Pennsylvania, 19:110. Carex Hostiana in North America, 44:318.

Carex hybrid, A new, 37:128. Carex inflata, The North American variations of, 44:324.

Carex interior, A new variety of, 8:114.

Carex Knieskernii Dewey, 32:162.

Carex lacustris west of the Rocky Mountains. 44:319.

Carex laevivaginata, The characters and range of, 17:231.

Carex laxiflora and its relatives, 24:189. Carex laxiflora, The identity of, 44:315. Carex leptonervia, a valid species, 16:213. Carex livida and C. Grayana, 28:5.

Carex macrocephala and C. anthericoides,

Carex maritima in Marshfield, Massachusetts, 16:213.

Carex miliaris Michx., The status of Carex physocarpa Presl and, 43:418.

Carex Mitchelliana and other rare plants near Cohasset, Massachusetts, 30:198. Carex new to New England, A, 32:258.

Carex notes, 21:83.

Carex novae-angliae extended into Pennsylvania, Range of, 19:96.

Carex novae-angliae in eastern Massachusetts, 2:83.

Carex paupercula Michx., var. brevisquama, n. var., 20:152.

Carex paupercula, The variations of, 8:73. Carex physocarpa Presl and Carex miliaris Michx., The status of, 43:418.

Carex projecta, Vegetative reproduction in Carex tribuloides and, 47:39.

Carex Richardsonii in New England, 34:229.

Carex rostrata, Back to, 48:145.

Carex scirpiformis Mackenzie and extension of its range, Status of, 43:416.

Carex scoparia, A blunt-spiked variety of, 14:115.

Carex, Some undescribed varieties and hybrids of, 2:170.

Carex straminea and C. albicans in Willdenow's Herbarium, Carex foenea, 40:325.

Carex tincta, a valid species, 15:186. Carex tribuloides and C. projecta, Vegetative

reproduction in, 47:39. Carex trisperma, A new variety of, 8:185. Carex Tuckermani niagarensis, a neglected sedge, 17:57.

Carex, Two new species of Uromyces on, 12:

Carex typhina in Maine, 44:20.

Carex umbellata, The type of, 44:288.

CAREY, JOHN [Herbarium of], 3:207.

[Letter of — to Tuckerman], 40: 277.

Carices, A distinction between two, 21:23. Carices at Sudbury, Massachusetts, Two noteworthy, 4:167.

Carices from Newfoundland, Two new, 15: 133

Carices of eastern Massachusetts, Two lost, 13:243.

Carices of the subsection Vesicariae, The northeastern. 3:43.

CARLETON, MARK ALFRED—[Notice of death]. 27:172.

Carolinas, Chrysopsis graminifolia and allies in Virginia and the, 44:464.

CARPENTER, ANNA E.—Further cases of inconstancy in color-forms, 27:199-200.

Carpenter, D. S. — Thirteenth annual field meeting of the Vermont Botanical and Bird Clubs, 9:108.

CARR, LLOYD G.

Further notes on coastal plain elements in the bogs of Augusta County, Virginia, 42:86-93.

A new species of Houstonia from the Cedar Barrens of Lee County, Virginia, 46:306-310.

Carum Carvi, A color form of, 11:178. Carya Pecan, The inadequate basis of the name, 49:194

Cassia marilandica, The type of, 39:410. Castanea pumila in eastern Massachusetts,

Castine, Maine, Salix incana at, 10:56. Catalogue of the Flowering Plants of Missouri, Validation of combinations in Palmer and Stevermark's Annotated, 40:131.

Catalogue of the vascular plants of Kentucky, A, [Review], 45:278.

Catalpa, The phyllotaxy of, 44:414.

Catharinaea crispa in Maine, An occurrence of, 9:74.

Catharinaea Macmillani, 9:98.

Catskill Plants, Some noteworthy, 49:53. Ceanothus ovatus, The pubescent form of, 43:82.

Ceanothus sanguineus, Range extension of, 17:229.

Ceanothus, The Cape Cod, 32:161.

Cedar from Indiana, A new form of Red, 31:

Cedar in eastern Massachusetts, The distribution of Red, 49:172.

Celtis occidentalis, The type of, 50:155. Centaurea diffusa, An American occurrence

of the European, 4:249. Centaurea diffusa, Another station for, 13:

Centaurea maculosa in Illinois, 49:84.

Centaurea maculosa in Indiana, 48:391. Centaurea nervosa in America, 45:331.

Centipeda minima in Wellesley, Massachusetts, The occurrence of, 40:219.

Centreville, Massachusetts, Rare plants in, 4:245.

Cerastiums of the section Orthodon, Studies of some boreal American, 22:169

Cercis canadensis in Connecticut, 25:203.

Cercis in North America, 44:193.

CHADBOURNE, PAUL ANSEL-[Herbarium of], 3:69, 208.

Chaetomorpha tortuosa Kütz, Rhizoclonium tortuosum (Dillw.) Kütz and, 41:19. Chaetophoraceae of the United States, The

Ulothricaceae and, [Review], 5:72. Chamaecyparis bog at Woods Hole, Massa-

chusetts, The submarine, 11:221. Chamaecyparis on Long Island, New York,

New stations for, 9:74.

Chamaecyparis thyoides in Maine, The status

of. 42:343. Chamaecyparis thyoides in New Hampshire,

Chamaedaphne and Xolisma, Pollination of the Ericaceae, 37:157.

Chamaedaphne calyculata (L.) Moench, var. latifolia (Ait.), comb. nov. 47:390.

Chamaesiphon incrustans Grun., 18:92. CHAMBERLAIN, EDWARD BLANCHARD

[Herbarium of], 3:208. Preliminary lists of New England plants, -VIII. Boraginaceae, 3:214-215.

Aulacomnium heterostichum in Maine, 4:169.

Western plants at Cumberland, Maine, 5:119.

New stations for Maine plants, 5:289; 6: 194-195; -II, 6:232-233.

Plantago elongata in Massachusetts, 6:

Meeting of the Josselyn Botanical So-

ciety, 8:167-168. Catharinaea Macmillani, 9:98-100, pl. 74. The thirteenth annual meeting of the

Josselyn Botanical Society, 9:107. Meeting of the Josselyn Botanical Society, 9:124; 10:172; 11:179; 12:99.

A Sedum new to North America, 14: 227 - 228

[Biographical sketch of], 27:73-76. Chamberlain, G. D.—Ranunculus lapponicus in Aroostook County, Maine, 41:461.

Champlain Valley, Notes on Crataegus in the, 3:19.

Champlain Valley, Notes on the species of Agaricus (Psalliota) of the, 1:161.

Champlain Valley, Scirpus validus and allies in the, 6:231

Chantransia in North America, Acrochaetium and, 8:189.

CHAPIN, WALTER H.—[Herbarium of], 3:258. CHAPMAN, V. J.

A note on the salt marshes of Nova

Scotia, 39:53-57. Some algal complexities, 41:19-28.

Characiopsis pileata Copeland, n. sp., 30:194. Characium, Two new species of, 11:65. CHASE, AGNES

The North American allies of Scirpus lacustris, 6:65-71, pls. 52, 53.

The text-figures in Gray's New Manual of Botany, 10:207-208.

(HITCKCOCK, A. S. and --), [The North American species of Panicum], Review of, 12:210-220.

The subterranean organs of Cinna arundinacea, 13:9-10, pl. 85.

Ornithological observations on cleistogamy, 13:76.

Amateur botanical illustrating, 13:93-95. Arrhenatherum elatius 3. tuberosum in America, 13:207-208.

An unwelcome invader, 16:166.

Panicum Wrightianum in Long Island, 16:167.

A teratological specimen of Panicum amarulum Hitchc. & Chase, 17:72.

Rev. E. J. Hill (with portrait), 19:61-69. The case of the grass genus Dilepyrum, 29:158-160.

Arthraxon hispidus var. cryptatherus (Hack.) Honda in Pennsylvania, 39: 100.

CHASE, VIRGINIUS H.—Francis Eugene M'-Donald (with portrait), 22:145-146.

Cheilanthes alabamensis in Giles County, Virginia, A station for, 41:137.

Cheilanthes lanosa, The presumable identity of, 48:383.

Chelone glabra, A northeastern variety of, 14:225.

Chelone glabra L., forma rosea, n.f., 18:72. CHENEY, CLARA IMOGENE—Rare plants in Centreville, Massachusetts, 4:245-246.

CHENEY, R. H.—A white form of Delphinium Ajacis, 27:139-142.

Chenopodium carinatum and other unusual weeds, 30:158.

Chenopodium carinatum on Cape Cod, 15:

Cherries of eastern America, The identities of the Sand, 25:69.

CHERRINGTON, M. EDNA—Botanical exhibition at the meeting of the Natural History Societies of New England, 8:135-136. Cherry Birch, A cut-leaved, 4:83.

Cherry of the Carrizo Sands of Texas, The Wild, 45:325. Cherry, Prunus virginiana, the correct name

of the Choke, 18:140.

Cherryfield, Maine, Mountain Laurel (Kalmia latifolia) at, 33:198.

Chesapeake Bay, A new estuarine Bidens

from, 31:87. Cheshire County, New Hampshire, Notes on

some trees and shrubs of western, 3:232. Chesterville, Maine, Additional notes on the

plants of, 11:30. Chesterville, Maine, Notes on Plants of, 9:

Chesterville, Maine, On the flora of, 2:123.

Chesterville, Maine, Orchids of, 5:82. Chicago region, Records of United States plants, chiefly from the, 34:174.

Chicago region, Two new plant records for

the, 31:99. CHIEN, S. S.—Two Asiatic allies of Ranuncu-

lus pensylvanicus, 18:189–190. CHILD, H. W

Some traits of Epipactis in Vermont, 19: 38.

A New England occurence of Listera australis, 24:187-188. Chimaphila, The flower of, 29:1.

Chimaphila umbellata, The varieties of, 19: 237.

China, A new Lepidium from, 32:28.

China, Notes on a collection of fresh-water Myxophyceae from Amoy, 28:1. Chinese Eleocharis, A new, 41:559. Chinese Marine Algae, 21:203.

Chinese Orchids, Nomenclatorial changes for some, 27:105.

Chionanthus, Note on the polygamy of, 6:89. Chionanthus, The pseudo-monoclinism of, 6:

CHITTENDON, M. D.—(BRAINERD, E., —— and ORMSBEE, C. W.), Notice of annual field meeting of the Vermont Botanical Club,

Chlorochytrium Lemnae in America, 7:97. Chlorocystis Cohnii on the Massachusetts coast, 2:104.

Choanephora, A New England, 5:97.

Choke Cherry, Prunus virginiana the correct name of the, 18:140.

Chokeberries, Our, 4:55.

Chromosomes of Jamesianthus, 44:280. Chromosomes of Kalmiopsis, 40:278. Chromosomes of Proserpinaca, 41:584.

Chrysanthemum Leucanthemum and the American White Weed, 5:177.

Chrysanthemum segetum L. at Marion, Massachusetts, 1:57.

Chrysanthemum uliginosum Pers. adventive in Quebec, 47:389.

CHRYSLER, MINTIN ASBURY—Reforestation at Woods Hole, Massachusetts,—A study in succession, 7:121-129, pls. 62, 63.

Chrysobalanus, New combination in, 48:136. Chrysopsis graminifolia and allies in Virginia

and the Carolinas, 44:464.

Chrysosplenium iowense, Studies in Chrysosplenium, with special reference to the taxonomic status and distribution of, 49:25.

Chrysosplenium with special reference to the taxonomic status and distribution of C. iowense, Studies in, 49:25.

CHURCHILL, JOHN A.—New station of Oxalis montana forma rhodantha, 39:231.

CHURCHILL, JOSEPH RICHMOND

Some plants about Williamstown, 1:24-26. An unusual form of Drosera intermedia, var. americana, 2:70-71, pl. 15.

Preliminary lists of New England plants, VI. Leguminosae, 2:89–92.

A botanical excursion to Mount Katahdin, 3:147-165.

[Herbarium of], 3:208.

Some plants from Prince Edward Island, 4:31-36.

Preliminary lists of New England plants, -XVII. Scrophulariaceae, Verbenaceae, 7:33-38.

Three plants new to the flora of Vermont, 7:99-100.

Lappula deflexa in Vermont, 18:138-140.

A smooth-fruited form of Asclepias syriaca, 20:206-207.

Cimicifuga racemosa in Massachusetts, 23:201-203.

A further note on Cimicifuga racemosa in Massachusetts, 28:17-18.

(—, Deane, W., Grigg, F. W., Knowlton, C. H., Pease, A. S., Sanford, S. N. F. and Smith, L. B.), Reports on the flora of Massachusetts,—I, 30:12-19.

—, GOODALE, A. S., GOODWIN, R. H., GRIGG, F. W., HARRIS, S. K., POTTER, D., ROSSBACH, G. B., SANFORD, S. N. F. and SMITH, L. B.), Reports on the flora of Massachusetts,—II, 35:351-359.

[Biographical sketch of, with photographs], 36:1-7.

Cichorieae, Eupatorieae and Astereae, Notes on the Compositae of the northeastern United States,—VI, 50:28.

Cimicifuga racemosa in Massachusetts, 23: 201; — A further note on, 28:17.

Cinna arundinacea, The subterranean organs of, 13:9.

Circaea canadensis and C. intermedia, The

identity of, 19:85. Circaea intermedia, The identity of Circaea canadensis and, 19:85.

Circaea latifolia and the Asiatic C. quadrisulcata, The identity of, 17:222. Circaea quadrisulcata, The identity of Circaea

latifolia and the Asiatic, 17:222. Cirsium Flodmani, Eastern extension of, 45:

Cirsium Flodmani in New Hampshire, 46:87. Cirsium, Minor transfers and forms in, 45:353. Cirsium muticum, var. monticola, Note on, 9:28.

Cirsium, Notes on the genus, 13:238.

Cirsium palustre, a native of New Hampshire? Is, 4:217.

City botanizing, 10:149.

Cladium mariscoides in Saskatchewan, 39:232. Cladonia apodocarpa, a new species, 27:210. Cladonia Beaumontii, Cladonia mateocyatha,

a new species and some variations in, 27:49. Cladonia Beaumontii in Massachusetts, 25:46. Cladonia Beaumontii, The identity of, 29:133. Cladonia floridana in New Jersey, 31:56. Cladonia in the District of Columbia and vicinity, 33:145.

Cladonia lepidota Fries, The identity of, 31:

Cladonia mateocyatha, a new species and some variations in C. Beaumontii, 27:49. Cladonia occurring in New England, A key to the species and principal varieties of, 11:212.

Cladonia, subgenus Cladina, Microchemical studies on the genus, 45:417

Cladoniae of Connecticut, Notes on the, 34: 121, 153; —II, 37:33; —III, 40:4.

Cladonias collected by S. F. Blake in the western United States, 33:135.

Cladonias, Some new, 26:145.

Cladonieae from the valley of the Cap Chat River and vicinity, Gaspé Peninsula, Quebec, 32:91.

Cladophora, New species of, 11:17.

Cladophoras of New England, The marine, 4:111.

Cladrastis lutea. A tomentose form of, 40:487. CLAIRVILLE, JOSEPH PHILIPPE DE-[Notice of]. 48:208.

CLARK, ALICE G.

Utricularia minor in Holbrook, Massachusetts, 4:42.

An interesting specimen of Arisaema triphyllum, 6:163.

Triosteum perfoliatum in Massachusetts, 6:179-180.

Dalibarda repens near Boston, 6:227. White form of Sabatia chloroides, 7: 38-39.

CLARK, ARTHUR G.

Lysimachia punctata in eastern Massachusetts, 3:201.

A few plants of the Blue Hills Reservation, 4:74-76.

CLARK, HUBERT LYMAN

Additions to the flora of Amherst, Massachusetts, 1:164-165.

Notes on the flora of Woods Hole, Massachusetts, 3:87-89.

Notes on Maryland plants, 6:176-177.

CLARK. HUGH SAVAGE

Some noteworthy specimens of Fringed Gentian, 1:89-90.

Erodium moschatum in Connecticut, 4: 248

Corydalis flavula in Connecticut, 28:68. CLARK, JOSEPHINE F.—Ferns of the Red River Country, Maine, 32:133-136.

Clark, R. A.—Another station for Cypripedium arietinum in Massachusetts, 31:223. Clarke, Cora H.—A suggestion for summer

observations, 14:177–184, pls. 97–99. Clathrus columnatus in Lawrence, Massachu-

setts, 4:134. CLAUSEN, ROBERT T

(Muenscher, W. C. and ——), Notes on the flora of northern New York, 36: 405-407.

Studies in the genus Najas in the northern United States, 38:333-345, pls. 437,

Sagittaria Edwardsiana, a new species from the New Jersey Pine Barrens, 39: 29-31, pl. 454.

A new species of Najas from the Hudson

River, 39:57-60, pl. 455. A new variety of Sparganium ameri-

canum, 39:188-190. Najas gracillima in Indiana and Michi-

gan, 39:432.

- and Wahl, H. A.), Plants of central Pennsylvania, 41:28-34.

On the status of Eleocharis Robbinsii in New York, 41:254-256.

Silene caroliniana, 41:575–584, pl. 584. Rapistrum in northern North America, 42:201-202.

On the use of the terms "Subspecies" and "Variety," 43:157-167.

Scabiosa Columbaria in central New York. 45:220-221.

A note on Baptistia tinctoria, var. projecta, 46:281.

Najas Muenscheri and other species of Najas in eastern Virginia, 49:233-236.

Clayton, Concerning the proper identification of Linnaean species especially those based on material collected by, 30:232.

Clayton Herbarium, Notes on the, 20:21, 48,

Claytonia, [Notice of], 37:162.

Clayton's Oaks in the British Museum, Three of. 17:39

CLELAND, RALPH E.—A new Erythrotrichia from Woods Hole, 20:144-145, pl. 124. Clematis from the Peaks of Otter, A new,

49:219.

Clematis ochroleuca and allies, Morphological differentiation of, 45:401.

Clematis verticillaris in the Middlesex Fells, 5:192.

CLEMENT, IAN D.—Sida in Oklahoma, 50:99. Clemson College, South Carolina, Plants in flower, February 8, 1911, at, 13:91. Cleome serrulata in Maine, 6:79.

Clethra alnifolia, A pink-petaled form of, 9:195.

Climbing Fern in New Hampshire, The, 4:83. CLINTON, G. P.—Two new smuts on Eriocaulon septangulare, 3:79-82, 2 figs.

Clitocybe illudens, On the edibility of, 1:186. CLOKEY, IRA W.—Carex notes, 21:83-85.

Clover, A freak Sweet, 23:25.

CLOVER, ELZADA U.

Astrophytum asterias in the United States, ?4:227-228, pl. 223.

The habitat of Astrophytum asterias in Texas, 35:224-225.

Echinocereus angusticeps, a new species from the lower Rio Grande Valley,

Texas, 37:77-80, pl. 327.
Cluster-cup Fungus on Lespedeza in New England, A, 2:186.

CLUTE, WILLARD NELSON
["American Fern Book" or "Our Ferns in their Haunts"], Review of, 3:238-239. [The Fern-allies of North America], Review of, 7:267-268.

[Laboratory Botany for the High School], Review of, 12:56.

Cnicus benedictus persist in our flora? Does,

46:158.Cnidoscolus stimulosus, their status in the

Oklahoma flora, Cnidoscolus texanus and,

Cnidoscolus texanus and C. stimulosus, their status in the Oklahoma flora, 45:270.

Coals, On the nature of so-called algal or boghead, 11:61.

Coastal dunes of Texas, The Senecio on the, 45:164.

Coastal plain element in the flora of the Great Lakes, The Atlantic, 24:57, 80.

Coastal plain elements in the bogs of Augusta County, Virginia, Further notes on, 42:86. Coastal plain of Maryland, Some plants re-

cently found in the, 42:277.
Coastal plain of Maryland and Delaware, Some noteworthy plants recently found in the, 41:111.

Coastal plain of New Jersey, Regarding Gen-

tiana Andrewsii in the, 22:104. Coastal plain of South Carolina north of Georgetown, Notes on the Spring flora of the, 36:28.

Coastal plain of southeastern Virginia, Local plants of the inner, 39:321, 379, 433, 465.

Coastal plain of Virginia, Plants from the outer, 37:376, 414.

Coastal plain plants in New England, 7:69.

Coastal plain plants of New England, their history and distribution, Further remarks on the, 8:27.

Coastal plain, Some heretofore unnoticed plants of the South Carolina, 47:142

plants of the South Carolina, 47:142.

Coastal plain, Some interesting plants of the Virginia, 24:148.

Coastal plain species, Misinterpretation of Atlantic, 44:238. Coburn, Louise Helen

Lactuca Morssii in Maine, 1:193.

Flora of Birch Island in Attean Pond, 22: 129 - 138.

Marsilea quadrifolia in Maine, 22:156. Gentiana linearis var. latifolia in Maine,

[Kate Furbish, botanist; an appreciation], Review of, 28:36.

Coccomyxa in the United States, 39:366. Cockerell, T. D. A.

Lamium purpureum in Colorado, 28:112.

Some synonymy, 35:110. Cochlearia from Newfoundland, A new, 16:

Coe, M. A.—Autumnal flowering of Vaccinium

pennsylvanicum, 2:224-225. Cohasset, Massachusetts, Carex Mitchelliana

and other rare plants near, 30:198. Coldenia Nuttallii in Missouri, 40:487.

Coley, William S.—An early flowering Rudbeckia hirta, 18:212.

Collectors, Suggestions for, 42:145. Collectors, To Fern, 2:212. Collectors, To seaweed, 1:121.

COLLEY, R. H.

(Lewis, I. F. and ——), Chamaesiphon incrustans Grun., 18:92.

Compsopogon coeruleus (Balbis) Mont., 18:92.

COLLINS, FRANK SHIPLEY

Notes on Algae,—I, 1:9-11. A case of Boletus poisoning, 1:21-23.

A seaweed colony, 1:69-71 To seaweed collectors, 1:121-127.

[Editorial note by], 1:149. Notes on Algae,—II, 2:11-14.

Preliminary lists of New England plants, —V. Marine Algae, 2:41–52. Seaweeds in Winter, 2:130–132.

The New England species of Dictyosiphon, 2:162-166.

The marine flora of Great Duck Island, Maine, 2:209-211.

Collecting seaweeds in the Tropics, 3:90-

Notes on Algae,—III, 3:132-137.

[Herbarium of], 3:208.

Notes on Algae,-IV, 3:289-293.

The marine Cladophoras of New England, 4:111-127, pl. 36.

An algologist's vacation in eastern Maine, 4:174-179.

Ulvaceae of North America, 5:1-31, pls.

The Ulothricaceae and Chaetophoraceae of the United States, [Review of], 5: 72 - 73.

Lorin Low Dame, 5:121-123 (with portrait).

Notes on Algae,—V, 5:204–212.

Isaac Holden, 5:219-220.

Notes on Algae,—VI, 5:231-234.

A sailor's collection of Algae, 6:181-182. Algae of the Flume, 6:229-231

Chlorochytrium Lemnae in America, 7:

Phycological notes of the late Isaac Holden,-I, 7:168-172; -II, 7:222-243. Intuition as a substitute for reference, 8:

New species, etc., issued in the Phycotheca Boreali-Americana, 8:104-113.

Notes on Algae,—VII, 8:122–126; —VIII, 8:157-161.

Acrochaetium and Chantransia in North America, 8:189-196.

Is Rhinanthus Crista-galli an introduced plant? 9:26.

The basis of nomenclature for Algae, 9: 77-80.

Some new Green Algae, 9:197–202, pl. 76. George Edward Davenport, 10:1-9 (with portrait).

Oedogonium Huntii rediscovered? 10:57-

(Setchell, W. A. and ——), Some Algae from Hudson Bay, 10:114-116.

The genus Pilinia, 10:122-127, pl. 77. Two new species of Acrochaetium, 10: 133-135.

Notes on Algae,—IX, 10:155-164.

New species of Cladophora, 11:17-20, pl.

Notes on Monostroma, 11:23-26.

Notes on the flora of lower Cape Cod, 11:125-133

An algological prophecy fulfilled, 11:196-

Flora of lower Cape Cod; supplementary note, 12:8-10.

A variety of Solanum new to America, 12:40.

Flora of lower Cape Cod; third note, 13: 17-22.

Notes on Algae,—X, 13:184–187.

The botanical and other papers of the Wilkes Exploring Expedition, 14:57-68. An important publication on the biology of Woods Hole, [Review], 15:152.

Three plants with extension of range, 15: 169 - 170.

Drifting Algae, 16:1-5.

Two species new to Cape Cod, 16:78. Opuntia vulgaris on Cape Cod, 16:101-104

November flowers, 17:33-38.

Some Algae from the Chincha Islands, 17:89-96.

-, editor), Notes from the Woods Hole Labratory,—1915, 18:90-92. The Sargasso Sea, 19:77-84.

Notes from the Woods Hole Laboratory, —1917,—I. Species new to science or to the region, 20:141-143, pl. 124. Chinese Marine Algae, 21:203-207.

[Notice of death], 22:96.

COLLINS, JAMES FRANKLIN

Notes on the Bryophyte flora of Maine, -I,, 1:33-36.

Rhode Island plant notes,—I, 1:46-48; —II., 1:105-107.

(Kennedy, G. G. and ——), Bryophytes of Mount Katahdin, 3:177-181.

Notes on the Bryophytes of Maine,—II. Katahdin Mosses, 3:181-184.

[Herbarium of], 3:219.

An extension of range for the typical Lycopodium complanatum, 4:154.

The distinctive features of Iris Hookeri, 4:179-180, pl. 39.

Some notes on Mosses, with extensions of range, 5:199-201.

Woodsia glabella in Maine, 5:286.

Corallorhiza innata and Taraxacum erythrospermum in Rhode Island, 5:291-

The Black Spruce in Rhode Island, 6: 41-42.

Some Maine Mosses, 6:145-146.

Some interesting Rhode Island bogs, 6: 149-150.

Preliminary lists of New England plants, -XIX, 8:131-135.

Some Mosses from Aroostook County, Maine, 10:37-38.

Preliminary lists of New England plants, -XIX. Addenda, 10:71-72.

The Bryophytes of Connecticut, [Review], 11:15-16.

The weight of ice-covered twigs, 11:32. Sclerolepis uniflora in Rhode Island, 12:

The use of corrugated paper boards in drying plants, 12:221-224.

(— and Preston, H. W.), [Illustrated key to the wild and commonly cultivated trees of the northeastern United States and Canada based primarily upon leaf characters], Review of, 14:163. Three plants new to Rhode Island, 23:27.

Two additions to the flora of Rhode Island, 26:220.

Notes on certain species of Panicum oc-

curring in or near Rhode Island, 30: 229 - 232.

Moss Flora of North America, [Review], 31:38-39.

On changing the direction of sap-conducting tissues, 32:145-146.

Moss Flora of North America, [Review], 33:229.

Better herbarium specimens, 34:247-249. Moss Flora of North America, [Review], 35:146; 36:60.

Hawaiian Mosses, [Review], 36:132. [The resignation of ——], 38:101.

[Biographical sketch], 44:93-97 (with portrait).

[Incidents of field-work with—1, 44:98—147, pls. 696–707. (Contrib. Gray Herb. no. CXL).

COLLINS, JOHN A., JR.—Two wool-waste plants at Lawrence, Massachusetts, 3:92.

Collinsia parviflora in New England, 37:422. Color form of a wild Strawberry, A new, 31:

Color form of Carum Carvi, A, 11:178. Color form of Potentilla pumila, A, 11:152.

Color form of Viola pedata, A striking, 13:172. Color-forms, Further cases of inconstancy in, 27:199.

Color forms of American Anemones, Some, 19:139.

Color forms of Impatiens biflora, 19:115.

Color-forms of Gentiana Porphyrio, Some, 44:151.

Color-forms of Hepatica americana, Inconstancy in, 27:131.

Color forms of Lobelia cardinalis L., Two, 21:217.

Color forms, Some interesting, 16:128. Color guide, A new, [Review], 15:96.

Color in bud and in leaf, Similarity of, 13:

Color in some Red Algae, Causes of variation in, 9:90.

Color of the American Diervillas, Flower, 9: 147.

Color of the flowers of Nelumbo pentapetala, The, 38:272.

Color types of Corallorrhiza maculata Raf., 24:145.

Color variation in a Missouri colony of Hepatica acutiloba, 35:66.

Color variation in eastern North American flowers as exemplified by Hepatica acutiloba, 38:301.

Color variation in Gentiana linearis, 32:143. Color variation in Potentilla tridentata, A, 33:211.

Color varieties of Gratiola aurea, The retrograde, 9:122.

Color varieties of Gratiola at Westfield, a clerical error, The record of, 9:195.

Colorado, A new Primula from the Grand Canyon of the, 36:117.

Colorado, Lamium purpureum in, 28:112. Colorado, Viola Selkirkii in. 16:94.

Columbine from the Edwards Plateau of

Texas, A new, 38:75. Columnea from Jamaica, A new, 39:275. Comandra livida and Lycopodium sitchense on Mt. Washington, The discovery of, 4:97. Comandra, An undescribed northern, 7:47.

Comital Flora, Druce's [Review], 34:191. Commelina erecta, The varieties of, 42:435. Commelina virginica established in New England, 2:200.

Committee on floral areas, Report of the, 20: 181, 193; Second, 22:80; Third, 23:209; Fourth, 27:56; Fifth, 28:43; Sixth, 29:247; Seventh, 31:106.

Committee on plant distribution, Report of

the, Eighth, 38:263; Ninth, 48:17.
Compositae chiefly of northeastern America,

Some new or unrecorded, 17:1,

Compositae of the northeastern United States, Notes on the, -I, Inuleae, 47:182; -II. Heliantheae and Helenieae, 47:396; —III. Inuleae and Senecioneae, 48:116; —IV. Solidago, 49:69: -VI. Cichoreae, Eupatorieae and Astereae, 50:28.

Compositae, Three transfers in the, 44:340. Compsopogon coeruleus (Balbis) Mont., 18:

CONANT, JENNIE F .- The Boston Mycological Club, 2:93-95.

CONANT, WOODBURY P .- [Herbarium of], 3: 219.

CONARD, HENRY S.

Nymphaea magnifica, 18:120, 144.

Nymphaea and Nuphar again, 18:161-164. Concord, Massachusetts: Camptosorus rhizophyllus and Helenium autumnale, Status of two introductions by Minot Pratt at, 34:172. Concord, Massachusetts, Euphorbia corollata at, 3:253.

Concord, Massachusetts, On the plants intro-

duced by Minot Pratt at, 1:168.

Concord, Massachusetts, Some adventitious plants in, 38:64.

Concord, Massachusetts, The persistence of Opuntia humifusa in, 40:486.

Concord, Massachusetts, The waning of Arceuthobium at, 37:413.

Concord, Massachusetts, Viola Brittoniana at, 11:107. Concord, Massachusetts, Wolffia columbiana

in, 41:42. Congamond Lakes, A day at, 13:53.

Congdon, J. W.—Plantago elongata in Rhode Island, 2:194. Conger, Paul S.—Flora of Penikese fifty years

after (Desmids), 26:191-195, 215.

Congress, Consideration of nomenclature at the fifth International Botanical, 31:90. Congress, Fifth International Botanical, 30:

Congress, On the rules of Botanical Nomenclature adopted by the Vienna, 9:29.

Congress, Nomenclature at the next International, 40:464.

Congress, Seventh International Botanical, 42:54.

Connecticut, a correction, Altitudinal limits in. 17:88.

Connecticut, A new Rubus from, 8:17.

Connecticut, A preliminary report on the Desmids of, 24:213, 236.

Connecticut, A remarkable colony of Bidens in, 19:257.

Connecticut, A second station for Corydalis flavula in, 48:326.

Connecticut, Additions to the flora of, 19: 105, 119, 224, 245; —Series 2, 24:111.

Connecticut Agricultural Experiment Station. [Herbarium of], 3:219.

Connecticut, Arenaria macrophylla in, 7:20. Connecticut, Aristida longespica in, 35:386. Connecticut Blackberry, An unarmed, 3:295. Connecticut Botanical Society, 5:74; 5:120.

Connecticut Botanical Society, Records of, -I. 8:79; --II. 8:222.

Connecticut botanists and their herbaria, Oldtime, -I. 16:83; -II. 23:121, 171.

Connecticut, Botanizing in central, 13:77. Connecticut, Botrychium matricariaefolium in. 3:36.

Connecticut, Callitriche Austini in southwestern, 3:89.

Connecticut, Carex aurea in, 4:168.

Connecticut, Cercis canadensis in, 25:203.

Connecticut, Corydalis flavula in, 28:68. Connecticut, Desmodium glabellum in northeastern, 35:38.

Connecticut Diatoms, Additional lists of, 10: 179.

Connecticut Diatoms with some account of their distribution in certain parts of the State, A partial list of, 9:125

Connecticut, Drosera rotundifolia, var. comosa in, 33:144.

Connecticut, Epigaea repens, forma plena in, 38:408.

Connecticut, Eragrostis Frankii in, 2:87.

Connecticut, Erodium moschatum in, 4:248. Connecticut flora at the St. Louis Exposition, The. 6:180.

Connecticut flora, Further additions to the, 33:167

Connecticut, Flowering Plants and Ferns of, [Review], 12:131.

Connecticut, Fossombronia salina in, 3:7.

Connecticut, Further stations for Botrychium matricariaefolium in, 6:80.

Connecticut, Gleditschia triacanthos established in, 4:103.

Connecticut, Goodyera repens, var. ophioides in, 1:40.

Connecticut Grasses, Notes on two, 6:177. Connecticut, Hedeoma hispida in, 10:208; 28:

Connecticut, Holosteum umbellatum in, 26: 199

Connecticut, Introduced plants new to, 14: 163.

Connecticut, Late-blooming Violets in, 27:51. Connecticut, Lepidium latifolium in, 37:161. Connecticut Lichens, Notes on, 29:97.

Connecticut Mosses, Notes on, 12:146; —II. 13:40; —III. 14:45; —IV. 15:3.

Connecticut, Notes on the Cladoniae of, 34: 121, 153; —II. 37:33; —III. 40:4. Connecticut, Notes on the flora of, 4:36.

Connecticut, Noteworthy Panicums in, 3:145. Connecticut, Noteworthy plants of, 4:84. Connecticut, Noteworthy plants of southeast-

ern, 1:67; —II. 3:63; —III. 4:26; —IV. 6:48.

Connecticut, Observations on some plants of eastern, 13:68.

Connecticut, Other Mosses new to, 15:11. Connecticut. Panicum albemarlense in, 22:

Connecticut, Panicum Commonsianum in, 6:

Connecticut, Paspalum in eastern, 16:136. Connecticut, Phlox pilosa in, 1:76.

Connecticut plants, Extended ranges of some,

Connecticut plants, Notes on, 9:10; 13:30. Connecticut plants, Some, 20:97; 21:114. Connecticut plants, Some unusual, 6:195.

Connecticut plants, Some varieties and forms of, 18:239.

Connecticut Rubi, 9:4.

Connecticut, Salix serissima in southern, 14:

Connecticut, Schwalbea americana in, 5:40. Connecticut, Scirpus occidentalis and Aster ptarmicoides in, 16:19.

Connecticut, Scirpus Peckii in, 15:98.

Connecticut, Senecio obovatus var. elongatus in, 24:226.

Connecticut, Soil-preferences of some less usual vascular plants in central, 1:103.

Connecticut, Some introduced plants of, 6: 78: 13:88.

Connecticut, Some introduced weeds of, 6:146. Connecticut, Some noteworthy plants of, 4:98. Connecticut, Some noteworthy plants of

southeastern, 1:67. Connecticut, Some plants rare or hitherto un-

recorded in, 7:68.
Connecticut, Species of Fontinalis new to,

Connecticut, Species of Sphagnum new to,

Connecticut, Spergula sativa in, 7:151.

Connecticut station for Ilex mollis, A, 14:205. Connecticut station for Lycopodium Selago, A, 7:20.

Connecticut, Stations for some of the rarer plants of, 1:39.

Connecticut, Stations for some of the less usual plants of, 2:125.

Connecticut, Supplementary report on the Desmids of, 26:203.

Connecticut swamp, An hour in a, 5:196. Connecticut, The Bryophytes of, [Review], 11:15.

Connecticut, The Dentarias of, 5:213. Connecticut, The distribution of certain trees and shrubs in western, 2:34. Connecticut, The Dwarf Mistletoe in, 5:202.

Connecticut, The restoration of Isanthus brachiatus to the flora of, 27:189.

Connecticut, Two additions to the flora of, 3:144.

Connecticut Valley Botanical Society, The, 1:95.

Connecticut Valley in Massachusetts, A flora of the, [Review], 15:97.

Connecticut Valley in Massachusetts, New records for the, 39:186.

Connecticut Valley, Some Vermont and New Hampshire plants in the middle, 4:129. Connecticut, Viola Selkirkii in, 15:225.

Conopholis americana in Maine, New stations for Peltandra virginica and, 4:168.

CONSTANCE, LINCOLN The genus Ellisia, 42:33-39.

The genus Crepis, [Review], 49:297-299. Continental drift and plant distribution, [Review], 46:249.

Convallaria, The indigenous Alleghenian, 46: 12.

Convolvulus, Concerning a Californian, 33:76. Convolvulus sepium, The varieties of Convolvulus spithamaeus and of, 41:415.

Convolvulus spithamaeus and of C. sepium, The varieties of, 41:415, Convolvulus Wallichianus at Swarthmore,

Pennsylvania, 47:332. COOK, MABEL PRISCILLA

Some additions to the "Flora of Middlesex County, Massachusetts," 1:80-82.

A list of plants seen on the Island of Monhegan, Maine, June 20-25, 1900, 3:187-190.

Cook, S. F.—Flora of Penikese fifty years after (Bryophytes), 26:219.

Cook County, Minnesota, The genus Poa in, 49:1.

Coos County, New Hampshire, A fourth Pinus rigida for, 12:99.

Coos County, New Hampshire, Plants new to, 30:104.

COPELAND, JOSEPH J.—Characiopsis pileata Copeland, n. sp., 30:194, figs. 1, 2. Coprinus micaceus, Note on the periodic fruit-

ing of, 37:223. Coptis trifolia and its eastern American rep-

resentative, 31:136. Coral-berry (Symphoricarpos orbiculatus),

Notes on the, 49:117.

Corallorhiza innata and Taraxacum ervthrospermum in Rhode Island, 5:291 Corallorhiza, not Corallorrhiza, 48:193.

Corallorrhiza maculata, A teratological flower of, 31:53.

Corallorrhiza maculata Raf., 25:31.

Corallorrhiza maculata Raf., Color types of, 24:145.

Corallorrhiza maculata, The varieties of, 27: 11.

Corallorrhiza, Corallorhiza, not, 48:193.

Corallorrhiza, Recent nomenclatorial changes in the genus, 11:102.

Coral-root from the Rocky Mountains, An overlooked species of, 33:133.

CORE. E. L.

(STRAUSBAUGH, P. D. and ——), Phymosia remota, 34:142-146. Travels of Asa Gray in Western Virginia,

1843, 42:344-351.

Coreopsis involucrata on the Atlantic coast,

Coreopsis rosea Nutt., forma leucantha, n. f., 21:171.

Cornucopiae altissima, The identity of, 49:

Cornus Amomum and Cornus candidissima, 36:269.

Cornus canadensis, A purple-flowered form of. 44:20.

Cornus canadensis in Minnesota, Forms of, 50:304.

Cornus canadensis L., forma rosea, f. nov., 43:156.

Cornus canadensis var. intermedia in eastern America, 13:107.

Cornus candidissima, Cornus Amomum and, 36:269.

Cornus Drummondii, 38:99.

Cornus from Cape Breton, A hybrid, 43:411. Cornus of Philip Miller, Concerning some species of, 33:68.

Cornus, On nomenclature in, 38:51. Cornus racemosa in Quebec, 49:23.

Cornus rugosa × stolonifera, A new hybrid Cornus, 12:121.

Cornus, The nomenclature of some species of, 37:222.

Coronilla varia in Michigan, 33:163. CORRELL, DONOVAN S.

Betula populifolia in Virginia and its variety laciniata in Massachusetts, 44:

236-237, pl. 708. (Brown, C. A. and ——), [The Ferns and Fern Allies of Louisianal, Review of, 44:484-485.

Corrugated paper boards in drying plants. The use of, 12:221.

Corrugated paper boards, Pressing plants with double-faced, 20:153.

Cortinarius cyanites in the United States, 27: 153.

CORY, V. L.

A new Loco from the Edwards Plateau of Texas, 32:4-7.

A new Salviastrum from the Edwards Plateau of Texas, 32:89-90.

A new Lesquerella from western Texas, 32:110.

A new Selenia from the Edwards Plateau of Texas, 33:142-144.

A new Columbine from the Edwards Plateau of Texas, 38:75-76.

Three Junipers of western Texas, 38:182-187.

New names and new combinations for Texas plants, 38:404-408.

Some new plants from Texas, 39:417-423. Notes on Ephedra in Texas, 40:215-218. Notes on Texas plants, 41:561-564.

The perennial Helenium of the Edwards Plateau of Texas, 45:109-111.

The Senecio on the costal dunes of Texas. 45:164-166.

A new Streptanthus from the Big Bend

of Texas, 45:258-260.
The wild Cherry of the Carrizo Sands of Texas, 45:325-327.

Paronychia in central and western Texas. 46:278-281.

The genus Palafoxia in Texas, 48:84-86. A new Dyssodia from Texas, 49:161-163. Petalostemum oreophilum a species of

Dalea, 49:163-164. Corydalis flavula in Connecticut, 28:68; — A second station for, 48:326.

Corydalis sempervirens, Exceptional dimensions in. 30:36.

Corylaceae, (Betulaceae), Some North American, —I. Notes on Betula in eastern North America, 47:303; —II. Eastern North American representatives of Alnus incana, 47: 333.

Corylus americana, forma missouriensis, 34: 96.

Corylus americana, Recognition of Corylus rostrata and, 11:107

Corylus rostrata and C. americana, Recognition of, 11:107.

Corynephorus canescens on western Long Island, 41:314.

COTTAM, CLARENCE Past periods of Eelgrass scarcity, 36:261-264.

Further notes on past periods of eelgrass scarcity, 37:269-271.

The Eelgrass situation on the American Pacific coast, 41:257-260.

Cotton-grass new to North America, A, 4:82. Cotype, syntype and other terms referring to type material, 45:481.

"Coûdres" of the "Ysles es Couldres," The, 45:29.

COULTER, J. M.

[Plant Relations], Review of, 2:40. - and Nelson, A.), [New Manual of Botany of the central Rocky Mountains], Review of, 12:13–16.

—, Barnes, C. R. and Cowles, H. C.), [A Textbook of Botany for Colleges and Universities], Review of, 13:16.

COVENTRY, B. O .- [Wild Flowers of Cashmir], Review of, 33:212.

Cow Lilies, Nymphozanthus, the correct name for the, 21:183.

COWAN, F. H.-Rhododendron maximum in Somerset County, Maine, 1:55.

Cowles, H. C .- (Coulter, J. M., Barnes, C. R. and —), [A Textbook of Botany for Colleges and Universities], Review of, 13:16.

CRAIGIE, WILLIAM A .- (- and HULBERT, J. R.), [A Dictionary of American English on historical principles], Review of, 46:312-315.

Cranberries, The variations and distribution of American, 4:231.

Crassina, Zinnia vs., 28:40.

Crataegi in the Species Plantarum of Linnaeus, American, 11:181.

Crataegi of the northeastern United States and adjacent Canada, The, 10:73.

Crataegus in eastern Canada and New England, Recently recognized species of, —I, 5:52; —II, 5:108; —III, 5:137; —IV, 5: 159; —V, 5:182; —VI, 7:162, 174, 192. Crataegus in the Champlain Valley, Notes

on, 3:19.

Crataegus made in the Province of Quebec near Montreal, Notes on a collection of,

Crataegus viridis L. in Virginia, 12:93.

Crataegus viridis, The geographic origin of, 14:81.

CRATTY, R. I.—Ranunculus Purshii in Iowa,

22:183.

CRÉPIN, FRANCOIS—Note upon a probable hybrid of Rosa carolina L. and R. nitida Willd., 2:112-113.

Crepis and Leontodon, New introduced species

of, 4:249.

Crepis biennis, A further note on, 22:192.

Crepis biennis, Notes on the American occurrence of, 21:209.

Crepis nana not yet known from Gaspé, 49:

Crepis setosa in Oregon, 22:191.

Crepis, The genus, [Review], 49:297. Crepis virens in eastern Massachusetts, 4:197.

CRISWELL, ELIJAH HARRY—[Lewis and Clark: Linguistic Pioneersl, Review of, 43:92-94. Croasdale, Hannah T.

Additional records of marine Algae from

New Hampshire, 43:213.

Fresh and brackish water Algae of Penikese Island, 50:269.

Crocanthemum, has it really stable generic

characters, 43:609.

CROCKETT, ALICE L.—An occurrence of Catharinaea crispa in Maine, 9:74.
Cromwell, Connecticut, Anthyllis Vulneraria

at, 13:240.

CRONQUIST, ARTHUR

The identity of Aster salsuginosus Richardson, 45:262–264.

Notes on the Compositae of the northeastern United States, -I. Inuleae, 47: 182-184; -II. Heliantheae and Helenieae, 47:396-403: -III. Inuleae and Senecioneae, 48:116-125; -IV. Solidago, 49:69-79; —VI. Cichorieae, Eupatorieae and Astereae, 50:28-35.

Crosby, W. O.—(—— in Pease, A. S.), [Vascular Flora of Coos County, New Hampshire],

Review of, 27:52.

Cross, E. R.—Viola Selkirkii in Colorado. 16:94-95.

Crotalaria sagittalis in Indiana, 46:493.

Crotalaria spectabilis in southeastern Missouri, On the occurrence of, 40:361.

Crotalaria, The North American species of, 41:317.

Croton glandulosus in New Jersey, A station for, 23:221.

Crowfoot family, Two plants of the, 1:48. Crucifers, On two weedy, 42:302.

Cryptogramma acrostichoides, Cryptogramma crispa and, 37:238.

Cryptogramma crispa and C. acrostichoides, 37:238.

Cryptogramma Stelleri in Maine, The discovery of, 10:35.

Cryptogramma Stelleri in New Hampshire, 11:64.

Cubelium concolor, 32:140.

Cumberland County, Maine, Cardamine bel-

lidifolia in, 3:185. Cumberland, Maine, Western plants at, 5:119. CUMMINGS, CLARA EMMA—[Herbarium of].

Cuphea procumbens at Andover, Massachusetts, 4:247.

CURTIS, J. T .- A new Cypripedium hybrid, 34:239-243.

Curtis, M. A.—[Herbarium of], 3:242.

Cuscuta compacta, An unusual habitat for, 45:416.

Cuscuta Gronovii, Host plants of, 36:372.

Cuscuta Polygonorum in New England, 33: 80.

Cuscuta trifolia in Massachusetts, 5:290.

CUSHMAN, JOSEPH A.

List of Desmids found in Carver's Pond. Bridgewater, Massachusetts, 5:79–81. Notes on New England Desmids, —I, 5:

221-225; —II, 5:252-255.

Division in Desmids under pathologic conditions, 6:234.

A contribution to the Desmid flora of New Hampshire, 7:111-119, 251-266, pls. 61, 64.

A synopsis of the New England species of Pleurotaenium, 9:101-106, pl. 75.

Primula farinosa, var. macropoda on the Maine coast, 9:217-218.

New England species of Penium, 9:227-234.

(Knowlton, C. H., —, Deane, W. and Harrison, A. K.), Reports on the flora of the Boston district, —II, 10:59-64. A synopsis of the New England species

of Micrasterias, 10:97-111.

(KNOWLTON, C. H., ---, DEANE, W. and HARRISON, A. K.), Reports on the flora

of the Boston district, —III, 10:128-131. Some interesting Maine plants, 11:12–14. (KNOWLTON, C. H., —, DEANE, W. and HARRISON, A. K.), Reports on the flora of the Boston district, —IV, 11:75–80; —V, 11:204–209; —VI, 12:3–7; —VII, 12:95–99; —VIII, 13:27–29; —IX, 13: 72-73; —X, 13:82-85; —XI, 13:104-105.

Three additional plants from Nantucket, 13:105.

(KNOWLTON, C. H., —, DEANE, W. and HARRISON, A. K.), Reports on the flora of the Boston district, -XII, 13:232-235; —XIII, 13:248–251.

(Knowlton, C. H., --- and Deane, W.), Reports on the flora of the Boston dis-

trict, —XIV, 14:76-78.
(Knowlton, C. H., Blake, S. F., — and Deane, W.), Reports on the flora of the Boston district, —XV, 14:107-113; -XVI, 15:54-59.

CUSICK, WILLIAM CONKLIN-[Biographical

sketch, with portrait], 25:101-105. Cutler, The Maine coast at. 4:23.

Cutler, Manasseh—[Herbarium of], 3:219. Cyathus common in lawns at Middlebury, Vermont, Notes on a species of, 2:99.

Cycloloma on Cape Cod, 3:18.

Cyclonexis and Actidesmium, Notes on New England Algae, —I, 41:133.

Cyclopedia of American Horticulture, [Review], 4:108.

Cynanchum nigrum in Barnstable, Massachusetts, 13:70.

Cynoglossum, A northern, 7:249.

Cynoglossum amabile in Massachusetts, 35:

Cynoxylon, not genera of Rafinesque, Eukrania and, 34:29.

Cyperaceae, A note on the authorship of certain species of, 43:333.

Cyperaceae, An intergeneric hybrid in the, 20:189.

Cyperaceae, Dates of Boeckeler's, 41:313. Cyperaceae in North and South America, Status and distribution of some, 44:43.

Cyperaceae new to the Boston district, Two, 31:191.

Cyperaceae of eastern North America, Some new or little known, 8:126, 161, 181, 200. Cyperus and Carex, Extensions of range of other species of, 44:87.

Cyperus and Hieracium, Extended ranges in,

Cyperus bipartitus Torr., 44:85. Cyperus Blodgettii Britton, Cyperus Pollardi Britton (= C. Deeringianus Britton and Small), and, 44:77. Cyperus Bushii Britton, 44:57.

Cyperus Deamii, nom. nov., 44:81.

Cyperus Deeringianus Britton and Small) and C. Blodgettii Britton, Cyperus Pollardi Britton (=, 44:77.

Cyperus distinctus Steud., The status and dis-

tribution of, 41:131.

Cyperus erythrorhizos, A new station for, 28: 67.

Cyperus ferax and C. ferruginescens, 37:148. Cyperus Fendlerianus var. leucolepis (Boeck.) Kükenth., 44:61.

Cyperus ferruginescens, Cyperus ferax and, 37:148.

Cyperus filicinus and C. polystachyos, 44:83. Cyperus, Formal transfers in, 44:151.

Cyperus granitophilus McVaugh, The status of, 44:47.

Cyperus Grayii in Essex County, Massachusetts, A second station for, 14:22. Cyperus Grayii in Rhode Island, 15:100.

Cyperus Houghtonii, A third station in Vermont for, 14:40.

Cyperus Houghtonii in Vermont, A second station for, 5:191.

Cyperus Houghtonii var. uberior Kükenthal, Cyperus mesochorus Geise and, 44:58.

Cyperus inflexus Muhl., Status of, 44:51. Cyperus lanceolatus Poir., 44:83.

Cyperus mesochorus Geise and C. Houghtonii var. uberior Kükenthal, 44:58.

Cyperus microiria on Long Island, 42:196.

Cyperus Nashii Britton, 44:63.

Cyperus oxylepis in the United States and Mexico, 40:358.

Cyperus pilosus Vahl in the United States, 40:74.

Cyperus Plankii Britton, 44:62.

Cyperus Pollardi Britton (= C. Deeringianus Britton and Small) and C. Blodgettii Britton, 44:77.

Cyperus polystachyos, Cyperus filicinus and, 44:83.

Cyperus polystachyos var. filicinus, 42:84. Cyperus retrorsus and its variations, 37:152. Cyperus retrorsus var. multiflorus Kükenth., 44:78.

Cyperus rivularis, Forms of, 44:85.

Cyperus strigosus L. and varieties, 44:79. Cyperus strigosus, The variations of, 37:150. Cyperus subambiguus Kükenthal, 44:58.

Cyperus subgenus Mariscus, 44:43.

Cyperus subuniflorus Britton), Cyperus uniflorus T. and H. (=, 44:59.) Cyperus uniflorus T. and H. (= C. subuni-

florus Britton), 44:59. Cyperus virens Michx., The identity of, 47:

109.

Cypripedium acaule, A teratological specimen of, 15:73; 35:263.

Cypripedium arietinum in Massachusetts, Another station for, 31:223.

Cypripedium arietinum on Mt. Toby, Massachusetts, 4:62

Cypripedium Calceolus L., var. parviflorum (Salisb.) comb. nov., 48:4.

Cypripedium hybrid, A new, 34:239.

Cypripedium hybrid from Wisconsin, A natural, 34:97.

Cypripedium reginae in New Hampshire, 27: 107

Cypripedium spectabile in Vermont, Some cases of poisoning by, 4:94.

Cypripediums, Some notes on our Yellow, 8:93.

Cystopteris fragilis, A new North American variety of, 28:129.

Cystopteris fragilis and some old ones, A new variety of, 37:373. Cytological basis for specific segregation in

the Sedum Nevii complex, 44:10.

Cytology of Sebacina globospora n. sp., Observations on the, 37:121.

Cytology of the Entomophthoraceae; Preliminary communication, Contributions to the, 8:67

Dactylina arctica in the United States, 39:

Dalea, Petalostemum oreophilum, a species of, 49:163.

Dalibarda repens near Boston, 6:227.

DALLAS, EMMA L.—(— and BURGIN, C. A.). [Among the Mushrooms], Review of, 3: 140 - 142.

DAME, LORIN LOW

[Herbarium of], 3:220

[Handbook of the Trees of New England], Review of, 4:40-41.

[Notice of death], 5:76.

[Biographical notice of], 5:121-123 (with

portrait). Danforth, C. H.—A dimorphism in Tiarella

Cordifolia, 13:192–193.
Danthonia, Notes on, 45:239.
Daphne, A new station for, 25:45.
Daphne Mezereum in Vermont, 2:142.

DARLING, CHESTER ARTHUR-[Handbook of the Wild and Cultivated Plants], Review of. 15:19-20.

Dartmouth College, [Herbarium of], 3:220. Date-palm as a ruderal plant in Massachusetts, The, 29:51.

Datura meteloides, Taxonomic history of

perennial southwestern, 46:317.

Datura Stramonium L., var. inermis (Juss.) comb. nov., 40:184.

Daucus Carota, An unusual, 21:70.

Daucus Carota, Another exceptional specimen of, 21:147.
DAVENPORT, ELIZABETH B.

Recollections of Charles Christopher Frost, 6:25-27 (with portrait). The apetalous form of Arenaria groen-

landica on Mt. Mansfield, 8:114.

DAVENPORT, GEORGE EDWARD

Ferns of Maranacook, Maine, 1:218-220. To Fern collectors, 2:212.

Dicksonia pilosiuscula, var. cristata, 2:

220-221.A plumose variety of the Ebony Spleen-

wort, 3:1-3, pl. 22. [Herbarium of], 3:220.

Miscellaneous notes on New England Ferns and allies, 3:223-225; —II, 3: 266-270.

The "American Fern Book" or "Our Ferns in their Haunts," [Review], 3:

Miscellaneous notes on New England Ferns, —III, 4:7-13; —IV, —V, 4:157-166; —VI, 6:31-33. 4:49-55;

The death of William Wendte, 6:209-210. A hybrid Asplenium new to the flora of Vermont, 8:12-15.

[Life and writings of], 10:1-9 (with portrait).

[Another — Fern herbarium], 26:49-55. Davis, Amy M.—A white-leaved Hemlock in Vermont, 19:273

DAVIS, BRADLEY M .- (BERGEN, J. Y. and -), [Principles of Botany], Review of, 8:230-232.

DAVIS, CHARLES A .- The occurrence of Eleocharis diandra at Brunswick, Maine, 4:1-2. Davis, Helen Burns-[Life and work of

Cyrus Guernsey Pringle], Review of, 38: 455.

DAVIS. RAY J.-Geum triflorum Pursh, 44: 405-406.

Davis, Simon-Some fleshy Fungi of Stow, Massachusetts, 13:57-66; -II, 16:45-52.

DAY, MARY ANNA
The local floras of New England, 1:111-120, 138-142, 158, 174-178, 194-196, 208-211.

Plants from the eastern slope of Mt.

Equinox, 1:220-222.
The local floras of New England (ad-

denda), 2:73-74

The herbaria of New England, 3:67-71, 260-208, 219-222, 240-244, 255-262, 281-283, 285-288.

Juneus effusus, var. compactus in New Hampshire, 6:211.

[Check-list of Gray's Manual], Review of, 10:196.

Botanical writings of the late Alvah Augustus Eaton, 10:211-214.

Reprint of a rare old book on American

plants, [Review], 18:203-204. Dates of Eaton's Ferns of North America, 20:74-75.

[Obituary notice of], 26:41-47 (with portrait).

Day Mountain, Franklin County, Maine, Notes on the flora of, 6:206.

DAYTON, WILLIAM A.

Alfileria (Filaree) "Seed," 39:233-235, 1

Selenia dissecta in New Mexico, 41:189-

Aster Kumlieni; a correction, 42:197-198. An untenable generic name in Acanthaceae, 47:261-263.

Juglans nigra oblonga in Missouri, 50:147. DDT in the preparation of botanical specimens, The use of, 49:286.

DEAM, CHARLES C.

[The Trees of Indianal, Review of, 21:

188-191; 23:179-180. [Shrubs of Indiana], Review of, 27:15-16. [Grasses of Indiana], Review of, 32:117-

[Flora of Indiana], Review of, 43:75-76. Dean, H. L.—Host plants of Cuscuta Gronovii, 36:372. Deane, Walter

A prolific Fringed Gentian, 1:11.

The herbarium of the New England Botanical Club, 1:56-57.

Preliminary lists of New England plants, -I. Ericaceae, 1:93-94.

Kalmia latifolia in Vermont, 1:136.

Preliminary lists of New England plants, -II. Umbelliferae, 1:159-160.

Notes on the Ericaceae of New England. 3:193-198.

Notes on the Umbelliferae of New England, 3:209-213.

[Herbarium of], 3:220. Albino fruit of Vaccinium in New England, 3:263-266.

The Cyclopedia of American Horticulture, [Review], 4:108-110.

Calluna vulgaris in southern New Hampshire, 4:200.

Remarkable persistence of the Button-

bush, 4:243-244.

Gaylussacia dumosa and frondosa in New Hampshire:—a correction, 5:276-277.

Preliminary lists of New England plants,

-XVI, 6:151-161.

Note on Hydrophyllum canadense, 6:184-

Some teratological forms of Trillium un-

dulatum, 10:21-24.

(KNOWLTON, C. H., CUSHMAN, J. A., and Harrison, A. K.), Reports on the flora of the Boston district, -II, 10:59-64; —III, 10:128–131.

Further notes on the Button-bush, 10:

203-204.

More teratological forms of Trillium undulatum, 10:214-216.

Notes from Shelburne, New Hampshire,

11:21-22.

(Knowlton, C. H., Cushman, J. A., and Harrison, A. K.), Reports on the flora of the Boston district, -IV, 11: 75-80; -V, 11:204-209.

Matricaria inodora, var. salina in Massa-chusetts, 11:239-240.

(Knowlton, C. H., Cushman, J. A., and HARRISON, A. K.). Reports on the flora of the Boston district, —VI, 12: 3-7.

Zannichellia palustris, an additional rec-

ord, 12:12.

Euphorbia Cyparissias in fruit, 12:57-66. (KNOWLTON, C. H., CUSHMAN, J. A., and Harrison, A. K.), Reports on the flora of the Boston district, -VII, 12: 95 - 99.

A fourth Pinus rigida for Coos County,

New Hampshire, 12:99.

Some facts relating to Silene antirrhina, 12:129-131.

Teratology in Trillium, 12:163-166.

Pogonia trianthophora in Holderness, New Hampshire, 12:206.

Note on Desmodium canescens and Hyoscyamus niger, 12:214-215.

Davis Pearce Penhallow, 13:1-4.

(KNOWLTON, C. H., CUSHMAN, J. A., and Harrison, A. K.), Reports on the flora of the Boston district, —VIII, 13: 27-29.

correction regarding Professor Pen-

hallow, 13:56.

The recent treatment of Panicum compared with that in Gray's Manual, 13:66-68.

(Knowlton, C. H., Cushman, J. A., and Harrison, A. K.), Reports on the flora of the Boston district, —IX, 13: 72-73; —X, 13:82-85; —XI, 13:104-105. Teratology in Trillium ovatum Pursh,

13:189-191, pl. 92. (Knowlton, C. H., Cushman, J. A.,—and Harrison, A. K.), Reports on the

flora of the Boston district, —XII, 13: 232-235; —XIII, 13:248-251. Linum catharticum in Maine, 14:56.

(KNOWLTON, C. H., CUSHMAN, J. A. and -), Reports on the flora of the Bos-

ton district,—XIV, 14:76-78.

Festuca ovina L., var. duriuscula (L.)
Koch in Shelburne, New Hampshire,

14:92-94.

(Knowlton, C. H., Blake, S. F., Cush-MAN, J. A. and ——), Reports on the flora of the Boston district, -XV, 14: 107–113.

A further note on Euphorbia Cyparissias

in fruit, 14:193-196.

The pink-flowered form of Lupinus per-

ennis, 14:237–238.

(KNOWLTON, C. H., BLAKE, S. F., CUSH-MAN, J. A. and ---), Reports on the flora of the Boston district. -XVI, 15:

(KNOWLTON, C. H., BLAKE, S. F. and -), Reports on the flora of the Boston district, —XVII, 15:122-132;

-XVIII, 15:144-151.

William Whitman Bailey, 16:97-101. (Knowlton, C. H. and ——), Reports on the flora of the Boston district, -XIX, 16:106-113.

Maria L. Owen, 16:153-160 (with por-

trait).

A correction concerning Sagittaria teres Watson and Potamogeton lucens L., 17:142.

(KNOWLTON, C. H. and ——), Reports on the flora of the Boston district, —XX, 17:169-180; —XXI, 17:202-203.

Floral changes in a salt marsh during

reclamation, 17:205-222. (Knowlton, C. H. and ——), Reports on the flora of the Boston district, -XXII, 18:86-90; —XXIII, 18:165-168; —XXIV, 18:213-221; —XXV, 18:248-252; —XXVI, 20:15-18; —XXVII, 20: 55-59; —XXVIII, 20:164-171; -XXIX, 20:208-209.

Amsinckia in New England, 21:38-40. (Knowlton, C. H. and —), Reports on the flora of the Boston district, -XXX, 21:78-83; —XXXI, 21:125-128; —XXXII, 22:72-75. (— and Fernald, M. L.), A new albino

Raspberry, 22:112.
(Knowlfon, C. H. and ——), Reports on the flora of the Boston district, —XXXIII, 22:123-127; —XXXIV, 23: 113-118; —XXXV, 24:92-95; -XXXVI, 24:152-156.

Vaccinium atrococcum, forma leucoccum,

a correction, 24:228. (Knowlton, C. H. and ——), Reports on the flora of the Boston district, 26:13-19; -XLIII, 26:34-36; -XLIV,

26: 55-60; —XLV, 26:82-88; —XLVI, 26:107-111; —XLVII, 26:130-132; —XLVIII, 26:149-152; —XLIX, 26: 166-168

Further notes on changes in a salt marsh

during reclamation, 28:37-40.

Suaeda maritima, a correction, 28:156. (Churchill, J. R., —, Grigg, F. W., Knowlton, C. H., Pease, A. S., San-ford, S. N. F. and Smith, L. B.), Reports on the flora of Massachusetts, _I, 30:12-19.

[Biographical sketch], 35:69-80 (with

portrait).

Dearden, Elizabeth R.—Penikese Island Fungi, 50:285.

Delaware and the Eastern Shore, Flora of,

[Review], 49:164.

Delaware, Leucojum aestivum in, 24:144.

Delaware, Some noteworthy plants recently found in the coastal plain of Maryland and, 41:111

Delphinium Ajacis, A white form of, 27:139. Delphinium Ajacis, Delphinium Consolida in America with a consideration of the status of. 18:169.

Delphinium Consolida in America with a consideration of the status of D. Ajacis, 18:

Delphinium newtonianum, a new species from

the Arkansas Ozarks, 41:193. Delphinium, Variants in two species of, 39:20.

Delisle, Albert L. Anychia canadensis in Hampshire Coun-

ty, Massachusetts, 36:58-59. (Wetmore, R. H. and —), The Aster novae-angliae, Aster amethystinus, Aster multiflorus complex, 41:190-192.

Dendrium, Leiophyllum versus, 29:225. Denslow, W. W.—[Herbarium of], 3:257. Dentaria maxima, A new station for, 5:168. Dentarias of Connecticut, The, 5:213.

Deschampsia, A new species of, 45:414. Desmid flora of New England, Notes on the,

_I, 37:22; —II, 37:113.

Desmid flora of New Hampshire, A contribution to the, 7:111, 251.

Desmids found in Carver's Pond, Bridgewater, Massachusetts, List of, 5:79.

Desmids from Cape Cod and the Elizabeth

Islands, 37:113.

Desmids, Notes on New England, —I, 5:221; II, 5:252.

Desmids of Connecticut, A preliminary report on the, 24:213, 236.

Desmids of Connecticut, Supplementary re-

port on, 26:203. Desmids under pathologic conditions, Division in, 6:234.

Desmodium, A singular variation in, 39:98. Desmodium canescens and Hyoscyamus niger, Note on, 12:214.

Desmodium from Virginia, A white-flowered,

Desmodium glabellum in northeastern Connecticut, 35:38.

Desmodium glutinosum, 44:279. Desmodium, Some forms of, 38:189.

DeToni, Giuseppe

RHODORA

A note on phycological nomenclature, 40:27.

[Diagnoses algarum novarum post Sylloges editionem descripta, -I. Myxophyceae], Review of, 39:474.

DEWEY, CHESTER—[Herbarium of], 3:69, 221. DEWEY, LYSTER H.—Identity of Prickly Lettuce. 7:9-12.

Diarrhena festucoides, 34:204.

Diarrhena festucoides again, 35:39.

Diatoms, Additional lists of Connecticut, 10:

Diatoms, The flora of Penikese fifty years after, —, 26:191, 215.

Diatoms with some account of their distribution in certain parts of the state, A partial list of Connecticut, 9:125. Dicentra eximia in Vermont, 48:272.

Dichromena latifolia in Virginia? Is, 49:124. Dicksonia pilosiuscula forma schizophylla in Vermont, 7:99.

Dicksonia punctilobula forma cristata, A correction concerning, 15:204.

Dicliptera brachiata, Two varieties of, 43:287. Dicranoweisia crispula in the White Mountains, 21:207.

Dictyosiphon, The New England species of, 2:162.

Diervilla Lonicera, A pilose variety of, 42:144. Diervillas, Flower color of the American, 9:147

Digitalis lanata in New England, Amaranthus Powellii and, 20:203.

Digitaria and Paspalum, Some transfers in, 36:19.

Digitaria from New Hampshire, A new, 22: 101.

Digitaria, The grass genus, 30:49. Digitaria, The validity of the grass genus, 29:114.

Dilepyrum, Concerning, 29:246.

Dilepyrum, The case of the grass genus, 29:

Diodia, Notes on, 39:306.

Diodia teres, The varieties of, 39:306.

Diodia virginiana, The varieties of, 39:308. Dioscorea, Notes on the flora of Tennessee,

—, 36:344.

Dioscoreae of the United States, Bartlett's, [Review], 13:34.

Dirca palustris, The fruit of, 45:117.

Disease of Eelgrass, Environmental factors and the wasting, 41:260.

Dissemination by ants, Carunculate seed, 45: 438.

Dissemination by ants of the seeds of Bloodroot, Sanguinaria canadensis, The, 44:13.

Dissemination by ants of the seeds of Trillium grandiflorum, 42:194; —Observations in 1940 on the, 43:206.

Distichlis, Notes on, 27:67.

Distichlis spicata in Australia, 47:148.

Distichlis spicata in the central interior of the United States, The first recorded oc-

currence of, 42:22

Distribution and affinities of the vegetation of the Athabasca-Great Slave region, The, 32:187

Distribution and host plants of Arceuthobium pusillum, Further notes upon the, 2:9.

Distribution and hybrid origin of XSolidago asperula, Notes on the, 39:22.

Distribution, Continental drift and plant, [Review], 46:249.

Distribution notes concerning certain plants of Glacier National Park, Montana, 36: 305; ---II, 41:504.

Distribution of American Cranberries, The

variations and, 4:231.

Distribution of Arceuthobium pusillum, The peculiar aspects of the New England, 33:92. Distribution of certain trees and shrubs in western Connecticut, The, 2:34.

Distribution of Chrysosplenium iowense, Studies in Chrysosplenium, with special reference to the taxonomic status and, 49:25. Distribution of Cyperus distinctus Steud., The status and, 41:131.

Distribution of Ilex opaca and Ilex glabra,

New England, 16:163.
Distribution of Iris versicolor in relation to the post-glacial Great Lakes, The, 35:154. Distribution of maritime plants, -I. Effects of post-Pleistocene marine submergence in

eastern North America, Studies on interior, 29:41, 57, 87, 105,

Distribution of Najas in northeastern Amer-

ica, Notes on the, 25:105. Distribution of Red Cedar in eastern Massachusetts, The, 49:172.

Distribution of some Cyperaceae in North and South America, Status and, 44:43, 77. Distribution of some of the rarer plants of central Massachusetts, Notes on the, 2:119.

Distribution of Sorocarpus, On the, 35:347. Distribution of the Bilberries in New Eng-

land. The. 2:187.

Distribution of the eastern North American species of Lobelia, Studies in the taxonomy and, 38:241, 276, 305, 346.

Distributional notes and some minor forms

from Oklahoma, 50:91.

Distributional notes on certain aquatic Utricularias in Quebec, 42:52.

District of Columbia and vicinity, Cladonia in the, 33:145.

District of Columbia and vicinity, The Violets and Violet hybrids of the, 8:117.

DOBBIN, FRANK

Rediscovery of Podostemon ceratophyllus in Vermont, 9:220.

Tetraplodon australis in Massachusetts, 12:156.

Dodecatheon, An aberrant, 39:319.

DODGE, CARROLL W.

The third edition of Grout's Mosses with a Hand-lens, [Review], 27:35-36.

Lichens of the Gaspé Peninsula, Quebec, 28:157–161, 205–207, 225–232.

Hygrophorus constant of central Europe. 29:238-239.

W. G DORE,

Nematode infection in Poa, 44:246-247,

(ROLAND, A. E. and —), Notes on the flora of Nova Scotia, -III, 44: 334. White-flowered form of Asclepias syriaca,

46: 387-388.

Dormancy of Seeds, [Review], 40:324.

Doty, Maxwell S.—Penikese Island Marine Algae, 50:253-269.

Double flowers in the wild Swamp Blueberry, Vaccinium corymbosum, 36:233.

Double-flowered form of Gillenia trifoliata, A. 45:215.

Double-headed generic names, 26:229.

Dover, Massachusetts, Spiranthes in, 20:111. Draba aprica in the Ozarks of southeastern Missouri, 42:32.

Draba aurea in Rimouski County, Quebec, 10:148.

Draba borealis in eastern America, 7:267.

Draba incana and its allies in northeastern America, 7:61.

Draba in temperate northeastern America, 36:241, 285, 314, 353, 392.

Draba ruaxes, A range extension of, 37:32. Dracocephalum thymiflorum, a casual plant at Westford, Massachusetts, 13:212.

Drew, K. M.

Notes from the Woods Hole Laboratory, 1938, 30:194-196.

and Hor, A. C.), Trailiella intricata Batters, 30: 196–197, fig. 5.

Drew, William B.

A range extension of Draba ruaxes, 37:32, A new Arenaria from Alaska, 37: 225–226. The North American representatives of Ranunculus § Batrachium, 37:1-47, pl. 406. (Contrib. Gray Herb. no. CX)

Spring Flora of Missouri, [Review], 42: 215-216.

Some new records of Spermatophytes from Missouri, 44:248.

Driggs, A. W.

[Notes on the Flora of Hartford, Litchfield and Tolland Counties, Connecticut], Review of, 2:226.

Botrychium matricariaefolium in Connecticut, 3:36.

Noteworthy Panicums in Connecticut, 3:145-146.

A luxuriant growth of Juniper, 3:254. Notes on the flora of Connecticut, 4: 36-39.

The Connecticut flora at the St. Louis Exposition, 6:180.

Drosera, Adventitious plants of, 1:206.

Drosera filiformis, An easy method of propagating, 1:172.

Drosera intermedia, Reversionary stages experimentally induced in, 5:265.

Drosera intermedia, var. americana, An unusual form of, 2:70.

Drosera rotundifolia, A peculiar variety of, 7:8.

Drosera rotundifolia var. comosa in Connecticut, 33:144.

DROUET, FRANCIS

Notes on the flora of Columbia, Missouri, 35:359-364.

(JEFFREY, L. and ---), The Grass flora of Columbia, Missouri, 36:415-417. Additional notes on the flora of Colum-

bia, Missouri, 37:189-196

Notes on the flora of Columbia, Missouri,

--III, 38: 191-195. Three American Oscillatoriaceae, 39:277-

280. 3 figs.

Coccomyxa in the United States, 39:366. A supplement to De Toni's Sylloge, [Review], 39:424.

Some Myxophyceae from Nantucket Island, Massachusetts, 40:74-76.

The Oscillatoriaceae of southern Massachusetts, 40:221-241, 255-273.

Taylor's Marine Algae, [Review], 40: 323-324.

(HABEEB, H. and ——), A list of freshwater Algae from New Brunswick, 50:67-71

DRUCE, GEORGE CLARIDGE—The Comital Flora of the British Isles, [Review of], 34: 191-

Dryas from New Hampshire, Pursh's report of, 5:281.

Drving plants, Notes on, 49:220.

Dryopteris Filix-mas in Vermont, Further information regarding the occurrence of, 9:27. Dryopteris, Internal glandular hairs in, 22:89. Dryopteris spinulosa var. dilatata, The North American representatives of, 17:44.

Duck Island, Maine, The maritime flora of the Great, 2:209.

Duck Islands, Maine, Plants from the, 2:207. Dukes County, Massachusetts, Tipularia dis-

color in, 32:114.

DUMAN, MAXIMILIAN-(O'NEILL, H. and A new species of Carex and notes on this genus in arctic America, 43: 413-425, pl. 669.

Dumontia filiformis on the New England

coast, 25:33.

Dumontia in Maine, 35:315.

DUNCAN, WILBUR H.—A new species of Baptisia, 46:29-31, 5 figs.

Dunham, Elizabeth Marie Polytrichum gracile Dicks. in Maine, 9:64. [How to know the Mosses]. Review of. 18:204

Dupret, H.-[Etudes sur les mousses de la région de Montréal], Review of, 37:166-167.

Durham, New Hampshire, Lilium superbum and other isolated species in, 46:21.

Dutilly, Artheme—(Haglund, G., —Introduction by ——), Taraxacum in arctic Canada (east of 100° W.), 45:337-343.

Duxbury, Massachusetts, Further notes on the

flora of, 14:90. Duxbury, Massachusetts, Notes on the flora of. 14:18.

Dwarf Antennarias of northeastern America,

The, 26:95.

Dwarf Mistletoe and other plants new to New

Jersey, 33:101. Dwarf Mistletoe at Bradford, Vermont, The, 4:28.

Dwarf Mistletoe in Connecticut, 5:202.

Dwarf Mistletoe in New England, The, 2:1. Dwarf Mistletoe, New station for the, 2:221. Dwarf Mistletoe on the southeastern coast of

Maine, The, 9:208. Dwarf Mistletoe on White Pine, 37:268.

Dwarf Raspberry, A pubescent variety of the, 16:151.

Dwarf Shadbush, A Nova Scotian, 50:49. Dwarf Trillium of southeastern Virginia, The, 45:396.

Dyal, Sarah C.

A key to the species of Oaks of eastern North America based on foliage and twig characters, 38:53-63.

Valerianella in North America, 40:185-

212, pls. 492-494.

Additional notes on the Valerianellas of North America, 40:465-467. Valerianella, a correction, 41:80.

Dyssodia from Texas, A new, 49:161.

EAMES, ARTHUR J.

(Fernald, M. L. and ——), Preliminary lists of New England plants, —XX. Sparganiaceae, 9:86-90.

Sparganium diversifolium var. acaule in Massachusetts, 10:56.

Two plants new to Massachusetts, 12: 204 - 205.

Stump-healing in Pinus Strobus, 13:253. Regarding Viola pedata, forma rosea, 14: 22 - 23.

and Wiegand, K. M.), Variations in Trillium cernuum, 25:189–191.

EAMES, EDWARD A .-- An unusual form of Habenaria clavellata, 23:126-127, pl. 131. EAMES, EDWIN H.

Callitriche Austini in southwestern Connecticut, 3:89-90.

[Herbarium of], 3:221.
Organization of the Connecticut Botanical Society, 5:74-75.
The Dwarf Mistletoe in Connecticut, 5:

202

The Dentarias of Connecticut, 5:213-219. A new variety of Scirpus Olneyi, 9:220. Notes upon the flora of Newfoundland, 11:85-99.

(Graves, C. B., —, Bissell, C. H., Andrews, L., Harger, E. B. and Weatherby, C. A.), [Catalogue of the Flowering Plants and Ferns of Connecticut growing without cultivation], Review of, 12:131-132

Scirpus occidentalis and Aster ptarmicoides in Connecticut, 16:19-20.

Some varieties and forms of Connecticut

plants, 18:239-240.

(Harger, E. B., Graves, C. B., — Bissell, C. H., Andrews, L., and Weatherby, C. A.), Additions to the flora of Connecticut, 19:105-110, 119-130, 224-232, 245 - 253.

Another exceptional specimen of Daucus

Carota, 21:147-148

(HARGER, E. B., GRAVES, C. B., —, BISSELL, C. H. and WEATHERBY, C. A.), Additions to the flora of Connecticut, Series 2, 24:111-121.

Pogonia affinis in Maine, 28:31-34.

Hedeoma hispida in Connecticut, 28:46-

Cubelium concolor, 32:140-142.

Further additions to the Connecticut flora, 33:167-170.

A new Ludvigia from New England, 35: 227-230.

Lepidium latifolium in Connecticut, 37: 161-162.

East Andover, New Hampshire, Subularia at,

East, E. M.—The mutation factor in evolution with particular reference to Oenothera, [Review], 17:235-237

Eastern America, Achillea sibirica in, 31:219. Eastern America, An Osmorrhiza new to, 4:

Eastern America, Anaphalis margaritacea var. occidentalis in, 7:156. Eastern America, Axyris amarantoides in, 29:

Eastern America, Braya in boreal, 50:1. Eastern America, Cornus canadensis var. intermedia in, 13:107.

Eastern America, Draba borealis in, 7: 267. Eastern America, Four Grasses of, 31:44. Eastern America, Hemicarpha in, 4:82.

Eastern America, New or recently restudied plants of, 26:122.

Eastern America, Plants new to, 4:60.

Eastern America, Salicornia europaea and its representatives in, 9:204.

Eastern America, Setaria Faberi in, 46:57. Eastern America, Some new Willows of, 9:221.

Eastern America, Sparganium multipedunculatum in, 27:190

Eastern America, Symphoricarpos racemosus and its varieties in, 7:164.

Eastern America, Taraxacum in, 35:369. Eastern America, The allies of Festuca ovina

Eastern America, The genus Streptopus in,

Eastern America, The identities of the Sand Cherries of, 15:69.

Eastern America, The representatives of Potentilla Anserina in, 11:1.

Eastern America, The representatives of Rumex salicifolius in, 10:17.

Eastern America, The representatives of Trisetum spicatum in, 18:195.

Eastern America, The variations of Lathyrus palustris in, 13:47.

Eastern America, The variations of Lonicera caerulea in, 12:209.

Eastern America, Two new Epilobiums of, 27:32.

Eastern American allies, Ranunculus abortivus and its, 40:416.

Eastern American forms of Senecio, Some, 30:224.

Eastern American Luzula, Notes on, 47:265. Eastern American occurrence of Athyrium alpestre, The, 30:44.

Eastern American representative, Coptis trifolia and its, 31:136.

Eastern American representatives of Arnica

alpina, The, 26:103. Eastern American segregate of Eleocharis

pauciflora, The, 36:377. Eastern American species of Bromus, Notes

on some, 24:89. Eastern American species of Iris, Two, 49:210. Eastern American varieties of Rorippa island-

ica, 42:267. Eastern American variety of Polystichum Braunii, The, 30:28.

Eastern North America and the Old World, Specific segregations and identities in some floras of, 33:25.

Eastern North America based on foliage and twig characters, A key to the species of Oaks of, 38:53.

Eastern North America, Agropyron § Goularda in, 35:161.

Eastern North America, Forms of Ophioglossum vulgatum in, 15:86.

Eastern North America, Notes on Betula in, 47:303.

Eastern North America, On Houttyn's overlooked binomials for native or introduced plants in, 40:288.

Eastern North America, Overlooked species, transfers and novelties in the flora of, 46: 1, 32.

Eastern North America, Pilea in, 38:169. Eastern North America, Ribes vulgare and

its indigenous representatives in, 9:1. Eastern North America, Senecio aureus and its geographic varieties and allies in, 45:495.

Eastern North America, Some anomalous species and varieties of Bidens in, 17:20. Eastern North America, Some little known Cyperaceae of, 8:126, 161, 181, 200.

Eastern North America, Some new or critical plants of, 19:152.

Eastern North America, Some new species and varieties of Poa from, 20:122.

Eastern North America, Some species and varieties of Elymus in, 20:81

Eastern North America, Some spermatophytes of, 42:239, 281.

Eastern North America, Studies on interior distribution of maritime plants, -I. Effects of post-Pleistocene marine submergence in, 29:41, 57, 87, 105.

Eastern North America, Taraxacum in, 35:369.

Eastern North America, The Ancylatheran

Calamagrostis of, 46:285. Eastern North America, The genus Amelanchier in, 14:117.

Eastern North America, The genus Elatine in. 19:10.

Eastern North America, The genus Puccinel-

lia in. 18:1. Eastern North America, The genus Ruppia in, 16:119.

Eastern North America, The group of Acalypha virginica in, 29:193.

Eastern North American flowers as exemplified by Hepatica acutiloba, Color variation in, 38:301

Eastern North American representatives of

Alnus incana, 47:333. Eastern North American species of Lobelia, Studies in the taxonomy and distribution of the, 38:241, 276, 305, 346.
Eastern Shore, Flora of Delaware and the,

[Review], 49:164.
EASTMAN'S—[New England Ferns and their common Allies], Review of, 6:211-212.

EATON, ALVAH AUGUSTUS

Parietaria debilis in New Hampshire, 2:158.

A few additions to the New Hampshire flora, 2:167-168.

[Herbarium of], 3:221.

An interesting form of Leersia oryzoides, 5:118.

Additional notes on Botrychium tene-

brosum, 5:274-276, pl. 48. Three new varieties of Isoetes, 5:277-280. Note on Equisetum pratense, 6:92.

Nomenclatorial changes in Isoetes, 10:42.

Notes on Isoetaceae, 10:61. [In Memoriam], 10:209-211.

[Botanical writings of the late], 10: 211-214.

EATON, DANIEL CADY

[Herbarium of], 3:287. [Note on], 26:52.

EATON, AMOS

- herbarium], 48:201-205. [A note on -— — herbarium], 39: 153-155.

EATON, LILLIAN O.

Orchids of Chesterville, Maine, 5:82-83. Notes on plants of Chesterville, Maine, 9: 207-208

Additional notes on the plants of Chesterville, Maine, 11:30-31.

EATON, RICHARD J

Exceptionally large Quercus ilicifolia, 30:

Exceptional dimensions in Corydalis sempervirens, 30:36.

The present status of Magnolia virginiana in Massachusetts, 30:207–208.

Hydrangea paniculata naturalized in Massachusetts, 31:18-19.

Propagation by seed in Hydrangea, 31:

Color variation in Gentiana linearis, 32: 143-144.

Tripsacum dactyloides in Massachusetts, 32:185.

Cuscuta Polygonorum in New England, 33:80.

The peculiar aspects of the New England distribution of Arceuthobium pusillum, 33:92-101, 4 maps.

Notes on Lycopodium inundatum and its allies in the Western Hemisphere, -I. A new variety of Lycopodium inundatum, 33:201-203.

(Griscom, L. and ----), The variations of Aster foliaceus in New England, 34:13-

— and Griscom, L.), A few noteworthy plants from southern Vermont, 34:31-

Panicum virgatum L., var. cubense Griseb. (or var. obtusum Wood?) in Plymouth County, Massachusetts, 34:

The status of two introductions by Minot Pratt at Concord, Massachusetts: Camptosorus rhizophyllus and Helenium autumnale, 34:172-173.

Another Massachusetts station for Cal-

luna vulgaris, 35:294.

(— Griscom, L.), Potamogeton panor-mitanus in the Sudbury River, 36: 312-313.

The waning of Arceuthobium at Concord, Massachusetts, 37:413-414.

Some adventitious plants in Concord, Massachusetts, 38:64-67.

Another New Hampshire station for Rhododendron maximum, 40:461.

The persistence of Opuntia humifusa in Concord, Massachusetts, 40:486-487.

Wolffia columbiana in Concord, Massachusetts, 41:42-43.

Dicentra eximia in Vermont, 48: 272-273. Lemna minor as an aggressive weed in the Sudbury River, 49:165–171. Eaton's Ferns of North America, A suppressed

plate in, 35: 260.

Eaton's Ferns of North America, Dates of, 20:

Eatonia pubescens. An extension of range of, 7:138

Ebony Spleenwort, A plumose variety of the,

Echinacea, Notes on, 2:84.

Echinacea from Missouri, Two albino forms of, 44:150.

Echinocereus angusticeps, a new species from the lower Rio Grande Valley, Texas, 37:77. Echinochloa in North America, The genus,

Echinodorus parvulus, The generic position of,

Echinodorus parvulus, Observations on, 5:83. Echinodorus tenellus, a correction, 40:27.

Eclipta alba in Massachusetts, 7:173.

Economic Botany, Walker Prize in, [Notice],

Economic botany, The romance of, [Review], 29:95.

Economic Plants, [Review], 37:31. Ectocarpus granulosus, On, 39:50.

Ectocarpus Mitchellae Harv., var. parvus, n. var., 23:254.

Ectocarpus ovatus, On, 39:148.

Ectocarpus paradoxus in New England, 35:

Edible Plants, [Review], 45:515.

Edible Wild Plants of Eastern North America,

[Review], 45:515.
Editorial, 3:283-284; 14:193.
Editorial announcement, 1:1; 31:1; 33:65.

Eelgrass, Environmental factors and the wast-

ing disease of, 41:260.

Eelgrass scarcity, Past periods of, 36:261. Eelgrass scarcity, Further notes on past periods of, 37:269.

Eelgrass situation on the American Pacific coast, The, 41:257.

EGGLESTON, WILLARD W.

Further notes upon the distribution and host plants of Arceuthobium pusillum,

Hudsonia ericoides in New Hampshire, 2: 22.

Polymnia canadensis in Vermont, 2:70. Flora of Mt. Moosilauke, 2: 97-99.

New or rare plants from Pownal, Vermont, 2:171.

(Brainerd, E., Jones, L. R. and —) [Flora of Vermont], Review of, 3:40.

[Herbarium of], 3:221.
The discovery of Comandra livida and Lycopodium sitchense on Mt. Washington, 4:97-98

The stature attained by Euphrasia Oakesii, 4:108.

Addenda to the flora of Vermont, 6:137-144.

The Crataegi of the northeastern United States and Canada, 10:73-84.

Crataegus viridis L. in Virginia, 12:93-94. EGLER, FRANK E.

The orthography of "pensylvanicus," 43:

220 - 222.The Seashore State Park, a part of Cape

Henry, Virginia, 45:105-106. EHLERS, J. H.

Panicum virgatum var. cubense in Michigan, 23:200.

Ehrhart's Phytophylacium, The so-called generic names of, 22: 180.

Elatine americana and E. triandra, 43:208. Elatine and other aquatics, Notes from the Herbarium of the University of Wisconsin,

-XVII, 41:367.

Elatine in eastern North America, The genus,

19:10. Elatine triandra, Elatine americana and, 43:

Elatine triandra in Wisconsin, 36: 351.

Eleocharis, A new Chinese, 41: 559.

Eleocharis caribaea var. dispar in Michigan, 37:366.

Eleocharis caribaea var. dispar in Ontario, 37:

Eleocharis diandra at Brunswick, Maine, The occurence of, 4:1.

Eleocharis diandra in central New York, 2:61. Eleocharis diandra, The rediscovery of, 2:60. Eleocharis from Brazil, A new, 36:389.

Eleocharis from Massachusetts, A new species of, 24:23.

Eleocharis interstincta and E. quadrangulata.

Tubers on the roots of, 11:29. Eleocharis, Monographic studies in the genus,

31:121, 152, 167, 199, 219, 224; —II. 34:193, 215; —III, 36:377; —IV, 39:210, 236; —V, 41:1, 43, 90.

Eleocharis nitida in the Lake Superior region, The occurrence of, 49:81.

Eleocharis palustris in North America, The group of, 49:61. Eleocharis palustris in North America, The

representatives of, 31:57. Eleocharis pauciflora, The eastern American segregate of, 36:377.

Eleocharis quadrangulata, The validity of, 27:

Eleocharis quadrangulata. Tubers on the roots of Eleocharis interstincta and 11:29.

Eleocharis Robbinsii in New York, On the status of, 41:254.

Eleocharis tuberculosa in New Hampshire, 26:37.

Elizabeth Islands, Desmids from Cape Cod and the, 37:113.

Elizabeth Islands, Massachusetts, The flora of the, 32:119, 147, 167, 208, 226, 263. Elliott, Notes on the Lobelias in the herbar-

ium of Stephen, 40:175.

Elliott's herbarium, A list of type specimens in, 44:249.

Ellisia Nyctelea in Massachusetts, Juncus Torreyi and, 4:170.

Ellisia, The genus, 42:33.

Elodea in New England, The genus, 22:17. Elodea, On the nomenclature of, 34:114.

ELWELL, LEVI HARRY

[Herbarium of], 3:288. Cypripedium arietinum on Mt. Toby, Massachusetts, 4:62.

Elymus arenarius and its American representatives, 17:98.

Elymus arenarius at Provincetown-native or introduced? 15:218.

Elymus in eastern North America, Some species and varieties of, 20:81.

Elymus in Minnesota, A study of, 50:80.

Elymus, Types of some American species of, 35:187.Elymus virginicus L., A new variety of, 39:

Emendations to the seventh edition of Gray's Manual,—I, 11:33

EMERTON, J. H.—New England Federation of Natural History Societies, 13:187-188; 14:

Empetrum in Franklin County, Maine, The occurrence of, 4:196.

RHODORA 312

Empetrum in New England, The Chilean, 4:

Empetrum in North America, The genus, 15: 211.

Empetrum nigrum L., forma purpureum (Raf.) n. comb., 25:83.

Entomophthoraceae, preliminary communication, Contribution to the cytology of, 8:

Enteromorpha crinita, Ecological polymor-

phism in, 24:50. Ephedra in Texas, Notes on, 40:215.

Epifagus virginiana in Missouri, 36:352.

Epifagus virginiana (L.) Bart., forma pallida, n. f., 36:59.

Epigaea repens forma plena in Connecticut, 38:408.

Epilobium adenocaulon, Epilobium glandulosum and, 20:31.

Epilobium alpinum and E. Hornemanni, Sta-

tus of, 11:141. Epilobium alpinum and its allies in north-eastern America, 20:36.

Epilobium angustifolium and E. latifolium, The assumed hybridization of, 20:6.

Epilobium angustifolium and its variations, 20:1.

Epilobium ciliatum, The identities of Epilobium lineare, E. densum and, 46:377.

Epilobium densum, An insular variety of, 20:

Epilobium densum and E. ciliatum, The identities of Epilobium lineare, 46:377.

Epilobium glandulosum and E. adenocaulon, 20:31.

Epilobium Hornemanni, Status of Epilobium

alpinum and, 11:141.

Epilobium latifolium, The albino of, 46:251.

Epilobium latifolium, The assumed hybridization. tion of Epilobium angustifolium and, 20:6. Epilobium lineare, E. densum and E. ciliatum,

The identities of, 46: 377. Epilobium palustre, var. longirameum, n. var.,

13:188.

Epilobium paniculatum var. subulatum in Wisconsin, 43:335.

Epilobium sect. Chamaenerion, American variations of, 20:1.

Epilobium, The Sable Island, 20:30.

Epilobium under estuarine conditions, An, 26:

Epilobiums of eastern America, Two new, 27:

Epilobiums of the section Lysimachion, Some American, 20:29.

Epipactis Helleborine, at Stockbridge, Massachusetts, 1:52.

Epipactis Helleborine in New Hampshire, A new station for, 49:60.

Epipactis Helleborine, Notes on the flora of, Ontario,—I., 50:236.

Epipactis Helleborine, The sporadic appearance of, 48:88.

Epipactis in Vermont, Some traits of, 19:38. Epipactis latifolia in New Hampshire, 44:456. Equisetum fluviatile or E. limosum? 23:43.

Equisetum limosum? Equisetum fluviatile or,

Equisetum palustre, example of careless bibliography and phytography, 49:278.

Equisetum pratense in Berkshire County, Massachusetts, 29:32

Equisetum pratense, Note on, 6:92.

Equisetum sylvaticum, Light correlated variations of the sterile stem of, 22:165.

Equisetum sylvaticum, The American representative of, 20:129.

Equisetum Telmateia, The North American variety of, 49:203.

Eragrostis Damiensiana, Eragrostis peregrina versus, 30:155.

Eragrostis Frankii in Connecticut, 2:87. Eragrostis hypnoides and E. reptans, 28:113.

Eragrostis of the Old World and North America, A new species of, 19:93.

Eragrostis peregrina, a frequent plant about Philadelphia, 20:173.

Eragrostis peregrina and its relatives, On, 29:19.

Eragrostis peregrina and its two allies, The specific characters of, 21:133.

Eragrostis peregrina versus E. Damiensiana, 30:155.

Eragrostis reptans, Eragrostis hypnoides and, 28:113.

Erechtites in temperate North America, The genus. 19:24.

Erechtites megalocarpa in Rhode Island, 28:

Erechtites megalocarpa on Long Island, 41:

Erianthus brevibarbis and other species, 45: 246.

Ericaceae and other reaction-sensitive families in northern Vermont and New Hampshire, Soil tests of, 22:33.

Ericaceae of New England, Notes on the, 3:

Ericaceae of the Boston district flora, Notes on two, 25: 116.

Ericaceae, Pollination of the, -Chamaedaphne and Xolisma, 37:157; —IV. Ledum and Pyrola, 38:90; —V. Gaylussacia baccata, 42:352; —VI. Vaccinium caespitosum on Mount Katahdin, 44:187.

Erigeron acris in northeastern America, The representatives of, 12:225.

Erigeron carolinianus a valid American species? Is. 46:323.

Erigeron compositus Pursh, var. discoideus Gray, forma trifidus (Hook.) stat. nov., 50:

Erigeron pusillus, a valid species, 15:205.

Erigeron ramosus, A northern variety of, 15:

Eriocaulon septangulare, Two new Smuts on, 3:79.

Eriogonum hemipterum, Author citation for, 47:92.

Eriophorum callitrix, The identity of, 27:203. Eriophorum, The North American species of, 7:81, 129.

ERLANSON, EILEEN WHITEHEAD-Ten new American species and varieties of Rosa. 30: 109 - 121.

Erodium malacoides at Lawrence, Massachu-

setts. 5:39.

Erodium moschatum in Connecticut, 4:248. Erodiums at Tewksbury, Massachusetts, Two,

ERSKINE, DAVID-(- and Schofield, W.), Floerkea proserpinacoides in Nova Scotia, 50:283-284.

Erucastrum Pollichii adventive in America, 13:10.

Erucastrum Pollichii in Maine, 28:88

Erucastrum Pollichii in West Virginia, 26:

Erythronium americanum, A new form of, 31:

Erythrotrichia from Woods Hole, A new, 20:

Erysimum Pallasii (Pursh), n. comb., 27:171. Erysimum. The genus, 27:65.

Erythronium mesochoreum, 39:101.

Essex County, Massachusetts, A second station for Cyperus Grayii in, 14:22.

Essex County, Massachusetts, A southern flora and fauna of post-Pleistocene age in, 10:42. Essex County, Massachusetts, Further notes on the Panicums of, 15:36.

Essex County, Massachusetts, Some Panicums

of, 14:36.

Essex County, Massachusetts, Some uncommon Mosses in northern, 2: 95.
Essex County Natural History Society, [Herbarium of], 3:260.

Essex Institute, [Herbarium of], 3:260; Exhibition and study of Fungi at the, 7:153. Estuarian variety of Scirpus Smithii, An, 23: 41.

Estuaries, Lophotocarpus on the north-eastern

river-, 24:71. Estuaries, Najas in the Virginian, 49:105.

Estuarine Bidens from Chesapeake Bay, A new, 31:87.

Estuarine Bidens of the Miramichi, The, 25:

Estuarine conditions, An Epilobium under, 26:48.

Estuarine variety of Gratiola lutea, An, 34:

Estuarine variety of Mimulus ringens, An, 34:

118. Euastrum in Massachusetts, The genus, 37:

Euclidium syriacum in Massachusetts, 10:72. Eukrania and Cynoxylon, not genera of

Rafinesque, 34: 29. Eupatoria, The nomenclature of the verticillate, 39:297.

Eupatorieae and Astereae, Nates on the Compositae of the northeastern United States. VI. Cichoreae, 50:28.

Eupatorium, A new northern, 3:83.

Eupatorium album, The varieties of, 39:451. Eupatorium hyssopifolium, Notes on, 44:458. Eupatorium perfoliatum, An interesting form of, 32:132.

Eupatorium purpureum and its allies, 22:57. Eupatorium rotundifolium and allies, 37:179. Eupatorium rugosum, Note on the name, 43: 557.

Eupatoriums, Further light on our purple-

flowered, 29:6. Eupatoriums, Scientific names applicable to our purple-flowered, 22:157.

Euphorbia arundelana, an ally of Euphorbia

Ipecacuanhae, 13:163.

Euphorbia corollata at Concord, Massachusetts, 3:253. Euphorbia Cyparissias in fruit, 12:57; A fur-

ther note on, 14:193.

Euphorbia Cyparissias L., Notes on, 15:43. Euphorbia Cyparissias, Station for fruiting, 16:167.

Euphorbia Cyparissias, The production of seed by, 38:161.

Euphorbia dentata and Salsola collina in Minnesota, 40:135.

Euphorbia Esula as a weed in New York State, 32:100.

Euphorbia from Oklahoma, A new species of, 50:63

Euphorbia Geyeri in Indiana, 44:407.

Euphorbia glyptosperma in Massachusetts, 44:15.

Euphorbia Ipecacuanhae, Euphorbia arundelana, an ally of, 13:163.

Euphorbia maculata L., Application of the name, 48:197. Euphorbia, Notes on, 39:496.

Euphorbia pilulifera in Michigan, 38:331. Euphorbia subgenus Chamaesyce in Canada and the United States exclusive of southern Florida, 43:97, 168, 223.

Euphorbia, Two forms in, 50:148.

Euphrasia canadensis in Massachusetts, 47:

Euphraisa canadensis in Vermont. 25:84. Euphrasia from northwestern Canada, A new

species of, 36:87. Euphrasia in North America, The genus, 17:

181. Euphrasia Oakesii in Hamilton Inlet, Labrador, 28:131.

Euphrasia Oakesii, The stature attained by, 4:108.

Euphrasias, The North American, 3:270.

EVANS, ALEXANDER WILLIAM Fossombronia salina in Connecticut, 3:

Notes on New England Hepaticae, 4:207-

Preliminary lists of New England plants.

-XI. Hepaticae, 5:170-173.

Notes on New England Hepaticae, -II, 6:165-174, 185-191, pl. 57; —III, 7:52-58; —IV, 8:34-45; —V, 9:56-60, 65-73, pl. 73; —VI, 10:185–193.
— and Nichols, G. E.), [The Bryo-

phytes of Connecticut], Review of, 11:

Notes on New England Hepaticae, -VII, 11:185–195; —VIII, 12:193–204; —IX, 14:1–18; —X, 14:209–225. Revised list of New England Hepaticae,

Notes on New England Hepaticae, -XI, 16:62-76; —XII, 17:107-120; —XIII, 18:74–85, 103–120, 40 figs., pl. 120; —XIV, 19:263–272; —XV, 21:149–169, pl. 126; —XVI, 23:281-284; —XVII, 25:74-83, 89-98.

Second revised list of New England He-

paticae, 25:192-199.

Notes on Connecticut Lichens, 29:95–105. Notes on the Cladoniae of Connecticut, 34:121-142, 153-164; —II, 37:33-57. A study of five New England species of Scapania, 38:77-90.

Notes on the Cladoniae of Connecticut,

--III, 40:4-26.

Microchemical studies on the genus Cladonia, subgenus Cladina, 45:417-438. Evolvulus pilosus, an invalid name, 37:63.

EWAN, JOSEPH

A review of the genus Githopsis, 41:302-313, pl. 555.

Sherborn's Guide to Natural History Col-

lections, [Review], 46:199.

Taxonomic history of perennial southwestern Datura meteloides, 46:317-323,

Juncus Mertensianus and its austrolimital segregate, J. Duranii, 47:185-191.

· EWER, S. JUDSON

A teratological flower of Corallorrhiza maculata, 31:53.

Notes on Katahdin plants, 32:259-261. Exeter, Maine, Noteworthy plant at, 1:75.

Faeroes, Flora of Iceland and the, [Review], 36:421.

Fairbanks Museum of Natural Science, [Herbarium of], 3:222.

Fairfield County, Connecticut, Rorippa amphibia in, 33:192.

Fairy-rings formed by Lycopodium inunda-

tum, 1:28.

Falcaria Rivini, a plant new to the United States, 25:12.

Fall Dandelions of North America, The, 3:293. Falmouth, Massachusetts, A few noteworthy plants from, 32:103.

FARLOW, W. G.

Poisoning by Agaricus illudens, 1:43-45.

Notes on Fungi,—I, 10:9-17. Jane Loring Gray, 12:41-42.

Rhododendron maximum in New Hampshire, 18:25-26.

Montia sibirica in Massachusetts, 18:240. [Biographical sketch], 22:1-8 (with portrait).

FARWELL, OLIVER ATKINS

The Hemlock Spruce, 17:164-168.

Range extension of Ceanothus sanguineus, 17:229-230

New ranges for old plants, 18:243-244. Bromelica (Thurber): a new genus of Grasses, 21:76-78.

Necessary changes in botanical nomenclature, 21:101-103.

Tsuga americana (Mill.) Farwell, a final word, 21:108-109.

Corrections in nomenclature, 23:86-87. Corallorrhiza maculata Raf., 25:31-32. The correct name for the Spearmint, 26: 19-22.

What is Scirpus glaucescens Willd.? 32:

What is Scirpus capitatus Linn.? 32:180-

Aira spicata Linn, and the application of the International rules, 32:261-263.

Concerning some species of Cornus of Philip Miller, 33:68–72. Eukrania and Cynoxylon, not genera of Rafinesque, 34:29-30.

Two western plants on the Keweenaw Peninsula, 37:164.

The color of the flowers of Nelumbo pentapetala, 38:272.

Euphorbia pililufera in Michigan, 38:

331-332. Some western Lepidiums in Michigan,

39:280-281. Rare plants in Michigan, 40:134-135. Arabis viridis var. heterophylla, 41:80.

Contributions to the Botany of Michigan, No. 17, 42:306-308; -No. 18, 43: 633 - 635.

Fasciation in Lilium canadense, 44:407.

Fassett, Norman C.

An estuarian variety of Scirpus Smithii, 23:41-43.

Sium suave: a new and an old form, 23:111-113, 2 figs.

Lophotocarpus on the north-eastern riverestuaries, 24:71-73, pl. 137.

An Epilobium under estuarine conditions,

26:48-49.

A study of the genus Zizania, 26:153-160. A new variety of Bidens heterodoxa, 26: 177-178.

Notes on the flora of Boothbay, Maine, 27:53-56.

Notes on Distichlis, 27:67-72.

Bidens Eatoni and its varieties, 27:142-

Bidens hyperborea and its varieties, 27: 166-171.

A key to the northeastern American species of Bidens, 27:184-185.

Aster puniceus L., var. firmus (Nees) T.

& G., f. rufescens, n. f., 27:187. Hieracium canadense var. hirtirameum in northern Michigan, 28:246. Notes on the flora of Boothbay, Maine,

--II, 29:14.

Notes from the Herbarium of the University of Wisconsin,-I, 29:227-234.

A plant new to Mt. Desert, 29:253 Notes from the Herbarium of the University of Wisconsin,-II, Bidens connata and its varieties in Wisconsin, 30: 31-35, pl. 160; —III, 30:205-207; —IV, 31:49-53; -V, 32:57-59; -VI, 33:72-75; —VII, 33:224–228.

Potentilla tridentata, forma aurora in the White Mountains, 34:12-13.

Notes from the Herbarium of the University of Wisconsin,-VIII, 34:95-96. Notes on the flora of Boothbay, Maine, --III, 34:167-168

Notes from the Herbarium of the University of Wisconsin,—IX, 35:199-203; —X, 35:387-391; —XI, 36:349-352; —XII. A study of Streptopus, 37:88—113, pl. 328; —XIII, 38:94—97; —XIV, 38: 187—191.

Three aquatics from southern Maine, 39:

273-274.

Notes from the Herbarium of the University of Wisconsin,—XV, 39:377–379;
—XVI, 39:459–461; —XVII. Elatine and other aquatics, 41:367–377, 4 figs. [The Leguminous Plants of Wisconsin],

Review of, 41:461-463.

Notes from the Herbarium of the University of Wisconsin,-XVIII, 41:524-

Bidens hyperborea var. typica, 48:82–83. Penstemon gracilis Nutt., var. wisconsinensis (Pennell) n. comb., 49:293

The proposed changes in Article 58, International Rules of Botanical Nomenclature, 50:249-252.

FAXON, CHARLES EDWARD

[Herbarium of], 3:222. [Biographical sketch], 20:117-122 (with portrait).

FAXON, EDWIN

[Biographical sketch], 2:107-111 (with portrait).

[Herbarium of], 3:222

FEATHERLY, H. I.-A new Triodia from Oklahoma, 40:243-244.

Federation of Natural History Societies, New England, 11:148; 13:187; 14:76.

FELLOWS, DANA W

Some noteworthy plants of Maine, 6:235. Josselyn Botanical Society, 14:162–163 The nineteenth annual meeting of the Josselyn Botanical Society, 15:116.

The Josselyn Botanical Society, 15:202-203.

The twentieth annual field meeting of the Josselyn Botanical Society, 16:90. The Josselyn Botanical Society of Maine,

17:128.

The twenty-first annual meeting of the Josselyn Botanical Society of Maine, 17:203-204

Field meeting of the Josselyn Botanical Society of Maine, 18:144; 19:92.

Fern allies from northwestern Massachusetts, Several uncommon, 3:252.

Fern Allies of Louisiana, The Ferns and. [Review], 44:484.

Fern, An anomalous, 4:10. Fern collectors, To, 2:212.

Fern flora of Vermont, An addition to the, 6:235.

Fern from Vermont, A new hybrid, 6:75. Fern herbarium, Another Davenport, 26:49. Fern in New Hampshire, The Climbing, 4:83. Fern of California, the Basin region and the southern Rocky Mountains, Lady, 19:201.

Fern, On the name of the Oak, 43:216. Fern, The American Ostrich, 17:161.

FERNALD, MERRITT LYNDON Vol. 1: - The Rattlesnake-plantains of New England, 2-7; A spurless Halenia from Maine, 36-37; Two plants of the Crowfoot family, 48-52; Some Antennarias of northern New England, 71-75; Oxytropis campestris in northeastern America, 85-89; Excursions of the Josselyn Society, 102–103; The Listeras of New England, [Review], 111; Two ambiguous Loosestrifes from the northern States, 131-135; [Eleocharis ovata and its American allies; Scirpus Eriophorum and some related forms], Review of, 137-138; Further notes on New England Antennarias, 150–155; Preliminary lists of New England plants,—III. Antennaria, 160; Some plant-names of the Madawaska Acadians, 166-168; Pubescent capsules of Oenothera pumila, 173-174; Some undescribed and little-known varieties of Aster and Solidago, 187–191; Ranunculus acris, var. Steveni, in New England, 227-229.

Vol. 2:—Arceuthobium pusillum in the St. John and St. Lawrence valleys, 10-11; Some northeastern species of Scirpus, 15-21; Is Artemisia Stelleriana a native of New England? 38-40; The re-discovery of Eleocharis diandra, 60; Notes on Echinacea, 84-87; Scirpus sylvaticus: a correction, 106; Some Jesuit influences upon our northeastern flora, 133-142; Some undescribed varieties and hybrids of Carex, 170-171; The distribution of the Bilberries in New England, 187-190; Rubus idaeus and its variety anomalus in America, 195–200; Two northeastern Thalictrums, 230–233; The representatives of Scirpus maritimus in America, 239-241.

Vol. 3:—Monarda fistulosa and its allies, 13-16; The northeastern Carices of the subsection Vesicariae, 43–56; A new variety of Juncus tenuis, 59–60; The vascular plants of Mount Katahdin, 166–177; Scutellaria parvula and S. ambigua, 198-201; Extreme variations of Alisma Plantago, 206; [Herbarium ofl, 222; New stations for Juncus sub-tilis, 228-230; Notes on some trees and shrubs of western Cheshire County, New Hampshire, 232-236; Scirpus supinus and its North American allies, 249-252; The true Lycopodium complanatum and its common American representative, 278-281; The "Fall Dandelions" of North America, 293-294; An unarmed Connecticut Blackberry, 295-296.

Vol. 4:- Early records of Leontodon in America, 39-40; A Cotton-grass new to North America, 82; The Seneca Snakeroot 316 Rhodora

in Maine, 133–134; An anomalous Skullcap, 137–138; The Chilian Empetrum in New England, 147–151; An Osmorhiza new to eastern America, 153–154; Taraxacum palustre in America, 155–157; Aster undulatus × novi-belgii, 186–187; Two northeastern Veronicas, 191–195; Variations of Glaux in America, 213–216; Preliminary lists of New England plants, —X. Carex, 218–230; The variations and distribution of American Cranberries, 231–239.

Vol. 5:—Andromeda Polifolia and A. glaucophylla, 69–71; A new Bidens from the Merrimac Valley, 90–92; Linum catharticum on Cape Breton, 119; Red-flowered Anemone riparia, 154–155; Some variations of Triglochim maritima, 174–175; Chrysanthemum Leucanthemum and the American White Weed, 177–181; The American representatives of Luzula vernalis, 193–196; Arabis Drummondi and its eastern relatives, 225–231; A new Kobresia in the Aroostook Valley, 247–251; Pursh's report of Dryas from New Hampshire, 281–283.

Vol. 6:—Two northeastern allies of Salix lucida, 1–8; Preliminary lists of New England plants, —XIII. Juncaceae, 34–41; The identity of Michaux's Lycopus uniflorus, 134–137; The Green Alders of New England, 162–163; Pyrola asarifolia Michx., var. incarnata, n. comb., 178–179; The identity of Andersson's Salix pellita, 191; The American representatives of Pyrola rotundifolia, 197–202.

Vol. 7:—A peculiar variety of Drosera rotundifolia, 8–9; Ledum palustre, var, dilatatum on Mt. Katahdin, 12–13; A new Arabis from Rimouski County, Quebec, 31–32; An undescribed northern Comandra, 47–49; (—— and Knowlton, C. H.), Draba incana and its allies in northeastern America, 61–67; The North American species of Eriophorum, 81–92, 129–136; The genus Arnica in northeastern America, 146–150; Spergula sativa in Connecticut, 151–152; Some lithological variations in Ribes, 153–156; Anaphalis margaritacea, var. occidentalis in eastern America, 156; Symphoricarpos racemosus and its varieties in eastern America, 164–167; An anomalous alpine Willow, 185–186; An alpine Adiantum, 190–192; A pale form of Avena striata, 244; A northern Cynoglossum, 249–250; Draba borealis in eastern America, 267.

Vol. 8:—A new Geum from Vermont and Quebec, 11-12; A handsome Willow of the Penobscot Valley, 21-22; Some American representatives of Arenaria verna, 31-34; Two variations of Carex glareosa, 45-47; The genus Streptopus in eastern America, 69-71; The variations of Carex paupercula, 73-77; Some anomalous plants of Tiarella and Mitella, 90-92; Paronychia argyrocoma

and its New England representative, 101–104; A new variety of Carex interior, 114–115; Some new or little known Cyperaceae of eastern North America, 126–130, 161–167, 181–184, 200–202; Twelve additions to the flora of Rhode Island, 219–222; Potamogeton spathaeformis a probable hybrid in Mystic Pond, 224; An alpine variety of Solidago macrophylla, 227–228.

Vol. 9:—Ribes vulgare and its indigenous representatives in North America, 1–4; The variations of Primula farinosa in northeastern America, 15–16; The alpine Rhinanthus of Quebec and New Hampshire, 23–25; Note on Cirsium muticum, var. monticola, 28; (—— and EAMES, A. J.), Preliminary lists of New England plants, —XX; Sparganiaceae, 86–90; Streptopus oreopolus a possible hybrid, 106–107; The genus Suaeda in northeastern America, 140–146; The soil preferences of certain alpine and subalpine plants, 149–193 (Contrib. Gray Herb. no. XXXV); Salicornia europaea and its representatives in eastern America, 204–207; Some new Willows of eastern America, 221–226.

Vol. 10:—The representatives of Rumex salicifolius in eastern America, 17–20; Notes on some plants of northeastern America, 46–55, 84–95; Lemna minor and Sparganium eurycarpum in Rimouski County, Quebec, 95–96; Preliminary lists of New England plants,—XXI. Cyperaceae, 135–144; Note on Michaux's Vaccinium myrtilloides, 147–148; Draba aurea in Rimouski County, Quebec, 148; (Robinson, B. L. and ——), [Gray's New Manual of Botany, seventh edition], Review of, 193–196; Preliminary lists of New England plants,—XXII. Najadaceae, Juncaginaceae, 168–172; Bidens connata and some of its American allies, 197–203.

Vol. 11:—The representatives of Potentilla Anserina in eastern America, 1-9; A pubescent variety of Aster dumosus, 31; (ROBINSON, B. L. and ——), Emendations of the seventh edition of Gray's Manual, -I, 33-61; Notes on the report of Scirpus nanus from Vermont, 84; The variations of Arenaria peploides in America, 109-115; An inland variety of Proserpinaca palustris, 120; The North American species of Barbarea, 134-141; Salix pedicellaris and its variations, 157-162; Juneus articulatus, var. nigritellus in Maine, 164; Fimbristylis Frankii, var. brachyactis, n. var., 180; The status of Arenaria stricta in New Hampshire, 184-185; A new variety of Abies balsamea, 201-203; Scirpus Smithii in Massachusetts, 220.

Vol 12:—Note on Boehmeria cylindrica, var. Drummondiana, 10-11; Notes on the plants of Wineland the Good, 17-38; (——

and Wiecand, K. M.), A synopsis of the species of Arctium in North America, 43-47; - and Bissell, C. H.), The North American variations of Lycopodium clavatum, 50-55; (- and Wiegand, K. M.), Two new Galiums from northeastern America, 77-79; A new variety of Rhamnus caroliniana, 79; (- and Wiegand, K. M.), The North American variations of Juneus effusus, 81-93; (—— and Wiegand, K. M.), A summer's botanizing in eastern Maine and western New Brunswick, 101-121, 133-146; Flowering Plants and Ferns of Connecticut, [Review], 131-132; (—— and Wig-GAND, K. M.), Notes on some northeastern species of Spergularia, 157-163; Notes from the phaenogamic herbarium of the New England Botanical Club, —I, 185-192; (—and Wiegand, K. M.); The variations of Lonicera caerulea in eastern America, 209-211; Some additions to the Rhode Island flora, 216-217; (—— and Wiggand, K. M.), The representatives of Erigeron acris in northeastern America, 225-227.

Vol. 13:—A new species of Scirpus from Massachusetts and New Jersey, 4–8; (—and Wiegand, K. M.), Some boreal species and varieties of Antennaria and Anaphalis, 23–27; The variations of Lathyrus palustris in eastern America, 47–52; The varieties of Ribes hirtellum, 73–76; The northern variety of Gaylussacia dumosa, 95–99; (—and Wiegand, K. M.), A boreal variety of Fragaria virginiana, 106; (—and Wiegand, K. M.), Cornus canadensis, var. intermedia in eastern America, 107–108; A botanical expedition to Newfoundland and southern Labrador, 109–162, pls, 86–91; (Contrib. Gray Herb. no. XL); Notes from the phaenogamic herbarium of the New England Botanical Club,—II, 177–183; (—and Wiegand, K. M.), Epilobium palustre L., var. longirameum, n. var., 188; Harshberger's Phytogeographic Survey of North America, [Review], 213–214; A pubescent variety of Vaccinium vacillans, 235–236; Two lost Carices of eastern Massachusetts, 243–248; (—and Wiegand, K.M.), Salix calcicola, a little known northern Willow, 251–253.

Vol. 14:—A second station for Cyperus Grayii in Essex County, Massachusetts, 22; Sclerolepis uniflora in Massachusetts, 23–24; (—— and Wiegand, K. M.), A new variety of Juncus balticus, 35–36; Two rare Junci of eastern Massachusetts, 55–56; An early collection of Salix balsamifera, 69–70; Bowman's Forest Physiography, [Review], 70; (Knowlton, C. H., —— and Floyd, F. G.), Field excursions of the New England Botanical Club. 71–76; Two local floras, [Review], 78–79; New England Trees in Winter, [Review], 79–80; Salix serissima in southern Connecticut, 80; Viola renifolia and V.

Brainerdii, 86–88; (BISSELL, C. H. and ——), A new variety of Lespedeza capitata, 91–92; (—— and Wiegand, K. M.), A blunt-spiked variety of Carex scoparia, 115–116; An illustrated key to the trees, [Review], 163; Galium brevipes in Minnesota, 175–176; The inland variety of Spiraea tomentosa, 188–190; A purple-fruited Ash, 192; (—— and Wiegand, K. M.), A northeastern variety of Chelone glabra, 225–226; (—— and Wiegand, K. M.), Alchemilla alpina and A. vulgaris in North America, 229–234; Xanthium strumarium in Massachusetts, 239.

Vol. 15:—Nuttall's White Sassafras, 14-18; (—— and Wiegand, K. M.), The variations of Luzula campestris in North America, 38-43; Alnus crispa (Ait.) Pursh, var. mollis (Fernald), n. comb., 44; (—— and Wiegand, K. M.), A northern variety of Erigeron ramosus, 59-61; Some North American relatives of Polygonum maritimum, 68-73; Some noteworthy varieties of Bidens, 74-78; A northeastern variety of Carex Deweyana, 92-93; A Flora of the Connecticut Valley in Massachusetts, [Review], 97-98; (—— and Wiegand, K. M.), Calamagrostis Pickeringii Gray, var. debilis (Kearney), n. comb., 135-136; An albino Kalmia angustifolia, 151-152; A peculiar variety of the Canoe Birch, 168-169; The indigenous varieties of Prunella vulgaris in North America, 179-186; Carex tincta a valid species, 186-187; A new station for Scirpus Longii, 202; (—— and Wiegand, K. M.), The genus Empetrum in North America, 211-217.

Vol. 16:—(—— and Long, B.), The American variations of Potentilla palustris, 5-11; The alpine Bearberries and the generic status of Arctous, 21-33; The North American representative of Arenaria ciliata, 43-44; A cut-leaved Alder, 56; Some annual halophytic Asters of the Maritime Provinces, 57-61; Three Lupines naturalized in eastern Canada and Newfoundland, 92-94; The narrow-leaved variety of Salix pyrifolia, 116; (—— and Wiegand, K. M.), The genus Ruppia in eastern North America, 119-127; Some Antennarias of northeastern America, 129-134; (—— and St. John, H.). Nymphaea variegata or N. americana? 137-141; The American variations of Stellaria borealis, 144-151; The variations of Ranunculus Cymbalaria, 160-163; The West Virginian variety of Polygonum cilinode. 165-166; The glabrous-leaved Sweet Gale. 167; Some Willows of boreal America. 169-179; (—— and St. John, H.), The varieties of Hieracium scabrum, 181-183; A new maritime Polygonum from Nova Scotia, 187-189; A northern variety of Aster linariifolius, 192-194; Two Newfoundland Anten-

318 Rhodora

narias, 196–197; The Cambridge British Flora, [Review], 198–200; The western variety of Maianthemum canadense, 210–211; (—— and Macbridge, J. F.), The North American variations of Arctostaphylos Uva-Ursi, 211–213; Carex leptonervia a valid species, 213–214.

Vol. 17:—Some new or unrecorded Compositae chiefly of northeastern America, 1–20 (Contrib. Gray Herb. no. XLIII); (—and St. John, H.), Some anomalous species and varieties of Bidens in eastern North America, 20-25 (Contrib. Gray Herb. no. XLIII); The North American representatives of Dryopteris spinulosa, var. dilatata, 44-48; Flora of the Vicinity of New York, a Contribution to Plant geography, [Review], 62-70; Botrychium angustisegmentum (Pease & Moore), n. comb., 87-88; Altitudinal limits in Connecticut, a correction, 88; Two variations of Silene antirrhina, 96-97; A Handy Book on Trees and Shrubs, [Reviewl, 103-104; Michaux's Panicum muricatum, 105-107; The American variations of Lycopodium annotinum, 123-125; A new Carex from Newfoundland, 158-159; The American Ostrich Fern, 161-164; An albino Viola rostrata, 180; (—— and Wiegand, K. M.), The genus Euphrasia in North America, 181–201 (Contrib. Gray Herb. no. XLIV); The identity of Circaea latifolia and the Asiatic C. quadrisulcata, 222-224; The characters and range of Carex laevivaginata, 231-232; (— and St. John, H.), The occurrence of Botrychium virginianum, var. europaeum in America, 233-234.

Vol. 18:—(—— and Weatherby, C. A.), The genus Puccinellia in eastern North America, 1–23 (Contrib. Gray Herb. no. XLVI); A pubescent form of Salix Uvaursi, 52; Chelone glabra L., forma rosea, n. f., 72; A calciphile variety of Andromeda glaucophylla, 100–102; Prunus virginiana the correct name of the Choke Cherry, 140–141; The genus Sabatia in New England, 145–152; Some notes on Spartina, 177–180; The representatives of Trisetum spicatum in eastern America, 195–198; Some allies of Antennaria alpina from Newfoundland and the Labrador Peninsula, 236–238.

Vol. 19:—The genus Elatine in eastern North America, 10–15; A new Juncus from Cape Cod, 17–20; The genus Erechtites in temperate North America, 24–27; A new Luzula from eastern Canada, 38–39; The specific characters of Hepatica americana, 45–46; Helianthemum dumosum on the mainland of New England, 58–60; The variations of Polygonum pensylvanicum, 70–73; Two new maritime plants of northeastern North America, 76; The identity of Circaea canadensis and C. intermedia, 85–88; A new Cardamine from southern Maine,

91–92; Carex gynocrates in Pennsylvania, 110; A diagnostic character of Nuphar microphyllum, 111; Tiarella cordifolia L., forma parviflora, n. f., 132; Some Polygonums new to North America, 133–135 (Contrib. Gray Herb. no. L); New or critical species or varieties of Ranunculus, 135–139 (Contrib. Gray Herb. no. L); Some color forms of American Anemones, 139–141 (Contrib. Gray Herb. no. L); New species, varieties and forms of Saxifraga, 141–144 (Contrib. Gray Herb. no. L); A new Vitis from New England, 144–147 (Contrib. Gray Herb. no. L); Gentiana clausa a valid species, 147–149 (Contrib. Gray Herb. no. L); Some forms of American Gentians, 149–152 (Contrib. Gray Herb. no. L); Some new or critical plants of eastern North America, 152–155 (Contrib. Gray Herb. no. L); The tardy flowering of plants in eastern Massachusetts in the spring of 1917, 219–220; A new alpine Willow from the White Mountains, 221–223; The boreal and subalpine variety of Spiraea latifolia, 254–255; A remarkable colony of Bidens in Connecticut, 257.

Vol. 20:-American variations of Epilobium, section Chamaenerion, 1-10; Botrychium lanceolatum, 19–20; Some American Epilobiums of the section Lysimachion, 29– 39; The North American Littorella, 61-62; The validity of Oxalis americana, 76-78: Rosa blanda and its allies of northern Maine and adjacent Canada, 90–96; The diagnostic character of Vallisneria americana, 108-110; (— and Wiegand, K. M.), Some new species and varieties of Poa from eastern North America, 122-127; The American representatives of Equisetum sylvaticum, 129-131; Some allies of Rynchospora macrostachya, 138-140; The specific identity of Bidens hyperborea and B. colpophila, 146-150; Carex paupercula Michx., var. brevisquama, n. var., 152; The specific validity of Limosella subulata, 160–164; Solidago racemosa Greene, forma leucantha, n. f., 172; An intergeneric hybrid in the Cyperaceae, 189–191; Some North American representa-tives of Braya humilis, 201–203.

Vol. 21:—The unity of the genus Arenaria, 1–7 (Contrib. Gray Herb. no. LVII); The type of the genus Alsine, 7–9 (Contrib. Gray Herb. no. LVII); The earlier name for Alsinopsis, 9–12 (Contrib. Gray Herb. no. LVII); The American representatives of Arenaria sajanensis, 12–17 (Contrib. Gray Herb. no. LVII); The specific identity of Arenaria groenlandica and A. glabra, 17–21 (Contrib. Gray Herb. no. LVII); The American variations of Arenaria verna, 21–22 (Contrib. Gray Herb. no. LVII); Helianthemum Bicknellii and H. propinquum, 36–37; Carex flava, var. gaspensis in Vermont, 40; Lithological factors limiting the ranges of Pinus Banksiana

and Thuja occidentalis, 41–67 (Contrib. Gray Herb. no. LVIII); (——, BEAN, R. C. and KNOWLTON, C. H.), Plans for 1919 Spring field trip of the New England Botanical Club, 86–88; Rubus idaeus and some of its variations in North America, 89–98; Bidens connata Muhl., var. gracilipes, n. var., 103–104; Panicum § Capillaria in New England, 110–114; Two new Myriophyllums and a species new to the United States, 120–124; A new Polygonum from southeastern Massachusetts, 140–142; (——, BEAN, R. C. and KNOWLTON, C. H.), Field trips of the New England Botanical Club, 1919, 143; The identity of Angelica lucida, 144–147; The white-flowered Bird's Eye Primrose, 148; The variations of Ranunculus repens, 169; Coreopsis rosea Nutt., forma leucantha, n. f., 171; A flora of northeastern Pennsylvania, [Review], 172; Nymphozanthus the correct name for the Cow Lilies, 183–188; Lomatogonium the correct name for Pleurogyne, 193–198.

Vol. 22:—Some variations of Cardamine pratensis in America, 11-14; The northern variety of Ranunculus hispidus, 30-31; Polygala paucifolia Willd., forma vestita, n. f., 32; The American varieties of Pyrola chlorantha, 49-53; Scirpus acutus Muhl., 55-56; The American Ammophila, 70-71; Juncus Gerardi Loisel., var. pedicellatus, n. var., 76; A Flora of the Penobscot Bay Region, [Review], 91-96; A new Digitaria from New Hampshire, 101–104; (Deane, W. and —), A new albino Raspberry, 112; Pyrola rotundifola and P. americana, 121-123; Oxalis montana, 143-144; Gaultheria procumbens L., forma suborbiculata, n. f., 155-156; Lactuca hirsuta Muhl., forma calvifolia, n. f., 156; Rubus recurvicaulis Blanchard, var. armatus, n. var., 168; (—— and Wiegand, K. M.), Studies of some boreal American Cerastiums of the section Orthodon, 169-179; Brainerd & Peitersen's Blackberries of New England, [Review], 185-191.

Vol. 23:—The North American representatives of Scirpus cespitosus, 22–25; (—— and Weatherby, C. A.), Equisetum fluviatile or E. limosum? 43–47; Scutellaria epilobiifolia, 85–86; The Gray Herbarium expedition to Nova Scotia, 1920, 89–111, 130–152, 153–171, 184–195, 223–245, 257–278, 284–300 (Contrib. Gray Herb. no. LXIII); (—— and St. John, H.), The American variations of Silene acaulis, 119–120.

Vol. 24:—Some variations of Cakile edentula, 21–23; Notes on Sparganium, 26–34; (—— and Weatherby, C. A.), Varieties of Geum canadense, 47–50; The generic name Phragmites, 55–56; Lysimachia terrestris (L.) BSP., var. ovata (Rand & Redfield), n. comb. 76; A misleading addition to the State Floras of New England, [Review], 96–

100; Polypodium virginianum and P. vulgare, 125-142 (Contrib. Gray Herb. no. LXVI); Notes on the flora of western Nova Scotia, 1921, 157-164, 165-180, 201-208 (Contrib. Gray Herb. no. LXVII); Hoffmann's Flora of Berkshire County, Massachusetts, [Review], 183-187; The American variations of Linnaea borealis, 210-212; The northern variety of Asperella Hystrix, 229-231.

Vol. 25:—The southern variety of Thelypteris fragrans, 1–4; The native Tansy of Newfoundland, 13–16; Vaccinium uliginosum and its var. alpinum, 23–25; The estuarine Bidens of the Miramichi, 43–44; Another Orchid new to New England, 47–48; Nomenclatorial transfers in Mariscus, 49–54; The identities of the Sand Cherries of eastern America, 69–74; Empetrum nigrum L., forma purpureum (Raf.) n. comb., 83; The Gentian of the tidal shores of the St. Lawrence, 85–89; The northern variety of Geum virginianum, 98–99; Notes on the distribution of Najas in northeastern America, 105–109; Baffin Land plants collected by the MacMillan Expedition, 1922, 111–114; Lycopodium sabinaefolium and L. sitchense, 166–167; The American variety of Scheuchzeria palustris, 177–179; (—— and Wiegand, K. M.), Notes on some plants of the Ontario and St. Lawrence basins, New York, 205–214.

Vol. 26:—Polystichum mohrioides and some other subantartic or andean plants in the Northern Hemisphere, 89–95 (Contrib. Gray Herb, no. LXXII); The dwarf Antenarias of northeastern America, 95–102 (Contrib. Gray Herb. no. LXXII); The eastern American representatives of Arnica alpina, 103–107 (Contrib. Gray Herb. no. LXXII); Some Senecios of eastern Quebec and Newfoundland, 113–122 (Contrib. Gray Herb. no. LXXII); New or recently restudied plants of eastern America, 122–127 (Contrib. Gray Herb. no. LXXII); A Flora of Springfield, Massachusetts, [Review], 179–180; Myriophyllum magdalenense: a correction, 198; Juncus triglumis and its American representatives. 201–203.

Vol. 27:—The American representatives of Lonicera caerulea, 1-11; Two new Epilobiums of eastern America, 32-34; The validity of Eleocharis quadrangulata, 37-40; A White Mountain Flora, [Review], 52; Pontederia versus Unisema, 76-81; Another Arnica from Newfoundland, 90-92; The maritime Plantains of North America, 93-104; Notes on Sagina, 130-131; Erysimum Pallasii (Pursh), n. comb., 171; The New England-Acadian Shore line, [Review], 187-188; Sparganium multipedunculatum in eastern America, 190-193; The arctic variety of Alopecurus aequalis, 196-199; The identity of Eriophorum callitrix, 203-210.

320 Rhodora

Vol. 28:—Carex livida and Carex Grayana, 5–8; Bromus ciliatus L., var. denudatus (Wiegand), n. comb., 20; The Ragged Orchis of Newfoundland, 21–22; Kate Furbish, Botanist, [Review], 36; Two summers of botanizing in Newfoundland, 49–63, 74–87, 89–111, 115–129, 145–155, 161–178, 181–204, 210–225, 234–241 (Contrib. Gray Herb. no. LXXVI.)

Vol. 29:—Muhlenbergia uniflora, 10–14; Rehder's Manual of Cultivated Trees and Shrubs, [Review], 48–51; Streptopus oreopolus in the White Mountains, 76; Some varieties of Artemisia borealis, 93–95; The romance of economic botany, [Review], 95–96; Three new plants from the lower St. Lawrence, 141–144; The American Cardamine parviflora, 191–192; Xyris montana in eastern Massachusetts, 222–223; Axyris amarantoides in eastern America, 223–224; Leiophyllum versus Dendrium, 225–227.

Vol. 30:—The authors of Sonchus arvensis, var, glabrescens, 19; Geocaulon, a new genus of the Santalaceae, 21-24 (Contrib. Gray Herb. no. LXXIX); The American and eastern Asiatic Beckmannia, 24-27 (Contrib. Gray Herb. no. LXXIX); The eastern American variety of Polystichum Braunii, 28–30 (Contrib. Gray Herb. no. LXXIX); The American representatives of Asplenium Ruta-muraria, 37–43 (Contrib. Gray Herb. no. LXXIX); The eastern American occurrence of Athyrium alpestre, 44-49 (Contrib. Gray Herb. no. LXXIX); Primula § Farinosae in America, 59-77, 85-104 (Contrib. Gray Herb. no. LXXIX); Victorin's Les Equisétinées du Quebec, [Reviewl, 79-80; The varieties of Galium boreale, 106-107; (—— and Kelsey, S. L.), A new Oxytropis from the Gaspé coast, 121– 124; Roripa islandica and R. hispida, 131– 133; The genus Oxytropis in northeastern America, 135-155 (Contrib. Gray Herb. no. LXXII); Eragrostis peregrina versus E. Damiensiana, 155–157; The North American species of Anemone § Anemonanthea, 180– 188 (Contrib. Gray Herb. no. LXXII); Panicum longifolium in Massachusetts, 190-191; An American representative of Calamagrostis epigejos, 202-205; Some eastern American forms of Senecio, 224-226.

Vol. 31:—Roripa islandica an invalid name, 17–18; (—— and Weatherby, C. A.), Schmidel's publication of Thelypteris, 21–26 (Contrib. Gray Herb. no. LXXXIII); A study of Thelypteris palustris, 27–36 (Contrib. Gray Herb. no. LXXXIII); A hybrid Rynchospora, 38; Four Grasses of eastern America, 44–49 (Contrib. Gray Herb. no. LXXXIII); (—— and Brackett, A. E.), The representatives of Eleocharis palustris in North America, 57–77 (Contrib. Gray Herb. no. LXXXIII); A note on Poa lab-

radorica, 78 (Contrib. Gray Herb. no. LXXXIII); (—— and Weatherby, C. A.), Proposed amendments to the International Rules of Botanical Nomenclature, 91–96; Polygonella articulata (L.) Meisn., forma atrorubens, n. f., 106; Coptis trifolia and its eastern American représentatives, 136–142; The author of Athyrium alpestre, 165–166; Menyanthes trifoliata, var. minor, 195–198; Achillea sibirica in eastern America, 219–220.

Vol. 32:—Ligusticum scothicum of the North Atlantic and of the North Pacific, 7-9 (Contrib. Gray Herb. no. LXXXVII); Carex macrocephala and C. anthericoides, 9-11 (Contrib. Gray Herb. no. LXXXVII); Willdenow's type of Scirpus glaucescens, 31-32; The complex Bromus ciliatus, 63-71 (Contrib. Gray Herb. no. LXXXVII); Some varieties of the amphigean species of Osmunda, 71-76 (Contrib. Gray Herb. no. LXXXVII); Potamogeton alpinus and P. microstachys, 76-83 (Contrib, Gray Herb. no. LXXXVII); The identities of Juncus canadensis and of J. brevicaudatus, 83-88 (Contrib. Gray Herb. no. LXXXVII); A new Willow from the Côte Nord, Quebec, 112-113; The Cape Cod Ceanothus, 161-162; Gentiana procera Holm, forma laevicalyx, n. f., 221; The identity of Alopecurus aequalis, 221-222.

Vol. 33:—Scirpus pumilus in the Rocky Mountains, 23–24; Specific segregations and identities in some floras of eastern North America and the Old World, 25–63 (Contrib. Gray Herb. no. XCIII); A new Blackberry from New Hampshire, 102–104; Potentilla canadensns and P. simplex, 180–191; Pedicularis labradorica, 193; The home of Kerria japonica, 199–200; Potamogeton tenuifolius Raf., 209–211; Wild Flowers of Kashmir, [Review], 212; A condensation of Gerard's Herbal, [Review], 212; Three Antennarias from Greenland, 222–224; (—and Weatherby, C. A.), Some new plants from the Gaspé Peninsula, 231–240.

Vol. 34:—An illustrated flora of Quebec, [Review], 19–20; Some genera and species of Rafinesque, 21–28; Callitriche stagnalis on the lower St. Lawrence, 39–40; Two contemporary evaluations of the colonization by Sir Walter Raleigh, 65–66; International Address Book of Botanists, [Review], 68; Corylus americana forma missouriensis, 96; The New Hampshire record for Rynchospora Torreyana, 112–113; British Seaweeds, [Review], 113–114; Another localized variety of Bidens heterodoxa, 116–117; Does Juncus bulbosus occur in Massachusetts? 117–118; An estuarine variety of Mimulus ringens, 118–119; Flora of the North Shore of the Gulf of St. Lawrence, [Review], 120; An estuarine variety of Gratiola lutea, 147–149; (—— and Weatherby, C. A.), Bar-

tonia: a comedy of errors, 164–167; (—and Weatherby, C. A.), Pinus Strobus L., forma prostrata (Mast.) comb. nov., 168; Lathyrus japonicus versus L. maritimus, 177–187; (—and Weatherby, C. A.), Picea glauca forma parva, 187–189; (—and Weatherby, C. A.), Abies balsamea (L.) Mill., forma hudsonia (Bosc) comb. nov., 190–191; Druce's Comital Flora, [Review], 191–192; Diarrhena festucoides, 204–206; Notes on Festuca octoflora, 209–211; (—and Weatherby, C. A.), Picea rubens Sargent, forma virgata (Rehder), comb. nov., 211; Phragmites communis Trin., var. Berlandieri (Fournier), comb. nov., 211–212; Carex Richardsonii in New England, 229–232; Rydberg's Flora of the Prairies and Plains, [Review], 243–247.

Vol. 35:—Recent discoveries in the Newfoundland flora, 1–16, 47–63, 80–107, 120–140, 161–185, 203–223, 230–247, 265–283, 298–315, 327–346, 364–386, 395–403 (Contrib. Gray Herb. no. CI); Diarrhena festucoides again, 39–40; Calamagrostis epigejos, var. georgica in America, 64–65; Two segregates in Sporobolus, 108–110; Hawaiian Weeds, [Review], 146; Callitriche anceps in New England, 185–186; Types of some American species of Elyruus, 187–198; The slender-spiked Spartina pectinata, 258–260; The New York record of Fraxinus profunda, 293; Glyceria arkansana in western New York, 294; Some forms of Grasses, 316–319; Heterochromism in Arctostaphylos Uva-ursi, var. coactilis, 348–350; The type of Teucrium canadense, 392–395; (—— and Harris, S. K.), Branching Polygonatum pubescens, 403–406:

Vol. 36:—Some transfers in Digitaria and Paspalum, 19–22; The name of the American Lotus, 23–24; (—— and Harris, S. K.), An additional note on the branching tendency in Polygonatum, 59–60; Realignments in the genus Panicum, 61–87 (Contrib. Gray Herb. no. CIII); Some critical plants of Greenland, 89–97; A new Primula from the Grand Canyon of the Colorado, 117–118; (—— and Hodgdon, A. R.), Gaultheria procumbens L., forma accrescens, f. nov., 129; Four forms of Massachusetts plants, 194–195; A conical Sugar Maple, 238–239; Draba in temperate northeastern America, 241–261, 285–305, 314–344, 353–371, 392–404 (Contrib. Gray Herb. no. CV); (—— and Weatherby, C. A.), Some inadequately characterized species of George Vasy, 346–348; Agropyron trachycaulum versus A. pauciflorum, 417–420; Flora of Iceland and the Faeroes, [Review], 421–422.

Vol. 37:—Economic Plants, [Review], 31–32; Lemna cyclostasa an invalid name, 75–76; (—— and Griscom, L.), Three days of botanizing in southeastern Virginia, 129–

157, 167–189 (Contrib. Gray Herb. no. CVII); Two new botanical journals, [Noticel, 162–163; Critical plants of the Upper Great Lakes region of Ontario and Michigan, 197–222, 238–262, 272–301, 324–341 (Contrib. Gray Herb. no. CVIII); Victorin's Flore Laurentienne, [Review], 305–307; Praeger's Botanist in Ireland, [Review], 308; Hitchcock's Manual of the Grasses, [Review], 369–372; Midsummer vascular plants of southeastern Virginia, 378–413, 423–454 (Contrib. Gray Herb. no. CIX).

Vol. 38:—Gnaphalium calviceps, a correction, 52; Albino Iris versicolor, 52; Some forms in the Alismaceae, 73-74; A smoothhusked Hazel, 76; A new Pondweed from Tennessee, 165–169 (Contrib. Gray Herb no. CXIII); Pilea in eastern North America, 169-170 (Contrib. Gray Herb. no. CXIII); Memoranda on Ranunculus, 171–178 (Contrib. Gray Herb. no. CXIII); The nomenclature of Sassafras, 178–179 (Contrib. Gray Herb. no. CXIII); Memoranda on Aruncus, 179–182 (Contrib. Gray Herb. no. CXIII); Studies in Solidago, 201–229 (Contrib. Gray Herb. no. CXIII); Studies in Solidago, 201–229 (Contrib. Gray Herb. no. CXIII) trib. Gray Herb. no. CXIII); Memoranda on Antennaria, 229-231 (Contrib. Gray Herb. no. CXIII); Varieties of Gnaphalium obtusifolium, 231-233 (Contrib. Gray Herb. no. CXIII); Minor forms and transfers, 233-239 (Contrib. Grav Herb. no. CXIII); Prenanthes crepidinea in western New York, 300: Asplenium platyneuron (L.) Oakes, var. bacculum-rubrum (Featherman) comb. nov., 304; Dates of publication of Rydberg's Flora of the Rocky Mountains and adjacent Plains, 329-331; Hypericum mutilum L., var. latisepalum, var. nov., 372; Plants from the Outer Coastal Plain of Virginia, 376-404, 414-452 (Contrib. Gray Herb. no. CXV).

Vol. 39:—Petalostemum occidentale (Gray) comb. nov., 28; Braya humilis (C. A. Meyers) Robinson, var. leiocarpa (Trautv.) comb. nov., 276; (—— and Griscom, L.), Notes on Diodia, 306–308 (Contrib. Gray Herb. no. CXVIII); Nomenclatural transfers and new varieties and forms, 309–320 (Contrib, Gray Herb. no. CXVIII); Local plants of the Inner Coastal Plain of southeastern Virginia, 321–366, 379–415, 433–459, 465–491 (Contrib. Gray Herb. no. CXX); (—— and Griscom, L.), The identity of Lobelia glandulosa, 497.

Vol. 40:—A Flora of Oklahoma, [Review], 179–183; Datura Stramonium L., var. inermis (Juss.) comb. nov., 184. Anaphalis margaritacea again, 218–219; Dormancy of Seeds, [Review], 324; New species, varieties and transfers, 331–358 (Contrib. Gray Herb. no. CXXII); Noteworthy plants of southeastern Virginia, 364–424 434–459, 467–485 (Contrib. Gray Herb. no. CXXIII).

322 Rhodora

Vol. 41:—Hibiscus palustris L., forma oculiroseus (Britton) comb. nov., 112; Oxypolis Canbyi (Coult, & Rose) comb. nov., 139; New species, varieties and transfers, 423–461 (Contrib. Gray Herb. no. CXXVI); Last survivors in the flora of Tidewater Virginia, 465–504, 529–559, 564–574 (Contrib. Gray Herb. no. CXXVIII).

Vol. 42:—A new southern Kalmia, 53–54; Pensylvanicus or pennsylvanicus? 94–95; A pilose variety of Diervilla Lonicera, 144; Albino forms of the Beach Pea, 157; Gentiana Pennelliana, nom. nov., 198; Potentilla gracilis Dougl., var. pulcherrima (Lehm.) comb. nov., 213; Some spermatophytes of eastern North America, 239–276, 281–302 (Contrib. Gray Herb. no. CXXXI); A century of additions to the flora of Virginia, 355–416, 419–498, 503–521 (Contrib. Gray Herb. no. CXXXIII); Rehder's Manual, [Review], 502.

Vol. 43:—Geranium nemorale Suksd., var. Bicknellii (Britton) comb. nov., 35–36; Cornus canadensis L., forma rosea, f. nov., 156; Transfers in Pyrola, 167; Elatine americana and E. triandra, 208–210; Phragmites communis versus P. maximus, 286–287; Two varieties of Dicliptera brachiata, 287–288; Varieties of Acnida altissima, 288; The campestrian variety of Froelichia floridana, 336; Two forms of Rhododendron maximum, 336; A hybrid Cornus from Cape Breton, 411–412; Viburnum edule and its nomenclature, 481–483; Another century of additions to the flora of Virginia, 485–553, 559–630, 635–657 (Contrib. Gray Herb. no. CXXXIX).

Vol. 44:—Some historical aspects of plant taxonomy, 21–43; Carex Bayardi, nom. nov., 71; Macloviana as a specific name, 71–72; Carex corrugata from Alabama, 76; Justicia mortuifluminis, nom. nov., 92; Incidents of field-work with J. Franklin Collins, 98–147 (Contrib. Gray Herb. no. CLX); Formal transfers in Cyperus, 151; Some color-forms of Gentiana Porphyrio, 151–152; Berula pusilla (Nutt.) comb. nov., 181–191; Pluchea purpurascens (Sw.) DC., var. succulenta, var. nov., 227–228; The scarcity of pinkflowered Gentiana Porphyrio, 237–238; Misinterpretation of Atlantic Coastal Plain species, 238–246; Hibiscus Moscheutos and H. palustris, 266–278; Critical notes on Carex, 281–331 (Contrib. Gray Herb. no. CXLIV); Three transfers in the Compositae, 340; Seventh century of additions to the flora of Virginia, 341–405, 416–452, 457–478 (Contrib. Gray Herb. no. CXLV); Ranunculus abortivus L., forma coptidifolius, forma nova, 408; Transfers in Scirpus § Actaeogeton, 479–484.

Vol. 45:—An important biography, [Review], 28; Scirpus Longii in North Carolina,

55-56; An invaluable reference work, Review, 56; [Note following an article by Egler, F. E.]. 106; Two later homonyms, 111–112; The fruit of Dirca palustris, 117– 119; Scirpus Peckii in Canada, 168; Five common rhizomatous species of Muhlenbergia, 221–239 (Contrib. Gray Heib. 18. CXLVIII); Notes on Danthonia, 239–246 (Contrib. Gray Herb. no. CXLVIII); Erickie and other species, 246– bergia, 221-239 (Contrib. Gray Herb. no. 255 (Contrib. Gray Herb. no. CXLVIII); Why not Andropogon Gerardi? 255–258 (Contrib. Gray Herb. no. CXLVIII); A Flora of Kentucky, [Review], 277–278; Studies in North American species of Scirpus, 279-296 (Contrib. Gray Herb. no. CXLVIII); The identity of Scleria setacea of Poiret, 296–297 (Contrib. Gray Herb. no. CXLVIII); What is Angelica triquinata? 298–301 (Contrib. Gray Herb. no. CXLVIII); Memorandum regarding James Greenway, 301–303; Our varieties of Barbarea vulgaris, 304; Notes on Hieracium, 317–325 (Contrib, Gray Herb. no. CXLVIII); Our varieties of Trifolium pratense, 331; Trifolium hybridum and its varieties, 331; Centaura parvosa in Aragina. cea of Poiret, 296-297 (Contrib. Gray Herb. elegans, 331; Centaurea nervosa in America, 331-332; Minor transfers and forms in Cirsium, 353–354; Our albino Lupine, 356; Eastern extension of Cirsium Flodmani, 356; Virginian botanizing under restrictions, 357–413, 445–480, 485–511 (Contrib. Gray Herb. no. CXLIX); Vicia tetrasperma, var. tenuissima in America, 480; (--- and Kin-SEY, A. C.), [Edible Wild Plants of Eastern North Americal, Review of, 515-517; Trillium undulatum Willd., forma Cleavelandicum (Wood) comb. nov., 517-518; The Quebec stations for Scirpus Peckii, 518.

Vol. 46:—Overlooked species, transfers and novelties in the flora of eastern North America, 1-21, 32-57 (Contrib. Gray Herb. no. CL); Setaria Faberi in eastern America, 57–58; The so-called Keeled Garlic of eastorn Pennsylvania, 59-60; A further item on Lilium michiganense, 86-87; Spergula pentandra in America, 88; Fimbristylis Baldwiniana not the same as F. annua, 144-145; Does Trilisa occur in Virginia? 148; Does Cnicus benedictus persist in our flora? 158; Jussiaea Michauxiana, nom. nov., 197-198; Is Hypochaeris glabra established in our flora? 206; Continental Drift and Plant Distribution, [Review], 249–251; The albino of Epilobium latifolium, 251–252; Shrubs of Michigan, [Review], 254; Abrams' Illustrated Flora of the Pacific States, [Review], 282-284; Two of Rafinesque's species of Tradescantia, 310-311; Imagined wisdom without understanding, [Critique], 312-315; Is there any evidence of Sericocarpus bifoliatus in the Manual range? 316: Is Erigeron carolinianus a valid American species? 323-330; The identities of Epilobium lineare, E. densum and E. ciliatum, 377-386; Satureja vulgaris (L.) Fritsch, var. neogaea. var. nov., 388; Lycopus amplectens, var. pubens in New England, 451-452; Why Acerates floridana? 488-489; The confused publication of Monarda Russeliana, 491–493; The geographic segregation of Monarda fistulosa and its var. mollis, 494-496; The validity of Lithospermum latifolium, 496-

Vol. 47:-Ruellia in the eastern United States, 1–38, 47–63, 69–90 (Contrib. Gray Herb. no. CLIII); Perezia aletes, an Argentinian species, 47; Botanical specialties of the Seward Forest and adjacent areas of southeastern Virginia, 93-142, 149-182, 191-204 (Contrib. Gray Herb. no. CLVI); Woody Plants of Maine, [Review], 143-144; Minor forms and transfers, 144; An incomplete flora of Illinois, [Critique], 204-219; Key to Antennaria of the "Manual Range", 221–235, 239–247 (Contrib. Gray Herb. no. CLVII); Transfers in and animadversions on Artemisia, 247-256 (Contrib. Gray Herb. no. CLVII); Senecio congestus, 256-257 (Contrib. Gray Herb. no. CLVII); Injury to herbarium-specimens by extreme heat, 258-260; Notes on eastern American Luzula, 265-271 (Contrib. Gray Herb. no. CLVII); Senecio Smallii Britton, forma tristis, f. nov., 302; Some North American Corylaceae (Betulaceae), I. Notes on Betula in eastern North America, 303-329 (Contrib. Gray Herb. no. CLIX); Some North American Corylaceae (Betulaceae). II. Eastern North American representatives of Alnus incana, 333-361 (Contrib. Gray Herb. no. CLIX); Chamaedaphne calyculata (L.) Moench, var. latifolia (Ait.) comb. nov. 390–391; A Handy Guide to Aquatic and Marsh Vegetation, [Review], 395; "Ia." sometimes stands for Indiana, 404-405.

Vol. 48: - Cypripedium Calceolus L., var. parviflorum (Salisb.) comb. nov., 4; Technical studies on North American plants. I. Some species in Rafinesque's "Herbarium Rafinesquianum," 5-13 (Contrib. Gray Herb. no. CLX); Technical studies on North American plants. II; Difficulties in North American Salix, 13–16, 27–40, 41–49 (Contrib. Gray Herb. no. CLX); Technical Studies on North American plants. III. Nomenclatural transfers in Polygonum, 49-54 (Contrib. Gray Herb. no. CLX); Technical Studies on North American plants. IV. Novelties in our flora, 54-60, 65-81 (Contrib, Gray Herb. no. CLX); Does Habenaria cristata still grow in New England? 64; The North American rep-resentatives of Alisma Plantago-aquatica, 86-88; The sporadic appearance of Epipactis Helleborine, 88; Helianthus—a correction, 112; Amelanchier spicata not an American species, 125–129; A Monograph of Amelanchier, [Review], 129–134; The varieties of Lycopodium inundatum, 134-136; Identifications and reidentifications of North American plants, 137–162, 184–197, 207–216 (Contrib. Gray Herb. no. CLXII); Does Bartonia verna grow in Virginia? 327-328; Senecio tomentosus Michx., forma alaba-mensis (Britton) stat. nov., 330–331; The presumable identity of Cheilanthes lanosa, 383-388; Some trivial American forms of the Lady-fern, 389-391.

Vol. 49:— Itea virginica L., forma abbreviata, f. nov., 22-23; Salicornia europaea L., var. simplex (Pursh) comb. nov., 23; Unverified bibliography of Scirpus, 49-53; Sedum Rosea, not S. roseum, 79-81; Fruits of Trees, [Reviewl, 83; Additions to and subtractions from the flora of Virginia, 85-115, 121–142, 145–159, 175–194 (Contrib. Gray Herb. no. CLXIII); A Flora of Kalamazoo County, [Review], 143–144; Flora of Delaware and the Eastern Shore, [Review], 164; The inadequate basis of the name Carya Pecan, 194–196; The North American variety of Floristure Telepotatics 2027 variety of Equisetum Telmateia, 203-207; Two eastern American species of Iris, 210-215; Two new forms, 216; A new Clematis from the Peaks of Otter, 219–220; Minor transfers in Pyrus, 229–233; Equisetum palustre, example of careless bibliography and phytography, 278–286; The varieties of Solidago uliginosa, 294–297; Crepis nana not yet known from Gaspé, 299.

Vol. 50:— Another aggressive Hawkweed, 15; The new Washington-Baltimore Check-10; The new Washington-Baltimore Checklist, [Review], 15–17; A prostrate Rorippa, 35; A Nova Scotian Dwarf Shadbush, 49–51; A Virginian Peltandra, 56–59; A small gathering of Blackberries, 73–80; Rorippa: a correction, 100; Some minor forms of Rosa, 145–147; Two forms in Euphorbia, 148; (— and Schubert, B. G.), Studies of American types in British herbaria, 149–176, 181–208, 217–233 (Contrib Gray, Harb, 20 181-208, 217-233 (Contrib. Gray Herb. no. CLXVII); A model flora of Nova Scotia, [Review], 211-215; The name Taraxacum officinale, 216; Erigeron compositus Pursh, var. discoideus Gray, forma trifidus (Hook.), stat. nov. 238-240; The confused bases of the name Pinus palustris, 241–249; Scirpus verecundus, nom. nov., 284.

Ferns allied to Athyrium Filix-femina. The genus Athyrium and the North American, 19:170.

Ferns and Fern Allies of Louisiana, [Review], 14:484.

Ferns and their common Allies, Miss Eastman's New England, [Review], 6:211.

Ferns, Changes in the nomenclature of the Gray's Manual, 21:173. Ferns in Vermont, New stations for, 10:196.

Ferns, Miscellaneous notes on New England, 3:223; —II, 3:266; —III, 4:7; —IV, 4:49; —V, 4:157; —VI, 6:31. Ferns new to the flora of Vermont, Two,

7:103.

324 RHODORA

Ferns new to Virginia, Two, 44:191

Ferns of a deep ravine in Theford, Vermont,

Ferns of Alaska, Western Canada and the northwestern States, Lady, 19:197.

Ferns of Alstead, New Hampshire, The, 2:181. Ferns of Connecticut, Flowering Plants and, [Review], 12:131.

Ferns of Franklin County, Maine, Notes on

some, 4:247.

Ferns of Maranacook, Maine, 1:218; -Notes

on the, 3:236. Ferns of Mount Toby, Massachusetts, 3:41. Ferns of New England, The Evergreen, 4:49. Ferns of North America, A suppressed plate in Eaton's, 35:260.

Ferns of North America, Dates of Eaton's,

20:74

Ferns of northeastern United States, Wiley's,

[Review], 38:345.

Ferns of the eastern United States and

Canada, The Lady, 19:181. Ferns of the Red River Country, Maine,

32:133.

Ferns of the Vicinity of New York, Small's,

[Review], 38:163.

Ferns, Wherry's Guide to, [Review], 40:247. Ferns, Taxonomic and geographic studies in North American, 19:169.

Festuca octoflora in Vermont, 15:187. Festuca octoflora, Notes on, 34:209.

Festuca ovina in eastern America, The allies of, 37:250.

Festuca ovina L., var. duriuscula (L.) Koch in Shelburne, New Hampshire, 14:92

Festuca sciurea in New Jersey, 37:266. Festuca varieties, Two, 21:72.

Figure Carica in Massachusetts, 35:40.

Field Book, A new Popular, [Review], 4:201. Fifth International Botanical Congress, Cambridge, 1930, 30:158.

Fig as a hardy plant in New England, The,

2:234.

Filago arvensis in North America, 47:258. (Filaree) "Seeds," Alfileria, 39:233.

Filipendula rubra, a new binomial, 8:202.

Filipendula rubra in Maine, 10:144.

Fimbristylis annua, Fimbristylis Baldwiniana not the same as, 46:144.

Fimbristylis Baldwiniana not the same as F. annua, 46:144.

Fimbristylis Frankii Steud., var. brachyactis, n. var., 11:180.

FINK, BRUCE

[The Lichens of Minnesota], Review of, 13:15.

[The Lichen Flora of the United States]. Review of, 37:105.

Fishers Island, New York, Additions to the flora of, 43:77.

Fleshy fungi found near Boston, Notes on some, 1:13.

Fleshy fungi of Stow, Massachusetts, Some, 13:57; —II, 16:45.

FLETCHER, EMILY FRANCES

Lonicera sempervirens established in

Westford, Massachusetts, 4:40.

Alchemilla pratensis found at Westford, Massachusetts, 9:92.

Achillea tomentosa at Westford, Massachusetts, 10:127,

Hypericum aureum a casual plant in eastern Massachusetts, 12:55.

Dracocephalum thymiflorum a casual plant at Westford, Massachusetts, 13:

Astragalus contortuplicatus on wool-waste, 14:56.

Further wool-waste plants at Westford, Massachusetts, 15:172.

Two more foreign plants found on woolwaste at Westford, 17:32.

Wool-waste plants at Westford, Massa-

chusetts, 18:143-144. Some further plants found on wool-waste

at Westford, Massachusetts, 19:132. [Biographical sketch], 25:149-150. "Fleur de lis" of the Iris, The history of the

popular name "Flower de luce" or, 21:180. FLINT, JOANNE—(— and HODGDON, A. K.), Another New Hampshire station for Subu-

laria, 50:72.

Floerkea proserpinacoides in Nova Scotia, 50:283.

Flora, A few additions to the New Hampshire, 2:167.

Flora, A further note on the date of Pursh's, 45:511

Flora, A new local, [Review], 2:132; 4:202. Flora, a plea for information, Destruction of our native, 4:200.

Flora, A White Mountain, [Review], 27:52. Flora Americae Septentrionalis, Date of publication of Pursh's, 45:415.

Flora and fauna of post-Pleistocene age in Essex County, Massachusetts, A southern,

Flora around Missisquoi Bay, Quebec, The, 35:247.

Flora at the St. Louis Exposition, The Connecticut, 6:180.

Flora Boreali-Americana: Dates of publication, Willdenow's Species Plantarum and Michaux's, 44:147

Flora Caroliniana, Some neglected names in Walter's, 17:129.

Flora, Cnidoscolus texanus and C. stimulosus, their status in the Oklahoma, 15:270.

Flora? Does Cnicus benedictus persist in our, 46:158.

Flora, Extensions of ranges and additions to the Minnesota, 43:553.

Flora, Further additions to the Connecticut, 33:167

Flora, Further additions to the Mt. Desert.

31:81. Flora? Is Hypochaeris glabra established in

our, 46:206. Flora, Northeastward extensions in the Maine,

38:453; —II, 40:245. Flora, Notes on two Ericaceae of the Boston

district, 25:116.

Flora, Novelties in our, 48:54, 65.

Flora, Oak Island and its, 4:87.

Flora of Alaska, Contributions to the, 42:141, 199, 262.

Flora of Amherst, Massachusetts, Additions

to the, 1:164. Flora of Arizona, A, [Review], 45:26.

Flora of Arkansas, Grass studies, -II. Additions to the, 39:423.

Flora of Berkshire County, Massachusetts, Hoffmann's, [Review], 24:183.

Flora of Berkshire County, Massachusetts, Notes on the, 6:202 Flora of Berkshire County, Massachusetts,

Some recent additions to the, 41:128 Flora of Birch Island in Attean Pond, 22:129.

Flora of Boothbay, Maine, Notes on the, 27: 53; —II, 29:14; —III, 34:167.

Flora of Cape Cod, Additions to the, 30:135. Flora of Cape Cod, The pond, 14:25.

Flora of Chesterville, Maine, On the, 2:123. Flora of Columbia, Missouri, Notes on the, 36:359; —II, 37:189; —III, 38:191.

Flora of Columbia, Missouri, The Grass, 36:415.

Flora of Connecticut, Additions to the, 19:

105, 119, 224, 245; —Series 2, 24:111.
Flora of Connecticut, Notes on the, 4:36.
Flora of Connecticut, Restoration of Isanthus brachiatus to the, 27:189.

Flora of Connecticut, Two additions to the, 3:144.

Flora of Day Mountain, Franklin County,

Maine, Notes on the, 6:206. Flora of Delaware and the Eastern Shore,

[Review], 49:164. Massachusetts, Further Flora of Duxbury,

notes on the, 14:90. Flora of Duxbury, Massachusetts, Notes on

the, 14:18.

Flora of eastern Massachusetts, An addition

to the wool-waste, 34:214.

Flora of eastern North America, Overlooked species, transfers and novelties in the, 46:1, 32.

Flora of Fishers Island, New York, Additions

to the, 43:277.

Flora of Franklin County, Massachusetts. Notes on the, 12:168.

Flora of Glacier National Park, Montana.

Notes on the, 37:362.
Flora of Great Duck Island, Maine, The marine, 2:209.
Flora of Haverhill, Massachusetts, Notes on

the, 35:261.

Flora of Iceland and the Faeroes, [Review], 36:421

Flora of Illinois, An incomplete, [Critique], 47:204.

Flora of Indiana, Deam's, [Review], 43:75. Flora of Isle au Haut, Additions to the, 23:26. Flora of Kalamazoo County, A, [Review], 49:143.

Flora of Kentucky, A, [Review], 45:277. Flora of Knox County, Maine, Notable addi-

tions to the, 24:181.

Flora of Long Island, Grier's notes on the,

Flora of lower Cape Cod. Notes on the 11: 125; —Supplementary note, 12:8; —Third note, 13:17.

Flora of Lynn, Massachusetts, Two plants

new to the, 5:256.

Flora of Maine, Notes on the bryophyte, 1:33. Flora of Maine, Some plants new to the, 6:91. Flora of Manchester, New Hampshire, [Review], 2:157. Flora of Mary

Flora of Maryland and Virginia, Notes on the, —I, 15:101; —II, 16:201. Flora of Massachusetts, Reports on the, —I,

30:12; —II, 35:351; —III, 44:213; —IV, 49:257

Flora of Massachusetts, Some additions to the, 4:166.

Flora of Massachusetts, Two additions to the, 28:232

Flora of Michigan, Notes on the, 38:362. Flora of Middlesex County, Massachusetts, Further additions to the, 1:97; 2:223.

Flora of Middlesex County, Massachusetts,

Some additions to the, 1:80.

Flora of Minnesota with new records and extensions of ranges, Notes on the, 43:154. Flora of Missouri, Spring, [Review], 42.215. Flora of Mt. Abraham Township, Franklin

County, Maine, On the, 1:191. Flora of Mount Desert, Maine, Additions to

the, 23:65

Flora of Mt. Katahdin, Additions to the vascular, 5:146.

Flora of Mt. Moosilauke, 2:97.

Flora of Mt. Saddleback, Franklin County, Maine, 5:35.

Flora of Muskeget Island, Massachusetts, The winter, 18:93. Flora of New Bedford, Plants new to the,

6:22, 144.

Flora of New Brunswick, Notes on the, 20:101. Flora of New England, Cape Cod in its relation to the marine, 24:1.

Flora of New England, Notes on the Desmid,

—I, 37:22; —II, 37:113.

Flora of New England, Sphagnum Faxoni; an addition to the, 10:40.

Flora of New Hampshire, A contribution to the Desmid, 7:111, 251.

Flora of New Jersey, An interesting addition to the, 11:121.

Flora of Newfoundland, Notes upon the, 11:85.

Flora of North America, Moss, [Review], 31:38; 33:229; 35:146; 36:60; 37:227; 38: 240; 39:100; 40:359; 41:112; 43:95.

Flora of North America, Two editions of Torrey & Gray's, 8:232.

Flora of Northeastern Pennsylvania, A, [Review] 21:172.

Flora of northern New York, Notes on the, 36:405.

Flora of Nova Scotia, A model, [Review], 50:211.

Flora of Nova Scotia, Notes on the, 40:273; ---II. 43:337: ---III. 44:334.

Flora of Oakland County, Michigan, Bingham's, [Review], 47:260.

Flora of Oklahoma, A, [Review], 40:179.

Flora of Ontario-I. Epipactis Helleborine, Notes on the, 50:236.

Flora of Penikese, fifty years after, The, 26:

181, 211, 222. Flora of Penikese, seventy-four years after,

The, 50:253, 285.

Flora of Providence, The old-time, 2:213. Flora of Quebec, An illustrated, [Review], 34:19.

Flora of Quebec, Six additions to the adven-

titious, 50:176.

Flora of Rhode Island, Notes on the, 3:33. Flora of Rhode Island, Twelve additions to the, 8:219.

Flora of Rhode Island, Two additions to the,

26:220.

Flora of Roanoke County, Virginia, Notes on the, 46:69, 135. Flora of Springfield, Massachusetts, A, [Re-

viewl, 26:179. Flora of Springfield, Massachusetts, Additions

to the, 29:241. Flora of St. Louis County, Missouri, Recent

additions to the, 36:375. Flora of St. Paul Island, Nova Scotia, The

vascular, 33:105. Flora of Swanton, Vermont, Notes on the,

31:166. Flora of Tennessee, Notes on the, -The genus Trillium, 36:119; —Dioscorea, 36:344.

Flora of the Amherst region, Further additions to the, 2:68

Flora of the Blue Hills, Two additions to the Lichen, 10:35.

Flora of the Boston district, Index to the, 31: 41.

Flora of the Boston district, Reports on the, lora of the Boston district, Reports on the,
—I, 9:81; —II, 10:59; —III, 10:128; —IV,
11:75; —V, 11:204; —VI, 12:3; —VII, 12:
95; —VIII, 13:27; —IX, 13:72; —X, 13:
82; —XI, 13:104; —XII, 13:232; —XIII,
13:248; —XIV, 14:76; —XV, 14:107;
—XVI, 15:54; —XVII, 15:122; —XVIII, 15:
144; —XIX, 16:106; —XX, 17:169; —XXI,
17:202; —XXII, 18:86; —XXIII, 18:165;
—XXIV, 18:213; —XXV, 18:248; —XXVI,
20:15; —XXVII, 20:55; —XXVIII, 20:164;
—XXIX, 20:208; —XXX, 21:78; —XXXI,
21:125; —XXXII, 22:72; —XXXIII, 22: -XXIX, 20:208; -AAA, 21:70, -XXXII, 22:1:125; -XXXIII, 22:72; -XXXIII, 22:123; -XXXIV, 23:113; -XXXV, 24:92; -XXXVI, 24:152; -XXXVII, 24:231; -XXXVII, 24:231; -XXXVIII, 25:25; -XXXXIX, 25:37; -XL, 25:60; -XLI, 25:185; -XLII, 26: 13; -XLIII, 26:34; -XLIV, 26:55; -XLV, 26:82; -XLVI, 26:107; -XLVII, 26:130; -XLVIII, 26:149; -XLIX, 26:

Flora of the Bruce Peninsula, Ontario, Some observations on the, 37:63.

Flora of the Coastal Plain of South Carolina north of Georgetown, Notes on the Spring, 36:28.

Flora of the Connecticut Valley in Massachusetts, A, [Review], 15:97.

Flora of the Cumberland Plateau and Cumberland Mountains in Kentucky, Some relationships of the, 39:193.

Flora of the Elizabeth Islands, Massachusetts,

The, 32:119, 147, 167, 208, 226, 263. Flora of the Great Lakes, The Atlantic Coastal Plain elements in the, 24:57, 80.

Flora of the Great Swamp of Rhode Island,

Flora of the Illinoian Till Plain of southwestern Ohio, Affinities of the, 37:349.

Flora of the Islands of St. Pierre et Miquelon, Contribution to the, 29:117, 144, 173, 204. Flora of the Islands of Saint-Pierre et Mique-

lon, Plants new to the, 49:237.

Flora of the Matamek River district, North Shore, Quebec, Canada, 34:48.

Flora of the New Jersey Pine Barrens, A, [Review], 14:94.

Flora of the Niagara Frontier, A, [Review], 37:163.

Flora of the North Shore of the Gulf of St. Lawrence, [Review], 34:120.

Flora of the Old Colony, The original, 16: 113.

Flora of the Ozark region in Missouri, Some features of the, 36:214.

Flora of the Pacific States, Abrams's Illustrated, [Review], 46:282.

Flora of the Penobscot Bay region, A, [Review], 22:91.

Flora of the Penobscot Bay region, Maine, Notes on the, 16:189.

Flora of the Pocono Plateau, 1:182.

Flora of the Prairies and Plains, [Review], 34: 243.

Flora of the region, A new variety of Sedum Rosea from southeastern Minnesota and additional notes on the, 49:197.

Flora of the Rocky Mountains and Adjacent Plains, Dates of Publication of Rydberg's, 38:329.

Flora of the Sandy River Valley in Maine, 16:

Flora of the State of Washington, Notes on the, 34:236; —II, 36:8; —III, 37:417.

Flora of the United States, Lichen, [Review], 37:305.

Flora of the Vicinity of New York, a contribution to plant geography, [Review], 17:

Flora of tidewater Virginia, Last survivors in the, 41:465, 529, 564.

Flora of Vermont, [Review], 3:40.

Flora of Vermont, A hybrid Asplenium new to the, 8:12.

Flora of Vermont, Addenda to the, 6:137.

Flora of Vermont, Information desired concerning plants doubtfully ascribed to the, 2:

Flora of Vermont, Three plants new to the, 7:99.

Flora of Vermont, Two ferns new to the, 7: 103.

Flora of Virginia, A century of additions to the, 42:355, 419, 503.

Flora of Virginia, Additions to and subtractions from the, 49:85, 121, 145, 175. Flora of Virginia, Another century of addi-

tions to the, 43:485, 559, 635.

Flora of Virginia, The seventh century of additions to the, 44:341, 416, 457.

Flora of Waterbury, Connecticut, Blewitt's,

[Review], 29:240.

Flora of western Maine, Some casual elements in the, 6:81.

Flora of western Massachusetts, An unexpect-

ed addition to the, 40: 424. Flora of western Nova Scotia, 1921, Notes on the, 24:157, 165, 201.

Flora of Willoughby, Vermont, 6:93. Flora of Wisconsin, Recent contributions to the, 33:139.

Flora of Woods Hole, Massachusetts, Notes on the, 3:87.
Flora of Woodstock, Vermont, [Review], 34:

Flora of Worcester County, Massachusetts, Additions to the, -I, 1:42; -II, 1:201;

--III, 3:185. Flora of Worcester County, Massachusetts, Additions to the, [Review], 30:20.

Flora of Worcester County, Massachusetts, Further notes on the, 2:201.

Flora of Worcester County, Massachusetts, Notes on the, 37:80;—II. 42:40.

Flora, Polygala vulgaris new to the North

America, 44:9.

Flora, Recent discoveries in the Newfoundland, 35:1, 47, 80, 120, 161, 203, 230, 265, 298, 327, 364, 395

Flora, Some additions to the Newfoundland,

32:3. Flora, Some additions to the Rhode Island, 12:216.

Flora, Some Jesuit influences upon our northeastern, 2:133.

Flora, The protection of our native, 4:139. Flora with a biographical sketch of the author. A new Moss, [Review], 37:166.

Floral Areas, Report of the Committee on, 20: 181, 193; —Second, 22:80; —Third, 23:209; —Fourth, 27:56; —Fifth, 28:43; —Sixth, 29:247; -Seventh, 31:106.

Floral changes in a salt marsh during reclama-

tion, 17:205.

Floral conditions in central Massachusetts,

Past and present, 1:143.

Floras of eastern North America and the Old World, Specific segregations and identitities in some, 33:25. Floras of Mt. Washington and Mt. Katahdin,

A comparison of the, 3:160. Floras of New England, A misleading addition to the State, [Review], 24:96.

Floras of New England, The local, 1:111, 138, 158, 174, 194, 208; 2:73.

Floras, Two local, 14:78.

Flore Laurentienne, Victorin's, [Review]. 37:305.

Florida, A new Magnolia from west, 28:35.

Florida, A new Oak from, 31:79.

Florida, A new Satureja from, 26:80. Florida, Hollies from central, 34:233. Florida, Notes from northwestern, 38:48.

Florida, Pseudo-clephantopus spicatus, a weed of potential importance in, 50:280.

Florida, The name of the Wild Dilly of, 49:

Florida, Two new evergreen Hollies from central, 34:16.

Flower de luce, or "Fleur de lis" of the Iris, The history of the popular name, 21:180.

Flowering Plants and Ferns of Arizona, [Review], 45:26.

Flowering Plants and Ferns of Connecticut, [Review], 12:131.

Flowering Plants of Missouri, Validation of combinations in Palmer and Steyermark's Annotated Catalogue of the, 40:131.

FLOYD, F. G.

Aspidium simulatum in New Hampshire. 2:155-156.

Ranunculus abortivus, var. eucyclus in Hyde Park, Massachusetts, 4:152.

A cristate form of Nephrodium marginale, 4:244-245

(KNOWLTON, C. H., FERNALD, M. L. and -), Field excursions of the New England Botanical Club, 14:71-76.

The rediscovery of an historic collection of Massachusetts plants, 16:185-187.

FLYNN, NELLIE F.

A second station for Cyperus Houghtonii in Vermont. 5:191-192.

The ninth annual field meeting of the Vermont Botanical Club, 5:236.

The thirteenth annual winter meeting of the Vermont Botanical Club, 10:55-56. The winter meeting of the Vermont Bo-

tanical Club, 11:27–29. Plants new to Vermont, 11:198–199. The winter meeting of the Vermont Bo-tanical Club, 12:100.

The sixteenth annual field meeting of the Vermont Botanical Club, 12:206-207. The winter meeting of the Vermont Bo-

tanical Club, 13:87-88.

The sixteenth annual meeting of the Vermont Botanical Club, 13:237-238.

A third station in Vermont for Cyperus Houghtonii, 14:40.

[Flora of Burlington and vicinity], Review of, 14:78–79.

The seventeenth annual winter meeting of the Vermont Botanical Club, 14:161-162.

The seventeenth annual field meeting of the Vermont Botanical Club, 14:204.

The eighteenth annual winter meeting of the Vermont Botanical Club, 15:79.

The nineteenth annual field meeting of the Vermont Botanical Club, 15:203-

The nineteenth annual winter meeting of the Vermont Botanical Club, 16:78-79. The twentieth annual field meeting of the Vermont Botanical Club, 16:198.

The twentieth annual winter meeting of the Vermont Botanical Club, 17:86. Meetings of the Vermont Botanical Club,

18:71-72.

Field meeting of the Vermont Botanical Club, 21:191-192.

A correction, 22:16.

The winter meeting of the Vermont Botanical Club, 22: 184.

The annual field meeting of the Vermont Botanical Club. 24:226-227.

Another plant from Nantucket, 24:241-242.

Fogg, John M., Jr.

Flora of Penikese fifty years after (Sper-

matophyta), 26:219, 222-229. (Taylor, W. R. and ——), Notes on some freshwater Algae from Newfoundland, 29:160-164.

The clandestine form of Leersia oryzoi-

des. 30:81-85.

A second station for Panicum longifolium in Massachusetts, 31:39-40.

A few noteworthy plants from Falmouth, Massachusetts, 32:103-110.

Tipularia discolor in Dukes County, Massachusetts, 32:114-117.

The flora of the Elizabeth Islands, Massachusetts, 32:119-132, 147-161, 167-180, 208-221, 226-258, 263-281.

A station for Hymenophysa pubescens in the eastern United States, 39:190-192. A station for Cheilanthes alabamensis in Giles County, Virginia, 41:137–138. Suggestions for collectors, 42: 145–157.

Fomes roseus (A. & S.) Cke. and Trametes subrosea nom. novum, 25:214.

Fontinalis new to Connecticut, Species of, 15:

FORBES, F. F.

(HARRISON, A. K., —, KNOWLTON, C. H. and WARE, R. A.), Reports on the flora of the Boston district,—I, 9:81-86. Salix subsericea, a distinct species, 11: 9-12

A new hybrid Violet, 11:14-15.

Forest Physiography, Bowman's, [Review], 14:70.

Forest succession, climate and chronology in the Pacific Northwest, Postglacial, [Reviewl, 49:227. Forest Trees of New England, Leavitt's, [Re-

view], 35:108.

Formaldehyde in plant collecting, The use of,

49:54. Forms, Two new, 49:216.

Fort Kent, Maine, Tree Willows at, 3:277. FOSBERG, F. RAYMOND

Subspecies and variety, 44:153-157. Application of the name Euphorbia ma-

culata L., 48:197-200, 4 figs.

Fossil evidence of wider post-Pleistocene range of Butternut and Hickory in Wisconsin, 44: 409; —A note on, 45:107; —A reply, 46:149.

Fossombronia salina in Connecticut, 3:7. FOSTER, H. LINCOLN—Rhododendron carolinianum naturalized in New England, 49:116.
FOSTER, M.—The identity of Iris Hookeri and

the Asian I. setosa, 5:157-159.

Foster, Robert C.

A new Iris from California, 38:199-201. A Flora of Arizona, [Review], 45:26-27. The publication-date of Nuttall's "Arkan-

sas Flora," 46:156-157. Foundations of Botany, [Review], 3:66. Fragaria virginiana, A boreal variety of, 13:

Fragrance, Some observations of Orchid, 3: 84.

Franklin County, Maine, Flora of Mt. Saddleback, 5:35; Notes on some Ferns of, 4:247; Notes on the flora of Day Mountain, 6:206; On the flora of Mt. Abraham Township, 1: 191; The occurrence of Empetrum in, 4:196. Franklin County, Massachusetts, Notes on the flora of, 12:168.

Franklin's First Journey, On citing Richard-son's Botanical Appendix to, 26: 199. Fraxinus nigra, A post-Wisconsin record of,

37:20.

Fraxinus pennsylvanica var. Austini in Okla-

homa, 45:273. Fraxinus profunda, The New York record of,

35:293. Freeman, Florence L.—The variations of

Psoralea psoralioides, 39:425-428. FREEMAN, GEORGE F.—Lycopodium Selago on Mt. Holyoke, Massachusetts, 5:290. Freeman, O. M.

Viola primulifolia in Berkshire County, Massachusetts, 28:132.

Parthenium auriculatum in Burke County, North Carolina, 28:208

French Apothecary's plants in Burser's herbarium, The, 33:177.

Frère Marie-Victorin, 48:265.

Fringed Gentian, A, 1:11.

Fringed Gentian, Some noteworthy specimens of the, 1:89. Fringed Polygala, A violet-flowered form of

the, 1:173. Froelichia floridana, The campestrian variety of, 43:336.

FROST, CHARLES CHRISTOPHER

[Herbarium of], 3:240. [Herbarium at the University of Vermont], 4: 171-174.

[Recollections of], 6:25-27 (with portrait).

Fruit key to Northeastern Trees, [Reply], 50:

Fruits of Trees, [Review], 49:83.

Fucus spiralis and Fucus vesiculosus, Marsh forms of, 41:26.

Fucus vesiculosus, Marsh forms of Fucus spiralis and, 41:26.

Fuirena squarrosa, The type of, 40:396. FULLER, A. M.— A natural Cypripedium hy-

brid from Wisconsin, 34:97-101, 5 figs.

FULLER, T. O.

Some rare plants of Needham, Massachusetts, 1:179-182.

Botrychium matricariaefolium on Mt. Toby, Massachusetts, 3:144-145.

[Herbarium of], 3:240.

Fungi, Exhibition and study of, 8:153.

Fungi found near Boston, Notes on some fleshy, 1:13.

Fungi in greenhouses, 1: 83.
Fungi, Notes on, 10:9.
Fungi of Nantucket, The, —Century I, 39:
367; —List of Second hundred, 41:508; Third list of, 44:167

Fungi of Penikese, 26:218. Fungi of Stow, Massachusetts, Some fleshy, 13:57; —II, 16:45.

Fungi, Penikese Island, 50:285

Fungi, Studies of American, [Review], 3:37. Fungi which cause Plant-disease, The, [Review], 16:79.

Fungus notes, 1:57.

Fungus on Lespedeza in New England, A cluster-cup, 2:186.

FURBISH, KATE

Myosotis collina in Maine, 1:76. Cardamine bellidifolia in Cumberland County, Maine, 3:185.

[Herbarium of], 3:241. [Biographical sketch], 28:36. GAISER, L. O.—The genus Liatris, 48:165–183, 216–263, 273–326, 331–382, 393–412.

Galactia and Apios by vegetative characters, Determination of Amphicarpa, Strophostyles, 42:213.

Galax aphylla introduced in Massachusetts, 21:24

Gale. Shirley— Rhynchospora, section Eurhynchospora, in Canada, the United States and the West Indies, 46:89-134, 159-197, 207-249, 255-278, pls. 818-835.

Galinsoga in Maine, 5:258.

Galinsoga in North America, The genus, 22:

Galium, A newly introduced, 6:22. Galium boreale, The varieties of, 20:106. Galium brevipes in Minnesota, 14:175. Galium circaezans, The type of, 39:449.

Galium erectum and Asperula galioides in America, 5:173.

Galium labradoricum in Pennsylvania, 14:

Galium pilosum and its varieties, 18:190.

Galium, Some notes on, 6:21.

Galium texense in Oklahoma, 45:276. Galium, The affinities of a certain boreal va-

riety of, 12:228. Galium trifidum at Wellesley, Massachusetts,

14:205, 206. Galiums from northeastern America, Two new, 12:77.

GANONG, W. F.

[On halophytic colonies in the interior of New Brunswick], Notice of, 1:20.

Polyembryony in Opuntia vulgaris, 1: 127-128.

[The Teaching Botanist], Review of, 2:

[On the present confusion in the names of American plants], Notice of, 6:63.

On balls of vegetable matter from sandy shores, 7:41-47; 11:149-152.

Nichols's Vegetation of northern Cape Breton, [Review], 21:171-172.

Garden, Notes of a wild, 2:159.

Garden, Some weeds in an old, 35:145.

GARDNER, N. L.- Notes on a collection of fresh-water Myxophyceae from Amoy, China, 28:1-4.

Garlic of eastern Pennsylvania, The so-called Keeled, 46:59.

Gashwiler, J. S.— Nymphaea tetragona in Somerset County, Maine, 43:74-75.

Gaspé, A day in, 31:54. Gaspé coast, A new Oxytropis from the, 30:

Gaspé, Crepis nana not yet known from, 49:

Gaspé Peninsula, Notes on some Lichens from the, 41:100.

Gaspé Peninsula, Quebec, Lichens of the, 28: 157, 205, 225.

Gaspé Peninsula, Quebec, Some Cladonieae from the valley of the Cap Chat River and vicinity, 32: 91.

Gaspé Peninsula, Range extensions of certain

plants on the, 38:273.

Gaspé Peninsula, Some new plants from the, Gaspesian National Park, Regulations con-

cerning the, 40:244.

GATES, BURTON N.

Dissemination by ants of the seeds of Trillium grandiflorum, 42:194–196.

Observations in 1940 on the dissemination by ants of the seeds of Trillium grandiflorum, 43:206-207.

The dissemination by ants of the seeds of Bloodroot, Sanguinaria canadensis, 44:13-15.

Carunculate seed dissemination by ants. 45:438-445

GATES, FRANK C.—An addition to the description of Streptopus longipes Fernald, 13:237.

GATES, REGINALD RUGGLES

A new Oenothera, 15:45-48, pls. 100, 101. [The Mutation Factor in Evolution: with particular Reference to Oenotheral, Review of, 17:235-237.

On the Mendelian interpretation of Oenothera crosses, 18:198-201.

Gaultheria procumbens L., forma accrescens, f. nov., 36:129; forma suborbiculata, n. f., 22:155.

Gaura parviflora Dougl., var. lachnocarpa, n. var., 27:14..

Gaylussacia brachycera, A new station for, 22:

Gaylussacia dumosa, The northern variety of, 13:95.

Gaylussacia dumosa and frondosa in New Hampshire,—a correction, 5:276.

Gaylussacia baccata, Pollination of the Eri-

caceae, V., 42:352. Genesee Valley of western New York, Spartina patens and other saline plants of the, 29:138.

Gentian, A prolific Fringed, 1:11.

Gentian of the tidal shores of the St. Lawrence, The, 25:85.

Gentian, Some noteworthy specimens of the Fringed, 1:89.

Gentiana Andrewsii in the Coastal Plain of New Jersey, Regarding, 22:104.

Gentiana clausa, a valid species, 19:147. Gentiana linearis, Color variation in, 32:143. Gentiana linearis, var. latifolia in Maine, 26:

Gentiana Pennelliana, nom. nov., 42:198. Gentiana Porphyrio, Some color-forms of, 44:

Gentiana Porphyrio, The scarcity of pink-

flowered, 44:237. Gentiana procera Holm, forma laevicalyx, n.

f., 32:221. Gentiana quinquefolia in Maine, 47:143. Gentians. Some forms of American. 19:149. Geocaulon, a new genus of the Santalaceae,

Geographical Guide to the Floras of the World, [Review], 45:56.

Georgia Sand-hills, Ptelea mollis, var. cryptoneura, a Wafer-ash of the, 13:80.

Georgian Bay, Notes on the Algae of, 15:88. Geranium Bicknellii earlier than G. nemorale, 44:91.

Geranium carolinianum and allies of northeastern North America, 37:295.

Geranium divaricatum in the United States, 34:207.

Geranium nemorale, Geranium Bicknellii earlier than, 44:91.

Geranium nemorale Suksd., var. Bicknellii

(Britton), comb. nov., 43:35. Geranium nepalese var. Thunbergii in Massachusetts, 47:219.

Geranium nervosum, 46:28.

Geranium of the United States and Canada, A revision of the perennial species of, 45: 5, 32

Gerardia tenuifolia, A peloric flower in, 42: 416.

Geum canadense, Varieties of, 24:47.

Geum ciliatum. Geum triflorum and, 30:206. Geum from Vermont and Quebec, A new, 8:

Geum in the Athabasca-Great Slave Lake region, The genus, 33:172.

Geum triflorum and G. ciliatum, 30:206.

Geum triflorum Pursh, 44:405.

Geum virginianum, The northern variety of, 25:98.

GILBERT, EDWARD M.— (ALLEN, C. E. and ——), [Textbook of Botany], Review of. 20:100.

GILBERT, FRANK A.— Notes on Myxomycetes from eastern Massachusetts, 29:165-173.

Gillenia trifoliata, A double-flowered form of, 45:215.

GILLY, CHARLES L.

A note on the authorship of certain species of Cyperaceae, 43:333-335. Another later homonym, 48:163-164.

GILMAN, CLARABEL-Two Ferns new to the

flora of Vermont, 7:103-105.

Githopsis, A review of the genus, 41:302. Glacier National Park, Montana, Distribution notes concerning certain plants of, 36: 305; -II, 41:504; Notes on the flora of, 37:

Glaux in America, Variations of, 4:213.

GLEASON, HENRY ALLAN

A prairie near Ann Arbor, Michigan, 19:163-165.

Annotations on herbarium sheets, 35:

Scirpus koilolepis, comb. nov., 44:479. Actaea alba versus Actaea pachypoda,

46:146-148. Blephilia ciliata (L.) Benth., 50:53-55.

Gleditschia triacanthos established in Connecticut, 4:103.

Glottidium vesicarium in Oklahoma, 36:118. Glyceria, A new species and two new varieties of, 37:262.

Glyceria acutiflora in Vermont, 13:92.

Glyceria arkansana in western New York, 35:294.

Glyceria Fernaldii, The status of, 19:75. Glyceria from the Great Smoky Mountains, A new species of, 35:320. Glyceria grandis, and a key to its allied spe-

cies, A new variety of, 36:264.

Glyceria neogaea Steudel, A note on, 35:225. Gnaphalium calviceps, a correction, 38:52.

Gnaphalium obtusifolium, var. micradenium in New Hampshire and South Carolina, 43:211.

Gnaphalium obtusifolium. Varieties of. 38:231. Gnaphalium plantaginifolium, The identity of the Linnaean, 3:11.

Gnaphalium spathulatum, a later homonym, 45:478.

Goldenrod, A little-known New England, 2:57. Goldenrod, An undescribed variety of, 6:182. GOLDSMITH, WILLIAM GLEASON—[Biographical sketch], 12:227–228.

Gonolobus within the Gray's Manual range, 40:281.

GOODALE, ALFRED S.

Notes from the Amherst College Herbarium, 34:34-37.

(CHURCHILL, J. R., —, GOODWIN, R. H., GRIGG, F. W., HARRIS, S. K., POTTER, D., ROSSBACH, G. B., SANFORD, S. N. F., and SMITH, L. B.), Reports on the flora

of Massachusetts,—II, 35:351–359.

—, Grigg, F. W., Gustafson, A. H., Harris, S. K., Knowlton, C. H., Potter, D., Sanford, S. N. F., Seymour, F. C. and Smith, L. B.), Reports on

the flora of Massachusetts,-III, 44:

213-220.

(BEAN, R. C., —, GRIGG, F. W., HARRIS, S. K., KNOWLTON, C. H., POTTER, D., SANFORD, S. N. F., SEYMOUR, F. C. and SMITH, L. B.), Reports on the flora of Massachusetts,—IV, 49:257-277.

GOODALE, GEORGE LINCOLN-[Biographical sketch], 25:117-120 (with portrait).

GOODMAN, GEORGE J.

Glottidium vesicarium in Oklahoma, 36: 118-119.

Calopogon pulchellus from Oklahoma, 36: 420-421.

Further notes on Oklahoma plants, 38: 239-240.

A new species of Pericome, 39:209-210,

pl. 459. Author citation for Eriogonum hemipter-

um, 47:92. Goodwin, Richard H.

(Churchill, J. R., Goodale, A. S., —, Grigg, F. W., Harris, S. K., Potter, D., Rossbach, G. B., Sanford, S. N. F. and Smith, L. B.), Reports on the flora of Massachusetts,—II, 35:351-359.

Notes on the distribution and hybrid origin of × Solidago asperula, 39:22–28, 4 figs, pl. 453.

Goodyera pubescens in central New Hampshire, 1:193.

Goodyera pubescens, The mycorrhiza of, 24:37.

Goodyera repens in New England, Typical, 2:22.

Goodyera repens, var. ophioides in Connecticut, 1:40.

Gordonia grow in Virginia? Does, 49:151. GORMAN, M. W .- [Obituary notice], 29:33-36 (with portrait).

Gramineae, Notes on, 18:231.

Gramineae of the seventh edition of Gray's Manual, Nomenclatorial changes required by some, 14:165, 184. Gramineae, Two extensions of range in, 17:71.

Grand Canyon of the Colorado, A new Primula from the, 36:117.

Graphephorum, Notes on Trisetum and, 8:81. Grass flora of Columbia, Missouri, The, 36: 415.

Grass new to eastern Canada, A, 10:205.

Grass new to Missouri, A, 36:312.

Grass Studies, -II. Additions to the flora of Arkansas, 39:423; —IV. Additional species new to Arkansas, 43:219.

Grasses and Sedges of Woodstock, Vermont, [Review], 42:143.

Grasses, Bromelica (Thurber): a new genus

Grasses new to New Hampshire, Two, 14:175. Grasses new to Virginia, Two introduced, 36:420.

Grasses, Notes on, 8:205.

Grasses, Notes on North American, 4:142. Grasses, Notes on two Connecticut, 6:177. Grasses noteworthy in Massachusetts, Some,

Grasses of eastern America, Four. 31:44. Grasses of Hot Springs National Park, Arkansas and vicinity, 44:70.

Grasses of Illinois, A Manual of the, [Review], 20:188.

Grasses of Indiana, Deam's, [Review], 32:117. Grasses, Range extensions of two, 17:159.

Grasses rediscovered, Two Vermont, 12:40.

Grasses, Some forms of, 35:316.

Grasses, Some Rhode Island, 20:116.

Gratiola at Westfield, a clerical error, The record of color varieties of, 9:195.

Gratiola aurea, The retrograde color varieties of, 9:122.

Gratiola lutea, An estuarine variety of, 34:147. Graustein, Jeannette A.

A color variation in Potentilla tridentata,

Pentstemon laevigatus, a misnomer, 44:

Graves, Arthur H.—Woody plants of Brooklin, Maine, 12:173-184.

GRAVES, C. B.

Some noteworthy plants of southeastern

Connecticut, 1:67-69. A little-known New England Goldenrod, 2:57-59.

Some observations upon the early growth of Impatiens biflora, 2:234-235.

Noteworthy plants of southeastern Connecticut, —II, 3:63-65.

A correction regarding Barbarea praecox, 3:145.

[Herbarium of], 3:241.

Noteworthy plants of southeastern Connecticut, —III, 4:26-28. Valerianella in New England, 4:195-196.

Noteworthy plants of southeastern Con-

necticut, —IV, 6:48—49. An undescribed variety of Goldenrod, 6: 182-184.

Some unusual Connecticut plants, 6:195-

-, EAMES, E. H., BISSELL, C. H., AN-DREWS, L., HARGER, E. B. and WEATHER-BY, C. A.), [Catalogue of the Flowering Plants and Ferns of Connecticut growing without cultivation], Review of, 12:131-132.

(HARGER, E. B., ——, EAMES, E. H., BIS-SELL, C. H., Andrews, L. and Weath-By, C. A.), Additions to the flora of Connecticut, 19:105-110, 119-130, 224-

232, 245–253. (Harger, E. B., —, Eames, E. H., Bissell, C. H. and Weatherby, C. A.), Additions to the flora of Connecticut, Series 2, 24:111-121.

GRAVES, FRANCES M.

Schwalbea americana in Connecticut, 5:40. Helenium nudiflorum in Groton, Connecticut, 6:79-80.

GRAY, ASA [Herbarium of], 3:243.

 to Lewis D. de Schwein-[Letter of itz], 7:141-143.

[The travels of — in West Virginia],

42:344-351.

Gray Herbarium of Harvard University, Contributions from the, - (The following numbers have been extracted from Rhodora: 140, 143-145, 147, 156, 157, 159, 160, 162, 163, 167; under each title caption, they have been indicated as follows: Contrib. Gray Herb. no. ——).

Gray Herbarium expedition to Nova Scotia, 1920, The, 23:89, 130, 153, 184, 223, 257, 284. Gray Herbarium, Insecticides used at the,

GRAY, JANE LORING—[Biographical sketch], 12:41-42.

Gray Pine and Arbor-Vitae, 23:247. Gray's Flora of North America, Two editions of Torrey and, 8:232

Gray's Manual, Emendations of the seventh edition of, —I, 11:33.

Gray's Manual Ferns, Changes in the nomen-

clature of the, 21:173. Gray's Manual, Nomenclatural changes re-

guired by some Gramineae of the seventh edition of, 14:165, 184.

Gray's Manual of Botany, seventh edition; Notice of, 10:167; —Review, 10:193; Check-list of, 10:196; —Text-figures in, 10:

Gray's Manual range, Notes on certain plants

in the, 47:89.

Gray's Revision of North American Oxytropis and Saxifraga, Bibliographic note upon, 44:

Great Basin Plants, --V. Aquatics, 44:4.

Great Duck Island, Maine, The marine flora of, 2:209.

Great Lakes region of Ontario and Michigan. Critical plants of the Upper, 37:197, 238,

272, 324. Great Lakes, The Atlantic Coastal Plain ele-

ment in the flora of the, 24:57, 80. Great Lakes, The distribution of Iris versi-

color in relation to the postglacial, 35:154. Great Slave Lake region, The distribution and affinities of the vegetation of the Athabasca—, 32:187.

Great Slave Lake region, The genus Geum in the Athabasca—, 33:172. Great Smokies and the Blue Ridge, The,

[Review], 46:157. Great Smoky Mountains, A new species of

Glyceria from the, 35:320. Green Alders of New England, The, 6:162.

Green Algae, New forms of, 1:149. Green Algae, Some new, 9:197.

Green, Arnold—[Herbarium of], 3:241.

GREEN, IVAN J .-- An Alopecurus new to North America, 46:386-387.

GREENE, BENJAMIN D.—[Herbarium of], 3:70.

GREENE, EDWARD L .- A new northern Eupatorium, 3:83-84.

Greenland, Some critical plants of, 36:89. Greenland, Three Antennarias from, 33:222. GREENMAN, J. M.

The genus Senecio in New England, 3:3-7.

Senecio Balsamitae Muhl., var. firmifolius Greenman, n. var., 7:244. Notes on the genus Senecio, 10:68-69.

GREENWAY, JAMES-[Memorandum regard-

ing], 45:301-303. Greenwich, Connecticut, Liquidambar at, 1:

Grenfell-Forbes northern Labrador expedition, 1931, Botanical results of the, 38:102. Gress. E. M.

Falcaria Rivini, a plant new to the United

States, 25:12-13.

Stipa spartea found in Pennsylvania, 29:

Greylock, Massachusetts, Orchids of Mt., 2:

Greylock, Pogonatum capillare on Mt., 4:83. Greylock region, A list of Bryophytes from the Mt., 4:29.

Greylock region, Bryophytes of the Mt., -II, 4:238; —III, 6:72; —IV, 11:116.

GRIER, N. M.

Grigg, F. W.

Note on the fruit of Mountain Magnolia,

Light correlated variations of the sterile stem of Equisetum sylvaticum, 22: 165-167.

Preserving Indian Pipes without discoloration, 24:225–226.

[Grier's notes on the Flora of Long Island], 27:213-215.

Mr. Taylor vs. Grier's notes on the flora of Long Island, 28:242-245.

GRIFFIN, DELIA I.—(UNDERWOOD, J. G., PERK-INS. G. H. and ——). Vermont Botanical Club, Summer Meeting, 14:162.

(CHURCHILL, J. R., DEANE, W., —, KNOWLTON, C. H., PEASE, A. S., SANFORD, S. N. F. and Smith, L. B.), Reports on the flora of Massachusetts, —I, 30: 12-19.

(CHURCHILL, J. R., GOODALE, A. S., GOOD-WIN, R. H., —, HARRIS, S. K., POTTER, D., ROSSBACH, G. B., SANFORD, S. N. F. and SMITH, L. B.), Reports on the flora

of Massachusetts, —II, 35:351-359.
(Goodale, A. S., —, Gustafson, A. H., Harris, S. K., Knowlton, C. H., Potter, D., Sanford, S. N. F., Seymour, F. C. and Smith, L. B.), Reports on the flora of Massachusetts, -III, 44: 213-220.

BEAN, R. C., GOODALE, A. S., —, HARRIS, S. K., KNOWLTON, C. H., POTTER, D., SANFORD, S. N. F., SEYMOUR, F. C. and SMITH, L. B.), REPORTS ON the flora of Massachusetts, —IV, 49:257-277.

GRIMES, E. JEROME

A new station for Pogonia affinis, 23: 195 - 197

Some interesting plants of the Virginia Coastal Plain, 24:148-152.

Grimmia from Mt. Washington, A new, 1:148. Grinnell, Alice L.—A remarkable development of Steironema lanceolatum, 3:190.

GRISCOM, LUDLOW

(METCALF, F. P. and ----), Notes on rare New York State plants, 19:28-37, 48-55. (- and Svenson, H. K.), Carex Mitchelliana and other rare plants near Cohasset, Massachusetts, 30:198-199. Dwarf Mistletoe and other plants new to

New Jersey, 33:101.

Another station for Panicum calliphyllum

Ashe, 33:131-132.

(— and EATON, R. J.), The variations of Aster foliaceus in New England, 34:13-16.

(EATON, R. J. and ---), A few noteworthy plants from southern Vermont,

34:31-34.

(Weatherby, C. A. and ——), Notes on the Spring flora of the Coastal Plain of South Carolina north of Georgetown, 36:28-55, 1 fig.

(EATON, R. J. and —), Potamogeton panormitanus in the Sudbury River,

36:312-313.

Plantago altissima in Massachusetts, 36: 389-390.

A new Carex hybrid, 37:128. (FERNALD, M. L. and ——), Three days of botanizing in southeastern Virginia, 37:129-157, 167-189, pls. 332-351.

Notes from northwestern Florida, 38:

48-50.

(FERNALD, M. L. and —), Notes on Diodia, 39:306–308, pl. 469.

(FERNALD, M. L. and ——), The identity of Lobelia glandulosa, 39:497.

Groh, Herbert

Linum catharticum in Ontario, 47: 362-

Vicia sepium L. in Canada, 50:144.

GRÖNTVED, JOHS.—(OSTENFELD, C. H. and —), [The Flora of Iceland and the Faroes], Review of, 36:421–422. Groton, Connecticut, Helenium nudiflorum in,

Groton, Massachusetts, Rare plants in, 14:234.

GROUT, A. J.

An annotated list of rare or otherwise interesting Mosses occurring in or near Plymouth, New Hampshire, 1:53-55.

Notes on Vermont Plants, 2:88. [Herbarium of], 3:241.

Notes on Vermont Mosses, 4:180-183. [Mosses with a hand-lens], Review of,

27:35-36.[Moss Flora of North America, north of Mexico], Notices and review of, 31: 38-39; 33:229; 35:146; 36:60; 37:227-228; 38:240; 39:100; 40:359-360; 41: 112; 43:95. GROVER, FREDERICK O.

Extensions of range, 17:227-228. The phyllotaxy of Catalpa, 44:414-416.

Guatemala, Mosses of southern British Honduras and, 36:55.

GUBA, E. F.

The Fungi of Nantucket, Century I, 39: 367 - 376.

List of second hundred Fungi of Nantucket, 41:508-520.

- and SEELER, E. V.), Third list of Fungi of Nantucket, 44:167-175.

Guide to Aquatic and Marsh Vegetation, A handy, [Review], 47:395.

Guide to Ferns, Wherry's, [Review], 40:247. Guide to Natural History Collections, Sher-

born's, [Review], 46:199. Gulf of St. Lawrence, Flora of the North Shore of the, [Review], 34:120. Gustafson, A. H.

A teratological specimen of Cypripedium acaule, 35:263-264, 1 fig. A note on Amos Eaton's herbarium, 39:

153-155.

Notes on some fresh-water Algae from New England, 44:64-69.

(Goodale, A. S., Grigg, F. W., —, Har-RIS, S. K., KNOWLTON, C. H., POTTER, D., SANFORD, S. N. F., SEYMOUR, F. C. and SMITH, L. B.), Reports on the flora of Massachusetts, —III, 44:213-220.

GUTTERSON, M. E.—Cuphea procumbens at Andover, Massachusetts, 4:247-248.

Gymnogongrus Torreyi (Ag.) J. Ag., 7:136. Gymnospermes du Québec, Victorin's, [Review], 31:19.

Gymnosperms for the herbarium, An improvement in the method of preparing certain, 37:267.

HABEEB, HERBERT

Some Mosses from Windsor, Nova Scotia, 48:1-4.

Vicia sepium in New Brunswick, 49:288. Campylium Halleri in New Brunswick, 50:52.

- and Drouet, F.), A list of freshwater Algae from New Brunswick, 50: 67 - 71.

Habenaria clavellata, An unusual form of, 23:126.

Habenaria cristata still grow in New England? Does, 48:64.

Habenaria dilatata, an omitted record, 11:179. Habenaria dilatata on Cape Cod, 31:80.

Habenaria Hookeriana oblongifolia in West Campton, New Hampshire, 3:237.

Habenaria hyperborea and its allies, A note

upon recent treatment of, 4:79. Habenaria hyperborea in Rhode Island, 25:44. Habenaria lacera and H. psychodes, A nat-ural hybrid between, 3:245. Habenaria macrophylla, Habenaria orbiculata

and, 8:1.

Habenaria macrophylla in Maine, 8:188. Habenaria, Natural hybrids in Spiranthes and, 5:261.

Habenaria, Notes on, 10:70. Habenaria obtusata, The pollinization of,

Habenaria orbiculata and H. macrophylla, 8:1. Habenaria psychodes, A natural hybrid between Habenaria lacera and, 3:245.

Habenaria psychodes var. ecalcarata in Vermont, 22:31.

Habenaria viridis, The variations of, 28:169.

HABERER, JOSEPH V.

Eleocharis diandra in central New York,

Plants of Oneida County, New York and Vicinity, —I, 7:92-97, 106-110.

HAGLUND, GUSTAF—(——, introduction by ARTHEME DUTILLY), Taraxacum in arctic Canada (east of 100° W.), 45:337–343. Halenia from Maine, A spurless, 1:36.

HALL, JOHN GALENTINE

HALLOWELL, A. I.—Notes on the northern range of Zizania in Manitoba, 37:302-304. Halophytic plants in New Brunswick, 1:20. Halsted, Byron D.—Branched Broom-rape

upon Tomato, 3:295.

Hamamelis virginiana in Missouri, 36:97. Hamamelis virginiana, The seedling of, 33:81. Hampshire County, Massachusetts, Anychia canadensis in, 36:58. Handbook of British Seaweeds, [Notice],

34:113.

Handbook of Trees of New England, [Notice], 4:40.

Handbook to the Mosses, A popular, [Re-

view], 18:204. Handbook of the wild and cultivated plants,

Dr. C. A. Darling's, [Review], 15:19. Handy Book on Trees and Shrubs, A, [Re-

view], 17:103

Handy Guide to Aquatic and Marsh Vegetation, A, [Review], 47:395.

HANDY, LOUISE HOLMES—A pink-petaled form of Clethra alnifolia, 9:195-196.

HANES, CLARENCE R.

(— and Ownbey, M.), Some observations on two ecological races of Allium tricoccum in Kalamazoo County, Michigan, 48:61–63.

(— and Hanes, F. N.), [Flora of Kalamazoo County, Michigan], Review of,

49:143–144.

Hanes, Florence N.—(Hanes, C. R. and ——), [Flora of Kalamazoo County, Michigan], Review of, 49:143-144.

Hansen, Ethel B.—A pre-Kansan record of Picea canadensis from Missouri, 37:16-19, pl. 323

HANSEN, HENRY P .- [Postglacial forest succession, climate and chronology in the Pacific Northwest], Review of, 49:227-229.

Hanson, H. H.—Leucojum aestivum in Delaware, 24:144.

Haplopappus from southwestern Texas, A new species of, 45:351.

HARA, HIROSHI

Some notes on the botanical relation between North America and eastern Asia, 41:385-392.

Cyperus microiria on Long Island, 42: 196-197.

A purple-flowered form of Cornus canadensis, 44:20.

HARD, M. E .- [The Mushroom, Edible and otherwise], Review of, 11:121-124.

HARDY, GEORGE A.

Polygala vulgaris new to the North American flora, 44:9-10.

Filago arvensis in North America, 47:258.

HARGER, EDGAR BURTON

Phlox pilosa in Connecticut, 1:76.

Liquidambar at Greenwich, Connecticut, 1:130-131.

Stations for some of the less usual plants of Connecticut. 2:125-127.

A colony of waifs of the Helianthoideae, 3:60.

[Herbarium of], 3:241.

Noteworthy plants of Connecticut, 4:84-

A new station for Phaseolus perennis, 5: 291.

Some introduced plants of Connecticut, 6:78.

Records of the Connecticut Botanical Society,—I, 8:79–80; —II, 8:222–223.

An interesting locality, 9:62-64.

Hedeoma hispida in Connecticut, 10:208. (Graves, C. B., Eames, E. H., Bissell, C. H., Andrews, L. — and Weather-By, C. A.), [Catalogue of the Flowering Plants and Ferns of Connecticut growing without cultivation], Review of, 12:131-132.

A new Arabis, 13:37-39.

Some plants of the Southbury Triassic area, 15:65-68.

-, Graves, C. B., Eames, E. H., Bis-SELL, C. H., ANDREWS L. and WEATHER-BY, C. A.), Additions to the flora of Connecticut, 19:105-110, 119-130, 224-232, 245-253.

-, Graves, C. B., Eames, E. H., Bis-SELL, C. H. and WEATHERBY, C. A.), Additions to the flora of Connecticut, Series 2, 24:111–121.

Some noteworthy plants of Tennessee, 39: 428 - 432

[Biographical notice], 48:263-264.

HARLOW, WM. M .- [Fruit Key to Northeastern Trees], Review of, 49:83; —A reply to a review by M. L. Fernald, 50:36-38.

HARPER, ROLAND M.

Additions to the flora of Worcester County, Massachusetts,—I, 1:42-43; — II, 1:201–205.

A new station for Potentilla tridentata, 1: 90 - 91.

Further additions to the flora of the Am-

herst region, 2:68-70.

Notes on the distribution of some of the rarer plants of central Massachusetts, 2:119-123.

Additions to the flora of Worcester County, Massachusetts,-III, 3:185-186. Notes on Lycopodium clavatum and its

Variety monostachyon, 4:100-102. Coastal Plain plants in New England, 7:

Further remarks on the Coastal Plain plants of New England, their history and distribution, 8:27-30.

An overlooked environmental factor for species of Prunus, 18:201-203

A southern outpost for Potentilla triden-

tata, 31:221-223.

HARRIS, STUART K.

An alpine station for Hieracium aurantiacum, 32-113.

An undescribed Mutisia from Ecuador, 35:257-258.

Notes on the flora of Haverhill, Massachusetts, 35:261-262.

(Churchill, J. R., Goodale, A. S., Good-WIN, R. H., GRIGGS, F. W., —, POTTER, D., Rossbach, G. B., Sanford, S. N. F. and SMITH, L. B.), Reports on the flora of Massachusetts,—II, 35:351–359.

FERNALD, M. L. and ——), Branching Polygonatum pubescens, 35:403.

(FERNALD, M. L. and——), An additional note on the branching tendency in Polygonatum, 36:59.

Lichen Flora of the United States, [Review], 37:305.

California Shrubs, [Review], 43:212.

(GOODALE, A. S., GRIGG, F. W., GUSTAFson, A. H., ---, Knowlton, C. H., POTTER, D., SANFORD, S. N. F., SEYMOUR, F. C. and SMITH, L. B.), Reports on the flora of Massachusetts,—III, 44:213-220.

Notes on Solidago, section Euthamia, 45:

(BEAN, R. C., GOODALE, A. S., GRIGG, F. W., —, KNOWLTON, C. H., POTTER, D., SANFORD, S. N. F., SEYMOUR, F. C., and SMITH, L. B.), Reports on the flora of Massachusetts,—IV, 49:257–277.

HARRISON, ARTHUR K.

(—, Forbes, F. F., Knowlton, C. H. and Ware, R. A.), Reports on the flora of the Boston district,-I, 9:81-86.

(Knowlton, C. H., Cushman, J. A., Deane, W. and ——), Reports on the flora of the Boston district,—II, 10:59— 64; —III, 10:128-131; —IV, 11:75-80; —V, 11:204-209; —VI, 12:3-7; —VII, 12:95-99; —VIII, 13:27-29; —IX, 13:72-73; —X, 13:82-85; —XI, 13:104-105; —XII, 13:232-235; —XIII, 13: 248-251.

Another Massachusetts station for Serapias Helleborine, 43:632.

Euphrasia canadensis in Massachusetts, 47:39.

HARSHBERGER, J. WIDEM

[Phytogeographic Survey of North Americal, Review of, 13:213-224.

Pinus Banksiana on Nantucket, 16:184. Hartland, Vermont, Lycopodium complanatum near, 13:211.

Harvard University, Arnold Arboretum of,

[Herbarium of], 3:241.

Harvard University, Botanical Museum of, [Herbarium of], 3:242.

Harvard University, Contributions from the Cryptogamic Laboratory of, —No. 46, 3:79; —No. 55. Mycological Notes, 5:97.

Harvard University, Contributions from the Laboratories of Cryptogamic Botany and the Farlow Herbarium, 44:175.

Harvard University, [Cryptogamic Herbarium], 3:242.

Harvard University, [Gray Herbarium], 3: 243.

HARVEY, LEROY HARRIS

Pogonia pendula in Maine, 2:211-212. Further notes on Solanum rostratum and

Hieracium praealtum in Maine, 4:151-152.

Ecological excursion to Mount Ktaadn, 5:41-52, pl. 44. Splachnum ampullaceum, a correction, 5:

169.

Haverhill, Massachusetts, Notes on the flora of, 35:261

Hawaiian Mosses, [Review], 36:132. Hawaiian Weeds, [Review], 35:146. Hawkweed, Another aggressive, 50:15.

HAY, G. U.—Notes of a wild garden, 2:159-161.

HAYNIE, NELLIE V.

Two new plant records for the Chicago region, 31:99.

A new color form of a wild Strawberry, 31:244-245.

Hazel, A smooth-husked, 38:76.

HAZEN, T. E.

Seventh annual winter meeting of the Vermont Botanical Club, 4:64.

[The Ulothricaceae and Chaetophoraceae of the United States], Review of, 5:72-

Platymonas subcordiformis (Wille) Hazen, comb. nov., 23:251-252, pl. 133.

Flora of Penikese, fifty years after (Algae of fresh and of brackish water), 25:211-212, 215,

Heat as an insecticide in the herbarium, 40:

Heat, Injury to herbarium-specimens by extreme, 47:258.

Heather, Calluna vulgaris on Martha's Vine-yard, The, 45:189.

Heather in New England, The, 2:53.

Heaths of Nantucket, Massachusetts, The three adventive, 10:173.

Hedeoma hispida in Connecticut, 10:208; 28: 46.

336 RHODORA

Hedysarum in North America, Studies in the genus, 42:217.

Helenieae, Notes on the Compositae of the northeastern United States,-I. Heliantheae

and. 47:396.

Helenium autumnale, Status of two introductions by Minot Pratt at Concord, Massachusetts: Camptosorus rhizophyllus and, 34:172.

Helenium nudiflorum in Groton, Connecticut,

6:79.

Helenium of the Edwards Plateau of Texas. The perennial, 45:109.

Helenium, Some varieties and species of, 45:

Heliantheae and Helenieae, Notes on the Compositae of the northeastern United States, —II, 47:396.

Helianthemum Bicknellii and H. propinguum,

21:36.

Helianthemum dumosum on the mainland of New England, 19:58.

Helianthemum propinquum, Helianthemum Bicknellii and, 21:36.

Helianthoideae, A colony of waifs of the, 3:60.

Helianthus, a correction, 48:112.

Helianthus atrorubens L., A neglected variety of, 34:1.

Helianthus from Minnesota, A new form of,

Helianthus grosseserratus in New England, 49:115.

Helianthus mollis in Massachusetts, The occurrence of Verbena stricta and, 6:88.

Helianthus subrhomboideus in New Hampshire, 13:103.

HELLMAYR, C. E .- (- and HELLMAYR, K. J.), An overlooked species of Coral-root from the Rocky Mountains, 33:133-135.

HELLMAYR, K. J.—(HELLMAYR, C. E. and ——). An overlooked species of Coral-root from the Rocky Mountains, 33:133-135.

Helvelleae with descriptive notes, A list of Vermont, 1:59.

Hemicarpha in eastern Massachusetts, 4:82. Hemlock in Vermont, A white-leaved, 19:273. Hemlock Spruce, The, 17:164; The name of the, 17:59.

HENDERSON, L. F.

Some new species and varieties from Oregon, 32:20-28.

New plants from Oregon, 33:203-206. Hepatic list, A revision of the Mt. Desert, 26:

Hepatica acutiloba, Color variations in eastern North American flowers as exemplified

by, 38:301. Henatica acutiloba, Color variation in a Mis-

souri colony of, 35:66. Hepatica americana, Inconstancy in colorforms of, 27:131.

Hepatica americana, The specific characters of, 19:45.

Hepatica transsilvanica group of eastern Europe and Asia, The, 29:53.

Hepatica triloba, Early flowering of, 8:48.

Hepaticae, Notes on New England, 4:207;
—II, 6:165, 185; —III, 7:52; —IV, 8:34;
—V, 9:56, 65; —VI, 10:185; —VII, 11:185;
—VIII, 12:193; —IX, 14:1; —X, 14:209;
—XI, 16:62; —XII, 17:107; —XIII, 18:74, 103; —XIV, 19:263; —XV, 21:149; —XVI, 23:281; —XXVII, 25:74, 89.

Hepaticae of Mt. Ktaadn, Further notes on

the, 5:50. Hepaticae, Revised list of New England, 15:

Hepaticae, Second revised list of New England, 25:192.

Hepaticas, The blooming of, 4:127.

HEPTING, GEORGE H .- A list of New England Rusts collected in 1931, 34:60-65.

Herbaria of New England, The, 3:67, 206, 219, 240, 255, 281, 285.

Herbaria, Old-time Connecticut botanists and their, —I, 16:83; —II, 23:121, 171.

Herbarium, A list of type specimens in Elli-ott's, 44:249.

Herbarium, A note on Amos Eaton's, 39:253. Herbarium, An improvement in the method of preparing certain Gymnosperms for the, 37:267.

Herbarium, Another Davenport Fern. 26:49. Herbarium, Heat as an insecticide in the, 40:1.

Herbarium, Notes from my, 13:71. Herbarium, Notes on the Clayton, 20:21, 48,

Herbarium of the New England Botanical Club, The, 1:56.

Herbarium of Rev. W. P. Alcott, 23:47.

Herbarium of Stephen Elliott, Notes on the Lobelias in the, 40:175.

Herbarium, Notes from the University of Minnesota, —I, 40:275; —II, 43:553.

Herbarium of the University of Wisconsin, Notes from the, —I, 29:227; —III, 30:31; —III, 30:205; —IV, 31:49; —V, 32: 57; —VI, 33:72; —VII, 33:224; —VIII, 34: 95; —IX, 35:199; —X, 35:387; —XI, 36: 349; —XII, 37:88; —XIII, 38: 94; —XIV, 38:187; —XV, 39:377; —XVI, 39:459; —XVII, 41:367; —XVIII, 41:524.

Herbarium of the University of Oklahoma, Notes from, —I, 40:425. Herbarium of the University of Oklahoma, Notes from the Bebb, —II, 45:265.

"Herbarium Rafinesquianum," Some species in Rafinesque's, 48:5.

Herbarium sheets, Annotations on, 35:41.

Herbarium specimens, Better, 34:247; 37:19. Herbarium-specimens by extreme heat. Injury to, 47:258.

Herbarium, The Amos Eaton, 48:201.

Herbarium, The French apothecary's plants in Burser's, 33:177.

Herbarium, The Robert Bebb, 45:265. HERMANN, FREDERICK J.

A new Cardamine from the Uinta Mountains, Utah, 36:409-412, pl. 322. A mutation in Rubus parviflorus, 37:59-

61, pl. 326.

Festuca sciurea in New Jersey, 37:266-267

Eleocharis caribaea var. dispar in Michigan, 37:366-367.

Notes on the flora of Michigan,—I, 38: 362 - 367.

Diagnostic characteristics in Lycopus, 38: 373–375, pl. 439

Cladium mariscoides in Saskatchewan, 39: 232.

Extension of range and a new species in Carex, 39:491-495.

New or otherwise interesting plants from Indiana, 40:77-86.

Muhlenbergia setosa, an untenable name, 48:63-64.

[A checklist of plants in the Washington-Baltimore areal, Review of, 50:15-17. Herniaria glabra var. subciliata in New York, 46:23.

HERVEY, E. WILLIAMS

Honey-guides of Night Bloomers, 1:222-

Yellow-fruited Ilex verticillata, 2:242. The vellow-fruited form of Ilex opaca at New Bedford, Massachusetts, 3:58–59. [Herbarium of], 3:255.

Rare plants about New Bedford, 4:106-

107. Plants new to the flora of New Bedford,

6:22-23, 144. Silene conica in New England, 7:110.

[Flora of New Bedford and the shores of Buzzards Bay with a Procession of the Flowers], Review of, 14:79. Variants of Aster Herveyi, 18:183–184.

A rare variety of Vitis labrusca, 22:183-184.

Heterotheca from Texas, Two new varieties of early spring plants, a Ranunculus from

Missouri and a, 30:200. Heuchera hispida Pursh, Identity of, 35:111. Heuchera hispida Pursh rediscovered, 35:118. Hibiscus Moscheutos and H. palustris, 44:

Hibiscus oculiroseus in Rhode Island, 26:88. Hibiscus palustris, Hibiscus Moscheutos and, 44:266.

Hibiscus palustris L., forma oculiroseus (Britton) comb. nov., 42:112.

Hickory in southeastern Vermont, A hybrid between Shagbark and Bitternut, 50:60.

Hickory in Wisconsin, Fossil evidence of wider post-Pleistocene range of Butternut and, 44:409; —A note on, 45:107; —A reply, 46:

Hieracium aurantiacum, An alpine station for, 32:113.

Hieracium canadense var. hirtirameum in northern Michigan, 28:246.

Hieracium, Extended ranges in Cyperus and,

Hieracium florentinum at Wellesley Hills, Massachusetts, 15:116.

Hieracium murorum in Massachusetts, 7:80. Hieracium, Notes on, 45:317.

Hieracium paniculatum, A glandular form of,

Hieracium praealtum at Andover, Massachusetts, 4:197.

Hieracium praealtum in Maine, Further notes on Solanum rostratum and, 4:151.

Hieracium pratense, A new station for, 10:148. Hieracium scabrum, The varieties of, 16:181. HILL, ALBERT F.

A pubescent variety of the Dwarf Raspberry, 16:151-152.

Notes on the flora of the Penobscot Bay region, Maine, 16:189-192.

[The Vascular Flora of the eastern Penobscot Bay region, Mainel, Review of, 22:91.

A bibliography of Canadian botany, [Re-

view], 47:236.
(BEAN, R. C., KNOWLTON, C. H. and
_____), Ninth report of the Committee on Plant Distribution, 48:17-27.

HILL, E. J. Note on the polygamy of Chionanthus,

The perianth of Rynchospora capillacea, var. leviseta, 8:186-187.

The Pasture-thistles, east and west, 12: 211-214

Bartlett's Dioscoreae of the United States, [Review], 13:34–36.

The Sand Plum in Indiana, 14:196-198. [Biographical sketch], 19:61-69 (with portrait).

Hillsboro, New Hampshire, On certain plant records from, 41:36; — a correction, 41:138. Hingham, Massachusetts, Notes on the plants of, 26:175.

Hippuris and Hottonia in New Hampshire, Podostemum, 50:209. HITCHCOCK, A. S.

Notes on Grasses, 8:205–212.

—and Chase, A.), [The North American species of Panicum], Review of, 12:218-220.

Type of the genus Panicum, 13:173-176. A Manual of the Grasses of Illinois, [Review], 20:188.

Eragrostis hypnoides and E. reptans, 28: 113-115

The validity of the Grass genus Digitaria, 29:114-116.

Note on Trisetum spicatum, 31:255. [Field Work for the local Botanist], Re-

view of, 33:244-245. [Manual of the Grasses of the United

States], Review of, 37:369-372. HITHCOCK, CHARLES HENRY-[Herbarium

of], 3:220. HITCHCOCK, EDWARD—[Herbarium of], 3:68. HITCHINGS, E. H.—[Herbarium of], 3:255,

Hochreutiner, P. B. G.—Validity of the name Lespedeza, 36:390-392.

HODGDON, ALBION R.

(FERNALD, M. L. and ----), Gaultheria procumbens L., forma accrescens, f. nov., 36:129, pl. 283. Trillium grandiflorum in New Hampshire, 36:376.

Two range extensions, 37:414-415.

A taxonomic study of Lechea, 40:26-69, 87-131, pls. 488-491. (Contrib. Gray Herb. no. CXXI).

Lilium superbum and other isolated species in Durham, New Hampshire, 46: 21 - 23.

Mikania scandens in southern New Hampshire, 46:142-144.

Carex cristatella in New Hampshire, 47:

Notes on New Hampshire plants, 48:205-

(FLINT, J. and ----), Another New Hampshire station for Subularia, 50:72.

(— and Krochmal, S. B.), Podostemum, Hippuris and Hottonia in New Hampshire, 50:209-211.

Hodge, W. H.—The use of alcohol in plant collecting, 49:207-210.

Hoff, A. C.—Trailiella intricata, 30:196.

Hoffman, Ralph

Epipactis Helleborine at Stockbridge, Massachusetts, 1:52-53.

Three plants of Berkshire County, Massachusetts, 1:229-230.

Virulence of the Wild Parsnip, 4:188. Notes on the flora of Berkshire County, Massachusetts, 6:202–206.

A glandular form of Hieracium panicula-

tum L., 19:37. Glandularity on Veronica Anagallis-aqua-

tica L., 19:60. [Flora of Berkshire County, Massachusetts], Review of, 24:183–187.

Lygodium palmatum and Agrimonia mollis in Berkshire County, Massachu-

setts, 28:179–180. Holbrook, Massachusetts, Utricularia minor in, 4:42.

HOLDEN, ISAAC

Two new species of marine Algae from Bridgeport, Connecticut, 1:197–198, pl.

[Herbarium of], 3:68.

[Notice of death], 5:219-220.

[Phycological notes of the late ——], —I, 7:168–172; —II, 7:222–243. Holderness, New Hampshire, Pogonia trian-

thophora in, 12:206.

Hollies from central Florida, 34:233; -Two new evergreen, 34:16.

HOLM, THEO

[Biological notes on the Canadian species of Viola], Review of, 6:24.

Remarks upon Mr. House's paper on Po-

gonia verticillata, 8:100. The history of the popular name "Flower de luce" or "Fleur de lis" of the Iris,

21:180-181. Internal glandular hairs in Dryopteris, 22: 89-91, 2 figs.

Antennaria alpina and A. carpathica, 22: 138-142.

Mark Alfred Carleton, 27:172.

The bulbiferous form of Luzula multiflora, 28:133–138, 3 figs. The flower of Chimaphila, 29:1–6, pl. 156.

The application of the term "Rhizome," 31:6-7, pls. 177, 178.

Vegetative reproduction in Hydrangea, 31:120.

Leaf-variation in Liquidambar Styraciflua L., 32:95-100, pls. 200, 201.

The seedling of Hamamelis virginiana L., 33:81-92, pls. 206, 207.

Holosteum umbellatum in Connecticut, 26:

Holosteum umbellatum in Rhode Island, 33:211.

HOLT, GEORGE W.

Is Cirsium palustre a native of New Hampshire? 4:217.

Subularia at East Andover, New Hampshire, 6:228.

Homonym, Another later, 48:163.

Homonym, Gnaphalium spathulatum, a later, 45:478.

Homonyms, Two later, 45:111.

Honey-guides of Night Bloomers, 1:222. HOPKINS, MILTON

Notes on Lespedeza, 37:264-266. Spring flowers in Autumn, 39:52.

Arabis in eastern and central North America, 39:63-98, 106-148, 155-186, pls. 457, 458. (Contrib. Gray Herb. no. CXVI).

Notes from the Herbarium of the University of Oklahoma,—I, 40:425-434.

Cercis in North America, 44:193-211.

(— and WATERFALL, U. T.), Notes on Oklahoma plants, 45:113-117.

Notes from the Bebb Herbarium of the University of Oklahoma,—II, 45:265—

Edible Plants, [Review], 45:515-517.

Horsford, Frederick Hinsdale— [Herbarium of], 3:255.

Horticulture, Cyclopedia of American, [Review], 4:108.

HOSAKA, EDWARD YATARO-(- and St. John, H.), [Weeds of the Pineapple fields of the Hawaiian Islands], Review of, 35: 146.

HOSMER, ALFRED W.

On the plants introduced by Minot Pratt at Concord, Massachusetts, 1:168-170. violet-flowered form of the Fringed Polygala, 1:173.

Further additions to the flora of Middle-

sex County, Massachusetts, 1:223-224. HOTCHKISS, NEIL

Range extensions of marsh and aquatic

plants, 42:20–22.
(Moyle, J. B. and ——), [Aquatic and Marsh Vegetation of Minnesota and its value to Waterfowl], Review of, 47:395.

Hottonia in New Hampshire, Podostemum, Hippuris and, 50:209.

Hottonia inflata, a winter annual, 13:108.

Hottonia inflata in Amesbury, Massachusetts. does it occur farther north? 3:216.

House, Homer Doliver

A new Violet from New England, 6:226-227, pl. 59.

Observations upon Pogonia (Isotria) verticillata, 8:19-20, 1 fig., pl. 65.

[Remarks upon Mr. House's paper on Pogonia verticillata], 8:100.

The Violets and Violet hybrids of the District of Columbia and vicinity, 8:117-122, pls. 71, 72. Dwarf Mistletoe on White Pine, 37:368.

Houstonia caerulea, An alpine variety of, 9:

Houstonia from the Cedar Barrens of Lee County, Virginia, A new species of, 46:306. Houttuyn's overlooked binomials for native

or introduced plants in eastern North Amer-

ica, On, 40:288.

HOWARD, F. W .- (POTTER, D., WOODWARD, N. P., PRIDE, G. H. and —), Notes on the flora of Worcester County, Massachusetts, -II, 42:40-47.

HOWARD, RICHARD A.—The use of DDT in the preparation of botanical specimens, 49: 286-288.

Howe, C. D.

The fifth annual winter meeting of the Vermont Botanical Club (1900), 2:88. The sixth annual winter meeting of the Vermont Botanical Club, 3:65-66.

Howe, INEZ ADDIE

(Wilcox, A. W., ——, Shields, M. A. and Balch, W. E.), The field meeting of the Vermont Botanical and Bird Clubs, 17:143-144.

November flowers in northern Vermont,

21:170.

Howe, M. A .- [Moss Flora of North America. Liverworts], Review of, 27:35-36.

Howe, Reginald Heber, Jr.

Lotus tenuis as a waif in Rhode Island. 7:167-168.

Two additions to the Lichen flora of the Blue Hills, 10:35-36.

Ramalina Montagnaei De Not. on Long Island, 12:7.

Some Lichens from Nantucket Island, Massachusetts, 14:88-90.

An additional note on Nantucket Lichens, 15:93-94.

A further note on the Lichens of Nan-tucket, 20: 40. Hu, H. H.— Nomenclatorial changes for some

Chinese Orchids, 27:105-107.

HUBBARD, FLORENCE C.—Anthyllis Vulneraria at Cromwell, Connecticut, 13:240.

HUBBARD, F. TRACY

Some Panicums of Essex County, Massachusetts, 14:36-40.

Nomenclatorial changes required by some Gramineae of the seventh edition of Gray's Manual, 14:165–173, 184–188. Further notes on the Panicums of Essex

County, Massachusetts, 15:36-38.

A Panicum unreported in New England.

Mibora minima (L.) Desv. at Plymouth, Massachusetts, 17:97.

Notes on Gramineae,-I, 18:231-236.

A new Agropyron from Cape Breton, 19: 15-17.

A variety of Spartina new to New England, 19:27.

Andropogon scoparius in the United States and Canada, 19:100-105.

HUBRICHT, LESLIE—(WOODSON, R. E. and —), Tradescantia Wrightii in New Mexico, 37:454-455.

Huckleberry, A blue-fruited, 2:81. Huckleberry, Notes on the blue-berried, 4:14. Hudson Bay and the St. Lawrence Basin, Botanical evidence of a post-Pleistocene marine connection between, 34:69, 101.

Hudson Bay, Some Algae from, 10:114. Hudson River, A new species of Najas from

the, 39:57.

Hudsonia ericoides in New Hampshire, 2:22. HULBERT, JAMES R.—(CRAIGIE, W. A. and —), [A dictionary of American English on historical principles], Review of, 46:312-315.

HULL, EDWIN D.

Extended range of Viola pedata L., 15: 18-19.

Advance of Potamogeton crispus L., 15: 171-172.

Lilium superbum and L. michiganense, 44:220-227

Euphorbia Geyeri in Indiana, 44:407-408. Tragopogon dubius in Indiana, 45:413-414.

Lilium michiganense, L. canadense and L. superbum, 45:512-515.

Crotalaria sagittalis in Indiana, 46:493-

Campanula rapunculoides in Indiana, 47: 404.

Centaurea maculosa in Indiana, 48:391.

Notes on the Coral-berry (Symphoricarpos orbiculatus), 49:117-118.

Penstemon gracilis in Indiana, 49:256.

HUNNEWELL, FRANCES WELLES, 2d.

Galium trifidum at Wellesley, Massachusetts, 14:206-207. Botrychium lanceolatum in the Yellow-

stone, 17:143.

An extended range for Amelanchier amabilis, 23:71–72.

Salix serissima on Long's Peak, 25:67-68. A new station for three local Appalachian plants, 25:168.

Holosteum umbellatum in Connecticut, 26:199

Some local plants of Virginia, 31:256-257. Range extensions in North Carolina, 39: 235-236.

Geranium nepalense, var. Thunbergii in Massachusetts, 47:219-220.

HUNNEWELL, J. MELVILLE—Chrysanthemum segetum L., at Marion, Massachusetts, 1:57.

Hunt, Edwin-[Herbarium of], 3:255.

HUNT, KENNETH W.—Some heretofore unnoticed plants of the South Carolina Coastal Plain, 47:142-143.

HUNT, WILLIS R .- New Rust species and

hosts from Rhode Island, 38:97-98.

HUNTINGTON, J. W.

Some uncommon Mosses in northern Essex County, Massachusetts, 2:95-97. Webera proligera in Amesbury, Massa-

chusetts, 3:91-92.

Hottonia inflata in Amesbury, Massachusetts, does it occur farther north? 3:216. Hyannis, Massachusetts, Orontium at, 16:77.

Hybrid, A new Carex, 37:128.

Hybrid, A new Cypripedium, 34:239. Hybrid, A new Salix, 34:67

Hybrid? A Salix rostrata, 20:132.

Hybrid Asplenium new to the flora of Vermont, A, 8:12.

Hybrid, Aster amethystinus, an obvious, 32:1. Hybrid between a white and a blue Violet, Another, 11:115.

Hybrid between Habenaria lacera and H. psy-

chodes, A natural, 3:245.

Hybrid between Shagbark and Bitternut Hickory in southeastern Vermont, A, 50:60.

Hybrid between the Oak species Quercus rubra and ilicifolia, A supposed, 36:239. Hybrid Cornus (C. rugosa x stolonifera), A

new, 12:121.

Hybrid Cornus from Cape Breton, A, 43:411. Hybrid fern from Vermont, A new, 6:75.

Hybrid from Wisconsin, A natural Cypripedium, 34:97.

Hybrid in Mystic Pond, Potamogeton spathaeformis a probable, 8:224.

Hybrid in the Cyperaceae, An intergeneric, 20:189.

Hybrid? Is Aster tardiflorus a, 19:88

Hybrid nature of Betula Sandbergi, Evidence of, 30:125.

Hybrid Oak, XQuercus Rudkini at Arlington, Virginia, The, 44:262. Hybrid of Rosa carolina L. and R. nitida

Willd., Note upon a probable, 2:112.

Hybrid origin of ×Solidago asperula, Notes on the distribution and, 39:222.

Hybrid Rynchospora, A, 31:38.

Hybrid, Streptopus oreopolus, a possible, 9: 106.

Hybrid Violet, A new, 11:14.

Hybridism as a cause of variation in Polygonum, Possibilities of, 27:81.

Hybridism in the genus Viola, 6:213; —II, 8:

6; —III, 8:49.

Hybridization of Epilobium angustifolium and E. latifolium, The assumed, 20:6.

Hybrids in Spiranthes and Habenaria, Natural, 5:261

Hybrids of Carex, Some undescribed varieties and, 2:170.

Hybrids of Quercus ilicifolia, Notes on, 3:137. Hybrids of Viola, Mendel's law of dominance in the, 9:211.

Hyde Park, Massachusetts, Ranunculus abortivus, var. eucyclus in, 4:152.

Hydnum Caput-medusae, 1:108.

Hydrangea arborescens, A critical revision of,

Hydrangea paniculata naturalized in Massachusetts, 31:18.

Hydrangea, Propagation by seed in, 31:254. Hydrangea, Vegetative reproduction in, 31:

Hydrastis canadensis L., a New England plant, 1:157

Hydrastis canadensis L. in Vermont, 1:200. Hydrocoleum Holdeni, nom. nov., 3:254.

Hydrophyllum canadense, Note on, 6:184.

Hygrophori, Two edible, 1:16.

Hygrophorus constans of central Europe, 29: $2\bar{3}8.$

HYLAND, FAY

New combination in Pyrus, 45:28.

— and STEINMETZ, F. H.), [The Woody Plants of Maine], Review of, 47:143-144.

Hylander, C. J.

A preliminary report on the Desmids of Connecticut, 24:213-224, 236-241.

Supplementary report on the Desmids of Connecticut, 26:203-210.

Hymenophysa pubescens in the eastern Unit-

ed States, A station for, 39:190. Hyoscyamus niger, Note on Demodium can-

escens and, 12:214. Hypericum aureum, a casual plant in eastern Massachusetts, 12:55.

Hypericum canadense, A variety of, 30:188. Hypericum § Elodea, The varieties of, 38:433. Hypericum mutilum L., var. latisepalum,

var. nov., 38:372. Hypericum, Woody species of, 42:8.

Hypericums of the Adpressum group, Two new, 4:135.

Hypochaeris glabra established in our flora? Is, 46:206.

Hypoxis, Revision of the American species of, 25:120, 151.

Hypoxis, Some genera closely related to, 25:

Iceland and the Faeroes, Flora of, [Review], 36:421.

Ilex glabra, New England distribution of Ilex opaca and, 16:163.

Ilex mollis, A Connecticut station for, 14:205. Ilex myrtifolia, A yellow-fruited form of, 26: 231.

Ilex opaca, A form of, 23:118.

Ilex opaca and Ilex glabra, New England distribution of, 16:163.

Ilex opaca at New Bedford, Massachusetts, The yellow-fruited form of, 3:58.

Ilex verticillata, Variations of, 2:104.

Ilex verticillata forma chrysocarpa, A station in Maine for, 15:148.

Ilex verticillata, Yellow-fruited, 2:242.

Illecebrum verticillatum, An American station for, 14:207.

Illinois, A Manual of the Grasses of, [Review], 20:188.

Illinois, A new form of Prunus virginiana from Indiana and, 45:354.

Illinois, An incomplete flora of, [Critique], 47:204

Illinois Asters and a new variety of Aster multiflorus, Some, 30:77.

Illinois, Centaurea maculosa in, 49:84.

Illinois, Siegesbeckia orientalis in, 19:74.

Illinois, Two new plants from, 31:36. Illinois, Two new plant records for the Chicago region, 31:99.

Illustrated Flora, A second edition of Britton and Brown's, [Review], 15:220.

Illustrated flora of Quebec, An, [Review], 34: 19.

Illustrated Flora of the Pacific States, Abrams's, [Review], 46:282.

Illustrated Key to the Trees, An, [Review], 14:163.

Illustrations and Studies of the family Orchi-

daceae, [Review], 7:119. Imagined wisdom without understanding, [Critique], 46:312.

Impatiens biflora, Color forms of, 19:115. Impatiens biflora, Further notes on, 21:98. Impatiens biflora, Some observations upon

the early growth of, 2:234. Impatiens glandulifera, Impatiens Roylei ver-

sus, 48:412. Impatiens Roylei versus I. glandulifera, 48:

412. Index to Rhodora, An indispensible, [An-

nouncement], 46:200. Index to the flora of the Boston district, 31: 41.

Indian Pipes without discoloration, Preserv-

ing, 24:225. Indiana, A new form of Red Cedar from, 31:193.

Indiana, A new Rudbeckia from, 19:113. Indiana and Illinois, A new form of Prunus virginiana from, 45:354.

Indiana and Michigan, Najas gracillima in. 39:432

Indiana, Campanula rapunculoides in, 47:404. Indiana, Centaurea maculosa in, 48:391.

Indiana, Crotalaria sagittalis in, 46:493. Indiana, Deam's Flora of, [Review], 43:75.

Indiana, Deam's Grasses of, [Review], 32:

Indiana, Deam's Trees of, [Review], 21:188; 23:179.

Indiana, Euphorbia Geyeri in, 44:407.

Indiana, "Ia." sometimes stands for, 47:404. Indiana, New or otherwise interesting plants from, 40:77.

Indiana, Penstemon gracilis in, 49:256.

Indiana plants, New forms and varieties of, 32:32.

Indiana, Shrubs of, [Review], 27:15. Indiana, The Sand Plum in, 14:196. Indiana, Tragopogon dubius in, 45:413.

Injury to herbarium-specimens by extreme heat, 47:258.

INMAN, O. L.—Calamagrostis canadensis and some related species, 24:142-144.

Insecticide in the herbarium, Heat as an. 40:

Insecticides used at the Gray Herbarium, 5:

International Address Book of Botanists, [Review], 33:24; 34:68.

International Botanical Congress, Consideration of nomenclature at the fifth, 31:90.

International Botanical Congress, Fifth, 30:

International Botanical Congress, Seventh. 42:54.

International Congress of plant societies to be held at Ithaca, 28:64.

International Congress, Nomenclature at the next, 40:464.

International rules, Aira spicata Linn. and the application of the, 32:261.

International rules for Botanical Nomenclature chiefly of vascular plants, 9:33.

International rules of botanical nomencla-

ture, Proposed amendments to the, 31:91. International rules of botanical nomenclature, The proposed changes in Article 58, 50:249.

Intervale, New Hampshire, Some plants of,

Introduced by Minot Pratt at Concord, Massachusetts, On the plants, 1:168. Introduced? Elymus arenarius at Province-

town, native or, 15:218.

Introduced Galium, A newly, 6:22.

Introduced in eastern Massachusetts, Two plants newly, 46:315.

Introduced Grasses new to Virginia, Two, 36:

Introduced in Massachusetts, Galax aphylla, 21:24.

Introduced plant? Is Rhinanthus Crista-galli an, 9:26

Introduced plants at Cambridge, Massachusetts, Four, 10:167.

Introduced plants in eastern North America, On Houttuyn's overlooked binomials for native or, 40:288.

Introduced plants new to Connecticut, 14:163. Introduced plants of Connecticut, Some, 6: 78; 13:88.

Introduced plants, Two, 11:120; 42:524.

Introduced species of Crepis and Leontodon, Newly, 4:249.

Introduced species of Lathyrus in the Northwest, 24:75.

Introduced Symphytum, The correct name of an, 18:23.

Introduced weeds of Connecticut, Some, 6: 146.

Introduction found in Philadelphia, Muscari comosum, a new, 24:16.

Introduction in the state of Washington, Lathyrus Nissolia, a recent, 23:246.

Introductions by Minot Pratt at Concord, Massachusetts: Camptosorus rhizophyllus and Helenium autumnale, 34:172.

Introductions near Harrisburg, Pennsylvania, Some rare, 32:28.

342 RHODORA

Intuition as a substitute for reference, 8:77. Inuleae and Senecioneae, Notes on the Compositae of the northeastern United States, -III, 48:116.

Invader, An unwelcome, 16:166.

Invalid name, Arabis viridis, an, 45:269. Invalid name, Evolvulus pilosus, an, 37:63. Invalid name, Lemna cyclostasa, an, 37:75. Invalid name, Roripa islandica, an, 31:17.

Invalid name, Sericocarpus bifoliatus, an, 28:

Invalid name, Verbena prostrata, an, 38:271. Iowa, Ranunculus Purshii in, 22:183. Iowa, Verbascum phlomoides in, 49:67. Ipomoea heptaphylla in Georgia and Mexico, 38:164

Iris from California, A new, 38:199.

Iris Hookeri and the Asian I. setosa, The identity of, 5:157.

Iris Hookeri in Maine, A new station for, 10:

Iris Hookeri, The distinctive feature of, 4:

Iris setosa, The identity of Iris Hookeri and the Asian, 5:157

Iris, The history of the popular name "Flower de luce" or "Fleur de lis" of the, 21:180. Iris, Two eastern American Species of, 49:

210. Iris versicolor, Albino, 38:52.

Iris versicolor in relation to the post-glacial Great Lakes, The distribution of, 35:154.

Isanthus brachiatus to the flora of Connecti-cut, The restoration of, 27:189. ISELY, DUANE—Lespedeza striata and L. stipulacea, 50:21–27, pls. 1091, 1092. Isle au Haut, Additions to the flora of, 23:26.

Isle au Haut, Further notes on the plants of, 25:147

Isle au Haut, Maine, Lemna trisulca at, 30: 121.

Isle au Haut plants, 25:16.

Isnardia, Notes on Ludwigias, 37:175. Isoetes, Nomenclatorial changes in, 10:42. Isoetes, Three new varieties of, 5:277.

Isotria medeoloides, The identity of, 49:134. Isthmoplea in North America, A second station for, 35:293.

Itea virginica L., forma abbreviata, f. nov., 49:22

Iva ciliata from Indian Rock-Shelters in south-central United States, A new variety of, 41:81.

Iva of New England, The salt-marsh, 8:25.

Ivy-poisoning, 4:105.

Ivy-poisoning and its treatment, 4:43.

Jack, John G.

Arceuthobium pusillum in Massachusetts, 2:6-8, pl. 13.

Plural seeds in acorns, 16:141-144.

JACKSON, JOSEPH-[Additions to the flora of Worcester County, Massachusetts], Review of, 30:20.

JACKSON, ROBERT TRACY—An exceptionally large Onoclea sensibilis, 32:225.

JACOT, ARTHUR PAUL- A new Lepidium from North China, 32:28-30.

James Bay, Plants collected in the southern region of, 36:274.

James. Tomas Potts—[Herbarium of], 3:242. Jamesianthus, Chromosomes of, 44:280.

Jansson, K. P. Rayless Aster novi-belgii, 28:112.

Rayless Aster multiflorus, 29:95. JAO, CHIN-CHIH

Oedogonium in the vicinity of Woods Hole, Massachusetts, 36:197-214, pls.

Notes on Oedegonium and Bulbochaete in

the vicinity of Woods Hole, Massachusetts, 38:67-73, pl. 407.

JARVIS, C. D.—(BLAKESLEE, A. F. and ——),
[New England Trees in Winter], Review of, 14:79-80.

Jasione montana, a conspicuous weed near Lakewood, New Jersey, 21:105.

Jasione montana in Massachusetts, 4:199.

Jeffersonia and some other local plants of southeastern Minnesota, 49:198.

JEFFREY, EDWARD C .- On the nature of socalled algal or boghead coals, 11:61-63 JEFFREY, LISLE-(- and DROUET, F.), The

Grass flora of Columbia, Missouri, 36:415-

JENKS, CHARLES WILLIAM

[Herbarium of], 3:256.

Lepachys columnaris in eastern Massachusetts, 25:68.

JENNISON, H. M.

Notes on some plants of Tennessee, 37: 309 - 323.

Trillium erectum, var. blandum, var. nov., 40:485–486, pl. 536.

JENSEN, G. HORTIN-(MAGUIRE, B. and -Great Basin plant,—V. Aquatics, 44:4-9.

Jepson, Willis Linn—[A Flora of California], Review of, 12:56.

Jesuit influences upon our northeastern flora, Some, 2:133.

JESUP, HENRY GRISWOLD [Herbarium of], 3:220. [Notice of death], 5:191.

JEWELL, HERBERT W.

Vaccinium uliginosum at a low altitude. 1:172–173.

A pink-flowered form of Rubus triflorus, 2:87.

Notes on some Ferns of Franklin County, Maine, 4:247.

JOHNSON, DOROTHY A.—Chromosomes of Jamesianthus, 44:280, 1 fig.

JOHNSON, DOUGLAS—[The New England-Acadian Shore-line], Review of, 27:187-188.

JONES, FLORENCE FREEMAN-(JONES, G. N. and ---), A revision of the perennial species of Geranium of the United States and Canada, 45:5–26, 32–53.

JONES, GEORGE NEVILLE

Suksdorf's "Untersuchungen in der Gattung Amsinckia," [Review], 34:189-190. [Moss Flora of North America, Grimmiaceae], Review of, 36:60.

A new variety of Polygonum from Washington, 40:359.

Lewis and Clark: Linguistic Pioneers, [Reviewl, 43:92–94.

— and Jones, F. F.), A revision of the perennial species of Geranium of the United States and Canada, 45:5–26, 32– 53.

A new form of Prunus virginiana from Indiana and Illinois, 45:354-355.

Geranium nervosum, 46:28.

Sorbus Andersoni, a new name for an Alaskan Mountain-Ash, 47:220.

[Flora of Illinois], Review of, 47:204–219. [American species of Amelanchier], Review of, 48:129-134.

Centaurea maculosa in Illinois, 49:84.

JONES, L. R.

The Vermont Botanical Club, 1:77-78. Arceuthobium pusillum on a new host in Vermont, 2:8-9, pl. 14.

Daphne Mezereum in Vermont, 2:142. (Brainerd, E., — and Eggleston, W. W.), [Flora of Vermont], Review of, 3:40. Lathyrus tuberosus in Vermont, 3:230-

The Pringle and Frost herbaria at the University of Vermont, 4:171-174.

Field meeting of the Vermont Botanical Club, 4:189-190.

Pogonia affinis in Vermont, 4:216-217. The eighth annual winter meeting of the Vermont Botanical Club, 5:120.

The Vermont Botanical Club, 8:23-24. JORDAN, DAVID STARR-[The -- Algae from

Penikese Islandl, 35:147-149. Josselyn Botanical Society of Maine, (Meetings of the), 1:19, 102; 4:62, 110, 188; 5:175, 202; 6:147, 192; 8:116, 167; 9:107, 124, 196; 10:95, 172; 11:179; 12:99; 13:90; 14:162; 15:116, 202; 16:90; 17:128, 203; 18:144; 19: 92; 20:110; 25:99; 26:112; 29:116; 30:124; 31:143.

Journals, Two new botanical, [Review], 37: 162.

JUEL, H. O .- The French apothecary's plants in Burser's herbarium, 33:177-179.

Juglans nigra oblonga in Missouri, 50:147. Junci in eastern Massachusetts, Two rare, 14: 55.

Junci Poiophylli, The geographic ranges of certain, 11:155.

Juneus, A new binomial in, 49:120.

Juncus acutiflorus rediscovered in America, 46:311.

Juncus aristulatus in New England, 6:174. Juncus articulatus var. nigritellus in Maine, 11:164.

Juneus balticus, A new variety of, 14:35. Juncus brevicaudatus, The identity of Juncus canadensis and of, 32:83.

Juneus bulbosus occur in Massachusetts?

Does, 34:117.

Juneus canadensis, Some varieties and forms of, 47:127.

Juneus canadensis and of J. brevicaudatus, The identity of, 32:83.

Juneus compressus in the province of Quebec, 8:233.

Juneus dichotomus in Rhode Island, 15:151. Juncus Duranii, Juncus Mertensianus and its austrolimital segregate, 47:185. Juncus effusus, The North American varia-

tions of, 12:81.

Juneus effusus var. compactus in New Hampshire, 6:211.

Juncus from Cape Cod, A new, 19:17. Juneus from Utah, A new, 40:69.

Juneus Gerardi Loisel., var. pedicellatus, n. var., 22:76.

Juneus Griscomi, A second station for, 47:126. Juneus Mertensianus and its austrolimital segregate, J. Duranii, 47:185.

Juneus monostichus in Ohio, 45:62. Juneus new to New England, A, 11:31.

Juneus of the group Poiophylli, A new, 7:50. Juneus polycephalus not known from Virginia. 49:130.

Juneus subtilis, New stations for, 3:228. Juncus tenuis, A new variety of, 3:59.
Juncus tenuis, The identity of, 47:117.
Juncus Torreyi and Ellisia Nyctelea in Mas-

sachusetts, 4:170.

Juncus triglumis and its American representative, 26:201.

Juncus utahensis, Reduction of, 41:464. Juniper. A luxuriant growth of, 3:254. Junipers of western Texas, Three, 38:182.

Juniperus communis var. erecta in Massachusetts, 3:146.

Juniperus horizontalis and J. virginiana, Note on, 12:218.

Juniperus mexicana, The geographic range of, 40:425.

Juniperus, Notes on, 43:344.

Juniperus virginiana and its northern variety, 37:131.

Juniperus virginiana, Note on Juniperus horizontalis and, 12:218.

Jussiaea Michauxiana nom. nov., 46:197. Jussiaea uruguayensis in Staten Island, New York, 47:237

Justicia mortuifluminis, nom. nov., 44:92. Kalamazoo County, A flora of, [Review], 49:

143. Kalamazoo County, Michigan, Some observa-

tions on two ecological races of Allium tricoccum in, 48:61. Kalmia, A new southern, 42:53.

Kalmia angustifolia, An albino, 15:151. Kalmia angustifolia, The pollination of, 36:

Kalmia hirsuta doubted, Virginian occurrence of, 49:158.

Kalmia latifolia, A remarkable form of, 11:

Kalmia latifolia at Cherryfield, Maine, 33:

Kalmia latifolia in Vermont, 1:136.

Kalmia latifolia, Note on the forms of, 12:1. Kalmiopsis, Chromosomes of, 40:278.

Katahdin* Iron Works, Maine, A list of Moss-

es collected at, 2:61. Katahdin Mosses, Notes on the Bryophytes of Maine,—II., 3:181.

Katahdin plants, Notes on, 32:259. Kearney, T. H.—(—— and Peebles, R. H.), [Flowering Plants and Ferns of Arizonal, Review of, 45:26-27.

Keefe, Anselm Maynard — A new species of

Aphanocapsa, 29:39-41.

Keeled Garlic of eastern Pennsylvania, The

so-called, 46:59

KELSEY, S. L .- (FERNALD, M. L. and -A new Oxytropis from the Gaspé coast, 30: 121-124

Kelso, Estelle Henderson—Notes on Rocky Mountain plants, 35:347-348; 36: 195-196; 37:226-227; 38:298-300; 39:149-151.

Kelso, Leon

A note on Salix Dodgeana, 34:28-29.

A new Salix hybrid, 34:67.

A note on Glyceria neogaea Steudel, 35: 225-226.

A new variety of Glyceria grandis and a key to its allied species, 36:264-266.

A new species and two new varieties of Glyceria, 37:262-263.

Kennebunks and Wells, Some Maine Rubi, The Blackberries of the, —I, 8:146; —II, 8: 169; —III, 8:212

KENNEDY, GEORGE GOLDING

Panicum barbulatum in Massachusetts, 1:

A new Moss from Mt. Desert Island, 1: 78-80, pl. 5.

Carex novae-angliae in eastern Massachusetts, 2:83-84

Edwin Faxon, 2:107-111 (with portrait). (— and Collins, J. F.), Bryophytes of Mount Katahdin, 3:177-181.

[Herbarium of], 3:256.

The Maine coast at Cutler, 4::23-26. Plants new to eastern Massachusetts, 4:

Flora of Willoughby, Vermont, 6:93–134,

pls. 54-56.

Additional notes from Willoughby, 6:148. Quercus imbricaria Michx. in Massachusetts, 14:34-35

Some historical data regarding the Sweet Bay and its station on Cape Ann, 18: 205-212.

[Biography of], 21:25-35 (with portrait).

KENNEDY, R. B. (Mrs. Sinclair)

Some additions to the Newfoundland flora, 32:3-4.

Further notes from southwestern Newfoundland, 33:207-209, pls. 216, 217. Kentucky, A Flora of, [Review], 45:277.

Kentucky, A new species and a new variety of Solidago from, 44:1.

Kentucky, New plants from, 42:47.

Kentucky plants, A Check-list of, [Review], 45:278.

Kentucky, Satureja glabella in, 42:525.

Kentucky, Some relationships of the flora of the Cumberland Plateau and Cumberland Mountains in, 39:193.

KERN, FRANK D.—Two new species of Uromyces on Carex, 12:124-127, 2 figs.

Kerria japonica, The home of, 33:199.

Keweenaw Peninsula, Michigan, Critical Bryophytes from the, 39:1, 33.

Keweenaw Peninsula, Two western plants on the, 37:164.

Key to Antennaria of the Manual Range, 47: 221, 239.

Key to its allied species, A new variety of Glyceria grandis and a, 36:264.

Key to Northeastern Trees (A reply to a review by M. L. Fernald), Fruit, 50:36.

Key to the species and principal varieties of Cladonia occurring in New England, A, 11:

Key to the species of Oaks of eastern North America based on foliage and twig characters, A, 38:53.

Key to the northeastern American species of Bidens, A, 27:184.

Key to the trees, An illustrated, [Review], 14: 163.

Keys, Florence J.—Trillium grandiflorum in Maine, 29:15.

KIDDER, NATHANIEL THAYER [Herbarium of], 3:256.

A form of Solidago sempervirens with white rays, 19:20.

Solidago lepida, var. fallax in Knox County, Maine, 22:77-78.

Additions to the flora of Isle au Haut, 23:

Carex aestivalis in the Blue Hills, 24:144. Isle au Haut plants, 25:16.

Further notes on the plants of Isle au Haut, 25:147-148.

Erucastrum Pollichii in Maine, 28:88.

Two weeds new to Milton, Massachusetts,

Lemna trisulca at Isle au Haut, Maine, 30:121.

Chenopodium carinatum and other unusual weeds, 30:158

Unusual weeds in Milton, Massachusetts,

Some weeds in an old garden, 35:145. KILBOURNE, FREDERICK W.—A second station for Corydalis flavula in Connecticut, 48:

326 - 327Killingly, Connecticut, A trip to, 10:164. King-Devil Weed in the Penobscot Valley,

The. 4:61. KINGMAN, C. C .- An American station for

Illecebrum verticillatum, 14:207-208. KINSEY, ALFRED CHARLES—(FERNALD, M. L. and ——), [Edible Wild Plants of eastern North Americal, Review of, 45:515-517.

^{*}See entries under: Mount Katahdin

KIRK, GEORGE L.

New stations for Ferns in Vermont, 10: 196.

Two Vermont Grasses rediscovered, 12: 40.

Glyceria acutiflora in Vermont, 13:92. Solidago calcicola in Vermont, 14:54-55.

KITTREDGE, E. M.—[Ferns and Flowering Plants of Woodstock, Vermont], Review of, 34:56.

Kjellmannia sorifera found on the Rhode Is-

land coast, 16:152. Klatt, F. W.—[Herbarium of], 3:244. Klugh, A. Brooker

A Grass new to eastern Canada, 10:205. Excretion of Sodium chloride by Spartina glabra alterniflora, 11:237-238.

The Algae of a marshy pond, 14:113-115. Notes on the Algae of the Rideau, Ontario, 14:236-237.

Notes on the Algae of Georgian Bay, 15:

Ecological polymorphism in Enteromorpha crinita, 24:50-55.

KNIGHT, ORA W.

Solanum rostratum in central Maine, 3:

The "King-devil Weed" in the Penobscot Valley, 4:61-62.

Records of some plants new to Maine, 5: 71-72.

Cleome serrulata in Maine, 6:79.

Some plants new to the flora of Maine, 6: 91 - 92

A new Sunflower for Maine, 6:147.

Some noteworthy plants of the Penobscot Valley, 8:65-66.

Notes on some plants of Bangor, Maine, 8:72-73

Some notes on our yellow Cypripediums, 8:93-94.

Some new records of Maine plants, 8:

Viola novae-angliae in the Penobscot Valley, 8:115.

A new variety of Carex trisperma, 8:185. Habenaria macrophylla in Maine, 8:188. Three plants from Maine, 9:202-204.

KNOWLTON, CLARENCE HINCKLEY

7:61–67, pl. 60.

Newly-observed plant stations in east-ern Massachusetts, 1:89.

On the flora of Mt. Abraham Township, Franklin County, Maine, 1:191-193. On the flora of Chesterville, Maine, 2:

123 - 124.

Further notes on the flora of Worcester County, Massachusetts, 2:201-202.

The occurrence of Empetrum in Franklin County, Maine, 4:196-197. Flora of Mount Saddleback, Franklin

County, Maine, 5:35-38.

Notes on the flora of Day Mountain, Franklin County, Maine, 6:206-209. (FERNALD, M. L. and ——), Draba incana and its allies in northeastern America, Newly observed stations for Massachusetts plants, 9:11-15.

(HARRISON, A. K., FORBES, F. F., --- and Ware, R. A.), Reports on the flora of the Boston district,—I, 9:81-86.

Noteworthy plants collected at Roque Bluffs, Maine, in 1907, 9:218-219.

(—, Cushman, J. A., Deane, W. and Harrison, A. K.), Reports on the flora of the Boston district,—II, 10:59-64.

Euclidium syriacum in Massachusetts, 10:

HARRISON, A. K.), Reports on the flora of the Boston district,-III, 10:128-131. A trip to Killingly, Connecticut, 10:164-

167.

(—, Cushman, J. A., Deane, W. and Harrison, A. K.), Reports on the flora of the Boston district,—IV, 11:75-80, [179-180].

Two introduced plants, 11:120-121

—, Cushman, J. A., Deane, W. and Harrison, A. K.), Reports on the flora of the Boston district,—V, 11:204-209. [12:12, 156]; —VI, 12:3-7; —VII, 12:

Note on Scheuchzeria palustris L., 12:156. Pinus resinosa in Norwood, Massachu-

setts, 12:217-218.

(—, Cushman, J. A., Deane, W. and Harrison, A. K.), Reports on the flora of the Boston district,—VIII, 13:27-29. Notes on certain Leguminosae, 13:33-34. Cynanchum nigrum in Barnstable, Massa-

chusetts, 13:70.

(—, Cushman, J. A., Deane, W. and Harrison, A. K.), Reports on the flora of the Boston district,-IX, 13:72-73; -X, 13:82-85.

Winter meeting, Josselyn Botanical So-

ciety of Maine, 13:90-91.

(—, Cushman, J. A., Deane, W. and Harrison, A. K.), Reports on the flora of the Boston district,—XI, 13:104-105.

Hottonia inflata, a winter annual, 13:108. (—, Cushman, J. A., Deane, W. and Harrison, A. K.), Reports on the flora of the Boston district,—XII, 13:232—235; —XIII, 13:248–251.
Notes on the flora of Duxbury, Massa-

chusetts, 14:18-22.

(—, FERNALD, M. L. and FLOYD, F. G.), Field excursions of the New England Botanical Club, 14:71–76

(—, Cushman, J. A. and Deane, W.), Reports on the flora of the Boston dis-trict,—XIV, 14:76-78.

DEANE W.), Reports on the flora of the Boston district,-XV, 14:107-113.

New stations for Paspalum psammophil-

um, 14:174-175.

Rare plants in Groton, Massachusetts, 14: 234-235.

-, BLAKE, S. F., CUSHMAN, J. A. and DEANE W.), Reports on the flora of the

Boston district,—XVI, 15:54-59. (—, BLAKE, S. F., and DEANE, W.), Reports on the flora of the Boston district, -XVII, 15:122-132; -XVIII, 15:144-

Festuca octoflora in Vermont, 15:187-188. Flora of the Sandy River Valley in Maine, 16:11-17.

Orontium at Hyannis, Massachusetts, 16:

Spiraea salicifolia in Alburg, Vermont, 16: 96.

(— and DEANE, W.), Reports on the flora of the Boston district,—XIX, 16: 106-113.

The original flora of the Old Colony, 16: 113-116.

New England distribution of Ilex opaca

and Ilex glabra, 16:163–165. Carex maritima in Marshfield, Massachusetts, 16:213.

Plants and plant societies at Roque Bluffs,

Maine, 17:145-155 (- and Deane, W.), Reports on the flora of the Boston district,—XX, 17:

169-180; -XXI, 17:202-203; -XXII, 18:86-90; —XXIII, 18:165-168. Autumn excursion of the New England

Botanical Club, 18:184. (— and Deane, W.), Reports on the flora of the Boston district,—XXIV, 18:213-221.

Preliminary lists of New England plants,
—XXIV, 18:245-248.
(— and DEANE, W.), Reports on the flora of the Boston district,—XXV, 18: 248 - 252

Note on Nuphar, 19:92.

Preliminary lists of New England plants,
—XXV, 19:217–219.
(— and Deane, W.), Reports on the

flora of the Boston district,—XXVI, 20: 15-18; —XXVII, 20:55-59.

A new botanical textbook for high schools, [Review], 20:100.

Plants from South Weymouth, Massachusetts, 20:115.

- and DEANE, W.), Reports on the flora of the Boston district,—XXVIII, 20:164-171.

-, RIPLEY, W. S. and WEATHERBY, C. A.), Report of the Committee on floral

A.), Report of the Committee on horal areas, 20:181–185, 193–197.

Preliminary lists of New England plants, —XXVI, 20:182.

(— and Deane, W.), Reports on the flora of the Boston district;—XXIX, 20:208–209; —XXX, 21:78–83.

(Fernald, M. L., Bean, R. C. and —), Plans for 1919 Spring field trip of the New England Botonical Club, 21:36–88.

New England Botanical Club, 21:86-88.

(— and Deane, W.), Reports on the flora of the Boston district,—XXXI,

21:125-128.

(FERNALD, M. L., BEAN, R. C. and ——), Field trips of the New England Botani-

cal Club, 1919, 21:143. An excursion to Mt. Washington, Massachusetts, and Bash-Bish Falls, 21:198-

— and Deane, W.), Reports on the flora of the Boston district,—XXXII, 22:72-75.

-, RIPLEY, W. S. and WEATHERBY, C. A.), Second report of the Committee on floral areas, 22:80-89.

— and Deane, W.), Reports on the flora of the Boston district, —XXXIII, 22:123-127.

Herbarium of Rev. W. P. Alcott, 23:47. (—— and DEANE, W.), Reports on the flora of the Boston district,—XXXIV, 23:113-118.

(—, RIPLEY, W. S. and WEATHERBY, C. A.), Third report of the Committee on

floral areas, 23:209-220.

(— and Deane, W.), Reports on the flora of the Boston district,—XXXV, 24:92–95; —XXXVI, 24:152–156; —XXXVII, 24:231–236; —XXXVIII, 25: 25–31; —XXXIX, 25:37–43; —XL, 25: 60–67; —XLI, 25:185–187.

Butomus umbellatus on the St. Lawrence

River, 25:220-221.

- and DEANE, W.), Reports on the flora of the Boston district,—XLII, 26: 13–19; —XLIII, 26: 34–36; —XLIV, 26: 55–60; —XLV, 26:82–88; —XLVI, 26: 107–111; —XLVII, 26: 130–132; —XLVIII, 26:149–152; —XLIX, 26:166– 168.

Notes on the plants of Hingham, Massachusetts, 26:175-177.

Flowering dates for Amelanchier Bartramiana, 26:178-179. (—, RIPLEY, W. S. and WEATHERBY, C. A.), Fourth report of the Committee on

floral areas, 27:56-65.

Edward Blanchard Chamberlain, 27:73-

Excursion to southern Vermont, 27:211-

Victorin's treatment of the Lycopodiales of Quebec, [Review], 28:18-19.

(Weatherby, C. A., — and Bean, R. C.), Fifth report of the Committee on floral areas, 28:43-46.

Two additions to the flora of Massachusetts, 28:232.

(WEATHERBY, C. A., --- and BEAN, R. C.), Sixth report of the Committee on floral areas, 29:247–253. (Churchill, J. R., Deane, W., Grigg, F.

W., —, Pease, A. S., Sanford, S. N. F. and SMITH, L. B.), Reports on the flora of Massachusetts,—I, 30:12-19. Tetramerism in Trillium grandiflorum,

Victorin's Les Gymnospermes du Québec, [Review], 31:19-20.

Index to the flora of the Boston district, 31:41-43.

(Weatherby, C. A., — and Bean, R. C.), Seventh report of the Committee on floral areas, 31:106-118.

Dynamic forces in the flora of Quebec, [Review], 32:11-15.

Butomus umbellatus at Lake Champlain, 32:18-19.

Note on Aster amethystinus, 32:185-186. Solidago and Aster in Washington County, Maine, 33:159-162. Fred Dayton Lambert, 34:41-48 (with

portrait).

Victorin's Les Spadiciflores du Québec, [Review], 34:119-120.

The flora around Missisquoi Bay, Quebec, 35:247-252.

Joseph Richmond Churchill, 36:1-7 (with photographs).

A new Moss flora, with a biographical sketch of the author, [Review], 37: 166-167.

(Weatherby, C. A., — and Bean, R. C.), Eighth report of the Committee on plant distribution, 38:263-271.

Two introduced plants, 42:524-525.
(Goodale, A. S., Grigg, F. W., Gustafson, A. H., Harris, S. K., —, Potter, D., Sanford, S. N. F., Seymour, F. C. and Smith, L. B.), Reports on the flora of Massachusetts,-III, 44:213-220.

Fasciation in Lilium canadense, 44:407. Two plants newly introduced in eastern

Massachusetts, 46:315-316. (Bean, R. C., — and Hill, A. F.),

Ninth report of the Committee on plant distribution, 48:17-27.

(Bean, R. C., Goodale, A. S., Grigg, F. W., Harris, S. K., —, Potter, D., Sanford, S. N. F., Seymour, F. C. and Smith, L. B.), Reports on the flora of Massachusetts,—IV, 49:257-277.

Knox County Maine, Notable additions to the flora of, 24:181; Solidago lepida var. fallax in, 22:77; Some rare plants from, 23:198.

Kobresia in the Aroostook Valley, A new, 5: 247.

KOEHLER, HANS J.—Two additions to the flora of Connecticut, 3:144.

Krieger, L. C. C.

[Field key to the genera of the Gilled Mushrooms], Review of, 23:87-88.

Cortinarius cyanites in the United States, 27:153–156, pls. 151, 152.

Krochmal, Stanley B.— (Hodgbon, A. R. and ——), Podostemum, Hippuris and Hottonia in New Hampshire, 50:209–211.

Krumbhaar, G. Douglas — Euphrasia Oakesii in Hamilton Inlet, Labrador, 28:131—

KUCYNIAK, JAMES

Chrysanthemum uliginosum Pers. adventive in Quebec, 47:389-390.

Frère Marie-Victorin, 48:265-272.

(RAYMOND, M. and ----), Cornus racemosa in Quebec, 49:23-24.

(RAYMOND, M. and ——), Six additions to the adventitious flora of Quebec, 50:176-180.

Labrador, A botanical expedition to Newfoundland and southern, 13:109.

Labrador coast, The Austin collection from,

Labrador, Euphrasia Oakesii in Hamilton Inlet, 28:131.

Labrador expedition, 1931, Botanical results of the Grenfell-Forbes northern, 38:102.

Labrador in natural history, A comment on the use of the term, 13:236.

Labrador, Interesting plants of northern, 29:

Labrador Peninsula, Some allies of Antennaria alpina from Newfoundland and the, 18:236.

Labrador, Plants of the Hamilton Inlet and Lake Melville region, 25:4.

Lachnanthes in Nova Scotia, 43:36.

LACKEY, J. B.— Bryopsis hypnoides Lamx., 23:253-254, fig. 2. Lactarius, A Boston, 1:14. Lactuca canadensis, Variations in, 22:9.

Lactuca hirsuta Muhl., forma calvifolia, n. f., 22:156.

Lactuca Morssii, A new station for, 3:278.

Lactuca Morssii in Maine, 1:193.

Lady Fern of California, the Basin region and the southern Rocky Mountains, 19:201.

Lady-fern, Some trivial American forms of the, 48:389.

Lady Ferns of Alaska, Western Canada and the northwestern States, 19:197.

Lady Ferns of the eastern United States and Canada, The, 19:181.

Lake Champlain Basin, Butomus umbellatus in the, 32:19.

Lake Champlain, Butomus umbellatus at, 32:

Lake Melville region, Labrador, Plants of the Hamilton Inlet and, 25:4.

Lake St. John, Quebec, Two more rare plants

from, 4:128. Lake Superior region, The occurrence of Eleo-

charis nitida in the, 49:81. LAKELA, OLGA

(ROSENDAHL, C. O., BUTTERS, F. K. and —), Identity of Heuchera hispida Pursh, 35:111-118.

The occurrence of Poa Chaixii in America, 40:73-74.

Plants new to Minnesota, 40:279–280; 41: 78–79.

Sparganium glomeratum in Minnesota, 43:83-85.

Notes on the flora of Minnesota with new records and extensions of ranges, 43: 154-156.

Rediscovery of Caltha natans in Minnesota, 45:53-55.

Notes on Minnesota plant life, 46:25-28.

A new form of Campanula from Minnesota, 47:391-392.

Previously unreported plants from Minnesota, 48:81-82.

A new form of Helianthus from Minnesota, 49:21.

The occurrence of Eleocharis nitida in the Lake Superior region, 49:81-82.

A variety of western Polemonium in Min-

nesota, 49:118-119.

Notes on Minnesota plant-life, 50:19-20. A prostrate Rorippa in the Interior, 50: 132.

Forms of Cornus canadensis in Minnesota, 50:304-306.

LAMBERT, FRED DAYTON

Two new species of Characium, 11:65-74,

[Obituary], 34:41-48 (with portrait). Laminaria, Critical notes on the New England

species of, 2:115, 142. Lamium album in Maine, 4:218.

Lamium purpureum in Colorado, 28:112.

LAMSON-SCRIBNER, F. (see: Scribner, F. Lamson).

Lappula deflexa in Vermont, 18:138.

LARISEY, MARY MAXIME—On the occurrence of Crotalaria spectabilis in southeastern Missouri, 40:361-363, pl. 508.

Lathyrus in the Northwest, Introduced species of, 24:75.

Lathyrus japonicus versus L. maritimus, 34:

Lathyrus maritimus, Lathyrus japonicus ver-

sus. 34:177. Lathyrus Nissolia, a recent introduction in the

State of Washington, 23:246. Lathyrus palustris var. pilosus (Cham.) Ledeb. in Massachusetts, 12:108.

Lathyrus palustris in eastern America, The

variations of, 13:47. Lathyrus, Studies in certain North American

species of, 19:156. Lathyrus tuberosus in Vermont, 3:230.

Lauraceae, The nomenclature of the New England, 8:196.

Laurel (Kalmia latifolia), at Cherryfield,

Maine, Mountain, 33:198.

Lawrence, Massachusetts, Acanthospermum australe at, 9:26; Clathrus columnatus in, 4:134; Erodium malacoides at, 5:39; Two wool-waste plants at, 3:92; Volvaria volvacea in, 4:3.

LE Hors, M.

Juneus acutiflorus rediscovered in America, 46:311-312.

Leafy Spurge, The correct name of the, 39:

LEAVITT, ROBERT GREENLEAF

Adventitious plants of Drosera, 1:206-208, pl. 10.

The relation of certain plants to atmospheric moisture, 2:29-32, 63-68.

Reversions in Berberis and Sagittaria, 2: 149-155, pl. 19.

Polyembryony in Spiranthes cernua, 2: 227-228.

Notes on the embryology of some New England Orchids, 3:61-63, 202-205, figs. 1-2, pl. 33.

Notes on Lycopodium, 4:57-60. [Outlines of Botany], Review of, 4:85-

Seed dispersal of Viola rotundifolia, 4: 183-184.

Foliar outgrowths from the surface of the leaf of Aristolochia Sipho, 5:38-39.

Reversionary stages experimentally induced in Drosera intermedia, 5:265— 272. 1 fig.

Partial reversion in leaves of the Fernleaved Beech, 6:45-48, figs. a-d.

On translocation of characters in plants, 7:13-19, 21-31.
— and Spalding, L. J.), Parthenogen-

esis in Antennaria, 7:105.

A work for teachers of biology, [Review].

7:187-188.

Regeneration in the leaf of Aristolochia Sipho, 8:223.

In Memoriam: Alvah Augustus Eaton. 10:209-211.

[Forest Trees of New England], Review of, 35:108.

Lechea, A taxonomic study of, 40:29, 87. Lechea major in New Hampshire, 4:28

Ledum and Pyrola, Pollination of the Ericaceae: IV., 38:90.

Ledum palustre var. dilatatum on Mt. Katahdin, 7:12.

Lee, Leslie A.—Aquilegia canadensis var.

flaviflora in Maine, 4:169. LEEDS, ARTHUR N.—The Pennsylvania stations of Arceuthobium pusillum, 33:191-

Leersia oryzoides, An interesting form of, 5:

Leersia oryzoides, The clandestine form of, 30:81.

Leersia virginica, The varieties of, 38:385.

Legumes of Wisconsin, The, [Review], 41: 461.

Leguminosae, Notes on certain, 13:33. Leiophyllum versus Dendrium, 29:225

Lemna cyclostasa, an invalid name, 37:75. Lemna cyclostasa, Lemna valdiviana, not, 48:

Lemna minor and Sparganium eurycarpum in Rimouski County, Quebec, 10:95.

Lemna minor as an aggressive weed in the Sudbury River, 49:165.

Lemna trisulca at Isle au Haut, Maine, 30: 121.

Lemna valdiviana, not L. cyclostasa, 48:146. LEMON, PAUL C.-Carex flexuosa in Minnesota, 45:167.

Leontodon in America, Early records of, 4:39. Leontodon, Newly introduced species of Crepis and, 4:249.

Leontodon, Proper use of the name, 27:47. Leonurus Cardiaca, Abnormal flowers in, 2: 223.

LEOPOLD, A. C.—The distribution of Red Cedar in eastern Massachusetts, 49:172-175.

Lepachys columnaris in eastern Massachusetts, 25:68.

Lepidium from North China, A new, 32:28. Lepidium latifolium in Connecticut, 37:161; in New England, 26:197.

Lepidiums in Michigan, Some western, 39:

280.

Lepidospartum, The type of the genus, 40: 320.

Lepiota rhacodes, 1:224.

Leptoloma in New England, 47:263.

Lespedeza capitata, A new variety of, 14:91. Lespedeza capitata and L. hirta, Some varieties of, 43:572.

Lespedeza in New England, A Cluster-cup Fungus on, 2:186.

Lespedeza hirta, Some varieties of Lespedeza capitata and, 43:572.

Lespedeza, Notes on, 37:264.

Lespedeza stipulacea, Lespedeza striata and. 50:21.

Lespedeza striata and L. stipulacea, 50:21. Lespedeza, The origin of the name, 36:130. Lespedeza, Validity of the name, 36:390.

Lespedezas, Notes on American, 26:25. Lesquerella from western Texas, A new, 32:

Lettuce from eastern Massachusetts, A new wild, 1:12.

Lettuce, Identity of Prickly, 7:9.

Lettuce, Prickly, 20:180.

Leucojum aestivum in Delaware, 24:144.

Lewis and Clark: Linguistic Pioneers, [Review], 43:92.

LEWIS, FREDERICK T .- Sclerolepis in New Hampshire, 7:186-187.

LEWIS, HARRISON F .- [An annotated List of Vascular Plants collected on the North Shore of the Gulf of St. Lawrencel, Review of, 34:120.

Lewis, I. F

Prasiola stipitata Suhr, 18:90-92, 2 figs. (— and Colley, R. H.), Chamaesiphon

incrustans Grun., 18:92.

— and Taylor, W.), Notes from the Woods Hole Laboratory,—1921, Platymonas subcordiformis (Wille) Hazen, 23:249-251, pl. 133.

Asterococcus superbus (Cienk.) Scherf., 23:252, pl. 133.

(—, editor), The flora of Penikese, fifty years after, 26:181–195, 211–219, 222–229, pls. 146, 147.
(— and Taylor, W. R., editors), Notes from the Woods Hole Laboratory, 1928,

30:193-198, pl. 176; -1932, 35:147-154, pl. 274.

LI, HUI-LIN— On the Sino-Himalayan species of Shortia and Berneuxia, 45:333-337.

Liatris, The genus, 48:165, 216, 273, 331, 393. Liatris elegans, not a Virginian, 49:187.

Lichen flora of the Blue Hills, Two additions to the, 10:35.

Lichen Flora of the United States, [Review], 37:305.

Lichens, An additional note on Nantucket, 15:

Lichens, An important publication on, [Re-

view], 13:15. Lichens from Nantucket Island, Massachusetts, Some, 14:88.

Lichens from the Gaspé Peninsula, Notes on some, 11:100. Lichens, Notes on Connecticut, 29:97.

Lichens of Nantucket, A further note on the, 20:40.

Lichens of the Gaspé Peninsula, Quebec, 28: 157, 205, 225.

Lichens of the 1924 Survey, Penikese, 35:149. Lichens, Some general results of recent Norwegian research work on arctic, 36:133.

Ligusticum scothicum of the North Atlantic and of the North Pacific, 32:7.

Lilaea scilloides in southeastern Alberta, 46:

Lilies, Nymphozanthus the correct name for the Cow, 21:183.

Lilium canadense and L. superbum, Lilium michiganense, 45:512.

Lilium canadense, Fasciation in, 44:407.

Lilium michiganense, A further item on, 46:

Lilium michiganense, L. canadense and L. superbum, 45:512.

Lilium michiganense, Lilium superbum and, 44:220. Lilium michiganense, The relationship of, 44:

Lilium philadelphicum, A new form of, 15:

217.Lilium superbum and L. michiganense, 44:220. Lilium superbum and other isolated species in

Durham, New Hampshire, 46:21. Lilium superbum, Lilium michiganense, L. canadense and, 45:512.

Limodorum tuberosum L., 27:193.

Limonium in North America and Mexico, 18: 53.

Limonium, Notes on the North American species of, 25:55.

Limosella subulata, The specific validity of, 20:160.

Linaria canadensis, Cleistogamy in, 2:168.

LINDER, DAVID H.

Some varieties of Panicum virgatum, 24: 11-16, 6 figs.

A new species of Rhizopogon from New Hampshire, 26:195-197, pl. 148.

Lindernia dubia, Another interpretation of, 44:441.

Linnaea borealis, The American variations of, 24:210.

Linnaean Alisma cordifolia, The identity of the, 49:107.

Linnaean Gnaphalium plantaginifolium, The identity of the, 3:11.

Linnaean species especially those based on material collected by Clayton, Concerning the proper identification of, 30:232.

Linnaean species, Some, 50:154.

Linnaeus, American Crataegi in the Species Plantarum of, 11:181.

Linnaeus not a nomen ambiguum, Populus balsamifera of, 48:103.

Linnaeus, On the descriptive method of, 47: 273, 363.

Linnaeus's Species Plantarum, The asterisk in, 41:139.

Linnean species as illustrated by Polygala verticillata, On the typification of, 41:378.

Linum catharticum in Maine, 14:56; in New Brunswick, 47:68; in Ontario, 47:362; on

Cape Breton, 5:119. Linum, Some geographic varieties of, 37:427. Linum intercursum Bicknell, Concerning, 18: 224.

Liparis lilifolia, not L. liliifolia, 49:137.

Liparis liliifolia, Liparis lilifolia, not, 49:137. Liparis Loeselii in Massachusetts, 4:62.

Liquidambar at Greenwich, Connecticut, 1:

Liquidambar Styraciflua. Leaf-variation in.

Listera australis, A New England occurrence of, 24:187.

Listera australis on Long Island, 37:308.

Listeras of New England, The, [Review], 1: 111.

Lithospermum latifolium, The validity of, 46:

LITTLE, ELBERT L., Jr.

Acer grandidentatum in Oklahoma, 46: 445-450.

The name of the Wild Dilly of Florida, 49:289-293

LITTLEFIELD, E. W.

An uncommon association of Pines in northern New York, 30:129-131. A new station for Calluna, 33:162–163.

(Pratt, W. F. and ——), Western extension of the range of Pinus Banksiana in New York, 40:241-242.

Littorella americana, A new station for, 33: 79; in Washington County, Maine, 33:79;

in New York, The occurrence of, 36:194; in Quebee, 37:31.

Littorella, The North American, 20:61.

LLOYD, FRANCIS E.—(—— and BIGELOW, M. A.), [The Teaching of Biology in the Secondary Schooll, Review of, 7:187–188. Lobelia cardinalis L., Two color forms of, 21:

217

Lobelia Dortmanna in Aroostook County, Maine, 36:128.

Lobelia glandulosa Walt., The identity of, 39:

Lobelia inflata \times cardinalis, 3:296.

Lobelia puberula, The geographic varieties of, 49:182

×Lobelia syphilitico-cardinalis, 5:284.

Lobelia, Studies in the taxonomy and distribution of the eastern North American species of, 38:241, 276, 305, 346

Lobelias in the herbarium of Stephen Elliott,

Notes on the, 40:175

Local flora, A new, [Review], 2:132; 4:202.

Local Floras of New England, The, 1:111, 138, 158, 174, 194, 208; —Addenda, 2:73.

Local floras, Two, [Reviews], 14:78.

Loco from the Edwards Plateau of Texas, A new. 32:4.

Lomatogonium rotatum (L.) Fries in Maine, 31:143.

Lomatogonium, the correct name for Pleurogyne, 21:193.

LONG, BAYARD

Range extension of Scirpus Smithii, var. setosus, 12:155-156

Galium labradoricum in Pennsylvania, 14:199-200.

Southerly range extensions in Antennar-

ia. 15:117-122.

(FERNALD, M. L. and ——), The American variations of Potentilla palustris, 16:5–11, pl. 106.

Discovery of Prunus cuneata in southern New Jersey, 18:66-70.

A belated correction, 18:142-143.

Delphinium Consolida in America with a consideration of the status of Delphinium Ajacis, 18:169-177.

Range of Carex novae-angliae extended into Pennsylvania, 19:96-100.

History of the American record of Scirpus mucronatus, 20:41-48.

Eragrostis peregrina a frequent plant about Philadelphia, 20:173.

Jasione montana a conspicuous weed near Lakewood, New Jersey, 21:105-108. The specific characters of Eragrostis pere-

grina and its two allies, 21:133-140. Notes on the American occurrence of Crepis biennis, 21:209–214.

Regarding Gentiana Andrewsii in the Coastal Plain of New Jersey, 22:104-

A further note on Crepis biennis, 22:192-

A station for Croton glandulosus in New Jersey, 23:221–223.

Muscari comosum, a new introduction found in Philadelphia, 24:16-20.

Naturalized occurrence of Prunus Padus in America, 25:169–177. [Newfoundland Mosses collected by ——

in 1924-26], 30:1-12, pl. 158.

LONG, C. A. E.

Notes from Matinicus, 21:148.

Some noteworthy Matinicus plants, 22: 110-111.

Some rare plants from Knox County, Maine, 23:198-199.

Notable additions to the flora of Knox County, Maine, 24:181-183.

Long Island, Anacharis densa on, 34:151.

Long Island, Corynephorus canescens on western, 41:314.

Long Island, Cyperus microiria on, 42:196. Long Island, Erechtites megalocarpa on, 41:

Long Island, Flora of, [Review], 27:213.

Long Island, Grier's notes on the flora of, 27: 213; 28:242.

Long Island, Listera australis on, 37:308. Long Island, New York, New stations for Chamaecyparis on, 9:74

Long Island, Panicum Wrightianum in, 16:

167.

Long Island, Ramalina Montagnaei De Not. on, 12:7.

Long Island, Tillaea aquatica on, 37:301. Long Island, Viola rotundifolia on, 37:421. Long Pond, 21:73.

Long's Peak, Salix serissima on, 25:67.

Lonicera caerulea in eastern America, The variations of, 12:209.

Lonicera caerulea, Notes on the morphology of the fruit of, 11:209.

Lonicera caerulea, The American representa-

tives of, 27:1. Lonicera flavida, Lonicera prolifera and,

Lonicera prolifera and L. flavida, 12:166. Lonicera sempervirens established in Westford, Massachusetts, 4:40.

Loomis, Martha Louise A seedless Barberry found at Sherborn, Massachusetts, 14:207.

Some extensions of local ranges, 15:44.

A correction concerning Dicksonia puntilobula, forma cristata, 15:204.

Avena fatua in eastern Massachusetts, 16: 183

Loosestrifes from the Northern States, Two ambiguous, 1:131.

Lophiola aurea in Nova Scotia, 21:68.

Lophotocarpus on the north-eastern river-estuaries, 24:71. LORENZ, ANNIE

Nardus stricta in the White Mountains, 21:22-23.

A revision of the Mt. Desert Hepatic list, 26:6-13.

Lotus at West Peabody, Massachusetts, The

American, 33:230.

Lotus tenuis as a waif in Rhode Island, 7:167. Lotus, The name of the American, 36:23. Louis-Marie, Father The genus Trisetum in America, 30:209-

223, 237-245.

[Flore-Manuel de la Province de Qué-

becl, Review of, 34:19-20. The Ancylatheran Calamagnostis of eastern North America, 46:285-305, pls. 836, 837.

Louisiana, The Ferns and Fern Allies of, [Review], 44:484.

Louisiana, Uvularia perfoliata in, 37:58. Louisiana, Wolffiella lingulata in, 35:226.

LOVELL, HARVEY B. (LOVELL, J. H. and ---), The pollination

of Rhodora, 34:213–214, pl. 222. (LOVELL, J. H. and _____), The pollination of Kalmia angustifolia, 36:25-28, 1 fig. (LOVELL, J. H. and ——), Pollination of the Ericaceae: Chamaedaphne and Xolisma, 37:157-161, 2 figs.

- and LOVELL, J. H.), Pollination of the Ericaceae: Ledum and Pyrola, 38: 90-94, 2 figs.

- and Lovell, J. H.). Pollination of Vaccinium pennsylvanicum, 39:60-63, 1

- and LOVELL, J. H.), Pollination of Verbena hastata, 41:184–187, 1 fig. Pollination of the Ericaceae, V. Gaylus-

sacia baccata, 42:352-354, figs. A-Ğ. Pollination of the Ericaceae, VI. Vaccin-

ium caespitosum on Mt. Katahdin, 44: 187–189, figs. A-D. LOVELL, JOHN H.

(— and LOVELL, H. B.), The pollination

of Rhodora, 34:213-214, pl. 222.
(— and Lovell, H. B.), The pollination of Kalmia augustifolia, 36:25-28, 1 fig. (— and Lovell, H. B.), Pollination of the Ericaceae: Chamaedaphne and Xolisma, 37:157-161, 2 figs.

(LOVELL, H. B. and ——), Pollination of the Ericaceae: Ledum and Pyrola, 38:

90-94, 2 figs.

(LOVELL, H. B. and -—), Pollination of Vaccinium pennsylvanicum, 39:60-63, 1 fig.

(LOVELL, H. B. and ——), Pollination of Verbena hastata, 41:184–187, 1 fig.

Lowe, Rachel L.—Saxifraga Aizoon on Mt. Ktaadn, 26:168.

Lowell Institute, Botanical lectures at the, 13: 253.

LOWELL, JOHN AMORY—[Herbarium of], 3:71. LOWELL, PERCIVAL—[Botanical activities of], 19:21-24.

LOWENSTEIN, ALBERT EDGAR-Orchids found in the region of Asquam Lake, 19:56-57. LOWNES, ALBERT EDGAR

Further notes on the Orchids of the Asquam region, 19:235-236.

Notes on Pogonia trianthophora, 22:53-55, figs. 1.

Habenaria hyperborea in Rhode Island, 25:44-45.

Andropogon glomeratus in Rhode Island, 31:198.

Ludvigia from New England, A new, 35:227. Ludwigia § Isnardia, Notes on, 37:175.

Ludwigia microcarpa in Missouri, 42:144. Ludwigia sphaerocarpa, The variations of, 37:

173. LUNT, J. RICHARD—Succisa pratensis in Massachusetts, 14:174.

Lupine, Our albino, 45:356.

Lupines naturalized in eastern Canada and Newfoundland, Three, 16:92.

Lupinus perennis, The pink-flowered form of, 14:237

Lurvey, Sam A.— A new station for Hieracium pratense, 10:148.

Luzula campestris in North America, The variations of, 15:38.

Luzula campestris var. frigida in New Hampshire, 15:186.

Luzula campestris var. multiflora and its allies,

Luzula from eastern Canada, A new, 19:38. Luzula multiflora, The bulbiferous form of,

Luzula, Notes on eastern American, 47:265. Luzula vernalis, The American representatives of, 5:193.

Lycopodiales of Quebec, Victorin's treatment of the, 28:18.

Lycopodium annotinum. The American var-

iations of, 17:123. Lycopodium clavatum and its variety, 5:39.

Lycopodium clavatum and its Variety monostachyon, Notes on, 4:100.

Lycopodium clavatum, The North American variations of, 12:50.

Lycopodium clavatum var. monostachyon in

northern Maine, 3:237.

Lycopodium clavatum var. monostachyon on Mt. Monadnock, 4:57. Lycopodium complanatum, An extension of

range for the typical, 4:154.

Lycopodium complanatum and its common American representative, True, 3:278.

Lycopodium complanatum near Hartland, Vermont, 13:211.

Lycopodium complanatum var. flabelliforme,

4:59.Lycopodium flabelliforme, 13:168.

Lycopodium in the United States and Canada, The spores of the genus, 36:13.

Lycopodium inundatum, A new variety of,

Lycopodium inundatum and its allies in the Western Hemisphere,—I., Notes on, 33:201. Lycopodium inundatum, Fairy-rings formed

by, 1:28. Lycopodium inundatum, The varieties of, 48: 134.

Lycopodium lucidulum, The gemmae of, 4:

Lycopodium, Notes on, 4:57.

Lycopodium porophilum, The identity of, 34: 169.

Lycopodium sabinaefolium and L. sitchense, 25:166.

Lycopodium sabinaefolium Willd., var. sharonense (Blake) comb. nov., 20:60.

Lycopodium Selago, A Connecticut station for, 7:20.

Lycopodium Selago on Mount Holyoke, Massachusetts, 5:290.

Lycopodium sitchense, Lycopodium sabinaefolium and, 25:166.

Lycopodium sitchense on Mt. Washington, The discovery of Comandra livida and, 4:

Lycopus amplectens var. pubens in New England, 46:451.

Lycopus, Diagnostic characteristics in, 38:373. Lycopus uniflorus, The identity of Michaux's,

Lygodium palmatum and Agrimonia mollis in Berkshire County, Massachusetts, 28: 179.

LYNGE. B .- Some general results of recent Norwegian research work on arctic Lichens, 36:133-171, pls. 284, 285. Lynn, Massachusetts, Two plants new to the

flora of, 5:256.

Lyonia ligustrina, The varieties of, 43:624. Lysimachia lanceolata, The identity of, 39:

Lysimachia punctata in eastern Massachusetts, 3:201.

Lysimachia terrestris (L.) BSP., var. ovata (Rand & Redfield), n. comb., 24:76.

Lythrum alatum in Maine, 48:40.

Macbride, J. Francis

(FERNALD, M. L. and —), The North American variations of Arctostaphylos Uva-ursi, 16:211-213.

Sisymbrium brachycarpon and allies, 17: 138 - 141.

A white-flowered Spiraea tomentosa, 17: 142-143.

Range extensions of two grasses, 17:159-

The correct name of an introduced Sym-

phytum, 18:23-25. Amsinckia in the northeastern United States, 18:27-28

Anchusa in New England, 18:50-51.

A new species of Bladdernut, 20:127-129. A new Perezia adventive in Massachusetts. 20:150-152.

(STANDLEY, P. C. and ——), A new form of Red Cedar from Indiana, 31:193-194. MACBRIDE, THOMAS H .- The Slime Moulds,

2:75-81, pl. 16. McAtee, W. L.

Plants collected on Matinicus Island, Maine, in late Fall, 1915, 18:29-45.

The Winter flora of Muskeget Island,

Massachusetts, 18:93-99.

M'Donald, Francis Eugene—[Biographical sketch], 13:145-146 (with portrait).

McFarland, Frank T.—[A Catalogue of the Vascular Plants of Kentucky], Review of,

45:278.

McFarlin, James B.

Two new evergreen Hollies from central Florida, 34:16-18.

Hollies from central Florida, 34:233-236, pls. 224-231.

McGregor, Frank J.—Rediscovery of Paronychia argyrocoma, var. albimontana at Newburyport, Massachusetts, 47:90–91.

McLaughlin, Willard T .- Notes on the flora of Glacier National Park, Montana, 37:362-365.

McMinn, Howard E .- [An illustrated manual of California shrubs], Review of, 43:212.

McVaugh, Rogers

Studies in the taxonomy and distribution of the eastern North American species of Lobelia, 38:241–263, 276–298, 305–329, 346–362, pls. 435, 436. Notes on the Lobelias in the herbarium of Stephen Elliott, 40:175–177.

Generic status of Triodanis and Specularia, 50:38-49.

Mackenzie Basin, A new species of Salix from the, 32:111

MACKENZIE, KENNETH K.

Scientific names applicable to our purpleflowered Eupatoriums, 22:157-165. Double-headed generic names, 26:229-

231.

The name Sisymbrium, 27:28-32.

Proper use of the name Leontodon. 27: 47-49.

The genus Erysimum, 27:65-67.

Limodorum tuberosum L., 27:193-196.

Solidago rigida L., 28:29-31. Aster ericoides L., 28:65. "Acer saccharum Marsh.," 28:111-112. Concerning Solidago humilis, 28:208.

Technical name of Sugar Maple, 28:233-

Further light on our purple-flowered Eupatoriums, 29:6-9.

Solidago conferta Miller, 29:17-19. Usage, 29:26-32.

Solidago altissima L., 29:72-75.

Proper use of the name Nymphaea, 29: $2\bar{3}4-237.$

Nymphaea maculata Raf., 29:239 Concerning Dilepyrum, 29:246-247. The Grass genus Digitaria, 30:49-52

Solidago flexicaulis and Solidago latifolia, 30:223-224.

Concerning the proper identification of Linnean species, especially those based on material collected by Clayton, 30:

The generic name Radicula, 31:119. Aira spicata L., 31:194-195.

Macloviana as a specific name, 44:71. Maclura pomifera (Raf.) Schneider, 9:148. MacMillan, Conway-[Minnesota Plant

Life], Review of, 2:87.

MacMillan expedition 1922, Baffin Land plants collected by the, 25:111.

Magnolia from West Florida, A new, 28:35. Magnolia, Note on the fruit of Mountain, 19: 256.

Magnolia tripetala in Springfield, Massachusetts. 15:63.

Magnolia virginiana in Massachusetts, The present status of, 30:207.
Maguire, Bassett

(Muenscher, W. C. and ——), Notes on some New York plants, 33:165–167, pl. 213.

Distribution notes concerning certain plants of Glacier National Park, Montana, 36:305-308.

Distribution notes concerning plants of Glacier National Park, Montana,-II, 41:504-508.

— and Jensen, G. H.), Great Basin plants,—V. Aquatics, 44:4-9.

Maianthemum canadense and its Variety interius, Notes on the range of, 28:9; The western variety of, 16:210.

Maine, A botanical expedition to Mt. Katahdin, 3:147.

Maine, A list of Mosses collected at Katahdin Iron Works, 2:61.

Maine, A new Cardamine from southern, 19:

Maine, A new Kobresia in the Aroostook Valley, 5:247.

Maine, A new station for Iris Hookeri in, 10:

Maine, A new station for Nyssa sylvatica in, 6:164.

Maine, A new Sunflower for, 6:147. Maine, A spurless Halenia from, 1:36.

Maine, A third station for Waldsteina fragarioides in, 35:322.

Maine, Actinella odorata in, 7:80. Maine, addenda, Some, 10:146.

Maine, Additional notes on the plants of Chesterville, 11:30.

Maine, Additions to the flora of Mount Desert, 23:65.

Maine, An algologist's vacation in eastern, 4: 174.

Maine, An occurrence of Catharinaea crispa in, 9:74.

Maine and adjacent Canada, Rosa blanda and its allies of northern, 20:90.

Maine and western New Brunswick, A summer's botanizing in eastern, 12:101, 133. Maine, Aquilegia canadensis var. flaviflora in,

4:169. Maine, Aristida basiramea in, 31:78.

Maine, Aulacomnium heterostichum in, 4:

Maine, Betula papyrifera, var. commutata in western, 47:405.

Maine, Bryophytes of Mount Katahdin, 3: 177.

Maine, Bulletin of the Josselyn Botanical Society of, 9:196.

Maine, Cardamine bellidifolia in Cumberland County, 3:185.

Maine, Carex typhina in, 44:20.

Maine catalogue, Plants apparently new to the, 14:176.

Maine, Cleome serrulata in, 6:79. Maine coast at Cutler, The, 4:23.

Maine coast, Primula farinosa var. macropoda on the, 9:217.

Maine, Dr. Aaron Young, Jr. and the botanical survey of, 37:1.

Maine, Dumontia in, 35:315.

Maine, Erucastrum Pollichii in, 28:88.

Maine, Ferns of Maranacook, 1:218. Maine, Ferns of the Red River Country, 32:

Maine, Filipendula rubra in, 10:144.

Maine flora, Northeastward extensions in the, 38:453; —II, 40:245.

Maine, Flora of Mount Saddleback, Franklin County, 5:35.

Maine, Flora of the Sandy River Valley in, 16:11.

Maine for Ilex verticillata forma chrysocarpa, A station in, 25:148.

Maine, Further additions to the Mt. Desert flora, 31:81.

Maine, Further notes on Arabis laevigata and Asplenium Trichomanes in, 7:13.

Maine, Further notes on Solanum rostratum and Hieracium praealtum in, 4:151.

Maine, Galinsoga in, 5:258.

Maine, Gentiana linearis, var. latifolia in, 26:

Maine, Gentiana quinquefolia in, 47:143. Maine, Habenaria macrophylla in, 8:188.

Maine in late Fall, 1915, Plants collected on Matinicus Island, 18:29.

Maine in 1907, Noteworthy plants collected

at Roque Bluffs, 9:218.

Maine, Josselyn Botanical Society of (see: Josselyn Botanical Society of Maine)

Maine, Juneus articulatus var. nigritellus in,

11:164.

Maine, June 20-25, 1900, A list of plants seen on the Island of Monhegan, 3:187.

Maine, Lactuca Morssii in, 1:193. Maine, Lamium album in, 4:218

Maine, Lemna trisulca at Isle au Haut, 30:121. Maine, Linum catharticum in, 14:56.

Maine, Littorella americana in Washington County, 33:79.

Maine, Lobelia Dortmanna in Aroostook County, 36:128.

Maine, Lomatogonium rotatum (L.) Fries in, 31:143

Maine, Lycopodium clavatum var. monostachyon in northern, 3:237.

Maine, Lythrum alatum in, 48:40. Maine, Marsilea quadrifolia in, 22:156. Maine Mosses, Some, 6:145.

Maine, Mountain Laurel (Kalmia latifolia) at Cherryfield, 33:198.

Maine, Myosotis collina in, 1:76.

Maine, New stations for Peltandra virginica and Conopholis americana in, 4:168. Maine, Notable additions to the flora of Knox

County, 24:181.

Maine, Notes on the Bryophyte flora of, 1:33;

—II, 3:181.

Maine, Notes on the Ferns of Maranacook, 3:236.

Maine, Notes on plants of Chesterville, 9:207. Maine, Notes on some Ferns of Franklin County, 4:247.

Maine, Notes on some plants of Bangor, 8:72. Maine. Notes on some rare plants of York County, 37:415.

Maine, Notes on the flora of Boothbay, 27: 53; —II, 29:14; —III, 34:167.

Maine, Notes on the flora of Day Mountain,

Franklin County, 6:206. Maine, Notes on the flora of the Penobscot

Bay region, 16:189. Maine, Notes on Triglochin palustris and

Montia lamprosperma in, 35:291. Maine, Noteworthy plants at Exeter, 1:75.

Maine, Noteworthy plants collected at Roque Bluffs, 9:218.

Maine, Nymphaea tetragona in, 38:375.

Maine, Nymphaea tetragona in Somerset County, 43:74.

Maine, On the flora of Chesterville, 2:123.

Maine, On the flora of Mt. Abraham Township, Franklin County, 1:191.

Maine, Orchids of Chesterville, 5:82.

Maine, Plantago arenaria W. & K. at Portland, 33:171.

Maine, Plantago virginica in, 41:559.

Maine, Plants and plant societies at Roque Bluffs, 17:145.

Maine Plants and their uses, "wise and otherwise," Some, 3:129.
Maine, Plants apparently new to Mount Ka-

tahdin, 37:455.

Maine, Plants from the Duck Islands, 2:207. Maine plants, New stations for, 5:289; 6:194; -II, 6:232.

Maine plants, Notes on, 1:185.

Maine plants, Notes on northern, 46:204. Maine plants, Notes on some, 40:462.

Maine plants, Some, 15:134.

Maine plants, Some interesting, 11:12. Maine plants, Some new records of, 8:98.

Maine, Pogonia affinis in, 28:31 Maine, Pogonia pendula in, 2:211.

Maine, Polygonum puritanorum in, 45:215. Maine, Polytrichum gracile Dicks. in, 9:64.

Maine, Ranunculus Iapponicus in Aroostook County, 41:461.

Maine, Records of some plants new to, 5:71. Maine, Rhododendron maximum in Somerset County, 1:55.

Maine, Rorippa amphibia in Androscoggin County, 35:262

Maine Rubi,-I. The Blackberries of the Kennebunks and Wells, 8:146; —II, 8:169; -III, 8:212.

Maine, Salix incana at Castine, 10:56. Maine, Scirpus Peckii in, 32:133 Maine, Selaginella apoda in, 25:188.

Maine, Sisyrinchium mucronatum in Penobscot County, 37:75.

Maine, Solanum rostratum in central, 3:276. Maine, Solidago and Aster in Washington County, 33:159.

Maine, Solidago lepida var. fallax in Knox County, 22:77.

Maine, Some casual elements in the flora of

western, 6:81. Maine, Some Mosses from Aroostook County,

10:37. Maine, Some noteworthy plants from the is-

lands and coast of, 15:137. Maine, Some noteworthy plants of, 6:235.

Maine, Some noteworthy plants of York County, 38:452.

Maine, Some plants new to the flora of, 6:91. Maine, Some rare plants from Knox County, 23:198

Maine, The discovery of Cryptogramma Stelleri in, 10:35.

Maine, The dwarf Mistletoe on the southeastern coast of, 9:208.

Maine, The marine flora of Great Duck Island, 2:209.

Maine, The occurrence of Eleocharis diandra at Brunswick, 4:1.

Maine, The occurrence of Empetrum in Franklin County, 4:196.

Maine, The occurrence of Thamnolia in, 2:

Maine, The Seneca Snakeroot in, 4:133.

Maine, The status of Chamaecyparis thyoides in, 42:343.

Maine, The vascular plants of Mount Katahdin, 3:166.

din, 3:166.
Maine, Three aquatics from southern, 39:273.
Maine, Three plants from, 9:202.
Maine, Tree Willows at Fort Kent, 3:277.
Maine, Trillium grandiflorum in, 29:15.
Maine, University, [Herbarium of], 3:285.
Maine, Waldsteinia in, 24:124.
Maine, Western plants at Cumberland, 5:119.
Maine, Woodsia glabella in, 5:286.
Maine, Woody Plants of, [Review], 47:143.
Maine, Woody plants of Brooklin, 12:173.
Mallows, The correct names of the small-flowered, 39:98.

flowered, 39:98. MALTE, M. O.

Antennaria of arctic America, 36:101-117,

Critical notes on plants of arctic America, 36:172-193.

Manchester, New Hampshire, A Flora of, [Review], 2:157; Notes from, 10:204.

Manitoba, Notes on the northern range of Zizania in, 37:302.

MANN, HORACE, Jr.-[Herbarium of], 3:256, 257, 288.

MANN, R. L.—An American occurrence of the European Centaurea diffusa, 4:249.

MANNING, WARREN H. Matricaria discoidea in eastern Massachusetts, 1:18.

[Herbarium of], 3:257.

Berberis Thunbergii naturalized in New Hampshire, 15:225-226.

MANNING, WAYNE E.

Wolffia in Massachusetts, 36:240.

Nymphaea tetragona in Maine, 38:375. New records for the Connecticut Valley in Massachusetts, 39:186.

Hairy variety of Sweet Pignut in New England, 47:46.

A hybrid between Shagbark and Bitternut Hickory in southeastern Vermont, 50:

Manual, Emendations of the seventh edition of Gray's,—I, 11:33.

Manual of Botany, Check-list of Gray's, 10:

Manual of Botany, Seventh Edition, Gray's, [Notice], 10:167; [Review], 10:193.

Manual of Botany, Text-figures in Gray's, 10:

Manual of the Grasses, Hitchcock's, [Review], 37:369. Manual of the Grasses of Illinois, A, [Review],

20:188.

Manual of the Trees of North America, Sargent's, [Review], 7:139.

Manual range, Gonolobus within the Gray's, 40:281.

Manual range? Is Mayaca in the, 49:130. Manual range? Is there evidence of Sericocar-

pus bifoliatus in the, 46:316.

Manual-range and southeastern plants, A Mexican station for three, 49:202.

Manual range, Key to Antennaria of the, 47: 221, 239,

Manual range, Notes on certain plants in the Gray's, 48:89.

Manual range. Potamogeton tennesseensis new to the, 49:255.

Manual range, Some Orchids of the, 48:161, 184.

Manual range, The variations of Rhus aromatica in the Gray's, 43:599.

Manual, Rehder's, [Review], 29:48; 42:502. Manual, The use of accentual marks in Gray's, 7:189.

Maple, A conical Sugar, 36:238. Maple, Technical name of Sugar, 28:179, 233. Maranacook, Maine, Ferns of, 1:218; Notes on the Ferns of, 3:236.

Marie-Victorin, Frère (see: Victorin, Bro.

Marie-)

Marion, Massachusetts, Chrysanthemum segetum L. at, 1:57.

Mariscus, Nomenclatorial transfers in, 25:49. Maritime plants, Studies on interior distribution of, 29:41, 57, 87, 105.

Maritime plants of northeastern North America, Two new, 19:76.

Marsh and aquatic plants, Range extensions of, 42:20.

Marsh vegetation, A handy guide to aquatic and, [Review], 47:395.

MARSHAL, MINA L.—[The Mushroom Book],

Review of, 3:142-144.
Marshfield, Massachusetts, Carex maritima in,

16:213.

Marsilea quadrifolia in Maine, 22:156.

Martha's Vineyard, The Heather, Calluna vulgaris on, 15:189.

MARTIN, ROBERT F. A new Juneus from Utah, 40:69-71, figs. A new Selenia from Texas, 40:183-184. Miscellaneous notes on United States

plants, 40:459-461.

Reduction of Juneus utahensis, 41:464. Maryland and Delaware, Some noteworthy plants recently found in the Coastal Plain of, 41:111.

Maryland and Virginia, Notes on the flora of,

—Ĭ, 15:101; —IĬ, 16:201. Maryland and Virginia, The Typhae of, 13: 241.

Maryland, Aster ericoides, var. platyphyllus in, 30:106

Maryland, Carex divisa, Teesdalia nudicaulis and Thlaspi perfoliatum in, 36:412.

Maryland plants, Notes on, 6:176. Maryland plants, Notes on Virginia and, 36:

Maryland, Pseudotaenidia in, 26:23. Maryland, Solidago polycephala in, 13:106. Maryland, Some plants recently found in the

Coastal Plain of, 42:277.

Massachusetts, A Callitriche new to, 32:15. Massachusetts, A colony of Alnus glutinosa in eastern, 2:157

Massachusetts, A few noteworthy plants from

Falmouth, 32:103

Massachusetts, A flora of Springfield, [Review], 26:179.

Massachusetts, A flora of the Connecticut

Valley in, [Review], 15:97.

Massachusetts, A further note on Cimicifuga racemosa in, 28:17.

Massachusetts, A list of Bryophytes from the Mt. Greylock region, 4:29.

Massachusetts, A new Perezia adventive in, 20:150. Massachusetts, A new Polygonum from south-

eastern, 21:140.

Massachusetts, A new species of Eleocharis from, 24:23.

Massachusetts, A new Wild Lettuce from eastern, 1:12.

Massachusetts, A Ribes new to, 10:205.

Massachusetts, A second station for Cyperus Grayii in Essex County, 14:22.

Massachusetts, A second station for Panicum longifolium in, 31:39.

Massachusetts, A seedless Barberry found at

Sherborn, 14:207.

Massachusetts, A southern flora and fauna of post-Pleistocene age in Essex County, 10:42. Massachusetts, A station for Asplenium ebenoides in, 8:113.

Massachusetts, a study in succession, Reforestation at Woods Hole, 7:121.

Massachusetts, A Teucrium new to, 11:148. Massachusetts, Acanthospermum australe at Lawrence, 9:26.

Massachusetts, Achillea tomentosa at West-

ford, 10:127.

Massachusetts, Additions to the flora of Amherst, 1:164.

Massachusetts, Additions to the flora of Springfield, 29:241. Massachusetts, Additions to the flora of Wor-

cester County, —I, 1:42; —II, 1:201; —III, 3:185; 30:20 [Review].

Massachusetts Agricultural College and Experiment Station, Herbarium of, 3:257.

Massachusetts, Alchemilla pratensis found at Westford, 9:92.

Massachusetts, An addition to the wool-waste flora of eastern, 34:214.

Massachusetts, An occurrence of Nicotiana rustica in, 14:206.

Massachusetts, An unexpected addition to the flora of western, 40:424. Massachusetts and Bash-Bish Falls, An excur-

sion to Mt. Washington, 21:198.

Massachusetts and Mt. Katahdin, A comparison of the flora of Mt. Washington, 3:160. Massachusetts and New Jersey, A new species of Scirpus from, 13:4.

Massachusetts, Another station for Cypripe-

dium arietinum in, 31:223.

Massachusetts, Anychia canadensis in Hampshire County, 36:58.

Massachusetts, Aquilegia canadensis f. Phippenii in Worcester County, 31:36.

Massachusetts, Arceuthobium pusillum in, 2:

Massachusetts, Asplenium montanum in south-central, 50:20.

Massachusetts, Avena fatua in eastern, 16:

Massachusetts, Betula populifolia in Virginia and its Variety laciniata in, 44:236.

Massachusetts, Blumenbachia insignis a casual plant at Southbridge, 8:225.

Massachusetts, Botrychium matricariaefolium

on Mt. Toby, 3:144. Massachusetts, Botrychium obliquum var. on-

eidense in eastern, 12:80.

Massachusetts: Camptosorus rhizophyllus and Helenium autumnale, Status of two introductions by Minot Pratt at Concord, 34:172. Massachusetts, Carex Bebbii in eastern, 33:

Massachusetts, Carex maritima in Marshfield, 16:213.

Massachusetts, Carex Mitchelliana and other rare plants near Cohasset, 30:198.

Massachusetts, Carex novae-angliae in eastern, 2:83.

Massachusetts, Castanea pumila in eastern, 13:90.

Massachusetts, Chrysanthemum segetum L. at Marion, 1:57.

Massachusetts, Cimicifuga racemosa in, 23:

Massachusetts, Cladonia Beaumontii in, 25:

Massachusetts, Clathrus columnatus in Lawrence, 4:134.

Massachusetts coast, Chlorocystis Cohnii on the, 2:104.

Massachusetts College of Pharmacy, [Herbarium of], 3:257.

Massachusetts, Crepis virens in eastern, 4:197. Massachusetts, Cuphea procumbens at Andover, 4:247.

Massachusetts, Cuscuta trifolia in, 5:290.

Massachusetts, Cynanchum nigrum in Barnstable, 13:70.

Massachusetts, Cynoglossum amabile in, 35:

Massachusetts, Cypripedium arietinum on Mt. Toby, 4:62.

Massachusetts, does it occur farther north? Hottonia inflata in Amesbury, 3:216.

Massachusetts? Does Juneus bulbosus occur in, 34:117.

Massachusetts, Dracocephalum thymiflorum a casual plant at Westford, 13:212.

Massachusetts, Eclipta alba in, 7:173.

Massachusetts, Epipactis Helleborine at Stockbridge, 1:52.

Massachusetts, Equisetum pratense in Berkshire County, 29:32.

Massachusetts, Erodium malacoides at Lawrence, 5:39.

Massachusetts, Euclidium syriacum in, 10:72.

Massachusetts, Euphorbia corollata at Concord. 3:253.

Massachusetts, Euphorbia glyptosperma in,

Massachusetts, Euphrasia canadensis in, 47:39. Massachusetts, Exotic plants established in Middlesex County, 20:204.

Massachusetts, Ferns of Mt. Toby, 3:41. Massachusetts, Ficus Carica in, 35:40.

Massachusetts flowering in April 1910, Plants of eastern, 12:127.

Massachusetts, Four introduced plants at Cambridge, 10:167.

Massachusetts, Further additions to the flora of Middlesex County, 1:97, 223.

Massachusetts, Further notes on the flora of Worcester County, 2:201.

Massachusetts, Further notes on the flora of Duxbury, 14:90.

Massachusetts, Further notes on the Panicums of Essex County, 15:36.

Massachusetts, Further wool-waste plants at Westford, 15:172.

Massachusetts, Galax aphylla introduced in,

Massachusetts, Galium trifidum at Wellesley, 14:205.

Massachusetts, Geranium nepalense, var. Thunbergii in, 47:219.

Massachusetts, Hemicarpha in eastern, 4:82. Massachusetts, Hieracium florentinum at Wellesley Hills, 15:116.

Massachusetts, Hieracium murorum in, 7:80. Massachusetts, Hieracium praealtum at Andover, 4:197.

Massachusetts, Hoffmann's Flora of Berkshire County, [Review], 24:183.

Massachusetts Horticultural Society, [Herbarium of 1. 3:257

Massachusetts, Hydrangea paniculata naturalized in, 31:18.

Massachusetts, Hypericum aureum a casual plant in eastern, 12:55.

Massachusetts, Index to the flora of the Boston district, 31:41.

Massachusetts in the Spring of 1917, The tardy flowering of plants in eastern, 19:219.

Massachusetts, John Robinson, botanist, of Salem, 31:245.

Massachusetts, Jasione montana in, 4:199. Massachusetts, Juneus Torreyi and Ellisia Nyctelea in, 4:170.

Massachusetts, Juniperus communis, var. erecta in. 3:146.

Massachusetts, Lathyrus palustris, var. pilosus (Cham.) Ledeb. in, 11:108.

Massachusetts, Lepachys columnaris in eastern, 25:68.

Massachusetts, Liparis Loeselii in, 4:62.

Massachusetts, List of Desmids found in Carver's Pond, Bridgewater, 5:79.

Massachusetts, Lonicera sempervirens established in Westford, 4:40.

Massachusetts, Lycopodium Selago on Mount Holyoke, 5:290.

Massachusetts, Lygodium palmatum and Agrimonia mollis in Berkshire County, 28:179. Massachusetts, Lysimachia punctata in eastern, 3:201.

Massachusetts, Magnolia tripetala in Springfield, 15:63.

Massachusetts, Matricaria discoidea in eastern, 1:18.

Massachusetts, Matricaria inodora var. salina in, 11:239.

Massachusetts, Mibora minima (L.) Desv. at Plymouth, 17:97.

Massachusetts, Mimulus moschatus in, 6:227. Massachusetts, Modiola caroliniana in, 46:326. Massachusetts, Montia sibirica in, 18:240. Massachusetts, Morels in October in, 14:53. Massachusetts, New records for the Connecti-

cut Valley in, 39:186.

Massachusetts, New records for Worcester

County, 36:7.
Massachusetts, Newly-observed plant stations in eastern, 1:89

Massachusetts, Notes on Oedogonium and Bulbochaete in the vicinity of Woods Hole.

Massachusetts, Notes on Myxomycetes from eastern, 29:165.

Massachusetts, Notes on the distribution of some of the rarer plants of central, 2:119.

Massachusetts, Notes on the flora of Berkshire County, 6:202. Massachusetts, Notes on the flora of Duxbury,

Massachusetts, Notes on the flora of Franklin County, 12:168. Massachusetts, Notes on the flora of Haver-

hill. 35:261. Massachusetts, Notes on the flora of Woods

Hole, 3:87. Massachusetts, Notes on the flora of Worces-

ter County, 37:80; -II, 42:40. Massachusetts, Notes on the plants of Hing-

ham, 26:175. Massachusetts, Notothylas orbicularis in, 9:

219. Massachusetts, Oedogonium in the vicinity

of Woods Hole, 36:197. Massachusetts, On the plants introduced by Minot Pratt at Concord, 1:168.

Massachusetts, Orchids of Mt. Greylock, 2: 179.

Massachusetts, Orontium at Hyannis, 16:77. Massachusetts, Orontium in Barnstable County, 16:18.

Massachusetts, Panicum barbulatum in, 1:76. Massachusetts, Panicum longifolium in, 30:

Massachusetts, Panicum virgatum var. cubense Griseb. (or var. obtusum Wood) in Plymouth County, 36:149.

Massachusetts, Past and present floral conditions in central, 1:143.

Massachusetts, Pinus resinosa in Norwood, 12: 217.

Massachusetts, Plantago altissima in, 36:389. Massachusetts, Plantago elongata in, 6:211.

Massachusetts plants, Four forms of, 36:194. Massachusetts, Plants from South Weymouth, 20:115.

Massachusetts plants, Newly observed stations for, 9:11

Massachusetts, Plants new to eastern, 4:60. Massachusetts plants, Notes on some Rhode

Island and southeastern, 26:127.

Massachusetts, Polygonum exsertum in, 7:140. Massachusetts, Potamogeton bicupulatus in, 50:304.

Massachusetts, Potamogeton Hillii in Berkshire County, 42:95.

Massachusetts, Pteridophyte notes from eastern, 13:101.

Massachusetts, Quercus imbricaria Michx. in,

Massachusetts, Ranunculus abortivus, var. eucyclus in Hyde Park, 4:152.

Massachusetts, Rare plants in Centreville, 4:

Massachusetts, Rare plants in Groton, 14:234.

Massachusetts, Records of Wolffia columbiana in, 5:287

Massachusetts, Rediscovery of Paronychia argyrocoma, var. albimontana at Newburyport, 47:90.

Massachusetts, Reports on the flora of, —I, 30:12; —II, 35:351; —III, 44:213; —IV, 49:257.

Massachusetts, Salvinia rotundifolia in, 43: 556.

Massachusetts, Scirpus Smithii in, 11:220.

Massachusetts, Sclerolepis uniflora in, 14:23. Massachusetts, Several uncommon Fern-allies from northwestern, 3:252.

Massachusetts, Some additions to the flora of, 4:166.

Massachusetts, Some additions to the flora of Middlesex County, 1:80.

Massachusetts, Some fleshy Fungi of Stow, 13: 57; —II, 16:45.

Massachusetts, Some adventitious plants in Concord, 38:64.

Massachusetts, Some field notes: a new variety and some forms of plants from the Middle West; also two forms from, 34:4.

Massachusetts, Some further plants found on woolwaste at Westford, 19:132.

Massachusetts, Some Grasses noteworthy in, 16:81

Massachusetts, Some Lichens from Nantucket Island, 14:88.

Massachusetts, Some local plants of eastern

and central, 12:185. Massachusetts, Some Myxophyceae from Nan-

tucket Island, 40:74.
Massachusetts, Some Panicums of Essex County, 14:36.

Massachusetts, Some plants recently found in and around North Easton, 4:13.

Massachusetts, Some rare plants from the vicinity of Wellesley, 11:82.

Massachusetts, Some rare plants of Needham, 1:179.

Massachusetts, Some recent additions to the flora of Berkshire County, 41:128.

Massachusetts, Some uncommon Mosses in northern Essex County, 2:95.

Massachusetts, Sparganium diversifolium, var. acaule in, 10:56.

Massachusetts, Spiranthes in Dover, 20:111. Massachusetts station for Calluna vulgaris, Another, 35:294.

Massachusetts station for Serapias Helleborine, Another, 43:632.

Massachusetts, Succisa pratensis in, 14:174. Massachusetts, Tetraplodon australis in, 12: 156.

Massachusetts, The American Lotus at West Peabody, 33:230.

Massachusetts, The Date-palm as a ruderal plant in, 29:51.

Massachusetts, The distribution of Red Cedar in eastern, 49:172.

Massachusetts, The extension of some ranges in eastern, 12:38.

Massachusetts, The flora of the Elizabeth Islands, 32:119, 147, 167, 208, 226, 263. Massachusetts, The genus Euastrum in, 37:

Massachusetts, The genus Trisetum in Andover, 5:289

Massachusetts, The occurrence of Centipeda minima in Wellesley, 40:219.

Massachusetts, The occurrence of Verbena stricta and Helianthus mollis in, 6:88.

Massachusetts, The Oscillatoriaceae of southern, 40:221, 255.

Massachusetts, The persistence of Opuntia humifusa in Concord, 40:486.

Massachusetts, The plant-formations of eastern, 5:124.

Massachusetts, The present status of Magnolia virginiana in, 30:207.

Massachusetts plants, The rediscovery of an historic collection of, 16:185.

Massachusetts, The relation of Pinus rigida to physiographic features and soil types in central, 40:72.

Massachusetts, The submarine Chamaecyparis bog at Woods Hole, 11:221.

Massachusetts, The three adventive Heaths of Nantucket, 10:173.

Massachusetts, The Walking-fern in Worcester County, 2:14.

Massachusetts, The Winter flora of Muskeget Island, 18:93.

Island, 18:93.

Island, 18:93.

Island, 18:93.

Massachusetts,

Massachusetts, The waning of Arceuthobium at Concord, 37:413.

Massachusetts, Thermopsis mollis in eastern, 47:91.

Massachusetts, Three plants of Berkshire County, 1:229.

Massachusetts, Three plants of Plymouth, 28:

Massachusetts, Tipularia discolor in Dukes County, 32:114

Massachusetts, Triosteum perfoliatum in, 6:

Massachusetts, Tripsacum dactyloides in, 32: 185.

Massachusetts, Two additions to the flora of. 28:232.

Massachusetts, Two Cyperaceae new to the Boston district, 31:191.

Massachusetts, Two Erodiums at Tewksbury,

Massachusetts, Two lost Carices from eastern, 13:243.

Massachusetts. Two more wool-waste plants from Westford, 26:38.

Massachusetts, Two new forms from, 34:4.

Massachusetts, Two noteworthy Carices at Sudbury, 4:167.

Massachusetts, Two plants new to, 12:204. Massachusetts, Two plants new to the flora of

Lynn, 5:256. Massachusetts, Two plants newly introduced in eastern, 46:315.

Massachusetts, Two rare Junci of eastern, 14:

Massachusetts, Two weeds new to Milton, 30: Massachusetts, Two wool-waste plants at

Lawrence, 3:92. Massachusetts, Unusual weeds in Milton, 31:

Massachusetts, Utricularia fibrosa in, 19:38. Massachusetts, Utricularia minor in Holbrook,

Massachusetts, Utricularia minor in Vinnicunnet. 4:102.

Massachusetts, Utricularia subulata in Plymouth. 30:35.

Massachusetts, Viola Brittoniana at Concord, 11:107.

Massachusetts, Viola emarginata in, 16:76. Massachusetts, Viola primulifolia in Berkshire County, 28:132.

Massachusetts, Volvaria volvacea in Law-

rence, 4:3.

Massachusetts, Webera proligera in Amesbury, 3:91.

Massachusetts, Wolffia columbiana in Concord, 41:42.

Massachusetts, Wolffia in, 36:240.

Massachusetts, Wolffiella floridana in, 40:76. Massachusetts, Wool-waste plants at Westford, 18:143.

Massachusetts, Xanthium strumarium in, 14:

Massachusetts, Xyris montana in eastern, 29: 222.

Massey, A. B.

(Hall, J. G. and —), Plants in flower, February 8, 1911, at Clemson College, South Carolina, 13:91-92.

Vicia lathyroides in eastern Virginia and new to North America, 43:207-208.

Matane County, Quebec, Solidago calciola in, 30:157.

MATHEWS, FRANK P.—A comparison of the toxicity of Notholaena sinuata and N. sinuata var. cochisensis, 47:393-395, pl. 992.

Mathews, F. Schuyler
[Field Book of American Wild Flowers],

Review of, 4:201-202.

[Field Book of American Trees and

Shrubsl, Review of, 17:103-104.
Matinicus Island, Maine, in late Fall, 1915,
Plants collected on, 18:29.

Matinicus, Notes from, 21:148.

Matinicus plants, Some noteworthy, 22:110. Matricaria discoidea in eastern Massachusetts,

1:18. Matricaria discoidea in New Hampshire, 5: 288

Matricaria inodora var. salina in Massachusetts, 11:239.

MAXON, WILLIAM R.— The American range of Botrychium lanceolatum, 20:19.

May. John B. Further notes on the flora of Duxbury,

Massachusetts, 14:90-91. A teratological specimen of Cypripedium acaule, 15:73-74.

Further notes on the Orchids of the region

of Asquam Lake, 19:131. Mayaca in the Manual range? Is, 49:130.

Meader, A. R.—Actinella odorata in Maine,

MEEHAN, THOMAS—Thomas Conrad Porter, 3:191-193.

Meesea triquetra, 33:77.

Melampyrum lineare, var. latifolium, The authorship of, 44:446.

Mentha arvensis and some of its North American variations, 46:331.

Menyanthes trifoliata in West Virginia, 12:11. Menyanthes trifoliata, var. minor, 31:195. MERRILL, ELMER D.

Notes on Maine plants, 1:185-186.

A list of Mosses collected at Katahdin Iron Works, Maine, 2:61-63.

The occurrence of Thamnolia in Maine, 2:155.

(Scribner, F. L. and——), The New England species of the genus Panicum, 3: 93-129

Notes on Sporobolus, 4:45-49.

Notes on North American Grasses, 4:142-

On Houttuyn's overlooked binomials for native or introduced plants in eastern North America, 40:288-293, pl. 495. (Contrib. Gray Herb. no. CXXII).

The Amos Eaton herbarium, 48:201-205. Unlisted new names in Alphonso Wood's botanical publications, 50:101-130.

Merrimac Valley. A new Bidens from the. 5: 90.

METCALF, F. P .- (- and GRISCOM, L.), Notes on rare New York plants, 19:28-37,

Metcalf. Haven-Notes on the Ferns of Maranacook, Maine, 3:236-237.

Metcalf, R. E., Mrs.—The Climbing Fern in New Hampshire, 4:83.

Metropolitan Park Commission (Boston), Herbarium of, 3:259.

Mexican station for three manual-range and southeastern plants, A, 49:202.

Mexico, Cyperus oxylepis in the United States and. 40:358.

Mexico, Ipomoea heptaphylla in Georgia and, 38:164

Mexico, Limonium in North America and, 18:

Mibora minima (L.) Desv. at Plymouth, Massachusetts, 17:97.

Michaux, Muhlenberg's Nordamerikanischen Weiden antedated by, 48:13, 27.

Michaux, Washington and, 17:49.

Michaux's Acer barbatum, The identity of,

Michaux's Flora Boreali-Americana: dates of publication, Willdenow's Species Plantarum and, 44:147. Michaux's Lycopus uniflorus, The identity of,

6:134.

Michaux's Panicum muricatum, 17:105.

Michaux's Vaccinium myrtilloides. Note on,

Michigan, A prairie near Ann Arbor, 19:163. Michigan, Bingham's Flora of Oakland County, [Review], 47:260.

Michigan, Contributions to the Botany of, —No. 17, 42:306; —No. 18, 43:633.

Michigan, Coronilla varia in, 33:163.

Michigan, Critical Bryophytes from the Keweenaw Peninsula, 39:1, 33.

Michigan, Critical plants of the upper Great Lakes region of Ontario and, 37:197, 238, 272, 324.

Michigan, Eleocharis caribaea var. dispar in, 37:366.

Michigan, Euphorbia pilulifera in, 38:331. Michigan, Hieracium canadense, var. hirtira-

meum in northern, 28:246.

Michigan, Najas gracillima in Indiana and, 39:432.

Michigan, Notes on the flora of, —I, 38:362. Michigan, Panicum virgatum var. cubense in, 23:200.

Michigan, Rare plants in, 40:134.

Michigan, Salix pellita Andersson in, 26:143. Michigan, Shrubs of, [Review], 46:254.

Michigan, Some observations on two ecological races of Allium tricoccum in Kalamazoo County, 48:61.

Michigan, Some western Lepidiums in, 39:

Micrasterias, A synopsis of the New England species of, 10:97

Microstylis ophioglossoides, Bulblets of, 6:79. Middlebury College, Herbarium of, 3:258.

Middlebury, Vermont, Notes on a species of Cyathus common in lawns at, 2:99.

Middlesex County, Massachusetts, Further additions to the flora of, 1:97, 223.

Middlesex County, Massachusetts, Exotic plants established in, 20:204.

Middlesex County, Massachusetts, Some additions to the flora of, 1:80.

Middlesex Fells, Clematis verticillaris in the, 5:192

Middlesex Institute, Herbarium of, 3:259.

Mikania scandens in southern New Hampshire, 46:142

MILLER, PHILIP

[Concerning some species of Cornus of], 33:68-72.

- species], 50:181 (Contrib. [A few of -

Gray Herb. no. CLXVII).
MILLER, W. DEW.—A distinction between two Carices, 21:23-24.

Milton, Massachusetts, Two weeds new to, 30:

36; Unusual weeds in, 38:243. Mimulus moschatus in Massachusetts, 6:227. Mimulus ringens, An estuarine variety of, 34:

Minnesota, A new form of Campanula from, 47:391.

Minnesota, A new form of Helianthus from. 49:21.

Minnesota, A study of Elymus in, 50:80.

Minnesota, A variety of a western Polemonium in, 49:118.

Minnesota, Additional notes on Najas in, 41: 187.

Minnesota and additional notes on the flora of the region. A new variety of Sedum Rosea from southeastern, 49:197.

Minnesota, Carex flexuosa in, 45:167.

Minnesota, Euphorbia dentata and Salsola collina in. 40:135. Minnesota flora, Extensions of ranges and ad-

ditions to the, 40:275; 43:553.

Minnesota, Forms of Cornus canadensis in,

50:304. Minnesota, Galium brevipes in, 14:175.

Minnesota Herbarium, Notes from the University of, —I, 40:275; —II, 43:553. Minnesota-Ontario border, A new Oxytrope of

the, 45:1.

Minnesota, Jeffersonia and some other local plants of southeastern, 49:198.

Minnesota, Notes on aquatic and prairie vegetation in southwestern, 48:113.

Minnesota plant life, Notes on, 46:25; 50:19. Minnesota Plant Life, Conway's, [Review], 2:87.

Minnesota, Plants new to, 40:279; 41:78.

Minnesota, Previously unreported plants from, 48:81.

Minnesota, Rediscovery of Caltha natans in. 45:53.

Minnesota, Relict boreal plants in southeastern, 48:163.

Minnesota, Sparganium glomeratum in, 43: 83.

Minnesota, The genus Najas in, 37:345.

Minnesota, The genus Poa in Cook County, 49:1.

Minnesota with new records and extensions of ranges, Notes on the flora of, 43:154.

MINOTT, ABBIE F.—Josselyn Botanical Society of Maine, 29:116; 30:124; 31:143-144. Miquelon, Contribution to the flora of St. Pi-

erre et, 29:117, 144, 173, 204.

Miquelon, Plants new to the flora of the islands of St. Pierre et, 49:237.

Miramichi, The estuarine Bidens of the, 25:

Missisquoi Bay, Quebec, The flora around, 35: 247.

Mississippi River valley, Fall-flowering plants of the central, 31:145.

Missouri, A Grass new to, 36:312.

Missouri, A little-known collection from, 42: 280.

Missouri, A new Ranunculus from, 30:200. Missouri, A pre-Kansan record of Picea canadensis from, 37:16.

Missouri, Additional notes on the flora of Co-

lumbia, 37:189.

Missouri and a Heterotheca from Texas, Two new varieties of early Spring plants, a Ranunculus from, 30:200

Missouri, Coldenia Nuttallii in, 40:487. Missouri colony of Hepatica acutiloba, Color variation in a, 35:66.

Missouri, Draba aprica in the Ozarks of south-

eastern, 42:32. Missouri, Epifagus virginiana in, 36:352.

Missouri for Ophioglossum vulgatum, Range extension in, 36:22.

Missouri, Hamamelis virginiana in, 36:97. Missouri, Juglans nigra oblonga in, 50:147. Missouri, Ludwigia microcarpa in, 42:144.

Missouri, Najas gracillima in, 40:28. Missouri, New combinations and undescribed forms from, 40:177.

Missouri, Notes on the flora of Columbia, 35: 359; —II, 37:189; —III, 38:191.

Missouri, On the occurrence of Crotalaria spectabilis in southeastern, 40:361.

Missouri, Plants new to, 40:249.

Missouri, Plants new to or previously unreported from, 42:97.

Missouri plants, Notes on, 35:283-291; 43:

Missouri, Recent additions to the flora of St. Louis County, 36:375.

Missouri Rhexias, The, 13:166.

Missouri. Some features of the flora of the Ozark region in, 36:214.

Missouri, Some new records of Spermatophytes from, 44:248.

Missouri, Some newly described forms from,

Missouri, Spring Flora of, [Review], 42:215. Missouri, The Grass flora of Columbia, 36: 415.

Missouri, Two albino forms of Echinacea from, 44:150.

Missouri, Validation of combinations in Palmer and Steyermark's Annotated Catalogue of the Flowering Plants of, 40:131.

Missouri, Viola cucullata in, 42:199.

Mistletoe and other plants new to New Jersey, Dwarf, 33:101.

Mistletoe at Bradford, Vermont, The Dwarf,

Mistletoe in Connecticut, Dwarf, 5:202.

Mistletoe in New England, The Dwarf, 2:1.

Mistletoe, New station for the Dwarf, 2:221.

Mistletoe on the southeastern coast of Maine, The Dwarf, 9:208

Mistletoe on White Pine, Dwarf, 37:268

MITCHELL, ANN MARIA—The White Black-berry, 1:205-206.

Mitella, Some anomalous plants of Tiarella and, 8:90.

Modiola caroliniana in Massachusetts, 46:336. Moisture, The relation of certain plants to atmospheric, 2:29, 63.

Monachino, Joseph

Arthraxon hispidus var. cryptatherus in New York; 42:199-200.

Herniaria glabra, var. subciliata in New York, 46:23-25.

Jussiaea uruguayensis in Staten Island, New York, 47:237-239.

Monarda fistulosa and its allies, 3:13

Monarda fistulosa and its Var. mollis, The geographic segregation of, 46:494.

Monarda Russeliana, The confused publication of, 44:491.

Moneses uniflora, var. reticulata, 17:28.

Monhegan, Maine, June 20-25, 1900, A list of plants seen on the Island of, 3:187.

Monoblepharis, Notes on, 5:103. Monostroma, Notes on, 11:23.

Monotropsis odorata, Notes on, 11:153.

Montana, Distribution notes concerning certain plants of Glacier National Park, 36:

305; —II, 41:504.

Montana, Notes on the flora of Glacier National Park, 37:362.

Monterey Peninsula, Marine Algae of the, [Review], 47:63.

Montgomery, F. H.—Notes on the flora of Ontario. I. Epipactis Helleborine, 50:236— 238.

Montia lamprosperma in Maine, Notes on Triglochin palustris and, 35:291.

Montia sibirica in Massachusetts, 18:240.

Montreal, Notes on a collection of Crataegus made in the Province of Quebec near, 3:71. Moody, Elizabeth Meads—Filipendula rubra in Maine, 10:144.

Moore, Albert Hanford

(Pease, A. S. and --), Peculiarities of Botrychium lanceolatum in America, 8:

(Pease, A. S. and ——), An alpine variety of Houstonia caerulea, 9:209-210.

Status of Epilobium alpinum and Epilobium Hornemanni, 11:141-147.

Hairy-fruited variations of Rhus Toxicodendron, 11:162–163.

A color form of Carum Carvi, 11:178-179. (Pease, A. S. and ——), Agropyron caninum and its North American allies, 12: 61 - 77.

Notes on Agropyron, 12:205–206.

William Gleason Goldsmith, 12:227-228. Solidago polycephala in Maryland, 13: 106-107

Allies of Solidago aurea, 16:52-55.

Concerning Philadelphus platyphyllus Rydb., 16:77.

Some interesting color forms, 16:128-129. Two Philadelphus combinations, 17:121-123

Moore, Dwight M.— Delphinium newtonianum, a new species from the Arkansas Ozarks, 41: 193-197, pls. 548, 549.

Moore. George T.

The pollution of water-supplies by Algae, 1:98-102.

Chlorocystis Cohnii on the Massachusetts coast, 2:104.

Roses vs. railroads, 5:93-97. Moore, H. E., Jr.— A Mexican station for three manual-range and southeastern plants, 49:202-203.

MOORE, JOHN W

Euphorbia dentata and Salsola collina in Minnesota, 40:136-137.

A new form of Bromus inermis, 43:76. (Tryon, R. M. and ——), Notes on aquatic and prairie vegetation in southwestern Minnesota, 48:113-116.

(Rosendahl, C. O. and ——), A new variety of Sedum Rosea from southeastern Minnesota and additional notes on the flora of the region, 49:197-202, pl. 1086.

Morchella bispora, 1:156.

Morels in October in Massachusetts, 14:53. Morong, Thomas—[Herbarium of], 3:258.

Morrell, H. K.—[Note about Hieracium praealtum], Notice of a, 2:226.

MORRELL, JENNIE M. H.

Some Maine plants and their uses, "wise and otherwise," 3:129-132. Lamium album in Maine, 4:218.

Morris, Edward Lyman-[Herbarium of], 3:

Morse, Albert P

Amaranthus Powellii and Digitalis lanata in New England, 20:203.

Lepidium latifolium in New England, 26: 197–198

John Robinson, botanist, of Salem, Massachusetts, 31:245-254 (with portrait).

The American Lotus at West Peabody. Massachusetts, 33:230.

Morse, W. J.— Meeting of the Vermont Botanical Club, 7:59.

Morss, C. H.— A colony of Alnus glutinosa in eastern Massachusetts, 2:157.

[Herbarium of], 3:258.

Morss, Robert Dillingham—Clematis verticillaris in the Middlesex Fells, 5:192. MORTON, C. V.

The correct name of the Leafy Spurge,

39:49-50. The correct names of the small-flowered

Mallows, 39:98-99 On the name of the Oak Fern, 43:216-219.

Notes on Juniperus, 43:344-348.

Mosher, Edna-[The Grasses of Illinois]. Review of, 20:188

Moss, C. E.—[The Cambridge British Flora], Review of, 16:198-200.

Moss, E. H.-Lilaea scilloides in southeastern Alberta, 46:205–206.

Moss from Mt. Desert Island, New, 1:78.

Moss Flora of North America, [Notices and Reviewsl, 31:38; 35:146; 36:60; 37:227; 38: 240; 39:100; 40:359; 41:112; 43:95.

Moss flora with biographical sketch of the author, A new, [Notice], 37:166.

Mosses, A popular handbook to the, [Review], 18:204.

Mosses collected at Katahdin Iron Works, Maine, A list of, 2:61.

Mosses collected by Mr. Bayard Long in 1924-26, Newfoundland, 30:1.

Mosses from a southern Vermont peat-bog. Some interesting, 6:43.

Mosses from Aroostook County, Maine, Some, 10:37

Mosses from Windsor, Nova Scotia, Some, 48:

Mosses in northern Essex County, Massachusetts. Some uncommon, 2:95.

Mosses, Katahdin, 3:181.

Mosses new to Connecticut, Other, 15:11.

Mosses, Notes on Connecticut, 12:146; -II, 13:40; —III, 14:45; —IV, 15:3. Mosses, Notes on the Bryophytes of Maine,

-Katahdin, 3:181.

Mosses, Notes on Vermont, 4:180.

Mosses occurring in or near Plymouth, New Hampshire, An annotated list of rare or otherwise interesting, 1:53.

Mosses of southern British Honduras and Guatemala, 36:55.

Mosses, Some Maine, 6:145. Mosses, Some Nova Scotia, 24:121

Mosses with a hand-lens, 3rd ed., [Review of],

Mosses with extensions of range, Some notes on, 5:199.

Moul, Edwin T.

A dangerous weedy Polygonum in Pennsylvania, 50:64-66.

Flora of Penikese Island, 50:288-304.

Moulds, The Slime, 2:75. Moulton, Dora H.

Josselyn Botanical Society of Maine, Mid-winter Meeting, 4:62-63.

Josselyn Botanical Society of Maine, Announcement of meeting, 4:110.

Annual meeting of the Josselyn Society, 4:188-189.

Meeting of the Josselyn Society, 5:202-204.

Tenth annual meeting of the Josselyn Botanical Society of Maine (Announcement), 6:147-148; (Report), 6:192-193.

It. Abraham Township, Franklin County, Maine, On the flora of, 1:191.

Mt. Desert, A plant new to, 29:253.

Mount Desert, Arceuthobium pusillum at. 9: 75.

Mount Desert flora, Further additions to the,

Mt. Desert Hepatic list, A revision of, 26:6. Mount Desert Island, Additions to the plants

of, 10:145. Mount Desert Island, A new moss from, 1:78. Mount Desert Island, Note on, 3:190.

Mt. Desert Island, Pinus Banksiana on, 1:135. Mt. Desert Island, Subularia aquatica on, 1:

Mount Desert, Maine, Additions to the flora of, 23:65.

Mt. Equinox, Plants from the eastern slope of, 1:220.

Mt. Greylock, Massachusetts, Orchids of, 2:

Mount Greylock, Pogonatum capillare on, 4:

Mount Greylock region, Bryophytes of the, 4:29; —II, 4:238; —III, 6:72; —IV, 11:116. Mount Greylock region, A list of Bryophytes from the, 4:29.

Mount Holyoke College, Herbarium of, 3:

Mount Holyoke, Massachusetts, Lycopodium Selago on, 5:290.

Mount Katahdin, A botanical excursion to, 3: 147.

Mount Katahdin, Bryophytes of, 3:177.

Mount Katahdin, Comparison of the floras of Mt. Washington and, 3:160.

Mount Katahdin, Ledum palustre, var. dilatatum on, 7:12.

Mount Katahdin, Maine, Plants apparently new to, 37:455.

Mount Katahdin, Pollination of the Ericaceae: VI. Vaccinium caespitosum on, 44:

187. Mount Katahdin, Soil reaction of Saxifraga

Aizoon on, 29:139. Mt. Katahdin, Some interesting plants from,

31:142.

Mt. Katahdin, The vascular plants of, 3:166. Mt. Katahdin, Two plants new to, 29:15.

Mt. Kineo Bryophytes, 1:34. Mount Ktaadn, Additions to the vascular flora

of, 5:46. Mount Ktaadn, An ecological excursion to, 5:

451. Mount Ktaadn, Further notes on the Hepaticae of, 5:50.

Mt. Ktaadn, Saxifraga Aizoon on, 26:168.

Mount Mansfield, Apetalous form of Arenaria groenlandica on, 8:114. Mount Monadnock, Lycopodium clavatum,

var. monostachyon on, 4:57

Mt. Moosilauke, Flora of, 2:97. Mt. Saddleback Bryophytes, 1:35.

Mount Saddleback, Franklin County, Maine, Flora of, 5:35. Mount Toby, Massachusetts, Botrychium ma-

tricariaefolium on, 3:144.

Mount Toby, Massachusetts, Cypripedium arietinum on, 4:62.

Mount Toby, Massachusetts, Ferns of, 3:41. Mt. Washington, A new Grimmia from, 1:148. Mount Washington and Mount Katahdin, A comparison of the floras of, 3:160.

Mount Washington, Massachusetts and Bash-Bish Falls, An excursion to, 21:198.

Mount Washington, The discovery of Comandra livida and Lycopodium sitchense on, 4: 97.

Mountain Ash, Sorbus Andersoni, a new name

for an Alaskan, 46:220. Mountain Laurel (Kalmia latifolia) at Cherryfield, Maine, 33:198.

Mountain Magnolia, Note on the fruit of, 19:

Mounterey Peninsula, Marine Algae of the, [Review], 47:63.

Mouse storehouses, The plant contents of two, 37:165.

MOYLE, JOHN B.

Notes from the University of Minnesota Herbarium, 40:275-276; —II, 43:553-

- and Hotchkiss, N.), [Aquatic and Marsh Vegetation of Minnesota and its value to Waterfowl], Review of, 47:395. Relict boreal plants in southeastern Min-

nesota, 48:163.

(—, Nielsen, E. L. and Younge, O. R.), Vegetation of artificial lakes in northwestern Arkansas, 48:329-330.

MUENSCHER, W. C.

Orobanche ramosa on a Coleus, 26:133-135, pl. 145.

Spartina patens and other saline plants in the Genesee Valley of western New York, 29:138-139.

Butomus umbellatus in the Lake Champlain Basin, 32:19-20.

Euphorbia Esula as a weed in New York

State, 32:100-102, 1 fig.

and Maguire, B.), Notes on some New York plants, 33:165-167, pl. 213.

The occurrence of Littorella americana in New York, 36:194.

and CLAUSEN, R. T.), Notes on the flora of northern New York, 36:405-

The production of seed by Euphorbia Cyparissias, 38:161-163. Potamogeton Spirillus may grow as an

annual, 45:329-330.

Muhlenbergia, Five common rhizomatous species of, 45:221.

Muhlenbergia, Notes on, 9:17.

Muhlenbergia setosa, an untenable name, 48:

Muhlenbergia uniflora, 29:10.

Muhlenberg's Nordamerikanischen Weiden antedated by Michaux, 48:13, 27.

Murdoch, John, Jr.

Capsella in January, 2:84. Cycloloma on Cape Cod, 3:18.

A new station for Lactuca Morssii, 3:278, Arceuthobium in the Rangeley region, 9:

Elymus arenarius at Provincetown—native or introduced? 15:218-219.

Orontium in Barnstable County, Massachusetts, 16:18-19.

Muscari comosum, a new introduction found in Philadelphia, 24:16.

Muscari comosum in Oregon, 24:208.

Muskeget Island, Massachusetts, The winter flora of, 18:93.

Mushroom book, Another, [Review], 11:121.

Mushroom Book, The, [Review], 3:142. Mushroom books, Two, [Review], 3:140. Mushroom for the market, A new, 4:199. Mushrooms, Among the, [Review], 3:140. Mushrooms, Certain esters of, 4:77.

Mushrooms, Edible, Poisonous, etc., [Review], 3:37.

Mushrooms in a cellar, Raising, 3:57.

Mushrooms, Two recent publications about, [Review], 23:87.

Mutisia from Ecuador, An undescribed, 35:

Mycological Notes 1-2, Contributions from the Cryptogamic Laboratory of Harvard University,—LV, 5:97.

Mycophagist, A rash, 17:30.

MYERS, W. STANLEY-(STEMEN, T. R. and -), [Oklahoma Flora], Review of, 40: 179-183.

Myosotis collina in Maine, 1:76.

Myosotis collina in New England, 1:11.

Myriophyllum magdalenense; a correction, 26:198.

Myriophyllums and a species new to the Unit-

ed States, Two new, 21:120. Myriotrichia densa in New England, 35:256. Mystic Pond, Potamogeton spathaeformis, a probable hybrid in, 8:224.

Myxomycetes from eastern Massachusetts,

Notes on, 29:165.

Myxomycetes with notes, List of Vermont, 1: 128.

Myxophyceae from Amoy, China, Notes on a collection of fresh-water, 28:1.

Myxophyceae from Nantucket Island, Massachusetts, Some, 40:74.

Naias from the Hudson River, A new species of, 39:57.

Najas gracillima, Another New Jersey station

for, 37:414.

Najas gracillima in Indiana and Michigan, 39:

Najas gracillima in Missouri, 40:28.

Najas in eastern Virginia, Najas Muenscheri and other species of, 49:233. Najas in Minnesota, Additional notes on, 41:

Najas in Minnesota, The genus, 37:345.

Najas in northeastern America, Notes on the distribution of, 25:105.

Najas in the northern United States, Studies in the genus, 38:333.

Najas in the Virginian estuaries, 49:105.

Najas Muenscheri and other species of Najas in eastern Virginia, 49:233.

NANNFELDT, J. A.— Nomenclature at the next International Congress, [Notice], 40:464.

Nantucket, A further note on the lichens of, 20:40.

Nantucket, Another plant from, 24:241. Nantucket, Century I, The Fungi of, 39:367. Nantucket Island, Massachusetts, Some Lichens from, 14:88.

Nantucket Island, Massachusetts, Some My-

xophyceae from, 40:74.

Nantucket Lichens, An additional note on, 15:93.

Nantucket, List of second hundred Fungi of. 41:508.

Nantucket, Massachusetts, The three adventive Heaths of, 10:173.

Nantucket, Pinus Banksiana on, 16:184; 18:

Nantucket, Third list of Fungi of, 44:167.

Nantucket, Three additional plants from, 13: 105.

Nantucket, Tillaea in, 14:201.

Napaea dioica in New England, 43:94.

Nardus strictus in the White Mountains, 21:22. Native flora, a plea for information, Destruc-

tion of our, 4:200. Native flora, The protection of our, 4:139. Native or introduced plants in eastern North America, On Houttuyn's overlooked binomials for, 40:288.

Native plants, A society for the protection of,

3:213.

Natural colors, Preservation of plant material in, 39:16.

Natural History Collections, Sherborn's Guide to, [Review], 46:199.

Natural History Societies of New England, Botanical exhibition at the meeting of the, 8:135.

Naucoria Christinae, 2:127.

Naumburgia, The supposed generic character of, 22:193.

NEAL, OLIVER M., Jr.

An extension of range of Rynchospora macrostachya, 42:276.

The status of Chamaecyparis thyoides in Maine, 42:343-344.

Needham, Massachusetts, Some rare plants of, 1:179.

Nelson, A.—(Coulter, J. M. and ——). [New Manual of Botany of the central Rocky Mountains], 12:13–16. Nelson, James C.

Deam's Trees of Indiana, [Review], 21: 188-191.

The new genus Bromelica (Thurb.) Farwell, 21:215-216.

Crepis setosa in Oregon, 22:191-192. Does saximontanus mean "Rocky Moun-

tain?" 22:194-195. Deam's Trees of Indiana, [Review], 23:

179 - 180.

Introduced species of Lathyrus in the Northwest, 24:75-76.

Muscari comosum in Oregon, 24:208-210. M. W. Gorman (obituary), 29:33-36 (with portrait).

[Biographical sketch], 47:65-68 (with portrait).

NELSON, RUTH ASHTON-A study of the Rocky Mountain species of the Multiflori section of Aster, 35:323-327.

Nelumbo pentapetala, The color of the flow-

ers of, 38:272 Nematode infection in Poa. 44:246.

Nephrodium Filix-mas in Vermont, 8:22.

Nephrodium marginale, A cristate form of, 4:

Nephrodium, Some further observations on, 4:158.

Nephrodium spinulosum, A new form of, 6:31. Neurolaena from British Honduras, A new species of, 37:61.

New Bedford, Massachusetts, The yellowfruited Ilex opaca at, 3:58.

New Bedford, Plants new to the flora of, 6: 22, 144.

New Bedford, Rare plants about, 4:106.

New Brunswick, A list of freshwater Algae from, 50:67.

New Brunswick, A summer's botanizing in eastern Maine and western, 12:101, 133. New Brunswick, Campylium Halleri in, 50:52.

New Brunswick, Halophytic plants in, [Review], 1:20.

New Brunswick, Linum catharticum in, 47:

New Brunswick, Notes on the flora of, 20:101. New Brunswick, Prunus virginiana, forma leucocarpa in, 36:89.

New Brunswick, Vicia sepium in, 49:288.

New England, A European Primrose in, 22: 143.

New England, A Carex new to, 32:258.

New England, A Cluster-cup Fungus on Lespedeza in, 2:186.

New England, A Juneus new to, 11:31.

New England, A key to the species and principal varieties of Cladonia occurring in, 11: 212.

New England, A misleading addition to the State floras of, [Review], 24:96.

New England, A new Ludvigia from, 35:227. New England, A new Vicia for, 2:225. New England, A new Violet from, 6:226.

New England, A new Vitis from, 19:144.

New England, A note on the genus Paspalum in, 30:133.

New England, A Panicum unreported in, 15: 64.

New England, A variety of Spartina new to, 19:27

New England Acadian Shoreline, The, [Review], 27:187

New England Agrimonies, The nomenclature of the, 2:235.

New England, Ajuga genevensis in, 5:154. New England, Albino fruit of Vacciniums in,

3:263.New England Algae, Notes on, -I, 41:133; —II, 44:175.

New England, Amaranthus Powellii and Digitalis lanata in, 20:203.

New England, Amphicarpaea Pitcheri in, 1: 27.

New England, Amsinckia in, 21:38.

New England, Anchusa in, 18:50.

New England, Another Orchid new to, 25:47. New England Antennarias, Further notes on, 1:150.

New England, Apocynum sibiricum, var. cordigerum in, 44:331.

New England Aspidieae, Subdivision of the,

New England, Aster concinnus in, 2:166.

New England Botanical Club, (Meetings, excursions, etc.), 1:18, 37; 2:22; 7:268; 10: 217; 14:71; 15:1; 18:184; 21:86, 143; 23:27.

New England Botanical Club, Notes from the phaenogamic herbarium of the, -I, 12:185; -II, 13:177.

New England Botanical Club, The herbarium of the, 1:56; 3:259.

New England, Botanical exhibition at the meeting of the Natural History Societies of, 8:135.

New England, Brainerd & Peitersen's Blackberries of, [Review], 22:185.

New England, Callitriche anceps in, 35:185. New England, Cape Cod in its relation to the

marine flora of, 24:1. New England, Carex Richardsonii in, 34:229. New England Choanephora, A, 5:97.

New England, Cirsium Flodmani in, 46:87. New England coast, Dumontia filiformis on the, 25:33.

New England, Coastal Plain plants in, 7:69. New England, Collinsia parviflora in, 37:422. New England, Commelina virginica established in, 2:200.

New England, Cuscuta Polygonorum in, 33:

New England Desmids, Notes on, —I, 5:221; --II, 5:252.

New England distribution of Arceuthobium pusillum, The peculiar aspects of the, 33: 92.

New England distribution of Ilex opaca and Ilex glabra, 16:163.

New England? Does Habenaria cristata still grow in, 48:64

New England, Ectocarpus paradoxus in, 35: 107

New England Federation of Natural History Societies, 11:148; 13:187; 14:76.

New England Ferns (and allies), Miscellaneous notes on, 3:223; —II, 3:266; —III, 4: 7; —IV, 4:49; —V, 4:157; —VI, 6:31.

New England Ferns and their common Allies, Miss Eastman's, [Review], 6:211.

New England, Further remarks on the Coastal Plain plants of, 8:27.

New England Goldenrod, A little-known, 2:

New England, Hairy variety of Sweet Pignut in, 47:46.

New England, Handbook of the Trees of, [Review], 4:40.

New England, Helianthemum dumosum on the mainland of, 19:58.

New England, Helianthus grosseserratus in, 49:115.

New England Hepaticae, Notes on, 4:207; — High and Repatitate, Notes on, 4:207; — II, 6:165, 185; —III, 7:52; —IV, 8:34; —V, 9:56, 65; —VI, 10:185; —VII, 11:185; —VIII, 12:193; —IX, 14:1; —X, 14:209; —XI, 16:62; —XII, 17:107; —XIII, 18:74, 103; —XIV, 19:263; —XV, 21:149; —XVI, 23:281; —XVII, 25:74, 89.

RHODORA 366

New England Hepaticae, Revised list of, 15:

New England Hepaticae, Second revised list of, 25:192.

New England? Is Artemisia Stelleriana a native of, 2:38.

New England, Juneus aristulatus in, 6:174. New England Lauraceae, The nomenclature

of the, 8:196. New England, Leavitt's Forest Trees of, [Re-

view], 35:108.

New England, Lepidium latifolium in, 26:197. New England, Leptoloma in, 47:263.

New England, Lycopus amplectens, var. pubens in, 46:451.

New England marine Algae, Reappearance of

rare, 42:72. New England, Myosotis collina in, 1:11.

New England, Myriotrichia densa in, 35:256.

New England, Napaea dioica in, 43:94. New England, On Polysiphonia fibrillosa in,

35:391. New England, Notes on some fresh-water

Algae from, 44:64. New England, Notes on the Ericaceae of, 3:

193.

New England, Notes on the Desmid flora of, -I, 37:22; -II, 37:113.

New England, Notes on the Umbelliferae of, 3:209

New England occurrence of Listera australis, A, 24:187.

New England Orchids, Notes on, -I, 23:73; -II, 24:37.

New England Orchids, Notes on the embry-

ology of some, 3:61, 202. New England, Panicum § Capillaria in, 21:

110. New England plant, Hydrastis canadensis, a,

1:157.New England plants, Further notes on the twelfth preliminary list of, 5:235.

New England, Plantago elongata in, 2:156.

New England plants, Preliminary lists of, —I, Tew England plants, Preliminary lists of, —I, 1:93; —II, 1:159; —III, 1:160; —IV, 1:212; —V, 2:41; —VI, 2:89; —VII, 2:214; —VIII, 4:15; —IX, 4:203; —X, 4:218; —XI, 5: 170; —XII, 5:188, 235; —XIII, 6:34; —XIV, 6:54; —XV, 6:85 (10:36); —XVI, 6:151; —XVII, 7:33; —XVIII, 8:62; —XIX, 8:61 (10:71); —XX, 9:86; —XXI, 10:135; —XXII, 10:168; —XXIII, 11:215; —XXIV, 18:245; —XXV, 19:217; —XXVI, 20:182; —XXVI, 22:80; —XXVIII, 23: 209; —XXIX, 27:57; —XXX, 28:43; —XXXI, 29:247; —XXXII, 31:110; 2009; —XXIX, 27:57; —XXX, 28:43; —XXXI, 29:247; —XXXII, 31:110; —XXXIII, 38:263; —XXXIV, 48:17.

New England plants, A projected check-list of, 1:91

New England Polygonums of the section Avicularia, The, 4:65.

New England Ranunculaceae, An omission in the preliminary list of, 21:104.

New England, Ranunculus acris, var. Steveni in, 1:227.

New England, Recently recognized species of Crataegus in eastern Canada and, -I, 5: 52; —II, 5:108; —III, 5:137; —IV, 5:159; —V, 5:182; —VI, 7:162, 174, 192. New England, Rediscovery of Phaseolus per-

ennis in, 4:13.

New England representative, Paronychia argyrocoma and its, 8:101.

New England, Rhododendron carolinianum naturalized in, 49:116.

New England Rusts collected in 1931, A list of, 34:60.

New England, Silene conica in, 7:110.

New England, Some Antennarias of northern, 1:71

New England species of Dictyosiphon, The, 2: 162.

New England species of Laminaria, Critical notes on the, 2:115, 142.

New England species of Micrasterias, A synopsis of the, 10:97.

New England species of Penium, 9:227. New England species of Pleurotaenium, A synopsis of the, 9:101.

New England species of Psedera, The, 10:24. New England species of Scapania, A study of five, 38:77.

New England species of the genus Panicum, The. 3:93.

New England, Sphagnum Faxonii; an addition to the flora of, 10:40.

New England station for Asplenium ebenoides, A third, 3:248.

New England station for Buxbaumia indusi-

ata Bridel, A, 5:257. New England, Taraxacum ceratophorum in, 19:111.

New England, The Blackberries of, 2:23. New England, The Chilian Empetrum in, 4: 147

New England, The distribution of the Bilber-

ries in, 2:187. New England, The Dwarf Mistletoe in, 2:1. New England, The evergreen Ferns of, 4:49. New England, The Fig as a hardy plant in,

2:234.New England, The genus Elodea in, 22:17.

New England, The genus Sabatia in, 18:145. New England, The genus Senecio in, 3:3.

New England, The green Alders of, 6:162. New England, The Heather in, 2:53. New England, The herbaria of, 3:67, 206, 219,

240, 255, 281, 285. New England, The Listeras of, [Review], 1:

111.

New England, The local floras of, 1:111, 138 158, 174, 194, 208; 2:73. New England, The marine Cladophoras of, 4:

111.

New England, The Rattlesnake-plantains of, 1:2

New England, The salt-marsh Iva of, 8:25. New England, The variations of Aster foliaceus in, 34:13

New England Trees in Winter, [Review], 14: 79.

New England trees, Some new or little known forms of, 9:109.

New England, Two new Polygonums from, 19:232.

New England, Typical Goodvera repens in. 2:

New England, Valerianella in, 4:195.

New England, Veronica Chamaedrys in, 4: 107.

New England, Viola arvensis in, 5:155. New England Violets, Notes on, 6:8; —II, 7: 1; —III, 7:245. New forms, Two, 49:216.

New Hampshire, A contribution to the Desmid flora of, 7:111, 251.

New Hampshire, A flora of Manchester, [Review], 2:157.

New Hampshire, A fourth Pinus rigida for

Coos County, 12:90. New Hampshire, A new Blackberry from, 32:

102. New Hampshire, A new Digitaria from, 22:

101 New Hampshire, A new species of Rhizopo-

gon from, 26:195.

New Hampshire, A new station for Epipactis Helleborine in, 49:60.

New Hampshire, A Scirpus new to, 13:55. New Hampshire, Additional notes on Rhododendron maximum in, 18:73.

New Hampshire, Additional records of marine Algae from, 43:213.

New Hampshire Algae, Some interesting, 44: 175.

New Hampshire, An annotated list of rare or otherwise interesting Mosses occurring in or near Plymouth, 1:53.

New Hampshire and South Carolina, Gnaphalium obtusifolium, var. micradenium in,

43:211.

New Hampshire, Aspidium simulatum in, 2:

New Hampshire, Berberis Thunbergii naturalized in, 15:225.

New Hampshire, Betula glandulosa at a low altitude in, 48:183.

New Hampshire, Boleti collected at Alstead, 2:173; —Additional notes, 3:226.

New Hampshire, Calluna vulgaris in southern,

New Hampshire, Carex cristatella in, 47:38. New Hampshire, Certain railroad weeds of northern, 11:30.

New Hampshire, Chamaecyparis thyoides in,

New Hampshire, Cirsium Flodmani in, 46:87. New Hampshire, Cryptogramma Stelleri in,

New Hampshire, Cypripedium reginae in, 27: 107.

New Hampshire, Eleocharis tuberculosa in, 26:37.

New Hampshire, Epipactis latifolia in, 44:456. New Hampshire, Festuca ovina L., var. duriuscula (L.) Koch in Shelburne, 14:92.

New Hampshire flora.-A few additions to the.

New Hampshire, a correction, Gaylussacia dumosa and frondosa in ,5:276.

New Hampshire, Goodyera pubescens in central. 1:193.

New Hampshire, Habenaria Hookeriana oblongifolia in West Campton, 3:237.

New Hampshire, Helianthus subrhomboideus in, 13:103.

New Hampshire, Hudsonia ericoides in, 2:22. New Hampshire? Is Circium palustre a native of, 4:217.

New Hampshire, Juneus effusus var. compactus in, 6:211.

New Hampshire, Lechea major in, 4:28. New Hampshire, Lilium superbum and other isolated species in Durham, 46:21.

New Hampshire, Luzula campestris var. frigida in, 15:186.

New Hampshire, Matricaria discoidea in, 5:

New Hampshire, Mikania scandens in southern, 46:142.

New Hampshire, Notes from Manchester, 10: 204.

New Hampshire, Notes from Shelburne, 11:21. New Hampshire, Notes on some trees and shrubs of western Cheshire County, 3:232.

New Hampshire, On certain plant records from Hillsboro, 41:34; —a correction, 41: 138.

New Hampshire, Panicum dichotomiflorum var. puritanorum in, 35:68.

New Hampshire, Panicum longifolium in, 37:

New Hampshire, Parietaria debilis in, 2:158. New Hampshire, Plant notes from Squam Lake, 25:183.

New Hampshire plants in the Middle Connecticut Valley, Some Vermont and, -I, 4:

New Hampshire, Plants new to Coos County, 30:104.

New Hampshire plants, Notes on, 48:205.

New Hampshire, Podostemum, Hippuris and Hottonia in, 50:209.

New Hampshire, Pogonia affinis in the vicin-

ity of Wolfeboro, 31:242. New Hampshire, Pogonia trianthophora in Holderness, 12:206.

New Hampshire, Pursh's report of Dryas from, 5:281.

New Hampshire record for Rynchospora Torreyana, The, 34:112.

New Hampshire, Rhododendron maximum in, 18:25.

New Hampshire, Scirpus lineatus in, 11:200.

New Hampshire, Sclerolepis in, 7:186. New Hampshire, Soil tests of Ericaceae and other reaction-sensitive families in north-

ern Vermont and, 22:33. New Hampshire, Some plants of Intervale, 4: 61.

New Hampshire station for Rhododendron maximum, Another, 40:461.

368 RHODORA

New Hampshire station for Subularia, Another, 50:72.

New Hampshire, Subularia at East Andover,

New Hampshire, The alpine Rhinanthus of Quebec and, 9:23.

New Hampshire, The Climbing Fern in, 4:83. New Hampshire, The Ferns of Alstead, 2:181. New Hampshire, The status of Arenaria stricta in, 11:184.

New Hampshire, Trillium grandiflorum in, 36:376.

New Hampshire, Two Grasses new to, 14:175. New Hampshire, Two new species of Rubus from Vermont and, 8:95.

New Hampshire, Vascular Flora of Coos

County, [Review], 27:52.

New Haven, Connecticut, Two noteworthy plants of, 6:89.

New Jersey, A new species of Scirpus from Massachusetts and, 13:4

New Jersey, A station for Croton glandulosus in, 23:221.

New Jersey, A hitherto undescribed Pipewort from, 5:175.

New Jersey, An interesting addition to the flora of, 11:121.

New Jersey, Cladonia floridana in, 31:56. New Jersey, Discovery of Prunus cuneata in southern, 18:66. New Jersey, Dwarf Mistletoe and other plants

new to, 33:101.

New Jersey, Festuca sciurea in, 37:266.

New Jersey, Jasione montana a conspicuous weed near Lakewood, 21:105.

New Jersey Pine Barrens, A flora of the, [Review], 14:94.

New Jersey Pine Barrens, Sagittaria Edwardsiana, a new species from the, 39:29.

New Jersey, Regarding Gentiana Andrewsii in the Coastal Plain of, 22:104.

New Jersey station for Najas gracillima, An-

other, 37:414. New Mexico, A new species of Anulocaulis from southwestern Texas and adjacent, 47:

New Mexico, Selenia dissecta in, 41:189.

New Mexico, Tradescantia Wrightii in, 37:

New York, a contribution to plant geography, Flora of the vicinity of, [Review], 17:62.

New York, Additions to the flora of Fishers Island, 43:77.

New York, Alchemilla pratensis in Erie County, 45:27.

New York and vicinity, Plants of Oneida County, -I, 7:92, 106.

New York, An uncommon association of Pines in northern, 30:129.

New York, Arthraxon hispidus var. cryptatherus in, 42:199.

New York Botanical Garden, The twentieth anniversary of the, 17:144.

New York, Eleocharis diandra in central, 2: 61.

New York, Glyceria arkansana in western, 35:

New York, Herniaria glabra, var. subciliata in. 46:23.

New York, Jussiaea uruguayensis in Staten Island, 47:237.

New York, New Stations for Chamaecyparis on Long Island, 9:74.

New York, Notes on some plants of eastern, 26:221.

New York, Notes on some plants of the Ontario and St. Lawrence Basins, 25:205.

New York, Notes on the flora of northern. 36:405.

New York, On the status of Eleocharis Robbinsii in, 41:254.

New York, Pinellia ternata in Brooklyn, 44: 16.

New York plants, Notes on some, 33:165.

New York, Prenanthes crepidinea in western, 38:300.

New York, Ranunculus Boreanus in eastern, 21:208.

New York record of Fraxinus profunda. The. 35:293.

New York, Scabiosa Columbaria in central, 45:220.

New York, Small's Ferns of the Vicinity of, [Review], 38:163.

New York, Spartina patens and other saline plants in the Genesee Valley, 29:138.

New York State, Euphorbia Esula as a weed in, 32:100

New York State plants, Notes on rare, 19:

New York, Systematic studies on Oenothera, —III. New species from Ithaca, 15:81. New York, The occurrence of Littorella amer-

icana in, 36:194.

New York, Western extension of the range of Pinus Banksiana in, 40:241.

Newburyport, Massachusetts, Rediscovery of Paronychia argyrocoma, var. albimontana at, 47:90.

Newfoundland, A new Cochlearia from, 16: 135.

Newfoundland, A new Carex from, 17:158. Newfoundland and southern Labrador. A bo-

tanical expedition to, 13:109.

Newfoundland and the Labrador Peninsula. Some allies of Antennaria alpina from, 18:

Newfoundland, Another Arnica from, 27:90. Newfoundland Antennarias, Two, 16:196.

Newfoundland flora, Recent discoveries in the, 35:1, 47, 80, 120, 161, 203, 230, 265, 298, 327, 364, 395.

Newfoundland flora. Some additions to the.

Newfoundland, Further notes from southwestern, 33:207.

Newfoundland Mosses collected by Mr. Bayard Long in 1924-26, 30:1.

Newfoundland, Notes on some freshwater Algae from, 29:160.

Newfoundland, Notes upon the flora of, 11: 85.

Newfoundland, Some Senecios of eastern Quebec and, 26:113.

Newfoundland, The genus Antennaria in, 13: 23; 35:327.

Newfoundland, The native Tansy of, 25:13. Newfoundland, The Ragged Orchis of, 28:21. Newfoundland, Three Lupines naturalized in eastern Canada and, 16:92.

Newfoundland, Two new Carices from, 15:

13

Newfoundland, Two summers of botanizing in, 28:49, 74, 89, 115, 145, 161, 181, 210, 234, 241.

Niagara Frontier, A Flora of the, [Review], 37:163.

NICHOLS, GEORGE ELWOOD

(Evans, A. W. and —), [The Bryophytes of Connecticut], Review of, 11: 15-16.

Notes on Connecticut Mosses, 12:146–155; —II, 13:40–46; —III, 14:45–52; —IV, 15:3–13.

(— and St. John, H.), Pressing plants with double-faced corrugated paper boards, 20:153-160.

Lophiola aurea in Nova Scotia, 21:68. [The Vegetation of northern Cape Breton Island], Review of, 21:171–172.

Cercis canadensis in Connecticut, 25:203-204.

Moss Flora of North America, [Notices and Reviews], 37:227-228; 38:240; 39: 100; 40:359-360; 41:112.

NICHOLS, JOHN TREADWELL—New stations for Chamaecyparis on Long Island, New York,

9:74.

Nicotiana rustica in Massachusetts, An occurrence of, 14:206.

NIELSEN, ETLAR L.

Grass studies,—II. Additions to the flora of Arkansas, 39:423-424.

Grass studies,—IV. Additional species new to Arkansas, 43:219–220.

(Moyle, J. B., — and Younge, O. R.), Vegetation of artificial lakes in northwestern Arkansas, 48:329–330.

Night Bloomers, Honey-guides of, 1:222. Nolina in the South Atlantic States, 11:80. Nomenclatorial changes for some Chinese Orchids. 27:105.

Nomenclatorial changes in Isoetes, 10:42. Nomenclatorial changes in the genus Corallorrhiza, Recent, 11:102.

Nomenclatorial changes required by some Gramineae of the seventh edition of Gray's Manual, 14:165, 184.

Nomenclatorial transfers, 18:152.

Nomenclatorial transfers in Mariscus, 25:49. Nomenclatural changes, A plea for the elimination of unnecessary, 46:201.

Nomenclatural transfers and new varieties

and forms, 39:309

Nomenclatural transfers in Polygonum, 48: 49.

Nomenclature, A note on phycological, 40: 27.

Nomenclature adopted by the Vienna Congress, On the Rules of Botanical, 9:29.

Nomenclature at the Fifth International Bo-

tanical Congress, Consideration of, 31:90. Nomenclature at the next International Congress, [Notice], 40:464.

Nomenclature chiefly of vascular plants, International Rules for Botanical, 9:33.

Nomenclature, Corrections in, 23:86.

Nomenclature for Algae, The basis of, 9:77. Nomenclature in Cornus, On. 38:51.

Nomenclature in Trientalis and Rubus, Some points of, 11:236.

Nomenclature, Necessary changes in botanical, 21:101.

Nomenclature of Apocynum androsaemifolium L., The identity and, 34:30. Nomenclature of Elodea, On the, 34:114.

Nomenclature of Sassafras, The, 38:178. Nomenclature of some species of Cornus, The, 37:222.

Nomenclature of the Gray's Manual Ferns, Changes in, 21:173.

Nomenclature of the New England Agrimonies, The, 2:235.

Nomenclature of the New England Lauraceae, The, 8:196.

Nomenclature of the verticillate Eupatoria, The, 39:297.

Nomenclature, Proposed amendments to the International Rules of Botanical, 31:91. Nomenclature, Some changes in, 26:1: 27:186.

Nomenclature, Some changes in, 26:1; 27:186. Nomenclature, The proposed changes in Article 58, International Rules of Botanical, 50: 249.

Nomenclature, Viburnum edule and its, 43: 481.

Nordamerikanischen Weiden antedated by Michaux, 48:13, 27.

North America, A Cotton-grass new to, 4:82. North America, A new species of Eragrostis of the Old World and, 19:93.

North America, A second station for Isthmoplea in, 35:293.

North America, A Sedum new to, 14:227. North America, A suppressed plate in Eaton's Ferns of, 35:260.

North America, A synopsis of the species of Arctium in, 12:43.

Arctium in, 12:43. North America, A monographic study of Arabis in western, 43:289, 348, 425.

North America, Acrochaetium and Chantransia in, 8:189.

North America, Additional notes on the Valerianellas of, 40:465.

North America, Agropyron \$ Goularda in

eastern, 35:161. North America, Alchemilla alpina and A.

vulgaris in, 14:229.

North America, Ambrosia artemisiaefolia and

its variations in temperate eastern, 37:184. North America, An Alopecurus new to, 46:

North America, An Atriplex new to, 17:83.

RHODORA 370

North America and eastern Asia, Some notes on the botanical relation between, 41:385. North America and Mexico, Limonium in,

18:53.

North America and the Old World, Specific segregations and identities in some floras of eastern, 33:25.

North America and the West Indies, Miscellaneous species of, (Eleocharis), 39:255.

North America. Arabis in eastern and central. 39:63, 106, 155.

North America, Arenaria lateriflora and its

varieties in, 19:259.

North America based on foliage and twig characters, A key to the species of Oaks of eastern. 38:53.

North America, Carex alpina in, 35:220.

North America, Carex disticha in, 44:282. North America, Carex Hostiana in, 44:318.

North America, Cercis in, 44:193.

North America, Dates of Eaton's Ferns of,

20:74.

North America, Effects of post-Pleistocene marine submergence in eastern, 29:41, 57,

North America, Filago arvensis in, 47:258. North America, Forms of Ophioglossum vulgatum in eastern, 15:86.

North America, Geranium carolinianum and

allies of northeastern, 37:295

North America, Harshberger's Phytogeographic Survey of, [Review], 13:213.

North America? Is Viola arenaria DC. indi-

genous to, 15:106.

North America, Moss Flora of, [Notices and Reviews], 31:38; 36:60; 38:240; 39:100; 40: 359; 41:112; 43:95.

North America north of Mexico, The broadleaved species of Potamogeton of, 45:57, 119, 171.

North America, Notes on Betula in eastern, 47:303.

North America, Notes on the occurrence of Zostera and Zannichellia in arctic, 34:90. North America, Notes on trees and shrubs of

southeastern, 24:77.

North America, On Houttuyn's overlooked binomials for native or introduced plants in eastern, 40:288

North America, Overlooked species, transfers and novelties in the flora of eastern, 46:1,

North America, Oxalis corniculata and its relatives in, 27:113, 133.

North America, Oxytropis campestris in northeastern, 1:85. North America, Pilea in eastern, 38:169.

North America, Polygonum Hydropiper in Europe and, 29:77.

North America, Ranunculus Flammula and R. reptans in, 19:135. North America, Rapistrum in northern, 42:

North America, Ribes vulgare and its indigenous representatives in eastern, 9:1.

North America, Rubus idaeus and some of its variations in, 21:89.

North America, Rumex persicarioides and its allies in, 17:73.

North America, Sargent's Manual of the Trees of, [Review], 7:139.

North America, Some anomalous species and varieties of Bidens in eastern, 17:20.

North America, Some critical plants of Atlantic, 25:17.

North America, Some new or critical plants of eastern, 19:152.

North America, Some new or little known Cyperaceae of eastern, 8:126, 161, 181, 200.

North America, Some new species and varieties of Poa from eastern, 20:122.

North America, Some Polygonums new to, 19:133.

North America, Some species and varieties of Elymus in eastern, 20:81.

North America, Some Spermatophytes of eastern, 42:239, 281.

North America, Statice in, 19:1.

North America, Studies in the genus Hedysarum in, 42:217.

North America, Taraxacum in eastern, 35:

North America, The Ancylatheran Calamagrostis of eastern, 46:285

North America, The "Fall Dandelions" of, 3:

North America, The genus Amelanchier in eastern, 14:117.

North America, The genus Echinochloa in. 23:49.

North America, The genus Elatine in eastern, 19:10.

North America, The genus Empetrum in, 15: 211.

North America, The genus Erechtites in temperate, 19:24.

North America, The genus Euphrasia in, 17: 181.

North America, The genus Galinsoga in, 22: 97.

North America, The genus Puccinellia in eastern, 18:1.

North America, The genus Ruppia in eastern. 16:119.

North America, The group of Acalypha virginica in eastern, 29:193.

North America, The group of Eleocharis palustris in, 49:61.

North America, The indigenous varieties of Prunella vulgaris in, 15:179.

North America, The maritime Plantains of, 27:93.

North America, The representatives of Eleocharis palustris in, 31:57.

North America, The so-called Woodsia alpina in, 47:145.

North America, The Ulvaceae of, 5:1.

North America, The variations of Luzula campestris in, 15:38.

North America, Thesium Linophyllon, a first record for, 46:490.

North America, Two new maritime plants of northeastern, 19:76.

North America, Two editions of Torrev and Gray's Flora of, 8:232. North America, Two plants newly adventive

in, 44:18.

North America, Valerianella in, 40:185. North America, Vicia Cracca and its relatives in, 38:187.

North America, Vicia lathyroides in eastern Virginia and new to, 43:207.

North American allies, Agropyron caninum and its, 12:61.

North American allies of Scirpus lacustris, The, 6:65.

North American allies, Scirpus supinus and

its, 3:249.

North American Corylaceae (Betulaceae), Some, -I. Notes on Betula in eastern North America, 47:303; —II. Eastern North American representatives of Alnus incana, 47:333.

North American Euphrasias, The, 3:270.

North American Ferns allied to Athyrium Filix-femina, The genus Athyrium and the, 19:170.

North American Ferns, Taxonomic and geographic studies in, 19:169.

North American flora, Polygala vulgaris new to the, 44:9.

North American flowers as exemplified by Hepatica acutiloba, Color variation in eastern, 38:301.

North American Grasses, Notes on, 4:142.

North American Littorella, The, 20:61. North American members of Scirpus § Lacustres, Some, 45:283.

North American Orchids, Notes with extensions of range of several, 42:521.

North American Oxytropis and Saxifraga, Bibliographic note upon Gray's Revision of, 44:90.

North American plants, Identifications and reidentifications of, 48:137, 164, 207.

North American plants, Technical studies on, 48:5, 27, 41, 65.

North American relatives of Polygonum maritimum, Some, 15:68.

North American representative of Arenaria ciliata, The, 16:43.

North American representatives of Alisma Plantago-aquatica, The, 48:86.

North American representatives of Alnus incana, Eastern, 47:333.

North American representatives of Braya humilis, Some, 20:201.

North American representatives of Dryopteris spinulosa var. dilatata, The, 17:44. North American representatives of Ranuncu-

lus § Batrachium, The, 38:1. North American representatives of Scirpus

caespitosus, The, 23:22 North American Salix, Difficulties in, 48:13,

27, 41. North American Scutellarias, Notes on, 26:

61.

North American species of Alopecurus, Remarks on several, 19:165.

North American species of Anemone § Anemonanthea, The, 30:180.

North American species of Barbarea, The, 11:

North American species of Calamagnostis, A revision of some, 32:35.

North American species of Crotalaria, The, 41:317.

North American species of Eriophorum, The, 7:81, 129.

North American species of Lathyrus, Studies in certain, 19:156.

North American species of Limonium, Notes on the, 25:55.

North American species of Lobelia, Studies in the taxonomy and distribution of the eastern, 38:241, 276, 305, 346.

North American species of Panicum, The, [Review], 12:218.

North American species of Potamogeton of the section Coleophylli, A revision of the, 18:121.

North American species of Scirpus, Studies in, 45:279.

North American species, Urtica gracilis and some related, 28:191.

North American variations, Mentha arvensis and some of its, 46:331.

North American variations of Arctostaphylos Uva-ursi, The, 16:211.

North American variations of Carex inflata, The, 44:324. North American variations of Juneus effusus,

The, 12:81. North American variations of Lycopodium

clavatum, The, 12:50. North American varieties of Veronica alpina,

The, 41:447. North American variety of Cystopteris fragil-

is, A new, 28:129. North American variety of Equisetum Tel-

mateia, The, 49:203. North American Violets, The older types of,

—I, 9:93. North and South America, Spergularia in, 42: 57, 105, 158, 203.

North and South America, Status and distribution of some Cyperaceae in, 44:43, 77.

North and South America, Veronica in, 23: 1, 29.

North Carolina, Parthenium auriculatum in

Burke County, 28:208.

North Carolina, Range extensions in, 39:235.

North Carolina, Rhododendron carolinianum, a new Rhododendron from, 14:97.

North Carolina, Scirpus Longii in, 45:55. North Carolina, Setaria Faberi in, 48:391.

North Dakota, Botanical visits to Forts Clark, Mandan and Union in, 48:98.

North Dakota, a first record for North America. Thesium Linophyllon in, 46:490.

North Easton, Massachusetts, Some plants recently found in and around, 4:13.

Northeastern America, A new Ranunculus from, 7:219.

Northeastern America, Draba in temperate, 36:241, 285, 314, 353, 392.

Northeastern America, Draba incana and its allies in, 7:61.

Northeastern America, Epilobium alpinum and its allies in, 20:36.

Northeastern America, Notes on new or rare Violets of, 15:112.

Northeastern America, Notes on some plants of, 10:46, 84.

Northeastern America, Notes on the distribution of Najas in, 25:105.

Northeastern America, Oxytropis campestris in, 1:85.

Northeastern America, Some Antennarias of, 16:129.

Northeastern America, Some new or unre-

corded Compositae of, 17:1. Northeastern America, The dwarf Antennarias of, 26:95.

Northeastern America, The genus Arnica in, 7:146.

Northeastern America, The genus Oxytropis in, 30:137.

Northeastern America, The representatives of Erigeron acris in, 12:225.

Northeastern America, The genus Suaeda in, 9:140.

Northeastern America, Two new Galiums from, 12:77.

Northeastern America, The variations of Primula farinosa in, 9:15.

Northeastern American species of Bidens, A key to the, 27:184.

Northeastern Carices of the subsection Vesicariae, The, 3:43.

Northeastern flora, Some Jesuit influences upon our, 2:133.

Northeastern North America, Geranium carolinianum and allies of, 37:295.

Northeastern North America, Two new maritime plants of, 19:76.

Northern Hemisphere, Polystichum mohrioides and some other subantarctic or Andean plants in the, 26:89. NORTON, ARTHUR HERBERT

New stations for Peltandra virginica and Conopholis americana in Maine, 4:168-

The Dwarf Mistletoe on the southeastern coast of Maine, 9:208.

Plants apparently new to the Maine catalogue, 14:176.

Some noteworthy plants from the islands and coast of Maine, 15:137-143.

Littorella americana in Washington County, Maine, 33:79.

Plantago arenaria W. & K. at Portland, Maine, 33:171-172

Mountain Laurel (Kalmia latifolia) at Cherryfield, Maine, 33:198-199.

Rorippa amphibia in Androscoggin County, Maine, 35:262.

Notes on Triglochin palustris and Montia lamprosperma in Maine, 35:291-292. A third station for Waldsteinia fragarioides in Maine, 35:322.

Dr. Aaron Young, Jr. and the botanical survey of Maine, 37:1-16 (with portrait).

Sisyrinchium mucronatum in Penobscot County, Maine, 37:75.

Plants apparently new to Mount Katahdin, Maine, 37:455.

Plantago virginica in Maine, 41:559–560. [Biographical sketch], 45:217–220.

NORTON, LEROY F .- Notes on northern Maine plants, 46:204-205.

Norwich Free Academy, Herbarium of, 3:259. Norwood, Massachusetts, Pinus resinosa in, 12:217.

Notholaena sinuata and N. sinuata var. cochisensis, A comparison of the toxicity of, 47:

Notholaena sinuata var. cochisensis, A comparison of the toxicity of Notholaena sinuata and, 47:393.

Notothylas orbicularis in Massachusetts, 9:

Nova Scotia, A model flora of, [Review], 50: 211.

Nova Scotia, A new maritime Polygonum from, 16:187.

Nova Scotia, A note on the salt marshes of, 39:53

Nova Scotia greens, 18:43.

Nova Scotia, Floerkea proserpinacoides in, 50:283.

Nova Scotia, Lachnanthes in, 43:36. Nova Scotia, Lophiola aurea in, 21:68. Nova Scotia Mosses, Some, 24:121.

Nova Scotia, Notes on the flora of western, 24:157, 165, 201.

Nova Scotia, Notes on the flora of, 40:273; —II, 43:337; —III, 44:334.

Nova Scotia, Some Mosses from Windsor, 48: 1.

Nova Scotia, The Algae of St. Paul Island, 33:127.

Nova Scotia, The genus Aster in, 45:344. Nova Scotia, The Gray Herbarium expedition to, 1920, 23:89, 130, 153, 184, 223, 257, 284. Nova Scotia, The vascular flora of St. Paul

Island, 33:105.

Nova Scotia, Two weeks in southwestern, 44:

Nova Scotian Dwarf Shadbush, A, 50:49.

November flowers, 17:33.

November flowers in northern Vermont, 21: 170.

Noyes, Helen M.—The Ferns of Alstead, New Hampshire, 2:181-185.

Nuphar advena, Submersed leaves of, 44:394. Nuphar again, Nymphaea and, 18:161.

Nuphar microphyllum, A diagnostic character of, 19:111.

Nuphar, Note on, 19:92.

Nuphar sagittifolium in Virginia, 44:396. Nuttall and Pickering in the White Moun-

tains, 20:39.

Nuttall's "Arkansas Flora," Publication-date of. 46:156.

Nuttall's White Sassafras, 15:14.

Nye, Harriet A.
The blooming of Hepaticas, 4:127-128. Bulblets of Microstylis ophioglossoides,

A new station for Daphne, 25:45-46. A station in Maine for Ilex verticillata

forma chrysocarpa, 25:148.

Nymphaea americana, Nymphaea variegata or, 16:137.

Nymphaea and Nuphar again, 18:161.

Nymphaea maculata Raf., 29:239

Nymphaea magnifica, 18:120; —The authority for the binomial, 18:144.

Nymphaea, Proper use of the name, 29:234. Nymphaea tetragona in Maine, 38:375.

Nymphaea tetragona in Somerset County, Maine, 43:74.

Nymphaea, The standard-species of, 30:53. Nymphaea variegata, Nymphaea americana or, 16:137.

Nymphozanthus, the correct name for the Cow Lilies, 21:183.

Nyssa sylvatica in Maine, A new station for, 6:164.

Nyssa sylvatica, The varieties of, 37:433.

Oak Fern, On the name of the, 43:216.

Oak from Florida, A new, 31:79.

Oak Island and its flora, 4:87.

Oak XQuercus Rudkini, at Arlington, Virginia, The hybrid, 44:262.
Oak species Quercus rubra and ilicifolia, A supposed hybrid between the, 36:239.

Oak, The name of the Red, 18:45 OAKES, WILLIAM-[Herbarium of], 3:259.

Oaks in the British Museum, Three of Clayton's, 17:39.

Oaks of eastern North America based on

foliage and twig characters, A key to the species of, 38:53. Oedogonium and Bulbochaete in the vicinity of Woods Hole, Massachusetts, Notes on,

38:67. Oedogonium Huntii rediscovered? 10:57. Oedogonium in the vicinity of Woods Hole,

Massachusetts, 36:197. Oedogonium Reinschii Roy sec. Hirn., 30:193.

Oenothera, A new, 15:45. Oenothera crosses, On the Mendelian inter-

pretation of, 18:198.

Oenothera perennis L., var. rectipilis (Blake) comb. nov., 25:47.

Oenothera pumila L., var. rectipilis, var. nov., 19:110.

Oenothera pumila, Pubescent capsules of, 1:

Oenothera, Systematic studies on, -I. Oenothera Tracyi, sp nov., 13:209; -II. The delimitation of Oenothera biennis L., 15: 48; —III. New species from Ithaca, New York, 15:81; —IV. Oe. franciscana and Oe. venusta, spp. novv., 16:33; —V. Oe. Robinsonii and Oe. cleistantha, spp. novv., 17:41.

Oenothera, The mutation factor in evolution with particular reference to [Review], 17: 235.

OGDEN, E. C.

New range-records for linear-leaved species of Potamogeton, 44:406-407.

The broad-leaved species of Potamogeton of North America north of Mexico, 45: 57–105, 119–163, 171–214, pls. 746–748. (Contrib, Gray Herb. no. CXLVII). Potamogeton tennesseensis new to the

Manual range, 49:255-256.

Ohio, Affinities of the flora of the Illinoian Till Plain of southwestern, 37:349.

Ohio, Juneus monostichus in, 15:62. Oklahoma, A Flora of, [Review], 40:179.

Oklahoma, A new species of Euphorbia from, 50:63.

Oklahoma, A new Triodia from, 40:243. Oklahoma, Acer grandidentatum in, 46:445.

Oklahoma and Wisconsin, Arabis viridis in, 40:431. Oklahoma, Arabis canadensis in, 45:114.

Oklahoma, Calopogon pulchellus from, 36:

Oklahoma, Distributional notes and some minor forms from, 50:91.

Oklahoma flora, Cnidoscolus texanus and C. stimulosus, their status in the, 45:270.

Oklahoma, Fraxinus pennsylvanica var. Austini in, 45:273.

Oklahoma, Galium texense in, 45:276.

Oklahoma, Glottidium vesicarium in, 36:118. Oklahoma, Interesting plants of, 42:499. Oklahoma, Notes from the (Bebb) Herbarium

of the University of, -I, 40:425; -II, 45:

Oklahoma plants, Further notes on, 38:239. Oklahoma plants, Notes on, 45:113.

Oklahoma, Sida in, 50:99.

Old World allies, American Thalictra and their, 46:337, 391, 453. Old World and North America, A new species

of Eragrostis of the, 19:93.

Old World, Specific segregations and identities in some floras of eastern North America and the, 33:25.

OLNEY, STEPHEN THAYER—[Herbarium of], 3:207.

O'NEILL, HUGH

Heat as an insecticide in the herbarium, 40:1-4.

Cyperus pilosus Vahl in the United States, 40:74.

Cyperus oxylepis in the United States and Mexico, 40:358-359.

The status and distribution of Cyperus distinctus Steud., 41:131-133, figs.

Cyperus polystachyos var. filicinus, 42: 84–86.

- and Duman, M.), A new species of Carex and notes on this genus in arctic America, 43:413-425, pl. 669.

The status and distribution of some Cyperaceae in North and South America, 44:43–64, 77–89.

374 RHODORA

Onoclea sensibilis. An exceptionally large, 32:

Ontario and Michigan, Critical plants of the Upper Great Lakes region of, 37:197, 238, 272, 324.

Ontario and St. Lawrence basins, New York, Notes on some plants of the, 25:205.

Ontario border, A new Oxytrope of the Minnesota, 45:1

Ontario. Eleocharis caribaea var. dispar in, 37: 365.

Ontario, I. Epipactis Helleborine, Notes on the flora of, 50:236.

Ontario, Linum catharticum in, 47:362.

Ontario Natural Science Bulletin, [Review], 7:167.

Ontario, Notes on the Algae of the Rideau, 14:236.

Ontario, Salvia sylvestris in County Peel, 19: 39.

Ontario, Some observations on the flora of the Bruce Peninsula, 37:63.

Ontario, Stachys lanata in, 22:128. Ophioglossum vulgatum in eastern North America, Forms of, 15:86.

Ophioglossum vulgatum, Range extension in Missouri for, 36:22

Opuntia humifusa in Concord, Massachusetts, The persistence of, 40:486

Opuntia vulgaris on Cape Cod, 16:101. Opuntia vulgaris, Polyembryony in, 1:127.

Orchid fragrance, Some observations on, 3:

Orchid new to New England, Another, 25:47. Orchidaceae, Illustrations and Studies of the Family, [Review], 7:119.

Orchidaceae of a series of swamps in southern

Vermont, The, 2:114.

Orchids found in the region of Asquam Lake, 19:56.

Orchids, Nomenclatorial changes for some Chinese, 27:105.

Orchids, Notes on New England, -I, 23:73; —II, 24:37.

Orchids, Notes on the embryology of some New England, 3:61, 202.

Orchids, Notes with extensions of range of several North American, 42:521.

Orchids of Chesterville, Maine, 5:82 Orchids of eastern Vermont, Some, 2:171.

Orchids of Mt. Greylock, Massachusetts, 2:

Orchids of the Asquam region, Further notes on the, 19:235.

Orchids of the Manual range, Some, 48:161,

Orchids of the region of Asquam Lake, Further notes on the, 19:131.

Orchids of the upper Pemigewasset Valley, Some, 1:199.

Orchis of Newfoundland, The Ragged, 28:21. Ordway, D. L.—Moss Flora of North America, [Review], 43:95.

Oregon, Crepis setosa in, 22:191. Oregon, Muscari comosum in, 24:208. Oregon, New plants from, 33:203.

Oregon, Some new species and varieties from,

Oregon, The occurrence of Phragmites communis in western Washington and, 33:170. Oregon, Three interesting new plants from

Wallowa County, 36:266.

ORMSBEE, C. W.—(Brainerd, E., CHITTENDEN, M. D. and —), Notice of annual field meeting of the Vermont Botanical Club. 6: 164.

Ornamental Shrubs of the United States, [Re-

view], 12:207.

Orobanche ramosa on a Coleus, 26:133.

Orontium at Hyannis, Massachusetts, 16:77. Orontium in Barnstable County, Massachusetts, 16:18.

Osage Orange, The scientific name of the, 9: 91

Oscillatoriaceae of southern Massachusetts, The, 40:221, 255. Oscillatoriaceae, Three American, 39:277.

Osmorhiza longistylis, The forms of, 25:110. Osmorhiza new to eastern America, An, 4:153. OSMUN, A. VINCENT

Cuscuta trifolia in Massachusetts, 5:290-

Further stations for Botrychium matricariaefolium in Connecticut, 6:80.

Osmunda and Struthiopteris, Development of the sporophyll in, 3:223.

Osmunda cinnamomea and its geographic varieties, 32:75.

Osmunda cinnamomea, Forms of, 15:154. Osmunda Claytoniana and its var. vestita. 32:

Osmunda regalis and its var. spectabilis, 32: 72.

Osmunda, Some varieties of the Amphigean species of, 32:71.

OSTENFELD, C. H.—(— and GRÖNTVED, J.), The Flora of Iceland and the Faroës, [Re-

view of], 36.
OSTERHOUT, W. J. V.—A new textbook of botany, [Review], 13:16.
OSTRICH Fern, The American, 17:161.
OTTLEY, ALICE M.—The occurrence of Centi-

peda minima in Wellesley, Massachusetts, 40:219-220.

Outlines of Botany, [Review], 4:85.

OWEN, MARIA L.

The Connecticut Valley Botanical Society, 1:95-96

Ferns of Mt. Toby, Massachusetts, 3:41-

[Herbarium of], 3:259.

The three adventive Heaths of Nantucket, Massachusetts, 10:173–179.

Frederick William Batchelder, 14:41-45. Tillaea in Nantucket, 14:201-204.

[Biographical sketch], 16: 153-160. OWNBEY, MARION—(HANES, C. R. and —), Some observations on two ecological races of Allium tricoccum in Kalamazoo County,

Michigan, 48:61. Oxalis,—a correction, 28:67.

Oxalis americana, The validity of, 20:76.

Oxalis corniculata and its relatives in North America, 27:113, 133.

Oxalis montana, 22:143. Oxalis montana forma rhodantha, New station of, 39:231.

Oxalis stricta L., Abnormal flower structure

in, 19:41.

Oxalis stricta var. viridiflora, Note on, 11:118. Oxypolis Canbyi (Coult. & Rose) comb. nov.,

Oxypolis filiformis, The Virginian record of,

49:156.

Oxytrope of the Minnesota-Ontario border, A new, 45:1.

Oxytropis and Saxifraga, Bibliographic note upon Gray's Revision of North American, 44:90.

Oxytropis campestris in northeastern America. 1:85.

Oxytropis from the Gaspé coast, A new, 30:

Oxytropis in northeastern America, The genus, 30:137.

Ozark region in Missouri, Some features of the flora of the, 36:214.

Ozarks, Delphinium newtonianum, a new species from the Arkansas, 41:193.

Ozarks of Arkansas, A new Amsonia from the,

Ozarks of southeastern Missouri, Draba aprica in the, 42:32.

Pacific coast, The Eelgrass situation on the American, 41:257.

Pacific, Ligusticum scothicum of the North Atlantic and of the North, 32:7.

Pacific Northwest, Postglacial forest succession, climate and chronology in the, [Review], 49:227.
Pacific States, Abrams's Illustrated Flora of

the, [Review], 46:282. PAGE, HENRIETTA

A method of obtaining Bayberry wax, 1: 193-194

Palafoxia in Texas, The genus, 48:84.

Palmer and Steyermark's Annotated Catalogue of Flowering Plants of Missouri, Validation of combinations in, 40:131.

PALMER, ERNEST J. and Anderson, E.), Uvularia perfoliata in Louisiana, 37:58-59.

Brauneria atrorubens and B. paradoxa, 38:197-199.

Some woody plants of Rhode Island, 41: 314-316.

Panicum recognitum in Rhode Island, 44:

PALMER, SAMUEL C .- Convolvulus Wallichianus at Swarthmore, Pennsylvania, 47:332. PAMMEL, L. H.

Prickly Lettuce, 20:180-181.

Panicum, A northeastern variety of, 22:153. Panicum albemarlense in Connecticut, 22:182. Panicum amarulum Hitchc. & Chase, A teratological specimen of, 17:72.

Panicum barbulatum in Massachusetts, 1:76.

Panicum calliphyllum Ashe, Another station for, 33:131.

Panicum calliphyllum Ashe, Two records of, 15:99.

Panicum § Capillaria in New England, 21: 110.

Panicum Clutei compared with that of Gray's

Manual, Recent treatment of, 13:66. Panicum compared with that of Gray's Manual, The recent treatment of, 13:66.

Panicum Commonsianum in Connecticut. 6:42.

Panicum dichotomiflorum var. puritanorum in New Hampshire, 35:68.

Panicum ensifolium and allies in southeastern Virginia, 39:387.

Panicum longifolium in Massachusetts, 30: 190; —A second station for, 31:39.

Panicum longifolium in New Hampshire, 37:

Panicum muricatum, Michaux's, 17:105.

Panicum occurring in or near Rhode Island, Notes on certain species of, 30:229. Panicum philadelphicum, Panicum Tuckermani, a variety of, 41:86.

Panicum, Realignments in the genus, 36:61. Panicum recognitum in Rhode Island, 44:227. Panicum, The New England species of the genus, 3:93.

Panicum, The North American species of. [Review], 12:218.

Panicum Tuckermani, a variety of Panicum philadelphicum, 41:86.

Panicum, Type of the genus, 13:173.

Panicum unreported in New England, A, 15:

Panicum virgatum, Some varieties of, 24:11. Panicum virgatum var. cubense in Michigan, 23:200.

Panicum virgatum var. cubense Griseb. (or var. obtusum Wood) in Plymouth County, Massachusetts, 34:149.

Panicum Wrightianum on Long Island, 16: 167.

Panicums in Connecticut, Noteworthy, 3:145. Panicums of Essex County, Massachusetts, Further notes on, 15:36.

Panicums of Essex County, Massachusetts, Some, 14:36

Paracedroxylon, a new type of Araucarian wood, 11:165.

Parietaria debilis in New Hampshire, 2:158. Parish, S. B.—The vegetation of Plymouth three hundred years ago, 3:17.

PARKER, CHARLES S .- Lathyrus Nissolia, a recent introduction in the State of Washington, 23:246.

PARLIN, JOHN CRAWFORD

The staminate plant of Antennaria Parlinii, 1:156.

[Herbarium of], 3:259.

Some casual elements in the flora of western Maine, 6:81-84.

A new station for Nyssa sylvatica in Maine, 6:164.

Further notes on Arabis laevigata and Asplenium Trichomanes in Maine, 7: 13.

Some Maine addenda, 10:146. Waldsteinia in Maine, 24:124. Selaginella apoda in Maine, 25:188. Lythrum alatum in Maine, 48:40. [Obituary], 50:130-131.

Parnassia palustris, American, 39:310. Paronychia § Anychia, Notes on, 38:416. Paronychia argyrocoma and its New England

representative, 8:101.

Paronychia argyrocoma var. albimontana at Newburyport, Massachusetts, Rediscovery of, 47:90

Paronychia in central and western Texas, 46:

278.

Parthenium auriculatum in Burke County, North Carolina, 28:208.

Paspalum in eastern Connecticut, 16:136.

Paspalum in New England, A note on the genus, 30:133.

Paspalum psammophilum, New stations for, 14:174.

Paspalum, Some transfers in Digitaria and,

Pasture-Thistles, east and west, The, 12:211. Peabody Academy of Science, Herbarium of,

Peabody, Francis Howard—[Notice of death],

Peabody, Ruth-Antennaria plantaginifolia with rosy involucres, 36:376.

Peaks of Otter, A new Clematis from the, 49:

PEASE, ARTHUR STANLEY

Hieracium praealtum at Andover, Massachusetts, 4:197.

Two new stations for Arceuthobium, 4: 249.

Erodium malacoides at Lawrence, Massachusetts, 5:39.

The genus Trisetum in Andover, Massa-

chusetts, 5:289-290. Preliminary lists of New England plants.

-XV, 6:85-88. Notes on the accentuation of certain gen-

eric names, 7:157-161.

- and Moore, A. H.), Peculiarities of Botrychium lanceolatum in America, 8:

- and Moore, A. H.), An alpine variety of Houstonia caerulea, 9:209-210.

Preliminary lists of New England plants, -XV. Addenda, 10:36.

Four introduced plants at Cambridge, Massachusetts, 10:167.

Certain railroad weeds of northern New Hampshire, 11:30.

A Juneus new to New England, 11:31. Cryptogramma Stelleri in New Hampshire, 11:64.

— and Moore, A. H.), Agropyron caninum and its North American allies, 12: 61-77.

Helianthus subrhomboideus in New Hampshire, 13:103. A form of Potentilla tridentata, 16:194-

A northern Solidago in the White Mountains, 17:72.

Arenaria stricta in the White Mountains, 17:232-233

Is Aster tardiflorus a hybrid? 19:88-90. Taraxacum ceratophorum in New Eng-

land, 19:111-112. Nuttall and Pickering in the White Moun-

tains, 20:39.

Gray Pine and Arbor-Vitae, 23:247-249. Eleocharis tuberculosa in New Hampshire, 26:37-38.

[Vascular Flora of Coos County, New

Hampshirel, Review of, 27:52.
(Churchill, J. R., Deane, W., Grigg, F. W., Knowlton, C. H., —, Sanford, S. N. F. and Smith, L. B.), Reports on the flora of Massachusetts,-I, 30:12-

Plants new to Coos County, New Hamp-

shire. 30:104-105.

A day in Gaspé, 31:54-56.

Botanical notes from northern Vermont, 32:17-18.

A Carex new to New England, 32:258. Panicum longifolium in New Hampshire,

Polygonum puritanorum in Maine, 45:

Cirsium Flodmani in New Hampshire, 46:87-88

Pease, C. E.—Collecting seaweeds in the Tropics, 3:90-91.

PEATTIE, DONALD CULROSS

An interesting habitat, 23:69-71. The Atlantic Coastal Plain element in the flora of the Great Lakes, 24:57-70, 80-88, 5 figs.

[Cargoes and Harvests], Review of, 29:

Peattie, Roderick—(——, editor) [The Great Smokies and the Blue Ridgel, Review of, 46:157–158.

PECK, M. E.

Three interesting new plants from Wallowa County, Oregon, 36:266-268.

James C. Nelson, 47:65-68 (with portrait).

Peck Testimonial Exhibit, Installation of the, 19:236

Pedicularis labradorica, 33:193.

PEEBLES, R. H.—(KEARNEY, T. H. and ——), [Flowering Plants and Ferns of Arizona], Review of, 45:26-27.

Petrce, Mary F.— Note on Weigela rosea, 10: 131-132.

Peitersen, A. K.— (Brainerd, E. and — [The Blackberries of New England], Review of, 22:185–191.

Peltandra, A Virginian, 50:56.

Peltandra Rafinesque, Notes on, 12:47.

Peltandra virginica and Conopholis americana in Maine, New stations for, 4:168.

Peltandra virginica, The forms of, 14:102. Pemigewasset Valley, Some Orchids of the

Upper, 1:199.

PENHALLOW, DAVID PEARCE

An account of certain noteworthy features in the habitat of Rhodora, 11:173-177.

[Biographical sketch], 13:1-4. [A correction regarding], 13:56.

Penikese, The flora of, —Fifty years after, 26: 181, 211, 222; —Seventy-four years after,

50:253, 285. Penikese Island, The David Starr Jordan Al-

gae from, 35:147.

Penikese Lichens of the 1924 survey, 35:149. Penium, New England species of, 9:227.

PENLAND, C. WILLIAM—Notes on North American Scutellarias, 26:61–79, pls. 140, 141. (Contrib. Gray Herb. no. LXXI).

PENNELL, FRANCIS W.

A plea for Aureolaria, 20:133–137.

The flower of Agalinis—a correction, 20: 199-200.

Veronica in North and South America, 23:1-22, 29-41.

Some belated corrections to my revision of Veronica in America, 34:149-151.

On the typification of Linnean species as illustrated by Polygala verticillata, 41: 378-384.

Pennsylvania, A dangerous weedy Polygonum in, 50:64.

Pennslyvania, A Flora of northeastern, [Review], 21:172.

Pennsylvania, Antennaria canadensis in, 17: 125.

Pennsylvania, Arthraxon hispidus var. cryptatherus (Hack.) Honda in, 39:100.

Pennsylvania, Carex gynocrates in, 19:110. Pennsylvania, Convolvulus Wallichianus at

Swarthmore, 47:332. Pennsylvania, Discovery of Trisetum spica-

tum in, 21:128.

Pennsylvania, Galium labradoricum in, 14:

Pennsylvania, Notes on plants of central, 47:

Pennsylvania, Plants of central, 41:28. Pennsylvania, Range of Carex novae-angliae extended into, 19:96.

Pennsylvania, Some rare introductions near Harrisburg, 32:28.

Pennsylvania stations of Arceuthobium pusil-lum, The, 33:191.

Pennsylvania, Stipa spartea found in, 29:253. Pennsylvania, The so-called Keeled Garlic of eastern, 46:59.

Pennsylvanicus? Pensylvanicus or, 43:94. Penobscot Bay region, A flora of the, [Re-

view], 22:91. Penobscot Bay region, Maine, Notes on the

flora of the, 16:189.

Penobscot County, Maine, Sisyrinchium mu-cronatum in, 37:75.

Penobscot Valley, A handsome Willow of the,

Penobscot Valley, Some noteworthy plants of the, 8:65. Penobscot Valley, The "King-devil Weed" in

the, 4:61.

Penobscot Valley, Viola novae-angliae in the, 8:115.

Penstemon gracilis in Indiana, 49:256.

Penstemon gracilis Nutt., var. wisconsinensis (Pennell) n. comb., 49:293. "Pensylvanica" again, The spelling, 43:556.

Pensylvanicus or pennsylvanicus? 42:94. "Pensylvanicus," The orthography of, 43:220. Pentstemon laevigatus, a misnomer, 44:485. Perezia adventive in Massachusetts, A new, 20:150.

Perezia aletes, an Argentinian species, 47:47. Pericome, A new species of, 39:209.

Peridermium pyriforme and its probable alternate host, 9:194.

PERKINS. ANNE E.

Notes on some rare plants of York County, Maine, 37:415-416.

Some noteworthy plants of York County, Maine, 38:452-453.

Echinodorus tenellus, a correction, 40:27. Notes on some Maine plants, 40:462-464. Perkins, George Henry

[Herbarium of], 3:286. (Underwood, J. G., — - and Griffin, D. L.), Vermont Botanical Club, Sum-

mer meeting, 14:162.
Perkins, Llewellyn R.—Viola pallens with

pure white petals, 11:164.

PERRY, LILY M.

Concerning a Californian Convolvulus, 33:76-77.

The vascular flora of St. Paul Island, Nova Scotia, 33:105-126. (Contrib. Grav Herb. no. XCIV).

Evolvulus pilosus, an invalid name, 37:

Verbena prostrata, an invalid name, 38: 271 - 272

Variants in two species of Delphinium, 39:20-22

Notes on Silphium, 39:281–297. (Contrib. Gray Herb. no. CXVIII).

Gonolobus within the Gray's Manual range, 40:281-287, pl. 494. (Contrib. Gray Herb. no. CXXII). Persicarias, The American amphibious, 27:125,

146, 156.

Petalostemum occidentale (Gray) comb. nov.,

Petalostemum oreophilum, a species of Dalea, 49:163.

Peziza rapulum, Note on, 2:106.

Peafer, F.—Ivy poisoning and its treatment, 4:43-45.

Phacelia hirsuta, The plants passing as, 46:51. Phanerotaenia, a new genus of Umbelliferae, 21:181.

Phaseolus perennis in New England, Rediscovery of, 4:13.

378 RHODORA

Phaseolus perennis, A new station for, 5:291. Phaseolus polystachios to other species, The probable relationship of, 45:169.

PHELPS, ORRA PARKER

An hour in a Connecticut swamp, 5:196-

Noteworthy plants of Salisbury, Connecticut, 9:74–75.

Viola Selkirkii in Connecticut, 15:225. Unusual plants found in Salisbury, Connecticut, 16:96.

Ranunculus Boreanus in eastern New York, 21:208.

Philadelphia, Eragrostis peregrina a frequent plant about, 20:173.

Philadelphia, Muscari comosum, a new intro-

duction found in, 24:16. Philadelphus combinations, Two, 17:121. Philadelphus platyphyllus Rydb., Concerning,

Philotria, Further notes on, 21:218. Phlox divaricata in Vermont, 15:79.

Phlox nivalis, Remarks on the name, 43:71.

Phlox pilosa in Connecticut, 1:76.

Phragmites communis in western Washington and Oregon, The occurrence of, 33:170. Phragmites communis Trin., var. Berlandieri

(Fournier) comb. nov., 34:211.

Phragmites communis versus P. maximus, 43:

286.Phragmites maximus, Phragmites communis

versus, 43:286. Phragmites, The generic name, 24:55. Phycological nomenclature, A note on, 40:27.

Phycological notes of the late Isaac Holden, —I, 7:168; —II, 7:222. Phycotheca Boreali-Americana, New species,

etc., issued in the, 8:104. Phyllanthus brasiliensis, The synonymy of,

36:268.

Phyllary, Note on the term, 45:502.

Phymosia remota, 34:142; —in captivity, 34:

Physaria, The Cruciferous genus, 41:392. Phytogeographic Survey of North America, Harshberger's, [Review], 13:213.

Phytologia, [Notice], 37:162.

Phytophylacium, The so-called generic names of Ehrhart's, 22:180.

Picea canadensis from Missouri, A pre-Kansan record of, 37:16.

Picea glauca forma parva, 34:187.

Picea rubens Sarg., forma virgata (Rehder) comb. nov., 34:211.
Pickering in the White Mountains, Nuttall

and, 20:39.

PIERCE, JOHN H.—Range extensions of certain plants on the Gaspé Peninsula, 38:273-275. PIERCE, MARY ELIZABETH—Pinellia ternata in

Brooklyn, New York, 44:16–18, 1 fig. Pignut in New England, Hairy variety of Sweet, 47:46.

Pilea in eastern North America, 38:169. Pilinia, The genus, 10:122.

Pine, Arbor-Vitae and Gray, 23:247.

Pine Barrens, A flora of the New Jersey, [Review], 14:94.

Pine Barrens, Sagittaria Edwardsiana, a new species from the New Jersey, 39:29.

Pine, Dwarf Mistletoe on White, 37:268 Pine in Middle Tennessee, The White, 27:27. Pinellia ternata in Brooklyn, New York, 46:

Pines in northern New York, An uncommon

association of, 30:129. Pinus Banksiana and Thuja occidentalis, Lithological factors limiting the ranges of, 21:41

Pinus Banksiana in New York, Western extension of the range of, 40:241

Pinus Banksiana on Mt. Desert Island, 1:135. Pinus Banksiana on Nantucket, 16:184; 18:

Pinus palustris, The confused bases of the name, 50:241.

Pinus resinosa in Norwood, Massachusetts, 12:217.

Pinus rigida for Coos County, New Hamp-

shire, A fourth, 12:99. Pinus rigida in Virginia, A globose form of

Pitch Pine, 42:308.
Pinus rigida to physiographic features and soil types in Central Massachusetts, The relation of, 40:72.

Pinus Strobus L., forma prostrata (Mast.) comb. nov., 34:168.

Pinus Strobus, Stump-healing in, 13:253. Pipewort from New Jersey, A hitherto un-

described, 5:175. Pitch Pine (Pinus rigida) in Virginia, A glo-

bose form of, 42:308. Pityrogramma triangularis, Varieties of, 22:

113. Pladeck, Mildred-Notes on Virginia and

Maryland plants, 36:407-408. Plant collecting, The use of alcohol in, 49:207. Plant collecting, The use of Formaldehyde

in, 49:54. Plant disease, The Fungi which cause, [Review], 16:79.

Plant Distribution, Continental Drift and,

[Review], 46:249 Plant distribution, Report of the Committee on, —Eighth, 38:263; —Ninth, 48:17.

Plant-names of the Madawaska Acadians,

Some, 1:166. Plant societies at Roque Bluffs, Maine, Plants

and, 17:145.

Plant taxonomy, Some historical aspects of, 44:21.

Plantago altissima in Massachusetts, 36:389. Plantago arenaria W. & K. at Portland. Maine, 33:171.

Plantago elongata in Massachusetts. 6:211: in New England, 2:156; in Rhode Island, 2:194.

Plantago lanceolata, Inheritance of sex forms in, 15:173; On gynodioecism in, 13:199. Plantago virginica in Maine, 41:559.

Plantains of North America, The maritime, 27:93.

Platymonas subcordiformis (Wille) Hazen. 23:249.

Pleurogyne, Lomatogonium the correct name for, 21:193.

Pleurotaenium, A synopsis of the New England species of, 9:101. PLITT, CHARLES C.

Notes on Monotropsis odorata, 11:153-

Two abnormalities of Podophyllum peltatum, 33:228-229, 1 fig.

Pluchea camphorata, The identity of, 41:459. Pluchea purpurascens (Sw.) DC., var. succulenta, var. nov., 44:227.

Pluteolus, A beautiful, 5:197.

Plymouth County, Massachusetts, Panicum virgatum var. cubense Griseb. (or var. obtusum Wood) in, 34:149.

Plymouth, Massachusetts, Mibora minima (L.) Desv. at, 17:97; Three plants of, 28: 88; Utricularia subulata in, 30:35.

Plymouth, New Hampshire, An annotated list of rare or otherwise interesting Mosses occurring in or near, 1:53.

Plymouth three hundred years ago, The vegetation of, 3:17.

Poa annua, Aquatic varieties of, 43:630.

Poa Chaixii in America, The occurrence of, 40:73.

Poa from eastern North America, Some new species and varieties of, 20:122.

Poa in Cook County, Minnesota, The genus, 49:1.

Poa labradorica, A note on, 31:78 Poa, Nematode infection in, 44:246. Pocono Plateau, Flora of the, 1:182.

Podophyllum peltatum, A red-fruited form of, 50:18; Two abnormalities of, 33:228.

Podostemon ceratophyllus in Vermont, Re-

discovery of, 9:220.
Podostemum, Hippuris and Hottonia in New Hampshire, 50:209.

Pogonatum capillare on Mt. Greylock, 4:83. Pogonia affinis, A new station for, 23:195; in Maine, 28:31; in the vicinity of Wolfeboro, New Hampshire, 31:242; in Vermont, 4:216.

Pogonia (Isotria) verticillata, Observations upon, 8:19.

Pogonia pendula in Maine, 2:211.

Pogonia pendula, The elusive character of,

Pogonia trianthophora in Holderness, New Hampshire, 12:206.

Pogonia trianthophora, Notes on, 22:53.

Pogonia verticillata, Anomalous flowers of. 18:252; Remarks upon Mr. House's paper on, 8:100.

Pogotrichum filiforme, On, 40:26. Poisoning, A case of Boletus, 1:21.

Poisoning and its treatment, Ivy, 4:43.

Poisoning by Agaricus illudens, 1:43.

Poisoning by Cypripedium spectabile in Vermont, Some cases of. 4:94.

Polemonium in Minnesota, A variety of a western, 49:118.

Pollination of Kalmia angustifolia, The, 36:25. Pollination of Rhodora, The, 34:213.

Pollination of the Ericaceae, Chamaedaphne and Xolisma, 37:157; —IV. Ledum and Pyrola, 38:90; —V. Gaylussacia baccata, 42: 352; —VI. Vaccinium caespitosum on Mt. Katahdin, 44:187.

Pollination of Vaccinium pennsylvanicum,

39:60.

Pollination of Verbena hastata, 41:184. Pollinization of Habenaria obtusata, The, 32:

Pollution of water-supplies by Algae, The, 1:

Polunin, Nicholas

A botanical scrapbook, 38:409-413.

Notes on some plants collected in the Canadian Eastern Arctic by Dr. Potter in 1937, 41:37–42.

[Botany of Canadian Eastern Arctic], Review of, 42:417-418.

Polyctenium, Smelowskia and, 40:294.

Polygala, A violet-flowered form of the Fringed, 1:173.

Polygala paucifolia Willd., forma vestita, n. f., 22:32.

Polygala polygama, A new form of, 17:201. Polygala polygama var. abortiva merely an autumnal state, 2:242.

Polygala verticillata, On the typification of Linnean species as illustrated by, 41:378. Polygala vulgaris new to the North American

flora, 44:9.

Polygonatum, An additional note on the branching tendency in, 36:59.

Polygonatum biflorum and P. canaliculatum, Specific distinctions between, 46:9.

Polygonatum canaliculatum, Specific distinctions between Polygonatum biflorum and, 46:9.

Polygonatum pubescens, Branching, 35:403. Polygonella articulata (L.) Meisn., forma atrorubens, n. f., 31:106.

Polygonum amphibium, Adaptation in, 27:

Polygonum amphibium, Biological relations of Polygonum Hartwrightii to, 4:104.

Polygonum caespitosum var. longisetum in the United States, 34:146.

Polygonoum cilinode, The West Virginian variety of, 16:165.

Polygonum cuspidatum Sieb. & Zucc., The case for, 32:223.

Polygonum from southeastern Massachusetts, A new, 21:140.

Polygonum exsertum in Massachusetts, 7:

Polygonum from Nova Scotia, A new maritime, 16:187.

Polygonum from Washington, A new variety of, 40:359.

Polygonum Hartwrightii to Polygonum amphibium, Biological relation of, 4:104.

Polygonum Hydropiper in Europe and North America, 29:77.

Polygonum hydropiperoides and P. opelousanum, 28:11, 22.

Polygonum in Pennsylvania, A dangerous weedy, 50:64.

Polygonum Kelloggii and its allies, 40:309. Polygonum maritimum, Some North American relatives of, 15:68.

Polygonum, Nomenclatural transfers in, 48:49. Polygonum opelousanum, Polygonum hydro-

piperoides and, 28:11, 22.

Polygonum pensylvanicum and related species, 27:173.

Polygonum pensylvanicum, The variations of, 19:70.

Polygonum, Possibilities of hybridism as a cause of variation in, 27:81.

Polygonum puritanorum in Maine, 45:215. Polygonum setaceum, The geographic varieties

of. 40:414.

Polygonum, subgenus Persicaria, The amphibious group of, 27:109, 125, 146, 156.

Polygonum, subgenus Persicaria, The inflorescence and flower-form in, 27:41.

Polygonums from New England, Two new, 19:232.

Polygonums new to North America, Some, 19:133.

Polygonums of the section Avicularia, The New England, 5:65.

Polymnia canadensis in Vermont, 2:70.

Polymnia Uvedalia and its varieties, 19:46. Polypodium virginianum and P. vulgare, 24:

Polypodium vulgare, Polypodium virginianum and, 24:125.

Polypodium vulgare var. cambricum, A new station for, 4:197.

Polyporus pergamenus, A peculiar state of,

Polysiphonia fibrillosa in New England, On, 35:391.

Polystichum Braunii, The eastern American

variety of, 30:28. Polystichum mohrioides and some other subantartic or Andean plants in the Northern

Hemisphere, 26:89. Polytrichum gracile Dicks. in Maine, 9:64. Pond flora of Cape Cod, The, 14:25. Pondweed from Tennessee, A new, 38:165.

Pontederia versus Unisema, 27:76

POOLE, JAMES P.—Oedogonium Reinschii Roy sec. Hirn., 30:193-194, 2 figs.

Populus angulata, Populus virginiana and, 13:

Populus balsamifera of Linnaeus not a nomen ambiguum, 48:103.

Populus, Two new names in, 50:233.

Populus § Turanga, A necessary transfer in, 47:362.

Populus virginiana and P. angulata, 13:12. Populus virginiana Fouger., 13:195.

Poria fatiscens, Note on, 25:163.

Porsild, A. E.

Notes on the occurrence of Zostera and Zannichellia in arctic North America, 34:90-94.

Silene Menziesii and allies in Western Canada, 40:212-215.

Contributions to the flora of Alaska, 41: 141-183, 199-254, 262-301, pls. 551-554. The so-called Woodsia alpina in North America, 47:145-148.

Porsild, Morten P .- On the "papillose" achenes in the genus Antennaria, 33:213-

222, 4 figs. Porter, Thomas Conrad

Flora of the Pocono Plateau, 1:182-185. [Biographical sketch], 3:191-193. [Flora of Pennsylvania], Review of, 6:

61 - 62

Portland, Maine, Plantago arenaria W. & K. at. 33:171.

Portland Society of Natural History, Herbarium of, 3:260.

Postglacial Forest Succession, Climate and Chronology in the Pacific Northwest, [Review], 49:227.

Postglacial history of vegetation in northwest-

ern Wisconsin, The, 40:137.

Post-Pleistocene age in Essex County, Massachusetts, A southern flora and fauna of, 10:42.

Post-Pleistocene marine connection between Hudson Bay and the St. Lawrence basins, Botanical evidence of a, 34:69, 101.

Post-Pleistocene marine submergence in eastern North America, Effects of, 29:41, 57,

87, 105.

Post-Pleistocene range of Butternut and Hickory in Wisconsin, Fossil evidence of wider, 44:409; — A note on, 45:107; — A reply, 46:149.

Post-Wisconsin record of Fraxinus nigra, A,

Potamogeton alpinus and P. microstachys, 32:76.

Potamogeton and Spiraea, Some varieties of, 2:102.

Potamogeton bicupulatus in Massachusetts, 50:304.

Potamogeton crispus L., Advance of, 15:171. Potamogeton filiformis, Further notes on, 20: 191.

Potamogeton, Further notes on, 20:191.

Potamogeton Hillii in Berkshire County, Massachusetts, 42:95.

Potamogeton lucens L., A correction concerning Sagittaria teres Watson and, 17:142.

Potamogeton microstachys, Potamogeton alpinus and, 32:76.

Potamogeton, New range-records for linearleaved species of, 44:406.

Potamogeton of North America north of Mexico, The broad-leaved species of, 45:57, 119, 171.

Potamogeton of the section Coleophylli, A revision of the North American species of, 18:121.

Potamogeton panormitanus in the Sudbury River, 36:312.

Potamogeton spathaeformis, a probable hybrid in Mystic Pond, 8:224. Potamogeton Spirillus may grow as an an-

nual, 45:329.

Potamogeton tennesseensis new to the Manual range, 49:255.

Potamogeton tenuifolius Raf., 33:209.

Potentilla Anserina in eastern America, The representatives of, 11:1.

Potentilla canadensis and P. simplex, 33:180. Potentilla gracilis Dougl., var. pulcherrima (Lehm.) comb. nov., 42:213.

Potentilla intermedia in the Boston district, 30:107.

Potentilla palustris, The American variations of, 16:5.

Potentilla pumila, A color form of, 11:152. Potentilla simplex, Potentilla canadensis and,

Potentilla tridentata, A color variation in, 33: 211.

Potentilla tridentata, A form of, 16:194, 195. Potentilla tridentata, A southern outpost for, 31:221.

Potentilla tridentata f. aurora in the White Mountains, 34:12.

Potentilla tridentata, A new station for, 1:90.

POTTER, DAVID

Botanical evidence of a post-Pleistocene marine connection between Hudson Bay and the St. Lawrence Basin, 34: 69-89, 101-112, 11 maps. (Contrib. Gray Herb. no. XCIX). (Churchill, J. R., Goodale, A. S., Goodale, A. S.

WIN, R. H., GRIGG, F. W., HARRIS, S. K.,
—, ROSSBACH, G. B., SANFORD, S. N. F. and SMITH, L. B.), Reports on the flora of Massachusetts,—II, 35:351-359.

Plants collected in the southern region of

James Bay, 36:274–284.
— and Woodward, N. P.), Notes on the flora of Worcester County, Massa-

chusetts, 37:80-88.

-, WOODWARD, N. P., PRIDE, G. H. and HOWARD, F. H.), Notes on the flora of Worcester County, Massachusetts,-II, 42:40-47.

(GOODALE, A. S., GRIGG, F. W., GUSTAFSON,

COODALE, A. S., GRIGG, F. W., GUSTARSON, A. H., HARRIS, S. K., KNOWLTON, C. H., —, SANFORD, S. N. F., SEYMOUR, F. C. and SMITH, L. B.), Reports on the flora of Massachusetts,—III, 44:213–220.

(BEAN, R. C., GOODALE, A. S., GRIGG, F. W., HARRIS, S. K., KNOWLTON, C. H., —, SANFORD, S. N. F., SEYMOUR, F. C. and SMITH, L. B.), Reports on the flora of Massachusetts—IV 49:257–277 Massachusetts,—IV, 49:257-277.

[Notes on some plants collected in the Canadian Eastern Arctic by], 41:37-42.

Pownal, Vermont, New or rare plants from,

Praeger, Robert Lloyd—[The Botanist in Ireland], Review of, 37:308.

Prasiola stipitata Suhr., 18:90.

PRATT, MINOT

[On the plants introduced by -Concord, Massachusetts], 1:168–172.

[The status of two introductions by at Concord, Massachusetts: Camptosorus rhizophyllus and Helenium autumnale], 34:172-173.

PRATT, W. F.—(—— and LITTLEFIELD, E. W.), Western extension of the range of Pinus Banksiana in New York, 40:241-242.

Prenanthes crepidinea in Western New York, 38:300.

Preparation of botanical specimens, The use

of DDT in the, 49:286. Preparing certain Gymnosperms for the herbarium, An improvement in the method of,

PRESCOTT, GERALD W.—Notes on the Desmid flora of New England, —I. The genus Euastrum in Massachusetts, 37:22-30, pl. 325; —II. Desmids from Cape Cod and the Elizabeth Islands, 37:113-121, pls. 329, 330.

Preservation of plant material in natural

colors, 39:16.

Preserving Indian Pipes without discoloration, 24:225.

Pressing plants with double-faced corrugated paper boards, 20:153.

PRESTON, HOWARD WILLIS

[Herbarium of], 3:261. Two editions of Torrey and Gray's Flora

of North America, 8:232-233. (Collins, J. F. and ——), [Illustrated key to the wild and commonly cultivated trees of the northeastern United States and Canada based primarily upon leaf characters], Review of, 14:163.

PRETZ, HAROLD W.

Antennaria canadensis in Pennsylvania, 17:125-128.

Discovery of Trisetum spicatum in Pennsylvania, 21:128-132.

On Eragrostis peregrina and its relatives, 29:19-26.

Prickly Lettuce, 20:180; —Identity of, 7:9. Pride, G. H.—(Potter, D., Woodward, N. P., — and Howard, F. H.), Notes on the flora of Worcester County, Massachusetts,-II, 42:40-47.

Primrose in New England, A European, 22:

Primrose, The white-flowered Bird's Eye, 21:

Primula farinosa in northeastern America, The variations of, 9:15.

Primula farinosa var. macropoda on the Maine coast, 9:217.

Primula § Farinosae in America, 30:59, 85. Primula from the Grand Canyon of the

Colorado, A new, 36:117.
PRINCE, ALTON E.—Shortia galacifolia in its

type locality, 49:159-161. Prince Edward Island, Some plants from, 4:31.

PRINCE, FRANCES C.—Some plants of Intervale, New Hampshire, 4:61. Principles of Botany, [Review], 8:230.

PRINGLE, CYRUS GUERNSEY [Herbarium of], 3:261.

[The —— and Frost herbaria at the University of Vermont], 4:171-174.

[Biographical sketch], 13:225-232 (with portrait).

[Note on], 26:52.

[A memorial volume to], 38:455.

Prize Essay, [Notice], 14:116.

PROCTOR, GEORGE B .- Some noteworthy Catskill plants, 49:53-54.

Proserpinaca, Chromosomes of, 41:584.

Proserpinaca palustris, An inland variety of, 11:120; and its varieties, 37:177.

Protection against Rhus-poisoning, Saleratus

as a. 4:105.

Protection of native plants, A society for the, 3:213.

Protection of our native flora, The, 4:139. Providence, The old-time flora of, 2:213.

Provincetown, native or introduced? Elymus arenarius at, 15:218.

Prunella vulgaris in North America, The indigenous varieties of, 15:179.

Prunus, An overlooked environmental factor for species of, 18:201. Prunus cuneata in southern New Jersey, Dis-

covery of, 18:66.

Prunus Padus in America, Naturalized occurrence of, 25:169.

Prunus virginiana forma leucocarpa in New

Brunswick, 36:89

Prunus virginiana from Indiana and Illinois, A new form of, 45:354; the correct name of the Choke Cherry, 18:140.

Psedera, The New England species of, 10:24. Pseudo-Elephantopus spicatus, a weed of potential importance in Florida, 50:280.

Pseudotaenidia in Maryland, 26:23.

Psoralea psoralioides, The variations of, 39:

Ptelea mollis var. cryptoneura, a Wafer-Ash of the Georgia Sand-Hills, 13:80.

Pteridium, A revision of the genus, 43:1, 37. Pteridophyta of Penikese, 26:219.

Pteridophyte notes from eastern Massachu-

setts, 13:101. Publications recently received, Notes on, [Re-

views], 6:23, 61. Puccinellia in eastern North America. The

genus, 18:1.

Puccinellia, Some western species of, 18:181. Pursh's Flora, A further note on the date of, 45:511.

Pursh's Flora Americae Septentrionalis, The date of publication of, 45:415.

Pursh's report of Dryas from New Hampshire,

Pylaiella fulvescens (Schousb.) Bornet, 35:63. Pyrola americana, Pyrola rotundifolia and, 22:121.

Pyrola asarifolia Michx., var. incarnata n. comb., 6:178.

Pyrola chlorantha, The American varieties of, 22:49.

Pyrola, Pollination of the Ericaceae: IV. Le-

dum and, 38:90. Pyrola rotundifolia and P. americana, 22:121.

Pyrola rotundifolia, The American representatives of, 6:197.

Pyrola, Transfers in, 43:167.

Pyrus americana and P. Arsenii, Note on, 49: 248.

Pyrus Arsenii, Note on Pyrus americana and, 49:248

Pyrus, Minor transfers in, 49:229. Pyrus. New combination in, 45:28.

Pythium gracile in the United States, Occurrence of, 29:37.

Quebec, A new Arabis from Rimouski County,

Quebec, A new Geum from Vermont and, 8:

Quebec, A new Willow from the Côte Nord, 32:112

Quebec, An illustrated flora of, [Review], 34:

Quebec and New Hampshire, The alpine Rhinanthus of, 9:23.

Quebec and Newfoundland, Some Senecios of eastern, 26:113.

Quebec, Canada, Notes on the flora of the Matamek River district, North Shore, 34:

Quebec, Chrysanthemum uliginosum Pers. adventive in, 47:389.

Quebec, Cornus racemosa in, 49:23.

Quebec, Distributional notes on certain aquatic Utricularias in, 42:52.

Quebec, Draba aurea in Rimouski County, 10:

Quebec, Juncus compressus in the Province of, 8:233.

Quebec, Dynamic forces in the flora of, [Review], 32:11.

Quebec, Lemna minor and Sparganium eurycarpum in Rimouski County, 10:95.

Quebec, Lichens of the Gaspé Peninsula, 28: 157, 205, 225,

Quebec, Littorella americana in, 37:31.

Quebec near Montreal, Notes on a collection of Crataegus made in the Province of, 3:

Quebec, Six additions to the adventitious flora of, 50:176.

Quebec, Solidago calcicola in Matane County, 30:157.

Quebec. Some Cladonieae from the valley of the Cap Chat River and vicinity, Gaspé Peninsula, 32:91.

Quebec, Sporobolus asper in, 47:272.

Quebec stations for Scirpus Peckii, The, 45: 518.

Quebec, Stellaria glauca established in the Province of, 6:90.

Quebec, The flora around Missisquoi Bay, 35: 247.

Quebec, Two more rare plants from Lake St. John, 4:128.

Québec, Victorin's Les Equisétinées du, [Review], 30:79.

Québec, Victorin's Les Gymnospermes du, [Review], 31:19.

Québec, Victorin's Les Spadiciflores du, [Review], 34:119.

Quebec, Victorin's treatment of the Lycopodiales of, [Review], 28:18.

Quercus alba, Basal sprouts of, 44:391.

Quercus ilicifolia, An exceptionally large, 30: 19; A supposed hybrid between the Oak species Quercus rubra and, 36:239; Notes on hybrids of, 3:137.

Quercus imbricaria Michx. in Massachusetts.

14:34.

Quercus laurifolia, The identity of, 48:137.

Quercus macrocarpa var. depressa (Nutt.) Engelm., 35:295.

Quercus prinoides Willd., var. rufescens, var. nov., 9:60.

Quercus Prinus, Plurality of seeds in acorns of, 16:41.

Quercus rubra and ilicifolia. A supposed hybrid between the Oak species, 36:239.

Quercus rubra once more, 41:521.

XQuercus Rudkini, at Arlington, Virginia, The hybrid Oak, 44:262.

QUIMBY, MAYNARD W.

Lobelia Dortmanna in Aroostook County, Maine, 36:128-129.

Extension of the range of Ranunculus Purshii, 40:248.

Radicula, The generic name, 31:119.

Rafinesque, Eukrania and Cynoxylon, not genera of, 34:29.

Rafinesque, Some genera and species of, 34:

Rafinesque types in the group of Acalypha virginica, 42:96.

"Herbarium Rafinesque's Rafinesquianum." Some species in, 48:5.

Rafinesque species of Sisyrinchium, Four of,

Rafinesque's species of Tradescantia, Two of, 46:310.

Ragged Orchis of Newfoundland, The, 28:21. Rainfall, Weed growth and unusual, 17:224.

RALEIGH, WALTER, Sir-[Two contemporary evaluations of the colonization by ——], 34: 65-66.

Ramalina Montagnaei De Not. on Long Island, 12:7. RAND, EDWARD LOTHROP

Pinus Banksiana on Mt. Desert Island, 1:135-136

Subularia aquatica on Mt. Desert Island, 1:155-156.

Plants from the Duck Islands, Maine, 2: 207 - 209

Note on Mt. Desert Island, 3:190.

[Herbarium of], 3:261.

Hemicarpha in eastern Massachusetts, 4:

The staminate plant of Antennaria Parlinii, 4:152.

Observations on Echinodorus parvulus, 5: 83–85, pl. 45.

Galinsoga in Maine, 5:258.

Matricaria discoidea in New Hampshire, 5:288.

Arceuthobium pusillum at Mt. Desert, 9:

Additions to the plants of Mount Desert Island, 10:145.

[Obituary notice], 26:198-199. [Biographical sketch], 27:17-27. [Memorial to], 31:81.

Rangeley region, Arceuthobium in the, 9:28. Ranunculaceae, An omission in the preliminary list of New England, 21:104.

Ranunculus abortivus and its eastern American allies, 40:416.

Ranunculus abortivus L., forma coptidifolius,

forma nova, 44:408. Ranunculus abortivus var. eucyclus in Hyde

Park, Massachusetts, 4:152. Ranunculus acris var. Steveni in New Eng-

land. 1:227.

Ranunculus § Batrachium, The North American representatives of, 38:1.

Ranunculus Boraeanus in eastern New York, 21:208.

Ranunculus bulbosus, Our varieties of, 42:

Ranunculus Cymbalaria, The variations of, 16:160.

Ranunculus Flammula and R. reptans in

North America, 19:135. Ranunculus from Missouri and a Heterotheca from Texas, Two new varieties of early Spring plants, a, 30:200.

Ranunculus from northeastern America, A new, 7:219.

Ranunculus hispidus, The northern variety of, 22:30.

Ranunculus lapponicus in Aroostook County, Maine, 41:461.

Ranunculus, Memoranda on, 38:171.

Ranunculus neglectus (Greene) comb. nov., 39:51.

Ranunculus, New or critical species or varieties of, 19:135.

Ranunculus ovalis, Ranunculus rhomboideus versus, 38:175.

Ranunculus pensylvanicus, Two Asiatic allies of, 18:189.

Ranunculus Purshii, Extension of the range of, 40:248.

Ranunculus Purshii in Iowa, 22:183.

Ranunculus recurvatus, Two variants of, 31:

Ranunculus repens, The variations of, 21:169. Ranunculus reptans in North America, Ranunculus Flammula and, 19:135.

Ranunculus rhomboideus versus R. ovalis, 38:

Rapistrum in northern North America, 42: 201.

Raspberry, A new albino, 22:112.

Raspberry, A pubescent variety of the Dwarf, 16:151.

Raspberry, The yellow-fruited variety of the Black, 7:143.

Rattlesnake-Plantains of New England, The, 1:2.

RAUP, HUGH M.

The pollinization of Habenaria obtusata, 32:88-89, 1 fig. A new species of Salix from the Macken-

zie Basin, 32:111-112, pl. 202.

384 RHODORA

The distribution and affinities of the vegetation of the Athabasca-Great Slave Lake region, 32:187-208.

The formation of peat ridges on the shores of muskeg lakes in northern Al-

berta, 33:18-23, 2 figs.

The genus Geum in the Athabasca-Great Slave Lake region, 33:172-176, 2 figs. Salix glauca L. and its allies in the Athabasca-Great Slave Lake region, 33:241-

244, pl. 218.

A new species of Euphrasia from northwestern Canada, 36:87–88, pl. 278. Vascular Plants of Eastern Arctic Canada,

[Review], 42:417-418.

An old forest in Stonington, Connecticut,

43:67-71.

Postglacial Forest Succession, Climate and Chronology in the Pacific Northwest, [Review], 49:227-229.

RAYMOND, MARCEL

Littorella americana in Quebec, 37:31. (— and Kucyniak, J.), Cornus racemosa in Quebec, 49:23-24.

A red-fruited form of Podophyllum pelta-

tum, 50:18

- and Kucyniak, J.), Six additions to the adventitious flora of Quebec, 50: 176 - 180.

Red Algae, Causes of variation in color in

some, 9:90.

Red Azalea of the Cumberlands. The. 43:31. Red Baneberry, An experiment with the fruit of. 5:77.

Red Cedar from Indiana, A new form of, 31:

Red Cedar in eastern Massachusetts, The distribution of, 49:172.

Red Oak, The name of the, 18:45.

Reeve, R. M.—The spores of the genus Selaginella in North-Central and Northeastern United States, 37:342–345, pls. 380, 381.

Reforestation at Woods Hole, Massachusetts -a study in succession, 7:121.

Rehder, Alfred

Notes on hybrids of Quercus ilicifolia, 3:

137-140, pl. 24.

The pseudo-monoclinism of Chionanthus virginica, 6:18-20, 4 figs.

Preliminary lists of New England plants, -XIV, 6:54-61.

Quercus prinoides Willd., var. rufescens, n. var., 9:60.

Some new or little known forms of New England trees, 9:109-117.

The New England species of Psedera, 10: 24-29.

Note on the morphology of the fruit of Lonicera caerulea, 11:209-211.

Note on the forms of Kalmia latifolia, 12:

A new hybrid Cornus (Cornus rugosa X stolonifera), 12:121–124.

Lonicera prolifera and L. flavida, 12:166-167.

Rhododendron carolinianum, a new Rhododendron from North Carolina, 14:

The name of the Hemlock Spruce, 17: 59-62.

[Manual of Cultivated Trees and Shrubs], Review of, 29:48-51.

Apios americana Med., 36:88-89. [Manual of Cultivated Trees and Shrubs], Review of, 42:502.

Abies procera, a new name for A. nobilis Lindl., 42:522-524.

REYNOLDS, ERNEST SHAW

The flora of the Great Swamp of Rhode Island, 9:117-122.

Scirpus hudsonianus in Rhode Island, 10:

Notes on Botrychium from Tennessee, 13:14-15.

Rhadinocladia, a new genus of Brown Algae,

Rhadinocladia, Further notes on, 3:218.

Rhamnus carolinana, A new variety of, 12:79. Rhamnus Frangula and Sporobolus asperifolius, Range extensions of, 14:227.

Rhexia in northeastern America, 37:169.

Rhexias, The Missouri, 13:166.

Rhinanthus Crista-galli an introduced plant? Is. 9:26.

Rhinanthus of Quebec and New Hampshire, The alpine, 9:23.

Rhizoclonium tortuosum (Dillw.) Kütz and Chaetomorpha tortuosa Kütz, 41:19.

Rhizomatous species of Muhlenbergia, Five common, 45:221.

Rhizome, The application of the term, 31:6 Rhizopogon from New Hampshire, A new species of, 26:195.

Rhode Island, Andropogon glomeratus in, 31:

Rhode Island and southeastern Massachusetts plants, Notes on some, 26:127.

Rhode Island, Arenaria caroliniana in, 15: 115.

Rhode Island bogs, Some interesting, 6:149. Rhode Island coast, Kjellmannia sorifera found on the, 16:152.

Rhode Island College of Agriculture and Mechanic Arts, Herbarium of, 3:262.

Rhode Island, Corallorhiza innata and Taraxacum erythrospermum in, 5:291.

Rhode Island, Cyperus Gravii in, 15:100. Rhode Island, Erechtites megalocarpa in, 28:

111.

Rhode Island flora, Some additions to the, 12: 216.

Rhode Island Grasses, Some, 20:116.

Rhode Island, Habenaria hyperborea in, 25:

Rhode Island, Hibiscus oculiroseus in, 26:88. Rhode Island, Holosteum umbellatum in, 33:

211. Rhode Island, Juneus dichotomus in, 15:151. Rhode Island, Lotus tenuis as a waif in, 7: 167.

Rhode Island, New rust species and hosts from, 38:97.

Rhode Island, Notes on certain species of Panicum occurring in or near, 30:229.

Rhode Island, Notes on the flora of, 3:33. Rhode Island, Panicum recognitum in, 44:227. Rhode Island plant-notes, -I, 1:46; -II, 1: 105.

Rhode Island plants, Noteworthy, 27:201. Rhode Island, Plantago elongata in, 2:194. Rhode Island plants, Remarks on, 7:39.

Rhode Island, Scirpus hudsonianus in, 10:20. Rhode Island, Sclerolepis uniflora in, 12:13. Rhode Island, Solidago tenuifolia, a weed in,

Rhode Island, Some notable plant stations in, 4:198.

Rhode Island, Some plants of Tiverton, 10:

Rhode Island, Some woody plants of, 41:314. Rhode Island, The Black Spruce in, 6:41.

Rhode Island, The Ferns, Fern Allies and Flowering Plants of, [Review], 24:96.

Rhode Island, The flora of the Great Swamp of, 9:117.

Rhode Island, The range of Saururus cernuus

extended into, 6:77.
Rhode Island, Three plants new to, 23:27.
Rhode Island, Twelve additions to the flora

Rhode Island, Two additions to the flora of, 26:220

Rhododendron atlanticum, Some forms of, 43:619.

Rhododendron carolinianum, a new Rhododendron from North Carolina, 14:97.

Rhododendron carolinianum naturalized in New England, 49:116.

Rhododendron from North Carolina, Rhododendron carolinianum, a new, 14:97.

Rhododendron maximum, Another New Hampshire station for, 40:461. Rhododendron maximum in New Hampshire,

18:25; —Additional notes on, 18:73. Rhododendron maximum in Somerset Coun-

tv. Maine, 1:55. Rhododendron maximum, Two forms of, 43:

336

Rhododendron, Notes on, 23:177.

Rhodora, An Account of certain noteworthy features in the habitat of, 11:173.

Rhodora, An indispensible index to, [Notice],

Rhodora, The pollination of, 34:213.

Rhodora, Increase in subscription-price of, 46:

Rhus aromatica in the Gray's Manual range, The variations of, 43:599.

Rhus copallina, Variations of, 37:167.

Rhus-poisoning, Saleratus as a protection against, 4:105.

Rhus radicans and R. Toxicodendron, Some varieties and forms of, 43:589.

Rhus Toxicodendron, Hairy-fruited variations of, 11:162.

Rhus Toxicodendron. Some varieties and forms of Rhus radicans and, 43:589.

Rhynchosia in eastern Virginia, 44:421.

Rhynchospora* cephalantha, The varieties of, 42:422

Rhynchospora, section Eurhynchospora in Canada, the United States and the West Indies, 46:89, 159, 207, 255.

Ribes hirtellum, The varieties of, 13:73.

Ribes hudsonianum versus Ribes rigens, 49:

Ribes new to Massachusetts, A. 10:205.

Ribes rigens, Ribes hudsonianum versus, 49:

Ribes. Some lithological variations of, 7:153. Ribes vulgare and its indigenous representa-tives in eastern North America, 9:1.

Riccia natans, The fruiting of, 2:161.

RICH, WILLIAM P.

Amphicarpaea Pitcheri in New England. 1:27-28.

Winter botanizing, 1:215-217. The Heather in New England, 2:53-54. Some new acquaintances, 2:203-205.

[Herbarium of], 3:262. Oak Island and its flora, 4:87–94.

Juncus Torreyi and Ellisia Nyctelea in Massachusetts, 4:170.

Preliminary lists of New England plants, -IX. Polygonaceae, 4:203-206.

City botanizing, 10:149-155.

Chenopodium carinatum on Cape Cod,

Richardson's Botanical Appendix to Franklin's First Journey, On citing, 26:199. RICKER, P. L.

A new color guide, [Review], 15:96-97. The origin of the name Lespedeza, 36: 130-132

RICKETT, H. W. Cornus Amomum and Cornus candidissima, 36:269-274.

On nomenclature in Cornus, 38:51. Cornus Drummondii, 38:99–100.

Erythronium mesochoreum, 39:101-105,

Legitimacy of names in Bartram's "Travels," 46:389-391.

RIDDLE, LINCOLN WARE

Contributions to the cytology of the Entomophtharaceae: preliminary communication, 8:67-68.

Notothylas orbicularis in Massachusetts, 9:219-220.

Notes on some Lichens from the Gaspé Peninsula, 11:100-102.

A key to the species and principal varieties of Cladonia occurring in New England, 11:212-214

Preliminary lists of New England plants, -XXIII. Cladoniaceae, 11:215-219.

An important publication on Lichens, [Review], 13:15.

^{*}See entries under Rynchospora.

A popular handbook to the Mosses, [Review], 18:204. William Gilson Farlow, 22:1–8 (with por-

trait).

[Obituary notices], 23:28, 181-184.

RIDGWAY, ROBERT—[Color Standards and Color Nomenclature], Review of, 15:96-97. RIGG, GEORGE B.—The occurrence of Phragmites communis in western Washington and Oregon, 33:170-171.

Rimouski County, Quebec, A new Arabis

from, 7:31.

Rimouski County, Quebec, Draba aurea in,

Rimouski County, Quebec, Lemna minor and Sparganium eurycarpum in, 10:95.

RIPLEY, W. S., Jr.

Preliminary lists of New England plants, —XXVI, 20:182–185. (Knowlton, C. H., —— and Weatherby, C. A.), Report of the Committee on floral areas, 20:181–185, 193–197; —Second, 22:80–89; —Third, 23:209–220; -Fourth, 27:56-65.

ROBBINS, CHARLES ALBERT

Cladonia Beaumontii in Massachusetts, 25:46-47.

Some new Cladonias, 26:145-148.

Cladonia mateocyatha, a new species, and some variations in C. Beaumontii, 27:

Cladonia apodocarpa, a new species, 27:

210-211.The identity of Cladonia Beaumontii, 29:

133-138, pl. 157. The identity of Cladonia lepidota Fries,

31:101-106, pl. 187. Cladonias collected by S. F. Blake in the western United States, 33:135-139, pl.

(— and Blake, S. F.), Cladonia in the District of Columbia and vicinity, 33: 145-159, pls. 210-212

[Biographical sketch], 35:140-145.

ROBBINS, JAMES W.—[Herbarium of], 3:262. ROBINSON, B. L.

A new Wild Lettuce from eastern Massa-

chusetts, 1:12-13, pl. 2.

Fairy-rings formed by Lycopodium inundatum, 1:28-30.

An apetalous form of Arenaria groenlandica, 1:90.

Preliminary lists of New England plants, -IV, 1:212-214.

A blue-fruited Huckleberry, 2:81–83.

Variations of Ilex verticillata, 2:104–106. The nomenclature of the New England Agrimonies, 2:235–238.

Polygala polygama, var. abortiva merely an autumnal state, 2:242-243. The identity of the Linnaean Gnapha-

lium plantaginifolium, 3:11-13.

The correct disposition of Sisymbrium niagarense, 3:16–17.

Chloranthy in Anemonella thalictroides, 3:205-206.

Lycopodium clavatum var. monostachyon in northern Maine, 3:237-238.

Self-strangulation in the Virginia Creeper, 3:239-240.

The North American Euphrasias, 3:270-

Lechea major in New Hampshire, 4:28. The New England Polygonums of the section Avicularia, 4:65-73, pl. 35.

Veronica Chamaedrys in New England, 4:107-108

Two new Hypericums of the Adpressum group, 4:135-137, pl. 37.

The protection of our native flora, 4:139-142

Further stations for Veronica Chamae-

drys, 4:152. The generic position of Echinodorus par-

vulus, 5:85-89, pl. 45. Viola arvensis in New England, 5:155-

hitherto undescribed Pipewort from New Jersey, 5:175-176.

Preliminary lists of New England plants, -XII, 5:188-191.

Further notes on the twelfth preliminary list of New England plants, 5:235-236.

Insecticides used at the Gray Herbarium, 5:237-247.

Records of Wolffia columbiana in Massa-

chusetts, 5:287-288. The identity of Anychia dichotoma, 6:

50 - 53Notes on publications recently received,

6:61-62.Stellaria glauca established in the Province of Quebec, 6:90-91.

James Lawrence Bennett, 6:146-147.

Miss Eastman's New England Ferns and

their Common Allies, [Review], 6:211-

A Connecticut station for Lycopodium Selago, 7:20.

A well marked species of Sparganium, 7: 60.

Two varieties of Sisymbrium officinale in America, 7:101-103. A new Ranunculus from northeastern

America, 7:219–222. The Fern Allies, [Review], 7:267–268.

The nomenclature of the New England Lauraceae, 8:196-199.

Filipendula rubra, a new binomial, 8:202-204.

The scientific name of the Osage Orange, 9:91.

Maclura pomifera (Raf.) Schneider, 9: 148.

Notes on the vascular plants of the north-

eastern United States, 10:29-35. Further notes on the vascular plants of the northeastern United States, 10:64-

68.

and Fernald, M. L.), [Gray's New Manual of Botany], Notice, 10:167; Review of, 10:193-196.

- and Fernald, M. L.), Emendations of the seventh edition of Gray's Manual,-I, 11:33-61.

Bartonia, [Review], 11:74.

Coulter and Nelson's Botany of the Central Rocky Mountains, [Review], 12: 13.

Notes on recent publications, [Review],

Onamental Shrubs of the United States. [Review], 12:207-208.

Erucastrum Pollichii adventive in America, 13:10-12.

Notes on the genus Cirsium, 13:238-240. Dr. C. A. Darling's Handbook of Wild and Cultivated Plants, [Review], 15: 19-20.

Erigeron pusillus a valid species, 15:205-209.

A notable monstrosity of Arisaema triphyllum, 18:222–223, 1 fig.
The doctors John Brickell, 18:225–231.

An unusual Daucus Carota, 21:70-71. Emily Frances Fletcher, 25:149-150.

Miss Day, 26:41-47 (with portrait). Shrubs of Indiana, [Review], 27:15-16. Edward Lothrop Rand, 27:17-27 (with portrait).

Emile Francis Williams, 33:1-18 (with portrait).

Leavitt's Forest Trees of New England, [Review], 35:108.

A new species of Neurolaena from British Honduras, 37:61-63.

ROBINSON, JOHN

Concerning the plants mentioned in Young's Chronicles, 4:81-82.

Plants growing the first season in an uncovered cellar, 28:69-74.

[Notice of death], 26:52

-, botanist, of Salem, Massachusettsl, 31:245-254 (with portrait). Rocky Mountain? Does saximontanus mean,

22:194

Rocky Mountain plants, Notes on, 35:347;

36:195; 37:226; 38:298; 39:149. Rocky Mountain species of the Multiflori section of Aster, A study of the, 35:323.

Rocky Mountains, An overlooked species of Coral-root from the, 33:133.

Rocky Mountains and adjacent Plains, Dates of publication of Rydberg's Flora of the, 38:329.

Rocky Mountains, Lady Fern of California, the Basin region and the southern, 19:201. Rocky Mountains, Scirpus pumilus in the, 33:

Rocky Mountains, Two new species of Arctostaphylos from the, 39:462

RODGERS, ANDREW DENNY, III-[John Torrey, a Story of North American Botanyl, Review of, 45:28.

RODMAN, RUTH S .- Hieracium florentinum at Wellesley Hills, Massachusetts, 15:116.

ROGERS, WALTER E .- [Tree Flowers of Forest, Park and Streetl, Review of, 38:74-75.

ROLAND, A. E.

Notes on the flora of Nova Scotia, 40:273-

274; —II, 43:337-344.
(— and Dore, W. G.), Notes on the flora of Nova Scotia,—III, 44:334-338. [The Flora of Nova Scotia], Review of, 50:211-215.

ROLLINS, REED C.

Two new species of Arctostaphylos from the Rocky Mountains, 39:462-464.

Smelowskia and Polyctenium, 40:294-305, pl. 496. (Contrib, Gray Herb. no. CXXII).

The cruciferous genus Physaria, 41:392-415, pl. 556. (Contrib. Gray Herb. no. CXXVI).

Studies in the genus Hedysarum in North America, 42:217–239, pl. 596. (Contrib. Gray Herb. no. CXXXI).

On two weedy Crucifers, 42:302-306. (Contrib. Gray Herb. no. CXXXI). A monographic study of Arabis in west-

ern North America, 43:289-325, 348-411, 425–481. (Contrib. Gray Herb. no. CXXXVIII).

Romance of Economic Botany, The, Review, 29:95.

Rood, Almon N.-Juneus monostichus in Ohio, 15:62.

Roque Bluffs, Maine, in 1907, Noteworthy plants collected at, 9:218.

Roque Bluffs, Maine, Plants and plant societies at, 17:145.

Roripa hispida, Roripa islandica and, 30:131. Roripa islandica, an invalid name, 31:17. Roripa islandica and R. hispida, 30:131.

Rorippa, a correction, 50:100. Rorippa, A prostrate, 50:35.

Rorippa amphibia in Androscoggin County, Maine, 35:262

Rorippa amphibia in Fairfield County, Connecticut, 33:192

Rorippa in the Interior, A prostrate, 50:132. Rorippa islandica, The American varieties of, 42:25.

Rorippa islandica, The eastern American varieties of, 42:267.

Rosa blanda and its allies of northern Maine and adjacent Canada, 20:90.

Rosa carolina L. and Rosa nitida Willd., Note upon a probable hybrid of, 2:112.

Rosa nitida Willd., Note upon a probable hybrid of Rosa carolina L. and, 2:112.

Rosa, Some minor forms of, 50:145. Rosa, Ten new American species and varieties Rosa, of, 30:109.

ROSCOE, MURIEL V.—The Algae of St. Paul Island, 33:127-131, pl. 208.

ROSENDAHL, C. O.

Evidence of the hybrid nature of Betula Sandbergi, 30:125-129, pl. 170.

(—, BUTTERS, F. K. and LAKELA, O.), Identity of Heuchera hispida Pursh, 35:111-118.

(— and Butters, F. K.), The genus Najas in Minnesota, 37:345–348, pl. 382.

Additional notes on Najas in Minnesota, 41:187-189.

Studies in Chrysosplenium, with special reference to the taxonomic status and distribution of C. iowense, 49:25-36, pls.

— and Moore, J. W.), A new variety of Sedum Rosea from southeastern Minnesota and additional notes on the flora of the region, 49:197-202, pl. 1086.

Roses vs. railroads, 5:93.

Rossbach, George B.

(CHURCHILL, J. R., GOODALE, A. S., GOOD-WIN, R. H., GRIGG, F. W., HARRIS, S. K., POTTER, D., —, SANFORD, S. N. F. and SMITH, L. B.), Reports on the flora of Massachusetts,—II, 35:351-359.

Northeastward extensions in the Maine flora, 38:453–455; —II, 40:245–247. Aquatic Utricularias, 41:113–128, 16 figs.

Distributional notes on certain aquatic Utricularias in Quebec, 42:52-53. Development of a leafy axis upon the cones of a Tamarack, 45:106-107.

ROSSBACH, RUTH P.—Spergularia in North and South America, 42:57-83, 105-143, 158-

193, 203-213, pls. 589-596. (Contrib. Gray Herb. no. CXXX). Rotala ramosior, The variations of, 37:168.

ROULEAU, ERNEST

[Bibliographie des travaux concernant la flore canadienne parus dans Rhodora de 1899 à 1943 inclusivement, etc.l, Notice of, 46:200; Review of, 47: 236.

Viburnum acerifolium L., forma Collinsii,

f. nov., 47:264.

Sporobolus asper in Quebec, 47:272.

A necessary transfer in Populus § Turanga, 47:362.

Populus balsamifera of Linnaeus, not a nomen ambiguum, 48:103-110.

Ribes hudsonianum versus Ribes rigens, 49:217-219, pl. 1087.

Two new names in Populus, 50:233-236.

Rubi, Connecticut, 9:4.

Rubi, the Blackberries of the Kennebunks and Wells, Some Maine, -I, 8:146; -II, 8:169; —III, 8:212

Rubus, A strange, 41:197.

Rubus canadensis, A new variety of, 13:193. Rubus canadensis, On the identity of, 10:117. Rubus from Connecticut, A new, 8:17.

Rubus from Vermont and New Hampshire,

Two new species of, 8:95.

Rubus idaeus and its variety anomalus in

America, 2:195.

Rubus idaeus and some of its variations in North America, 21:89.

Rubus idaeus, var. anomalus, A new station for, 14:205.

Rubus nutkanus, Varieties of, 42:275. Rubus parviflorus, A mutation of, 37:59 Rubus parviflorus and its varieties, 37:273 Rubus parviflorus Nutt., a confession, 42:281.

Rubus recurvicaulis Blanchard, var. armatus,

n. var., 22:168.

Rubus, Some points of nomenclature in Trientalis and, 11:236.

Rubus triflorus, A pink-flowered form of, 2:87. Rudbeckia from Indiana, A new, 19:113.

Rudbeckia hirta, An early flowering of, 18:212. Rudbeckia hirta, The type of, 50:172.

Rudbeckia subtomentosa, A new variety of, 14:164.

Ruellia in the eastern United States, 47:1, 47, 69.

RUGG, HAROLD G .- (UNDERWOOD, J. G., WHEELER, L. A. and ——), The joint summer meeting of the Vermont Botanical and Bird Clubs, 15:79-80.

Rules, Aira spicata Linn, and the application

of the International, 32:261.

Rules of Botanical Nomenclature adopted by the Vienna Congress, On the, 9:29

Rules of Botanical Nomenclature, Proposed amendments to the International, 31:91. Rules of Botanical Nomenclature, The pro-

posed changes in Article 58, International, 50:249

Rumex Britannica, not a Virginian, So-called, 47:133.

Rumex persicarioides and its allies in North America, 17:73.

Rumex salicifolius in eastern America, The representatives of, 10:17.

Ruppia in eastern North America, The genus, 16:119.

Russell, W. S. C.— Some Orchids of the up-

per Pemigewasset Valley, 1:199–200.
Russula emetica, Dr. Burt's note on, 2:72.
Russula emetica in Vermont, 2:71.
Rust species and hosts from Rhode Island,

New, 38:97.

Rusts collected in New England in 1931, A list of, 34:60.

RYDBERG, PER AXEL

[Flora of the Prairies and Plains of Central North Americal, Review of, 34:

[Flora of the Rocky Mountains and Adjacent Plains], Dates of publication, 38:329-331.

Rynchospora,* A hybrid, 31:38.

Rynchospora capillacea var. leviseta, The perianth of, 8:186.

Rynchospora macrostachya, An extension of the range of, 42:276.

Rynchospora macrostachya, Some allies of, 20:138.

Rynchospora macrostachya Torr., A second local record for, 15:19.

Rynchospora macrostachya within the Boston district, 18:72.

Rynchospora Torreyana, The New Hampshire record for, 34:112.

Sabatia in New England, The genus, 18:145. Sabatia, Notes on the genus, 17:50. Sabbatia chloroides, White form of, 7:38. Sable Island Epilobium, The, 20:30.

*See entries under Rhynchospora

SAGE, JOHN H.—Arenaria caroliniana in Rhode Island, 15:115. Sagina, Notes on, 27:130.

Sagittaria Edwardsiana, a new species from the New Jersey Pine Barrens, 39:29.

Sagittaria heterophylla, Forms of, 15:158. Sagittaria Kurziana, A note on, 44:211.

Sagittaria, Reversions in Berberis and, 2:149. Sagittaria teres Watson and Potamogeton lucens L., A correction concerning, 17:142

St. John and St. Lawrence Valleys, Arceuthobium pusillum in the, 2:10.

St. John, Harold

(Fernald, M. L. and ——), Nymphaea variegata or N. americana? 16:137–141. (FERNALD, M. L. and ——), The varieties

of Hieracium scabrum, 16:181-183.

(FERNALD, M. L. and ——), Some anomalous species and varieties of Bidens in eastern North America, 17:20–25. (Contrib. Gray Herb. no. XLIII).

An insular variety of Solidago sempervirens, 17:26–27. (Contrib. Gray Herb. no.

Rumex persicarioides and its allies in North America, 17:73-83, pl. 113.

Elymus arenarius and its American rep-

resentatives, 17:98-103. (Fernald, M. L. and ——), The occurrence of Botrychium virginianum var. europaeum in America, 17:233-234.

Additional notes on Rhododendron maximum in New Hampshire, 18:73-74.

A revision of the North American species of Potamogeton of the section Coleophylli, 18:121-138.

The status of Glyceria Fernaldii, 19:75-

76.

(Butters, F. K. and ——), Studies in certain North American species of Lathyrus, 19:156-163.

Remarks on several North American spe-

cies of Alopecurus, 19:165-167. Arenaria lateriflora and its varieties in North America, 19:259-262.

Additional wool waste plants, 20:20. Spiranthes in Dover, Massachusetts, 20:

111-114.

(Nichols, G. E. and ——), Pressing plants with double-faced corrugated paper boards, 20:153-160.

Further notes on Potamogeton, 20:191-192.

Phanerotaenia, a new genus of Umbelliferae, 21:181-183.

Two color forms of Lobelia cardinalis L., 21:217-218.

The genus Elodea in New England, 22: 17-29.

Trillium rectistamineum, a valid species in the southeastern States, 22:78-79.

(— and WHITE, D.), The genus Galinsoga in North America, 22:97-101. A teratological specimen of Aralia hispida,

22:152-153. A freak Sweet Clover, 23:25–26. (FERNALD, M. L. and ——), The American variations of Silene acaulis, 23:119-120.

A critical revision of Hydrangea arborescens, 23:203-208.

William Conklin Cusick, 25:101-105 (with portrait)

and Hosaka, E. Y.), [Weeds of the Pineapple fields of the Hawaiian Islands], Review of, 35:146.

Additions to the flora of Fishers Island,

New York, 43:77-82

Teratologic Typha, 43:85-91, 1 fig. Bibliographic note upon Gray's Revision of North American Oxytropis and Saxifraga, 44:90-91.

St. John, Quebec, Two more rare plants from

Lake, 4:128.

St. Lawrence Basin, Botanical evidence of a post-Pleistocene marine connection between

Hudson Bay and the, 34:69, 101. St. Lawrence basins, New York, Notes on some plants of the Ontario and, 25:205.

St. Lawrence, Callitriche stagnalis on the lower, 34:39

St. Lawrence, Flora of the North Shore of the

Gulf of, [Review], 34:120. St. Lawrence River, Butomus umbellatus on

the, 25:220.

St. Lawrence, Some interesting plants from the North Shore of the, 34:66.

St. Lawrence, The Gentian of the tidal shores of the. 25:85.

St. Lawrence, Three new plants from the lower, 29:141.

St. Lawrence Valleys, Arceuthobium pusillum in the St. John and, 2:10.

St. Paul Island, Nova Scotia, The vascular flora of, 33:105.

St. Paul Island, The Algae of, 33:127.

St. Pierre et Miquelon, Contribution to the flora of, 29:117, 144, 173, 204. Saint-Pierre et Miquelon, Plants new to the

flora of the islands of, 49:237. Salicornia europaea and its representatives in

eastern America, 9:204.

Salicornia europaea L., var. simplex (Pursh) comb. nov., 49:23.

Salisbury, Connecticut, A botanical trip to, 5:32. Salisbury, Connecticut, Noteworthy plants of,

9:74.

Salisbury, Connecticut, Unusual plants found at, 16:96. Salix, Additional names and transfers in, 49:

38, 41. Salix balsamifera, An early collection of, 14:

Salix calcicola, a little-known northern Willow, 13:251.

Salix candida denudata, 26:142.

Salix candida new to South Dakota, 26:142. Salix, Difficulties in North American, 48:13,

Salix discolor from South Dakota, A new variety of, 26:136.

Salix Dodgeana, A note on, 34:28.

Salix, Extensions of range and a new variety in, 26:135.

Salix from the Mackenzie Basin, A new species of, 32:111.

Salix glauca L. and its allies in the Athabasca-Great Slave Lake region, 33:241.

Salix hybrid, A new, 34:67.

Salix incana at Castine, Maine, 10:56.

Salix lucida, Two northeastern allies of, 6:1. Salix missouriensis in South Dakota, 26:139. Salix pedicellaris and its variations, 11:157.

Salix pellita Andersson in Michigan, 26:143; The identity of Andersson's, 6:191.

Salix petiolaris in the Dakotas, 26:141. Salix pyrifolia, The narrow-leaved variety of, 16:116.

Salix rostrata hybrid? A, 20:132.

Salix serissima in southern Connecticut, 14: 80; on Long's Peak, 25:67.

Salix. Studying Willows or making new sec-

tions in the genus, 49:37.

Salix subsericea, a distinct species, 11:9. Salix Uva-ursi, A pubescent form of, 18:52.

Salsola collina in Minnesota, Euphorbia dentata and, 40:135.

Salt marsh during reclamation, Floral changes in a, 17:205.

Salt marsh during reclamation, Further notes

on changes in a, 28:37. Salt-marsh Iva of New England, The, 8:25. Salt marshes of Nova Scotia, A note on the, 39:53.

Salvia sylvestris in County Peel, Ontario, 19: 39.

Salviastrum from the Edwards Plateau of Texas, A new, 32:89.

Salvinia rotundifolia in Massachusetts, 43:

Sampson, Myra M.—Some plants of Tiverton, Rhode Island, 10:112-113.

Sand Cherries of eastern America, The identities of the, 25:69. Sand Plum of Indiana, The, 14:196.

SANDERS, A. LOUISA-A striking color form of Viola pedata, 13:172.

SANDERSON, CHARLES HENRY KELLOGG—[Herbarium of], 3:262.

Sanderson, Ruth D.—A suppressed plate in Eaton's Ferns of North America, 35:260—

Sanford, J. R., Mrs.—A station for Asplenium ebenoides in Massachusetts, 8:113-

SANFORD, SAMUEL N. F.

A cut-leaved Cherry Birch, 4:83-84.

The range of Saururus cernuus extended into Rhode Island, 6:77-78.

The occurrence of Verbena stricta and Helianthus mollis in Massachusetts, 6:

Eclipta alba in Massachusetts, 7:173-174. Hibiscus oculiroseus in Rhode Island, 26:

Notes on some Rhode Island and southeastern Massaachusetts plants, 26:127-129.

Noteworthy Rhode Island plants, 27:201-

A new station for Cyperus erythrorhizos, 28:67.

Erechtites megalocarpa in Rhode Island, 28:111.

(Churchill, J. R., Deane, W., Grigg, F. W., Knowlton, C. H., Pease, A. S., — and Smith, L. B.), Reports on the flora of Massachusetts,—I, 30:12-19.

Ficus Carica in Massachusetts, 35:40. Cynoglossum amabile in Massachusetts,

35:66.

(Churchill, J. R., Goodale, A. S., Good-WIN, R. H. GRIGG, F. W. HARRIS, S. K., POTTER, D., ROSSBACH, G. B., — and SMITH, L. B.), Reports on the flora of Massachusetts,—II, 35:351-359.

(GOODALE, A. S., GRIGG, F. W., GUSTAFSON, A. H., HARRIS, S. K., KNOWLTON, C. H., POTTER, D., -, SEYMOUR, F. C. and SMITH, L. B.), Reports on the flora of Massachusetts,—III, 44:213–220.

(Bean, R. C., Goodale, A. S., Grigg, F. W., Harris, S. K., Knowlton, C. H., Potter, D., —, Seymour, F. C. and Smith, L. B.), Reports on the flora of

Massachusetts,—IV, 49:257-277.
Sanguinaria canadensis, The dissemination by ants of the seeds of Bloodroot, 44:13. Saniculas of western Vermont, The, 1:7.

Santalaceae, Geocaulon, a new genus of the, 30:21

Sap conducting tissues, On changing the direction of, 32:145.

Sargasso Sea, The, 19:77.

SARGENT, C. S.

Note on Crataegus in the Champlain Valley, 3:19-31.

Notes on a collection of Crataegus made in the Province of Quebec near Montreal, 3:71-79.

Some additions to the flora of Massachusetts, 4:166-167.

Recently recognized species of Crataegus in eastern Canada and New England, —I, 5:52-66; —II, 5:108-118; —III, 5: 137-153; —IV, 5:159-168; —V, 5:182-

[Manual of the Trees of North America], Review of, 7:139-140.

Recently recognized species of Crataegus in eastern Canada and New England, --VI, 7:162-164, 174-185, 192-219.

American Crataegi in the Species Plantarum of Linnaeus, 11:181-183.

A Connecticut station for Ilex mollis, 14: 205.

Three of Clayton's Oaks in the British Museum, 17:39-40.

Washington and Michaux, 17:49-50. The name of the Red Oak, 18:45–48.

Botanical activities of Percival Lowell. 19:21-24

Charles Edward Faxon, 20:117-122 (with portrait).

SARGENT, FRANCIS H.—Euphrasia canadensis in Vermont, 25:84.

SARGENT, HERBERT E.

A new Vicia for New England, 2:225. Luzula campestris var. frigida in New Hampshire, 15:186.

Pogonia affinis in the vicinity of Wolfeboro, New Hampshire, 31:242-243.

Saskatchewan, Cladium mariscoides in, 39:

Sassafras, Note on the proper name for the,

20:98.

Sassafras, Nuttall's White, 15:14. Sassafras, The nomenclature of, 38:178. Satureja from Florida, A new, 26:80.

Satureja glabella in Kentucky, 42:525. Satureja glabella (Michx.) Briquet, 42:6.

Satureja vulgaris (L.) Fritsch, var. neogaea, var. nov., 46:388.

Saururus cernuus extended into Rhode Island. The range of, 6:77.

Saxifraga Aizoon on Mt. Katahdin, Soil reaction of, 29:139.

Saxifraga Aizoon on Mt. Ktaadn, 26:168. Saxifraga Aizoon, The American variety of, 46:61.

Saxifraga, Bibliographic note upon Gray's Revision of North American Oxytropis and,

Saxifraga, New species, varieties and forms of. 19:141.

Saximontanus mean "Rocky Mountain"? Does, 22:194.

Scabiosa Columbaria in central New York, 45:220.

SCAMMAN, EDITH- A list of plants from interior Alaska, 42:309–343. (Contrib. Gray Herb. no. CXXXII).

Scapania, A study of five New England species of, 38:77.

Scheuchzeria palustris L., Note on, 12:156. Scheuchzeria palustris, The American variety of, 25:177.

Schmidel's publication of Thelypteris, 31:21.

SCHMOLL, HAZEL M.

A new variety of Elymus virginicus L., 39:416-417.

(STEYERMARK, J. A. and -—), Panicum Tuckermani a variety of Panicum philadelphicum, 41:86-90.

SCHNEIDER, E. S.—Acanthospermum australe at Lawrence, Massachusetts, 9:26.

Schofield, Wilfred—(Erskine, D. and — Floerkea proserpinacoides in Nova Scotia, 50:283-284.

SCHRENK, HERMANN VON-Notes on Arceuthobium pusillum, 2:2-5, pl. 12.

SCHUBERT, BERNICE G.

Notes on Vernonia, 38:369-372.

A singular variation in Desmodium, 39:

Vernonia fasciculata Michx., var. corymbosa (Schwein.) comb. nov., 40:220.

The Legumes of Wisconsin, [Review], 41:461-463.

Willdenow's Species Plantarum and Michaux's Flora Boreali-Americana: dates of publication, 44:147-149

Desmodium glutinosum, 44:279-280.

(Fernald, M. L. and —), Studies of American types in British herbaria, 50: 149-176, 181-208, 217-233, pls. 1097-1117. (Contrib. Gray Herb. no. CLXVII).

SCHUH, R. E.

Rhadinocladia, a new genus of Brown Algae, 2:111-112, pl. 18.

Notes on two rare Algae of Vineyard Sound, 2:206-207.

Further notes on Rhadinocladia, 3:218. The discovery of the long-sought Alga, Stictyosiphon tortilis, 16:105.

Kjellmannia sorifera found on the Rhode Island coast, 16:152.

Pylaiella fulvescens (Schousb.) Bornet,

35:63-64. Ectocarpus paradoxus in New England, 35:107.

Myriotrichia densa in New England, 35: 256-257.

A second station for Isthmoplea in North America, 35:293.

Dumontia in Maine, 35:315–316.

On the distribution of Sorocarpus, 35:347. On Polysiphonia fibrillosa in New England, 35:391-392.

On Ectocarpus granulosus, 39:50-51. On Ectocarpus ovatus, 39:148-149. On Pogotrichum filiforme, 40:26-27 SCHULTES, RICHARD EVANS—The use of form-

aldehyde in plant collecting, 49:54-60. Schwalbea americana in Connecticut, 5:40.

SCHWEINFURTH, CHARLES

Rynchospora macrostachya within the Boston district, 18:72.

Cypripedium reginae in New Hampshire, 27:107-109. Notes with extensions of range of several

North American Orchids, 42:521-522.

Schweinitz, a correction and a discrepancy, Barratt, Torrey and, 23:300.

Schweinitz, Letter of Dr. Asa Gray to Lewis D. de, 7:141.
Scirpus § Actaeogeton, Transfers in, 44:479.

Scirpus acutus Muhl., 22:55.

Scirpus atratus, a synonym of Scirpus Peckii, 3:31.

Scirpus atrovirens, The authorship of, 46:336. Scirpus capitatus L., The typification of, 32:

Scirpus capitatus Linn.? What is, 32:180. Scirpus cespitosus, The North American rep-

resentatives of, 23:22. Scirpus from Massachusetts and New Jersey,

A new species of, 13:4. Scirpus glaucescens Willd.? What is, 32:30.

Scirpus glaucescens, Willdenow's type of, 32:

Scirpus hudsonianus in Rhode Island, 10:20. Scirpus koilolepis, comb. nov., 44:479.

Scirpus § Lacustres, Some North American members of, 45:283.

Scirpus lacustris, The North American allies of. 6:65.

Scirpus lineatus in New Hampshire, 11:200. Scirpus Longii, A new station for, 15:202. Scirpus Longii in North Carolina, 45:55.

Scirpus maritimus in America, The representatives of, 2:239.

Scirpus mucronatus, History of the American record of, 20:41.

Scirpus nanus from Vermont, Note on the report of, 11:84.

Scirpus new to New Hampshire, A, 13:55. Scirpus occidentalis and Aster ptarmicoides in

Connecticut, 16:19:

Scirpus Olneyi, A new variety of, 9:220. Scirpus Olneyi, The specific characters of, 45: 390.

Scirpus Peckii in Canada, 45:168.

Scirpus Peckii in Connecticut, 15:98. Scirpus Peckii in Maine, 32:133.

Scirpus Peckii, Scirpus atratus, a synonym of, 3:31

Scirpus Peckii, The Quebec stations for, 45:

Scirpus pumilus in the Rocky Mountains, 33:

Scirpus pumilus, The American representative of, 45:279.

Scirpus Smithii, An estuarian variety of, 23:

Scirpus Smithii in Massachusetts, 11:220. Scirpus Smithii var. setosus, Range extension

of, 12:155. Scirpus, Some American species and varieties

of. 45:287.

Scirpus. Some northeastern species of, 2:15. Scirpus supinus and its North American allies,

Scirpus, Studies in North American species of, 45:279.

Scirpus sylvaticus: a correction, 2:106.

Scirpus, Three neglected names in, 44:145. Scirpus, Unverified bibliography of, 49:49.

Scirpus validus and allies in the Champlain Valley, 6:231.

Scirpus verecundus, nom. nov., 50:284. Scleria setacea of Poiret, The identity of, 45:

Scleria triglomerata and its allies, 38:397. Sclerolepis in New Hampshire, 7:186.

Sclerolepis uniflora in Massachusetts, 14:23. Sclerolepis uniflora in Rhode Island, 12:13.

Scorgie, Anna M.- Jasione montana in Massachusetts, 4:139.

Scribner, F. Lamson (—— and Merrill, E. D.), The New England species of the genus Panicum. 3:

Notes on Trisetum and Graphephorum, 8:81-89.

The genus Sphenopholis, 8:137-146. Notes on Muhlenbergia, 9:17-23.

Scrophularia leporella at Willoughby, 7:119. SCUDDER, HEYWARD-Similarity of color in bud and in leaf, 13:86-87.

Sculley, Francis J.

Preservation of plant material in natural colors, 39:16-19.

Grasses of Hot Springs National Park, Arkansas, and vicinity, 44:70-71. Scutellaria ambigua, Scutellaria parvula and,

3:198.

Scutellaria epilobiifolia, 23:85. Scutellaria parvula and S. ambigua, 3:198. Scutellarias, Notes on North American, 26:61. Seal Harbor Village Improvement Society,

Leaflet of, 5:259. SEARS, JOHN HENRY

[Herbarium of], 3:262.

A southern flora and fauna of post-Pleistocene age in Essex County, Massachusetts, 10:42.

Seaweed collectors, To, 1:121.

Seaweed colony, A, 1:69. Seaweeds in the Tropics, Collecting, 3:90.

Seaweeds in Winter, 2:130.

Sebacina globospora, n. sp., Observations on the cytology of, 37:121. Sedge, Carex Tuckermani niagarensis, a ne-

glected, 17:57. Sedges of Woodstock, Vermont, Grasses and, [Review], 42:143.

Sedum Nevii, Affinities of, 46:450. Sedum Nevii complex, Cytological basis for specific segregation in the, 44:10.

Sedum new to North America, A, 14:227. Sedum pulchellum at its northeastern limit, Rediscovering, 44:73.

Sedum Rosea from southeastern Minnesota and additional notes on the flora of the region, A new variety of, 49:197.

Sedum Rosea, not S. roseum, 49:79 Sedum roseum, Sedum Rosea not, 49:79.

Seeds, Dormancy of, [Notice], 40:324. SEELER, E. V., JR.—(GUBA, E. F. and -Third list of Fungi of Nantucket, 44:167-

Selaginella apoda in Maine, 25:188.

Selaginella in North-Central and Northeastern United States, The spores of the genus, 37:342

Selenia dissecta in New Mexico, 41:189. Selenia from Texas, A new, 40:183.

Selenia from the Edwards Plateau of Texas, A new, 33:142.

Seneca Snakeroot in Maine, The, 4:133.

Senecio aureus and its geographic varieties and allies in eastern North America, 45:495. Senecio Balsamitae Muhl. var. firmifolius,

Greenman, n. var., 7:244.

Senecio congestus, 47:256.

Senecio Crawfordii, A new locality for, 21:117. Senecio in New England, The genus, 3:3.

Senecio, Notes on the genus, 10:68.

Senecio obovatus var. elongatus in Connecticut, 24:226.

Senecio on the Coastal Dunes of Texas, The.

Senecio Smallii Britton, forma tristis, f. nov., 47:302.

Senecio, Some eastern American forms of, 30:

Senecio tomentosus Michx., f. alabamensis

(Britton) stat. nov., 48:330.

Senecioneae, Notes on the Compositae of the northeastern United States,—III. Inuleae and. 48:116.

Senecios of eastern Quebec and Newfound-

land, Some, 26:113.

SENN, HAROLD A. The North American species of Crotalaria, 41:317-367. (Contrib. Gray Herb. no. CXXV).

Caltha natans in Canada, 45:214-215.

Serapias Helleborine, Another Massachusetts

station for, 43:632. Sericocarpus bifoliatus, an invalid name, 28:

209.

Sericocarpus bifoliatus in the Manual range? Is there any evidence of, 46:316.

Setaria Faberi in eastern America, 46:57. Setaria Faberi in North Carolina, 48:391.

SETCHELL, WILLIAM ALBERT

Critical notes on the New England species of Laminaria, 2:115-119, 142-149. Gymnogongrus Torreyi (Ag.) J. Ag., 7: 136-138.

— and Collins, F. S.), Some Algae from Hudson Bay, 10:114-116.

Cape Cod in its relation to the marine flora of New England, 24:1-11, pl. 134. Dumontia filiformis on the New England coast, 25:33-37. SEYMOUR, A. B.

The fruiting of Riccia natans, 2:161. A Cluster-cup Fungus on Lespedeza in New England, 2:186.

[Herbarium of], 3:281. SEYMOUR, FRANK C.

Additions to the flora of Springfield, Massachusetts, 29:241-246.

A Callitriche new to Massachusetts, 32:

Leptoloma in New England, 47:263-264. Helianthus grosseserratus in New Eng-

land, 49:115-116.

(GOODALE, A. S., GRIGG, F. W., GUSTAFSON. A. H., HARRIS, S. K., KNOWLTON, C. H., POTTER, D., SANFORD, S. N. F., -SMITH, L. B.), Reports on the flora of Massachusetts,—III, 44:213-220.

(BEAN, R. C., GOODALE, A. S., GRIGG, F. W., HARRIS, S. K., KNOWLTON, C. H., POTTER, D., SANFORD, S. N. F., — and SMITH, L. B.), Reports on the flora of Massachusetts,-IV, 49:257-277.

SEYMOUR, MARY C.

A newly introduced Galium, 6:22. Shadbush, A Nova Scotian Dwarf, 50:49. Shagbark and Bitternut Hickory in southeastern Vermont, A hybrid between, 50:60.

SHARP, A. J.— An improvement in the method of preparing certain Gymnosperms for the herbarium, 37:267-268.

SHAW, ELSIE L.

Carex aurea in Connecticut, 4:168.

A new station for Polypodium vulgare. var. cambricum, 4:197–198.

A new station for Iris Hookeri in Maine,

10:145-146.

SHAW, MARGARET F.—Flora of Penikese fifty

years after (Ecology), 26:184-189. Shear, C. L.—Letter of Dr. Asa Gray to Lewis D. de Schweinitz, 7:141-143.

Shelburne, New Hampshire, Festuca ovina L., var. duriuscula (L.) Koch in. 14:92. Shelburne, New Hampshire, Notes from, 11:

21.

SHELDON, JOHN L.

Notes on the blue-berried Huckleberry, 4:14.

Some introduced weeds of Connecticut, 6:146.

Menyanthes trifoliata in West Virginia, 12:11-12.

SHERBORN, CHARLES DAVIES

[Where is the —— collection?], Review of, 46:199.

Sherborn, Massachusetts, A seedless Barberry found at, 14:207.

SHERFF, EARL EDWARD

A new variety of Rudbeckia subtomentosa, 14:164.

Range extensions of Rhamnus Frangula and Sporobolus asperifolius, 14:227. Siegesbeckia orientalis in Illinois, 19:74–

75.

Notes on certain plants in the Gray's Manual range, 48:89-98, pls. 1021-1024.

SHERMAN, JULIA WINGATE—Morels in October in Massachusetts, 14:53-54.
SHIELDS, MABEL A.—(WILCOX, A. W., Howe, I. A., —— and Balch, W. E.), The field meeting of the Vermont Botanical and Bird Clubs, 17:143-144.

SHIMEK, B.—Quercus macrocarpa, var. depressa (Nutt.) Engelm., 35:295–297.

SHINNERS, L. H.

Epilobium paniculatum, var. subulatum in Wisconsin, 43:335.

The status of Aster longulus Sheldon, 44: 338-339.

The genus Aster in Nova Scotia, 45:344-351.

Aster acadiensis, nom. nov., 46:31.

SHOOP, CORA-Irregularities in the floral parts of Tradescantia ozarkana, 39:46-49.

Shortia and Berneuxia, On the Sino-Himalayan species of, 45:333.

Shortia galacifolia in its type locality, 49:159. Shrubs, A handy book on trees and, [Review], 17:103.

Shrubs, California, [Review], 43:212.

Shrubs in western Connecticut. The distribution of certain trees and, 2:34.

Shrubs of Indiana, [Review], 27:15.

Shrubs of Michigan, [Review], 46:254.

Shrubs of southeastern North America, Notes on trees and, 24:77.

Shrubs of the southeastern United States, Notes on trees and, 25:179.

Shrubs of the United States, Ornamental, [Review], 12:207.

Shrubs of western Cheshire County, New Hampshire, Notes on some trees and, 3:

Shrubs, Two yellow-fruited, 16:91.

Shurtleff, Dr. [Herbarium of], 3:286.

Sida in Oklahoma, 50:99.

Siegesbeckia orientalis in Illinois, 19:74.

Silene acaulis, The American variations of, 23:119.

Silene antirrhina, Some facts relating to, 12: 129.

Silene antirrhina, Two variations of, 17:96.

Silene caroliniana, 41:575. Silene conica in New England, 7:110.

Silene Cserei in the Middle West, 36:351. Silene Menziesii and allies in western Canada,

40:212. Silphium, Notes on, 39:281.

SILSBEE, FRANCIS H.-Volvaria volvacea in Lawrence, Massachusetts, 4:3-5.

SINNOT, EDMUND W.

Paracedroxylon, a new type of Araucarian wood, 11:165–173, pls. 80, 81. The pond flora of Cape Cod, 14:25–34.

Sisymbrium brachycarpon and allies, 17:138. Sisymbrium niagarense, The correct disposition of, 3:16.

Sisymbrium officinale in America, Two varieties of, 7:101; in three States, 14:190. Sisymbrium, The name, 27:28.

Sisyrinchium angustifolium, The identity of, 48:152

Sisyrinchium, Four of Rafinesque's species of, 46:42.

Sisyrinchium mucronatum in Penobscot County, Maine, 37:75.

Sium suave, a new and an old form, 23:111. Skullcap, An anomalous, 4:137.

Skunk Cabbage in an unusual place, Occur-

rence of the, 11:63. Slime Moulds, The, 2:75.

SLOSSON, MARGARET—A new hybrid Fern from Vermont, 6:75-77, 3 figs.

SMALL, JOHN KUNKEL

[Manual of the Southeastern Flora], Review of, 36:235-237.

[Ferns of the Vicinity of New York], Review of, 38:163-164.

Smelowskia and Polyctenium, 40:294.

Smilacina racemosa, The southern variety of, 40:404.

Smilax glauca, A variety of, 20:78. Smilax lanceolata, Note on, 46:39.

SMITH, ANNA W.—A new station for Asplenium ebenoides, 8:68.

SMITH, ANNIE MORRILL—Pogonatum capillare on Mt. Greylock, 4:83.

SMITH. A. V.

Some noteworthy plants recently found in the Coastal Plain of Maryland and Delaware, 41:111.

Some plants recently found in the Coastal Plain of Maryland, 42:277-280.

SMITH, C. EARLE, JR.—Potamogeton bicupulatus in Massachusetts, 50:304.

SMITH, CHARLES PIPER

Plurality of seeds in acorns of Quercus Prinus, 16:41-43, 3 figs.

Carex Tuckermani niagarensis, a neglected Sedge, 17:57-59.

Pseudotaenidia in Maryland, 26:23-24. SMITH, CLAYTON O .- Notes on the species of

Agaricus (Psalliota) of the Champlain Valley, 1:161-164. Smith College, Herbarium of, 3:281.

SMITH. ERNEST C.—Further additions to the flora of Middlesex County, Massachusetts,

1:97-98.

SMITH. GILBERT M .- [Marine Algae of the Monterey Peninsula], Review of, 47:63-64. SMITH, JESSE F.

Late-blooming Violets in Connecticut, 27:

The restoration of Isanthus brachiatus to the flora of Connecticut, 27:189-190.

SMITH, LYMAN B.

Three plants of Plymouth, Massachusetts, 28:88.

(Churchill, J. R., Deane, W., Grigg, F. W., Knowlton, C. H., Pease, A. S., Sanford, S. N. F. and ——), Reports on the flora of Massachusetts,-I, 30:12-

Utricularia subulata in Plymouth, Massa-

chusetts, 30:35.

A new form of Erythronium americanum,

31:36.

(CHURCHILL, J. R., GOODALE, A. S., GOOD-WIN, R. H., GRIGG, F. W., HARRIS, S. K., POTTER, D., ROSSBACH, G. B., SANFORD, S. N. F. and ——), Reports on the flora of Massachusetts,—II, 35:351–359.

The synonymy of Phyllanthus brasiliensis. 36:268

A new Columnea from Jamaica, 39:275–276, 2 figs.

Salvinia rotundifolia in Massachusetts, 43:556.

(GOODALE, A. S., GRIGG, F. W., GUSTAFSON, A. H., HARRIS, S., K., KNOWLTON, C. H., POTTER, D., SANFORD, S. N. F., SEY-MOUR, F. C. and -—), Reports on the flora of Massachusetts,—III, 44:213-

New combination in Chrysobalanus, 48: 136.

(Bean, R. C., Goodale, A. S., Grigg, F. W., Harris, S. K., Knowlton, C. H., POTTER, D., SANFORD, S. N. F., SEYMOUR, F. C. and ——), Reports on the flora of Massachusetts,—IV, 49:257-277.

New names for two Brazilian species, 50: 132.

SMITH, ROBINA SILSBEE-Aerial runners in Trientalis americana, 3:216-217, pl. 34.

Smuts on Eriocaulon septangulare, Two new,

Snakeroot in Maine, The Seneca, 4:133.

SNELL, WALTER H.—J. Franklin Collins, 44: 93-97 (with portrait).

Snowberry, The earliest name of the, 16:117. Society for the Protection of Native Plants, 3:213; 4:139,

Soil preferences of certain alpine and subalpine plants, The, 9:149.

Soil preferences of less usual vascular plants in central Connecticut, 1:103.

Soil reaction of Saxifraga Aizoon on Mt. Katahdin, 29:139.

Soil reactions of Spiranthes cernua and its rel-

atives. The. 23:127.

Soil tests of Ericaceae and other reaction-sensitive families in northern Vermont and New Hampshire, 22:33.

Soil types in central Massachusetts, The relation of Pinus rigida to physiographic fea-

tures and, 40:72.

Solanum new to America, A variety of, 12:40. Solanum rostratum and Hieracium praealtum in Maine, Notes on, 4:151.

Solanum rostratum in Central Maine, 3:276. Solidago altissima L., 29:72.

Solidago and Aster in Washington County, Maine, 33:159.

×Solidago asperula, Notes on the distribution and hybrid origin of, 39:22

Solidago calcicola in Matane County, Quebec, 30:157; in Vermont, 14:54.

Solidago conferta Miller, 29:17.

Solidago flexicaulis and Solidago latifolia, 30:

Solidago from Kentucky, A new species and a new variety of, 44:1.

Solidago humilis, Concerning, 28:208.

Solidago in the White Mountains, A northern, 17:72. Solidago latifolia, Solidago flexicaulis and, 30:

Solidago lepida, var. fallax in Knox County,

Maine, 22: 77.

Solidago macrophylla, An alpine variety of, 8:227.

Solidago name, A neglected, 21:69.

Solidago, Notes on the Compositae of the northeastern United States,-IV., 49:69.

Solidago odora, Allies of, 16:52. Solidago polycephala in Maryland, 13:106.

Solidago racemosa Greene, forma leucantha, n. f., 20:172.

Solidago rigida, A further note on, 38:195. Solidago rigida L., 28:29; and the application of old botanical names, On, 28:138. Solidago sect. Euthamia, Notes on, 45:413.

Solidago sempervirens, An insular variety of, 17:26.

Solidago sempervirens with white rays, A form of, 19:20

Solidago Shortii, A new locality for, 43:484. Solidago, Some undescribed and little-known varieties of Aster and, 1:187.

Solidago, Studies in, 38:201.

Solidago tenuifolia, a weed in Rhode Island,

Solidago uliginosa, The varieties of, 49:294.

Somerset County, Maine, Nymphaea tetragona in, 43:74.

Somerset County, Maine, Rhododendron maximum in. 1:55.

Sonchus arvensis var. glabrescens, The authors of, 30:19.

SOPER, J. H .- The pubescent form of Ceanothus ovatus, 43:82-83.

Sophora villosa, The type of, 50:200.

Sorbus Andersoni, a new name for an Alaskan Mountain-Ash, 47:220.

Sorocarpus, On the distribution of, 35:347. South America, Spergularia in North and, 42: 57, 105, 158, 203.

South America, Status and distribution of some Cyperaceae in North and, 44:43, 77. South America, Veronica in North and, 23:1,

South Atlantic States, Nolina in the, 11:80. South Carolina Costal Plain, Some heretofore unnoticed plants of the, 47:142.

South Carolina, Gnaphalium obtusifolium, var. micradenium in New Hampshire and, 43:211.

South Carolina, north of Georgetown, Notes on the Spring flora of the Coastal Plain of, 36:28.

South Carolina, Plants in flower, February 8, 1911, at Clemson College, 13:91.

South Carolina, Plants of the outer border of the Piedmont, Saluda County, 36:54.

South Carolina, Plants of the sand-hills of Orangeburg and Lexington Counties south and west of Columbia, 36:52.

South Dakota, A new variety of Salix discolor from, 26:136.

South Dakota, Salix candida new to, 26:142. South Dakota, Salix missouriensis in, 26:139. Southbridge, Massachusetts, Blumenbachia in-

signis, a casual plant at, 8:225. Southbury Triassic area, Some plants of the, 15:65.

South Natick Historical, Natural History and Library Society, Herbarium of, 3:282. South Weymouth, Massachusetts, Plants

from, 20:115.

Spadiciflores du Québec, Les, [Review], 34: 119.

SPAULDING, L. J.—(LEAVITT, R. G. and ——), Parthenogenesis in Antennaria, 7:105.

Sparganium, A well marked species of, 7:60. Sparganium americanum, A new variety of, 39:188.

Sparganium americanum and S. androcladum, Pollen of, 33:141.

Sparganium androcladum, Pollen of Sparganium americanum and, 33:141.

Sparganium diversifolium var. acaule in Massachusetts, 10:56.

Sparganium eurycarpum in Rimouski County, Quebec, Lemna minor and, 10:95.

Sparganium glomeratum in Minnesota, 43:83. Sparganium multipedunculatum in eastern America, 27:190.

Sparganium, Notes on, 24:26.

Sparrow, F. K. Jr.—Occurrence of Pythium gracile in the United States, 29:37-39.

Spartina cynosuroides, Anthesis in, 31:99. Spartina cynosuroides, The two varieties of,

49:113. Spartina glabra alterniflora, Excretion of sodium chloride by, 11:237.

Spartina new to New England, A variety of,

Spartina patens and other saline plants in the Genesee Valley of western New York, 29:

Spartina pectinata, The slender-spiked, 35: 258.

Spartina, Some notes on, 18:177.

Spearmint, The correct name for the, 26:19, 171.

Specularia, Generic status of Triodanis and, 50:38.

Specularia, Triodanis versus, 48:209. Spergula pentandra in America, 46:88. Spergula sativa in Connecticut,

Spergularia, A new species of, 22:15.

Spergularia in North and South America, 42: 57, 105, 158, 203. Spergularia, Notes on some northeastern spe-

cies of, 12:157.

Sphagnum Faxonii, an addition to the flora of New England, 10:40.

Sphagnum Faxonii, The type locality of, 10:

Sphagnum new to Connecticut, Species of, 15:

Sphenopholis, The genus, 8:137.
Spiraea latifolia, The boreal and subalpine variety of, 19:254.

Spiraea latifolia var. septentrionalis in Virginia, 48:112

Spiraea salicifolia in Alburg, Vermont, 16:96. Spiraea, Some varieties of Potamogeton and,

Spiraea tomentosa, A white-flowered, 17:142. Spiraea tomentosa, The inland variety of, 14:

Spiranthes and Habenaria, Natural hybrids in, 5:261.

Spiranthes cernua and its relatives, The soil reactions of, 23:127; Polyembryony in, 2: 227; On some variations of, 1:110; Vegetative reproduction of, 7:49.

Spiranthes Grayi, 6:44.

Spiranthes in Dover, Massachusetts, 20:111. Spiranthes michuacana in Arizona, 41:138.

Spiranthes neglecta, 6:27.

Spiranthes, Notes on New England Orchids, —I, 23:73.

Spiranthes ovalis, 8:15.

Spirogyra crassa in refilled ponds, Luxuriant development of, 2:33.

Splachnum ampullaceum, a correction, 5:169. Spleenwort, A plumose variety of the Ebony. 3:1.

Sporobolus asper in Quebec, 47:272.

Sporobolus asperifolius, Range extensions of Rhamnus Frangula and, 14:227. Sporobolus, Notes on, 4:45.

Sporobolus, Notes on two species of, 8:23.

Sporobolus, Two segregates in, 35:108. Sprague, Charles James—[Notice of death],

Sprague, T. A.—The standard-species of Nymphaea L., 30:53-59.

Spring flowers in Autumn, 39:52.

Springfield Botanical Society, [Herbarium of], 3:282.

Springfield, Massachusetts, A Flora of, [Review], 26:179.

Springfield, Massachusetts, Additions to the flora of, 29:241.

Springfield, Massachusetts, Magnolia tripetala in, 15:63.

Spruce in Rhode Island, The Black, 6:41.

Spruce, The Hemlock, 17:164.

Spruce, The name of the Hemlock, 17:59. Spurge, The correct name of the Leafy, 39:

Squam Lake, New Hampshire, Plant notes from, 25:183.

Stachys lanata in Ontario, 22:128.

Stachys palustris, Our varieties of, 45:473.

STANDLEY, PAUL C

A neglected Solidago name, 21:69-70. A new locality for Senecio Crawfordii, 21:117-120.

Stachys lanata in Ontario, 22:128. Two new plants from Illinois, 31:36-38.

- and Macbride, J. F.), A new form of Red Cedar from Indiana, 31:193-194. New forms and varieties of Indiana plants, 32:32-34.

Records of United States plants, chiefly from the Chicago region, 34:174-177.

Some synonymy, 35:110. STANFORD, ERNEST ELWOOD

The inflorescence and flower-form in Polygonum, subgenus Persicaria, 27:41-47. Possibilities of hybridism as a cause of variation in Polygonum, 27:81-89.

The amphibious group of Polygonum, subgenus Persicaria, 27:109-112, 125-130, 146-152, 156-166.

Polygonum pensylvanicum and related species, 27:173–184.

Polygonum hydropiperoides and P. opelousanum, 28:11-17, 22-29.

Polygonum Hydroniner in Europe and North America, 29:77-87.

[Economic Plants], Review of, 37:31-32.

Statice in North America, 19:1.

STEARN, W. T.

The date of publication of Pursh's Flora Americae Septentrionalis, 45:415-416. A further note on the date of Pursh's Flora, 45:511-512.

STEBBINS, G. LEDYARD, Jr.

Two plants new to Mt. Katahdin, 29:15-16.

Further additions to the Mt. Desert flora, 31:81–87, pls. 185, 186. Some interesting plants from Mt. Katah-

din, 31:142-143.

Lomatogonium rotatum (L.) Fries in

Maine, 31:143.

A revision of some North American species of Calamagrostis, 32:35-57, pl. 195. (Contrib. Gray Herb. no. LXXXVII). An interesting form of Eupatorium per-

foliatum, 32:132-133.

Some interesting plants from the North Shore of the St. Lawrence, 34:66-67. Some observations on the flora of the Bruce Peninsula, Ontario, 37:63-74. A new species of Antennaria from the

Appalachian region, 37:229-237, 4 figs.

A note on species differentiation in Antennaria, 38:367-369.

STEERE, WILLIAM CAMPBELL

Meesea triquetra, 33:77-78, pl. 205.

Critical Bryophytes from the Keweenaw Peninsula, Michigan, 39:1-14, 33-46, 6

STEINMETZ, FERDINAND H.

A new station for Littorella americana,

33:79-80.

(HYLAND, F. and ---), [The Woody Plants of Mainel, Review of, 47:143-

Steironema lanceolatum, A remarkable development of, 2:190.

Stellaria aquatica in Vermont, 10:206. Stellaria borealis, The American variations of, 16:144.

Stellaria glauca established in the Province of Quebec, 6:90.

Stellaria pubera, A note on, 26:169.
Stemen, Thomas R.—(—— and Myers, W. S.), [Oklahoma Floral, Review of, 40:179— 183.

Stenanthium in the eastern United States, 48: 148.

STEVENS, F. L .- [The Fungi which cause Plant-disease], Review of, 16:79-80.

STEVENS, NEIL E.—Environmental factors and the wasting disease of Eel Grass, 41:260-

STEVENS, O. A.

Thesium Linophyllon in North Dakota, a first record for North America, 46:490. Botanical visits to Forts Clark, Mansion and Union in North Dakota, 48:98–103, pls. 1025, 1026.

Size, shape and number in Astragalus caryocarpus fruits, 48:111.

STEWARD, ALBERT N.

The Hepatica transsilvanica group of eastern Europe and Asia, 29:53-57 The case for Polygonum cuspidatum Sieb.

& Zucc., 32:223-225

Stewart, Sara R. (Hinckley, G. M., Mrs.)— Mentha arvensis and some of its North American variations, 46:331-335.

Stewartia, Two new combinations in, 41:198.

STEYERMARK, JULIAN A.

Notes on Missouri plants, 35:283-291. Range extension in Missouri for Ophioglossum vulgatum, 36:22-23.

Hamamelis virginiana in Missouri, 36: 97-100.

Some features of the flora of the Ozark region in Missouri, 36:214-233.

A Grass new to Missouri, 36:312. Epifagus virginiana in Missouri, 36:352-353

Recent additions to the flora of St. Louis County, Missouri, 36:375–376. Najas gracillima in Missouri, 40:28.

Two undescribed plants from Arkansas, 40:71-72.

[Validation of combination in Palmer and Steyermark's Annotated Catalogue of the Flowering Plants of Missouril, 40: 131-134.

New combinations and undescribed forms from Missouri, 40:177-179.

Plants new to Missouri, 40:249–255.

A tomentose form of Cladrastis lutea, 40: 487.

Coldenia Nuttallii in Missouri, 40:487. (— and SCHMOLL, H. M.), Panicum Tuckermani, a variety of Panicum philadelphicum, 41:86-90.

Some newly described forms from Missouri, 41:585.

The first recorded occurrence of Distichlis spicata in the Central Interior of the United States, 42:22-24.

Draba aprica in the Ozarks of southeast-

ern Missouri, 42:32-33.

Plants new to or previously unreported from Misssouri, 42:97-105.

Ludwigia microcarpa in Missouri, 42:144. Viola cucullata in Missouri, 42:199-200. Determination of Amphicarpa, Strophostyles, Galactia and Apios by vegetative characters, 42:213-215.

[Spring Flora of Missouri], Review of,

42:215-216.

A study of Arenaria patula, 43:325–333. Aquatic varieties of Poa annua, 43:630-632.

Notes on Missouri plants, 43:658-663. Rediscovering Sedum pulchellum at its northeastern limit, 44:73-76.
Two albino forms of Echinacea from Mis-

souri, 44:150-151.

Herman C. Benke, 49:142-143.

Notes on drying plants, 49:220-227. Stictyosiphon tortilis, The discovery of the long-sought Alga, 16:105.

Stigonema, Two new species of, 15:192. Stipa spartea found in Pennsylvania, 29:253. Stockbridge, Massachusetts, Epipactis Helleborine at, 1:52.

STOKEY, ALMA G .- Flora of Penikese fifty years after (Pteridophyta), 26:219.

STONE, GEORGE E.

Past and present floral conditions in cen-

tral Massachusetts, 1:143-148. The Walking-fern in Worcester County, Massachusetts, 2:14.

Luxuriant development of Spirogyra crassa in refilled ponds, 2:33–34.

A remarkable form of Kalmia latifolia, 11:199-200.

Magnolia tripetala in Springfield, Massa-

chusetts, 15:63.

[A list of plants growing without cultivation in Franklin, Hampshire and Hampden Counties, Massachusetts], Review of, 15:97-98.

STONE, MARJORIE W .- (WEATHERBY, C. A. and -), A plea for the elimination of unnec-

essary nomenclatural changes, 46:201-204.
Stone, Witmer-[The Plants of southern New Jersey], Review of, 14:94-96.

Stonington, Connecticut, An old forest in, 43:

Stout, William—[Notice of], 26:50, 52-55. Stow, Massachusetts, Some fleshy Fungi of,

13:57; —II, 16:45.

STRAUSBAUGH, P. D.—(— and Core, E. L.), Phymosia remota, 34:142-146.

Strawberry, A new color form of a Wild, 31:

Streptanthus from the Big Bend of Texas, A new. 45:258.

Streptopus, A study of, 37:88.

Streptopus in eastern America, The genus, 8:

Streptopus longipes, An addition to the description of, 13:237.

Streptopus oreopolus, a possible hybrid, 9: 106.

Streptopus oreopolus in the White Mountains, 29:76.

STRONG, MABEL A.—Further information regarding the occurrence of Dryopteris Filixmas in Vermont, 9:27-28.

Strophostyles, Galactia and Apios by vegetative characters, Determination of Amphicarpa, 42:213.

Struthiopteris, Development of the sporophyll in Osmunda and, 3:223.

STURTEVANT, EDWARD LEWIS-[Herbarium of],

Suaeda in northeastern America, The genus, 9:140.

Suaeda maritima, a correction, 28:156. Subalpine plants, The soil preferences of certain alpine and, 9:149.

Subalpine variety of Spiraea latifolia, The boreal and, 19:254.

Subantarctic or Andean plants in the Northern Hemisphere, Polystichum mohrioides and some other, 26:89.

Subspecies, 44:157.

Subspecies and variety, 44:153.

Subspecies and variety, On the use of the terms, 43:157.

Subularia, Another New Hampshire station for, 50:72.

Subularia at East Andover, New Hampshire. 6:228.

Subularia aquatica on Mt. Desert Island, 1:

Succisa pratensis in Massachusetts, 14:174. Sudbury, Massachusetts, Two noteworthy Carices at, 4:167.

Sudbury River, Lemna minor as an aggressive weed in the, 49:165.

Sudbury River, Potamogeton panormitanus in the. 36:312.

SUDWORTH, GEO. B .- Technical name of Sugar Maple, 28:179.

Sugar Maple, A conical, 36:238.

Sugar Maple, Technical name of, 28:179, 233. Suggestion for summer observations, A, 14:

Suggestions for collectors, 42:145.

SUKSDORF, WILHELM N.

Is Arenaria lateriflora dioecious? 16:55-

Cardamine oligosperma and its near allies, 20:197-199.

[Untersuchungen in der Gattung Amsinckia], Review of, 34:189-190.

SULLIVANT, WILLIAM STARLING-[Herbarium of], 3:242.

Summer course on the flowering plants, 15:

Sunflower for Maine, A new, 6:147.

Svenson, H. K.

A northeastern variety of Panicum, 22: 153-155, 5 figs.

Plant notes from Squam Lake, New Hampshire, 25:183-185.

Notes on some plants of eastern New York, 26:221-222

The White Pine in Middle Tennessee, 27: 27 - 28.

Studies on interior distribution of maritime plants,—I. Effects of post-Pleistocene marine submergence in eastern North America, 29:41-48, 57-72, 87-93, 105-114, 1 fig.

Additions to the flora of Cape Cod, 30:

135–136.

(Griscom, L. and——), Carex Mitchelliana and other rare plants near Cohasset, Massachusetts, 30:198-199.

Habenaria dilatata on Cape Cod, 31:80. Chamaecyparis thyoides in New Hampshire, 31:96-98.

Anthesis in Spartina cynosuroides, 31: 99 - 100.

Monographic studies in the genus Eleocharis, 31:121–135, 152–163, 167–191, 199–219, 224–242, pls. 188–191. (Contrib. Gray Herb. no. LXXXVI).

Callitriche stagnalis in the eastern United States, 34:37-39

Monographic studies in the genus Eleocharis, —II, 34:193–203, 215–227, pls. 219–221; —III, 36:377–389, pls. 320, 321. Aster patens Ait., forma rosea, f. nova, 37: 263.

Tillaea aquatica on Long Island, 37:301-

Listera australis on Long Island, 37:308. Another New Jersey station for Najas gracillima, 37:414.

Viola rotundifolia on Long Island, 37: 421-422.

Monographic studies in the genus Eleocharis,-IV, 39:210-231, 236-273, pls. 460-465.

Did Symphoricarpos albus come originally from Canada? 39:461-462.

Carex foenea, C. straminea and C. albicans in Willdenow's herbarium, 40:325-

Monographic studies in the genus Eleocharis,—V, 41:1-19, 43-77, 90-110, pls. 537-547.

The asterisk in Linnaeus's Species Plantarum, 41:139-140.

Erechtites megalocarpa on Long Island,

41:256.Dates of Boeckeler's Cyperaceae, 41:313. Corynephorus canescens on western Long

Island, 41:314. Quercus rubra once more, 41:521-524.

A new Chinese Eleocharis, 41:559. Plants of southern United States, 42:1-19, pls. 585-587.

The Great Smokies and the Blue Ridge. [Review], 46:157-158.

On the descriptive method of Linnaeus, 47:273-302, 363-388, pls. 990, 991.

The group of Eleocharis palustris in North America, 49:61-67.

Swamp Blueberry, Vaccinium corymbosum, Double flowers in the Wild, 36:233.

SWAN, CHARLES WALTER-[Herbarium of], 3: 282.

Swanton and vicinity, Notes on the flora of, 16:38.

Swanton, Vermont, Notes on the flora of. 31: 166.

Swarthmore, Pennsylvania, Convolvulus Wallichianus at, 47:332.

Sweet Bay and its station on Cape Ann, Some historical data regarding the, 18:204.

Sweet Clover, A freak, 23:25. Sweet Gale, The glabrous-leaved, 16:167. Sweet Pignut in New England, Hairy Variety

of, 47:46. Symphoricarpos albus come originally from

Canada? Did, 39:461. Symphoricarpos orbiculatus, Notes on the

Coral-berry, 49:117.

Symphoricarpos racemosus and its varieties in eastern America, 7:164.

Symphytum, The correct name of an introduced, 18:23.

Symposium, Annual botanical, 8:115; 10:95. Syngonanthus flavidulus, Exit, 49:128.

Synonymy, Some, 35:110.

Syntype and other terms referring to type material, Cotype, 45:481.

Talinum rugospermum, Talinum teretifolium and, 30:205.

Talinum teretifolium and T. rugospermum, 30:205

Tamarack, Development of a leafy axis upon the cones of a, 45:106

Tanacetum huronense, The varieties of, 37: 333.

Tansy of Newfoundland, The native, 25:13. Taraxacum ceratophorum in New England, 19:111.

Taraxacum erythrospermum in Rhode Island, Corallorhiza innata and, 5:291.

Taraxacum in arctic Canada (east of 100° W.), 45:337.

Taraxacum in eastern North America, 35:369. Taraxacum officinale, The name, 50:216.

Taraxacum palustre in America, 4:155. TATNALL, ROBERT R.—[Flora of Delaware and

the Eastern Shore], Review of, 49:164. Taxonomy, Some historical aspects of plant, 44:21.

TAYLOR, NORMAN

[Flora of the Vicinity of New York, a contribution to Plant Geographyl, Review of, 17:62–70.

Grier's notes on the flora of Long Island,

27:213-215.
[Mr. Taylor vs. Grier's notes on the flora of Long Island], 28:242-245.
TAYLOR, T. M. C.—Eleocharis caribaea var.

dispar in Ontario, 37:365-366.

TAYLOR, THOMAS—[Herbarium of], 3:242. TAYLOR, WM. RANDOLPH

Additions to the flora of Mount Desert, Maine, 23:65–68. (Lewis, I. F. and ——, editors), Notes

from the Woods Hole Laboratory,-1921, 23:249-256.

Anabaena spiroides, var. crassa, 23:252-253, 1 fig. Ectocarpus Mitchellae Harv., var. parva

n. var., 23:254-255.

Baptisia tinctoria, 23:255-256.

Notes on some Algae from British Co-lumbia, 24:101-111, figs. A-G.

Further notes on British Columbia Algae, 26:160-166.

Flora of Penikese fifty years after, (Marine Algae), 26:212-215.

- and Fogg, J. M.), Notes on some freshwater Algae from Newfoundland, 29:160-164.

(Lewis, I. F. and —, editors), Notes from the Woods Hole Laboratory,— 1928, 30:193-198, pl. 176.

Asparagopsis hamifera (Hariot) Okam, 30:197-198.

(Lewis, I. F. and ——), Notes from the Woods Hole Laboratory,—1932, 35:147-154, pl. 274.

New records of marine Algae, 35:151-152, pl. 274.

Disappearence of Zostera in 1932, 35:152-153.

Epidemic among Zostera colonies, 35:186. [Marine Algae of the Northeastern Coast of North America], Review of, 40:323-

Reappearance of rare New England marine Algae, 43:72-74 Teachers of biology, A work for, [Review], 7:

Teaching Botanist, [Notice], 2:52.

Teesdalia nudicaulis and Thlaspi perfoliatum in Maryland, Carex divisa, 36:412.

Tennessee, A new Pondweed from, 38:165. Tennessee, Notes on Botrychium from, 13:14. Tennessee, Notes on some plants of, 37:309. Tennessee, Notes on the flora of,-The genus

Trillium, 36:119; —Dioscorea, 36:344. Tennessee, Some noteworthy plants of, 39:

Tennessee, The White Pine in Middle, 27:27.

Teratologic Typha, 43:85. Teratological flower of Corallorrhiza macu-

lata, A, 31:53.

Teratological form of Vaccinium pennsylvanicum, A. 29:237.

Teratological forms of Trillium undulatum, More, 10:214.

Teratological forms of Trillium undulatum, Some, 10:21.

Teratological specimen of Aralia hispida, A, 22:152.

Teratological specimen of Cypripedium acaule, A, 15:73; 35:263.

Teratological specimen of Panicum amarulum

Hitche. & Chase, A, 17:72. Teratology in Trillium, 12:163. Teratology in Trillium ovatum Pursh, 13:189. TERRY, EMILY HITCHCOCK

Juniperus communis var. erecta in Massachusetts, 3:146.

[Herbarium of], 3:283.

Hieracium murorum in Massachusetts, 7:

Dicksonia pilosiuscula forma schizophylla in Vermont, 7:99.

TERRY, WILLIAM A.

Causes of variation in color of some Red Algae, 9:90-91.

A partial list of Connecticut Diatoms with some account of their distribution in certain parts of the State, 9:125-140. Additional lists of Connecticut Diatoms,

10:179–184. Tetramerism in Trillium grandiflorum, 30:

Tetramerism in Trillium undulatum, 29:203. Tetraplodon australis in Massachusetts, 12:

Teucrium canadense, The type of, 35:392. Teucrium new to Massachusetts, A, 11:148.

Textbook for High Schools, A new botanical. 20:100.

Tewksbury, Massachusetts, Two Erodiums at, 3:35.

Texas, A Heterotheca from, 30:200.

Texas, A new Columbine from the Edwards Plateau of, 38:75.

Texas, A new Dyssodia from, 49:161.

Texas, A new Lesquerella from western, 32:

Texas, A new Loco from the Edwards Plateau of, 32:4.

Texas, A new Salviastrum from the Edwards Plateau of, 32:89.

Texas, A new Selenia from, 40:183.

Texas, A new Selenia from the Edwards Plateau of, 33:142.

Texas, A new species of Haplopappus from

southwestern, 45:351.
Texas, A new Streptanthus from the Big Bend of, 45:258.

Texas and adjacent New Mexico, A new species of Anulocaulis from southwestern, 47:

Texas. Echinocereus angusticeps, a new species from the lower Rio Grande Valley, 37:

Texas. Notes on Ephedra in, 40:215.

Texas, Paronychia in central and western, 46: 278.

Texas plants, New names and new combinations for, 38:404.

Texas plants, Notes on, 41:561.

Texas, Some new plants from, 39:417. Texas, The genus Palafoxia in, 48:84. Texas, The habitat for Astrophytum asterias

in, 35:224.

Texas, The perennial Helenium of the Edwards Plateau of, 45:109.

Texas, The Senecio on the coastal dunes of, 45:164

Texas, The Wild Cherry of the Carrizo Sands of, 45:325.

Texas, Three Junipers of western, 38:182.

Texas. Two new varieties of early spring plants, a Ranunculus from Missouri and a Heterotheca from, 30:200.

Thalictra and their Old World allies, American, 46:337, 391, 453.

Thalictrum polycarpum S. Wat., a disputed name, 40:317.

Thalictrums, Two northeastern, 2:230.

Thamnolia in Maine, The occurrence of, 2:

THARP, B. C.—Tradescantia edwardsiana, nov. sp., 34:57-59, 1 fig. THAXTER, R.

Contributions from the Cryptogamic Laboratory of Harvard University.— LV. Mycological notes, 5:97-108, pl. 46. The Fungi which cause plant-disease, [Review], 16:79-80.

Lincoln Ware Riddle, 23:181-184.

Thelypteris fragrans, The southern variety of, 25:1.

Thelypteris palustris, A study of, 31:27.

Thelypteris, Schmidel's publication of, 31:21. Thermopsis mollis in eastern Massachusetts, 47:91.

Thesium Linophyllon in North Dakota. a first record for North America, 46:490.

Thetford, Vermont, Ferns of a deep ravine in, 2:229.

Thistles, east and west, The Pasture, 12:211. Thlaspi perfoliatum in Maryland, Carex divisa, Teesdalia nudicaulis and, 36:412.

THOMPSON, EMMA J.—Botanizing in central Connecticut, 13:77-79.
THOMPSON, J. WILLIAM—Notes on the flora of the State of Washington,—I, 34:236-239; —II, 36:8-13; —III, 37:417-421.

THOREAU, HENRY DAVID-[Herbarium of], 3: 283.

THORPE, HEATHER G.—Alchemilla pratensis in Eric County, New York, 45:27.

THRONE, ALVIN L.—Recent contributions to the flora of Wisconsin, 33:139-140.

Thuja occidentalis, Lithological factors limiting the ranges of Pinus Banksiana and, 21: 41.

THURBER, GEORGE—[Herbarium of], 3:244. Tiarella and Mitella, Some anomalous plants

Tiarella cordifolia, A dimorphism in, 13:192. Tiarella cordifolia L., forma parviflora, n. f., 19:132.

TIDESTROM, IVAR

Notes on Peltandra, Rafinesque, 12:47-50, pl. 83.

Populus virginiana Fouger., 13:195-199. The Typhae of Maryland and Virginia, 13:241-243.

Notes on the flora of Maryland and Virginia, -I, 15:101-106; -II, 16:201-209,

Tsuga canadensis (L.) Carr., 20:185-188. Geranium divaricatum in the United States, 34:207.

Botanical notes, 36:309-312.

TILDEN, JOSEPHINE E.-Hydrocoleum Holdeni, nom. nov., 3:254.

Tillaea aquatica on Long Island, 37:301.

Tillaea in Nantucket, 14:201.

TILTON, GEORGE H. An addition to the Fern-flora of Vermont,

6:235-236.Scrophularia leporella at Willoughby, 7: 119.

Tipularia discolor in Dukes County, Massachusetts, 32:114.

TITHERINGTON, ROBERT J.—A new station for Epipactis Helleborine in New Hampshire, 49:60.

Tiverton, Rhode Island, Some plants of, 10:

Toadstools, An afternoon outing for, 2:191. Tomato, Branched Broom-rape upon, 3:295. Torrey & Gray's Flora of North America, Two

editions of, 8:232. Torrey and Schweinitz: a correction and a

discrepancy, Barratt, 23:300. Torrey, G. S.

Two yellow-fruited shrubs, 16:91-92.

The varieties of Cardamine oligosperma, 17:156-158.

Drosera rotundifolia, var. comosa in Connecticut, 33:144.

TORREY, JOHN-[--, a Story of American Botany], Review of a book by Rodgers, A. D., 45:28. TORREY, JOSEPH, Dr.—Raising mushrooms in

a cellar, 3:57-58. Torrey, R. E.

Euphorbia glyptosperma in Massachusetts, 44:15-16.

Modiola caroliniana in Massachusetts, 46:336.

TORREY, RAYMOND H.—Dactylina arctica in the United States, 39:152.

TOWNSEND, CHARLES W.

A comment on the use of the term Labrador in natural history, 13:236-237. The old stumps at Blanc Sablon, 18:185-188

Toy, C. H.—Etymology of Anemone, 1:41-42

Tradescantia edwardsiana, nov. sp., 34:57. Tradescantia ozarkana, Irregularities in the floral parts of, 39:46.

Tradescantia, Two of Rafinesque's species of,

Tradescantia Wrightii in New Mexico, 37:454.

Tragopogon dubius in Indiana, 45:413.

Tragopogon major, a correction, 45:117. Trailiella intricata Batters, 30:196.

Trametes subrosea, nom. novum, Fomes roseus (A. & S.) Cke. and, 25:214.
Transfers, Minor forms and, 38:233; 47:144.
Transfers, New species, varieties and, 40:331,

41:423.

Transfers, Nomenclatorial, 18:152. Transfers, Three, 40:136. Translocation of characters in plants, On, 7: 13, 21.

Travels of Asa Gray in Western Virginia, 1843, 42:344.

Tree Flowers of Forest, Park and Street, Rogers's, [Review], 38:74.

Tree Willows at Fort Kent, Maine, 3:277.

Trees, A Bulletin on Shade, 10:217. Trees, An Illustrated Key to the, [Review],

14:163. Trees and Shrubs, A Handy Book on, [Re-

view], 17:103. Trees and shrubs in western Connecticut, The

distribution of certain, 2:34. Trees and shrubs of the southeastern United States, Notes on, 25:179.

Trees and shrubs of southeastern North Amer-

ica, Notes on, 24:77. Trees and shrubs of western Cheshire County,

New Hampshire, Notes on, 3:232. Trees, Fruit Key to Northeastern, [Reply to

a review], 50:36.

Trees, Fruits of, [Review], 49:83.

Trees in Winter, New England, [Review], 14:79.

Trees of Indiana, Deam's, [Reviews], 21:188; 23:179.

Trees of New England, Handbook of the, [Notice], 4:40.

Trees of New England, Leavitt's Forest, [Reviewl, 35:108. Trees of North America, Sargent's Manual of

the, [Review], 7:139.

Trees, Some new or little known forms of New England, 9:109.

Tricholoma portentosum, 2:243.

Trientalis americana, Aerial runners in, 3:216. Trientalis and Rubus, Some points of nomenclature in, 11:236.

Trifolium hybridum and its Var. elegans, 45: 331.

Trifolium pratense, Our varieties of, 45:331. Triglochin palustris and Montia lamprosperma in Maine, Notes on, 35:291.

Triglochin maritima, Some variations of, 5:

Trilisa occur in Virginia? Does, 46:148. Trillium Catesbaei and T. nervosum Ell., 46:

Trillium cernuum, Variations in, 25:189.

Trillium erectum, var. blandum, var. nov., 40:

Trillium grandiflorum, Dissemination by ants of the seeds of, 42:194; in Maine, 29:15; in New Hampshire, 36:376; Observations in 1940 on the dissemination by ants of the seeds of, 43:206; Tetramerism in, 30:105.

Trillium nervorum Ell., Trillium Catesbaei

and. 46:14.

Trillium, Notes on the flora of Tennessee: the

genus, 36:119.

Trillium of southeastern Virginia, The Dwarf,

Trillium ovatum Pursh, Teratology in, 13:189. Trillium rectistamineum, a valid species of

the southeastern United States, 22:78.
Trillium, Teratology in, 12:163. Trillium undulatum, Some teratological forms of, 10: 21; More teratological forms of, 10:214; Tetramerism in, 29:223.

Trillium undulatum Willd., forma Cleaveland-

icum (Wood), comb. nov., 45:517. Triodanis and Specularia, Generic status of, 50:38.

Triodanis versus Specularia, 48:209. Triodia from Oklahoma, A new, 40:243.

Triosteum aurantiacum, A new variety of, 20:116.

Triosteum perfoliatum and related species, Notes on, 25:199; in Massachusetts, 6:179. Triphora, A new variety of, 42:55.

Tripsacum dactyloides in Massachusetts, 32:

185.

Trisetum and Graphephorum, Notes on, 8: 81.

Trisetum in America, The genus, 30:209, 237. Trisetum in Andover, Massachusetts, The genus, 5:289.

Trisetum spicatum in eastern America, The representatives of, 18:195; in Pennsylvania, Discovery of, 21:128; Note on, 31:255.

Trisetum spicate, Note on, 31:255.

TRUMAN, HARRY V.

Pollen of Sparganium americanum and S. androcladum, 33:141-142.

Further note on Verbena stricta forma albiflora, 40:244-245.

TRYON, R. M., Jr.

The varieties of Convolvulus spithamaeus and of C. sepium, 41:415-423, pls. 557, 558. (Contrib. Gray Herb. no. CXXVI). A revision of the genus Pteridium, 43:

1-31, 37-67, pls. 650-653. (Contrib. Gray Herb. no. CXXXIV).

The Ferns and Fern Allies of Louisiana, [Review], 44:484-485.

- and Moore, J. W.), Notes on aquatic and prairie vegetation in southwestern Minnesota, 48:113-116.

(BOOHER, L. E. and ---), A study of Elymus in Minnesota, 50:80-91. Tsuga americana (Mill.) Farwell, a final word,

21:108.

Tsuga canadensis (L.) Carr., 20:185.

TUCKERMAN, EDWARD

[Herbarium of], 3:242. 285. [Letter of — to Carey], 40:277. Tufts College, [Herbarium of], 3:285. Tumble-weed, Baptisia tinctoria as a, 3:34.

Tumble-weeds, 3:18.

Twigs, The weight of ice-covered, 11:32. TWINING, ALFRED-[Flora of Northeastern Pennsylvanial, Review of, 21:172. Type locality of Sphagnum Faxoni, The, 10:

113.

Type locality, Shortia galacifolia in its, 49: 159.

Type material, Cotype, syntype and other

terms referring to, 45:481. Type of Baptisia tinctoria, The, 39:414. Type of Carex umbellata, The, 44:288.

Type of Cassia marilandica, The, 39:410. Type of Celtis occidentalis, The, 50:155. Type of Fuirena squarrosa, The, 40:396. Type of Galium circaezans, The, 39:449. Type of Rudbeckia hirta, The, 50:172.

Type of Scirpus glaucescens, Willdenow's, 32:

Type of Sophora villosa, The, 50:200.

Type of Teucrium canadense, The, 35:392. Type of the genus Alsine, The, 21:7.

Type of the genus Lepidospartum, The, 40:

Type of the genus Panicum, 13:173.

Type specimens in Elliott's herbarium, A list of, 44:249.

Types in British herbaria, Studies of American, 50:149, 181, 217.

Types in the group of Acalypha virginica, Rafinesque, 43:96.

Types of North American Violets, The older. 9:93.

Types of some American species of Elymus, 35:187. Typha, Teratologic, 43:85.

Typhae of Maryland and Virginia, The, 13:

Typical Goodyera repens in New England, 2:

Typical Lycopodium complanatum, An extension of range for the, 4:154.

Typification of Acalypha virginica L., The,

Typification of Linnean species as illustrated by Polygala verticillata, On the, 41:378.

Typification of Scirpus capitatus L., The, 32:

Ulmus americana, The indigenous variations of, 47:132.

Ulothrichaceae and Chaetophoraceae in the United States, The, [Review], 5:72.

Ulvaceae of North America, The, 5:1.

Umbelliferae of New England, Notes on the,

Umbelliferae, Phanerotaenia, a new genus of, 21:181.

Understanding, Imagined wisdom without, [Critique], 46:312.

UNDERWOOD, JAY G.

—, Perkins, G. H. and Griffin, D. I.), Vermont Botanical Club, Summer meeting, 14:162.

Phlox divaricata in Vermont, 15:79.

(---, WHEELER, L. A. and RUGG, H. G.), The joint summer meeting of the Vermont Botanical and Bird Clubs, 15: 79-80.

Unisema, Pontederia versus, 27:76.

United States, A new variety of Iva ciliata from Indian Rock-shelters in south-central, 41:81.

United States, A station for Hymenophysa pubescens in the eastern, 39:190.

United States, Amsinckia in the northeastern,

18:27

United States and adjacent Canada, The Crataegi of the northeastern, 10:73.

United States and Canada, Andropogon scop-

arius in the, 19:100.

United States and Canada, A revision of the perennial species of Geranium of the, 45:

United States and Canada, The Lady Ferns of

the eastern, 19:181.

United States and Canada, The spores of the genus Lycopodium in the, 36:13. United States and Mexico, Cyperus oxylepis

in the, 40:358.

United States and the West Indies, Rhynchospora, section Eurhynchospora, in Canada, the, 46:89, 159, 207, 255.

United States, Astrophytum asterias in the, 34:227

United States, Bartonia iodandra, a species new to the, 2:55.

United States, Callitriche stagnalis in eastern,

34:37 United States, Cladonias collected by S. F. Blake in the western, 33:135.

United States, Coccomyxa in the, 39:366. United States, Cortinarius cyanites in the, 27:

United States, Cyperus pilosus Vahl in the,

40:74. United States, Dactylina arctica in the, 39:

152.United States exclusive of southern Florida,

Euphorbia subgenus Chamaesyce in Canada and the, 43:95, 168, 223.

United States, Falcaria Rivini, a plant new to the, 25:12.

United States, Ferns of Northeastern, [Reviewl, 38:345. United States, Geranium divaricatum in the,

34:207

United States, New species and forms from the central and southern, 35:44.

United States, Notes on the Compositae of the Northeastern, —I. Inuleae, 47:182; —II. Heliantheae and Helenieae, 47:396;

—III. Inuleae and Senecioneae, 48:116; —IV. Solidago, 49:69; —VI. Cichoreae, Eupatorieae and Astereae, 50:28.

United States, Notes on the vascular plants

of the northeastern, 10:29.

United States, Further notes on the vascular plants of the northeastern, 10:64.

United States, Notes on trees and shrubs of the southeastern, 25:179.

United States, Occurrence of Pythium gracile in the, 29:37.

United States, Ornamental Shrubs of the, [Review], 12:207.

United States plants chiefly from the Chicago

region, Records of, 34:174. United States plants, Miscellaneous notes on, 40:459.

United States, Plants of southern, 42:1.

United States, Polygonum caespitosum, var. longisetum in the, 34:146.

United States, Ruellia in the eastern, 47:1, 47, 69,

United States, Stenanthium in the eastern, 48:148

United States, Studies in the genus Najas in

the northern, 38:333. United States, The first recorded occurrence of Distichlis spicata in the Central Interior

of the, 42:22. United States, The spores of the genus Selaginella in North-Central and Northeastern, 37:342.

United States, The Ulothricaceae and Chaeto-

phoraceae of, [Review], 5:72. United States, Trillium rectistamineum, a valid species of the southeastern, 22:78.

United States, Two new Myriophyllums and a species new to the, 21:120.

United States, Viola chinensis in the eastern, 10:38.

University of Maine, [Herbarium of], 3:285. University of Minnesota Herbarium, Notes from the, —I, 40: 275; —II, 43:553.

University of Oklahoma, Notes from the (Bebb) Herbarium of the, —I, 40:425; —II, 45:265.

University of Vermont, [Herbarium of], 3: 285.

University of Vermont, The Pringle and Frost

herbaria at the, 4:171. University of Wisconsin, Notes from the Herbarium of the, (see: Wisconsin, Notes from the Herbarium of the University of).

Untersuchungen in der Gattung Amsinckia, [Review], 34:189.

Unwelcome invader, An, 16:166.

Upham, Alan W.

Desmodium glabellum in northeastern Connecticut, 35:38-39.

Epipactis latifolia in New Hampshire, 44: 456-457.

Uromyces on Carex, Two new species of, 12: 124.

RHODORA 404

Urtica gracilis and some related North American species, 28:191.

Usage, 29:26.

Utah, A new Cardamine from the Uinta Mountains, 36:409.

Utah, A new Juneus from, 40:69.

Utricularia fibrosa in Massachusetts, 19:38. Utricularia inflata var. minor in Canada, 47: 235.

Utricularia minor in Holbrook, Massachusetts, 4:42; in Vinnicunnet, Massachusetts, 4:102. Utricularia purpurea, About, 42:24.

Utricularia subulata in Plymouth, Massachusetts, 30:35.

Utricularias, Aquatic, 41:113.

Utricularias in Quebec, Distributional notes on certain aquatic, 42:52.

Uvularia perfoliata in Louisiana, 37:58.

Vacciniaceae, Notes on, 33:193.

Vaccinium atrococcum forma leucococcum, a correction, 24:228.

Vaccinium caespitosum on Mt. Katahdin, Pol-

lination of the Ericaceae: VI., 44:187. Vaccinium corymbosum, Double flowers in the Wild Swamp Blueberry, 36:233.

Vaccinium macrocarpon, Vaccinium Oxycoccus and, 4:234.

Vaccinium myrtilloides, Note on Michaux's, 10:147.

Vaccinium Oxycoccus and V. macrocarpon, 4:

Vaccinium pennsylvanicum, A teratological form of, 29:237; Autumnal flowering of, 2: 224: Pollination of, 39:60.

Vaccinium uliginosum and its var. alpinum, 25:23; at a low altitude, 1:172.

Vaccinium vacillans, A pubescent variety of, 13:235.

Vaccinium Vitis-Idaea, The American variety

of, 14:231. Vacciniums in New England, Albino fruits of,

3:263. Valerianella, a correction, 41:80. Valerianella in New England, 4:195.

Valerianella in North America, 40:185. Valerianellas of North America, Additional notes on the, 40:465.

Vallisneria americana, The diagnostic character of, 20:108.

VASEY, GEORGE-[Some inadequately char-

acterized species of], 36:346-348. Vegetable matter from sandy shores, On balls

of, 7:41; 11:149. Vegetation, A Handy Guide to Aquatic and Marsh, [Review], 47:395.

Vegetation, Changes in the Woods Hole algal. 35:150.

Vegetation in northwestern Wisconsin, The postglacial history of, 40:137.

Vegetation in southwestern Minnesota, Notes

on aquatic and prairie, 48:113. Vegetation of artificial lakes in northwestern Arkansas, 48:329.

Vegetation of northern Cape Breton, Nichols's, [Review], 21:171.

Vegetation of Plymouth three hundred years ago, The, 3:17.

Vegetation of the Athabasca-Great Slave Lake region, The distribution of affinities of the. 32:187.

Vegetation of the Virgin Islands, An unauthorized publication on the, 28:66.

Verbascum phlomoides in Iowa, 49:67. Verbena hastata, Pollination of, 41:184. Verbena prostrata, an invalid name, 38:271.

Verbena stricta forma albiflora, Further note on. 40:244.

Verbena stricta and Helianthus mollis in Massachusetts, The occurrence of, 6:88. Vermont, A few noteworthy plants from

southern, 34:31.

Vermont, A hybrid Asplenium new to the flora of, 8:12.

Vermont, A hybrid between Shagbark and Bitternut Hickory in southeastern, 50:60.

Vermont, A new hybrid Fern from, 6:75. Vermont, A second station for Arenaria macrophylla in, 7:156.

Vermont, A second station for Cyperus Houghtoni in, 5:191

Vermont, A third station for Cyperus Hough-

tonii in, 14:40. Vermont, A white-leaved Hemlock in, 19:273. Vermont, Addenda to the flora of, 6:137.

Vermont, An addition to the Fern-flora of, 6:

Vermont, Anagallis arvensis and caerulea in, 4:185.

Vermont and New Hampshire plants in the Middle Connecticut Valley, Some, 4:129.

Vermont and New Hampshire, Soil tests of Ericaceae and other reaction-sensitive families in northern, 22:33.

Vermont and New Hampshire, Two new species of Rubus from, 8:95.

Vermont and Quebec, A new Geum from, 8: 11.

Vermont, Arceuthobium pusillum on a new host in, 2:8.

Vermont, Baptisia australis in, 2:172.

Vermont Botanical and Bird Clubs, Meetings

of the, 4:138; 9:108; 11:124; 15:79; 17:143; 21:144.

Vermont Botanical Club, Meetings of the, 1: 77; 2:88; 3:65; 4:64, 138, 189; 5:120, 236; 6:63, 164; 7:59; 8:23; 9:108; 10:55; 11:27, 124; 12:100, 206; 13:87, 237; 14:161, 204; 15:79, 203; 16:78, 198; 17:86, 143; 18:71; 21:144, 191; 22:184; 24:226.

Vermont, Botanical notes from northern, 32:

Vermont, Carex flava var. gaspensis in, 21:

Vermont, Daphne Mezereum in, 2:142. Vermont, Dicentra eximia in, 48:272.

Vermont, Dicksonia pilosiuscula, forma schizophylla in, 7:99.

Vermont, Euphrasia canadensis in, 25:84. Vermont, Excursion to southern, 27:211.

Vermont, Ferns of a deep ravine in Thetford, 2:229.

Vermont, Festuca octoflora in. 15:187.

Vermont, Flora of, [Review], 3:40. Vermont, Flora of Willoughby, 6:93.

Vermont, Flora of Woodstock, [Review], 34:

Vermont for Cyperus Houghtonii, A third sta-

tion in, 14:40. Vermont, Further information regarding the occurrence of Dryopteris Filix-mas in, 9:

Vermont, Glyceria acutiflora in, 13:92.

Vermont, Grasses and Sedges of Woodstock, [Review], 42:143.

Vermont Grasses rediscovered, Two, 12:40. Vermont, Habenaria psycodes, var. ecalcarata

in, 22:31.

Vermont Helvelleae with descriptive notes,

A list of, 1:59.

Vermont, Hydrastis canadensis L. in, 1:200. Vermont, Information desired concerning plants doubtfully ascribed to the flora of, 2:157.

Vermont, Kalmia latifolia in, 1:136. Vermont, Lappula deflexa in, 18:138 Vermont, Lathyrus tuberosus in, 3:230.

Vermont, Lycopodium complanatum near Hartland, 13:211.

Vermont Mosses, Notes on, 4:180.

Vermont Myxomycetes with notes, List of, 1:

Vermont, Nephrodium Filix-mas in, 8:22. Vermont, New or rare plants from Pownal,

Vermont, New stations for Ferns in, 10:196. Vermont, Note on the report of Scirpus nanus

from, 11:84. Vermont, Notes on a species of Cyathus com-

mon in lawns at Middlebury, 2:99. Vermont, Notes on the flora of Swanton, 31:

Vermont, November flowers in northern, 21:

Vermont peat-bog, Some interesting Mosses from a southern, 6:43.

Vermont, Phlox divaricata in, 15:79.

Vermont, Plants new to, 11:198. Vermont plants, New stations for two, 9:227.

Vermont plants, Notes on, 2:88.

Vermont, Pogonia affinis in, 4:216. Vermont, Polymnia canadensis in, 2:70. Vermont, Rediscovery of Podostemon ceratophyllus in, 9:220.

Vermont, Russula emetica in, 2:71.

Vermont, Six weeks' botanizing in,—I, 15: 153; —II, 15:200; —III, 16:38.

Vermont, Solidago calcicola in, 14:54.

Vermont, Some cases of poisoning by Cypripedium spectabile in, 4:94.

Vermont, Some Orchids of eastern, 2:171. Vermont, Some traits of Epipactis in, 19:38. Vermont, Spiraea salicifolia in Alburg, 16:96.

Vermont, Stellaria aquatica in, 10:206. Vermont, The Dwarf Mistletoe at Bradford, 4:28.

Vermont, The Orchidaceae of a series of swamps in southern, 2:114.

Vermont, The Pringle and Frost herbaria at the University of, 4:171.

Vermont, The Saniculas of western, 1:7. Vermont, Three plants new to the flora of, 7:

Vermont, Two ferns new to the flora of, 7:103. Vermont, Two Grasses rediscovered, 12:40.

Vermont, University of, [Herbarium of], 3: 285.

Vernonia altissima Nutt., var. taeniotricha, var. nov., 19:167.

Vernonia fasciculata Michx., var. corymbosa (Schwein.) comb. nov., 40:220.

Vernonia georgiana, a new species related to V. oligophylla, 12:171.

Vernonia, Notes on, 38:369.

Vernonia oligophylla, Vernonia georgiana, a new species related to, 12:171.

Veronica alpina, The North American varieties of, 41:447.

Veronica Anagallis-aquatica L., Glandularity on, 19:60

Veronica Chamaedrys, Further stations for, 4:152.

Veronica Chamaedrys in New England, 4:107. Veronica in America, Some belated corrections to my revision of, 34:149.

Veronica in North and South America, 23:1,

Veronicas, Two northeastern, 4:191.

Vibrissea circinans (Pers.) Massee, Correction in regard to, 1:91.

Viburnum acerifolium L., forma Collinsii, f. nov., 47:264.

Viburnum dentatum L., 42:1.

Viburnum edule and its nomenclature, 43:

Viburnum, On the names of some species of, 20:11.

Vicia Cracca and its relatives in North America, 38:187.

Vicia for New England, A new, 2:225.

Vicia lathyroides in eastern Virginia and new to North America, 43:207.

Vicia sepium in New Brunswick, 49:288; in Canada, 50:144.

Vicia tetrasperma var. tenuissima in America, 45:480.

VICTORIN, FRÈRE MARIE-

[Les Lycopodinées du Québec], Review of, 28:18-19.

[Les Equisétinées du Québec], Review of, 30:79-80.

[Les Gymnospermes du Québec], Review of, 31:19-20.

[Le Dynamisme dans la Flore du Québec], Review of, 32:11-15.

[Les Spadiciflores du Québec], Review of, 34:119-120.

[Flore Laurentienne], Review of, 37:305-

About Utricularia purpurea, 42:24. [Biographical sketch], 48:265–272.

Vienna Congress, On the Rules of Botanical Nomenclature adopted by the, 9:29.

RHODORA 406

Vineyard Sound, Notes on two rare Algae of,

Vinnicunnet, Massachusetts, Utricularia minor in, 4:102.

Viola arenaria DC. indigenous to North America? Is, 15:106.

Viola arvensis in New England, 5:155. Viola Brainerdii, Viola renifolia and, 14:86.

Viola Brittoniana at Concord, Massachusetts, 11:107.

Viola chinensis in the eastern United States, 10:38.

Viola cucullata in Missouri, 42:199.

Viola emarginata in Massachusetts, 16:76.

Viola, Hybridism in the genus, 6:213; —II, 8:6; —III, 8:49. Viola, Mendel's law of dominance in the hy-

brids of, 9:211.

Viola novae-angliae in the Penobscot Valley, 8:115.

Viola pallens with pure white petals, 11:164. Viola pedata, A striking color form of, 13:172. Viola pedata, Extended range of, 15:18.

Viola pedata forma rosea, Regarding, 14:22. Viola primulifolia in Berkshire County, Massachusetts, 28:132.

Viola renifolia and V. Brainerdii, 14:86.

Viola rostrata, An albino, 17:180. Viola rotundifolia on Long Island, 37:421.

Viola rotundifolia, Seed dispersal of, 4:183. Viola, Seed-throwing of, 4:230.

Viola Selkirkii in Colorado, 16:94. Viola Selkirkii in Connecticut, 15:225.

Viola septentrionalis in British Columbia, 17:

Violet, A new hybrid, 11:14.

Violet, Another hybrid between a white and a blue, 11:115.

Violet from New England, A new, 6:226. Violets and Violet hybrids in the District of

Columbia and vicinity, The, 8:117. Violets in Connecticut, Late-blooming, 27:51. Violets, Notes on New England, 6:8; —II, 7:

1; —III, 7:245. Violets of northeastern America, Notes on

new or rare, 15:112.

Violets. The older types of North American, 9:93.

Virgin Islands, An unauthorized publication on the vegetation of the, 28:66.

Virginia, A century of additions to the flora of, 42:355, 419, 503.

Virginia, A globose form of Pitch Pine (Pinus rigida) in, 42:308.

Virginia, A new species of Houstonia from the Cedar Barrens of Lee County, 46:306.

Virginia, A station for Cheilanthes alabamensis in Giles County, 41:137.

Virginia, A white-flowered Desmodium from, 49:299.

Virginia, Additions to and subtractions from the flora of, 49:85, 121, 145, 175.

Virginia, Amelanchier in southeastern, 43:559. Virginia and its variety laciniata in Massachusetts, Betula populifolia in, 44:236.

Virginia and Maryland plants, Notes on, 36: 407

Virginia and new to North America, Vicia lathyroides in eastern, 43:207.

Virginia and the Carolinas, Chrysopsis graminifolia and allies in, 44:464,

Virginia, Another century of additions to the flora of, 43:485, 559, 635.

Virginia, Botanical specialties of the Seward Forest and adjacent areas of southeastern. 47:93, 149, 191.

Virginia Coastal Plain, Some interesting plants of the, 24:148.

Virginia, Crataegus viridis L. in, 12:93.

Virginia Creeper, Self-strangulation in the, 3:

Virginia? Does Bartonia verna grow in, 48: 327.

Virginia? Does Gordonia grow in, 49:151. Virginia? Does Trilisa occur in, 46:148.

Virginia, Further notes on Coastal Plain elements in the bogs of Augusta County, 42:

Virginia? Is Dichromena latifolia in, 49:124. Virginia, Juneus polycephalus not known from, 49:130.

Virginia, Last survivors in the flora of tide-water, 41:465, 529, 564. Virginia, Local plants of the Inner Coastal

Plain of southeastern, 39:321, 379, 433, 465. Virginia, Midsummer vascular plants of south-

eastern, 37:378, 423. Virginia, Najas Muenscheri and other species of Najas in eastern, 49:233.

Virginia, Notes on the flora of Maryland and, -I, 15:101; -II, 16:201.

Virginia, Notes on the flora of Roanoke

County, 46:69, 135. Virginia, Noteworthy plants of southeastern, 40:364, 434, 467.

Virginia, Nuphar sagittifolium in, 44:396. Virginia, Panicum ensifolium and allies in

southeastern, 39:387. Virginia, Plants from the outer Coastal Plain

of, 38:376, 414. Virginia, Rhynchosia in eastern, 44:421.

Virginia, Some local plants of, 31:256.

Virginia, Spiraea latifolia var. septentrionalis in, 48:112.

Virginia, The Dwarf Trillium of, 45:396. Virginia, The hybrid Oak, XQuercus Rudkini,

at Arlington, 44:262.

Virginia, The Seashore State Park, a part of Cape Henry, 45:105. Virginia, The seventh century of additions to

the flora of, 44:341, 416, 457.

Virginia, The Typhae of Maryland and, 13: 241.

Virginia, Three days of botanizing in southeastern, 37:129, 167.

Virginia, Two Ferns new to, 44:191. Virginia, Two introduced Grasses new to, 36:

Virginia 1843, Travels of Asa Gray in western, 42:344.

Virginian, Baccharis glomeruliflora presum-

ably not, 49:189. Virginian botanizing under restrictions, 45: 357, 445, 485.

Virginian estuaries, Najas in the, 49:105.

Virginian, Liatris elegans, not, 49:187.

Virginian occurrence of Kalmia hirsuta doubted. 49:158.

Virginian Peltandra, A, 50:56.

Virginian record of Oxypolis filiformis, The, 49:156.

Virginian, So-called Rumex Britannica, not a, 47:133.

Vitis from New England, A new, 19:144.

Vitis Labrusca, A rare variety of, 22:183.

Volvaria, Remarks on, 4:5.

Volvaria volvacea in Lawrence, Massachusetts, 4:3.

WADMOND, S. C.

Notes from southeastern Wisconsin, 34:

Phymosia remota in captivity, 34:207-209. Notes from southeastern Wisconsin—II 35:252-256.

A new binomial in Juneus, 49:120.

WAHL, HERBERT A. (CLAUSEN, R. T. and——), Plants of central Pennsylvania, 41:28-34.

Notes on plants of central Pennsylvania, 47:41-46.

Wafer-ash of the Georgia Sand-hills, Ptelea mollis var. cryptoneura, a, 13:80.

Waldsteinia in Maine, 24:124. Waldsteinia fragarioides in Maine, A third

station for, 35:322. Walker Prize in Economic Botany, [Notice],

43:31. Walking-fern in Worcester County, Massa-

chusetts, The, 2:14. WALLACE, ALEXANDER-[The Heather in Lore, Lyric and Layl, Review of, 6:24.

WALLACE, GEORGE J.

An unexpected addition to the flora of western Massachusetts, 40:424.

Some recent additions to the flora of Berkshire County, Massachusetts, 41: 128 - 130.

More Berkshire plants, 44:332–334. Walter, Thomas

[Some neglected names in Walter's Flora Caroliniana], 17:129-137

[Some species of], 50:190-208, 217-229, pls. 1103-1115. (Contrib, Gray Herb. no. CLXVII).

WALTERS, FRANK-Anomalous flowers of Pogonia verticillata, 18:252–253. WARD, H. A.

A new station for Gaylussacia brachycera, 22:167-168.

Some rare introductions near Harrisburg, Pennsylvania, 32:28.

WARD, MARTHA E.

Mimulus moschatus in Massachusetts, 6: 227 - 228

Galax aphylla introduced in Massachusetts, 21:24.

WARE, ROBERT A.

(HARRISON, A. K., FORBES, F. F., KNOWL-TON, C. H. and ——), Reports on the flora of the Boston district,-I, 9:81-86. Salix incana at Castine, Maine, 10:56.

Another station for Centaurea diffusa. 12: 100 - 101

WARNSTORF, CARL-Sphagnum Faxonii, an addition to the flora of New England, 10:40-

Washington, A new variety of Polygonum from, 40:359.

Washington and Michaux, 17:49.

Washington and Oregon, The occurrence of Phragmites communis in western, 33:170. Washington-Baltimore Checklist, The new,

[Review], 50:15.

Washington County, Maine, Littorella americana in, 33:79.

Washington County, Maine, Solidago and Aster in, 33:159.

Washington, Lathyrus Nissolia, a recent introduction in the State of, 23:246.

Washington, Notes on the flora of the State of,—I, 34:236;—II, 36:8;—III, 37:417.
Waterbury, Connecticut, Blewitt's Flora of, [Review], 29:240.
WATERFALL, U. T.

Interesting plants of Oklahoma, 42:499-

(Hopkins, M. and ——), Notes on Oklahoma plants, 45:113-117.

A new species of Haplopappus from southwestern Texas, 45:351-353.

A new species of Anulocaulis from southwestern Texas and adjacent New Mexico, 47:329-332.

A new species of Euphorbia from Oklahoma, 50:63-64.

Distributional notes and some minor forms from Oklahoma, 50:91-98.

Waters, C. E. Asplenium ebeneum proliferum, 5:272-

273, 1 fig.; 6:210-211.
[Ferns, a Manual for the Northeastern States], Review of, 6:23.
Weatherby, C. A.

Panicum Commonsianum in Connecticut, 6:42-43.

An extreme form of Botrychium virginianum, 8:47-48.

A color form of Potentilla pumila, 11: 152 - 153

(Graves, C. B., Eames, E. H., Bissell, C. H., ANDREWS, L., HARGER, E. B. and -), [Catalogue of the Flowering Plants and Ferns of Connecticut growing without Cultivation], Review of,

12:131-132. Old-time Connecticut botanists and their herbaria,—I, 16:83–90.

Two extensions of range in Gramineae, 17:71.

(FERNALD, M. L. and ——), The genus Puccinellia in eastern North America, 18:1-23, pls. 114-117. (Contrib. Gray Herb. no. XLVI).

Staminody of the petals in Amelanchier, 18:48-49.

Some western species of Puccinellia, 18: 181-183.

and Blake, S. F.), Galium pilosum and its varieties, 18:190–195.

Concerning Linum intercursum Bicknell,

(HARGER, E. B., GRAVES, C. B., EAMES, E. H., Bissell, C. H., Andrews, L. and
—), Additions to the flora of Connecticut, 19:105-110, 119-130, 224-232, 245-

Color forms of Impatiens biffora, 19:115-

(Knowlton, C. H., Ripley, W. S. and ____), Reports of the Committee on floral areas, 20:181-185, 193-197.

Long Pond, 21:73-76.

Further notes on Impatiens biflora, 21:

98-100, 6 figs.

An omission in the preliminary list of New England Ranunculaceae, 21:104. Changes in the nomenclature of Gray's Manual Ferns, 21:173-179.

Habenaria psycodes, var. ecalcarata in

Vermont, 22:31-32.

(KNOWLTON, C. H., RIPLEY, W. S. and -), Second report of the Committee on floral areas, 22:80-89.

Varieties of Pityrogramma triangularis,

22:113-120.

A European Primrose in New England, 22:143.

(FERNALD, M. L. and ——), Equisetum fluviatile or E. limosum? 23:43-47. A form of Ilex opaca, 23:118-119.

Old-time Connecticut botanists and their herbaria,—II, 23:121-125, 171-177.

(KNOWLTON, C. H., RIPLEY, W. S. and —), Third report of the Committee on floral areas, 23:209–220.

Barratt, Torrey and Schweinitz: a correction and a discrepancy, 23:300-301.

A new species of Eleocharis from Massachusetts, 24:23-26.

(FERNALD, M. L. and ——), Varieties of

Geum canadense, 24:47-50.

(HARGER, E. B., GRAVES, C. B., EAMES, E. H., BISSELL, C. H. and ——), Additions to the flora of Connecticut, Series 2, 24:111-121.

Some critical plants of Atlantic North America, 25:17-23.

The identity of Carex gynandra Schwein., 25:115-116.

Two more wool-waste plants from Westford, Massachusetts, 26:38-39.

Another Davenport Fern herbarium, 26:

A new Satureja from Florida, 26:80-81. A note on Stellaria pubera Michx., 26: 169-171.

Gaura parviflora Dougl., var. lachnocarpa, n. var., 27:14-15.

(KNOWLTON, C. H., RIPLEY, W. S. and Fourth report of the Committee on floral areas, 27:56-65.

Inconstancy in color-forms of Hepatica

americana, 27:131-132.

A new Magnolia from West Florida, 28: 35 - 36.

, KNOWLTON, C. H. and BEAN, R. C.), Fifth report of the Committee on floral areas, 28:43-46.

A new North American variety of Cystop-

teris fragilis, 28:129-131.

On Solidago rigida L. and the application of old botanical names, 28:138-145. Equisetum pratense in Berkshire County,

Massachusetts, 29:32.

The group of Acalypha virginica in eastern North America, 29:193-204.

Tetramerism in Trillium undulatum, 29:

A teratological form of Vaccinium penn-

sylvanicum, 29:237–238. Blewitt's Flora of Waterbury, Connecti-

cut, [Review], 29:240.

Knowlton, C. H., and Bean, R. C.), Sixth report of the Committee on floral areas, 29:247–253. Additions to the Flora of Worcester

County, Massachusetts, [Review], 30:

A note on the genus Paspalum in New England, 30:133-135.

Highland, 50:135-135.

A variety of Hypericum canadense, 30: 188-190, 1 fig.

(Fernald, M. L. and ——), Schmidel's publication of Thelypteris, 31:21-26, pl. 179. (Contrib. Gray Herb. no. LXXXIII).

(FERNALD, M. L. and ——), Proposed amendments to the International Rules of Botanical Nomenclature, 31:91-96.

(---, KNOWLTON, C. H. and BEAN, R. C.), Seventh report of the Committee on floral areas, 31:106-118.

Two variants of Ranunculus recurvatus, 31:163-164.

Deam's Grasses of Indiana, [Review], 32: 117-118.

(FERNALD, M. L. and ——), Some new plants from the Gaspé Peninsula, 33: 231–240, 1 fig.

Hitchcock's "Field Work for the local Botanist," [Notice], 33:244-245.

On the nomenclature of Elodea, 34:114-116.

Anacharis densa on Long Island, 34:151-

152. (FERNALD, M. L. and ——), Bartonia, a

comedy of errors, 34:164-167. (Fernald, M. L. and ——), Pinus Strobus

L., f. prostrata (Mast.) comb. nov., 34:

(Fernald, M. L. and —), Picea glauca, forma parva, 34:187–189.
(Fernald, M. L. and —), Abies balsamea (L.) Mill., forma hudsonia (Bosc) comb. nov., 34:190–191.

(Fernald, M. L. and ——), Picea rubens Sarg., f. virgata (Rehder) comb. nov.. 34:211.

An addition to the wool-waste flora of eastern Massachusetts, 34:214-215.

Panicum dichotomiflorum, var. puritanorum in New Hampshire, 35:68.

Walter Deane, 35:69-80 (with portrait). Aristida longespica in Connecticut, 35:

— and Griscom, L.), Notes on the Spring flora of the Coastal Plain of South Carolina north of Georgetown, 36:28-55, 1 fig. Epifagus virginiana (L.) Bart., forma

pallida, n. f., 36:59.

Small's Manual of the Southeastern Flora,

[Review], 36:235-237.

(FERNALD, M. L. and ——), Some inadequately characterized species of George Vasey, 36:346-348.

A Flora of the Niagara Frontier, [Notice],

37:163-164.

A new variety of Cystopteris fragilis and some old ones, 37:373-378, pl. 383.

Collinsia parviflora in New England, 37: 422.

Rogers' Tree Flowers of Forest, Park and

Street, [Review], 38:74-75. Small's "Ferns of the Vicinity of New York," [Review], 38:163-164.

A further note on Solidago rigida, 38:195-

196. KNOWLTON, C. H. and BEAN,

R. C.), Eighth report of the Committee on plant distribution, 38:263-271

Wiley's Ferns of Northeastern United States, [Notice], 38:345.

A Memorial Volume to Cyrus Guernsey Pringle, [Notice], 38:455.

The typification of Acalypha virginica L., 39:14-16.

(WIEGAND, K. M. and ——), The nomenclature of the verticillate Eupatoria, 39:297-306, pls. 466-468. (Contrib. Gray Herb. no. CXVIII).

Wherry's Guide to Ferns, [Review], 40: 247-248.

— and Blake, S. F.), On certain plant records from Hillsboro, New Hampshire, 41:34-36.

Certain plant records from Hillsboro, New Hampshire; a correction, 41:138-139.

Two new combinations in Stewartia, 41: 198.

Rafinesque types in the group of Acalypha virginica, 42:96.

Grasses and Sedges of Woodstock, Vermont, [Review], 42:143-144.

A peloric flower in Gerardia tenuifolia, 42:416.

Lachnanthes in Nova Scotia, 43:36. Deam's Flora of Indiana, [Review], 43: 75-76.

Gnaphalium obtusifolium, var. micradenium in New Hampshire and South Carolina, 43:211.

Subspecies, 44:157-167.

Two weeks in southwestern Nova Scotia. 44:229-236.

A list of type specimens in Elliott's herbarium, 44:249-262. (Contrib. Gray Herb. no. CXLI).

Apocynum sibiricum, var. cordigerum in

New England, 44:331–332. A Check-list of Kentucky Plants, [Review], 45:278.

An unusual habitat for Cuscuta compacta, 45:416.

(— and Stone, M. W.), A plea for the elimination of unnecessary nomenclatural changes, 46:201-204.

Vegetative reproduction in Carex tribuloides and C. projecta, 47:39-40. Linum catharticum in New Brunswick,

47:68.

Utricularia inflata, var. minor in Canada, 47:235.

Bingham's Flora of Oakland County, Michigan, [Review], 47:260.

Impatiens Roylei versus I. glandulifera, 48:412-414.

Asplenium montanum in south-central Massachusetts, 50:20.

Weber, William A

Potamogeton Hillii in Berkshire County, Massachusetts, 42:95.

Geranium Bicknellii earlier than G. nemorale, 44:91-92.

Webera proligera in Amesbury, Massachusetts, 3:91.

WEBSTER, HOLLIS

Notes on some fleshy Fungi found near

Boston, 1:13. Notes on Calostoma, 1:30-33. Fungus notes, 1:57–58.

Fungi in greenhouses, 1:83-84. Hydnum Caput-Medusae, 1:108-110.

A peculiar state of Polyporus pergamenus, 1:136-137.

Morchella bispora, 1:156-157.

Lepiota rhacodes, 1:224-227, pl. 11. Unusual variations of two common Agarics, 2:32-33.

Dr. Burt's note on Russula emetica, 2: 72 - 73.

Note on Peziza rapulum, 2:106. Naucoria Christinae, 2:127-130.

Boleti collected at Alstead, New Hampshire, 2:173-179.

An afternoon outing for toadstools, 2: 191-194.

Tricholoma portentosum, 2:243-246. Boleti collected at Alstead, New Hamp-

shire,—additional notes, 3:226-228. Remarks on Volvaria, 4:5–7.

Certain eaters of Mushrooms, 4:77–79. Clathrus columnatus in Lawrence, Massachusetts, 4:134–135. A form of the Bitter Boletus, 4:187–188.

A new mushroom for the market, 4:199. A beautiful Pluteolus, 5:197-199.

Another mushroom book, [Review], 11: 121-124.

A rash mycophagist, 17:30-32.

Installation of the Peck Testimonial Exhibit, 19:236.

Two recent publications about mushrooms, [Review], 23:87-88.

WEBSTER, JOSEPH R.

Cleistogamy in Linaria canadensis, 2:168-

Crepis virens in eastern Massachusetts, 4: 197.

WEBSTER, RUTH M.

and Wilson, A. R.), Fossil evidence of wider post-Pleistocene range for Butternut and Hickory in Wisconsin, 44:409-414, 1 fig.; — A reply, 46:149-155.

Weed-balls, Water-rolled, 11:151.

Weed growth and unusual rainfall, 17:224. Weed in New York State, Euphorbia Esula as a, 32:100.

Weed in the Penobscot Valley, The "King

Devil," 4:61.

Weed in Rhode Island, Solidago tenuifolia, a,

Weed in the Sudbury River, Lemna minor as

an aggressive, 49:165. Weed near Lakewood, New Jersey, Jasione montana, a conspicuous, 21:105.

Weed of potential importance in Florida, Pseudo-elephantopus spicatus, a, 50:280 Weeds, Chenopodium carinatum and other

unusual, 30:158.

Weeds growing in Amherst, 17:29

Weeds in an old garden, Some, 35:145. Weeds in Milton, Massachusetts, Unusual,

31:243.

Weeds new to Milton, Massachusetts, Two, 30:36.

Weeds of northern New Hampshire, Certain railroad, 11:30.

Weeds of Connecticut, Some introduced, 6: 146.

Weeds, Two rare, 39:208.

Weedy Crucifers, On two, 42:302.

Weedy Polygonum in Pennsylvania, A dangerous, 50:64.

Weigela rosea, Note on, 10:131.

Weir, James R.

Note on Poria fatiscens, 25:163-165. Fomes roseus (A. & S.) Cke. and Trametes subrosea, nom. novum, 25:214-220.

Wellesley College, [Herbarium of], 3:286. Wellesley Hills, Massachusetts, Hieracium florentinum at, 15:116.

Wellesley, Massachusetts, Galium trifidum at, 14:205.

Wellesley, Massachusetts, Some rare plants from the vicinity of, 11:82.

Wellesley, Massachusetts, The occurrence of Centipeda minima in, 40:219.

Wells, Some Maine Rubi, The Blackberries of the Kennebunks and, -I, 8:146; -II, 8:169; —III, 8:212.

WENDTE, WILLIAM-[Notice of death], 6:209-

Wentworth, L. A.—Two plants new to the flora of Lynn, Massachusetts, 5:256-257.

Wesleyan University, [Herbarium of], 3:286. West Campton, New Hampshire, Habenaria Hookeriana oblongifolia in, 3:237.

West, Gladys F.—A post-Wisconsin record of Fraxinus nigra, 37:20-22, pl. 324.

West Indies, Miscellaneous species of North America and the, (Eleocharis), 39:255.

West Indies, Rhynchospora, section Eurhynchospora in Canada, the United States and the, 46:89, 159, 207, 255.

West Peabody, Massachusetts, The American Lotus at, 33:230.

West Virginia, Erucastrum Pollichii in, 26:22. West Virginia, Menyanthes trifoliata in, 12:

West Virginian variety of Polygonum cilinode, The, 16:165.

Westfield, a clerical error, The record of color varieties of Gratiola at, 9:195.

Westford, Massachusetts, Achillea tomentosa at. 10:127.

Westford, Massachusetts, Alchemilla praten-

sis found at, 9:92. Westford, Massachusetts, Dracocephalum thy-

miflorum a casual plant at, 13:212. Westford, Massachusetts, Further wool-waste

plants at, 15:172. Westford, Massachusetts, Lonicera semper-

virens established in, 4:40. Westford, Massachusetts, Some further plants

found on wool-waste at, 19:132. Westford, Massachusetts, Two more wool-

waste plants from, 26:38 Westford, Massachusetts, Wool-waste plants

at, 18:143. Westford, Two more foreign plants found on wool-waste at, 17:32.

WETMORE, RALPH H.

Plants of the Hamilton Inlet and Lake Melville region, Labrador, 25:4-12.

- and Delisle, A. L.), The Aster novae-angliae, Aster amethystinus, Aster multiflorus complex, 41:190-192.

WHEELER, JOHN ADAMS-[Herbarium of], 3: 286.

Wheeler, Leston A.

New stations for two Vermont plants, 9:227.

A new station for Rubus idaeus var. anomalus, 14:205.

(Underwood, J. G., --- and Rugg, H. G.), The joint summer meeting of the Vermont Botanical and Bird Clubs, 15:79-80.

Aristida basiramea in Maine, 31:78-79. Scirpus Peckii in Maine, 32:133.

WHEELER, LOUIS CUTTER

Ranunculus neglectus (Greene) comb. nov,. 39:51-52.

Berberis amplectans (Eastw.) comb. nov., 39:376.

Notes on Euphorbia, 39:496. Three transfers, 40:136.

The names of three species of Brassica, 40:306–309. (Contrib. Gray Herb. no. CXXII–IV).

Polygonum Kelloggi and its allies, 40: 309-317, 1 fig. (Contrib. Gray Herb. no. CXXII-V).

Thalictrum polycarpum S. Wats., a disputed name, 40:317-320. (Contrib. Gray Herb. no. CXXII-VI).

The type of the genus Lepidospartum, 40:320-323, 2 figs. (Contrib. Gray Herb.

no. CXXII-VII). Euphorbia subgenus Chamaesvce in Canada and the United States, exclusive of southern Florida, 43:95-154, 168-205, 223-286, pls. 654-668. (Contrib. Gray Herb. no. CXXXVI).

WHELDEN, ROY M.

Observations on the cytology of Sebacina globospora, n. sp., 37:121-128, 1 fig., pl. 331.

Note on the periodic fruiting of Coprinus

micaceus, 37:223-224. Notes on New England Algae,—I. Cyclonexis and Actidesmium, 41:133-137, 7 figs.; —II. Some interesting New Hampshire Algae, 44:175-187.

Marine Algae of the Monterey Peninsula,

[Review], 47:63-64. WHERRY, EDGAR T.

Soil tests of Ericaceae and other reactionsensitive families in northern Vermont

and New Hampshire, 22:33-49. The soil reactions of Spiranthes cernua and its relatives, 23:127-129.

Soil reaction of Saxifraga Aizoon on Mt.

Katahdin, 29:139-140 Heuchera hispida Pursh rediscovered, 35:

118. [Guide to Eastern Ferns], Review of, 40:247-248.

Remarks on the name Phlox nivalis, 43:

The relationship of Lilium michiganense, 44:453-456, 1 fig.
White Blackberry, The, 1:205.
WHITE, DONALD—(ST. JOHN, H. and ——),

The genus Galinsoga in North America, 22: 97-101.

WHITE, JAMES—Salvia sylvestris in County Peel, Ontario, 19:39–40.

White Mountain Flora, A, [Review], 27:52. White Mountains, A new alpine Willow from

the, 19:221. White Mountains, A northern Solidago in the,

17:72 White Mountains, Arenaria stricta in the, 17:

White Mountains, Dicranoweisia crispula in the, 21:207.

White Mountains, Nardus stricta in the, 21: 22.

White Mountains, Nuttall and Pickering in the, 20:39.

White Mountains, Potentilla tridentata, f. aurora in, 34:12.

White Mountains, Streptopus oreopolus in the, 29:76.

White Pine, Dwarf Mistletoe on, 37:268.

White Pine in Middle Tennessee, The, 27:27. White Sassafras, Nuttall's, 15:14.

White Weed, Chrysanthemum Leucanthemum

and the American, 5:177.
WHITNEY, LUELLA C.—List of Vermont Myxomycetes with notes, 1:128-130. Wiegand, Karl M.

[A revision of the genus Listera], Review of, 2:111.

Some varieties of Potamogeton and Spiraea, 2:102-104.

Some notes on Galium, 6:21-22.

Gray's Manual of Botany, Seventh Edition, [Review], 10:193-196.

Tubers on the roots of Eleocharis interstincta and E. quadrangulata, 11:29. Some rare plants from the vicinity of

Wellesley, Massachusetts, 11:82-84. Recognition of Corylus rostrata and Cory-

lus americana, 11:107.

Lathyrus palustris, var. pilosus (Cham.) Ledeb. in Massachusetts, 11:108. The extension of some ranges in eastern

Massachusetts, 12:38-39.

(Fernald, M. L. and ——), A synopsis of the species of Arctium in North America, 12:43-47.

(Fernald, M. L. and ——), Two new Galiums from northeastern America,

(FERNALD, M. L. and ---), The North American variations of Juneus effusus, 12:81-93.

(FERNALD, M. L. and ——), A summer's botanizing in eastern Maine and western New Brunswick, 12:101-121, 133-146, pl. 84.

(FERNALD, M. L. and ——), Notes on some northeastern species of Spergularia, 12:157–163.

(Fernald, M. L. and —), The variations of Lonicera caerulea in eastern

America, 12:209-211. (FERNALD, M. L. and ——), The representatives of Erigeron acris in northeastern America, 12:225-227.

The affinities of a certain boreal variety of Galium, 12:228-230.

(FERNALD, M. L. and ——), Some boreal species and varieties of Antennaria and Anaphalis, 13:23–27.

(FERNALD, M. L. and ——), A boreal variety of Fragaria virginiana, 13:106.

(FERNALD, M. L. and ——), Cornus canadensis var. intermedia in eastern America, 13:107-108.

(Fernald), M. L. and ——), Epilobium palustre, var. longirameum, 13:188. (Fernald), M. L. and ——), Salix calcicola, a little known northern Willow,

13:251-253

(Fernald, M. L. and ——), A new variety of Juneus balticus, 14:35-36.

(FERNALD, M. L. and ---), A bluntspiked variety of Carex scoparia, 14: 115-116.

The genus Amelanchier in eastern North America, 14:117-161, pls. 95, 96.

(FERNALD, M. L. and ——), A northeastern variety of Chelone glabra, 14:225-226.

(FERNALD, M. L. and ——), Alchemilla alpina and A. vulgaris in North America, 14:229-234.

Notes on Amelanchier, 14:239-241. (Fernald, M. L. and ——), The variations of Luzula campestris in North America, 15:38-43. (FERNALD, M. L. and ——), A northern

variety of Erigeron ramosus, 15:59-61. (Fernald, M. L. and —), Two new Carices from Newfoundland, 15:133-134.

(Fernald, M. L. and ——), Calamagrostis Pickeringii Gray, var. debilis (Kearney) n. comb., 15:135-136.

(Fernald, M. L. and —), The genus Empetrum in North America, 15:211-217.

(Fernald, M. L. and ——), The genus Ruppia in eastern North America, 16: 119–127, pl. 110.

(Fernald, M. L. and —), The genus Euphrasia in North America, 17:181–201. (Contrib. Gray Herb. no. XLIV). A new species of Eragrostis of the Old World and North America, 19:93–96. Some species and varieties of Elymus in eastern North America, 20:81-90.

A new variety of Triosteum aurantiacum. 20:116.

(Fernald, M. L. and — -), Some new species and varieties of Poa from eastern North America, 20:122-127.

Variations in Lactuca canadensis, 22:9-

A new species of Spergularia, 22:15-16. Eupatorium purpureum and its allies, 22: 57 - 70.

Additional notes on Amelanchier, 22:146-

(Fernald, M. L. and ——), Studies of some boreal American Cerastiums of the section Orthodon, 22:169-179.

Amelanchier amabilis, a new name, 23:

The genus Echinochloa in North America, 23:49-65.

Variations of Carex annectens, 24:73-74. Notes on some East-American species of Bromus, 24:89-92.

Carex laxiflora and its relatives, 24:189-201.

(EAMES, A. J. and ——), Variations in Trillium cernuum, 25:189-191.

Notes on Triosteum perfoliatum and re-

lated species, 25:199-203. (FERNALD, M. L. and — -), Notes on some plants of the Ontario and St. Lawrence Basins, New York, 25:205-214.

Some changes in nomenclature, 26:1-5. Oxalis corniculata and its relatives in North America, 27:113-124, 133-139.

Some changes in nomenclature, 27:186-187.

Oxalis, a correction, 28:67.

Aster lateriflorus and some of its relatives, 30:161-180.

Aster paniculatus and some of its relatives, 35:16-38.

- and Weatherby, C. A.), The nomenclature of the verticillate Eupatoria, 39:297–306, pls. 466–468. (Contrib. Gray Herb. no. CXVIII).

WILCOX, ALICE W .-- (---, Howe, I. A., SHIELDS, M. A. and BALCH, W. E.), The field meeting of the Vermont Botanical and Bird Clubs, 17:143-144.

WILD, LEVI—Baptisia australis in Vermont, 2: 172 - 173.

Wild Cherry of the Carrizo Sands of Texas, The, 45:325.

Wild Dilly of Florida, The name of the, 49: 289.

Wild garden, Notes of a, 2:159. Wild Lettuce from eastern Massachusetts, A new, 1:12.

Wild Parsnip, Virulence of the, 4:188.

Wild Strawberry, A new color form of a, 31: 243.

Wild Swamp Blueberry, Vaccinium corymbosum, Double flowers in the, 36:233.

WILDE, CHARLOTTE ENDICOTT—Betula glandulosa at a low altitude in New Hampshire, 48:183.

WILEY, FARIDA A.—[Ferns of Northeastern United States], Review of, 38:345.

Wilkes Exploring Expedition, The botanical and other papers of the, 14:57.

Willdenow's herbarium, Carex foenea, C. straminea and C. albicans in, 40:325.

Willdenow's Species Plantarum and Michaux's Flora Boreali-Americana: dates of publication, 44:147.

Willdenow's type of Scirpus glaucescens. 32:

WILLE, N.—New forms of green Algae, 1:149-

WILLEY, HENRY—[Herbarium of], 3:287, Williams College, [Herbarium of], 3:287. WILLIAMS, EMILE F.

Myosotis collina in New England, 1:11-

New England Botanical Club, 1:37-39.

Bartonia iodandra, a species new to the United States, 2:55-57, pl. 15. Two Erodiums at Tewkesbury, Massachu-

setts, 3:35. Extended ranges in Cyperus and Hiera-

cium, 3:36-37. A comparison of the floras of Mt. Wash-

ington and Mt. Katahdin, 3:160-165. Tree Willows at Fort Kent, Maine, 3:277-

[Herbarium of], 3:287.

Some extensions of range, 3:296.

Preliminary lists of New England plants. -VIII, 4:15-22.

Two noteworthy Carices at Sudbury, Massachusetts, 4:167–168. Notes on the flora of Franklin County,

Massachusetts, 12:168-170.

Notes from my herbarium, 13:71.

Castanea pumila in eastern Massachusetts, 13:90.

The annual meeting of the New England Botanical Club, 15:1-3.

A new form of Lilium philadelphicum,

15:217-218.

George Golding Kennedy, 21:25-35 (with portrait).

[Biographical sketch], 33:1-18.

WILLIAMS, Louis O.—Spiranthes michuacana in Arizona, 41:138.

Williamstown, Some plants about, 1:24.

WILLIS, ADALINE—Josselyn Botanical Society of Maine, 20:110.

WILLIS, LENA-Josselyn Botanical Society of Maine, 25:99-100; 26:112.

Willoughby, Additional notes from, 6:148.

Willoughby, Scrophularia leporella at, 7:119. Willoughby, Vermont, Flora of, 6:93. Willow, An anomalous alpine, 7:185. Willow from the Côte Nord, Quebec, A new,

32:112.

Willow from the White Mountains, A new alpine, 19:221.

Willow of the Penobscot Valley, A handsome,

Willow, Salix calcicola, a little known northern, 13:251.

Willows at Fort Kent Maine, Tree, 3:277. Willows of boreal America, Some, 16:169.

Willows of eastern America, Some new, 9:221. Willows or making new sections in the genus Salix, Studying, 49:37.

WILLS, FRANK J .- On the edibility of Clitocybe illudens, 1:186-187.

WILSON, L. R.

The identity of Lycopodium porophilum, 34:169-172.

The spores of the genus Lycopodium in the United States and Canada, 36:13-19, pls. 275-277.

The postglacial history of vegetation in northwestern Wisconsin, 40:137-175.

(— and Webster, R. M.), Fossil evidence of wider post-Pleistocene range

for Butternut and Hickory in Wisconsin, 44:409-414, 1 fig.; —A reply, 46: 149-155.

Windsor, Nova Scotia, Some Mosses from,

Wineland the Good, Notes on the plants of, 12:17.

Wineland the Good, Philological aspects of the plants of, 15:28.

Wisconsin, A natural Cypripedium hybrid from, 34:97.

Wisconsin, Arabis viridis in Oklahoma and, 40:431.

Wisconsin, Bidens connata and its varieties in. 30:31.

Wisconsin, Elatine triandra in, 36:351.

Wisconsin, Epilobium paniculatum var. subulatum in, 43:335.

Wisconsin, Fossil evidence of wider post-Pleistocene range for Butternut and Hickory in, 44:409; —A note on, 45:107; —A reply, 46:149.

Wisconsin, Notes from southeastern, 34:18;

-II, 35:252.

Wisconsin, Notes from the Herbarium of the University of, —I, xxix. 227-234; —II, xxx. 31-35, pl. 160; —III, xxx. 205-207; —IV, xxxi. 49-53; —V, xxxii. 57-59; —VI, xxxiii. 72-75; —VII, xxxiii. 224-228; —VIII, xxxiv. 95-96; —IX, xxxv. 199-203; —X, xxxv. 387-391; —XI, xxxvi. 349-352; —XII, xxxvii. 88–113, pl. 328; —XIII, xxxviii. 94–97; —XIV, xxxviii. 187–191; —XV, xxxix. 377– 379; —XVI, xxxix. 459–461; —XVII, xli. 367-377, 4 figs.; —XVIII, xli. 524-529.

Wisconsin, Recent contributions to the flora

of, 33:139.

Wisconsin, The Legumes of, [Review], 41:

Wisconsin, The postglacial history of vegetation in northwestern, 40:137.

Wisdom without understanding, Imagined,

[Critique], 46:312. Wolfeboro, New Hampshire, Pogonia affinis in the vicinity of, 31:242.

Wolffia columbiana in Concord, Massachusetts, 41:42.

Wolffia columbiana in Massachusetts, Records of, 5:287.

Wolffia in Massachusetts, 36:240.

Wolffiella floridana in Massachusetts, 40:76. Wolffiella lingulata in Louisiana, 35:226.

WOOD, CARROLL E., Jr.

Two ferns new to Virginia, 44:191-192. Notes on the flora of Roanoke County, Virginia, 46:69-86; 135-142.

Setaria Faberi in North Carolina, 48: 391 - 392.

Wood Yukon Expedition of 1939-1941, Botanical collections of the, 45:305.

Wood's botanical publications, Unlisted new names in Alphonso, 50:101.

Woods Hole, A new Erythrotrichia from, 20:

Woods Hole algal vegetation, Changes in the, 35:150.

Woods Hole, An important publication on the biology of, [Review], 15:152.

Woods Hole Laboratory, Notes from the, —1915, 18:90; —1917, 20:141; —1921, 23: 249; —1928, 30:193; —1932, 35:147. Woods Hole, Massachusetts, a study in suc-

cession, Reforestation at, 7:121.

Woods Hole, Massachusetts, Notes on Oedogonium and Bulbochaete in the vicinity of, 38:67.

Woods Hole, Massachusetts, Notes on the flora of, 3:87.

Woods Hole, Massachusetts, Oedogonium in

the vicinity of, 36:197. Woods Hole, Massachusetts, The submarine Chamaecyparis bog at, 11:221. Woodsia alpina in North America, The so-

called, 47:145.

Woodsia glabella in Maine, 5:286.

WOODSON, ROBERT E., Jr.

The identity and nomenclature of Apocynum androsaemifolium L., 34:30-31.
— and Нивкіснт, L.), Tradescantia
Wrightii in New Mexico, 37:454-455.

A new Amsonia from the Ozarks of Ar-

kansas, 45:328–329. Woodstock, Vermont, A Flora of, [Review], 34:56.

Woodstock, Vermont, Grasses and Sedges of, [Review], 42:143.
Woodward, Marcus—[Leaves from Gerard's Herball, Notice of, 33:212.
Woodward, Norman P.

An occurrence of Nicotiana rustica in Massachusetts, 14:206-207.

The Date-Palm as a ruderal plant in

Massachusetts, 29:51-52.

(Potter, D. and ——). Notes on the flora of Worcester County, Massachusetts, 37:80-88.

(POTTER, D., —, PRIDE, G. H. and How-ARD, F. H.), Notes on the flora of Worcester County, Massachusetts,-II, 42: 40-47.

WOODWARD, R. W.

Two noteworthy plants of New Haven, Connecticut, 6:89-90.

Notes on two Connecticut Grasses, 6: 177-178

Some plants rare or hitherto unrecorded in Connecticut, 7:68-69.

An extension of range of Eatonia pubescens, 7:138-139.

Notes on two species of Sporobolus, 8:23. Notes on Connecticut plants, 9:10-11.

Stellaria aquatica in Vermont, 10:206. Observations on some plants of eastern

Connecticut, 13:68-70.

Extended ranges of some Connecticut plants, 15:94-96.

Cyperus Grayii in Rhode Island, 15:100. Juneus dichotomus in Rhode Island, 15: 151.

On variation in Arenaria lateriflora, 15: 209-210.

Paspalum in eastern Connecticut, 16:136. Station for fruiting Euphorbia Cyparissias, 16:167-168.

Forms of Arenaria lateriflora, 16:179-180. Bidens connata petiolata, 17:234.

Some Connecticut plants, 20:97–98. Some Rhode Island Grasses, 20:116.

A Salix rostrata hybrid? 20:132. Two Festuca varieties, 21:72.

Some Connecticut plants, 21:114-116. Further notes on Philotria, 21:218-219. Panicum albemarlense in Connecticut, 22:

182-183.

WOODWORTH, R. H.

Interesting plants of northern Labrador, 29:54-57.

Woody plants of Brooklin, Maine, 12:173. Woody Plants of Maine, [Notice], 47:143. Woody plants of Rhode Island, Some, 41:314. Woody species of Hypericum, 42:8.

Woolson, G. A.
A third New England station for Asple-

nium ebenoides, 3:248-249.

A new station for Asplenium ebeneum Hortonae, 5:257.

Wool-waste, Astragalus contortuplicatus on,

Woolwaste at Westford, Massachusetts, Some

further plants found on, 19:132. Woolwaste at Westford, Two more foreign plants found on, 17:32. Wool-waste flora of eastern Massachusetts,

An addition to the, 34:214.

Wool-waste plants, Additional, 30:20.

Wool-waste plants at Lawrence, Massachusetts, 3:92.

Wool-waste plants at Westford, Massachusetts, 18:143; —Further, 15:172.

Wool-waste plants from Westford, Massachu-

wool-waste plants from Westford, Massachusetts, Two more, 26:38.

Woreester County, Massachusetts, Additions to the flora of, —I, 1:42; —II, 1:201; —III, 3:185; [Review], 30:20.

Worcester County, Massachusetts, Aquilegia canadensis forma Phippenii in, 31:36.

Worcester County, Massachusetts, Further notes on the flora of 2:201.

notes on the flora of, 2:201. Worcester County, Massachusetts, New rec-

ords for, 36:7.
Worcester County, Massachusetts, Notes on the flora of, 37:80; -II, 42:40.

Worcester County, Massachusetts, The Walking-fern in, 2:14.

Xanthium strumarium in Massachusetts, 14:

Xolisma, Pollination of the Ericaceae: Chamaedaphne and, 37:157.

Xyris montana in eastern Massachusetts, 29: 222.

Yale University, [Herbarium of], 3:287. Yale University Forest School, [Herbarium of], 3:288.

Yellowstone, Botrychium lanceolatum in the, 17:143.

Yong, M.—[Catalogue d'arbres, arbustes et plantes herbacées d'Amériquel, Notice of, 18:203-204.

York County, Maine, Notes on some rare plants of, 37:415.

York County, Maine, Some noteworthy plants of, 38:452.

Young, Aaron, Jr.

[Herbarium of], 3:69.

[--- and the botanical survey of Maine], 37:1-16 (with portrait).
Young, Herbert Andrew—[Herbarium of],

3:259.

Younge, O. R.—(Moyle, J. B., Neilsen, E. L. and ——), Vegetation of artificial lakes in northwestern Arkansas, 48:329-330.

Young's Chronicles, Concerning the plants mentioned in, 4:81.

"Ysle es Couldres." The "Coûdres" of the, 45: Yucca filamentosa, The identity of, 46:5.

Yukon expedition of 1939-1941, Botanical collections of the Wood, 45:305.

Zannichellia in arctic North America, Notes on the occurrence of Zostera and, 34:90. Zannichellia palustris, an additional record, 12:12.

ZENKERT, C. A .- [The Flora of the Niagara Frontier Region], Review of, 37:163-164. Zigadenus elegans, Zigadenus glaucus and, 37:

Zigadenus glaucus and Z. elegans, 37:256. Zinnia vs. Crassina, 28:40.


Zizania, A study of the genus, 26:153.

Zizania in Manitoba, Notes on the northern range of, 37:302.

Zizia aurea, A new variety of, 2:225.

Zostera and Zannichellia in arctic North America, Notes on the occurrence of, 34:90. Zostera colonies, Epidemic among, 35:186. Zostera in 1932, Disappearance of, 35:152.







PERIODICAL

